

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	*CaCO3		127	mg/LCaCO3	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	*CaCO3		126	mg/LCaCO3	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	*CaCO3		143	mg/LCaCO3	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	*CaCO3		264	mg/LCaCO3	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	*CaCO3		171	mg/LCaCO3	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Ag	<	0.016	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ag	<	0.016	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ag	<	0.016	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Ag	<	0.016	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Ag	<	0.355	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Ag	<	0.355	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Al		439	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Al		102	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Al		93.0	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Al		142	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Al	J	80.2	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Al		117	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	As	J	1.16	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	As	<	1.16	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	As	<	1.16	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	As	<	1.16	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	As	<	1.34	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	As	<	1.34	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Ba		13.4	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ba		15.8	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ba		15.6	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Ba		21.3	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Ba		33.2	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Ba		21.5	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Be	<	0.118	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Be	<	0.118	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Be	<	0.118	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Be	<	0.118	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Be	<	0.29	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Be	<	0.29	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	BOD		2.5	mg/L	SM5210 B
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	BOD		2	mg/L	SM5210 B
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	BOD	<	2	mg/L	SM5210 B
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	BOD		2.9	mg/L	SM5210 B
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	BOD	<	2	mg/L	SM5210 B
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	BOD	<	2	mg/L	SM5210 B
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Ca		24000	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ca		35400	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ca		35300	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Ca		41200	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Ca		71300	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Ca		45700	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Cd	<	0.026	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Cd	<	0.026	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Cd	<	0.026	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Cd	J	0.0390	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Cd	<	0.265	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Cd	<	0.265	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Co	J	0.535	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Co	J	0.288	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Co	J	0.326	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Co	J	0.473	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Co	J	0.328	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Co	J	0.676	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	COD		24.2	mg/L	EPA410.4
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	COD	j	17.7	mg/L	EPA410.4
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	COD		24.7	mg/L	EPA410.4
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	COD		26.4	mg/L	EPA 410.4
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	COD	J	15.7	mg/L	EPA 410.4
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Cr	J	1.01	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Cr	J	1.08	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Cr	J	1.09	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Cr	<	5.33	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Cr	<	5.33	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Cu		7.02	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Cu		3.04	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Cu		3.12	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Cu		4.31	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Cu		2.72	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Cu		3.38	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	DRP		0.053	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	DRP	j	0.027	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	DRP	j	0.028	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	DRP	j	0.03	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	DRP	j	0.016	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	DRP	j	0.019	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	E. coli		8960	MPN/100 mL	SM9223 Colilert
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	E. coli		2155	MPN/100 mL	SM9223 Colilert
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	E. coli		2083	MPN/100 mL	SM9223 Colilert
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	E. coli		2175	MPN/100 mL	SM9223 Colilert
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	E. coli		1122	MPN/100 mL	SM9223 Colilert
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	E. coli		1723	MPN/100 mL	SM9223 Colilert
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Fe		721	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Fe		399	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Fe		378	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Fe		509	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Fe	J	439	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Fe	J	450	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Field Conductivity		346	umhos/cm	SM 2510A
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Field Conductivity		524	umhos/cm	SM 2510A
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Field Conductivity		523	umhos/cm	SM 2510A
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Field Conductivity		915	umhos/cm	SM 2510A
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Field Conductivity		572	umhos/cm	SM 2510A
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Field DO		8.2	mg/L	SM 4500-0 G
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Field DO		95	%	
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Field DO		9	mg/L	SM 4500-0 G
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Field DO		106	%	
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Field DO		8.5	mg/L	SM 4500-0 G
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Field DO		92	%	
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Field DO		9	mg/L	SM 4500-0 G

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Field DO		103	%	
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Field DO		9.5	mg/L	SM 4500-0 G
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Field DO		103	%	
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Field Specific Conductance		362	umhos/cm	SM 2510B
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Field Specific Conductance		539	umhos/cm	SM 2510B
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Field Specific Conductance		585	umhos/cm	SM 2510B
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Field Specific Conductance		969	umhos/cm	SM 2510B
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Field Specific Conductance		647	umhos/cm	SM 2510B
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Field Temp		22.7	C	EPA 170.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Field Temp		23.5	C	EPA 170.1
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Field Temp		19.4	C	EPA 170.1
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Field Temp		22.1	C	EPA 170.1
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Field Temp		19	C	EPA 170.1
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Hg	<	0.022	ug/L	EPA245.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Hg	<	0.022	ug/L	EPA245.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Hg	<	0.022	ug/L	EPA245.1
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Hg	<	0.022	ug/L	EPA245.1
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Hg	<	0.022	ug/L	EPA245.1
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Hg	<	0.022	ug/L	EPA 245.1
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	K		2380	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	K		3080	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	K		3100	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	K		3940	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	K		5590	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	K		4350	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Mg		7260	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Mg		9300	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Mg		9310	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Mg		9640	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Mg		20900	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Mg		13900	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Mn		25.0	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Mn		12.4	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Mn		12.8	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Mn		14.1	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Mn		23.6	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Mn		17.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Mo		1.52	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Mo		2.11	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Mo		1.98	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Mo		2.65	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Mo		3.23	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Mo		2.77	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Na		31800	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Na		44800	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Na		44900	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Na		51900	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Na		91600	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Na		62500	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	NH3	<	0.022	mg/L	EPA350.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	NH3	j	0.035	mg/L	EPA350.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	NH3	j	0.025	mg/L	EPA350.1
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	NH3		0.056	mg/L	EPA350.1
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	NH3	j	0.027	mg/L	EPA350.1
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	NH3	J	0.044	mg/L	EPA-350.1
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Ni		3.38	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ni		3.14	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ni		3.27	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Ni		5.12	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Ni		4.1	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Ni		3.36	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	NO3+NO2		0.61	mg/L	EPA353.2
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	NO3+NO2		0.588	mg/L	EPA353.2
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	NO3+NO2		0.583	mg/L	EPA353.2
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	NO3+NO2		1.417	mg/L	EPA353.2
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	NO3+NO2		0.606	mg/L	EPA353.2
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	NO3+NO2		0.505	mg/L	EPA353.2
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Pb		0.789	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Pb	J	0.244	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Pb	J	0.241	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Pb	J	0.363	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Pb	<	0.35	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Pb	<	0.35	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	pH		7.7	S.U.	
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	pH		7.9	S.U.	
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	pH		7.7	S.U.	
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	pH		7.8	S.U.	
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	pH		8.0	S.U.	
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Sb	<	1.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Sb	<	1.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Sb	<	1.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Sb	<	1.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Sb	J	1.37	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Sb	J	1.28	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Se	<	3.77	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Se	<	3.77	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Se	<	3.77	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Se	<	3.77	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Se	<	7.1	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Se	<	7.1	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Sn	<	10	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Sn	<	10	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Sn	<	10	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Sn	<	10	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Sn	<	10	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Sn	<	10	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Sr		146	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Sr		214	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Sr		214	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Sr		259	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Sr		406	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Sr		267	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	TDS	~	192	mg/L	SM2540 C
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TDS		276	mg/L	SM2540 C
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TDS		288	mg/L	SM2540 C

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	TDS		322	mg/L	SM2540 C
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	TDS		540	mg/L	SM2540 C
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	TDS		360	mg/L	SM2540 C
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Ti		5.15	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ti	J	3.57	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Ti	J	3.29	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Ti		4.70	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Ti	J	1.72	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Ti	J	2.09	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	TKN		0.665	mg/L	EPA351.2
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TKN	j	0.448	mg/L	EPA351.2
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TKN	j	0.401	mg/L	EPA351.2
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	TKN		0.659	mg/L	EPA351.2
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	TKN		0.517	mg/L	EPA351.2
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	TI	<	0.264	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TI	<	0.264	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TI	<	0.264	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	TI	<	0.264	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	TI	<	0.495	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	TI	<	0.495	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	TP		0.092	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TP		0.053	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TP		0.054	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	TP		0.056	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	TP		0.035	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	TP		0.042	mg/L	EPA365.1
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	TS		279	mg/L	SM2540 B
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TS		324	mg/L	SM2540 B
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TS		338	mg/L	SM2540 B
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	TS		348	mg/L	SM2540 B
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	TS		718	mg/L	SM2540 B
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	TS		424	mg/L	SM2540 B
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	TSS		15.3	mg/L	SM2540 D
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TSS		4.4	mg/L	SM2540 D
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	TSS		6	mg/L	SM2540 D

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	TSS		4.8	mg/L	SM2540 D
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	TSS		5.6	mg/L	SM2540 D
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	TSS		3.9	mg/L	SM2540 D
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Turbidity		19.8	NTU	EPA180.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Turbidity		6.2	NTU	EPA180.1
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Turbidity		6.4	NTU	EPA180.1
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Turbidity		9	NTU	EPA180.1
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Turbidity		4.1	NTU	EPA180.1
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Turbidity		5	NTU	EPA180.1
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	V	J	0.996	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	V	J	0.783	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	V	J	0.674	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	V	J	0.801	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	V	<	17.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	V	<	17.9	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/22/2020 11:40	Zn		7.60	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Zn	J	3.01	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	7/29/2020 10:50	Zn	J	3.91	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/5/2020 9:55	Zn		5.03	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/12/2020 10:30	Zn	J	6.11	ug/L	EPA-200.8
Blodgett Creek	River Mile 1.50	8/19/2020 10:59	Zn	J	9.27	ug/L	EPA-200.8