

Stream & Location: CUMMINGS RIVER DOWNSTREAM OF DENKERS CREEK RM: 16.20 Date: 07/18/08

Scorers Full Name & Affiliation: JOHN W. RIVARDES & SEPT. HOTHAM Northeast Ohio Regional Sewer District

River Code: STORET #: Lat./ Long.: 41.3678 181.6139 Office verified location

1] SUBSTRATE Check ONLY Two substrate TYPE BOXES; estimate % or note every type present. Includes categories: BEST TYPES, POOL RIFFLE, OTHER TYPES, POOL RIFFLE, ORIGIN, QUALITY, and SILT. Includes a 'Substrate' score box with value 15.

2] INSTREAM COVER Indicate presence 0 to 3: 0-Absent; 1-Very small amounts... Includes categories: UNDERCUT BANKS, OVERHANGING VEGETATION, SHALLOWS, ROOTMATS, POOLS, ROOTWADS, BOULDERS, OXBOWS, AQUATIC MACROPHYTES, LOGS. Includes a 'Cover' score box with value 16.

3] CHANNEL MORPHOLOGY Check ONE in each category (Or 2 & average). Includes categories: SINUOSITY, DEVELOPMENT, CHANNELIZATION, STABILITY. Includes a 'Channel' score box with value 14.

4] BANK EROSION AND RIPARIAN ZONE Check ONE in each category for EACH BANK (Or 2 per bank & average). Includes categories: EROSION, RIPARIAN WIDTH, FLOOD PLAIN QUALITY. Includes a 'Riparian' score box with value 8.25.

5] POOL / GLIDE AND RIFFLE / RUN QUALITY MAXIMUM DEPTH, CHANNEL WIDTH, CURRENT VELOCITY. Includes a 'Recreation Potential' box with 'Primary Contact' and 'Secondary Contact' options. Includes a 'Pool / Current' score box with value 12.

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species: Check ONE (Or 2 & average). Includes categories: RIFFLE DEPTH, RUN DEPTH, RIFFLE / RUN SUBSTRATE, RIFFLE / RUN EMBEDDEDNESS. Includes a 'Riffle / Run' score box with value 6.5.

6] GRADIENT (3.15 ft/mi) DRAINAGE AREA (696 mi^2). Includes categories: VERY LOW - LOW, MODERATE, HIGH - VERY HIGH. Includes a 'Gradient' score box with value 10.

AJ SAMPLED REACH

Check ALL that apply

METHOD

- BOAT
 - WADE
 - L. LINE
 - OTHER
- DISTANCE**
- 0.5 Km
 - 0.2 Km
 - 0.15 Km
 - 0.12 Km
 - OTHER

STAGE

- HIGH
- UP
- NORMAL
- LOW
- DRY

CLARITY

- 1st --sample pass-- 2nd
- < 20 cm
 - 20-<40 cm
 - 40-70 cm
 - > 70 cm/ CTB
 - SECCHI DEPTH

CANOPY

- > 85%- OPEN
- 55%-<85%
- 30%-<55%
- 10%-<30%
- <10%- CLOSED

CJ RECREATION

AREA DEPTH POOL: >100R² >3ft

BJ AESTHETICS

- NUISANCE ALGAE
- INVASIVE MACROPHYTES
- EXCESS TURBIDITY
- DISCOLORATION
- FOAM / SCUM
- OIL SHEEN
- TRASH / LITTER
- NUISANCE ODOR
- SLUDGE DEPOSITS
- CSOs/SSOs/OUTFALLS

DJ MAINTENANCE

- PUBLIC / PRIVATE / BOTH / NA
- ACTIVE / HISTORIC / BOTH / NA
- YOUNG-SUCCESSION-OLD
- SPRAY / SNAG / REMOVED
- MODIFIED / DIPPED OUT / NA
- LEVEED / ONE SIDED
- RELOCATED / CUTOFFS
- MOVING-BEDLOAD-STABLE
- ARMoured / SLUMPS
- ISLANDS / SCoured
- IMPOUNDED / DESICCATED
- FLOOD CONTROL / DRAINAGE

EJ ISSUES


- WWTP / CSO / NPDES / INDUSTRY
- HARDENED / URBAN / DIRT&GRIME
- CONTAMINATED / LANDFILL
- BMPs-CONSTRUCTION-SEDIMENT
- LOGGING / IRRIGATION / COOLING
- BANK / EROSION / SURFACE
- FALSE BANK / MANURE / LAGOON
- WASH H₂O / TILE / H₂O TABLE
- ACID / MINE / QUARRY / FLOW
- NATURAL / WETLAND / STAGNANT
- PARK / GOLF / LAWN / HOME
- ATMOSPHERE / DATA PAUCITY

FJ MEASUREMENTS

- \bar{x} width
- \bar{x} depth
- max. depth
- \bar{x} bankfull width
- bankfull \bar{x} depth
- W/D ratio
- bankfull max. depth
- floodprone \bar{x}^2 width
- entrench. ratio

Legacy Tree:

Stream Drawing:



Stream & Location: Cuyahoga River Upstream of Mill Creek RM: 11.95 Date: 8/04/08

John W. Ritzwiler and Seth Mathom Scorers Full Name & Affiliation: Northeast Ohio Regional Sewer District

River Code: - - - STORET #: - - - Lat./Long.: 41.4123181.6364 Office verified location

1] SUBSTRATE Check ONLY Two substrate TYPE BOXES; estimate % or note every type present. Includes categories: BEST TYPES, OTHER TYPES, POOL RIFFLE, ORIGIN, QUALITY, and EMBEDDEDNESS.

2] INSTREAM COVER Indicate presence 0 to 3: 0-Absent; 1-Very small amounts... Includes categories: UNDERCUT BANKS, OVERHANGING VEGETATION, SHALLOWS, ROOTMATS, POOLS, ROOTWADS, BOULDERS, OXBOWS, AQUATIC MACROPHYTES, LOGS OR WOODY DEBRIS.

3] CHANNEL MORPHOLOGY Check ONE in each category (Or 2 & average). Includes categories: SINUOSITY, DEVELOPMENT, CHANNELIZATION, STABILITY.

4] BANK EROSION AND RIPARIAN ZONE Check ONE in each category for EACH BANK (Or 2 per bank & average). Includes categories: EROSION, RIPARIAN WIDTH, FLOOD PLAIN QUALITY.

5] POOL / GLIDE AND RIFFLE / RUN QUALITY Includes categories: MAXIMUM DEPTH, CHANNEL WIDTH, CURRENT VELOCITY, and Recreation Potential.

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species: Includes categories: RIFFLE DEPTH, RUN DEPTH, RIFFLE / RUN SUBSTRATE, RIFFLE / RUN EMBEDDEDNESS.

6] GRADIENT (4.77 ft/mi) DRAINAGE AREA (710 mi^2) Includes categories: VERY LOW - LOW, MODERATE, HIGH - VERY HIGH, %POOL, %GLIDE, %RUN, %RIFFLE.

Comment RE: Reach consistency/Is reach typical of stream?, Recreation/Observed - Inferred, Other/ Sampling observations, Concerns, Access directions, etc.

AJ SAMPLED REACH

Check ALL that apply

METHOD

- BOAT
 - WADE
 - L. LINE
 - OTHER
- STAGE**
- HIGH
 - UP
 - NORMAL
 - LOW
 - DRY

DISTANCE

- 0.5 Km
- 0.2 Km
- 0.15 Km
- 0.12 Km
- OTHER

CLARITY

- 1st --sample pass-- 2nd
- < 20 cm
 - 20-<40 cm
 - 40-70 cm
 - > 70 cm/ CTB
 - SECCHI DEPTH

CANOPY

- > 85%- OPEN
- 55%-<85%
- 30%-<55%
- 10%-<30%
- <10%- CLOSED

CJ RECREATION

- AREA DEPTH
POOL: >100R2 >3ft

BJ AESTHETICS

- NUISANCE ALGAE
- INVASIVE MACROPHYTES
- EXCESS TURBIDITY
- DISCOLORATION
- FOAM / SCUM
- OIL SHEEN
- TRASH / LITTER
- NUISANCE ODOR
- SLUDGE DEPOSITS
- CSOs/SSOs/OUTFALLS

DJ MAINTENANCE

- PUBLIC / PRIVATE / BOTH / NA
- ACTIVE / HISTORIC / BOTH / NA
- YOUNG-SUCCESSION-OLD
- SPRAY / SNAG / REMOVED
- MODIFIED / DIPPED OUT / NA
- LEVEED / ONE SIDED
- RELOCATED / CUTOFFS
- MOVING-BEDLOAD-STABLE
- ARMORED / SLUMPS
- ISLANDS / SCoured
- IMPOUNDED / DESICCATED
- FLOOD CONTROL / DRAINAGE

EJ ISSUES


- WWTP / CSO / NPDES / INDUSTRY
- HARDENED / URBAN / DIRT&GRIME
- CONTAMINATED / LANDFILL
- BMPs-CONSTRUCTION-SEDIMENT
- LOGGING / IRRIGATION / COOLING
- BANK / EROSION / SURFACE
- FALSE BANK / MANURE / LAGOON
- WASH H₂O / TILE / H₂O TABLE
- ACID / MINE / QUARRY / FLOW
- NATURAL / WETLAND / STAGNANT
- PARK / GOLF / LAWN / HOME
- ATMOSPHERE / DATA PAUCITY

FJ MEASUREMENTS

- \bar{x} width
- \bar{x} depth
- max. depth
- \bar{x} bankfull width
- bankfull \bar{x} depth
- W/D ratio
- bankfull max. depth
- floodprone \bar{x}^2 width
- entrench. ratio

Legacy Tree:

Stream Drawing:



Stream & Location: Cuyahoga River Downstream of Mill Creek RM: 1630 Date: 08/04/08

Scorers Full Name & Affiliation: John W. Rhoads and Scott Hestrum Northeast Ohio Regional Sewer District
 River Code: - - - STORET #: - - - Lat./ Long.: 41.4179 181.6446 Office verified location

1] **SUBSTRATE** Check ONLY Two substrate TYPE BOXES; estimate % or note every type present

BEST TYPES		POOL RIFFLE		OTHER TYPES		POOL RIFFLE		ORIGIN		QUALITY		SILT EMBEDDEDNESS 15 Substrate Maximum 20
<input type="checkbox"/> BLDR / SLABS [10]	<input type="checkbox"/> BOULDER [9]	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> HARDPAN [4]	<input type="checkbox"/> DETRITUS [3]	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> LIMESTONE [1]	<input type="checkbox"/> TILLS [1]	<input type="checkbox"/> HEAVY [-2]	<input checked="" type="checkbox"/> MODERATE [-1]	
<input type="checkbox"/> COBBLE [8]	<input checked="" type="checkbox"/> GRAVEL [7]	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> MUCK [2]	<input type="checkbox"/> SILT [2]	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> WETLANDS [0]	<input type="checkbox"/> HARDPAN [0]	<input type="checkbox"/> NORMAL [0]	<input type="checkbox"/> FREE [1]	
<input checked="" type="checkbox"/> SAND [6]	<input type="checkbox"/> BEDROCK [5]	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> ARTIFICIAL [0]	(Score natural substrates; ignore sludge from point-sources)		<input checked="" type="checkbox"/>	<input type="checkbox"/> SANDSTONE [0]	<input type="checkbox"/> RIP/RAP [0]	<input checked="" type="checkbox"/> EXTENSIVE [-2]	<input checked="" type="checkbox"/> MODERATE [-1]	
NUMBER OF BEST TYPES: <input checked="" type="checkbox"/> 4 or more [2] <input type="checkbox"/> 3 or less [0]								<input type="checkbox"/> LACUSTURINE [0]	<input type="checkbox"/> SHALE [-1]	<input type="checkbox"/> NONE [1]		
Comments												

2] **INSTREAM COVER** Indicate presence 0 to 3: 0-Absent; 1-Very small amounts or if more common of marginal quality; 2-Moderate amounts, but not of highest quality or in small amounts of highest quality; 3-Highest quality in moderate or greater amounts (e.g., very large boulders in deep or fast water, large diameter log that is stable, well developed rootwad in deep / fast water, or deep, well-defined, functional pools.

AMOUNT		Check ONE (Or 2 & average)	
<input type="checkbox"/> UNDERCUT BANKS [1]	<input type="checkbox"/> POOLS > 70cm [2]	<input type="checkbox"/> OXBOWS, BACKWATERS [1]	<input type="checkbox"/> EXTENSIVE >75% [11]
<input type="checkbox"/> OVERHANGING VEGETATION [1]	<input type="checkbox"/> ROOTWADS [1]	<input type="checkbox"/> AQUATIC MACROPHYTES [1]	<input checked="" type="checkbox"/> MODERATE 25-75% [7]
<input type="checkbox"/> SHALLOWS (IN SLOW WATER) [1]	<input type="checkbox"/> BOULDERS [1]	<input type="checkbox"/> LOGS OR WOODY DEBRIS [1]	<input type="checkbox"/> SPARSE 5-<25% [3]
<input type="checkbox"/> ROOTMATS [1]			<input type="checkbox"/> NEARLY ABSENT <5% [1]
Comments			Cover Maximum 20 16

3] **CHANNEL MORPHOLOGY** Check ONE in each category (Or 2 & average)

SINUOSITY	DEVELOPMENT	CHANNELIZATION	STABILITY
<input type="checkbox"/> HIGH [4]	<input checked="" type="checkbox"/> EXCELLENT [7]	<input type="checkbox"/> NONE [6]	<input type="checkbox"/> HIGH [3]
<input type="checkbox"/> MODERATE [3]	<input type="checkbox"/> GOOD [5]	<input type="checkbox"/> RECOVERED [4]	<input type="checkbox"/> MODERATE [2]
<input checked="" type="checkbox"/> LOW [2]	<input type="checkbox"/> FAIR [3]	<input type="checkbox"/> RECOVERING [3]	<input type="checkbox"/> LOW [1]
<input type="checkbox"/> NONE [1]	<input type="checkbox"/> POOR [1]	<input type="checkbox"/> RECENT OR NO RECOVERY [1]	
Comments			Channel Maximum 20 17

4] **BANK EROSION AND RIPARIAN ZONE** Check ONE in each category for EACH BANK (Or 2 per bank & average)

EROSION		RIPARIAN WIDTH		FLOOD PLAIN QUALITY		
<input checked="" type="checkbox"/> NONE / LITTLE [3]	<input type="checkbox"/> MODERATE [2]	<input type="checkbox"/> WIDE > 50m [4]	<input checked="" type="checkbox"/> MODERATE 10-50m [3]	<input type="checkbox"/> FOREST, SWAMP [3]	<input type="checkbox"/> SHRUB OR OLD FIELD [2]	<input type="checkbox"/> CONSERVATION TILLAGE [1]
<input type="checkbox"/> HEAVY / SEVERE [1]	<input type="checkbox"/> NONE [0]	<input type="checkbox"/> NARROW 5-10m [2]	<input checked="" type="checkbox"/> VERY NARROW < 5m [1]	<input type="checkbox"/> RESIDENTIAL, PARK, NEW FIELD [1]	<input type="checkbox"/> FENCED PASTURE [1]	<input type="checkbox"/> URBAN OR INDUSTRIAL [0]
		<input type="checkbox"/> NONE [0]		<input type="checkbox"/> OPEN PASTURE, ROWCROP [0]		<input type="checkbox"/> MINING / CONSTRUCTION [0]
Comments						Indicate predominant land use(s) past 100m riparian. Riparian Maximum 10 3.75

5] **POOL / GLIDE AND RIFFLE / RUN QUALITY**

MAXIMUM DEPTH	CHANNEL WIDTH	CURRENT VELOCITY	Recreation Potential Primary Contact Secondary Contact (circle one and comment on back)
Check ONE (ONLY!) <input checked="" type="checkbox"/> > 1m [6] <input type="checkbox"/> 0.7-<1m [4] <input type="checkbox"/> 0.4-<0.7m [2] <input type="checkbox"/> 0.2-<0.4m [1] <input type="checkbox"/> < 0.2m [0]	Check ONE (Or 2 & average) <input type="checkbox"/> POOL WIDTH > RIFFLE WIDTH [2] <input type="checkbox"/> POOL WIDTH = RIFFLE WIDTH [1] <input checked="" type="checkbox"/> POOL WIDTH < RIFFLE WIDTH [0]	Check ALL that apply <input type="checkbox"/> TORRENTIAL [-1] <input checked="" type="checkbox"/> SLOW [1] <input type="checkbox"/> VERY FAST [1] <input type="checkbox"/> INTERSTITIAL [-1] <input checked="" type="checkbox"/> FAST [1] <input type="checkbox"/> INTERMITTENT [-2] <input checked="" type="checkbox"/> MODERATE [1] <input checked="" type="checkbox"/> EDDIES [1]	
Comments			Pool / Current Maximum 12 10

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species: Check ONE (Or 2 & average). NO RIFFLE [metric=0]

RIFFLE DEPTH	RUN DEPTH	RIFFLE / RUN SUBSTRATE	RIFFLE / RUN EMBEDDEDNESS
<input checked="" type="checkbox"/> BEST AREAS > 10cm [2]	<input checked="" type="checkbox"/> MAXIMUM > 50cm [2]	<input checked="" type="checkbox"/> STABLE (e.g., Cobble, Boulder) [2]	<input type="checkbox"/> NONE [2]
<input type="checkbox"/> BEST AREAS 5-10cm [1]	<input type="checkbox"/> MAXIMUM < 50cm [1]	<input type="checkbox"/> MOD. STABLE (e.g., Large Gravel) [1]	<input checked="" type="checkbox"/> LOW [1]
<input type="checkbox"/> BEST AREAS < 5cm [metric=0]		<input type="checkbox"/> UNSTABLE (e.g., Fine Gravel, Sand) [0]	<input checked="" type="checkbox"/> MODERATE [0]
Comments			Riffle / Run Maximum 8 6

6] **GRADIENT** (4.77 ft/mi) VERY LOW - LOW [2-4] MODERATE [6-10] HIGH - VERY HIGH [10-6]

DRAINAGE AREA (730 mi²)

% POOL: % GLIDE:
 % RUN: % RIFFLE:

Gradient
 Maximum 10
10

Comment RE: Reach consistency/Is reach typical of stream?, Recreation/Observed - Inferred, Other/ Sampling observations, Concerns, Access directions, etc.

A) SAMPLED REACH

Check ALL that apply

METHOD

- BOAT
 - WADE
 - L. LINE
 - OTHER
- STAGE**
- HIGH
 - UP
 - NORMAL
 - LOW
 - DRY

1st - sample pass - 2nd

CLARITY

- 0.5 Km
 - 0.2 Km
 - 0.15 Km
 - 0.12 Km
 - OTHER
- 1st --sample pass-- 2nd
- < 20 cm
 - 20-<40 cm
 - 40-70 cm
 - > 70 cm/ CTB
 - SECCHI DEPTH

meters

CANOPY

- > 85% - OPEN
- 55% - < 85%
- 30% - < 55%
- 10% - < 30%
- < 10% - CLOSED

CJ RECREATION

- AREA DEPTH
- POOL: > 100R2 > 3ft

BJ AESTHETICS

- NUISANCE ALGAE
- INVASIVE MACROPHYTES
- EXCESS TURBIDITY
- DISCOLORATION
- FOAM / SCUM
- OIL SHEEN
- TRASH / LITTER
- NUISANCE ODOR
- SLUDGE DEPOSITS
- CSOs/SSOs/OUTFALLS

DJ MAINTENANCE

- PUBLIC / PRIVATE / BOTH / NA
- ACTIVE / HISTORIC / BOTH / NA
- YOUNG-SUCCESSION-OLD
- SPRAY / SNAG / REMOVED
- MODIFIED / DIPPED OUT / NA
- LEVEED / ONE SIDED
- RELOCATED / CUTOFFS
- MOVING-BEDLOAD-STABLE
- ARMORED / SLUMPS
- ISLANDS / SCoured
- IMPOUNDED / DESICCATED
- FLOOD CONTROL / DRAINAGE

Circle some & COMMENT


EJ ISSUES

- WWTP / CSO / NPDES / INDUSTRY
- HARDENED / URBAN / DIRT & GRIME
- CONTAMINATED / LANDFILL
- BMPs-CONSTRUCTION-SEDIMENT
- LOGGING / IRRIGATION / COOLING
- BANK / EROSION / SURFACE
- FALSE BANK / MANURE / LAGOON
- WASH H₂O / TILE / H₂O TABLE
- ACID / MINE / QUARRY / FLOW
- NATURAL / WETLAND / STAGNANT
- PARK / GOLF / LAWN / HOME
- ATMOSPHERE / DATA PAUCITY

FJ MEASUREMENTS

- \bar{x} width
- \bar{x} depth
- max. depth
- \bar{x} bankfull width
- bankfull \bar{x} depth
- W/D ratio
- bankfull max. depth
- floodprone \bar{x}^2 width
- entrench. ratio
- Legacy Tree:

Stream Drawing:



Stream & Location: Cuyahoga River upstream of Cuyahoga Falls RM: 10.75 Date: 8/04/08

John W. Ruanes and Seth Hothem Scorers Full Name & Affiliation: NEORSD

River Code: - - STORET #: Lat./ Long.: 41.4196 81.6547 Office verified location

1] SUBSTRATE Check ONLY Two substrate TYPE BOXES; estimate % or note every type present. Check ONE (Or 2 & average). BEST TYPES: BLDR/SLABS [10], BOULDER [9], COBBLE [8], GRAVEL [7], SAND [6], BEDROCK [5]. OTHER TYPES: HARDPAN [4], DETRITUS [3], MUCK [2], SILT [2], ARTIFICIAL [0]. ORIGIN: LIMESTONE [1], TILLS [1], WETLANDS [0], HARDPAN [0], SANDSTONE [0], RIP/RAP [0], LACUSTURINE [0], SHALE [-1], COAL FINES [-2]. QUALITY: HEAVY [-2], MODERATE [-1], NORMAL [0], FREE [1], EXTENSIVE [-2], MODERATE [-1], NORMAL [0], NONE [1]. Substrate Maximum 20

2] INSTREAM COVER Indicate presence 0 to 3: 0-Absent; 1-Very small amounts or if more common of marginal quality; 2-Moderate amounts, but not of highest quality or in small amounts of highest quality; 3-Highest quality in moderate or greater amounts. Check ONE (Or 2 & average). UNDERCUT BANKS [1], OVERHANGING VEGETATION [1], SHALLOWS (IN SLOW WATER) [1], ROOTMATS [1]. POOLS > 70cm [2], ROOTWADS [1], BOULDERS [1]. OXBOWS, BACKWATERS [1], AQUATIC MACROPHYTES [1], LOGS OR WOODY DEBRIS [1]. AMOUNT: EXTENSIVE >75% [11], MODERATE 25-75% [7], SPARSE 5-<25% [3], NEARLY ABSENT <5% [1]. Cover Maximum 20

3] CHANNEL MORPHOLOGY Check ONE in each category (Or 2 & average). SINUOSITY: HIGH [4], MODERATE [3], LOW [2], NONE [1]. DEVELOPMENT: EXCELLENT [7], GOOD [5], FAIR [3], POOR [1]. CHANNELIZATION: NONE [6], RECOVERED [4], RECOVERING [3], RECENT OR NO RECOVERY [1]. STABILITY: HIGH [3], MODERATE [2], LOW [1]. Channel Maximum 20

4] BANK EROSION AND RIPARIAN ZONE Check ONE in each category for EACH BANK (Or 2 per bank & average). River right looking downstream. EROSION: NONE / LITTLE [3], MODERATE [2], HEAVY / SEVERE [1]. RIPARIAN WIDTH: WIDE > 50m [4], MODERATE 10-50m [3], NARROW 5-10m [2], VERY NARROW < 5m [1], NONE [0]. FLOOD PLAIN QUALITY: FOREST, SWAMP [3], SHRUB OR OLD FIELD [2], RESIDENTIAL, PARK, NEW FIELD [1], FENCED PASTURE [1], OPEN PASTURE, ROWCROP [0]. CONSERVATION TILLAGE [1], URBAN OR INDUSTRIAL [0], MINING / CONSTRUCTION [0]. Riparian Maximum 10

5] POOL / GLIDE AND RIFFLE / RUN QUALITY MAXIMUM DEPTH: > 1m [6], 0.7-<1m [4], 0.4-<0.7m [2], 0.2-<0.4m [1], < 0.2m [0]. CHANNEL WIDTH: POOL WIDTH > RIFFLE WIDTH [2], POOL WIDTH = RIFFLE WIDTH [1], POOL WIDTH < RIFFLE WIDTH [0]. CURRENT VELOCITY: TORRENTIAL [-1], SLOW [1], VERY FAST [1], INTERSTITIAL [-1], FAST [1], INTERMITTENT [-2], MODERATE [1], EDDIES [1]. Recreation Potential Primary Contact Secondary Contact. Pool / Current Maximum 12

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species: Check ONE (Or 2 & average). NO RIFFLE [metric=0]. RIFFLE DEPTH: BEST AREAS > 10cm [2], BEST AREAS 5-10cm [1], BEST AREAS < 5cm [metric=0]. RUN DEPTH: MAXIMUM > 50cm [2], MAXIMUM < 50cm [1]. RIFFLE / RUN SUBSTRATE: STABLE (e.g., Cobble, Boulder) [2], MOD. STABLE (e.g., Large Gravel) [1], UNSTABLE (e.g., Fine Gravel, Sand) [0]. RIFFLE / RUN EMBEDDEDNESS: NONE [2], LOW [1], MODERATE [0], EXTENSIVE [-1]. Riffle / Run Maximum 8

6] GRADIENT (1.75 ft/mi) DRAINAGE AREA (743 mi²) VERY LOW - LOW [2-4], MODERATE [6-10], HIGH - VERY HIGH [10-6]. %POOL: %GLIDE: %RUN: %RIFFLE: Gradient Maximum 10

AJ SAMPLED REACH

Check ALL that apply

METHOD

- BOAT
 - WADE
 - L. LINE
 - OTHER
- STAGE**
- 1st--sample pass-- 2nd
- HIGH
 - UP
 - NORMAL
 - LOW
 - DRY

DISTANCE

- 0.5 Km
- 0.2 Km
- 0.15 Km
- 0.12 Km
- OTHER

CLARITY

- < 20 cm
- 20-<40 cm
- 40-70 cm
- > 70 cm/ CTB
- SECCHI DEPTH

meters

CANOPY

- > 85%- OPEN
- 55%-<85%
- 30%-<55%
- 10%-<30%
- <10%- CLOSED

1st _____ cm

2nd _____ cm

CJ RECREATION

AREA DEPTH

POOL: >100ft² >3ft

BJ AESTHETICS

- NUISANCE ALGAE
- INVASIVE MACROPHYTES
- EXCESS TURBIDITY
- DISCOLORATION
- FOAM / SCUM
- OIL SHEEN
- TRASH / LITTER
- NUISANCE ODOR
- SLUDGE DEPOSITS
- CSOs/SSOs/OUTFALLS

DJ MAINTENANCE

- PUBLIC / PRIVATE / BOTH / NA
- ACTIVE / HISTORIC / BOTH / NA
- YOUNG-SUCCESSION-OLD
- SPRAY / SNAG / REMOVED
- MODIFIED / DIPPED OUT / NA
- LEVEED / ONE SIDED
- RELOCATED / CUTOFFS
- MOVING-BEDLOAD-STABLE
- ARMORED / SLUMPS
- ISLANDS / SCOURED
- IMPOUNDED / DESICCATED
- FLOOD CONTROL / DRAINAGE

EJ ISSUES


- WWTP / CSO / NPDES / INDUSTRY
- HARDENED / URBAN / DIRT&GRIME
- CONTAMINATED / LANDFILL
- BMPs-CONSTRUCTION-SEDIMENT
- LOGGING / IRRIGATION / COOLING
- BANK / EROSION / SURFACE
- FALSE BANK / MANURE / LAGOON
- WASH H₂O / TILE / H₂O TABLE
- ACID / MINE / QUARRY / FLOW
- NATURAL / WETLAND / STAGNANT
- PARK / GOLF / LAWN / HOME
- ATMOSPHERE / DATA PAUCITY

FJ MEASUREMENTS

- \bar{x} width
- \bar{x} depth
- max. depth
- \bar{x} bankfull width
- bankfull \bar{x} depth
- W/D ratio
- bankfull max. depth
- floodprone \bar{x} width
- entrench. ratio

Legacy Tree:

Stream Drawing:



Stream & Location: Cuyahoga River Downstream of Switorty **RM:** 10.10 **Date:** 08/04/08

John W. Richards and Seth Mathem **Scorers Full Name & Affiliation:** NEORSD

River Code: - - - **STORET #:** - - - **Lat./ Long.:** 41.424218 81.6638 **Office verified location**

1] SUBSTRATE Check **ONLY** Two substrate **TYPE BOXES**; estimate % or note every type present

<p>BEST TYPES</p> <input type="checkbox"/> BLDR / SLABS [10] <input type="checkbox"/> BOULDER [9] <input type="checkbox"/> COBBLE [8] <input checked="" type="checkbox"/> GRAVEL [7] <input checked="" type="checkbox"/> SAND [6] <input type="checkbox"/> BEDROCK [5]	<p>POOL RIFFLE</p> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<p>OTHER TYPES</p> <input type="checkbox"/> HARDPAN [4] <input type="checkbox"/> DETRITUS [3] <input type="checkbox"/> MUCK [2] <input type="checkbox"/> SILT [2] <input type="checkbox"/> ARTIFICIAL [0]	<p>POOL RIFFLE</p> <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<p>ORIGIN</p> <input type="checkbox"/> LIMESTONE [1] <input type="checkbox"/> TILLS [1] <input type="checkbox"/> WETLANDS [0] <input type="checkbox"/> HARDPAN [0] <input type="checkbox"/> SANDSTONE [0] <input type="checkbox"/> RIP/RAP [0] <input type="checkbox"/> LACUSTURINE [0] <input type="checkbox"/> SHALE [-1] <input type="checkbox"/> COAL FINES [-2]	<p>QUALITY</p> <input type="checkbox"/> HEAVY [-2] <input type="checkbox"/> MODERATE [-1] <input checked="" type="checkbox"/> NORMAL [0] <input type="checkbox"/> FREE [1] <input type="checkbox"/> EXTENSIVE [-2] <input type="checkbox"/> MODERATE [-1] <input checked="" type="checkbox"/> NORMAL [0] <input type="checkbox"/> NONE [1]
--	---	--	--	---	--

NUMBER OF BEST TYPES: 4 or more [2] 3 or less [0]

Comments

2] INSTREAM COVER Indicate presence 0 to 3: 0-Absent; 1-Very small amounts or if more common of marginal quality; 2-Moderate amounts, but not of highest quality or in small amounts of highest quality; 3-Highest quality in moderate or greater amounts (e.g., very large boulders in deep or fast water, large diameter log that is stable, well developed rootwad in deep / fast water, or deep, well-defined, functional pools.

<p><u>1</u> UNDERCUT BANKS [1] <u>1</u> OVERHANGING VEGETATION [1] <u>1</u> SHALLOWS (IN SLOW WATER) [1] <u>1</u> ROOTMATS [1]</p>	<p><u>2</u> POOLS > 70cm [2] <u>1</u> ROOTWADS [1] <u>1</u> BOULDERS [1]</p>	<p><u>1</u> OXBOWS, BACKWATERS [1] <u>0</u> AQUATIC MACROPHYTES [1] <u>3</u> LOGS OR WOODY DEBRIS [1]</p>	<p>AMOUNT</p> <input type="checkbox"/> EXTENSIVE >75% [11] <input checked="" type="checkbox"/> MODERATE 25-75% [7] <input type="checkbox"/> SPARSE 5-<25% [3] <input type="checkbox"/> NEARLY ABSENT <5% [1]
---	---	---	--

Comments

3] CHANNEL MORPHOLOGY Check ONE in each category (Or 2 & average)

<p>SINUOSITY</p> <input type="checkbox"/> HIGH [4] <input type="checkbox"/> MODERATE [3] <input checked="" type="checkbox"/> LOW [2] <input type="checkbox"/> NONE [1]	<p>DEVELOPMENT</p> <input type="checkbox"/> EXCELLENT [7] <input checked="" type="checkbox"/> GOOD [5] <input type="checkbox"/> FAIR [3] <input type="checkbox"/> POOR [1]	<p>CHANNELIZATION</p> <input type="checkbox"/> NONE [6] <input type="checkbox"/> RECOVERED [4] <input type="checkbox"/> RECOVERING [3] <input type="checkbox"/> RECENT OR NO RECOVERY [1]	<p>STABILITY</p> <input checked="" type="checkbox"/> HIGH [3] <input type="checkbox"/> MODERATE [2] <input type="checkbox"/> LOW [1]
--	--	---	---

Comments

4] BANK EROSION AND RIPARIAN ZONE Check ONE in each category for EACH BANK (Or 2 per bank & average)

<p>EROSION</p> <input checked="" type="checkbox"/> NONE / LITTLE [3] <input type="checkbox"/> MODERATE [2] <input type="checkbox"/> HEAVY / SEVERE [1]	<p>RIPARIAN WIDTH</p> <input type="checkbox"/> WIDE > 50m [4] <input type="checkbox"/> MODERATE 10-50m [3] <input checked="" type="checkbox"/> NARROW 5-10m [2] <input checked="" type="checkbox"/> VERY NARROW < 5m [1] <input type="checkbox"/> NONE [0]	<p>FLOOD PLAIN QUALITY</p> <input type="checkbox"/> FOREST, SWAMP [3] <input type="checkbox"/> SHRUB OR OLD FIELD [2] <input type="checkbox"/> RESIDENTIAL, PARK, NEW FIELD [1] <input type="checkbox"/> FENCED PASTURE [1] <input type="checkbox"/> OPEN PASTURE, ROWCROP [0]	<p>CONSERVATION TILLAGE</p> <input type="checkbox"/> CONSERVATION TILLAGE [1] <input type="checkbox"/> URBAN OR INDUSTRIAL [0] <input type="checkbox"/> MINING / CONSTRUCTION [0]
---	---	---	--

Comments

5] POOL / GLIDE AND RIFFLE / RUN QUALITY

<p>MAXIMUM DEPTH</p> <p>Check ONE (ONLY!)</p> <input checked="" type="checkbox"/> > 1m [6] <input type="checkbox"/> 0.7-<1m [4] <input type="checkbox"/> 0.4-<0.7m [2] <input type="checkbox"/> 0.2-<0.4m [1] <input type="checkbox"/> < 0.2m [0]	<p>CHANNEL WIDTH</p> <p>Check ONE (Or 2 & average)</p> <input checked="" type="checkbox"/> POOL WIDTH > RIFFLE WIDTH [2] <input type="checkbox"/> POOL WIDTH = RIFFLE WIDTH [1] <input type="checkbox"/> POOL WIDTH < RIFFLE WIDTH [0]	<p>CURRENT VELOCITY</p> <p>Check ALL that apply</p> <input type="checkbox"/> TORRENTIAL [-1] <input checked="" type="checkbox"/> VERY FAST [1] <input type="checkbox"/> FAST [1] <input checked="" type="checkbox"/> MODERATE [1] <input type="checkbox"/> SLOW [1] <input type="checkbox"/> INTERSTITIAL [-1] <input type="checkbox"/> INTERMITTENT [-2] <input checked="" type="checkbox"/> EDDIES [1]	<p>Recreation Potential</p> <p>Primary Contact</p> <p>Secondary Contact</p> <p>(circle one and comment on back)</p>
--	---	--	--

Comments

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species: Check ONE (Or 2 & average).

<p>RIFFLE DEPTH</p> <input checked="" type="checkbox"/> BEST AREAS > 10cm [2] <input type="checkbox"/> BEST AREAS 5-10cm [1] <input type="checkbox"/> BEST AREAS < 5cm [metric=0]	<p>RUN DEPTH</p> <input checked="" type="checkbox"/> MAXIMUM > 50cm [2] <input type="checkbox"/> MAXIMUM < 50cm [1]	<p>RIFFLE / RUN SUBSTRATE</p> <input type="checkbox"/> STABLE (e.g., Cobble, Boulder) [2] <input checked="" type="checkbox"/> MOD. STABLE (e.g., Large Gravel) [1] <input type="checkbox"/> UNSTABLE (e.g., Fine Gravel, Sand) [0]	<p>RIFFLE / RUN EMBEDDEDNESS</p> <input type="checkbox"/> NONE [2] <input checked="" type="checkbox"/> LOW [1] <input type="checkbox"/> MODERATE [0] <input type="checkbox"/> EXTENSIVE [-1]
--	---	---	--

Comments

6] GRADIENT (0.90 ft/mi) VERY LOW - LOW [2-4] MODERATE [6-10] HIGH - VERY HIGH [10-6]

DRAINAGE AREA (744 mi²)

% POOL: **% GLIDE:**

% RUN: **% RIFFLE:**

Gradient 8 **Maximum** 10

AJ SAMPLED REACH

Check ALL that apply

METHOD STAGE

- BOAT
 - WADE
 - L. LINE
 - OTHER
- 1st--sample pass-- 2nd
- HIGH
 - UP
 - NORMAL
 - LOW
 - DRY

DISTANCE

- 0.5 Km
- 0.2 Km
- 0.15 Km
- 0.12 Km
- OTHER

CLARITY

- < 20 cm
- 20-<40 cm
- 40-70 cm
- > 70 cm/ CTB
- SECCHI DEPTH

CANOPY

- > 85% - OPEN
- 55%-<85%
- 30%-<55%
- 10%-<30%
- <10% - CLOSED

CJ RECREATION

AREA DEPTH POOL: >100ft² >3ft

BJ AESTHETICS

- NUISANCE ALGAE
- INVASIVE MACROPHYTES
- EXCESS TURBIDITY
- DISCOLORATION
- FOAM / SCUM
- OIL SHEEN
- TRASH / LITTER
- NUISANCE ODOR
- SLUDGE DEPOSITS
- CSOs/SSOs/OUTFALLS

DJ MAINTENANCE

- PUBLIC / PRIVATE / BOTH / NA
- ACTIVE / HISTORIC / BOTH / NA
- YOUNG-SUCCESSION-OLD
- SPRAY / SNAG / REMOVED
- MODIFIED / DIPPED OUT / NA
- LEVEED / ONE SIDED
- RELOCATED / CUTOFFS
- MOVING-BEDLOAD-STABLE
- ARMoured / SLUMPS
- ISLANDS / SCOURED
- IMPOUNDED / DESICCATED
- FLOOD CONTROL / DRAINAGE

EJ ISSUES


- WWTP / CSO / NPDES / INDUSTRY
- HARDENED / URBAN / DIRT&GRIME
- CONTAMINATED / LANDFILL
- BMPs-CONSTRUCTION-SEDIMENT
- LOGGING / IRRIGATION / COOLING
- BANK / EROSION / SURFACE
- FALSE BANK / MANURE / LAGOON
- WASH H₂O / TILE / H₂O TABLE
- ACID / MINE / QUARRY / FLOW
- NATURAL / WETLAND / STAGNANT
- PARK / GOLF / LAWN / HOME
- ATMOSPHERE / DATA PAUCITY

FJ MEASUREMENTS

- \bar{x} width
- \bar{x} depth
- max. depth
- \bar{x} bankfull width
- bankfull \bar{x} depth
- W/D ratio
- bankfull max. depth
- floodprone \bar{x}^2 width
- entrench. ratio

Legacy Tree:

Stream Drawing:



Stream & Location: Cuyahoga River upstream of Big Creek RM: 8.20 Date: 8/09/08

Scorers Full Name & Affiliation: JOHN W. RYANES AND SETH HORTON NEORSD

River Code: STORET #: Lat./ Long.: 41.4395/81.6754 Office verified location

1] SUBSTRATE Check ONLY Two substrate TYPE BOXES; estimate % or note every type present

Substrate assessment form with categories: BEST TYPES, OTHER TYPES, ORIGIN, and QUALITY. Includes checkboxes for BLDR/SLABS, BOULDER, COBBLE, GRAVEL, SAND, BEDROCK, etc.

2] INSTREAM COVER Indicate presence 0 to 3: 0-Absent; 1-Very small amounts or if more common of marginal quality; 2-Moderate amounts, but not of highest quality or in small amounts of highest quality; 3-Highest quality in moderate or greater amounts

Instream Cover assessment form with categories: UNDERCUT BANKS, OVERHANGING VEGETATION, SHALLOWS, ROOTMATS, POOLS, ROOTWADS, BOULDERS, OXBOWS, AQUATIC MACROPHYTES, LOGS OR WOODY DEBRIS.

3] CHANNEL MORPHOLOGY Check ONE in each category (Or 2 & average)

Channel Morphology assessment form with categories: SINUOSITY, DEVELOPMENT, CHANNELIZATION, STABILITY. Includes checkboxes for HIGH, MODERATE, LOW, NONE.

4] BANK EROSION AND RIPARIAN ZONE Check ONE in each category for EACH BANK (Or 2 per bank & average)

Bank Erosion and Riparian Zone assessment form with categories: EROSION, RIPARIAN WIDTH, FLOOD PLAIN QUALITY. Includes checkboxes for NONE, MODERATE, HEAVY/SEVERE.

5] POOL / GLIDE AND RIFFLE / RUN QUALITY

Pool/Glide and Riffle/Run Quality assessment form with categories: MAXIMUM DEPTH, CHANNEL WIDTH, CURRENT VELOCITY. Includes checkboxes for >1m, 0.7-1m, etc.

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species:

Riffle/Run Embeddedness assessment form with categories: RIFFLE DEPTH, RUN DEPTH, RIFFLE / RUN SUBSTRATE, RIFFLE / RUN EMBEDDEDNESS.

6] GRADIENT (203 ft/mi) DRAINAGE AREA (749 mi^2) %POOL: %GLIDE: %RUN: %RIFFLE:

AJ SAMPLED REACH
Check ALL that apply

- METHOD**
- BOAT
 - WADE
 - L. LINE
 - OTHER
- STAGE**
- HIGH
 - UP
 - NORMAL
 - LOW
 - DRY
- DISTANCE**
- 0.5 Km
 - 0.2 Km
 - 0.15 Km
 - 0.12 Km
 - OTHER

- CLARITY**
- 1st --sample pass-- 2nd
- < 20 cm
 - 20-<40 cm
 - 40-70 cm
 - > 70 cm/CTB
 - SECCHI DEPTH
- meters

- CANOPY**
- > 85% - OPEN
 - 55% -<85%
 - 30% -<55%
 - 10% -<30%
 - <10% - CLOSED

- BJ AESTHETICS**
- NUISANCE ALGAE
 - INVASIVE MACROPHYTES
 - EXCESS TURBIDITY
 - DISCOLORATION
 - FOAM / SCUM
 - OIL SHEEN
 - TRASH / LITTER
 - NUISANCE ODOR
 - SLUDGE DEPOSITS
 - CSOs/SSOs/OUTFALLS

- DJ MAINTENANCE**
- PUBLIC / PRIVATE / BOTH / NA
 - ACTIVE / HISTORIC / BOTH / NA
 - YOUNG-SUCCESSION-OLD
 - SPRAY / SNAG / REMOVED
 - MODIFIED / DIPPED OUT / NA
 - LEVEED / ONE SIDED
 - RELOCATED / CUTOFFS
 - MOVING-BEDLOAD-STABLE
 - ARMoured / SLUMPS
 - ISLANDS / SCOURED
 - IMPOUNDED / DESICCATED
 - FLOOD CONTROL / DRAINAGE


Circle some & COMMENT

- EJ ISSUES**
- WWTP / CSO / NPDES / INDUSTRY
 - HARDENED / URBAN / DIRT&GRIME
 - CONTAMINATED / LANDFILL
 - BMPs-CONSTRUCTION-SEDIMENT
 - LOGGING / IRRIGATION / COOLING
 - BANK / EROSION / SURFACE
 - FALSE BANK / MANURE / LAGOON
 - WASH H₂O / TILE / H₂O TABLE
 - ACID / MINE / QUARRY / FLOW
 - NATURAL / WETLAND / STAGNANT
 - PARK / GOLF / LAWN / HOME
 - ATMOSPHERE / DATA PAUCITY

- FJ MEASUREMENTS**
- \bar{x} width
 - \bar{x} depth
 - max. depth
 - \bar{x} bankfull width
 - bankfull \bar{x} depth
 - W/D ratio
 - bankfull max. depth
 - floodprone \bar{x} width
 - entrench. ratio

- CJ RECREATION**
- AREA DEPTH
- POOL: >100ft² >3ft

Stream Drawing:





Qualitative Habitat Evaluation Index and Use Assessment Field Sheet

QHEI Score: **76.5**

Stream & Location: CUYAHOGA RIVER DOWNSTREAM OF BIG CREEK RM: 7.00 Date: 08/04/08

Scorers Full Name & Affiliation: JOHN W. RICHARDS AND SETH HORTON NEORSD
River Code: - - - STORET #: - - - Lat./ Long.: 41.4497 / 81.6815 Office verified location

1] **SUBSTRATE** Check ONLY Two substrate TYPE BOXES; estimate % or note every type present

BEST TYPES	POOL RIFFLE	OTHER TYPES	POOL RIFFLE	ORIGIN	QUALITY
<input type="checkbox"/> BLDR / SLABS [10]	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> HARDPAN [4]	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> LIMESTONE [1]	<input type="checkbox"/> HEAVY [-2]
<input type="checkbox"/> BOULDER [9]	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> DETRITUS [3]	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> SILT	<input type="checkbox"/> MODERATE [-1]
<input checked="" type="checkbox"/> COBBLE [8]	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> MUCK [2]	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> WETLANDS [0]	<input checked="" type="checkbox"/> NORMAL [0]
<input type="checkbox"/> GRAVEL [7]	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> SILT [2]	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> HARDPAN [0]	<input type="checkbox"/> FREE [1]
<input checked="" type="checkbox"/> SAND [6]	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> ARTIFICIAL [0]	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> SANDSTONE [0]	<input type="checkbox"/> EXTENSIVE [-2]
<input type="checkbox"/> BEDROCK [5]	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> RIP/RAP [0]	<input checked="" type="checkbox"/> MODERATE [-1]

NUMBER OF BEST TYPES: 4 or more [2] 3 or less [0] (Score natural substrates; ignore sludge from point-sources)

Comments

Check ONE (Or 2 & average)

EMBEDDEDNESS

Substrate Maximum 20 **16**

2] **INSTREAM COVER** Indicate presence 0 to 3: 0-Absent; 1-Very small amounts or if more common of marginal quality; 2-Moderate amounts, but not of highest quality or in small amounts of highest quality; 3-Highest quality in moderate or greater amounts (e.g., very large boulders in deep or fast water, large diameter log that is stable, well developed rootwad in deep / fast water, or deep, well-defined, functional pools.

<u>0</u> UNDERCUT BANKS [1]	<u>2</u> POOLS > 70cm [2]	<u>0</u> OXBOWS, BACKWATERS [1]	Check ONE (Or 2 & average)
<u>2</u> OVERHANGING VEGETATION [1]	<u>1</u> ROOTWADS [1]	<u>0</u> AQUATIC MACROPHYTES [1]	<input type="checkbox"/> EXTENSIVE >75% [11]
<u>1</u> SHALLOWS (IN SLOW WATER) [1]	<u>3</u> BOULDERS [1]	<u>3</u> LOGS OR WOODY DEBRIS [1]	<input checked="" type="checkbox"/> MODERATE 25-75% [7]
<u>2</u> ROOTMATS [1]			<input type="checkbox"/> SPARSE 5-<25% [3]
			<input type="checkbox"/> NEARLY ABSENT <5% [1]

Comments

Cover Maximum 20 **13**

3] **CHANNEL MORPHOLOGY** Check ONE in each category (Or 2 & average)

SINUOSITY	DEVELOPMENT	CHANNELIZATION	STABILITY
<input type="checkbox"/> HIGH [4]	<input type="checkbox"/> EXCELLENT [7]	<input checked="" type="checkbox"/> NONE [6]	<input checked="" type="checkbox"/> HIGH [3]
<input type="checkbox"/> MODERATE [3]	<input checked="" type="checkbox"/> GOOD [5]	<input type="checkbox"/> RECOVERED [4]	<input type="checkbox"/> MODERATE [2]
<input checked="" type="checkbox"/> LOW [2]	<input checked="" type="checkbox"/> FAIR [3]	<input type="checkbox"/> RECOVERING [3]	<input type="checkbox"/> LOW [1]
<input type="checkbox"/> NONE [1]	<input type="checkbox"/> POOR [1]	<input type="checkbox"/> RECENT OR NO RECOVERY [1]	

Comments

Channel Maximum 20 **15**

4] **BANK EROSION AND RIPARIAN ZONE** Check ONE in each category for EACH BANK (Or 2 per bank & average)

EROSION	RIPARIAN WIDTH	FLOOD PLAIN QUALITY
<input type="checkbox"/> NONE / LITTLE [3]	<input type="checkbox"/> WIDE > 50m [4]	<input type="checkbox"/> FOREST, SWAMP [3]
<input checked="" type="checkbox"/> MODERATE [2]	<input type="checkbox"/> MODERATE 10-50m [3]	<input type="checkbox"/> SHRUB OR OLD FIELD [2]
<input type="checkbox"/> HEAVY / SEVERE [1]	<input checked="" type="checkbox"/> NARROW 5-10m [2]	<input type="checkbox"/> RESIDENTIAL, PARK, NEW FIELD [1]
	<input type="checkbox"/> VERY NARROW < 5m [1]	<input type="checkbox"/> FENCED PASTURE [1]
	<input type="checkbox"/> NONE [0]	<input type="checkbox"/> OPEN PASTURE, ROWCROP [0]

Comments

Riparian Maximum 10 **5**

5] **POOL / GLIDE AND RIFFLE / RUN QUALITY**

MAXIMUM DEPTH	CHANNEL WIDTH	CURRENT VELOCITY	Recreation Potential Primary Contact Secondary Contact (circle one and comment on back)
Check ONE (ONLY!)	Check ONE (Or 2 & average)	Check ALL that apply	
<input checked="" type="checkbox"/> > 1m [6]	<input type="checkbox"/> POOL WIDTH > RIFFLE WIDTH [2]	<input type="checkbox"/> TORRENTIAL [-1]	Pool / Current Maximum 12 11
<input type="checkbox"/> 0.7-<1m [4]	<input checked="" type="checkbox"/> POOL WIDTH = RIFFLE WIDTH [1]	<input checked="" type="checkbox"/> SLOW [1]	
<input type="checkbox"/> 0.4-<0.7m [2]	<input type="checkbox"/> POOL WIDTH < RIFFLE WIDTH [0]	<input type="checkbox"/> VERY FAST [1]	
<input type="checkbox"/> 0.2-<0.4m [1]		<input type="checkbox"/> FAST [1]	
<input type="checkbox"/> < 0.2m [0]		<input checked="" type="checkbox"/> MODERATE [1]	
		<input checked="" type="checkbox"/> EDDIES [1]	

Comments

Indicate for functional riffles; Best areas must be large enough to support a population of riffle-obligate species: Check ONE (Or 2 & average). NO RIFFLE [metric=0]

RIFFLE DEPTH	RUN DEPTH	RIFFLE / RUN SUBSTRATE	RIFFLE / RUN EMBEDDEDNESS
<input checked="" type="checkbox"/> BEST AREAS > 10cm [2]	<input checked="" type="checkbox"/> MAXIMUM > 50cm [2]	<input checked="" type="checkbox"/> STABLE (e.g., Cobble, Boulder) [2]	<input type="checkbox"/> NONE [2]
<input type="checkbox"/> BEST AREAS 5-10cm [1]	<input type="checkbox"/> MAXIMUM < 50cm [1]	<input type="checkbox"/> MOD. STABLE (e.g., Large Gravel) [1]	<input checked="" type="checkbox"/> LOW [1]
<input type="checkbox"/> BEST AREAS < 5cm [metric=0]		<input type="checkbox"/> UNSTABLE (e.g., Fine Gravel, Sand) [0]	<input checked="" type="checkbox"/> MODERATE [0]
			<input type="checkbox"/> EXTENSIVE [-1]

Comments

Riffle / Run Maximum 8 **6.5**

6] **GRADIENT** (2.03 ft/mi) VERY LOW - LOW [2-4] MODERATE [6-10] HIGH - VERY HIGH [10-6]

DRAINAGE AREA (780 mi²)

% POOL: % GLIDE:

% RUN: % RIFFLE:

Gradient Maximum 10 **10**

Comment RE: Reach consistency/Is reach typical of stream?, Recreation/Observed - Inferred, Other/ Sampling observations, Concerns, Access directions, etc.

AJ SAMPLED REACH

Check ALL that apply

METHOD

- BOAT
 - WADE
 - L. LINE
 - OTHER
- DISTANCE**
- 0.5 Km
 - 0.2 Km
 - 0.15 Km
 - 0.12 Km
 - OTHER

STAGE

- 1st--sample pass--2nd
- HIGH
 - UP
 - NORMAL
 - LOW
 - DRY

CLARITY

- < 20 cm
- 20--40 cm
- 40--70 cm
- > 70 cm/ CTB
- SECCHI DEPTH

CANOPY

- > 85%- OPEN
- 55%-<85%
- 30%-<55%
- 10%-<30%
- <10%- CLOSED

CJ RECREATION

- AREA DEPTH POOL: >100ft² >3ft

BJ AESTHETICS

- NUISANCE ALGAE
- INVASIVE MACROPHYTES
- EXCESS TURBIDITY
- DISCOLORATION
- FOAM / SCUM
- OIL SHEEN
- TRASH / LITTER
- NUISANCE ODOR
- SLUDGE DEPOSITS
- CSOs/SSOs/OUTFALLS

DJ MAINTENANCE

- PUBLIC / PRIVATE / BOTH / NA
- ACTIVE / HISTORIC / BOTH / NA
- YOUNG-SUCCESSION-OLD
- SPRAY / SNAG / REMOVED
- MODIFIED / DIPPED OUT / NA
- LEVEED / ONE SIDED
- RELOCATED / CUTOFFS
- MOVING-BEDLOAD-STABLE
- ARMoured / SLUMPS
- ISLANDS / SCOURED
- IMPOUNDED / DESICCATED
- FLOOD CONTROL / DRAINAGE

EJ ISSUES

- WWTP / CSO / NPDES / INDUSTRY
- HARDENED / URBAN / DIRT&GRIME
- CONTAMINATED / LANDFILL
- BMPs-CONSTRUCTION-SEDIMENT
- LOGGING / IRRIGATION / COOLING
- BANK / EROSION / SURFACE
- FALSE BANK / MANURE / LAGOON
- WASH H₂O / TILE / H₂O TABLE
- ACID / MINE / QUARRY / FLOW
- NATURAL / WETLAND / STAGNANT
- PARK / GOLF / LAWN / HOME
- ATMOSPHERE / DATA PAUCITY

FJ MEASUREMENTS

- \bar{x} width
- \bar{x} depth
- max. depth
- \bar{x} bankfull width
- bankfull \bar{x} depth
- W/D ratio
- bankfull max. depth
- floodprone \bar{x} width
- entrench. ratio

Legacy Tree:

Stream Drawing:

