

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 10:50	Ag	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 8:50	Ag	<	0.2	ug/L	EPA-200.7
7/6/2006 9:49	Ag	<	0.2	ug/L	EPA-200.7
7/20/2006 8:23	Ag	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	Ag	<	0.2	ug/L	EPA-200.7
9/7/2006 9:48	Ag	<	0.2	ug/L	EPA-200.7
9/14/2006 9:15	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 10:50	Al		61	ug/L	EPA-200.7
6/22/2006 9:49	Al		248	ug/L	EPA-200.7
6/29/2006 8:50	Al		25	ug/L	EPA-200.7
7/20/2006 8:23	Al		14	ug/L	EPA-200.7
8/17/2006 9:32	Al		18.9	ug/L	EPA-200.7
8/31/2006 9:31	Al		12.2	ug/L	EPA-200.7
9/7/2006 9:48	Al		13.1	ug/L	EPA-200.7
9/14/2006 9:15	Al		215	ug/L	EPA-200.7
6/15/2006 10:50	Alkalinity		130	mg/LCaCO3	EPA-310.2
6/22/2006 9:49	Alkalinity		115	mg/LCaCO3	EPA-310.2
6/29/2006 8:50	Alkalinity		116	mg/LCaCO3	EPA-310.2
7/6/2006 9:49	Alkalinity		166.5	mg/LCaCO3	EPA-310.2
7/20/2006 8:23	Alkalinity		141	mg/LCaCO3	EPA-310.2
8/17/2006 9:32	Alkalinity		131	mg/LCaCO3	EPA-310.2
8/31/2006 9:31	Alkalinity		150	mg/LCaCO3	EPA-310.2
9/7/2006 9:48	Alkalinity		131	mg/LCaCO3	EPA-310.2
9/14/2006 9:15	Alkalinity		130	mg/LCaCO3	EPA-310.2
6/15/2006 10:50	As		2	ug/L	EPA-200.7
6/22/2006 9:49	As		6	ug/L	EPA-200.7
6/29/2006 8:50	As		2	ug/L	EPA-200.7
7/6/2006 9:49	As		3	ug/L	EPA-200.7
7/20/2006 8:23	As	j	2	ug/L	EPA-200.7
8/17/2006 9:32	As		2.8	ug/L	EPA-200.7
8/31/2006 9:31	As		2.7	ug/L	EPA-200.7
9/7/2006 9:48	As		2.1	ug/L	EPA-200.7
9/14/2006 9:15	As		4.3	ug/L	EPA-200.7
6/15/2006 10:50	Be	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	Be	<	0.2	ug/L	EPA-200.7
6/29/2006 8:50	Be	<	0.2	ug/L	EPA-200.7
7/6/2006 9:49	Be	<	0.2	ug/L	EPA-200.7
7/20/2006 8:23	Be	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	Be	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	Be	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
9/7/2006 9:48	Be	<	0.2	ug/L	EPA-200.7
9/14/2006 9:15	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 10:50	BOD	<	2	mg/L	SM 5210
6/22/2006 9:49	BOD		2	mg/L	SM 5210
6/29/2006 8:50	BOD	<	2	mg/L	SM 5210
7/6/2006 9:49	BOD	<	2	mg/L	SM 5210
7/20/2006 8:23	BOD	<	2	mg/L	SM 5210
8/17/2006 9:32	BOD	<	2	mg/L	SM 5210
8/31/2006 9:31	BOD	<	2	mg/L	SM 5210
9/7/2006 9:48	BOD	<	2	mg/L	SM 5210
9/14/2006 9:15	BOD	<	2	mg/L	SM 5210
6/15/2006 10:50	Ca		51700	ug/L	EPA-200.7
6/22/2006 9:49	Ca		40100	ug/L	EPA-200.7
6/29/2006 8:50	Ca		42100	ug/L	EPA-200.7
7/6/2006 9:49	Ca		64000	ug/L	EPA-200.7
7/20/2006 8:23	Ca		54400	ug/L	EPA-200.7
8/17/2006 9:32	Ca		52200	ug/L	EPA-200.7
8/31/2006 9:31	Ca		56900	ug/L	EPA-200.7
9/7/2006 9:48	Ca		46400	ug/L	EPA-200.7
9/14/2006 9:15	Ca		49400	ug/L	EPA-200.7
6/15/2006 10:50	CaCO3		180	mg/LCaCO3	EPA-200.7
6/22/2006 9:49	CaCO3		134	mg/LCaCO3	EPA-200.7
6/29/2006 8:50	CaCO3		141	mg/LCaCO3	EPA-200.7
7/6/2006 9:49	CaCO3		220	mg/LCaCO3	EPA-200.7
7/20/2006 8:23	CaCO3		188	mg/LCaCO3	EPA-200.7
8/17/2006 9:32	CaCO3		181	mg/LCaCO3	EPA-200.7
8/31/2006 9:31	CaCO3		195	mg/LCaCO3	EPA-200.7
9/7/2006 9:48	CaCO3		162	mg/LCaCO3	EPA-200.7
9/14/2006 9:15	CaCO3		166	mg/LCaCO3	EPA-200.7
6/15/2006 10:50	Cd	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	Cd	<	0.2	ug/L	EPA-200.7
6/29/2006 8:50	Cd	<	0.2	ug/L	EPA-200.7
7/6/2006 9:49	Cd	<	0.2	ug/L	EPA-200.7
7/20/2006 8:23	Cd	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	Cd	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	Cd	<	0.2	ug/L	EPA-200.7
9/7/2006 9:48	Cd	<	0.2	ug/L	EPA-200.7
9/14/2006 9:15	Cd	j	0.2	ug/L	EPA-200.7
6/15/2006 10:50	Co	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	Co	<	0.2	ug/L	EPA-200.7
6/29/2006 8:50	Co	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
7/6/2006 9:49	Co	<	0.2	ug/L	EPA-200.7
7/20/2006 8:23	Co	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	Co	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	Co	<	0.2	ug/L	EPA-200.7
9/7/2006 9:48	Co	<	0.2	ug/L	EPA-200.7
9/14/2006 9:15	Co	j	0.3	ug/L	EPA-200.7
6/15/2006 10:50	COD	<	1	mg/L	EPA 410.4
6/22/2006 9:49	COD		27	mg/L	EPA 410.4
6/29/2006 8:50	COD		6	mg/L	EPA 410.4
7/6/2006 9:49	COD		11.5	mg/L	EPA 410.4
7/20/2006 8:23	COD		12	mg/L	EPA 410.4
8/17/2006 9:32	COD		9	mg/L	EPA 410.4
8/31/2006 9:31	COD		10	mg/L	EPA 410.4
9/7/2006 9:48	COD		8	mg/L	EPA 410.4
9/14/2006 9:15	COD		32	mg/L	EPA 410.4
6/15/2006 10:50	Cu		5	ug/L	EPA-200.7
6/22/2006 9:49	Cu		16	ug/L	EPA-200.7
6/29/2006 8:50	Cu		8	ug/L	EPA-200.7
7/6/2006 9:49	Cu		6	ug/L	EPA-200.7
7/20/2006 8:23	Cu		5	ug/L	EPA-200.7
8/17/2006 9:32	Cu		5.5	ug/L	EPA-200.7
8/31/2006 9:31	Cu		5.3	ug/L	EPA-200.7
9/7/2006 9:48	Cu		4.1	ug/L	EPA-200.7
9/14/2006 9:15	Cu		12.2	ug/L	EPA-200.7
6/15/2006 10:50	Fe		192	ug/L	EPA-200.7
6/22/2006 9:49	Fe		438	ug/L	EPA-200.7
6/29/2006 8:50	Fe		107	ug/L	EPA-200.7
7/20/2006 8:23	Fe		107	ug/L	EPA-200.7
8/17/2006 9:32	Fe		131	ug/L	EPA-200.7
8/31/2006 9:31	Fe		159	ug/L	EPA-200.7
9/7/2006 9:48	Fe		84.3	ug/L	EPA-200.7
9/14/2006 9:15	Fe		504	ug/L	EPA-200.7
6/15/2006 10:50	Field Cond		718	uS/cm	SM 2510A
6/22/2006 9:49	Field Cond		548	uS/cm	SM 2510A
6/29/2006 8:50	Field Cond		562	uS/cm	SM 2510A
7/6/2006 9:49	Field Cond		904	uS/cm	SM 2510A
7/20/2006 8:23	Field Cond		780	uS/cm	SM 2510A
8/17/2006 9:32	Field Cond		655	uS/cm	SM 2510A
8/31/2006 9:31	Field Cond		706	uS/cm	SM 2510A
9/7/2006 9:48	Field Cond		702	uS/cm	SM 2510A
9/14/2006 9:15	Field Cond		586	uS/cm	SM 2510A

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 10:50	Field DO		11.62	mg/L	SM 4500-O G
6/22/2006 9:49	Field DO		9.5	mg/L	SM 4500-O G
6/29/2006 8:50	Field DO		9.05	mg/L	SM 4500-O G
7/6/2006 9:49	Field DO		-	mg/L	SM 4500-O G
7/20/2006 8:23	Field DO		5.22	mg/L	SM 4500-O G
8/17/2006 9:32	Field DO		8.83	mg/L	SM 4500-O G
8/31/2006 9:31	Field DO		9.05	mg/L	SM 4500-O G
9/7/2006 9:48	Field DO		8.9	mg/L	SM 4500-O G
9/14/2006 9:15	Field DO		8.41	mg/L	SM 4500-O G
6/15/2006 10:50	Field Temp		16.7	C	EPA 170.1
6/22/2006 9:49	Field Temp		19.57	C	EPA 170.1
6/29/2006 8:50	Field Temp		17.45	C	EPA 170.1
7/6/2006 9:49	Field Temp		16.95	C	EPA 170.1
7/20/2006 8:23	Field Temp		21.31	C	EPA 170.1
8/17/2006 9:32	Field Temp		18.03	C	EPA 170.1
8/31/2006 9:31	Field Temp		17.57	C	EPA 170.1
9/7/2006 9:48	Field Temp		16.8	C	EPA 170.1
9/14/2006 9:15	Field Temp		17.92	C	EPA 170.1
6/15/2006 10:50	Hg	<	0.05	ug/L	EPA 245.1
6/22/2006 9:49	Hg		0.2	ug/L	EPA 245.1
6/29/2006 8:50	Hg	<	0.05	ug/L	EPA 245.1
7/6/2006 9:49	Hg		0.05	ug/L	EPA 245.1
7/20/2006 8:23	Hg	<	0.05	ug/L	EPA 245.1
8/17/2006 9:32	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 9:31	Hg	<	0.05	ug/L	EPA 245.1
9/7/2006 9:48	Hg	<	0.05	ug/L	EPA 245.1
9/14/2006 9:15	Hg		0.09	ug/L	EPA 245.1
7/27/2006 12:00	ICI		12	N/A	
9/14/2006 12:00	ICI		4	N/A	
6/15/2006 10:50	K		2700	ug/L	EPA-200.7
6/22/2006 9:49	K		5570	ug/L	EPA-200.7
6/29/2006 8:50	K		3240	ug/L	EPA-200.7
7/6/2006 9:49	K		4175	ug/L	EPA-200.7
7/20/2006 8:23	K		3310	ug/L	EPA-200.7
8/17/2006 9:32	K		3100	ug/L	EPA-200.7
8/31/2006 9:31	K		4070	ug/L	EPA-200.7
9/7/2006 9:48	K		3200	ug/L	EPA-200.7
9/14/2006 9:15	K		4950	ug/L	EPA-200.7
6/15/2006 10:50	Mg		12300	ug/L	EPA-200.7
6/22/2006 9:49	Mg		8230	ug/L	EPA-200.7
6/29/2006 8:50	Mg		8680	ug/L	EPA-200.7

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
7/6/2006 9:49	Mg		14650	ug/L	EPA-200.7
7/20/2006 8:23	Mg		12800	ug/L	EPA-200.7
8/17/2006 9:32	Mg		12300	ug/L	EPA-200.7
8/31/2006 9:31	Mg		12800	ug/L	EPA-200.7
9/7/2006 9:48	Mg		11100	ug/L	EPA-200.7
9/14/2006 9:15	Mg		10500	ug/L	EPA-200.7
6/15/2006 10:50	Mn		17	ug/L	EPA-200.7
6/22/2006 9:49	Mn		16	ug/L	EPA-200.7
6/29/2006 8:50	Mn		16	ug/L	EPA-200.7
7/6/2006 9:49	Mn		23.5	ug/L	EPA-200.7
7/20/2006 8:23	Mn		19	ug/L	EPA-200.7
8/17/2006 9:32	Mn		21.3	ug/L	EPA-200.7
8/31/2006 9:31	Mn		20.4	ug/L	EPA-200.7
9/7/2006 9:48	Mn		9.2	ug/L	EPA-200.7
9/14/2006 9:15	Mn		16.6	ug/L	EPA-200.7
6/15/2006 10:50	Mo		3	ug/L	EPA-200.7
6/22/2006 9:49	Mo		2	ug/L	EPA-200.7
6/29/2006 8:50	Mo		2	ug/L	EPA-200.7
7/6/2006 9:49	Mo		3.5	ug/L	EPA-200.7
7/20/2006 8:23	Mo		3	ug/L	EPA-200.7
8/17/2006 9:32	Mo		3.2	ug/L	EPA-200.7
8/31/2006 9:31	Mo		3.3	ug/L	EPA-200.7
9/7/2006 9:48	Mo		3.1	ug/L	EPA-200.7
9/14/2006 9:15	Mo		2.9	ug/L	EPA-200.7
6/15/2006 10:50	Na		63200	ug/L	EPA-200.7
6/22/2006 9:49	Na		53400	ug/L	EPA-200.7
6/29/2006 8:50	Na		52600	ug/L	EPA-200.7
7/6/2006 9:49	Na		86800	ug/L	EPA-200.7
7/20/2006 8:23	Na		65000	ug/L	EPA-200.7
8/17/2006 9:32	Na		57400	ug/L	EPA-200.7
8/31/2006 9:31	Na		65300	ug/L	EPA-200.7
9/7/2006 9:48	Na		75300	ug/L	EPA-200.7
9/14/2006 9:15	Na		50200	ug/L	EPA-200.7
6/15/2006 10:50	NH3		0.02	mg/L	EPA-350.1
6/22/2006 9:49	NH3		0.04	mg/L	EPA-350.1
6/29/2006 8:50	NH3		0.06	mg/L	EPA-350.1
7/6/2006 9:49	NH3		0.025	mg/L	EPA-350.1
7/20/2006 8:23	NH3		0.02	mg/L	EPA-350.1
8/17/2006 9:32	NH3		0.02	mg/L	EPA-350.1
8/31/2006 9:31	NH3		0.04	mg/L	EPA-350.1
9/7/2006 9:48	NH3		0.03	mg/L	EPA-350.1
9/14/2006 9:15	NH3		0.03	mg/L	EPA-350.1

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 10:50	Ni	<	0.5	ug/L	EPA-200.7
6/22/2006 9:49	Ni	j	2	ug/L	EPA-200.7
6/29/2006 8:50	Ni	j	1	ug/L	EPA-200.7
7/6/2006 9:49	Ni	j	1.5	ug/L	EPA-200.7
7/20/2006 8:23	Ni	j	1	ug/L	EPA-200.7
8/17/2006 9:32	Ni	j	0.7	ug/L	EPA-200.7
8/31/2006 9:31	Ni	j	0.9	ug/L	EPA-200.7
9/7/2006 9:48	Ni	j	0.6	ug/L	EPA-200.7
9/14/2006 9:15	Ni	j	1.9	ug/L	EPA-200.7
6/15/2006 10:50	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/22/2006 9:49	NO2		0.02	mg/L	SM 4500-NO2-B
6/29/2006 8:50	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/6/2006 9:49	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/20/2006 8:23	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/17/2006 9:32	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/31/2006 9:31	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/7/2006 9:48	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/14/2006 9:15	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/22/2006 9:49	NO3		1.02	mg/L	EPA 353.2
6/29/2006 8:50	NO3		0.47	mg/L	EPA 353.2
7/6/2006 9:49	NO3		0.27	mg/L	EPA 353.2
7/20/2006 8:23	NO3		0.06	mg/L	EPA 353.2
8/17/2006 9:32	NO3		0.11	mg/L	EPA 353.2
8/31/2006 9:31	NO3		0.31	mg/L	EPA 353.2
9/7/2006 9:48	NO3		0.1	mg/L	EPA 353.2
9/14/2006 9:15	NO3		1.48	mg/L	EPA 353.2
6/22/2006 9:49	NO3+NO2		1.04	mg/L	EPA 353.2
6/29/2006 8:50	NO3+NO2		0.48	mg/L	EPA 353.2
7/6/2006 9:49	NO3+NO2		0.27	mg/L	EPA 353.2
7/20/2006 8:23	NO3+NO2		0.06	mg/L	EPA 353.2
8/17/2006 9:32	NO3+NO2		0.11	mg/L	EPA 353.2
8/31/2006 9:31	NO3+NO2		0.31	mg/L	EPA 353.2
9/7/2006 9:48	NO3+NO2		0.1	mg/L	EPA 353.2
9/14/2006 9:15	NO3+NO2		1.49	mg/L	EPA 353.2
6/15/2006 10:50	Pb	<	0.5	ug/L	EPA-200.7
6/22/2006 9:49	Pb	<	0.5	ug/L	EPA-200.7
6/29/2006 8:50	Pb	<	0.5	ug/L	EPA-200.7
7/6/2006 9:49	Pb	j	0.75	ug/L	EPA-200.7
7/20/2006 8:23	Pb	<	0.5	ug/L	EPA-200.7
8/17/2006 9:32	Pb	<	0.5	ug/L	EPA-200.7
8/31/2006 9:31	Pb	<	0.5	ug/L	EPA-200.7

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
9/7/2006 9:48	Pb	<	0.5	ug/L	EPA-200.7
9/14/2006 9:15	Pb	j	1.3	ug/L	EPA-200.7
6/15/2006 10:50	pH		8.79	S.U.	
6/22/2006 9:49	pH		8.29	S.U.	
7/6/2006 9:49	pH		7.04	S.U.	
7/20/2006 8:23	pH		8.08	S.U.	
8/17/2006 9:32	pH		8.18	S.U.	
9/7/2006 9:48	pH		8.3	S.U.	
9/14/2006 9:15	pH		7.65	S.U.	
6/15/2006 10:50	Sb	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	Sb	<	0.2	ug/L	EPA-200.7
6/29/2006 8:50	Sb	<	0.2	ug/L	EPA-200.7
7/6/2006 9:49	Sb	<	0.2	ug/L	EPA-200.7
7/20/2006 8:23	Sb	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	Sb	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	Sb	<	0.2	ug/L	EPA-200.7
9/7/2006 9:48	Sb	j	1	ug/L	EPA-200.7
9/14/2006 9:15	Sb	j	0.3	ug/L	EPA-200.7
6/15/2006 10:50	Se	j	2	ug/L	EPA-200.7
6/22/2006 9:49	Se	j	3	ug/L	EPA-200.7
6/29/2006 8:50	Se	j	2	ug/L	EPA-200.7
7/6/2006 9:49	Se	j	2	ug/L	EPA-200.7
7/20/2006 8:23	Se	j	1	ug/L	EPA-200.7
8/17/2006 9:32	Se	j	2.2	ug/L	EPA-200.7
8/31/2006 9:31	Se	j	1.9	ug/L	EPA-200.7
9/7/2006 9:48	Se	j	1.5	ug/L	EPA-200.7
9/14/2006 9:15	Se	j	2.2	ug/L	EPA-200.7
6/15/2006 10:50	Sn	<	4.3	ug/L	EPA-200.7
6/22/2006 9:49	Sn	<	4.3	ug/L	EPA-200.7
6/29/2006 8:50	Sn	j	6	ug/L	EPA-200.7
7/6/2006 9:49	Sn	j	5.5	ug/L	EPA-200.7
7/20/2006 8:23	Sn	<	4	ug/L	EPA-200.7
8/17/2006 9:32	Sn	j	4.6	ug/L	EPA-200.7
8/31/2006 9:31	Sn	<	4.3	ug/L	EPA-200.7
9/7/2006 9:48	Sn	<	4.3	ug/L	EPA-200.7
9/14/2006 9:15	Sn	<	4.3	ug/L	EPA-200.7
6/15/2006 10:50	Soluble-P		0.12	mg/L	EPA 365.1
6/22/2006 9:49	Soluble-P		0.11	mg/L	EPA 365.1
6/29/2006 8:50	Soluble-P		0.07	mg/L	EPA 365.1
7/6/2006 9:49	Soluble-P		0.08	mg/L	EPA 365.1
7/20/2006 8:23	Soluble-P		0.11	mg/L	EPA 365.1

Doan Brook RM 1.40					
Sample Date	Parameter	Code	Result	Units	Method
8/17/2006 9:32	Soluble-P		0.15	mg/L	EPA 365.1
8/31/2006 9:31	Soluble-P		0.14	mg/L	EPA 365.1
9/7/2006 9:48	Soluble-P		0.16	mg/L	EPA 365.1
9/14/2006 9:15	Soluble-P		0.12	mg/L	EPA 365.1
6/15/2006 10:50	TDS		427	mg/L	SM2540C
6/22/2006 9:49	TDS		300	mg/L	SM2540C
6/29/2006 8:50	TDS		299	mg/L	SM2540C
7/6/2006 9:49	TDS		488.5	mg/L	SM2540C
7/20/2006 8:23	TDS		427	mg/L	SM2540C
8/17/2006 9:32	TDS		363	mg/L	SM2540C
8/31/2006 9:31	TDS		408	mg/L	SM2540C
9/7/2006 9:48	TDS		387	mg/L	SM2540C
9/14/2006 9:15	TDS		341	mg/L	SM2540C
6/15/2006 10:50	Ti	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	Ti		4	ug/L	EPA-200.7
6/29/2006 8:50	Ti	<	0.2	ug/L	EPA-200.7
7/6/2006 9:49	Ti		2.6	ug/L	EPA-200.7
7/20/2006 8:23	Ti	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	Ti	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	Ti	<	0.2	ug/L	EPA-200.7
9/7/2006 9:48	Ti	<	0.2	ug/L	EPA-200.7
9/14/2006 9:15	Ti		3.5	ug/L	EPA-200.7
6/15/2006 10:50	TI	j	4	ug/L	EPA-200.7
6/22/2006 9:49	TI		5	ug/L	EPA-200.7
6/29/2006 8:50	TI	j	4	ug/L	EPA-200.7
7/6/2006 9:49	TI		9	ug/L	EPA-200.7
7/20/2006 8:23	TI		8	ug/L	EPA-200.7
8/17/2006 9:32	TI		6.9	ug/L	EPA-200.7
8/31/2006 9:31	TI		7.2	ug/L	EPA-200.7
9/7/2006 9:48	TI		8.1	ug/L	EPA-200.7
9/14/2006 9:15	TI	j	4.9	ug/L	EPA-200.7
6/15/2006 10:50	TMET		10	ug/L	EPA-200.7
6/22/2006 9:49	TMET		32	ug/L	EPA-200.7
6/29/2006 8:50	TMET		14	ug/L	EPA-200.7
7/6/2006 9:49	TMET		14.5	ug/L	EPA-200.7
7/20/2006 8:23	TMET		10	ug/L	EPA-200.7
8/17/2006 9:32	TMET	<	10	ug/L	EPA-200.7
8/31/2006 9:31	TMET	<	10	ug/L	EPA-200.7
9/7/2006 9:48	TMET	<	10	ug/L	EPA-200.7
9/14/2006 9:15	TMET		25.5	ug/L	EPA-200.7
6/15/2006 10:50	Total-P		0.13	mg/L	EPA 365.1

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
6/22/2006 9:49	Total-P		0.18	mg/L	EPA 365.1
6/29/2006 8:50	Total-P		0.09	mg/L	EPA 365.1
7/6/2006 9:49	Total-P		0.56	mg/L	EPA 365.1
7/20/2006 8:23	Total-P		0.13	mg/L	EPA 365.1
8/17/2006 9:32	Total-P		0.23	mg/L	EPA 365.1
8/31/2006 9:31	Total-P		0.24	mg/L	EPA 365.1
9/7/2006 9:48	Total-P		0.21	mg/L	EPA 365.1
9/14/2006 9:15	Total-P		0.22	mg/L	EPA 365.1
6/15/2006 10:50	TS		434	mg/L	SM2540B
6/22/2006 9:49	TS		363	mg/L	SM2540B
6/29/2006 8:50	TS		318	mg/L	SM2540B
7/6/2006 9:49	TS		539.5	mg/L	SM2540B
7/20/2006 8:23	TS		463	mg/L	SM2540B
8/17/2006 9:32	TS		382	mg/L	SM2540B
8/31/2006 9:31	TS		417	mg/L	SM2540B
9/7/2006 9:48	TS		402	mg/L	SM2540B
9/14/2006 9:15	TS		382	mg/L	SM2540B
6/15/2006 10:50	TSS		6	mg/L	SM2540D
6/22/2006 9:49	TSS		4	mg/L	SM2540D
6/29/2006 8:50	TSS	<	1	mg/L	SM2540D
7/20/2006 8:23	TSS		2	mg/L	SM2540D
8/17/2006 9:32	TSS		2	mg/L	SM2540D
8/31/2006 9:31	TSS	<	1	mg/L	SM2540D
9/7/2006 9:48	TSS		1	mg/L	SM2540D
9/14/2006 9:15	TSS		9	mg/L	SM2540D
6/15/2006 10:50	Turbidity		0.8	NTU	EPA 180.1
6/22/2006 9:49	Turbidity		6.75	NTU	EPA 180.1
6/29/2006 8:50	Turbidity		1.21	NTU	EPA 180.1
7/6/2006 9:49	Turbidity		1.05	NTU	EPA 180.1
7/20/2006 8:23	Turbidity		0.66	NTU	EPA 180.1
8/17/2006 9:32	Turbidity		0.55	NTU	EPA 180.1
8/31/2006 9:31	Turbidity		0.73	NTU	EPA 180.1
9/7/2006 9:48	Turbidity		1.3	NTU	EPA 180.1
9/14/2006 9:15	Turbidity		7.59	NTU	EPA 180.1
6/15/2006 10:50	V	<	0.2	ug/L	EPA-200.7
6/22/2006 9:49	V	<	0.2	ug/L	EPA-200.7
6/29/2006 8:50	V	<	0.2	ug/L	EPA-200.7
7/6/2006 9:49	V	<	0.2	ug/L	EPA-200.7
7/20/2006 8:23	V	<	0.2	ug/L	EPA-200.7
8/17/2006 9:32	V	<	0.2	ug/L	EPA-200.7
8/31/2006 9:31	V	<	0.2	ug/L	EPA-200.7
9/7/2006 9:48	V	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 1.40

Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 9:15	V	j	0.5	ug/L	EPA-200.7
6/15/2006 10:50	Zn	j	4	ug/L	EPA-200.7
6/22/2006 9:49	Zn		12	ug/L	EPA-200.7
6/29/2006 8:50	Zn	j	4	ug/L	EPA-200.7
7/6/2006 9:49	Zn	j	6	ug/L	EPA-200.7
7/20/2006 8:23	Zn	j	4	ug/L	EPA-200.7
8/17/2006 9:32	Zn	j	3.3	ug/L	EPA-200.7
8/31/2006 9:31	Zn	j	3.2	ug/L	EPA-200.7
9/7/2006 9:48	Zn	<	3	ug/L	EPA-200.7
9/14/2006 9:15	Zn	j	8.9	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 11:15	Ag	<	0.2	ug/L	EPA-200.7
6/22/2006 10:08	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 9:04	Ag	<	0.2	ug/L	EPA-200.7
7/6/2006 10:18	Ag	<	0.2	ug/L	EPA-200.7
7/20/2006 8:53	Ag	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 9:51	Ag	<	0.2	ug/L	EPA-200.7
9/7/2006 10:48	Ag	<	0.2	ug/L	EPA-200.7
9/14/2006 9:41	Ag	j	0.3	ug/L	EPA-200.7
9/21/2006 10:15	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 11:15	Al		115	ug/L	EPA-200.7
6/22/2006 10:08	Al		328	ug/L	EPA-200.7
6/29/2006 9:04	Al		198	ug/L	EPA-200.7
7/6/2006 10:18	Al		135	ug/L	EPA-200.7
7/20/2006 8:53	Al		36	ug/L	EPA-200.7
8/17/2006 9:55	Al		38.4	ug/L	EPA-200.7
8/31/2006 9:51	Al		44.7	ug/L	EPA-200.7
9/7/2006 10:48	Al		192	ug/L	EPA-200.7
9/14/2006 9:41	Al		588.5	ug/L	EPA-200.7
9/21/2006 10:15	Al		121	ug/L	EPA-200.7
6/15/2006 11:15	Alkalinity		143	mg/LCaCO3	EPA-310.2
6/22/2006 10:08	Alkalinity		82	mg/LCaCO3	EPA-310.2
6/29/2006 9:04	Alkalinity		93	mg/LCaCO3	EPA-310.2
7/6/2006 10:18	Alkalinity		73	mg/LCaCO3	EPA-310.2
7/20/2006 8:53	Alkalinity		97	mg/LCaCO3	EPA-310.2
8/17/2006 9:55	Alkalinity		92	mg/LCaCO3	EPA-310.2
8/31/2006 9:51	Alkalinity		73	mg/LCaCO3	EPA-310.2
9/7/2006 10:48	Alkalinity		90	mg/LCaCO3	EPA-310.2
9/14/2006 9:41	Alkalinity		61.5	mg/LCaCO3	EPA-310.2
9/21/2006 10:15	Alkalinity		74	mg/LCaCO3	EPA-310.2
6/15/2006 11:15	As		2	ug/L	EPA-200.7
6/22/2006 10:08	As		4	ug/L	EPA-200.7
6/29/2006 9:04	As		3	ug/L	EPA-200.7
7/6/2006 10:18	As		3	ug/L	EPA-200.7
7/20/2006 8:53	As		4	ug/L	EPA-200.7
8/17/2006 9:55	As		3.2	ug/L	EPA-200.7
8/31/2006 9:51	As		2.9	ug/L	EPA-200.7
9/7/2006 10:48	As		2.2	ug/L	EPA-200.7
9/14/2006 9:41	As		3.3	ug/L	EPA-200.7
9/21/2006 10:15	As	j	2	ug/L	EPA-200.7
6/15/2006 11:15	Be	<	0.2	ug/L	EPA-200.7
6/22/2006 10:08	Be	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 9:04	Be	<	0.2	ug/L	EPA-200.7
7/6/2006 10:18	Be	<	0.2	ug/L	EPA-200.7
7/20/2006 8:53	Be	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	Be	<	0.2	ug/L	EPA-200.7
8/31/2006 9:51	Be	<	0.2	ug/L	EPA-200.7
9/7/2006 10:48	Be	<	0.2	ug/L	EPA-200.7
9/14/2006 9:41	Be	<	0.2	ug/L	EPA-200.7
9/21/2006 10:15	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 11:15	BOD	<	2	mg/L	SM 5210
6/22/2006 10:08	BOD		7	mg/L	SM 5210
6/29/2006 9:04	BOD		3	mg/L	SM 5210
7/6/2006 10:18	BOD		3	mg/L	SM 5210
7/20/2006 8:53	BOD		2	mg/L	SM 5210
8/17/2006 9:55	BOD		5	mg/L	SM 5210
8/31/2006 9:51	BOD	<	2	mg/L	SM 5210
9/7/2006 10:48	BOD	<	2	mg/L	SM 5210
9/14/2006 9:41	BOD		3.5	mg/L	SM 5210
9/21/2006 10:15	BOD		5	mg/L	SM 5210
6/15/2006 11:15	Ca		50800	ug/L	EPA-200.7
6/22/2006 10:08	Ca		31700	ug/L	EPA-200.7
6/29/2006 9:04	Ca		34800	ug/L	EPA-200.7
7/6/2006 10:18	Ca		30000	ug/L	EPA-200.7
7/20/2006 8:53	Ca		35100	ug/L	EPA-200.7
8/17/2006 9:55	Ca		34600	ug/L	EPA-200.7
8/31/2006 9:51	Ca		28500	ug/L	EPA-200.7
9/7/2006 10:48	Ca		33000	ug/L	EPA-200.7
9/14/2006 9:41	Ca		25700	ug/L	EPA-200.7
9/21/2006 10:15	Ca		31900	ug/L	EPA-200.7
6/15/2006 11:15	CaCO3		172	mg/LCaCO3	EPA-200.7
6/22/2006 10:08	CaCO3		103	mg/LCaCO3	EPA-200.7
6/29/2006 9:04	CaCO3		114	mg/LCaCO3	EPA-200.7
7/6/2006 10:18	CaCO3		97	mg/LCaCO3	EPA-200.7
7/20/2006 8:53	CaCO3		116	mg/LCaCO3	EPA-200.7
8/17/2006 9:55	CaCO3		117	mg/LCaCO3	EPA-200.7
8/31/2006 9:51	CaCO3		93.1	mg/LCaCO3	EPA-200.7
9/7/2006 10:48	CaCO3		110	mg/LCaCO3	EPA-200.7
9/14/2006 9:41	CaCO3		83.5	mg/LCaCO3	EPA-200.7
9/21/2006 10:15	CaCO3		102	mg/LCaCO3	EPA-200.7
6/15/2006 11:15	Cd	<	0.2	ug/L	EPA-200.7
6/22/2006 10:08	Cd	<	0.2	ug/L	EPA-200.7
6/29/2006 9:04	Cd	<	0.2	ug/L	EPA-200.7
7/6/2006 10:18	Cd	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
7/20/2006 8:53	Cd	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	Cd	<	0.2	ug/L	EPA-200.7
8/31/2006 9:51	Cd	<	0.2	ug/L	EPA-200.7
9/7/2006 10:48	Cd	<	0.2	ug/L	EPA-200.7
9/14/2006 9:41	Cd	j	0.35	ug/L	EPA-200.7
9/21/2006 10:15	Cd	<	0.2	ug/L	EPA-200.7
6/15/2006 11:15	Co	<	0.2	ug/L	EPA-200.7
6/22/2006 10:08	Co	<	0.2	ug/L	EPA-200.7
6/29/2006 9:04	Co	<	0.2	ug/L	EPA-200.7
7/6/2006 10:18	Co	<	0.2	ug/L	EPA-200.7
7/20/2006 8:53	Co	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	Co	j	0.2	ug/L	EPA-200.7
8/31/2006 9:51	Co	<	0.2	ug/L	EPA-200.7
9/7/2006 10:48	Co	j	0.4	ug/L	EPA-200.7
9/14/2006 9:41	Co	j	0.45	ug/L	EPA-200.7
9/21/2006 10:15	Co	<	0.2	ug/L	EPA-200.7
6/15/2006 11:15	COD		11	mg/L	EPA 410.4
6/22/2006 10:08	COD		30	mg/L	EPA 410.4
6/29/2006 9:04	COD		19	mg/L	EPA 410.4
7/6/2006 10:18	COD		22	mg/L	EPA 410.4
7/20/2006 8:53	COD		15	mg/L	EPA 410.4
8/17/2006 9:55	COD		26	mg/L	EPA 410.4
8/31/2006 9:51	COD		3	mg/L	EPA 410.4
9/7/2006 10:48	COD		12	mg/L	EPA 410.4
9/14/2006 9:41	COD		26.5	mg/L	EPA 410.4
9/21/2006 10:15	COD		22	mg/L	EPA 410.4
6/15/2006 11:15	Cr	<	0.3	ug/L	EPA-200.7
6/22/2006 10:08	Cr		1	ug/L	EPA-200.7
7/6/2006 10:18	Cr	<	0.3	ug/L	EPA-200.7
7/20/2006 8:53	Cr		2	ug/L	EPA-200.7
8/17/2006 9:55	Cr	<	0.3	ug/L	EPA-200.7
8/31/2006 9:51	Cr	<	0.3	ug/L	EPA-200.7
9/7/2006 10:48	Cr	j	0.3	ug/L	EPA-200.7
9/14/2006 9:41	Cr		1.75	ug/L	EPA-200.7
9/21/2006 10:15	Cr	j	0.6	ug/L	EPA-200.7
6/15/2006 11:15	Cr+6	j	2.03	ug/L	SM 3500-Cr-D
6/22/2006 10:08	Cr+6		2.48	ug/L	SM 3500-Cr-D
7/6/2006 10:18	Cr+6	j	3.94	ug/L	SM 3500-Cr-D
7/20/2006 8:53	Cr+6	j	3.38	ug/L	SM 3500-Cr-D
8/17/2006 9:55	Cr+6	j	1.9	ug/L	SM 3500-Cr-D
8/31/2006 9:51	Cr+6	j	2.95	ug/L	SM 3500-Cr-D
9/7/2006 10:48	Cr+6	j	2.38	ug/L	SM 3500-Cr-D

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 9:41	Cr+6	j	2.62	ug/L	SM 3500-Cr-D
9/21/2006 10:15	Cr+6	j	1.94	ug/L	SM 3500-Cr-D
6/15/2006 11:15	Cu		5	ug/L	EPA-200.7
6/22/2006 10:08	Cu		10	ug/L	EPA-200.7
6/29/2006 9:04	Cu		8	ug/L	EPA-200.7
7/6/2006 10:18	Cu		6	ug/L	EPA-200.7
7/20/2006 8:53	Cu		4	ug/L	EPA-200.7
8/17/2006 9:55	Cu		4.5	ug/L	EPA-200.7
8/31/2006 9:51	Cu		4.4	ug/L	EPA-200.7
9/7/2006 10:48	Cu		5.6	ug/L	EPA-200.7
9/14/2006 9:41	Cu		9.05	ug/L	EPA-200.7
9/21/2006 10:15	Cu		7.4	ug/L	EPA-200.7
6/15/2006 11:15	Fe		466	ug/L	EPA-200.7
6/22/2006 10:08	Fe		654	ug/L	EPA-200.7
6/29/2006 9:04	Fe		470	ug/L	EPA-200.7
7/6/2006 10:18	Fe		381	ug/L	EPA-200.7
7/20/2006 8:53	Fe		194	ug/L	EPA-200.7
8/17/2006 9:55	Fe		269	ug/L	EPA-200.7
8/31/2006 9:51	Fe		236	ug/L	EPA-200.7
9/7/2006 10:48	Fe		482	ug/L	EPA-200.7
9/14/2006 9:41	Fe		1160	ug/L	EPA-200.7
9/21/2006 10:15	Fe		435	ug/L	EPA-200.7
6/15/2006 11:15	Field Cond		895	uS/cm	SM 2510A
6/22/2006 10:08	Field Cond		553	uS/cm	SM 2510A
6/29/2006 9:04	Field Cond		548	uS/cm	SM 2510A
7/6/2006 10:18	Field Cond		420	uS/cm	SM 2510A
7/20/2006 8:53	Field Cond		554	uS/cm	SM 2510A
8/17/2006 9:55	Field Cond		548	uS/cm	SM 2510A
8/31/2006 9:51	Field Cond		401	uS/cm	SM 2510A
9/7/2006 10:48	Field Cond		463	uS/cm	SM 2510A
9/14/2006 9:41	Field Cond		357	uS/cm	SM 2510A
9/21/2006 10:15	Field Cond		416	uS/cm	SM 2510A
6/15/2006 11:15	Field DO		10.81	mg/L	SM 4500-O G
6/22/2006 10:08	Field DO		8.72	mg/L	SM 4500-O G
6/29/2006 9:04	Field DO		7.79	mg/L	SM 4500-O G
7/6/2006 10:18	Field DO		8.32	mg/L	SM 4500-O G
7/20/2006 8:53	Field DO		6.58	mg/L	SM 4500-O G
8/17/2006 9:55	Field DO		7.65	mg/L	SM 4500-O G
8/31/2006 9:51	Field DO		8.12	mg/L	SM 4500-O G
9/7/2006 10:48	Field DO		8.25	mg/L	SM 4500-O G
9/14/2006 9:41	Field DO		8.89	mg/L	SM 4500-O G
9/21/2006 10:15	Field DO		9.68	mg/L	SM 4500-O G

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 11:15	Field Temp		16.07	C	EPA 170.1
6/22/2006 10:08	Field Temp		21.49	C	EPA 170.1
6/29/2006 9:04	Field Temp		21.1	C	EPA 170.1
7/6/2006 10:18	Field Temp		20.16	C	EPA 170.1
7/20/2006 8:53	Field Temp		23.92	C	EPA 170.1
8/17/2006 9:55	Field Temp		21.44	C	EPA 170.1
8/31/2006 9:51	Field Temp		19.67	C	EPA 170.1
9/7/2006 10:48	Field Temp		18.8	C	EPA 170.1
9/14/2006 9:41	Field Temp		18.82	C	EPA 170.1
9/21/2006 10:15	Field Temp		15.4	C	EPA 170.1
6/15/2006 11:15	Hg		0.37	ug/L	EPA 245.1
6/22/2006 10:08	Hg	<	0.05	ug/L	EPA 245.1
6/29/2006 9:04	Hg	<	0.05	ug/L	EPA 245.1
7/6/2006 10:18	Hg	<	0.05	ug/L	EPA 245.1
7/20/2006 8:53	Hg	<	0.05	ug/L	EPA 245.1
8/17/2006 9:55	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 9:51	Hg	<	0.05	ug/L	EPA 245.1
9/7/2006 10:48	Hg	<	0.05	ug/L	EPA 245.1
9/14/2006 9:41	Hg	<	0.05	ug/L	EPA 245.1
9/21/2006 10:15	Hg	<	0.05	ug/L	EPA 245.1
8/1/2006 12:00	ICI		6	N/A	
9/14/2006 12:00	ICI		2	N/A	
6/15/2006 11:15	K		3650	ug/L	EPA-200.7
6/22/2006 10:08	K		3620	ug/L	EPA-200.7
6/29/2006 9:04	K		3590	ug/L	EPA-200.7
7/6/2006 10:18	K		3440	ug/L	EPA-200.7
7/20/2006 8:53	K		3280	ug/L	EPA-200.7
8/17/2006 9:55	K		3730	ug/L	EPA-200.7
8/31/2006 9:51	K		3120	ug/L	EPA-200.7
9/7/2006 10:48	K		3140	ug/L	EPA-200.7
9/14/2006 9:41	K		3075	ug/L	EPA-200.7
9/21/2006 10:15	K		3130	ug/L	EPA-200.7
6/15/2006 11:15	Mg		11000	ug/L	EPA-200.7
6/22/2006 10:08	Mg		5910	ug/L	EPA-200.7
6/29/2006 9:04	Mg		6540	ug/L	EPA-200.7
7/6/2006 10:18	Mg		5430	ug/L	EPA-200.7
7/20/2006 8:53	Mg		6810	ug/L	EPA-200.7
8/17/2006 9:55	Mg		7310	ug/L	EPA-200.7
8/31/2006 9:51	Mg		5330	ug/L	EPA-200.7
9/7/2006 10:48	Mg		6590	ug/L	EPA-200.7
9/14/2006 9:41	Mg		4705	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
9/21/2006 10:15	Mg		5500	ug/L	EPA-200.7
6/15/2006 11:15	Mn		137	ug/L	EPA-200.7
6/22/2006 10:08	Mn		120	ug/L	EPA-200.7
6/29/2006 9:04	Mn		89	ug/L	EPA-200.7
7/6/2006 10:18	Mn		35	ug/L	EPA-200.7
7/20/2006 8:53	Mn		56	ug/L	EPA-200.7
8/17/2006 9:55	Mn		53.5	ug/L	EPA-200.7
8/31/2006 9:51	Mn		31.5	ug/L	EPA-200.7
9/7/2006 10:48	Mn		41.1	ug/L	EPA-200.7
9/14/2006 9:41	Mn		71.9	ug/L	EPA-200.7
9/21/2006 10:15	Mn		59.5	ug/L	EPA-200.7
6/15/2006 11:15	Mo		2	ug/L	EPA-200.7
6/22/2006 10:08	Mo		2	ug/L	EPA-200.7
6/29/2006 9:04	Mo		2	ug/L	EPA-200.7
7/6/2006 10:18	Mo		2	ug/L	EPA-200.7
7/20/2006 8:53	Mo		2	ug/L	EPA-200.7
8/17/2006 9:55	Mo		2.3	ug/L	EPA-200.7
8/31/2006 9:51	Mo		2	ug/L	EPA-200.7
9/7/2006 10:48	Mo		2.3	ug/L	EPA-200.7
9/14/2006 9:41	Mo		1.9	ug/L	EPA-200.7
9/21/2006 10:15	Mo		1.9	ug/L	EPA-200.7
6/15/2006 11:15	Na		102000	ug/L	EPA-200.7
6/22/2006 10:08	Na		62700	ug/L	EPA-200.7
6/29/2006 9:04	Na		57200	ug/L	EPA-200.7
7/6/2006 10:18	Na		43600	ug/L	EPA-200.7
7/20/2006 8:53	Na		52800	ug/L	EPA-200.7
8/17/2006 9:55	Na		59000	ug/L	EPA-200.7
8/31/2006 9:51	Na		43300	ug/L	EPA-200.7
9/7/2006 10:48	Na		47400	ug/L	EPA-200.7
9/14/2006 9:41	Na		34450	ug/L	EPA-200.7
9/21/2006 10:15	Na		42400	ug/L	EPA-200.7
6/15/2006 11:15	NH3		0.03	mg/L	EPA-350.1
6/22/2006 10:08	NH3		0.08	mg/L	EPA-350.1
6/29/2006 9:04	NH3		0.08	mg/L	EPA-350.1
7/6/2006 10:18	NH3		0.03	mg/L	EPA-350.1
7/20/2006 8:53	NH3		0.04	mg/L	EPA-350.1
8/17/2006 9:55	NH3		0.04	mg/L	EPA-350.1
8/31/2006 9:51	NH3		0.05	mg/L	EPA-350.1
9/7/2006 10:48	NH3		0.05	mg/L	EPA-350.1
9/14/2006 9:41	NH3		0.14	mg/L	EPA-350.1
9/21/2006 10:15	NH3		0.05	mg/L	EPA-350.1

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 11:15	Ni	j	1	ug/L	EPA-200.7
6/22/2006 10:08	Ni	j	1	ug/L	EPA-200.7
6/29/2006 9:04	Ni	j	1	ug/L	EPA-200.7
7/6/2006 10:18	Ni	j	1	ug/L	EPA-200.7
7/20/2006 8:53	Ni	j	1	ug/L	EPA-200.7
8/17/2006 9:55	Ni	j	0.9	ug/L	EPA-200.7
8/31/2006 9:51	Ni	j	0.8	ug/L	EPA-200.7
9/7/2006 10:48	Ni	j	1.1	ug/L	EPA-200.7
9/14/2006 9:41	Ni	j	1.45	ug/L	EPA-200.7
9/21/2006 10:15	Ni	j	0.8	ug/L	EPA-200.7
6/15/2006 11:15	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/22/2006 10:08	NO2		0.03	mg/L	SM 4500-NO2-B
6/29/2006 9:04	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/6/2006 10:18	NO2		0.02	mg/L	SM 4500-NO2-B
7/20/2006 8:53	NO2		0.03	mg/L	SM 4500-NO2-B
8/17/2006 9:55	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/31/2006 9:51	NO2		0.01	mg/L	SM 4500-NO2-B
9/7/2006 10:48	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/14/2006 9:41	NO2		0.02	mg/L	SM 4500-NO2-B
9/21/2006 10:15	NO2		0.02	mg/L	SM 4500-NO2-B
6/15/2006 11:15	NO3		0.55	mg/L	EPA 353.2
6/22/2006 10:08	NO3		0.26	mg/L	EPA 353.2
6/29/2006 9:04	NO3		0.1	mg/L	EPA 353.2
7/6/2006 10:18	NO3		0.41	mg/L	EPA 353.2
7/20/2006 8:53	NO3		0.47	mg/L	EPA 353.2
8/17/2006 9:55	NO3		0.24	mg/L	EPA 353.2
8/31/2006 9:51	NO3		0.6	mg/L	EPA 353.2
9/7/2006 10:48	NO3		0.27	mg/L	EPA 353.2
9/14/2006 9:41	NO3		0.36	mg/L	EPA 353.2
9/21/2006 10:15	NO3		0.3	mg/L	EPA 353.2
6/15/2006 11:15	NO3+NO2		0.55	mg/L	EPA 353.2
6/22/2006 10:08	NO3+NO2		0.29	mg/L	EPA 353.2
6/29/2006 9:04	NO3+NO2		0.11	mg/L	EPA 353.2
7/6/2006 10:18	NO3+NO2		0.43	mg/L	EPA 353.2
7/20/2006 8:53	NO3+NO2		0.5	mg/L	EPA 353.2
8/17/2006 9:55	NO3+NO2		0.24	mg/L	EPA 353.2
8/31/2006 9:51	NO3+NO2		0.62	mg/L	EPA 353.2
9/7/2006 10:48	NO3+NO2		0.27	mg/L	EPA 353.2
9/14/2006 9:41	NO3+NO2		0.385	mg/L	EPA 353.2
9/21/2006 10:15	NO3+NO2		0.32	mg/L	EPA 353.2
6/15/2006 11:15	Pb	<	0.5	ug/L	EPA-200.7
6/22/2006 10:08	Pb	j	2	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 9:04	Pb	j	1	ug/L	EPA-200.7
7/6/2006 10:18	Pb	<	0.5	ug/L	EPA-200.7
7/20/2006 8:53	Pb	<	0.5	ug/L	EPA-200.7
8/17/2006 9:55	Pb	j	0.5	ug/L	EPA-200.7
8/31/2006 9:51	Pb	j	0.5	ug/L	EPA-200.7
9/7/2006 10:48	Pb	j	1.3	ug/L	EPA-200.7
9/14/2006 9:41	Pb		3.15	ug/L	EPA-200.7
9/21/2006 10:15	Pb	j	1.1	ug/L	EPA-200.7
6/15/2006 11:15	pH		8.19	S.U.	
6/22/2006 10:08	pH		8.3	S.U.	
7/6/2006 10:18	pH		7.33	S.U.	
7/20/2006 8:53	pH		8.06	S.U.	
8/17/2006 9:55	pH		7.93	S.U.	
9/7/2006 10:48	pH		8	S.U.	
9/14/2006 9:41	pH		7.46	S.U.	
9/21/2006 10:15	pH		7	S.U.	
6/15/2006 11:15	Sb	<	0.2	ug/L	EPA-200.7
6/22/2006 10:08	Sb	<	0.2	ug/L	EPA-200.7
6/29/2006 9:04	Sb	<	0.2	ug/L	EPA-200.7
7/6/2006 10:18	Sb	j	1	ug/L	EPA-200.7
7/20/2006 8:53	Sb	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	Sb	<	0.2	ug/L	EPA-200.7
8/31/2006 9:51	Sb	j	0.6	ug/L	EPA-200.7
9/7/2006 10:48	Sb	j	0.6	ug/L	EPA-200.7
9/14/2006 9:41	Sb	j	0.35	ug/L	EPA-200.7
9/21/2006 10:15	Sb	j	0.6	ug/L	EPA-200.7
6/15/2006 11:15	Se	j	2	ug/L	EPA-200.7
6/22/2006 10:08	Se	j	1	ug/L	EPA-200.7
6/29/2006 9:04	Se	j	2	ug/L	EPA-200.7
7/6/2006 10:18	Se	j	3	ug/L	EPA-200.7
7/20/2006 8:53	Se	j	2	ug/L	EPA-200.7
8/17/2006 9:55	Se	j	1.6	ug/L	EPA-200.7
8/31/2006 9:51	Se	j	1.7	ug/L	EPA-200.7
9/7/2006 10:48	Se	j	2.1	ug/L	EPA-200.7
9/14/2006 9:41	Se	j	1.55	ug/L	EPA-200.7
9/21/2006 10:15	Se	j	2.3	ug/L	EPA-200.7
6/15/2006 11:15	Sn	j	6	ug/L	EPA-200.7
6/22/2006 10:08	Sn	<	4.3	ug/L	EPA-200.7
6/29/2006 9:04	Sn	j	7	ug/L	EPA-200.7
7/6/2006 10:18	Sn	<	4	ug/L	EPA-200.7
7/20/2006 8:53	Sn	<	4	ug/L	EPA-200.7
8/17/2006 9:55	Sn	<	4.3	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
8/31/2006 9:51	Sn	<	4.3	ug/L	EPA-200.7
9/7/2006 10:48	Sn	<	4.3	ug/L	EPA-200.7
9/14/2006 9:41	Sn	<	4.3	ug/L	EPA-200.7
9/21/2006 10:15	Sn	j	4.7	ug/L	EPA-200.7
6/15/2006 11:15	Soluble-P		0.08	mg/L	EPA 365.1
6/22/2006 10:08	Soluble-P		0.08	mg/L	EPA 365.1
6/29/2006 9:04	Soluble-P		0.05	mg/L	EPA 365.1
7/6/2006 10:18	Soluble-P		0.06	mg/L	EPA 365.1
7/20/2006 8:53	Soluble-P		0.14	mg/L	EPA 365.1
8/17/2006 9:55	Soluble-P		0.03	mg/L	EPA 365.1
8/31/2006 9:51	Soluble-P		0.04	mg/L	EPA 365.1
9/7/2006 10:48	Soluble-P		0.05	mg/L	EPA 365.1
9/14/2006 9:41	Soluble-P		0.04	mg/L	EPA 365.1
9/21/2006 10:15	Soluble-P		0.01	mg/L	EPA 365.1
6/15/2006 11:15	TDS		490	mg/L	SM2540C
6/22/2006 10:08	TDS		319	mg/L	SM2540C
6/29/2006 9:04	TDS		298	mg/L	SM2540C
7/6/2006 10:18	TDS		214	mg/L	SM2540C
7/20/2006 8:53	TDS		305	mg/L	SM2540C
8/17/2006 9:55	TDS		289	mg/L	SM2540C
8/31/2006 9:51	TDS		222	mg/L	SM2540C
9/7/2006 10:48	TDS		190	mg/L	SM2540C
9/14/2006 9:41	TDS		179.5	mg/L	SM2540C
9/21/2006 10:15	TDS		238	mg/L	SM2540C
6/15/2006 11:15	Ti		1	ug/L	EPA-200.7
6/22/2006 10:08	Ti		4	ug/L	EPA-200.7
6/29/2006 9:04	Ti		2	ug/L	EPA-200.7
7/6/2006 10:18	Ti		2	ug/L	EPA-200.7
7/20/2006 8:53	Ti	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	Ti	j	0.5	ug/L	EPA-200.7
8/31/2006 9:51	Ti	j	0.5	ug/L	EPA-200.7
9/7/2006 10:48	Ti		2.8	ug/L	EPA-200.7
9/14/2006 9:41	Ti		9.05	ug/L	EPA-200.7
9/21/2006 10:15	Ti		2.2	ug/L	EPA-200.7
6/15/2006 11:15	TI	j	4	ug/L	EPA-200.7
6/22/2006 10:08	TI	j	3	ug/L	EPA-200.7
6/29/2006 9:04	TI	j	2	ug/L	EPA-200.7
7/6/2006 10:18	TI	j	4	ug/L	EPA-200.7
7/20/2006 8:53	TI		6	ug/L	EPA-200.7
8/17/2006 9:55	TI	j	2.2	ug/L	EPA-200.7
8/31/2006 9:51	TI	j	4.4	ug/L	EPA-200.7
9/7/2006 10:48	TI		5.3	ug/L	EPA-200.7

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 9:41	TI	j	1.8	ug/L	EPA-200.7
9/21/2006 10:15	TI	j	4.2	ug/L	EPA-200.7
6/15/2006 11:15	TMET		11	ug/L	EPA-200.7
6/22/2006 10:08	TMET		20	ug/L	EPA-200.7
6/29/2006 9:04	TMET		18	ug/L	EPA-200.7
7/6/2006 10:18	TMET		12	ug/L	EPA-200.7
7/20/2006 8:53	TMET		10	ug/L	EPA-200.7
8/17/2006 9:55	TMET		10.5	ug/L	EPA-200.7
8/31/2006 9:51	TMET	<	10	ug/L	EPA-200.7
9/7/2006 10:48	TMET		11.6	ug/L	EPA-200.7
9/14/2006 9:41	TMET		22.25	ug/L	EPA-200.7
9/21/2006 10:15	TMET		13.5	ug/L	EPA-200.7
6/15/2006 11:15	Total-P		0.13	mg/L	EPA 365.1
6/22/2006 10:08	Total-P		0.21	mg/L	EPA 365.1
6/29/2006 9:04	Total-P		0.15	mg/L	EPA 365.1
7/6/2006 10:18	Total-P		0.06	mg/L	EPA 365.1
7/20/2006 8:53	Total-P		0.19	mg/L	EPA 365.1
8/17/2006 9:55	Total-P		0.15	mg/L	EPA 365.1
8/31/2006 9:51	Total-P		0.1	mg/L	EPA 365.1
9/7/2006 10:48	Total-P		0.1	mg/L	EPA 365.1
9/14/2006 9:41	Total-P		0.145	mg/L	EPA 365.1
9/21/2006 10:15	Total-P		0.11	mg/L	EPA 365.1
6/15/2006 11:15	TS		501	mg/L	SM2540B
6/22/2006 10:08	TS		332	mg/L	SM2540B
6/29/2006 9:04	TS		317	mg/L	SM2540B
7/6/2006 10:18	TS		251	mg/L	SM2540B
7/20/2006 8:53	TS		318	mg/L	SM2540B
8/17/2006 9:55	TS		307	mg/L	SM2540B
8/31/2006 9:51	TS		227	mg/L	SM2540B
9/7/2006 10:48	TS		283	mg/L	SM2540B
9/14/2006 9:41	TS		231.5	mg/L	SM2540B
9/21/2006 10:15	TS		262	mg/L	SM2540B
6/15/2006 11:15	TSS		10	mg/L	SM2540D
6/22/2006 10:08	TSS		9	mg/L	SM2540D
6/29/2006 9:04	TSS		16	mg/L	SM2540D
7/6/2006 10:18	TSS		8	mg/L	SM2540D
7/20/2006 8:53	TSS		3	mg/L	SM2540D
8/17/2006 9:55	TSS		8	mg/L	SM2540D
8/31/2006 9:51	TSS		3	mg/L	SM2540D
9/7/2006 10:48	TSS		11	mg/L	SM2540D
9/14/2006 9:41	TSS		21	mg/L	SM2540D
9/21/2006 10:15	TSS		10	mg/L	SM2540D

Doan Brook

RM 6.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 11:15	Turbidity		1.97	NTU	EPA 180.1
6/22/2006 10:08	Turbidity		7.76	NTU	EPA 180.1
6/29/2006 9:04	Turbidity		5.26	NTU	EPA 180.1
7/6/2006 10:18	Turbidity		5.25	NTU	EPA 180.1
7/20/2006 8:53	Turbidity		0.92	NTU	EPA 180.1
8/17/2006 9:55	Turbidity		3.98	NTU	EPA 180.1
8/31/2006 9:51	Turbidity		3.32	NTU	EPA 180.1
9/7/2006 10:48	Turbidity		8.26	NTU	EPA 180.1
9/14/2006 9:41	Turbidity		24.6	NTU	EPA 180.1
9/21/2006 10:15	Turbidity		7.28	NTU	EPA 180.1
6/15/2006 11:15	V	<	0.2	ug/L	EPA-200.7
6/22/2006 10:08	V	<	0.2	ug/L	EPA-200.7
6/29/2006 9:04	V	<	0.2	ug/L	EPA-200.7
7/6/2006 10:18	V	<	0.2	ug/L	EPA-200.7
7/20/2006 8:53	V	<	0.2	ug/L	EPA-200.7
8/17/2006 9:55	V	j	0.3	ug/L	EPA-200.7
8/31/2006 9:51	V	<	0.2	ug/L	EPA-200.7
9/7/2006 10:48	V	j	0.3	ug/L	EPA-200.7
9/14/2006 9:41	V		1.3	ug/L	EPA-200.7
9/21/2006 10:15	V	<	0.2	ug/L	EPA-200.7
6/15/2006 11:15	Zn	j	5	ug/L	EPA-200.7
6/22/2006 10:08	Zn		8	ug/L	EPA-200.7
6/29/2006 9:04	Zn	j	8	ug/L	EPA-200.7
7/6/2006 10:18	Zn	j	4	ug/L	EPA-200.7
7/20/2006 8:53	Zn	<	3	ug/L	EPA-200.7
8/17/2006 9:55	Zn	j	4.9	ug/L	EPA-200.7
8/31/2006 9:51	Zn	<	3	ug/L	EPA-200.7
9/7/2006 10:48	Zn	j	4.6	ug/L	EPA-200.7
9/14/2006 9:41	Zn		10	ug/L	EPA-200.7
9/21/2006 10:15	Zn	j	4.7	ug/L	EPA-200.7

Doan Brook

RM 0.75

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 11:50	Ag	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 11:50	Ag	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	Ag	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	Ag	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 10:29	Ag	<	0.2	ug/L	EPA-200.7
9/7/2006 12:34	Ag	<	0.2	ug/L	EPA-200.7
9/14/2006 11:43	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 11:50	Al		15	ug/L	EPA-200.7
6/22/2006 11:32	Al		424	ug/L	EPA-200.7
6/29/2006 11:50	Al		32	ug/L	EPA-200.7
7/6/2006 12:02	Al		22	ug/L	EPA-200.7
7/20/2006 10:56	Al	<	3	ug/L	EPA-200.7
8/17/2006 10:34	Al	j	4.9	ug/L	EPA-200.7
8/31/2006 10:29	Al		25.35	ug/L	EPA-200.7
9/7/2006 12:34	Al		11.2	ug/L	EPA-200.7
9/14/2006 11:43	Al		100	ug/L	EPA-200.7
6/15/2006 11:50	Alkalinity		151	mg/LCaCO3	EPA-310.2
6/22/2006 11:32	Alkalinity		87	mg/LCaCO3	EPA-310.2
6/29/2006 11:50	Alkalinity		111	mg/LCaCO3	EPA-310.2
7/6/2006 12:02	Alkalinity		100	mg/LCaCO3	EPA-310.2
7/20/2006 10:56	Alkalinity		133	mg/LCaCO3	EPA-310.2
8/17/2006 10:34	Alkalinity		121	mg/LCaCO3	EPA-310.2
8/31/2006 10:29	Alkalinity		119	mg/LCaCO3	EPA-310.2
9/7/2006 12:34	Alkalinity		130	mg/LCaCO3	EPA-310.2
9/14/2006 11:43	Alkalinity		93	mg/LCaCO3	EPA-310.2
6/15/2006 11:50	As	<	0.4	ug/L	EPA-200.7
6/22/2006 11:32	As		4	ug/L	EPA-200.7
6/29/2006 11:50	As		3	ug/L	EPA-200.7
7/6/2006 12:02	As	j	2	ug/L	EPA-200.7
7/20/2006 10:56	As	j	1	ug/L	EPA-200.7
8/17/2006 10:34	As	j	1.8	ug/L	EPA-200.7
8/31/2006 10:29	As	j	2.15	ug/L	EPA-200.7
9/7/2006 12:34	As	j	1	ug/L	EPA-200.7
9/14/2006 11:43	As		2.1	ug/L	EPA-200.7
6/15/2006 11:50	Be	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	Be	<	0.2	ug/L	EPA-200.7
6/29/2006 11:50	Be	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	Be	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	Be	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	Be	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 0.75

Sample Date	Parameter	Code	Result	Units	Method
8/31/2006 10:29	Be	<	0.2	ug/L	EPA-200.7
9/7/2006 12:34	Be	<	0.2	ug/L	EPA-200.7
9/14/2006 11:43	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 11:50	BOD	<	2	mg/L	SM 5210
6/22/2006 11:32	BOD		5	mg/L	SM 5210
6/29/2006 11:50	BOD		2	mg/L	SM 5210
7/6/2006 12:02	BOD		3	mg/L	SM 5210
7/20/2006 10:56	BOD	<	2	mg/L	SM 5210
8/17/2006 10:34	BOD	<	2	mg/L	SM 5210
8/31/2006 10:29	BOD	<	2	mg/L	SM 5210
9/7/2006 12:34	BOD	<	2	mg/L	SM 5210
9/14/2006 11:43	BOD		2	mg/L	SM 5210
6/15/2006 11:50	Ca		80200	ug/L	EPA-200.7
6/22/2006 11:32	Ca		34800	ug/L	EPA-200.7
6/29/2006 11:50	Ca		44900	ug/L	EPA-200.7
7/6/2006 12:02	Ca		49500	ug/L	EPA-200.7
7/20/2006 10:56	Ca		66200	ug/L	EPA-200.7
8/17/2006 10:34	Ca		53600	ug/L	EPA-200.7
8/31/2006 10:29	Ca		52950	ug/L	EPA-200.7
9/7/2006 12:34	Ca		58200	ug/L	EPA-200.7
9/14/2006 11:43	Ca		37600	ug/L	EPA-200.7
6/15/2006 11:50	CaCO3		280	mg/LCaCO3	EPA-200.7
6/22/2006 11:32	CaCO3		116	mg/LCaCO3	EPA-200.7
6/29/2006 11:50	CaCO3		152	mg/LCaCO3	EPA-200.7
7/6/2006 12:02	CaCO3		170	mg/LCaCO3	EPA-200.7
7/20/2006 10:56	CaCO3		229	mg/LCaCO3	EPA-200.7
8/17/2006 10:34	CaCO3		185	mg/LCaCO3	EPA-200.7
8/31/2006 10:29	CaCO3		181	mg/LCaCO3	EPA-200.7
9/7/2006 12:34	CaCO3		201	mg/LCaCO3	EPA-200.7
9/14/2006 11:43	CaCO3		126	mg/LCaCO3	EPA-200.7
6/15/2006 11:50	Cd	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	Cd	<	0.2	ug/L	EPA-200.7
6/29/2006 11:50	Cd	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	Cd	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	Cd	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	Cd	<	0.2	ug/L	EPA-200.7
8/31/2006 10:29	Cd	<	0.2	ug/L	EPA-200.7
9/7/2006 12:34	Cd	<	0.2	ug/L	EPA-200.7
9/14/2006 11:43	Cd	<	0.2	ug/L	EPA-200.7
6/15/2006 11:50	Co	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	Co	<	0.2	ug/L	EPA-200.7

Doan Brook

RM 0.75

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 11:50	Co	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	Co	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	Co	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	Co	<	0.2	ug/L	EPA-200.7
8/31/2006 10:29	Co	<	0.2	ug/L	EPA-200.7
9/7/2006 12:34	Co	<	0.2	ug/L	EPA-200.7
9/14/2006 11:43	Co	<	0.2	ug/L	EPA-200.7
6/15/2006 11:50	COD		4	mg/L	EPA 410.4
6/22/2006 11:32	COD		15	mg/L	EPA 410.4
6/29/2006 11:50	COD		12	mg/L	EPA 410.4
7/6/2006 12:02	COD		15	mg/L	EPA 410.4
7/20/2006 10:56	COD		16	mg/L	EPA 410.4
8/17/2006 10:34	COD		13	mg/L	EPA 410.4
9/7/2006 12:34	COD		11	mg/L	EPA 410.4
9/14/2006 11:43	COD		24	mg/L	EPA 410.4
6/15/2006 11:50	Cr	<	0.3	ug/L	EPA-200.7
6/22/2006 11:32	Cr		1	ug/L	EPA-200.7
7/6/2006 12:02	Cr	<	0.3	ug/L	EPA-200.7
7/20/2006 10:56	Cr	<	0.3	ug/L	EPA-200.7
8/17/2006 10:34	Cr	<	0.3	ug/L	EPA-200.7
8/31/2006 10:29	Cr	<	0.3	ug/L	EPA-200.7
9/7/2006 12:34	Cr	<	0.3	ug/L	EPA-200.7
9/14/2006 11:43	Cr	j	0.4	ug/L	EPA-200.7
6/15/2006 11:50	Cr+6	j	2.16	ug/L	SM 3500-Cr-D
6/22/2006 11:32	Cr+6		2.95	ug/L	SM 3500-Cr-D
7/6/2006 12:02	Cr+6	j	2.08	ug/L	SM 3500-Cr-D
7/20/2006 10:56	Cr+6	j	1.34	ug/L	SM 3500-Cr-D
8/17/2006 10:34	Cr+6	j	1.21	ug/L	SM 3500-Cr-D
8/31/2006 10:29	Cr+6	<	2.03	ug/L	SM 3500-Cr-D
9/7/2006 12:34	Cr+6	j	1.53	ug/L	SM 3500-Cr-D
9/14/2006 11:43	Cr+6	j	2.19	ug/L	SM 3500-Cr-D
6/15/2006 11:50	Cu		12	ug/L	EPA-200.7
6/22/2006 11:32	Cu		11	ug/L	EPA-200.7
6/29/2006 11:50	Cu		8	ug/L	EPA-200.7
7/6/2006 12:02	Cu		7	ug/L	EPA-200.7
7/20/2006 10:56	Cu		8	ug/L	EPA-200.7
8/17/2006 10:34	Cu		10.7	ug/L	EPA-200.7
8/31/2006 10:29	Cu		6.5	ug/L	EPA-200.7
9/7/2006 12:34	Cu		9.8	ug/L	EPA-200.7
9/14/2006 11:43	Cu		6.9	ug/L	EPA-200.7
6/15/2006 11:50	Fe		254	ug/L	EPA-200.7

Doan Brook

RM 0.75

Sample Date	Parameter	Code	Result	Units	Method
6/22/2006 11:32	Fe		862	ug/L	EPA-200.7
6/29/2006 11:50	Fe		254	ug/L	EPA-200.7
7/6/2006 12:02	Fe		220	ug/L	EPA-200.7
7/20/2006 10:56	Fe		138	ug/L	EPA-200.7
8/17/2006 10:34	Fe		197	ug/L	EPA-200.7
8/31/2006 10:29	Fe		169.5	ug/L	EPA-200.7
9/7/2006 12:34	Fe		132	ug/L	EPA-200.7
9/14/2006 11:43	Fe		359	ug/L	EPA-200.7
6/15/2006 11:50	Field Cond		1570	uS/cm	SM 2510A
6/22/2006 11:32	Field Cond		627	uS/cm	SM 2510A
6/29/2006 11:50	Field Cond		794	uS/cm	SM 2510A
7/6/2006 12:02	Field Cond		896	uS/cm	SM 2510A
7/20/2006 10:56	Field Cond		1312	uS/cm	SM 2510A
8/17/2006 10:34	Field Cond		958	uS/cm	SM 2510A
8/31/2006 10:29	Field Cond		928	uS/cm	SM 2510A
9/7/2006 12:34	Field Cond		1032	uS/cm	SM 2510A
9/14/2006 11:43	Field Cond		577	uS/cm	SM 2510A
6/15/2006 11:50	Field DO		10.49	mg/L	SM 4500-O G
6/22/2006 11:32	Field DO		8.69	mg/L	SM 4500-O G
6/29/2006 11:50	Field DO		8.1	mg/L	SM 4500-O G
7/6/2006 12:02	Field DO		9.72	mg/L	SM 4500-O G
8/17/2006 10:34	Field DO		8.21	mg/L	SM 4500-O G
8/31/2006 10:29	Field DO		9.43	mg/L	SM 4500-O G
9/7/2006 12:34	Field DO		9.54	mg/L	SM 4500-O G
9/14/2006 11:43	Field DO		8.95	mg/L	SM 4500-O G
6/15/2006 11:50	Field Temp		17.3	C	EPA 170.1
6/22/2006 11:32	Field Temp		21.44	C	EPA 170.1
6/29/2006 11:50	Field Temp		19.92	C	EPA 170.1
7/6/2006 12:02	Field Temp		19.65	C	EPA 170.1
7/20/2006 10:56	Field Temp		22.44	C	EPA 170.1
8/17/2006 10:34	Field Temp		19.64	C	EPA 170.1
8/31/2006 10:29	Field Temp		19.47	C	EPA 170.1
9/7/2006 12:34	Field Temp		19.59	C	EPA 170.1
9/14/2006 11:43	Field Temp		19.17	C	EPA 170.1
6/15/2006 11:50	Hg	<	0.05	ug/L	EPA 245.1
6/22/2006 11:32	Hg	<	0.05	ug/L	EPA 245.1
6/29/2006 11:50	Hg	<	0.05	ug/L	EPA 245.1
7/6/2006 12:02	Hg	<	0.05	ug/L	EPA 245.1
7/20/2006 10:56	Hg	<	0.05	ug/L	EPA 245.1
8/17/2006 10:34	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 10:29	Hg	<	0.05	ug/L	EPA 245.1
9/7/2006 12:34	Hg	<	0.05	ug/L	EPA 245.1

Doan Brook RM 0.75					
Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 11:43	Hg	<	0.05	ug/L	EPA 245.1
7/27/2006 12:00	ICI		26	N/A	
9/21/2006 12:00	ICI		30	N/A	
6/15/2006 11:50	K		4880	ug/L	EPA-200.7
6/22/2006 11:32	K		3960	ug/L	EPA-200.7
6/29/2006 11:50	K		4020	ug/L	EPA-200.7
7/6/2006 12:02	K		4080	ug/L	EPA-200.7
7/20/2006 10:56	K		4470	ug/L	EPA-200.7
8/17/2006 10:34	K		4100	ug/L	EPA-200.7
8/31/2006 10:29	K		4320	ug/L	EPA-200.7
9/7/2006 12:34	K		4280	ug/L	EPA-200.7
9/14/2006 11:43	K		3780	ug/L	EPA-200.7
6/15/2006 11:50	Mg		19400	ug/L	EPA-200.7
6/22/2006 11:32	Mg		7170	ug/L	EPA-200.7
6/29/2006 11:50	Mg		9670	ug/L	EPA-200.7
7/6/2006 12:02	Mg		11400	ug/L	EPA-200.7
7/20/2006 10:56	Mg		15400	ug/L	EPA-200.7
8/17/2006 10:34	Mg		12400	ug/L	EPA-200.7
8/31/2006 10:29	Mg		11850	ug/L	EPA-200.7
9/7/2006 12:34	Mg		13400	ug/L	EPA-200.7
9/14/2006 11:43	Mg		7700	ug/L	EPA-200.7
6/15/2006 11:50	Mn		23	ug/L	EPA-200.7
6/22/2006 11:32	Mn		87	ug/L	EPA-200.7
6/29/2006 11:50	Mn		40	ug/L	EPA-200.7
7/6/2006 12:02	Mn		19	ug/L	EPA-200.7
7/20/2006 10:56	Mn		14	ug/L	EPA-200.7
8/17/2006 10:34	Mn		18.6	ug/L	EPA-200.7
8/31/2006 10:29	Mn		14.65	ug/L	EPA-200.7
9/7/2006 12:34	Mn		8.2	ug/L	EPA-200.7
9/14/2006 11:43	Mn		29.9	ug/L	EPA-200.7
6/15/2006 11:50	Mo		3	ug/L	EPA-200.7
6/22/2006 11:32	Mo		2	ug/L	EPA-200.7
6/29/2006 11:50	Mo		3	ug/L	EPA-200.7
7/6/2006 12:02	Mo		5	ug/L	EPA-200.7
7/20/2006 10:56	Mo		10	ug/L	EPA-200.7
8/17/2006 10:34	Mo		4.7	ug/L	EPA-200.7
8/31/2006 10:29	Mo		4.6	ug/L	EPA-200.7
9/7/2006 12:34	Mo		4.3	ug/L	EPA-200.7
9/14/2006 11:43	Mo		2.4	ug/L	EPA-200.7
6/15/2006 11:50	Na		173000	ug/L	EPA-200.7

Doan Brook RM 0.75					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2006 11:32	Na		70000	ug/L	EPA-200.7
6/29/2006 11:50	Na		89400	ug/L	EPA-200.7
7/6/2006 12:02	Na		98000	ug/L	EPA-200.7
7/20/2006 10:56	Na		130000	ug/L	EPA-200.7
8/17/2006 10:34	Na		104000	ug/L	EPA-200.7
8/31/2006 10:29	Na		106500	ug/L	EPA-200.7
9/7/2006 12:34	Na		116000	ug/L	EPA-200.7
9/14/2006 11:43	Na		62900	ug/L	EPA-200.7
6/15/2006 11:50	NH3		0.05	mg/L	EPA-350.1
6/22/2006 11:32	NH3		0.15	mg/L	EPA-350.1
6/29/2006 11:50	NH3		0.22	mg/L	EPA-350.1
7/6/2006 12:02	NH3		0.11	mg/L	EPA-350.1
7/20/2006 10:56	NH3		0.03	mg/L	EPA-350.1
8/17/2006 10:34	NH3		0.04	mg/L	EPA-350.1
8/31/2006 10:29	NH3		0.04	mg/L	EPA-350.1
9/7/2006 12:34	NH3		0.03	mg/L	EPA-350.1
9/14/2006 11:43	NH3		0.05	mg/L	EPA-350.1
6/15/2006 11:50	Ni	j	1	ug/L	EPA-200.7
6/22/2006 11:32	Ni	j	2	ug/L	EPA-200.7
6/29/2006 11:50	Ni	j	1	ug/L	EPA-200.7
7/6/2006 12:02	Ni	j	1	ug/L	EPA-200.7
7/20/2006 10:56	Ni	<	0.5	ug/L	EPA-200.7
8/17/2006 10:34	Ni	j	0.9	ug/L	EPA-200.7
8/31/2006 10:29	Ni	j	1.05	ug/L	EPA-200.7
9/7/2006 12:34	Ni	j	0.7	ug/L	EPA-200.7
9/14/2006 11:43	Ni	j	1	ug/L	EPA-200.7
6/15/2006 11:50	NO2		0.02	mg/L	SM 4500-NO2-B
6/22/2006 11:32	NO2		0.04	mg/L	SM 4500-NO2-B
6/29/2006 11:50	NO2		0.02	mg/L	SM 4500-NO2-B
7/6/2006 12:02	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/20/2006 10:56	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/17/2006 10:34	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/31/2006 10:29	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/7/2006 12:34	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/14/2006 11:43	NO2		0.02	mg/L	SM 4500-NO2-B
6/15/2006 11:50	NO3		0.77	mg/L	EPA 353.2
6/22/2006 11:32	NO3		0.53	mg/L	EPA 353.2
6/29/2006 11:50	NO3		0.48	mg/L	EPA 353.2
7/6/2006 12:02	NO3		0.86	mg/L	EPA 353.2
7/20/2006 10:56	NO3		0.69	mg/L	EPA 353.2
8/17/2006 10:34	NO3		0.33	mg/L	EPA 353.2
8/31/2006 10:29	NO3		0.71	mg/L	EPA 353.2

Doan Brook RM 0.75					
Sample Date	Parameter	Code	Result	Units	Method
9/7/2006 12:34	NO3		0.6	mg/L	EPA 353.2
9/14/2006 11:43	NO3		0.41	mg/L	EPA 353.2
6/15/2006 11:50	NO3+NO2		0.79	mg/L	EPA 353.2
6/22/2006 11:32	NO3+NO2		0.57	mg/L	EPA 353.2
6/29/2006 11:50	NO3+NO2		0.5	mg/L	EPA 353.2
7/6/2006 12:02	NO3+NO2		0.86	mg/L	EPA 353.2
7/20/2006 10:56	NO3+NO2		0.7	mg/L	EPA 353.2
8/17/2006 10:34	NO3+NO2		0.34	mg/L	EPA 353.2
8/31/2006 10:29	NO3+NO2		0.71	mg/L	EPA 353.2
9/7/2006 12:34	NO3+NO2		0.6	mg/L	EPA 353.2
9/14/2006 11:43	NO3+NO2		0.43	mg/L	EPA 353.2
6/15/2006 11:50	Pb	<	0.5	ug/L	EPA-200.7
6/22/2006 11:32	Pb		4	ug/L	EPA-200.7
6/29/2006 11:50	Pb	<	0.5	ug/L	EPA-200.7
7/6/2006 12:02	Pb	<	0.5	ug/L	EPA-200.7
7/20/2006 10:56	Pb	<	0.5	ug/L	EPA-200.7
8/17/2006 10:34	Pb	<	0.5	ug/L	EPA-200.7
8/31/2006 10:29	Pb	<	0.5	ug/L	EPA-200.7
9/7/2006 12:34	Pb	<	0.5	ug/L	EPA-200.7
9/14/2006 11:43	Pb	j	1.4	ug/L	EPA-200.7
6/15/2006 11:50	pH		8.26	S.U.	
6/22/2006 11:32	pH		8.29	S.U.	
7/6/2006 12:02	pH		7.57	S.U.	
7/20/2006 10:56	pH		8.28	S.U.	
8/17/2006 10:34	pH		8.03	S.U.	
9/7/2006 12:34	pH		8.66	S.U.	
9/14/2006 11:43	pH		7.85	S.U.	
6/15/2006 11:50	Sb	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	Sb	<	0.2	ug/L	EPA-200.7
6/29/2006 11:50	Sb	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	Sb	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	Sb	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	Sb	<	0.2	ug/L	EPA-200.7
8/31/2006 10:29	Sb	j	0.45	ug/L	EPA-200.7
9/7/2006 12:34	Sb	j	0.4	ug/L	EPA-200.7
9/14/2006 11:43	Sb	<	0.2	ug/L	EPA-200.7
6/15/2006 11:50	Se	j	2	ug/L	EPA-200.7
6/22/2006 11:32	Se	j	1	ug/L	EPA-200.7
6/29/2006 11:50	Se	j	2	ug/L	EPA-200.7
7/6/2006 12:02	Se	j	2	ug/L	EPA-200.7
7/20/2006 10:56	Se	j	2	ug/L	EPA-200.7

Doan Brook

RM 0.75

Sample Date	Parameter	Code	Result	Units	Method
8/17/2006 10:34	Se	j	1.7	ug/L	EPA-200.7
8/31/2006 10:29	Se	j	2.05	ug/L	EPA-200.7
9/7/2006 12:34	Se	j	2	ug/L	EPA-200.7
9/14/2006 11:43	Se	j	2.1	ug/L	EPA-200.7
6/15/2006 11:50	Sn	j	7	ug/L	EPA-200.7
6/22/2006 11:32	Sn	<	4.3	ug/L	EPA-200.7
6/29/2006 11:50	Sn	j	9	ug/L	EPA-200.7
7/6/2006 12:02	Sn	j	6	ug/L	EPA-200.7
7/20/2006 10:56	Sn	<	4	ug/L	EPA-200.7
8/17/2006 10:34	Sn	j	6	ug/L	EPA-200.7
8/31/2006 10:29	Sn	<	4.3	ug/L	EPA-200.7
9/7/2006 12:34	Sn	<	4.3	ug/L	EPA-200.7
9/14/2006 11:43	Sn	<	4.3	ug/L	EPA-200.7
6/15/2006 11:50	Soluble-P		0.1	mg/L	EPA 365.1
6/22/2006 11:32	Soluble-P		0.1	mg/L	EPA 365.1
6/29/2006 11:50	Soluble-P		0.1	mg/L	EPA 365.1
7/20/2006 10:56	Soluble-P		0.13	mg/L	EPA 365.1
8/17/2006 10:34	Soluble-P		0.15	mg/L	EPA 365.1
8/31/2006 10:29	Soluble-P		0.09	mg/L	EPA 365.1
9/7/2006 12:34	Soluble-P		0.1	mg/L	EPA 365.1
9/14/2006 11:43	Soluble-P		0.06	mg/L	EPA 365.1
6/15/2006 11:50	TDS		899	mg/L	SM2540C
6/22/2006 11:32	TDS		243	mg/L	SM2540C
6/29/2006 11:50	TDS		427	mg/L	SM2540C
7/6/2006 12:02	TDS		490	mg/L	SM2540C
7/20/2006 10:56	TDS		717	mg/L	SM2540C
8/17/2006 10:34	TDS		547	mg/L	SM2540C
8/31/2006 10:29	TDS		524.5	mg/L	SM2540C
9/7/2006 12:34	TDS		602	mg/L	SM2540C
9/14/2006 11:43	TDS		295	mg/L	SM2540C
6/15/2006 11:50	Ti	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	Ti		5	ug/L	EPA-200.7
6/29/2006 11:50	Ti	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	Ti	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	Ti	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	Ti	<	0.2	ug/L	EPA-200.7
8/31/2006 10:29	Ti	<	0.2	ug/L	EPA-200.7
9/7/2006 12:34	Ti	<	0.2	ug/L	EPA-200.7
9/14/2006 11:43	Ti		1.4	ug/L	EPA-200.7
6/15/2006 11:50	TI		5	ug/L	EPA-200.7
6/22/2006 11:32	TI	j	5	ug/L	EPA-200.7

Doan Brook

RM 0.75

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 11:50	TI	j	4	ug/L	EPA-200.7
7/6/2006 12:02	TI		9	ug/L	EPA-200.7
7/20/2006 10:56	TI		8	ug/L	EPA-200.7
8/17/2006 10:34	TI		6.2	ug/L	EPA-200.7
8/31/2006 10:29	TI		6.95	ug/L	EPA-200.7
9/7/2006 12:34	TI		9.6	ug/L	EPA-200.7
9/14/2006 11:43	TI	j	5	ug/L	EPA-200.7
6/15/2006 11:50	TMET		17	ug/L	EPA-200.7
6/22/2006 11:32	TMET		26	ug/L	EPA-200.7
6/29/2006 11:50	TMET		15	ug/L	EPA-200.7
7/6/2006 12:02	TMET		13	ug/L	EPA-200.7
7/20/2006 10:56	TMET		14	ug/L	EPA-200.7
8/17/2006 10:34	TMET		16.2	ug/L	EPA-200.7
8/31/2006 10:29	TMET		12.2	ug/L	EPA-200.7
9/7/2006 12:34	TMET		13.6	ug/L	EPA-200.7
9/14/2006 11:43	TMET		14.2	ug/L	EPA-200.7
6/15/2006 11:50	Total-P		0.14	mg/L	EPA 365.1
6/22/2006 11:32	Total-P		0.21	mg/L	EPA 365.1
6/29/2006 11:50	Total-P		0.17	mg/L	EPA 365.1
7/6/2006 12:02	Total-P		0.05	mg/L	EPA 365.1
7/20/2006 10:56	Total-P		0.17	mg/L	EPA 365.1
8/17/2006 10:34	Total-P		0.22	mg/L	EPA 365.1
8/31/2006 10:29	Total-P		0.14	mg/L	EPA 365.1
9/7/2006 12:34	Total-P		0.14	mg/L	EPA 365.1
9/14/2006 11:43	Total-P		0.12	mg/L	EPA 365.1
6/15/2006 11:50	TS		937	mg/L	SM2540B
6/22/2006 11:32	TS		370	mg/L	SM2540B
6/29/2006 11:50	TS		454	mg/L	SM2540B
7/6/2006 12:02	TS		527	mg/L	SM2540B
7/20/2006 10:56	TS		768	mg/L	SM2540B
8/17/2006 10:34	TS		547	mg/L	SM2540B
8/31/2006 10:29	TS		536.5	mg/L	SM2540B
9/7/2006 12:34	TS		617	mg/L	SM2540B
9/14/2006 11:43	TS		342	mg/L	SM2540B
6/15/2006 11:50	TSS		3	mg/L	SM2540D
6/22/2006 11:32	TSS		13	mg/L	SM2540D
6/29/2006 11:50	TSS		2	mg/L	SM2540D
7/6/2006 12:02	TSS		2	mg/L	SM2540D
7/20/2006 10:56	TSS		1	mg/L	SM2540D
8/17/2006 10:34	TSS	<	1	mg/L	SM2540D
8/31/2006 10:29	TSS		1	mg/L	SM2540D
9/7/2006 12:34	TSS	<	1	mg/L	SM2540D

Doan Brook RM 0.75					
Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 11:43	TSS		4	mg/L	SM2540D
6/15/2006 11:50	Turbidity		1.22	NTU	EPA 180.1
6/22/2006 11:32	Turbidity		8.18	NTU	EPA 180.1
6/29/2006 11:50	Turbidity		2.59	NTU	EPA 180.1
7/6/2006 12:02	Turbidity		2.4	NTU	EPA 180.1
7/20/2006 10:56	Turbidity		1.12	NTU	EPA 180.1
8/17/2006 10:34	Turbidity		0.97	NTU	EPA 180.1
8/31/2006 10:29	Turbidity		2	NTU	EPA 180.1
9/7/2006 12:34	Turbidity		1.76	NTU	EPA 180.1
9/14/2006 11:43	Turbidity		4.98	NTU	EPA 180.1
6/15/2006 11:50	V	<	0.2	ug/L	EPA-200.7
6/22/2006 11:32	V	<	0.2	ug/L	EPA-200.7
6/29/2006 11:50	V	<	0.2	ug/L	EPA-200.7
7/6/2006 12:02	V	<	0.2	ug/L	EPA-200.7
7/20/2006 10:56	V	<	0.2	ug/L	EPA-200.7
8/17/2006 10:34	V	<	0.2	ug/L	EPA-200.7
8/31/2006 10:29	V	<	0.2	ug/L	EPA-200.7
9/7/2006 12:34	V	<	0.2	ug/L	EPA-200.7
9/14/2006 11:43	V	<	0.2	ug/L	EPA-200.7
6/15/2006 11:50	Zn	j	4	ug/L	EPA-200.7
6/22/2006 11:32	Zn		12	ug/L	EPA-200.7
6/29/2006 11:50	Zn	j	5	ug/L	EPA-200.7
7/6/2006 12:02	Zn	j	5	ug/L	EPA-200.7
7/20/2006 10:56	Zn	j	4	ug/L	EPA-200.7
8/17/2006 10:34	Zn	j	4.4	ug/L	EPA-200.7
8/31/2006 10:29	Zn	j	4.45	ug/L	EPA-200.7
9/7/2006 12:34	Zn	<	3	ug/L	EPA-200.7
9/14/2006 11:43	Zn	j	5.9	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)