

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Alkalinity, Total		167	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Alkalinity, Total		185	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Alkalinity, Total		132	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Alkalinity, Total		137	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Aluminum, Total	J	96.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Aluminum, Total	J	138	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Aluminum, Total	J	62.1	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Aluminum, Total	J	74.1	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Aluminum, Total		170	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Ammonia, Total		0.202	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Ammonia, Total		0.152	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Ammonia, Total		0.184	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Ammonia, Total	<	0.01	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Ammonia, Total		0.122	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Antimony, Total	J	0.494	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Antimony, Total	J	0.37	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Antimony, Total	J	0.392	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Antimony, Total	J	0.295	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Antimony, Total	J	0.362	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Arsenic, Total	J	0.882	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Arsenic, Total	J	1.22	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Arsenic, Total	J	0.889	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Arsenic, Total	J	0.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Arsenic, Total	J	0.962	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Barium, Total		67	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Barium, Total		81.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Barium, Total		66	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Barium, Total		70.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Barium, Total		48	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	BOD, Total	<	2	mg/L	SM5210 B

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	BOD, Total		4.5	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Calcium, Total		74000	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Calcium, Total		81100	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Calcium, Total		67100	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Calcium, Total		77600	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Calcium, Total		59400	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Chloride		150	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Chloride		173	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Chloride		136	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Chloride		156	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Chloride		103	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Chromium, Total	J	8.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Chromium, Total	J	8.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Chromium, Total	J	8.28	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Cobalt, Total	J	0.207	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Cobalt, Total	J	0.259	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Cobalt, Total	J	0.171	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Cobalt, Total	J	0.154	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Cobalt, Total	J	0.24	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	COD, Total	J	12.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Conductivity		852	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Conductivity		939	UMHOS/CM	SM 2510B

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Conductivity		970	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Conductivity		1080	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Conductivity		802	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Conductivity		863	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Conductivity		923	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Conductivity		1008	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Conductivity		666	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Conductivity		715	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Conductivity		426	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Conductivity		458	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Conductivity		314	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Conductivity		385	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Conductivity		432	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Conductivity		524	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Conductivity		980	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Conductivity		1181	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Conductivity		931	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Conductivity		1149	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Copper, Total		3.63	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Copper, Total		2.67	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Copper, Total		2.88	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Copper, Total	J	1.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Copper, Total		2.96	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Dissolved Oxygen		94	%	N/A
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Dissolved Oxygen		92	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Dissolved Oxygen		8.4	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Dissolved Oxygen		93	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Dissolved Oxygen		8.2	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Dissolved Oxygen		95	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Dissolved Oxygen		93	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Dissolved Oxygen		8.2	mg/L	SM 4500-O G

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Dissolved Oxygen		9.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Dissolved Oxygen		95	%	N/A
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Dissolved Oxygen		9.4	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Dissolved Oxygen		92	%	N/A
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Dissolved Oxygen		9.0	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Dissolved Oxygen		94	%	N/A
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Dissolved Oxygen		9.4	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Escherichia coli		1300	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Escherichia coli		14010	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Escherichia coli		13540	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Escherichia coli		1553	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Escherichia coli		1164	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Escherichia coli		12960	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Escherichia coli		18200	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Escherichia coli		8820	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Escherichia coli		3500	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Escherichia coli		1733	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Hardness, Total		246	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Hardness, Total		270	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Hardness, Total		223	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Hardness, Total		258	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Hardness, Total		202	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Iron, Total		1390	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Iron, Total		1510	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Iron, Total		1390	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Iron, Total		1340	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Iron, Total		1200	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Lead, Total	J	1	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Lead, Total		2.67	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Lead, Total	J	0.998	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Lead, Total	J	0.346	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Lead, Total		3.72	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Magnesium, Total		14800	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Magnesium, Total		16500	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Magnesium, Total		13400	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Magnesium, Total		15600	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Magnesium, Total		13000	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Manganese, Total		72.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Manganese, Total		88.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Manganese, Total		84.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Manganese, Total		75.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Manganese, Total		70.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Molybdenum, Total		3.12	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Molybdenum, Total		3.08	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Molybdenum, Total		2.76	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Molybdenum, Total		3.07	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Molybdenum, Total	J	2.39	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Nickel, Total	J	1.99	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Nickel, Total	J	1.95	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Nickel, Total	J	1.84	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Nickel, Total	J	1.41	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Nickel, Total	J	1.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Nitrite - Nitrate, Total		1.3	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Nitrite - Nitrate, Total		0.767	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Nitrite - Nitrate, Total		0.918	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Nitrite - Nitrate, Total		0.547	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Nitrite - Nitrate, Total		0.881	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	pH		7.5	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	pH		7.8	S.U.	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	pH		7.6	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	pH		7.6	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Phosphorus, Diss. Reactive		0.0808	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Phosphorus, Diss. Reactive		0.0838	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Phosphorus, Diss. Reactive		0.0936	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Phosphorus, Diss. Reactive		0.119	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Phosphorus, Diss. Reactive		0.16	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Phosphorus, Total		0.176	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Phosphorus, Total		0.179	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Phosphorus, Total		0.203	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Phosphorus, Total		0.198	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Phosphorus, Total		0.264	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Phosphorus, Total		0.161	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Phosphorus, Total		0.16	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Phosphorus, Total		0.166	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Phosphorus, Total		0.207	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Phosphorus, Total		0.656	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Potassium, Total	J	5650	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Potassium, Total	J	5600	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Potassium, Total	J	5150	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Potassium, Total	J	5120	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Potassium, Total	J	4440	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Selenium, Total	J	0.652	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Sodium, Total		112000	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Sodium, Total		122000	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Sodium, Total		102000	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Sodium, Total		110000	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Sodium, Total		79700	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Strontium, Total		361	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Strontium, Total		403	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Strontium, Total		341	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Strontium, Total		355	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Strontium, Total		281	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Sulfate		58.1	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Sulfate		61.9	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Sulfate		51.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Sulfate		57.5	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Sulfate		45.7	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Tin, Total	J	1.31	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Tin, Total	J	1.27	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Titanium, Total		2.77	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Titanium, Total		3.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Titanium, Total	J	2.32	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Titanium, Total	J	2.09	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Titanium, Total	J	4.38	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Total Dissolved Solids		502	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Total Dissolved Solids		562	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Total Dissolved Solids		448	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Total Dissolved Solids		520	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Total Dissolved Solids		364	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Total Kjeldahl Nitrogen		1.06	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Total Kjeldahl Nitrogen		0.793	mg/L	EPA351.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Total Kjeldahl Nitrogen		0.776	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Total Kjeldahl Nitrogen	J	0.479	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Total Kjeldahl Nitrogen	J	0.654	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Total Solids		548	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Total Solids		612	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Total Solids		530	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Total Solids		560	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Total Solids		490	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Total Suspended Solids		1.7	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Total Suspended Solids		14.1	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Total Suspended Solids		5.7	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Total Suspended Solids		2.1	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Total Suspended Solids		10.2	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Turbidity		7.7	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Turbidity		5.7	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Turbidity		6.3	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Turbidity		4.4	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Turbidity		11.5	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Turbidity		15.2	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Turbidity		23.5	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Turbidity		19.6	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Turbidity		6.3	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Turbidity		4.6	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Water Temperature		20.25	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Water Temperature		19.71	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Water Temperature		21.32	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Water Temperature		20.59	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Water Temperature		21.38	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2022 10:15	Water Temperature		21.39	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	9/27/2022 10:30	Water Temperature		15.38	°C	EPA 170.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	10/13/2022 10:35	Water Temperature		15.79	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	10/25/2022 11:15	Water Temperature		16.04	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	11/3/2022 11:25	Water Temperature		15.05	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	7/26/2022 9:05	Zinc, Total		16.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2022 8:45	Zinc, Total		14.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/10/2022 11:00	Zinc, Total		16.1	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/17/2022 10:22	Zinc, Total	J	9.24	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2022 11:25	Zinc, Total		13.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Alkalinity, Total		122	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Alkalinity, Total		115	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Alkalinity, Total		180	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Alkalinity, Total		132	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Aluminum, Total	J	54.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Aluminum, Total		168	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Aluminum, Total	J	53.5	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Aluminum, Total	J	63.4	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Aluminum, Total		340	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Ammonia, Total		0.082	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Ammonia, Total		0.0763	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Ammonia, Total		0.0886	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Ammonia, Total		0.0855	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Ammonia, Total		0.132	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Antimony, Total	J	0.452	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Antimony, Total	J	0.308	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Antimony, Total	J	0.461	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Antimony, Total	J	0.351	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Antimony, Total	J	0.438	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Arsenic, Total	<	0.414	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Arsenic, Total	J	0.856	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Arsenic, Total	J	0.747	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Barium, Total		33.7	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Barium, Total		28.4	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Barium, Total		27.9	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Barium, Total		33.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Barium, Total		36.1	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	BOD, Total		4.2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Calcium, Total		65100	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Calcium, Total		52400	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Calcium, Total		53500	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Calcium, Total		62300	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Calcium, Total		56600	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Chloride		165	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Chloride		131	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Chloride		146	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Chloride		155	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Chloride		261	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Chromium, Total	J	8.1	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Chromium, Total	J	9.35	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Chromium, Total	J	8.27	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Cobalt, Total	J	0.19	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Cobalt, Total	J	0.209	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Cobalt, Total	J	0.153	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Cobalt, Total	J	0.162	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Cobalt, Total	J	0.518	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Conductivity		405	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Conductivity		498	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Conductivity		873	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Conductivity		946	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Conductivity		726	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Conductivity		796	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Conductivity		805	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Conductivity		865	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Conductivity		851	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Conductivity		930	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Conductivity		1178	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Conductivity		1274	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Conductivity		584	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Conductivity		625	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Conductivity		310	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Conductivity		383	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Conductivity		1008	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Conductivity		1238	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Conductivity		873	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Conductivity		1104	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Copper, Total	J	2.46	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Copper, Total	J	1.81	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Copper, Total		2.58	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Copper, Total	J	2.01	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Copper, Total		5.22	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Dissolved Oxygen		8.7	mg/L	SM 4500-O G

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Dissolved Oxygen		10.1	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Escherichia coli		19180	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Escherichia coli		32820	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Escherichia coli		12810	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Escherichia coli		11120	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Escherichia coli		9590	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Escherichia coli		14060	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Escherichia coli		16240	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Escherichia coli		14750	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Escherichia coli		2420	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Escherichia coli		3050	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Hardness, Total		228	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Hardness, Total		186	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Hardness, Total		186	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Hardness, Total		219	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Hardness, Total		196	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Iron, Total	J	722	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Iron, Total		839	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Iron, Total	J	736	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Iron, Total		775	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Iron, Total		1240	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Lead, Total	J	0.342	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Lead, Total	J	0.782	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Lead, Total	J	0.57	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Lead, Total	J	0.552	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Lead, Total		5.81	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Magnesium, Total		15900	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Magnesium, Total		13500	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Magnesium, Total		12600	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Magnesium, Total		15300	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Magnesium, Total		13200	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Manganese, Total		25.6	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Manganese, Total		19.5	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Manganese, Total		21.9	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Manganese, Total		17.1	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Manganese, Total		58.9	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Molybdenum, Total		2.6	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Molybdenum, Total	J	2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Molybdenum, Total	J	2.17	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Molybdenum, Total	J	1.97	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Molybdenum, Total	J	2.24	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Nickel, Total	J	2.14	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Nickel, Total	J	1.67	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Nickel, Total	J	1.77	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Nickel, Total	J	1.7	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Nickel, Total		2.73	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Nitrite - Nitrate, Total		1.12	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Nitrite - Nitrate, Total		0.933	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Nitrite - Nitrate, Total		0.985	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Nitrite - Nitrate, Total		1.36	mg/L	ASTM D7781

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Nitrite - Nitrate, Total		1.32	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	pH		7.9	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	pH		7.9	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Phosphorus, Diss. Reactive		0.127	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Phosphorus, Diss. Reactive		0.178	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Phosphorus, Diss. Reactive		0.149	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Phosphorus, Diss. Reactive		0.169	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Phosphorus, Diss. Reactive		0.155	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Phosphorus, Total		0.198	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Phosphorus, Total		0.175	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Phosphorus, Total		0.229	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Phosphorus, Total		0.205	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Phosphorus, Total		0.206	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Phosphorus, Total		0.249	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Phosphorus, Total		0.205	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Phosphorus, Total		0.12	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Phosphorus, Total		0.156	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Phosphorus, Total		0.169	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Potassium, Total	J	5110	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Potassium, Total	J	4140	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Potassium, Total	J	4380	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Potassium, Total	J	4660	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Potassium, Total	J	4910	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Selenium, Total	J	0.513	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Selenium, Total	<	2.41	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Sodium, Total		120000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Sodium, Total		81600	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Sodium, Total		93600	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Sodium, Total		100000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Sodium, Total		146000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Strontium, Total		360	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Strontium, Total		265	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Strontium, Total		296	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Strontium, Total		318	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Strontium, Total		309	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Sulfate		63.2	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Sulfate		56.2	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Sulfate		59.6	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Sulfate		60.4	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Sulfate		67.1	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Thallium, Total	J	2.26	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Tin, Total	J	1.38	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Tin, Total	J	1.32	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Titanium, Total	J	1.92	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Titanium, Total		4.01	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Titanium, Total	J	2.08	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Titanium, Total	J	2.27	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Titanium, Total		8.53	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Total Dissolved Solids		462	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Total Dissolved Solids		412	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Total Dissolved Solids		448	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Total Dissolved Solids		484	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Total Dissolved Solids		652	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Total Kjeldahl Nitrogen	J	0.7	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Total Kjeldahl Nitrogen	J	0.456	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Total Kjeldahl Nitrogen	J	0.747	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Total Kjeldahl Nitrogen	J	0.444	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Total Kjeldahl Nitrogen		0.859	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Total Solids		564	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Total Solids		504	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Total Solids		512	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Total Solids		550	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Total Solids		818	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Total Suspended Solids	<	0.9	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Total Suspended Solids		4.5	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Total Suspended Solids		7.2	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Total Suspended Solids		2	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Total Suspended Solids		2.6	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Turbidity		24.9	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Turbidity		2.4	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Turbidity		5.3	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Turbidity		2.6	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Turbidity		1.7	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Turbidity		11.8	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Turbidity		7.8	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Turbidity		19.5	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Turbidity		3.0	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Turbidity		3.0	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Vanadium, Total	<	2.59	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	10/13/2022 10:52	Water Temperature		15.25	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Water Temperature		21.21	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Water Temperature		20.36	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Water Temperature		21.31	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Water Temperature		20.49	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Water Temperature		21.22	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/30/2022 10:30	Water Temperature		21.54	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	9/27/2022 10:50	Water Temperature		14.96	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	10/25/2022 11:00	Water Temperature		15.37	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	11/3/2022 11:10	Water Temperature		14.05	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	7/26/2022 9:35	Zinc, Total		16.4	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2022 9:15	Zinc, Total		14.1	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/10/2022 10:36	Zinc, Total		23.6	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/17/2022 10:50	Zinc, Total		15.7	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2022 11:05	Zinc, Total		24.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Alkalinity, Total		126	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Alkalinity, Total		105	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Alkalinity, Total		121	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Alkalinity, Total		121	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Alkalinity, Total		134	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Alkalinity, Total		124	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Aluminum, Total	J	55.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Aluminum, Total	J	134	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Aluminum, Total	J	49.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Aluminum, Total	J	48	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Ammonia, Total	J	0.0461	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Ammonia, Total	J	0.0255	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Ammonia, Total		0.052	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Ammonia, Total	J	0.0363	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Ammonia, Total	J	0.0427	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Ammonia, Total		0.124	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Antimony, Total	J	0.385	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Antimony, Total	J	0.281	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Antimony, Total	J	0.326	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Antimony, Total	J	0.352	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Antimony, Total	J	0.299	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Antimony, Total	J	0.374	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Arsenic, Total	J	0.862	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Arsenic, Total	J	0.784	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Arsenic, Total	J	0.599	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Arsenic, Total	J	0.899	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Barium, Total		31.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Barium, Total		27.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Barium, Total		26.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Barium, Total		28.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Barium, Total		30.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Barium, Total		36.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	BOD, Total		2.8	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Cadmium, Total	<	0.233	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Calcium, Total		54800	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Calcium, Total		47100	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Calcium, Total		47300	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Calcium, Total		50600	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Calcium, Total		53500	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Calcium, Total		56600	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Chloride		178	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Chloride		113	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Chloride		144	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Chloride		146	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Chloride		135	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Chloride		269	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Chromium, Total	J	8.36	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Chromium, Total	J	8.92	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Chromium, Total	J	8.31	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Chromium, Total	J	8.08	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Cobalt, Total	J	0.209	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Cobalt, Total	J	0.23	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Cobalt, Total	J	0.151	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Cobalt, Total	J	0.154	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Cobalt, Total	J	0.165	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Cobalt, Total	J	0.189	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Conductivity		937	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Conductivity		967	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Conductivity		683	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Conductivity		721	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Conductivity		763	UMHOS/CM	SM 2510A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Conductivity		835	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Conductivity		736	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Conductivity		802	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Conductivity		1162	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Conductivity		1267	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Conductivity		720	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Conductivity		780	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Conductivity		283	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Conductivity		352	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Conductivity		516	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Conductivity		636	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Conductivity		871	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Conductivity		1103	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Conductivity		724	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Conductivity		964	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Copper, Total		2.87	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Copper, Total	J	1.48	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Copper, Total	J	1.67	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Copper, Total	J	1.74	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Copper, Total	J	1.55	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Copper, Total	J	2.37	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Dissolved Oxygen		102	%	N/A
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Dissolved Oxygen		8.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Dissolved Oxygen		9.8	mg/L	SM 4500-O G

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Dissolved Oxygen		10.0	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Dissolved Oxygen		10.5	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Escherichia coli		866	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Escherichia coli		517	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Escherichia coli		1986	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Escherichia coli		1733	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Escherichia coli		1300	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Escherichia coli		343	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Escherichia coli		3590	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Escherichia coli		13775	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Escherichia coli		21420	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Escherichia coli		435	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Escherichia coli		727	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Hardness, Total		192	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Hardness, Total		169	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Hardness, Total		166	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Hardness, Total		177	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Hardness, Total		190	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Hardness, Total		198	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Iron, Total	J	647	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Iron, Total	J	717	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Iron, Total	J	584	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Iron, Total	J	601	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Iron, Total	J	607	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Iron, Total	J	627	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Lead, Total	J	0.285	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Lead, Total	J	0.269	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Lead, Total	J	0.351	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Lead, Total	J	0.391	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Lead, Total	J	0.21	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Lead, Total	J	0.195	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Magnesium, Total		13300	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Magnesium, Total		12500	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Magnesium, Total		11700	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Magnesium, Total		12300	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Magnesium, Total		13800	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Magnesium, Total		13900	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Manganese, Total		13.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Manganese, Total		18.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Manganese, Total		11.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Manganese, Total		12	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Manganese, Total		15.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Manganese, Total		18.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Molybdenum, Total		2.69	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Molybdenum, Total	J	1.77	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Molybdenum, Total	J	2.28	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Molybdenum, Total	J	2.39	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Molybdenum, Total	J	1.93	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Molybdenum, Total		2.59	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Nickel, Total	J	1.61	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Nickel, Total	J	1.37	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Nickel, Total	J	1.38	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Nickel, Total	J	1.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Nickel, Total	J	1.28	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Nickel, Total	J	1.75	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Nitrite - Nitrate, Total		1.22	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Nitrite - Nitrate, Total		0.921	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Nitrite - Nitrate, Total		0.952	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Nitrite - Nitrate, Total		0.928	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Nitrite - Nitrate, Total		1.22	mg/L	ASTM D7781

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Nitrite - Nitrate, Total		1.19	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	pH		8.1	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	pH		8.1	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	pH		8.1	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	pH		8.1	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	pH		7.6	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	pH		8.2	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Phosphorus, Diss. Reactive		0.111	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Phosphorus, Diss. Reactive		0.191	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Phosphorus, Diss. Reactive		0.135	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Phosphorus, Diss. Reactive		0.136	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Phosphorus, Diss. Reactive		0.166	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Phosphorus, Diss. Reactive		0.153	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Phosphorus, Total		0.136	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Phosphorus, Total		0.224	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Phosphorus, Total		0.16	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Phosphorus, Total		0.16	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Phosphorus, Total		0.192	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Phosphorus, Total		0.241	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Phosphorus, Total		0.134	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Phosphorus, Total		0.105	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Phosphorus, Total		0.172	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Phosphorus, Total		0.158	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Phosphorus, Total		0.163	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Potassium, Total	J	4420	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Potassium, Total	J	3860	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Potassium, Total	J	3840	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Potassium, Total	J	4070	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Potassium, Total	J	4260	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Potassium, Total	J	5150	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Selenium, Total	J	0.29	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Sodium, Total		111000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Sodium, Total		68900	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Sodium, Total		84300	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Sodium, Total		91300	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Sodium, Total		83100	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Sodium, Total		165000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Strontium, Total		298	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Strontium, Total		225	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Strontium, Total		261	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Strontium, Total		281	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Strontium, Total		251	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Strontium, Total		325	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Sulfate		64.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Sulfate		48	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Sulfate		55.8	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Sulfate		56.2	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Sulfate		50.4	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Sulfate		64.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Thallium, Total	<	3.49	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Tin, Total	J	1.16	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Tin, Total	J	1.19	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Titanium, Total	J	1.81	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Titanium, Total		2.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Titanium, Total	J	1.78	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Titanium, Total	J	1.67	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Titanium, Total	J	1.74	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Titanium, Total	J	1.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Total Dissolved Solids		516	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Total Dissolved Solids		370	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Dissolved Solids		440	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Dissolved Solids		452	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Total Dissolved Solids		442	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Total Dissolved Solids		670	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Total Kjeldahl Nitrogen	J	0.56	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Total Kjeldahl Nitrogen	J	0.345	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Kjeldahl Nitrogen	J	0.445	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Kjeldahl Nitrogen	J	0.445	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Total Kjeldahl Nitrogen	<	0.276	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Total Kjeldahl Nitrogen	J	0.466	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Total Solids		604	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Total Solids		460	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Solids		506	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Solids		494	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Total Solids		534	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Total Solids		796	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Total Suspended Solids		6.9	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Total Suspended Solids		3.4	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Suspended Solids		1.3	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Total Suspended Solids		1.3	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Total Suspended Solids		1.2	mg/L	SM2540 D

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Total Suspended Solids	<	0.9	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Turbidity		2.3	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Turbidity		5.4	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Turbidity		2.4	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Turbidity		1.7	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Turbidity		1.3	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Turbidity		1.5	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Turbidity		7.0	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Turbidity		18.5	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Turbidity		19.5	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Turbidity		2.0	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Turbidity		1.3	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Water Temperature		22.29	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Water Temperature		22.39	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Water Temperature		20.59	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Water Temperature		20.60	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Water Temperature		20.71	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/30/2022 10:35	Water Temperature		20.89	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	9/27/2022 9:50	Water Temperature		14.61	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	10/13/2022 9:25	Water Temperature		15.16	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	10/25/2022 10:05	Water Temperature		13.89	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	11/3/2022 10:40	Water Temperature		11.98	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	7/26/2022 10:05	Zinc, Total	J	5.87	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2022 10:20	Zinc, Total	J	4.41	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Zinc, Total	J	4.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/10/2022 9:20	Zinc, Total	J	4.55	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/17/2022 11:30	Zinc, Total	J	5.17	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2022 9:48	Zinc, Total	J	6.15	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Alkalinity, Total		148	mg/LCaCO3	EPA-310.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Alkalinity, Total		138	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Alkalinity, Total		255	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Alkalinity, Total		138	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Aluminum, Total	J	70.6	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Aluminum, Total	J	97.6	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Aluminum, Total	J	93.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Aluminum, Total	J	94.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Aluminum, Total	J	86.7	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Ammonia, Total		0.116	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Ammonia, Total		0.1	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Ammonia, Total		0.0971	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Ammonia, Total		0.125	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Ammonia, Total		0.129	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Antimony, Total	J	0.434	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Antimony, Total	J	0.314	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Antimony, Total	J	0.409	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Antimony, Total	J	0.336	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Antimony, Total	J	0.337	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Arsenic, Total	J	0.448	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Arsenic, Total	J	0.855	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Arsenic, Total	J	0.868	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Barium, Total		40.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Barium, Total		41.6	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Barium, Total		33.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Barium, Total		46.1	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Barium, Total		38.4	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/2/2022 9:35	BOD, Total	<	2	mg/L	SM5210 B

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/17/2022 10:00	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/24/2022 10:42	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Calcium, Total		66300	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Calcium, Total		62600	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Calcium, Total		51500	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Calcium, Total		67400	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Calcium, Total		58600	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Chloride		173	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Chloride		156	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Chloride		157	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Chloride		181	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Chloride		262	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Chromium, Total	J	7.94	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Chromium, Total	J	8.68	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Chromium, Total	J	8.42	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Cobalt, Total	J	0.208	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Cobalt, Total	J	0.213	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Cobalt, Total	J	0.215	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Cobalt, Total	J	0.212	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Cobalt, Total	J	0.191	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	COD, Total	J	9.32	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/2/2022 9:35	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/10/2022 9:00	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/17/2022 10:00	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/24/2022 10:42	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Conductivity		407	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Conductivity		497	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Conductivity		900	UMHOS/CM	SM 2510A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Conductivity		989	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Conductivity		842	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Conductivity		930	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Conductivity		884	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Conductivity		952	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Conductivity		971	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Conductivity		1083	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Conductivity		1034	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Conductivity		1128	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Conductivity		579	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Conductivity		621	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Conductivity		270	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Conductivity		335	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Conductivity		988	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Conductivity		1238	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Conductivity		893	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Conductivity		1135	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Copper, Total		2.63	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Copper, Total	J	1.81	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Copper, Total		2.53	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Copper, Total	J	2.05	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Copper, Total	J	2.42	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Dissolved Oxygen		94	%	N/A
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Dissolved Oxygen		9.4	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Dissolved Oxygen		92	%	N/A
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Dissolved Oxygen		8.3	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Dissolved Oxygen		91	%	N/A
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Dissolved Oxygen		8.2	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Dissolved Oxygen		91	%	N/A
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Dissolved Oxygen		8.0	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Dissolved Oxygen		89	%	N/A
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Dissolved Oxygen		91	%	N/A
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Dissolved Oxygen		92	%	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Dissolved Oxygen		96	%	N/A
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Dissolved Oxygen		89	%	N/A
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Dissolved Oxygen		9.0	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Dissolved Oxygen		86	%	N/A
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Escherichia coli		9678	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Escherichia coli		26130	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Escherichia coli		3930	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Escherichia coli		6700	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Escherichia coli		2420	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Escherichia coli		9678	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Escherichia coli		11870	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Escherichia coli		44100	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Escherichia coli		2420	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Escherichia coli		1986	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Hardness, Total		229	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Hardness, Total		217	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Hardness, Total		178	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Hardness, Total		233	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Hardness, Total		200	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Iron, Total		1020	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Iron, Total		1050	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Iron, Total		1000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Iron, Total		1160	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Iron, Total		975	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Lead, Total	J	0.648	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Lead, Total	J	0.498	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Lead, Total	J	1.97	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Lead, Total	J	1.16	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Lead, Total	J	0.87	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Magnesium, Total		15400	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Magnesium, Total		14800	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Magnesium, Total		11900	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Magnesium, Total		15800	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Magnesium, Total		13000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Manganese, Total		41.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Manganese, Total		38.1	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Manganese, Total		48.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Manganese, Total		46.7	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Manganese, Total		45.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Molybdenum, Total	J	2.48	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Molybdenum, Total	J	1.85	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Molybdenum, Total	J	1.96	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Molybdenum, Total	J	2.13	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Molybdenum, Total	J	2.23	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Nickel, Total	J	1.99	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Nickel, Total	J	1.68	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Nickel, Total	J	1.89	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Nickel, Total	J	1.68	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Nickel, Total	J	1.79	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Nitrite - Nitrate, Total		1.16	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Nitrite - Nitrate, Total		0.904	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Nitrite - Nitrate, Total		0.965	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Nitrite - Nitrate, Total		1.1	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Nitrite - Nitrate, Total		1.18	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	10/13/2022 10:23	pH		7.7	S.U.	N/A
Dugway Brook	River Mile 0.37	7/26/2022 9:55	pH		7.7	S.U.	N/A
Dugway Brook	River Mile 0.37	8/2/2022 9:35	pH		7.5	S.U.	N/A
Dugway Brook	River Mile 0.37	8/10/2022 9:00	pH		7.7	S.U.	N/A
Dugway Brook	River Mile 0.37	8/17/2022 10:00	pH		7.7	S.U.	N/A
Dugway Brook	River Mile 0.37	8/24/2022 10:42	pH		7.6	S.U.	N/A
Dugway Brook	River Mile 0.37	8/30/2022 10:00	pH		7.6	S.U.	N/A
Dugway Brook	River Mile 0.37	9/27/2022 9:10	pH		7.6	S.U.	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	10/25/2022 10:38	pH		7.5	S.U.	N/A
Dugway Brook	River Mile 0.37	11/3/2022 10:15	pH		7.4	S.U.	N/A
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Phosphorus, Diss. Reactive		0.0774	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Phosphorus, Diss. Reactive		0.105	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Phosphorus, Diss. Reactive		0.0898	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Phosphorus, Diss. Reactive		0.0724	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Phosphorus, Diss. Reactive		0.107	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Phosphorus, Total		0.146	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Phosphorus, Total		0.157	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Phosphorus, Total		0.22	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Phosphorus, Total		0.172	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Phosphorus, Total		0.188	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Phosphorus, Total		0.201	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Phosphorus, Total		0.176	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Phosphorus, Total		0.114	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Phosphorus, Total		0.162	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Phosphorus, Total		0.207	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Potassium, Total	J	5280	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Potassium, Total	J	4770	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Potassium, Total	J	4450	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Potassium, Total	J	5190	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Potassium, Total	J	4850	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Selenium, Total	J	0.486	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Sodium, Total		120000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Sodium, Total		102000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Sodium, Total		93600	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Sodium, Total		116000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Sodium, Total		132000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Strontium, Total		369	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Strontium, Total		332	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Strontium, Total		311	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Strontium, Total		360	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Strontium, Total		320	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Sulfate		65.5	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Sulfate		60.8	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Sulfate		60.4	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Sulfate		64.9	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Sulfate		65.8	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Tin, Total	J	1.38	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Tin, Total	J	1.22	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Titanium, Total	J	2.29	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Titanium, Total		2.56	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Titanium, Total		3.01	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Titanium, Total	J	2.64	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Titanium, Total	J	2.69	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Total Dissolved Solids		556	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Total Dissolved Solids		480	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Total Dissolved Solids		484	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Total Dissolved Solids		568	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Total Dissolved Solids		580	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Total Kjeldahl Nitrogen		0.782	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Total Kjeldahl Nitrogen	J	0.708	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Total Kjeldahl Nitrogen	J	0.665	mg/L	EPA351.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Total Kjeldahl Nitrogen	J	0.34	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Total Kjeldahl Nitrogen		0.831	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Total Solids		592	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Total Solids		560	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Total Solids		554	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Total Solids		618	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Total Solids		704	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Total Suspended Solids		2.9	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Total Suspended Solids		3.4	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Total Suspended Solids		6.3	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Total Suspended Solids		4.8	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Total Suspended Solids		6.3	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Turbidity		21.3	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Turbidity		4.5	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Turbidity		7.1	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Turbidity		4.5	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Turbidity		4.6	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Turbidity		4.7	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Turbidity		12.7	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Turbidity		21.7	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Turbidity		7.0	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Turbidity		5.5	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	10/13/2022 10:23	Water Temperature		15.46	°C	EPA 170.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Water Temperature		20.23	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Water Temperature		20.06	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Water Temperature		21.10	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Water Temperature		19.67	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Water Temperature		20.60	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/30/2022 10:00	Water Temperature		21.47	°C	EPA 170.1
Dugway Brook	River Mile 0.37	9/27/2022 9:10	Water Temperature		14.86	°C	EPA 170.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	10/25/2022 10:38	Water Temperature		14.43	°C	EPA 170.1
Dugway Brook	River Mile 0.37	11/3/2022 10:15	Water Temperature		13.84	°C	EPA 170.1
Dugway Brook	River Mile 0.37	7/26/2022 9:55	Zinc, Total		15.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2022 9:35	Zinc, Total		12.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/10/2022 9:00	Zinc, Total		13.6	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/17/2022 10:00	Zinc, Total		13.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2022 10:42	Zinc, Total		11.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Alkalinity, Total		159	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Alkalinity, Total		138	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Alkalinity, Total		148	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Alkalinity, Total		146	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Alkalinity, Total		119	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Alkalinity, Total		52.8	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Aluminum, Total	J	47.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Aluminum, Total	J	56.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Aluminum, Total		4550	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Ammonia, Total	J	0.0496	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Ammonia, Total		0.0597	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Ammonia, Total		0.135	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Ammonia, Total		0.0976	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Antimony, Total	J	0.344	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Antimony, Total	J	0.215	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Antimony, Total	J	0.263	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Antimony, Total	J	0.179	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Antimony, Total	J	0.225	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Antimony, Total	J	0.23	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Arsenic, Total	J	1.39	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Arsenic, Total	J	0.565	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Arsenic, Total	J	0.655	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Arsenic, Total	<	0.655	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Arsenic, Total		5.41	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Barium, Total		35.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Barium, Total		28.9	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Barium, Total		28.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Barium, Total		22	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Barium, Total		24.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Barium, Total		42.7	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Beryllium, Total	J	0.339	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/2/2022 10:00	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/10/2022 8:40	BOD, Total		7.6	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/17/2022 11:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/17/2022 11:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/24/2022 9:00	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Calcium, Total		74200	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Calcium, Total		62700	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Calcium, Total		56800	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Calcium, Total		52800	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Calcium, Total		58000	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Calcium, Total		46100	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Chloride		214	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Chloride		156	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Chloride		167	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Chloride		126	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Chloride		126	mg/L	EPA 300.0

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Chloride		74.4	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Chromium, Total	J	8.41	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Chromium, Total	J	8.73	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Chromium, Total	J	8.35	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Chromium, Total	<	10.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Chromium, Total	J	14.7	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Cobalt, Total	J	0.155	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Cobalt, Total	<	0.122	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Cobalt, Total	J	0.125	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Cobalt, Total	<	0.107	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Cobalt, Total	<	0.107	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Cobalt, Total		2.81	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	COD, Total	J	9.78	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/2/2022 10:00	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/10/2022 8:40	COD, Total	J	16.2	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/17/2022 11:05	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/17/2022 11:05	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/24/2022 9:00	COD, Total	<	7.83	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Conductivity		1014	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Conductivity		1135	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Conductivity		861	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Conductivity		918	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Conductivity		853	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Conductivity		952	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Conductivity		732	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Conductivity		796	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Conductivity		500	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Conductivity		556	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Conductivity		794	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Conductivity		863	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Conductivity		306	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Conductivity		372	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Conductivity		600	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Conductivity		737	UMHOS/CM	SM 2510B

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Conductivity		634	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Conductivity		827	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Conductivity		557	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Conductivity		744	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Copper, Total		3.07	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Copper, Total	J	2.18	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Copper, Total		2.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Copper, Total	J	1.61	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Copper, Total	J	1.91	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Copper, Total		9.56	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Dissolved Oxygen		96	%	N/A
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Dissolved Oxygen		92	%	N/A
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Dissolved Oxygen		83	%	N/A
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Dissolved Oxygen		7.6	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Dissolved Oxygen		100	%	N/A
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Dissolved Oxygen		8.9	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Dissolved Oxygen		86	%	N/A
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Dissolved Oxygen		91	%	N/A
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Dissolved Oxygen		97	%	N/A
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Dissolved Oxygen		90	%	N/A
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Dissolved Oxygen		9.0	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Dissolved Oxygen		85	%	N/A
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Dissolved Oxygen		8.9	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Dissolved Oxygen		91	%	N/A
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Dissolved Oxygen		9.8	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Escherichia coli		866	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Escherichia coli		435	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Escherichia coli		687	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Escherichia coli		435	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Escherichia coli		435	MPN/100 mL	SM9223 Colilert

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Escherichia coli		282720	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Escherichia coli		11190	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Escherichia coli		8800	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Escherichia coli		99315	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Escherichia coli		19180	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Escherichia coli		98	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Escherichia coli		133	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Hardness, Total		250	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Hardness, Total		216	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Hardness, Total		194	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Hardness, Total		181	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Hardness, Total		200	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Hardness, Total		163	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Iron, Total	J	624	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Iron, Total	J	596	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Iron, Total	J	575	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Iron, Total	J	523	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Iron, Total	J	552	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Iron, Total		9630	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Lead, Total	J	0.341	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Lead, Total	J	0.228	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Lead, Total	J	0.435	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Lead, Total	J	0.16	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Lead, Total	J	0.203	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Lead, Total		8.11	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Magnesium, Total		15700	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Magnesium, Total		14500	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Magnesium, Total		12700	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Magnesium, Total		11900	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Magnesium, Total		13500	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Magnesium, Total		11600	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Manganese, Total		10.9	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Manganese, Total		8.01	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Manganese, Total		17.4	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Manganese, Total		6.29	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Manganese, Total		7.55	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Manganese, Total		72.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Molybdenum, Total		3.35	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Molybdenum, Total	J	2.24	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Molybdenum, Total	J	2.35	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Molybdenum, Total	J	1.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Molybdenum, Total	J	2.39	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Molybdenum, Total		3.07	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Nickel, Total	J	1.37	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Nickel, Total	J	0.978	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Nickel, Total	J	1.13	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Nickel, Total	J	0.865	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Nickel, Total	J	0.89	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Nickel, Total		10.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Nitrite - Nitrate, Total		0.767	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Nitrite - Nitrate, Total		0.429	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Nitrite - Nitrate, Total		0.826	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Nitrite - Nitrate, Total		0.73	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Nitrite - Nitrate, Total		0.642	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Nitrite - Nitrate, Total		0.518	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	7/26/2022 9:40	pH		8.1	S.U.	N/A
Dugway Brook	River Mile 2.40	8/2/2022 10:00	pH		8.1	S.U.	N/A
Dugway Brook	River Mile 2.40	8/10/2022 8:40	pH		7.8	S.U.	N/A
Dugway Brook	River Mile 2.40	8/17/2022 11:05	pH		8.3	S.U.	N/A
Dugway Brook	River Mile 2.40	8/24/2022 9:00	pH		7.9	S.U.	N/A
Dugway Brook	River Mile 2.40	8/30/2022 10:05	pH		7.9	S.U.	N/A
Dugway Brook	River Mile 2.40	9/27/2022 10:10	pH		7.8	S.U.	N/A
Dugway Brook	River Mile 2.40	10/13/2022 9:00	pH		7.8	S.U.	N/A
Dugway Brook	River Mile 2.40	10/25/2022 9:30	pH		7.7	S.U.	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	11/3/2022 10:55	pH		7.9	S.U.	N/A
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Phosphorus, Diss. Reactive		0.162	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Phosphorus, Diss. Reactive		0.191	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Phosphorus, Diss. Reactive		0.205	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Phosphorus, Diss. Reactive		0.232	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Phosphorus, Diss. Reactive		0.231	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Phosphorus, Diss. Reactive		0.288	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Phosphorus, Total		0.184	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Phosphorus, Total		0.211	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Phosphorus, Total		0.224	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Phosphorus, Total		0.249	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Phosphorus, Total		0.25	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Phosphorus, Total		0.512	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Phosphorus, Total		0.246	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Phosphorus, Total		0.247	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Phosphorus, Total		0.195	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Phosphorus, Total		0.242	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Phosphorus, Total		0.383	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Phosphorus, Total		0.365	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Potassium, Total	J	4940	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Potassium, Total	J	4270	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Potassium, Total	J	4250	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Potassium, Total	J	3720	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Potassium, Total	J	3910	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Potassium, Total	J	3930	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Selenium, Total	J	0.617	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Selenium, Total	<	0.261	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Selenium, Total	<	2.41	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Silver, Total	<	0.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Silver, Total	<	0.0765	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Silver, Total	<	0.0765	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Sodium, Total		155000	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Sodium, Total		107000	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Sodium, Total		108000	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Sodium, Total		76500	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Sodium, Total		87800	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Sodium, Total		53800	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Strontium, Total		323	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Strontium, Total		242	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Strontium, Total		251	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Strontium, Total		228	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Sulfate		71.4	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Sulfate		59.9	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Sulfate		59.1	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Sulfate		53	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Sulfate		52.9	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Sulfate		43.1	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Thallium, Total	<	1.71	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Thallium, Total	<	3.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Tin, Total	<	3.57	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Tin, Total	J	1.17	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Tin, Total	J	1.99	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Tin, Total	J	1.32	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Titanium, Total	J	1.94	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Titanium, Total	J	1.99	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Titanium, Total	J	1.89	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Titanium, Total	J	1.53	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Titanium, Total	J	1.79	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Titanium, Total		15.7	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Total Dissolved Solids		620	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Total Dissolved Solids		470	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Total Dissolved Solids		514	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Total Dissolved Solids		424	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Total Dissolved Solids		420	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Total Dissolved Solids		246	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Total Kjeldahl Nitrogen	<	0.334	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Total Kjeldahl Nitrogen	J	0.535	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Total Kjeldahl Nitrogen		0.86	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Total Kjeldahl Nitrogen	J	0.308	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Total Kjeldahl Nitrogen	<	0.276	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Total Kjeldahl Nitrogen		1.15	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Total Solids		696	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Total Solids		546	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Total Solids		556	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Total Solids		522	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Total Solids		542	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Total Solids		664	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Total Suspended Solids		3.8	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Total Suspended Solids	<	0.9	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Total Suspended Solids		1	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Total Suspended Solids		206	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Turbidity		1.7	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Turbidity		0.6	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Turbidity		2.3	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Turbidity		1.1	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Turbidity		1.1	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Turbidity		20.7	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Turbidity		3.1	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Turbidity		3.0	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Turbidity		19.0	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Turbidity		12.0	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Turbidity		0.4	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Turbidity		0.4	NTU	EPA 180.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Vanadium, Total	J	8.16	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Water Temperature		19.46	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Water Temperature		21.69	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Water Temperature		19.52	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Water Temperature		20.80	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Water Temperature		19.71	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/30/2022 10:05	Water Temperature		20.82	°C	EPA 170.1
Dugway Brook	River Mile 2.40	9/27/2022 10:10	Water Temperature		15.69	°C	EPA 170.1
Dugway Brook	River Mile 2.40	10/13/2022 9:00	Water Temperature		15.26	°C	EPA 170.1
Dugway Brook	River Mile 2.40	10/25/2022 9:30	Water Temperature		12.84	°C	EPA 170.1
Dugway Brook	River Mile 2.40	11/3/2022 10:55	Water Temperature		11.88	°C	EPA 170.1
Dugway Brook	River Mile 2.40	7/26/2022 9:40	Zinc, Total	J	4.97	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2022 10:00	Zinc, Total	J	3.73	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/10/2022 8:40	Zinc, Total		12.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Zinc, Total	J	4.26	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/17/2022 11:05	Zinc, Total	J	6.21	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2022 9:00	Zinc, Total		35.2	ug/L	EPA-200.8