

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Alkalinity, Total		202	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Alkalinity, Total		186	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Alkalinity, Total		170	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Alkalinity, Total		132	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Alkalinity, Total		126	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Aluminum, Total	J	98.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Aluminum, Total		365	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Aluminum, Total		1160	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Ammonia, Total		0.461	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Ammonia, Total		0.323	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Ammonia, Total		0.124	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Ammonia, Total		0.122	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Ammonia, Total		0.1	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Antimony, Total	J	0.469	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Antimony, Total	J	0.457	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Antimony, Total	J	0.606	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Antimony, Total	J	0.909	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Antimony, Total	J	0.319	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Arsenic, Total	J	1.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Arsenic, Total	J	1.57	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Arsenic, Total	J	1.13	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Arsenic, Total	J	1.76	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Arsenic, Total	J	1.83	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Barium, Total		53.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Barium, Total		51	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Barium, Total		45.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Barium, Total		32.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Barium, Total		38.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Beryllium, Total	<	0.222	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	BOD, Total		2.1	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Cadmium, Total	J	0.345	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Calcium, Total		67800	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Calcium, Total		64900	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Calcium, Total		56200	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Calcium, Total		44100	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Calcium, Total		50300	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Chloride		174	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Chloride		150	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Chloride		111	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Chloride		62.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Chloride		70.7	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Cobalt, Total	J	0.211	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Cobalt, Total	J	0.246	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Cobalt, Total	J	0.167	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Cobalt, Total	J	0.377	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Cobalt, Total	J	0.875	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	COD, Total	J	17	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	COD, Total	J	15.6	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	COD, Total		24.1	mg/L	EPA 410.4
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	COD, Total	<	8.4	mg/L	EPA 410.4

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Conductivity		1025	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Conductivity		1113	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Conductivity		863	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Conductivity		955	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Conductivity		740	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Conductivity		806	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Conductivity		488	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Conductivity		539	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Conductivity		550	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Conductivity		620	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Copper, Total	J	1.95	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Copper, Total	J	3.63	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Copper, Total	J	2.33	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Copper, Total	J	6.66	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Copper, Total	J	3.94	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Dissolved Oxygen		91	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Dissolved Oxygen		91	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Dissolved Oxygen		8.2	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Dissolved Oxygen		94	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Dissolved Oxygen		8.4	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Dissolved Oxygen		95	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Dissolved Oxygen		8.9	mg/L	SM 4500-O G
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Escherichia coli		5650	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Escherichia coli		21870	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Escherichia coli		1733	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Escherichia coli		15380	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Escherichia coli		1553	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Hardness, Total		226	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Hardness, Total		218	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Hardness, Total		186	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Hardness, Total		146	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Hardness, Total		172	mg/LCaCO3	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Iron, Total		1170	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Iron, Total		1460	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Iron, Total		1010	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Iron, Total		1090	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Iron, Total		2370	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Lead, Total	J	0.702	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Lead, Total	J	1.22	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Lead, Total	J	0.835	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Lead, Total		3.63	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Lead, Total		3.35	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Magnesium, Total		13700	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Magnesium, Total		13400	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Magnesium, Total		11200	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Magnesium, Total		8780	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Magnesium, Total		11200	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Manganese, Total		76	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Manganese, Total		95	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Manganese, Total		67.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Manganese, Total		45.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Manganese, Total		79.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Molybdenum, Total	J	2.37	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Molybdenum, Total	J	2.17	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Molybdenum, Total	J	2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Molybdenum, Total	J	2.29	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Molybdenum, Total	J	2.03	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Nickel, Total	J	1.75	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Nickel, Total	J	1.96	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Nickel, Total	J	1.92	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Nickel, Total		2.89	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Nickel, Total		3.17	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Nitrite - Nitrate, Total		1.46	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Nitrite - Nitrate, Total		1.37	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Nitrite - Nitrate, Total		1.13	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Nitrite - Nitrate, Total		1.43	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Nitrite - Nitrate, Total		0.527	mg/L	ASTM D7781
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	pH		7.6	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Phosphorus, Diss. Reactive		0.106	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Phosphorus, Diss. Reactive		0.103	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Phosphorus, Diss. Reactive		0.0864	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Phosphorus, Diss. Reactive		0.0868	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Phosphorus, Diss. Reactive		0.196	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Phosphorus, Total		0.217	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Phosphorus, Total		0.259	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Phosphorus, Total		0.18	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Phosphorus, Total		0.16	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Phosphorus, Total		0.34	mg/L	EPA 365.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Potassium, Total	J	4840	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Potassium, Total	J	4770	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Potassium, Total	J	4370	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Potassium, Total	J	4280	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Potassium, Total	J	3610	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Selenium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Silver, Total	<	0.0515	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Silver, Total	<	0.258	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Sodium, Total		100000	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Sodium, Total		96900	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Sodium, Total		74500	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Sodium, Total		50500	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Sodium, Total		48100	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Strontium, Total		326	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Strontium, Total		323	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Strontium, Total		277	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Strontium, Total		221	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Strontium, Total		225	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Sulfate		70.1	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Sulfate		61.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Sulfate		51	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Sulfate		35.6	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Sulfate		47.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Thallium, Total	<	0.96	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Titanium, Total	J	2.38	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Titanium, Total	J	3.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Titanium, Total	J	2.48	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Titanium, Total		6.74	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Titanium, Total		10.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Total Dissolved Solids		602	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Total Dissolved Solids		460	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Total Dissolved Solids		325	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Total Dissolved Solids		343	mg/L	SM2540 C
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Total Kjeldahl Nitrogen		1.59	mg/L	EPA351.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Total Kjeldahl Nitrogen	J	0.558	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Total Kjeldahl Nitrogen	J	0.39	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Total Kjeldahl Nitrogen		0.9	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Total Kjeldahl Nitrogen	J	0.68	mg/L	EPA351.2
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Total Solids		632	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Total Solids		472	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Total Solids		334	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Total Solids		564	mg/L	SM2540 B
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Total Suspended Solids		2.3	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Total Suspended Solids		6	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Total Suspended Solids		7.8	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Total Suspended Solids		13.2	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Total Suspended Solids		52.4	mg/L	SM2540 D
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Turbidity		4.9	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Turbidity		4.4	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Turbidity		6.9	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Turbidity		17.7	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Turbidity		76.8	NTU	EPA 180.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Water Temperature		20.68	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Water Temperature		19.98	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Water Temperature		20.79	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Water Temperature		20.04	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Water Temperature		19.12	°C	EPA 170.1
Dugway Brook	Culvert-Dupont Avenue	8/2/2023 11:20	Zinc, Total	J	24.7	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/9/2023 9:36	Zinc, Total	J	12.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/16/2023 10:05	Zinc, Total	J	9.93	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/24/2023 9:55	Zinc, Total	J	21.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Dupont Avenue	8/30/2023 10:25	Zinc, Total	J	21.4	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Alkalinity, Total		160	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Alkalinity, Total		153	mg/LCaCO3	EPA-310.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Alkalinity, Total		152	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Alkalinity, Total		154	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Alkalinity, Total		106	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Alkalinity, Total		184	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Aluminum, Total		475	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Aluminum, Total	J	132	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Aluminum, Total	J	130	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Aluminum, Total		387	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Ammonia, Total		0.0617	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Ammonia, Total		0.0691	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Ammonia, Total		0.0709	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Ammonia, Total		0.059	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Ammonia, Total		0.107	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Ammonia, Total		0.205	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Antimony, Total	J	0.684	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Antimony, Total	J	0.592	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Antimony, Total	J	0.514	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Antimony, Total	J	0.662	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Antimony, Total	J	0.884	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Antimony, Total	J	0.629	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Arsenic, Total	J	1.25	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Arsenic, Total	J	1	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Arsenic, Total	J	1.06	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Arsenic, Total	J	1.01	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Arsenic, Total	J	1.83	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Arsenic, Total	J	0.692	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Barium, Total		49.7	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Barium, Total		35.4	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Barium, Total		30.4	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Barium, Total		41	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Barium, Total		31	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Barium, Total		45.9	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Beryllium, Total	<	0.222	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Beryllium, Total	<	0.0445	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	BOD, Total		2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	BOD, Total		3.5	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Calcium, Total		73000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Calcium, Total		60800	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Calcium, Total		52800	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Calcium, Total		65800	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Calcium, Total		42000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Calcium, Total		75000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Chloride		187	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Chloride		160	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Chloride		162	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Chloride		152	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Chloride		66.7	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Chloride		212	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Chromium, Total	<	9.85	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Cobalt, Total	J	0.887	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Cobalt, Total	J	0.315	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Cobalt, Total	J	0.299	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Cobalt, Total	J	0.243	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Cobalt, Total	J	0.538	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Cobalt, Total	J	0.282	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	COD, Total	J	11.6	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	COD, Total	J	16.9	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	COD, Total	J	17.1	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	COD, Total	J	11.4	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	COD, Total		24	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	COD, Total	J	10.4	mg/L	EPA 410.4
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Conductivity		1000	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Conductivity		1098	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Conductivity		875	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Conductivity		956	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Conductivity		871	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Conductivity		953	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Conductivity		473	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Conductivity		517	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Conductivity		1119	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Conductivity		1290	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Copper, Total	J	5.32	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Copper, Total	J	3.32	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Copper, Total	J	2.8	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Copper, Total	J	3.44	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Copper, Total	J	6.06	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Copper, Total	J	3.04	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Dissolved Oxygen		99	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Dissolved Oxygen		8.9	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Dissolved Oxygen		96	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Dissolved Oxygen		8.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Dissolved Oxygen		97	%	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Dissolved Oxygen		8.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Dissolved Oxygen		9.1	mg/L	SM 4500-O G
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Escherichia coli		1986	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Escherichia coli		7940	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Escherichia coli		10760	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Escherichia coli		78	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Escherichia coli		11910	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Escherichia coli		1414	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Hardness, Total		249	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Hardness, Total		208	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Hardness, Total		184	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Hardness, Total		227	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Hardness, Total		142	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Hardness, Total		258	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Iron, Total		1730	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Iron, Total		798	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Iron, Total		764	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Iron, Total		764	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Iron, Total		1010	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Iron, Total		783	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Lead, Total		5.21	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Lead, Total	J	1.22	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Lead, Total	J	1.05	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Lead, Total	J	0.718	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Lead, Total		2.76	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Lead, Total	J	0.29	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Magnesium, Total		16300	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Magnesium, Total		13700	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Magnesium, Total		12600	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Magnesium, Total		15200	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Magnesium, Total		9100	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Magnesium, Total		17100	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Manganese, Total		103	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Manganese, Total		39	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Manganese, Total		36.7	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Manganese, Total		31	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Manganese, Total		52.6	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Manganese, Total		40	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Molybdenum, Total		2.55	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Molybdenum, Total	J	2.37	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Molybdenum, Total	J	2.11	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Molybdenum, Total		2.83	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Molybdenum, Total		2.96	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Molybdenum, Total		2.66	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Nickel, Total		3.9	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Nickel, Total		2.52	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Nickel, Total	J	2.29	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Nickel, Total		3.08	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Nickel, Total		4.08	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Nickel, Total		2.99	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Nitrite - Nitrate, Total		1.3	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Nitrite - Nitrate, Total		1.15	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Nitrite - Nitrate, Total		1.09	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Nitrite - Nitrate, Total		0.907	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Nitrite - Nitrate, Total		1.01	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Nitrite - Nitrate, Total		1.53	mg/L	ASTM D7781
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	pH		7.9	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	pH		7.9	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	pH		7.8	S.U.	N/A
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Phosphorus, Diss. Reactive		0.104	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Phosphorus, Diss. Reactive		0.0914	mg/L	EPA 365.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Phosphorus, Diss. Reactive		0.0936	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Phosphorus, Diss. Reactive		0.0823	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Phosphorus, Diss. Reactive		0.0487	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Phosphorus, Diss. Reactive		0.0795	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Phosphorus, Total		0.196	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Phosphorus, Total		0.154	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Phosphorus, Total		0.158	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Phosphorus, Total		0.125	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Phosphorus, Total		0.116	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Phosphorus, Total		0.13	mg/L	EPA 365.1
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Potassium, Total	J	5180	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Potassium, Total	J	4580	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Potassium, Total	J	4120	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Potassium, Total	J	5030	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Potassium, Total	J	4280	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Potassium, Total	J	5390	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Selenium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Selenium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Silver, Total	<	0.0515	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Silver, Total	<	0.0515	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Sodium, Total		117000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Sodium, Total		101000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Sodium, Total		89800	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Sodium, Total		110000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Sodium, Total		55700	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Sodium, Total		127000	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Strontium, Total		421	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Strontium, Total		352	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Strontium, Total		320	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Strontium, Total		378	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Strontium, Total		254	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Strontium, Total		421	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Sulfate		79.8	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Sulfate		70.8	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Sulfate		70.9	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Sulfate		68.5	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Sulfate		38.7	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Sulfate		86.2	mg/L	EPA 300.0
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Thallium, Total	<	0.96	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Thallium, Total	<	0.96	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Titanium, Total		9.57	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Titanium, Total	J	3.06	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Titanium, Total	J	3.19	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Titanium, Total	J	2.11	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Titanium, Total		6.91	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Titanium, Total	J	1.97	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Total Dissolved Solids		593	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Dissolved Solids		534	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Dissolved Solids		531	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Total Dissolved Solids		544	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Total Dissolved Solids		315	mg/L	SM2540 C
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Total Dissolved Solids		688	mg/L	SM2540 C

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Total Kjeldahl Nitrogen	J	0.52	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Kjeldahl Nitrogen	J	0.617	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Kjeldahl Nitrogen	J	0.475	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Total Kjeldahl Nitrogen	J	0.625	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Total Kjeldahl Nitrogen		0.994	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Total Kjeldahl Nitrogen	J	0.546	mg/L	EPA351.2
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Total Solids		698	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Solids		566	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Solids		578	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Total Solids		570	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Total Solids		338	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Total Solids		852	mg/L	SM2540 B
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Total Suspended Solids		43.4	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Suspended Solids		9.1	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Total Suspended Solids		9.3	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Total Suspended Solids		13.2	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Total Suspended Solids		14.1	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Total Suspended Solids	J	1.3	mg/L	SM2540 D
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Turbidity		21.3	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Turbidity		10.3	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Turbidity		10.3	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Turbidity		3.2	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Turbidity		19.4	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Turbidity		2.9	NTU	EPA 180.1
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Vanadium, Total	<	6.87	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Water Temperature		20.07	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Water Temperature		20.55	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Water Temperature		20.52	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Water Temperature		20.49	°C	EPA 170.1
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Water Temperature		18.06	°C	EPA 170.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-E. 110th Street	8/2/2023 11:45	Zinc, Total		66.1	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Zinc, Total		34	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/9/2023 10:00	Zinc, Total		30.3	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/16/2023 9:32	Zinc, Total		31	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/24/2023 9:40	Zinc, Total		31.8	ug/L	EPA-200.8
Dugway Brook	Culvert-E. 110th Street	8/30/2023 10:40	Zinc, Total		34.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Alkalinity, Total		143	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Alkalinity, Total		149	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Alkalinity, Total		151	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Alkalinity, Total		140	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Alkalinity, Total		158	mg/LCaCO3	EPA-310.2
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Aluminum, Total	J	157	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Ammonia, Total	J	0.0336	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Ammonia, Total	J	0.0492	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Ammonia, Total	J	0.0385	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Ammonia, Total		0.101	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Ammonia, Total		0.0648	mg/L	EPA-350.1 (G)
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Antimony, Total	J	0.434	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Antimony, Total	J	0.48	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Antimony, Total	J	0.534	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Antimony, Total	J	0.623	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Antimony, Total	J	0.478	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Arsenic, Total	J	0.672	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Arsenic, Total	J	0.668	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Arsenic, Total	J	0.906	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Arsenic, Total	J	0.909	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Arsenic, Total	J	0.86	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Barium, Total		42.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Barium, Total		38	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Barium, Total		38.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Barium, Total		30.5	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Barium, Total		44.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Beryllium, Total	<	0.0445	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	BOD, Total		3.2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Cadmium, Total	<	0.0531	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Calcium, Total		64400	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Calcium, Total		61100	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Calcium, Total		58000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Calcium, Total		46400	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Calcium, Total		64600	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Chloride		187	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Chloride		172	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Chloride		158	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Chloride		92.3	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Chloride		182	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Cobalt, Total	J	0.32	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Cobalt, Total	J	0.346	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Cobalt, Total	J	0.407	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Cobalt, Total	J	0.508	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Cobalt, Total	J	0.417	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	COD, Total	J	8.43	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	COD, Total	J	14.3	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	COD, Total	J	12.5	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	COD, Total		20.6	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	COD, Total		25.9	mg/L	EPA 410.4
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Conductivity		941	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Conductivity		1024	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Conductivity		900	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Conductivity		981	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Conductivity		120	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Conductivity		129	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Conductivity		629	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Conductivity		701	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Conductivity		956	UMHOS/CM	SM 2510A
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Conductivity		1105	UMHOS/CM	SM 2510B
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Copper, Total	J	2.16	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Copper, Total	J	1.92	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Copper, Total	J	2.36	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Copper, Total	J	4.71	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Copper, Total	J	2.23	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Dissolved Oxygen		100	%	N/A
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Dissolved Oxygen		8.9	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Dissolved Oxygen		98	%	N/A
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Dissolved Oxygen		8.8	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Dissolved Oxygen		95	%	N/A
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Dissolved Oxygen		8.7	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Dissolved Oxygen		97	%	N/A
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Dissolved Oxygen		9.2	mg/L	SM 4500-O G
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Escherichia coli		248	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Escherichia coli		579	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Escherichia coli		2200	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Escherichia coli		15380	MPN/100 mL	SM9223 Colilert

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Escherichia coli		411	MPN/100 mL	SM9223 Colilert
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Hardness, Total		226	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Hardness, Total		215	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Hardness, Total		203	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Hardness, Total		159	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Hardness, Total		228	mg/LCaCO3	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Iron, Total	J	628	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Iron, Total	J	547	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Iron, Total	J	586	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Iron, Total	J	708	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Iron, Total	J	614	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Lead, Total	J	0.442	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Lead, Total	J	0.177	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Lead, Total	J	0.243	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Lead, Total	J	1.36	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Lead, Total	J	0.194	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Magnesium, Total		15700	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Magnesium, Total		15200	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Magnesium, Total		14100	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Magnesium, Total		10500	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Magnesium, Total		16100	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Manganese, Total		27.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Manganese, Total	J	24.1	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Manganese, Total		32.2	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Manganese, Total		34.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Manganese, Total		32	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Molybdenum, Total		2.77	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Molybdenum, Total		2.86	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Molybdenum, Total		3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Molybdenum, Total		2.9	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Molybdenum, Total		2.86	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Nickel, Total	J	1.78	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Nickel, Total	J	1.84	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Nickel, Total	J	2.37	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Nickel, Total		3.9	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Nickel, Total	J	2.28	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Nitrite - Nitrate, Total		1.36	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Nitrite - Nitrate, Total		1.27	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Nitrite - Nitrate, Total		1.04	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Nitrite - Nitrate, Total		1.47	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Nitrite - Nitrate, Total		1.61	mg/L	ASTM D7781
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	pH		8.1	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	pH		8.0	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	pH		7.7	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	pH		7.9	S.U.	N/A
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Phosphorus, Diss. Reactive		0.118	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Phosphorus, Diss. Reactive		0.0993	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Phosphorus, Diss. Reactive		0.0766	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Phosphorus, Diss. Reactive		0.0737	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Phosphorus, Diss. Reactive		0.109	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Phosphorus, Total		0.148	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Phosphorus, Total		0.122	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Phosphorus, Total		0.0955	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Phosphorus, Total		0.106	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Phosphorus, Total		0.138	mg/L	EPA 365.1
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Potassium, Total	J	4760	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Potassium, Total	J	4510	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Potassium, Total	J	4460	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Potassium, Total	J	4150	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Potassium, Total	J	4990	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Selenium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Selenium, Total	<	0.705	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Silver, Total	<	0.0515	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Sodium, Total		112000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Sodium, Total		108000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Sodium, Total		100000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Sodium, Total		66300	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Sodium, Total		113000	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Strontium, Total		335	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Strontium, Total		312	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Strontium, Total		305	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Strontium, Total		264	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Strontium, Total		326	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Sulfate		67.7	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Sulfate		67.6	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Sulfate		66.6	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Sulfate		55.9	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Sulfate		69	mg/L	EPA 300.0
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Thallium, Total	<	0.96	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Titanium, Total	J	2.16	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Titanium, Total	J	1.59	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Titanium, Total	J	1.75	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Titanium, Total	J	3.14	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Titanium, Total	J	1.95	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Total Dissolved Solids		564	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Total Dissolved Solids		531	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Total Dissolved Solids		559	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Total Dissolved Solids		409	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Total Dissolved Solids		594	mg/L	SM2540 C
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Total Kjeldahl Nitrogen	J	0.422	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Total Kjeldahl Nitrogen	<	0.276	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Total Kjeldahl Nitrogen	J	0.286	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Total Kjeldahl Nitrogen		0.944	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Total Kjeldahl Nitrogen	J	0.409	mg/L	EPA351.2
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Total Solids		618	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Total Solids		636	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Total Solids		522	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Total Solids		434	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Total Solids		776	mg/L	SM2540 B
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Total Suspended Solids	<	0.9	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Total Suspended Solids	J	1.4	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Total Suspended Solids	J	1.9	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Total Suspended Solids		4.9	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Total Suspended Solids	J	0.9	mg/L	SM2540 D
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Turbidity		2.5	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Turbidity		1.1	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Turbidity		1.6	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Turbidity		7.4	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Turbidity		2.1	NTU	EPA 180.1
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Vanadium, Total	<	6.87	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Water Temperature		20.54	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Water Temperature		20.53	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Water Temperature		20.87	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Water Temperature		19.94	°C	EPA 170.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Water Temperature		17.96	°C	EPA 170.1
Dugway Brook	Culvert-Forest Hills	8/2/2023 10:30	Zinc, Total	J	6.6	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/9/2023 10:30	Zinc, Total	<	5.5	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/16/2023 10:35	Zinc, Total	J	5.89	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/24/2023 10:20	Zinc, Total	J	11.4	ug/L	EPA-200.8
Dugway Brook	Culvert-Forest Hills	8/30/2023 9:55	Zinc, Total	J	8.39	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Alkalinity, Total		175	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Alkalinity, Total		177	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Alkalinity, Total		164	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Alkalinity, Total		158	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Alkalinity, Total		116	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Alkalinity, Total		144	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Aluminum, Total		353	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Aluminum, Total		787	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Ammonia, Total		0.119	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Ammonia, Total		0.112	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Ammonia, Total		0.099	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Ammonia, Total		0.0916	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Ammonia, Total		0.123	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Ammonia, Total		0.175	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Antimony, Total	J	0.478	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Antimony, Total	J	0.61	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Antimony, Total	J	0.581	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Antimony, Total	J	0.602	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Antimony, Total	J	0.798	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Antimony, Total	J	0.43	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Arsenic, Total	J	0.811	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Arsenic, Total	J	0.901	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Arsenic, Total	J	1.42	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Arsenic, Total	J	0.915	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Arsenic, Total	J	1.48	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Arsenic, Total	J	1.57	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Barium, Total		42.6	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Barium, Total		40.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Barium, Total		28.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Barium, Total		40.4	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/2/2023 12:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/9/2023 9:05	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/16/2023 9:10	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/24/2023 9:10	BOD, Total		4.4	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/30/2023 10:55	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Calcium, Total		67000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Calcium, Total		59200	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Calcium, Total		39500	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Calcium, Total		58900	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Chloride		198	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Chloride		200	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Chloride		166	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Chloride		148	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Chloride		68.6	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Chloride		126	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Chromium, Total	<	9.85	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Cobalt, Total	J	0.16	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Cobalt, Total	J	0.223	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Cobalt, Total	J	0.218	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Cobalt, Total	J	0.223	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Cobalt, Total	J	0.458	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Cobalt, Total	J	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	COD, Total	J	11.9	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/2/2023 12:05	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/9/2023 9:05	COD, Total	J	9.66	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/16/2023 9:10	COD, Total	J	16.1	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/24/2023 9:10	COD, Total		31.4	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/30/2023 10:55	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Conductivity		996	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Conductivity		1118	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Conductivity		885	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Conductivity		986	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Conductivity		826	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Conductivity		909	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Conductivity		472	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Conductivity		520	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Conductivity		786	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Conductivity		885	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Copper, Total	J	2.05	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Copper, Total	J	2.48	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Copper, Total	J	2.58	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Copper, Total	J	2.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Copper, Total	J	5.84	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Copper, Total	J	3.62	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Dissolved Oxygen		95	%	N/A
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Dissolved Oxygen		8.7	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Dissolved Oxygen		89	%	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Dissolved Oxygen		8.2	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Dissolved Oxygen		80	%	N/A
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Dissolved Oxygen		7.2	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Dissolved Oxygen		93	%	N/A
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Dissolved Oxygen		8.3	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Dissolved Oxygen		92	%	N/A
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Escherichia coli		2420	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Escherichia coli		2790	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Escherichia coli		4200	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Escherichia coli		921	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Escherichia coli		21760	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Escherichia coli		3890	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Hardness, Total		217	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Hardness, Total		279	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Hardness, Total		229	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Hardness, Total		201	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Hardness, Total		133	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Hardness, Total		201	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Iron, Total		797	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Iron, Total		1030	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Iron, Total		944	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Iron, Total		863	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Iron, Total		989	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Iron, Total		1900	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Lead, Total	J	0.351	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Lead, Total	J	0.433	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Lead, Total	J	0.65	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Lead, Total	J	0.968	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Lead, Total		3.37	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Lead, Total	J	2.36	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Magnesium, Total		15100	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Magnesium, Total		12900	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Magnesium, Total		8310	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Magnesium, Total		13200	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Manganese, Total		36.1	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Manganese, Total		47.2	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Manganese, Total		47.5	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Manganese, Total		45.5	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Manganese, Total		58.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Manganese, Total		69.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Molybdenum, Total	J	2.12	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Molybdenum, Total		2.99	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Molybdenum, Total	J	2.4	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Molybdenum, Total	J	2.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Molybdenum, Total		2.55	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Molybdenum, Total		2.61	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Nickel, Total	J	2.04	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Nickel, Total	J	2.31	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Nickel, Total	J	2.36	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Nickel, Total	J	2.39	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Nickel, Total		3.35	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Nickel, Total		3.24	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Nitrite - Nitrate, Total		1.32	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Nitrite - Nitrate, Total		1.33	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Nitrite - Nitrate, Total		1.14	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Nitrite - Nitrate, Total		0.955	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Nitrite - Nitrate, Total		1.07	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Nitrite - Nitrate, Total		0.844	mg/L	ASTM D7781
Dugway Brook	River Mile 0.37	8/2/2023 12:05	pH		7.9	S.U.	N/A
Dugway Brook	River Mile 0.37	8/9/2023 9:05	pH		7.7	S.U.	N/A
Dugway Brook	River Mile 0.37	8/16/2023 9:10	pH		7.6	S.U.	N/A
Dugway Brook	River Mile 0.37	8/24/2023 9:10	pH		7.4	S.U.	N/A
Dugway Brook	River Mile 0.37	8/30/2023 10:55	pH		7.6	S.U.	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Phosphorus, Diss. Reactive		0.0787	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Phosphorus, Diss. Reactive		0.0865	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Phosphorus, Diss. Reactive		0.0761	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Phosphorus, Diss. Reactive		0.0716	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Phosphorus, Diss. Reactive		0.0613	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Phosphorus, Diss. Reactive		0.13	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Phosphorus, Total		0.143	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Phosphorus, Total		0.139	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Phosphorus, Total		0.156	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Phosphorus, Total		0.14	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Phosphorus, Total		0.128	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Phosphorus, Total		0.257	mg/L	EPA 365.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Potassium, Total	J	4610	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Potassium, Total	J	5690	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Potassium, Total	J	4980	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Potassium, Total	J	4610	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Potassium, Total	J	4000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Potassium, Total	J	4220	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Selenium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Silver, Total	<	0.0515	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Sodium, Total		115000	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Sodium, Total		96700	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Sodium, Total		52900	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Sodium, Total		80900	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Strontium, Total		394	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Strontium, Total		327	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Strontium, Total		228	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Strontium, Total		303	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Sulfate		79.7	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Sulfate		80.1	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Sulfate		68.6	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Sulfate		65.8	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Sulfate		36.9	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Sulfate		61	mg/L	EPA 300.0
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Thallium, Total	<	0.96	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Titanium, Total	J	2.04	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Titanium, Total	J	2.01	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Titanium, Total	J	2.13	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Titanium, Total	J	2.42	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Titanium, Total		6.41	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Titanium, Total		8.71	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Dissolved Solids		631	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Dissolved Solids		611	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Total Dissolved Solids		556	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Total Dissolved Solids		528	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Total Dissolved Solids		312	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Total Dissolved Solids		485	mg/L	SM2540 C
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Kjeldahl Nitrogen	J	0.577	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Kjeldahl Nitrogen	J	0.522	mg/L	EPA351.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Total Kjeldahl Nitrogen		0.968	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Total Kjeldahl Nitrogen	J	0.574	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Total Kjeldahl Nitrogen		1	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Total Kjeldahl Nitrogen	J	0.724	mg/L	EPA351.2
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Solids		702	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Solids		678	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Total Solids		570	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Total Solids		546	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Total Solids		350	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Total Solids		696	mg/L	SM2540 B
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Suspended Solids	J	1.6	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Total Suspended Solids	J	1.5	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Total Suspended Solids		4.5	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Total Suspended Solids		9.2	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Total Suspended Solids		14.3	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Total Suspended Solids		37.2	mg/L	SM2540 D
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Turbidity		3.5	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Turbidity		3.4	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Turbidity		4.8	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Turbidity		5.4	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Turbidity		20.2	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Turbidity		52.6	NTU	EPA 180.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Vanadium, Total	<	6.87	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Water Temperature		19.33	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Water Temperature		19.65	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Water Temperature		20.02	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Water Temperature		21.15	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Water Temperature		19.11	°C	EPA 170.1
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Zinc, Total	J	24.1	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/2/2023 12:05	Zinc, Total		28	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 0.37	8/9/2023 9:05	Zinc, Total	J	23.8	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/16/2023 9:10	Zinc, Total	J	17.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/24/2023 9:10	Zinc, Total	J	19.9	ug/L	EPA-200.8
Dugway Brook	River Mile 0.37	8/30/2023 10:55	Zinc, Total		26.6	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Alkalinity, Total		129	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Alkalinity, Total		135	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Alkalinity, Total		142	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Alkalinity, Total		155	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Alkalinity, Total		87.9	mg/LCaCO3	EPA-310.2
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Aluminum, Total	<	96.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Aluminum, Total	J	216	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Aluminum, Total		985	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Ammonia, Total		0.0917	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Ammonia, Total	J	0.0488	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Ammonia, Total		0.0524	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Ammonia, Total		0.271	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Ammonia, Total	J	0.0399	mg/L	EPA-350.1 (G)
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Antimony, Total	<	0.262	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Antimony, Total	<	0.262	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Antimony, Total	J	0.286	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Antimony, Total	J	0.657	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Antimony, Total	<	0.262	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Arsenic, Total	J	1.02	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Arsenic, Total	J	0.693	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Arsenic, Total	J	0.939	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Arsenic, Total	J	1.54	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Arsenic, Total	J	1.13	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Barium, Total		24.2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Barium, Total		22.9	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Barium, Total		24.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Barium, Total		30.1	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Barium, Total		25.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Beryllium, Total	<	0.222	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Beryllium, Total	<	0.0445	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Beryllium, Total	<	0.222	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/9/2023 10:58	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/16/2023 11:11	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/24/2023 10:35	BOD, Total		3.8	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/30/2023 9:30	BOD, Total	<	2	mg/L	SM5210 B
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Cadmium, Total	<	0.0531	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Cadmium, Total	<	0.266	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Calcium, Total		50500	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Calcium, Total		52100	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Calcium, Total		51700	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Calcium, Total		52400	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Calcium, Total		41600	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Chloride		118	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Chloride		121	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Chloride		126	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Chloride		90.5	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Chloride		46.6	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Chromium, Total	<	9.85	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Cobalt, Total	J	0.192	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Cobalt, Total	J	0.164	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Cobalt, Total	J	0.14	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Cobalt, Total	J	0.284	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Cobalt, Total	J	0.688	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	COD, Total	J	9.77	mg/L	EPA 410.4

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	COD, Total	J	9.59	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/16/2023 11:11	COD, Total	J	11	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/24/2023 10:35	COD, Total		26.5	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/30/2023 9:30	COD, Total	<	8.4	mg/L	EPA 410.4
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Conductivity		666	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Conductivity		757	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Conductivity		703	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Conductivity		759	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Conductivity		757	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Conductivity		822	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Conductivity		612	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Conductivity		680	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Conductivity		411	UMHOS/CM	SM 2510A
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Conductivity		456	UMHOS/CM	SM 2510B
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Copper, Total	J	2.13	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Copper, Total	J	2.58	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Copper, Total	J	2.66	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Copper, Total		7.72	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Copper, Total	J	2.88	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Dissolved Oxygen		91	%	N/A
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Dissolved Oxygen		103	%	N/A
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Dissolved Oxygen		9.1	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Dissolved Oxygen		101	%	N/A
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Dissolved Oxygen		9.0	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Dissolved Oxygen		88	%	N/A
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Dissolved Oxygen		8.0	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Dissolved Oxygen		93	%	N/A
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Escherichia coli		1046	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Escherichia coli		1986	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Escherichia coli		613	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Escherichia coli		46040	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Escherichia coli		199	MPN/100 mL	SM9223 Colilert
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Hardness, Total		173	mg/LCaCO3	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Hardness, Total		180	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Hardness, Total		177	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Hardness, Total		176	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Hardness, Total		145	mg/LCaCO3	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Iron, Total	J	503	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Iron, Total	J	441	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Iron, Total	J	427	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Iron, Total	J	670	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Iron, Total		1600	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Lead, Total	J	0.803	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Lead, Total	J	0.481	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Lead, Total	J	0.414	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Lead, Total	J	1.7	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Lead, Total	J	1.96	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Magnesium, Total		11400	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Magnesium, Total		12100	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Magnesium, Total		11700	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Magnesium, Total		11000	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Magnesium, Total		9920	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Manganese, Total	J	14.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Manganese, Total	J	16.9	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Manganese, Total	J	15.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Manganese, Total	J	18.4	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Manganese, Total		39.9	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Mercury, Total	<	0.022	ug/L	EPA 245.1
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Molybdenum, Total	J	2.09	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Molybdenum, Total	J	2.35	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Molybdenum, Total	J	2.35	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Molybdenum, Total		3.03	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Molybdenum, Total	J	1.67	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Nickel, Total	J	1.09	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Nickel, Total	J	1.08	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Nickel, Total	J	1.05	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Nickel, Total	J	2.34	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Nickel, Total	J	2.18	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Nitrite - Nitrate, Total		1.24	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Nitrite - Nitrate, Total		1.23	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Nitrite - Nitrate, Total		1.17	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Nitrite - Nitrate, Total		1.69	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Nitrite - Nitrate, Total		0.269	mg/L	ASTM D7781
Dugway Brook	River Mile 2.40	8/2/2023 9:25	pH		7.9	S.U.	N/A
Dugway Brook	River Mile 2.40	8/9/2023 10:58	pH		8.3	S.U.	N/A
Dugway Brook	River Mile 2.40	8/16/2023 11:11	pH		8.3	S.U.	N/A
Dugway Brook	River Mile 2.40	8/24/2023 10:35	pH		7.8	S.U.	N/A
Dugway Brook	River Mile 2.40	8/30/2023 9:30	pH		8.0	S.U.	N/A
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Phosphorus, Diss. Reactive		0.318	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Phosphorus, Diss. Reactive		0.316	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Phosphorus, Diss. Reactive		0.29	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Phosphorus, Diss. Reactive		0.21	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Phosphorus, Diss. Reactive		0.349	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Phosphorus, Total		0.342	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Phosphorus, Total		0.35	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Phosphorus, Total		0.32	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Phosphorus, Total		0.255	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Phosphorus, Total		0.41	mg/L	EPA 365.1
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Potassium, Total	J	3520	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Potassium, Total	J	3590	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Potassium, Total	J	3600	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Potassium, Total	J	4690	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Potassium, Total	J	2900	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Selenium, Total	<	0.141	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Selenium, Total	<	0.705	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Silver, Total	<	0.258	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Silver, Total	<	0.0515	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Silver, Total	<	0.258	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Sodium, Total		74000	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Sodium, Total		78800	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Sodium, Total		85800	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Sodium, Total		74200	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Sodium, Total		31400	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Strontium, Total		217	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Strontium, Total		224	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Strontium, Total		236	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Strontium, Total		252	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Strontium, Total		183	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Sulfate		53.6	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Sulfate		55	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Sulfate		54.6	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Sulfate		44.2	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Sulfate		38.8	mg/L	EPA 300.0
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Thallium, Total	<	0.96	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Thallium, Total	<	4.8	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Tin, Total	<	4.49	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Titanium, Total	J	2.66	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Titanium, Total	J	2	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Titanium, Total	J	2.07	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Titanium, Total	J	4.29	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Titanium, Total		15.4	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Total Dissolved Solids		415	mg/L	SM2540 C

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Total Dissolved Solids		411	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Total Dissolved Solids		458	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Total Dissolved Solids		399	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Total Dissolved Solids		259	mg/L	SM2540 C
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Total Kjeldahl Nitrogen	J	0.512	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Total Kjeldahl Nitrogen	<	0.276	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Total Kjeldahl Nitrogen	<	0.276	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Total Kjeldahl Nitrogen		1.56	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Total Kjeldahl Nitrogen	J	0.598	mg/L	EPA351.2
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Total Solids		442	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Total Solids		494	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Total Solids		508	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Total Solids		426	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Total Solids		426	mg/L	SM2540 B
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Total Suspended Solids		8.9	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Total Suspended Solids		2.1	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Total Suspended Solids		4.1	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Total Suspended Solids		5.6	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Total Suspended Solids		44.4	mg/L	SM2540 D
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Turbidity		7.9	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Turbidity		0.9	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Turbidity		1.1	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Turbidity		8.8	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Turbidity		63.4	NTU	EPA 180.1
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Vanadium, Total	<	6.87	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Vanadium, Total	<	34.3	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Water Temperature		18.72	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Water Temperature		21.12	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Water Temperature		20.88	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Water Temperature		19.93	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Water Temperature		19.78	°C	EPA 170.1
Dugway Brook	River Mile 2.40	8/2/2023 9:25	Zinc, Total	J	6.16	ug/L	EPA-200.8

Sample Information

Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Dugway Brook	River Mile 2.40	8/9/2023 10:58	Zinc, Total	J	6.86	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/16/2023 11:11	Zinc, Total	<	5.5	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/24/2023 10:35	Zinc, Total	J	14.6	ug/L	EPA-200.8
Dugway Brook	River Mile 2.40	8/30/2023 9:30	Zinc, Total	J	13.6	ug/L	EPA-200.8