

Euclid Creek  
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 12:30	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 12:20	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 11:28	Ag	<	0.2	ug/L	EPA-200.7
9/7/2006 11:37	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 12:30	Al		14	ug/L	EPA-200.7
6/29/2006 12:20	Al		392	ug/L	EPA-200.7
8/31/2006 11:28	Al		42.9	ug/L	EPA-200.7
9/7/2006 11:37	Al	j	8.7	ug/L	EPA-200.7
6/15/2006 12:30	Alkalinity		123	mg/LCaCO3	EPA-310.2
6/29/2006 12:20	Alkalinity		94	mg/LCaCO3	EPA-310.2
8/31/2006 11:28	Alkalinity		114	mg/LCaCO3	EPA-310.2
9/7/2006 11:37	Alkalinity		124	mg/LCaCO3	EPA-310.2
6/15/2006 12:30	As	<	0.4	ug/L	EPA-200.7
6/29/2006 12:20	As		2	ug/L	EPA-200.7
8/31/2006 11:28	As	j	1.3	ug/L	EPA-200.7
9/7/2006 11:37	As	j	0.6	ug/L	EPA-200.7
6/15/2006 12:30	Be	<	0.2	ug/L	EPA-200.7
6/29/2006 12:20	Be	<	0.2	ug/L	EPA-200.7
8/31/2006 11:28	Be	<	0.2	ug/L	EPA-200.7
9/7/2006 11:37	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 12:30	BOD	<	2	mg/L	SM 5210
6/29/2006 12:20	BOD	<	2	mg/L	SM 5210
8/31/2006 11:28	BOD	<	2	mg/L	SM 5210
9/7/2006 11:37	BOD	<	2	mg/L	SM 5210
6/15/2006 12:30	Ca		67600	ug/L	EPA-200.7
6/29/2006 12:20	Ca		38000	ug/L	EPA-200.7
8/31/2006 11:28	Ca		50900	ug/L	EPA-200.7
9/7/2006 11:37	Ca		60400	ug/L	EPA-200.7
6/15/2006 12:30	CaCO3		247	mg/LCaCO3	EPA-200.7
6/29/2006 12:20	CaCO3		134	mg/LCaCO3	EPA-200.7
8/31/2006 11:28	CaCO3		180	mg/LCaCO3	EPA-200.7
9/7/2006 11:37	CaCO3		215	mg/LCaCO3	EPA-200.7
6/15/2006 12:30	Cd	<	0.2	ug/L	EPA-200.7
6/29/2006 12:20	Cd	<	0.2	ug/L	EPA-200.7
8/31/2006 11:28	Cd	<	0.2	ug/L	EPA-200.7
9/7/2006 11:37	Cd	<	0.2	ug/L	EPA-200.7
6/15/2006 12:30	Co	<	0.2	ug/L	EPA-200.7

Euclid Creek  
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 12:20	Co	<	0.2	ug/L	EPA-200.7
8/31/2006 11:28	Co	j	0.3	ug/L	EPA-200.7
9/7/2006 11:37	Co	j	0.3	ug/L	EPA-200.7
6/15/2006 12:30	COD		5	mg/L	EPA 410.4
6/29/2006 12:20	COD		16	mg/L	EPA 410.4
8/31/2006 11:28	COD		9	mg/L	EPA 410.4
9/7/2006 11:37	COD		9	mg/L	EPA 410.4
6/15/2006 12:30	Cu		3	ug/L	EPA-200.7
6/29/2006 12:20	Cu		6	ug/L	EPA-200.7
8/31/2006 11:28	Cu		4	ug/L	EPA-200.7
9/7/2006 11:37	Cu		3.5	ug/L	EPA-200.7
6/15/2006 12:30	Fe		57	ug/L	EPA-200.7
6/29/2006 12:20	Fe		655	ug/L	EPA-200.7
8/31/2006 11:28	Fe		101	ug/L	EPA-200.7
9/7/2006 11:37	Fe		41.6	ug/L	EPA-200.7
6/15/2006 12:30	Field Cond		1462	uS/cm	SM 2510A
6/29/2006 12:20	Field Cond		596	uS/cm	SM 2510A
8/31/2006 11:28	Field Cond		755	uS/cm	SM 2510A
9/7/2006 11:37	Field Cond		1008	uS/cm	SM 2510A
6/15/2006 12:30	Field DO		12.06	mg/L	SM 4500-O G
6/29/2006 12:20	Field DO		9.1	mg/L	SM 4500-O G
8/31/2006 11:28	Field DO		9.37	mg/L	SM 4500-O G
9/7/2006 11:37	Field DO		10.23	mg/L	SM 4500-O G
6/15/2006 12:30	Field Temp		21.35	C	EPA 170.1
6/29/2006 12:20	Field Temp		20.52	C	EPA 170.1
8/31/2006 11:28	Field Temp		19.3	C	EPA 170.1
9/7/2006 11:37	Field Temp		18.96	C	EPA 170.1
6/15/2006 12:30	Hg	<	0.05	ug/L	EPA 245.1
6/29/2006 12:20	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 11:28	Hg	<	0.05	ug/L	EPA 245.1
9/7/2006 11:37	Hg	<	0.05	ug/L	EPA 245.1
6/15/2006 12:30	K		5440	ug/L	EPA-200.7
6/29/2006 12:20	K		4360	ug/L	EPA-200.7
8/31/2006 11:28	K		4980	ug/L	EPA-200.7
9/7/2006 11:37	K		5030	ug/L	EPA-200.7
6/15/2006 12:30	Mg		19100	ug/L	EPA-200.7
6/29/2006 12:20	Mg		9400	ug/L	EPA-200.7

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
8/31/2006 11:28	Mg		12900	ug/L	EPA-200.7
9/7/2006 11:37	Mg		15700	ug/L	EPA-200.7
6/15/2006 12:30	Mn		10	ug/L	EPA-200.7
6/29/2006 12:20	Mn		24	ug/L	EPA-200.7
8/31/2006 11:28	Mn		4.7	ug/L	EPA-200.7
9/7/2006 11:37	Mn		2.5	ug/L	EPA-200.7
6/15/2006 12:30	Mo		3	ug/L	EPA-200.7
6/29/2006 12:20	Mo		2	ug/L	EPA-200.7
8/31/2006 11:28	Mo		3.5	ug/L	EPA-200.7
9/7/2006 11:37	Mo		3.8	ug/L	EPA-200.7
6/15/2006 12:30	Na		165000	ug/L	EPA-200.7
6/29/2006 12:20	Na		61000	ug/L	EPA-200.7
8/31/2006 11:28	Na		79400	ug/L	EPA-200.7
9/7/2006 11:37	Na		108000	ug/L	EPA-200.7
6/15/2006 12:30	NH3	<	0.01	mg/L	EPA-350.1
6/29/2006 12:20	NH3		0.03	mg/L	EPA-350.1
8/31/2006 11:28	NH3		0.03	mg/L	EPA-350.1
9/7/2006 11:37	NH3		0.04	mg/L	EPA-350.1
6/15/2006 12:30	Ni		2	ug/L	EPA-200.7
6/29/2006 12:20	Ni		3	ug/L	EPA-200.7
8/31/2006 11:28	Ni	j	1.9	ug/L	EPA-200.7
9/7/2006 11:37	Ni	j	1.5	ug/L	EPA-200.7
6/15/2006 12:30	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/29/2006 12:20	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/31/2006 11:28	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/7/2006 11:37	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/29/2006 12:20	NO3		0.63	mg/L	EPA 353.2
8/31/2006 11:28	NO3		1.01	mg/L	EPA 353.2
6/29/2006 12:20	NO3+NO2		0.64	mg/L	EPA 353.2
8/31/2006 11:28	NO3+NO2		1.01	mg/L	EPA 353.2
6/15/2006 12:30	Pb	<	0.5	ug/L	EPA-200.7
6/29/2006 12:20	Pb	<	0.5	ug/L	EPA-200.7
8/31/2006 11:28	Pb	<	0.5	ug/L	EPA-200.7
9/7/2006 11:37	Pb	<	0.5	ug/L	EPA-200.7
6/15/2006 12:30	pH		8.5	S.U.	
9/7/2006 11:37	pH		8.4	S.U.	

Euclid Creek  
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 12:30	Sb	<	0.2	ug/L	EPA-200.7
6/29/2006 12:20	Sb	<	0.2	ug/L	EPA-200.7
8/31/2006 11:28	Sb	j	0.4	ug/L	EPA-200.7
9/7/2006 11:37	Sb	j	0.9	ug/L	EPA-200.7
6/15/2006 12:30	Se	j	1	ug/L	EPA-200.7
6/29/2006 12:20	Se	j	1	ug/L	EPA-200.7
8/31/2006 11:28	Se	j	1.8	ug/L	EPA-200.7
9/7/2006 11:37	Se	j	1.8	ug/L	EPA-200.7
6/15/2006 12:30	Sn	j	5	ug/L	EPA-200.7
6/29/2006 12:20	Sn	j	13	ug/L	EPA-200.7
8/31/2006 11:28	Sn	<	4.3	ug/L	EPA-200.7
9/7/2006 11:37	Sn	j	4.6	ug/L	EPA-200.7
6/15/2006 12:30	Soluble-P		0.01	mg/L	EPA 365.1
6/29/2006 12:20	Soluble-P		0.04	mg/L	EPA 365.1
8/31/2006 11:28	Soluble-P		0.04	mg/L	EPA 365.1
9/7/2006 11:37	Soluble-P		0.04	mg/L	EPA 365.1
6/15/2006 12:30	TDS		850	mg/L	SM2540C
6/29/2006 12:20	TDS		329	mg/L	SM2540C
8/31/2006 11:28	TDS		452	mg/L	SM2540C
9/7/2006 11:37	TDS		602	mg/L	SM2540C
6/15/2006 12:30	Ti	<	0.2	ug/L	EPA-200.7
6/29/2006 12:20	Ti		3	ug/L	EPA-200.7
8/31/2006 11:28	Ti	<	0.2	ug/L	EPA-200.7
9/7/2006 11:37	Ti	<	0.2	ug/L	EPA-200.7
6/15/2006 12:30	TI	j	4	ug/L	EPA-200.7
6/29/2006 12:20	TI	j	4	ug/L	EPA-200.7
8/31/2006 11:28	TI		8.5	ug/L	EPA-200.7
9/7/2006 11:37	TI		9.9	ug/L	EPA-200.7
6/15/2006 12:30	TMET	<	10	ug/L	EPA-200.7
6/29/2006 12:20	TMET		16	ug/L	EPA-200.7
8/31/2006 11:28	TMET	<	10	ug/L	EPA-200.7
9/7/2006 11:37	TMET	<	10	ug/L	EPA-200.7
6/15/2006 12:30	Total-P		0.02	mg/L	EPA 365.1
6/29/2006 12:20	Total-P		0.08	mg/L	EPA 365.1
8/31/2006 11:28	Total-P		0.06	mg/L	EPA 365.1
9/7/2006 11:37	Total-P		0.05	mg/L	EPA 365.1

Euclid Creek  
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 12:30	TS		873	mg/L	SM2540B
6/29/2006 12:20	TS		338	mg/L	SM2540B
8/31/2006 11:28	TS		466	mg/L	SM2540B
9/7/2006 11:37	TS		626	mg/L	SM2540B
6/15/2006 12:30	TSS		2	mg/L	SM2540D
6/29/2006 12:20	TSS		9	mg/L	SM2540D
8/31/2006 11:28	TSS		1	mg/L	SM2540D
9/7/2006 11:37	TSS		1	mg/L	SM2540D
6/15/2006 12:30	Turbidity		0.87	NTU	EPA 180.1
6/29/2006 12:20	Turbidity		12	NTU	EPA 180.1
8/31/2006 11:28	Turbidity		1.69	NTU	EPA 180.1
9/7/2006 11:37	Turbidity		1.87	NTU	EPA 180.1
6/15/2006 12:30	V	<	0.2	ug/L	EPA-200.7
6/29/2006 12:20	V	<	0.2	ug/L	EPA-200.7
8/31/2006 11:28	V	<	0.2	ug/L	EPA-200.7
9/7/2006 11:37	V	<	0.2	ug/L	EPA-200.7
6/15/2006 12:30	Zn	<	3	ug/L	EPA-200.7
6/29/2006 12:20	Zn	j	6	ug/L	EPA-200.7
8/31/2006 11:28	Zn	<	3	ug/L	EPA-200.7
9/7/2006 11:37	Zn	<	3	ug/L	EPA-200.7

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 12:10	Ag	<	0.2	ug/L	EPA-200.7
6/22/2006 11:03	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 12:45	Ag	<	0.2	ug/L	EPA-200.7
7/6/2006 11:29	Ag	<	0.2	ug/L	EPA-200.7
7/20/2006 10:10	Ag	<	0.2	ug/L	EPA-200.7
8/17/2006 11:30	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 11:04	Ag	<	0.2	ug/L	EPA-200.7
9/7/2006 12:06	Ag	<	0.2	ug/L	EPA-200.7
9/14/2006 11:13	Ag	<	0.2	ug/L	EPA-200.7
9/21/2006 11:20	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 12:10	Al		208	ug/L	EPA-200.7
6/22/2006 11:03	Al		1810	ug/L	EPA-200.7
6/29/2006 12:45	Al		412	ug/L	EPA-200.7
7/6/2006 11:29	Al		110	ug/L	EPA-200.7
7/20/2006 10:10	Al		120	ug/L	EPA-200.7
8/17/2006 11:30	Al		244	ug/L	EPA-200.7
8/31/2006 11:04	Al		59.7	ug/L	EPA-200.7
9/7/2006 12:06	Al	j	5.5	ug/L	EPA-200.7
9/14/2006 11:13	Al		504	ug/L	EPA-200.7
9/21/2006 11:20	Al		115	ug/L	EPA-200.7
6/15/2006 12:10	Alkalinity		124	mg/LCaCO3	EPA-310.2
6/22/2006 11:03	Alkalinity		66	mg/LCaCO3	EPA-310.2
6/29/2006 12:45	Alkalinity		100	mg/LCaCO3	EPA-310.2
7/6/2006 11:29	Alkalinity		122	mg/LCaCO3	EPA-310.2
7/20/2006 10:10	Alkalinity		125	mg/LCaCO3	EPA-310.2
8/17/2006 11:30	Alkalinity		115	mg/LCaCO3	EPA-310.2
8/31/2006 11:04	Alkalinity		112	mg/LCaCO3	EPA-310.2
9/7/2006 12:06	Alkalinity		125	mg/LCaCO3	EPA-310.2
9/14/2006 11:13	Alkalinity		87	mg/LCaCO3	EPA-310.2
9/21/2006 11:20	Alkalinity		104	mg/LCaCO3	EPA-310.2
6/15/2006 12:10	As	<	0.4	ug/L	EPA-200.7
6/22/2006 11:03	As		3	ug/L	EPA-200.7
6/29/2006 12:45	As		2	ug/L	EPA-200.7
7/6/2006 11:29	As	j	1	ug/L	EPA-200.7
7/20/2006 10:10	As	<	0.4	ug/L	EPA-200.7
8/17/2006 11:30	As	j	1.3	ug/L	EPA-200.7
8/31/2006 11:04	As	j	1.8	ug/L	EPA-200.7
9/7/2006 12:06	As	j	0.45	ug/L	EPA-200.7
9/14/2006 11:13	As		2.4	ug/L	EPA-200.7
9/21/2006 11:20	As	j	2	ug/L	EPA-200.7
6/15/2006 12:10	Be	<	0.2	ug/L	EPA-200.7
6/22/2006 11:03	Be	<	0.2	ug/L	EPA-200.7

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 12:45	Be	<	0.2	ug/L	EPA-200.7
7/6/2006 11:29	Be	<	0.2	ug/L	EPA-200.7
7/20/2006 10:10	Be	<	0.2	ug/L	EPA-200.7
8/17/2006 11:30	Be	<	0.2	ug/L	EPA-200.7
8/31/2006 11:04	Be	<	0.2	ug/L	EPA-200.7
9/7/2006 12:06	Be	<	0.2	ug/L	EPA-200.7
9/14/2006 11:13	Be	<	0.2	ug/L	EPA-200.7
9/21/2006 11:20	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 12:10	BOD	<	2	mg/L	SM 5210
6/22/2006 11:03	BOD		3	mg/L	SM 5210
6/29/2006 12:45	BOD	<	2	mg/L	SM 5210
7/6/2006 11:29	BOD	<	2	mg/L	SM 5210
7/20/2006 10:10	BOD	<	2	mg/L	SM 5210
8/17/2006 11:30	BOD		2	mg/L	SM 5210
8/31/2006 11:04	BOD	<	2	mg/L	SM 5210
9/7/2006 12:06	BOD	<	2	mg/L	SM 5210
9/14/2006 11:13	BOD	<	2	mg/L	SM 5210
9/21/2006 11:20	BOD	<	2	mg/L	SM 5210
6/15/2006 12:10	Ca		67500	ug/L	EPA-200.7
6/22/2006 11:03	Ca		29700	ug/L	EPA-200.7
6/29/2006 12:45	Ca		38000	ug/L	EPA-200.7
7/6/2006 11:29	Ca		52600	ug/L	EPA-200.7
7/20/2006 10:10	Ca		69400	ug/L	EPA-200.7
8/17/2006 11:30	Ca		54100	ug/L	EPA-200.7
8/31/2006 11:04	Ca		51900	ug/L	EPA-200.7
9/7/2006 12:06	Ca		61450	ug/L	EPA-200.7
9/14/2006 11:13	Ca		35800	ug/L	EPA-200.7
9/21/2006 11:20	Ca		45100	ug/L	EPA-200.7
6/15/2006 12:10	CaCO3		250	mg/LCaCO3	EPA-200.7
6/22/2006 11:03	CaCO3		104	mg/LCaCO3	EPA-200.7
6/29/2006 12:45	CaCO3		134	mg/LCaCO3	EPA-200.7
7/6/2006 11:29	CaCO3		187	mg/LCaCO3	EPA-200.7
7/20/2006 10:10	CaCO3		248	mg/LCaCO3	EPA-200.7
8/17/2006 11:30	CaCO3		194	mg/LCaCO3	EPA-200.7
8/31/2006 11:04	CaCO3		183	mg/LCaCO3	EPA-200.7
9/7/2006 12:06	CaCO3		221	mg/LCaCO3	EPA-200.7
9/14/2006 11:13	CaCO3		125	mg/LCaCO3	EPA-200.7
9/21/2006 11:20	CaCO3		157	mg/LCaCO3	EPA-200.7
6/15/2006 12:10	Cd	<	0.2	ug/L	EPA-200.7
6/22/2006 11:03	Cd	<	0.2	ug/L	EPA-200.7
6/29/2006 12:45	Cd	<	0.2	ug/L	EPA-200.7
7/6/2006 11:29	Cd	<	0.2	ug/L	EPA-200.7

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/20/2006 10:10	Cd	<	0.2	ug/L	EPA-200.7
8/17/2006 11:30	Cd	j	0.2	ug/L	EPA-200.7
8/31/2006 11:04	Cd	<	0.2	ug/L	EPA-200.7
9/7/2006 12:06	Cd	<	0.2	ug/L	EPA-200.7
9/14/2006 11:13	Cd	j	0.4	ug/L	EPA-200.7
9/21/2006 11:20	Cd	<	0.2	ug/L	EPA-200.7
6/15/2006 12:10	Co	<	0.2	ug/L	EPA-200.7
6/22/2006 11:03	Co		2	ug/L	EPA-200.7
6/29/2006 12:45	Co	<	0.2	ug/L	EPA-200.7
7/6/2006 11:29	Co	<	0.2	ug/L	EPA-200.7
7/20/2006 10:10	Co	<	0.2	ug/L	EPA-200.7
8/17/2006 11:30	Co	j	0.6	ug/L	EPA-200.7
8/31/2006 11:04	Co	j	0.3	ug/L	EPA-200.7
9/7/2006 12:06	Co	<	0.2	ug/L	EPA-200.7
9/14/2006 11:13	Co	j	0.6	ug/L	EPA-200.7
9/21/2006 11:20	Co	j	0.3	ug/L	EPA-200.7
6/15/2006 12:10	COD		3	mg/L	EPA 410.4
6/22/2006 11:03	COD		17	mg/L	EPA 410.4
6/29/2006 12:45	COD		14	mg/L	EPA 410.4
7/6/2006 11:29	COD		11	mg/L	EPA 410.4
7/20/2006 10:10	COD		17	mg/L	EPA 410.4
8/17/2006 11:30	COD		15	mg/L	EPA 410.4
8/31/2006 11:04	COD		16	mg/L	EPA 410.4
9/7/2006 12:06	COD		9	mg/L	EPA 410.4
9/14/2006 11:13	COD		29	mg/L	EPA 410.4
9/21/2006 11:20	COD		26	mg/L	EPA 410.4
6/15/2006 12:10	Cu		4	ug/L	EPA-200.7
6/22/2006 11:03	Cu		10	ug/L	EPA-200.7
6/29/2006 12:45	Cu		6	ug/L	EPA-200.7
7/6/2006 11:29	Cu		6	ug/L	EPA-200.7
7/20/2006 10:10	Cu		5	ug/L	EPA-200.7
8/17/2006 11:30	Cu		6.1	ug/L	EPA-200.7
8/31/2006 11:04	Cu		4.5	ug/L	EPA-200.7
9/7/2006 12:06	Cu		3.95	ug/L	EPA-200.7
9/14/2006 11:13	Cu		6.7	ug/L	EPA-200.7
9/21/2006 11:20	Cu		5.1	ug/L	EPA-200.7
6/15/2006 12:10	Fe		406	ug/L	EPA-200.7
6/22/2006 11:03	Fe		2850	ug/L	EPA-200.7
6/29/2006 12:45	Fe		725	ug/L	EPA-200.7
7/6/2006 11:29	Fe		303	ug/L	EPA-200.7
7/20/2006 10:10	Fe		313	ug/L	EPA-200.7
8/17/2006 11:30	Fe		675	ug/L	EPA-200.7



## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/31/2006 11:04	Fe		178	ug/L	EPA-200.7
9/7/2006 12:06	Fe		69.9	ug/L	EPA-200.7
9/14/2006 11:13	Fe		936	ug/L	EPA-200.7
9/21/2006 11:20	Fe		298	ug/L	EPA-200.7
6/15/2006 12:10	Field Cond		14.45	uS/cm	SM 2510A
6/22/2006 11:03	Field Cond		493	uS/cm	SM 2510A
6/29/2006 12:45	Field Cond		599	uS/cm	SM 2510A
7/6/2006 11:29	Field Cond		851	uS/cm	SM 2510A
7/20/2006 10:10	Field Cond		1289	uS/cm	SM 2510A
8/17/2006 11:30	Field Cond		941	uS/cm	SM 2510A
8/31/2006 11:04	Field Cond		758	uS/cm	SM 2510A
9/7/2006 12:06	Field Cond		1020	uS/cm	SM 2510A
9/14/2006 11:13	Field Cond		500	uS/cm	SM 2510A
9/21/2006 11:20	Field Cond		614	uS/cm	SM 2510A
6/15/2006 12:10	Field DO		13.98	mg/L	SM 4500-O G
6/22/2006 11:03	Field DO		9.61	mg/L	SM 4500-O G
6/29/2006 12:45	Field DO		10.32	mg/L	SM 4500-O G
7/6/2006 11:29	Field DO		10.5	mg/L	SM 4500-O G
7/20/2006 10:10	Field DO		10.17	mg/L	SM 4500-O G
8/17/2006 11:30	Field DO		10.88	mg/L	SM 4500-O G
8/31/2006 11:04	Field DO		8.24	mg/L	SM 4500-O G
9/7/2006 12:06	Field DO		10.83	mg/L	SM 4500-O G
9/14/2006 11:13	Field DO		8.61	mg/L	SM 4500-O G
9/21/2006 11:20	Field DO		9.9	mg/L	SM 4500-O G
6/15/2006 12:10	Field Temp		23.86	C	EPA 170.1
6/22/2006 11:03	Field Temp		20.3	C	EPA 170.1
6/29/2006 12:45	Field Temp		21.44	C	EPA 170.1
7/6/2006 11:29	Field Temp		20.35	C	EPA 170.1
7/20/2006 10:10	Field Temp		24.46	C	EPA 170.1
8/17/2006 11:30	Field Temp		22.72	C	EPA 170.1
8/31/2006 11:04	Field Temp		20.4	C	EPA 170.1
9/7/2006 12:06	Field Temp		20.9	C	EPA 170.1
9/14/2006 11:13	Field Temp		18.41	C	EPA 170.1
9/21/2006 11:20	Field Temp		15.5	C	EPA 170.1
6/15/2006 12:10	Hg	<	0.05	ug/L	EPA 245.1
6/22/2006 11:03	Hg	<	0.05	ug/L	EPA 245.1
6/29/2006 12:45	Hg	<	0.05	ug/L	EPA 245.1
7/6/2006 11:29	Hg	<	0.05	ug/L	EPA 245.1
7/20/2006 10:10	Hg	<	0.05	ug/L	EPA 245.1
8/17/2006 11:30	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 11:04	Hg	<	0.05	ug/L	EPA 245.1
9/7/2006 12:06	Hg	<	0.05	ug/L	EPA 245.1

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 11:13	Hg	<	0.05	ug/L	EPA 245.1
9/21/2006 11:20	Hg	<	0.05	ug/L	EPA 245.1
6/15/2006 12:10	K		5610	ug/L	EPA-200.7
6/22/2006 11:03	K		4510	ug/L	EPA-200.7
6/29/2006 12:45	K		4350	ug/L	EPA-200.7
7/6/2006 11:29	K		4690	ug/L	EPA-200.7
7/20/2006 10:10	K		5900	ug/L	EPA-200.7
8/17/2006 11:30	K		5090	ug/L	EPA-200.7
8/31/2006 11:04	K		5110	ug/L	EPA-200.7
9/7/2006 12:06	K		5245	ug/L	EPA-200.7
9/14/2006 11:13	K		4320	ug/L	EPA-200.7
9/21/2006 11:20	K		4420	ug/L	EPA-200.7
6/15/2006 12:10	Mg		19700	ug/L	EPA-200.7
6/22/2006 11:03	Mg		7240	ug/L	EPA-200.7
6/29/2006 12:45	Mg		9520	ug/L	EPA-200.7
7/6/2006 11:29	Mg		13600	ug/L	EPA-200.7
7/20/2006 10:10	Mg		18200	ug/L	EPA-200.7
8/17/2006 11:30	Mg		14300	ug/L	EPA-200.7
8/31/2006 11:04	Mg		12900	ug/L	EPA-200.7
9/7/2006 12:06	Mg		16400	ug/L	EPA-200.7
9/14/2006 11:13	Mg		8660	ug/L	EPA-200.7
9/21/2006 11:20	Mg		10700	ug/L	EPA-200.7
6/15/2006 12:10	Mn		42	ug/L	EPA-200.7
6/22/2006 11:03	Mn		78	ug/L	EPA-200.7
6/29/2006 12:45	Mn		32	ug/L	EPA-200.7
7/6/2006 11:29	Mn		34	ug/L	EPA-200.7
7/20/2006 10:10	Mn		41	ug/L	EPA-200.7
8/17/2006 11:30	Mn		73.5	ug/L	EPA-200.7
8/31/2006 11:04	Mn		19.9	ug/L	EPA-200.7
9/7/2006 12:06	Mn		22.95	ug/L	EPA-200.7
9/14/2006 11:13	Mn		27.2	ug/L	EPA-200.7
9/21/2006 11:20	Mn		13.1	ug/L	EPA-200.7
6/15/2006 12:10	Mo		5	ug/L	EPA-200.7
6/22/2006 11:03	Mo		3	ug/L	EPA-200.7
6/29/2006 12:45	Mo		4	ug/L	EPA-200.7
7/6/2006 11:29	Mo		4	ug/L	EPA-200.7
7/20/2006 10:10	Mo		6	ug/L	EPA-200.7
8/17/2006 11:30	Mo		7.3	ug/L	EPA-200.7
8/31/2006 11:04	Mo		5.1	ug/L	EPA-200.7

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/7/2006 12:06	Mo		5.85	ug/L	EPA-200.7
9/14/2006 11:13	Mo		3.2	ug/L	EPA-200.7
9/21/2006 11:20	Mo		3.8	ug/L	EPA-200.7
6/15/2006 12:10	Na		157000	ug/L	EPA-200.7
6/22/2006 11:03	Na		52000	ug/L	EPA-200.7
6/29/2006 12:45	Na		60600	ug/L	EPA-200.7
7/6/2006 11:29	Na		86200	ug/L	EPA-200.7
7/20/2006 10:10	Na		122000	ug/L	EPA-200.7
8/17/2006 11:30	Na		98100	ug/L	EPA-200.7
8/31/2006 11:04	Na		77100	ug/L	EPA-200.7
9/7/2006 12:06	Na		108500	ug/L	EPA-200.7
9/14/2006 11:13	Na		45500	ug/L	EPA-200.7
9/21/2006 11:20	Na		64000	ug/L	EPA-200.7
6/15/2006 12:10	NH3		0.03	mg/L	EPA-350.1
6/22/2006 11:03	NH3		0.07	mg/L	EPA-350.1
6/29/2006 12:45	NH3		0.05	mg/L	EPA-350.1
7/6/2006 11:29	NH3		0.03	mg/L	EPA-350.1
7/20/2006 10:10	NH3		0.03	mg/L	EPA-350.1
8/17/2006 11:30	NH3		0.03	mg/L	EPA-350.1
8/31/2006 11:04	NH3		0.06	mg/L	EPA-350.1
9/7/2006 12:06	NH3		0.04	mg/L	EPA-350.1
9/14/2006 11:13	NH3		0.04	mg/L	EPA-350.1
9/21/2006 11:20	NH3		0.02	mg/L	EPA-350.1
6/15/2006 12:10	Ni		3	ug/L	EPA-200.7
6/22/2006 11:03	Ni		5	ug/L	EPA-200.7
6/29/2006 12:45	Ni		3	ug/L	EPA-200.7
7/6/2006 11:29	Ni		3	ug/L	EPA-200.7
7/20/2006 10:10	Ni		3	ug/L	EPA-200.7
8/17/2006 11:30	Ni		2.3	ug/L	EPA-200.7
8/31/2006 11:04	Ni	j	1.9	ug/L	EPA-200.7
9/7/2006 12:06	Ni	j	1.8	ug/L	EPA-200.7
9/14/2006 11:13	Ni		2.7	ug/L	EPA-200.7
9/21/2006 11:20	Ni		2.1	ug/L	EPA-200.7
6/15/2006 12:10	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/22/2006 11:03	NO2		0.03	mg/L	SM 4500-NO2-B
6/29/2006 12:45	NO2		0.01	mg/L	SM 4500-NO2-B
7/6/2006 11:29	NO2	<	0.01	mg/L	SM 4500-NO2-B
7/20/2006 10:10	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/17/2006 11:30	NO2	<	0.01	mg/L	SM 4500-NO2-B
8/31/2006 11:04	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/7/2006 12:06	NO2	<	0.01	mg/L	SM 4500-NO2-B
9/14/2006 11:13	NO2		0.01	mg/L	SM 4500-NO2-B

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/21/2006 11:20	NO2	<	0.01	mg/L	SM 4500-NO2-B
6/22/2006 11:03	NO3		0.79	mg/L	EPA 353.2
6/29/2006 12:45	NO3		0.6	mg/L	EPA 353.2
7/6/2006 11:29	NO3		0.76	mg/L	EPA 353.2
7/20/2006 10:10	NO3		0.15	mg/L	EPA 353.2
8/31/2006 11:04	NO3		0.94	mg/L	EPA 353.2
9/7/2006 12:06	NO3		0.25	mg/L	EPA 353.2
9/14/2006 11:13	NO3		0.82	mg/L	EPA 353.2
9/21/2006 11:20	NO3		0.86	mg/L	EPA 353.2
6/22/2006 11:03	NO3+NO2		0.81	mg/L	EPA 353.2
6/29/2006 12:45	NO3+NO2		0.61	mg/L	EPA 353.2
7/6/2006 11:29	NO3+NO2		0.76	mg/L	EPA 353.2
7/20/2006 10:10	NO3+NO2		0.15	mg/L	EPA 353.2
8/31/2006 11:04	NO3+NO2		0.95	mg/L	EPA 353.2
9/7/2006 12:06	NO3+NO2		0.25	mg/L	EPA 353.2
9/14/2006 11:13	NO3+NO2		0.84	mg/L	EPA 353.2
9/21/2006 11:20	NO3+NO2		0.86	mg/L	EPA 353.2
6/15/2006 12:10	Pb	<	0.5	ug/L	EPA-200.7
6/22/2006 11:03	Pb	j	3	ug/L	EPA-200.7
6/29/2006 12:45	Pb	<	0.5	ug/L	EPA-200.7
7/6/2006 11:29	Pb	<	0.5	ug/L	EPA-200.7
7/20/2006 10:10	Pb	<	0.5	ug/L	EPA-200.7
8/17/2006 11:30	Pb	<	0.5	ug/L	EPA-200.7
8/31/2006 11:04	Pb	<	0.5	ug/L	EPA-200.7
9/7/2006 12:06	Pb	<	0.5	ug/L	EPA-200.7
9/14/2006 11:13	Pb	j	0.8	ug/L	EPA-200.7
9/21/2006 11:20	Pb	<	0.5	ug/L	EPA-200.7
6/15/2006 12:10	pH		8.5	S.U.	
6/22/2006 11:03	pH		8.3	S.U.	
7/6/2006 11:29	pH		7.57	S.U.	
7/20/2006 10:10	pH		8.25	S.U.	
8/17/2006 11:30	pH		8.4	S.U.	
9/7/2006 12:06	pH		8.5	S.U.	
9/14/2006 11:13	pH		8.64	S.U.	
9/21/2006 11:20	pH		7	S.U.	
6/15/2006 12:10	Sb	<	0.2	ug/L	EPA-200.7
6/22/2006 11:03	Sb	j	2	ug/L	EPA-200.7
6/29/2006 12:45	Sb	<	0.2	ug/L	EPA-200.7
7/6/2006 11:29	Sb	<	0.2	ug/L	EPA-200.7
7/20/2006 10:10	Sb	<	0.2	ug/L	EPA-200.7
8/17/2006 11:30	Sb	<	0.2	ug/L	EPA-200.7

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/31/2006 11:04	Sb	j	0.4	ug/L	EPA-200.7
9/7/2006 12:06	Sb	j	0.45	ug/L	EPA-200.7
9/14/2006 11:13	Sb	<	0.2	ug/L	EPA-200.7
9/21/2006 11:20	Sb	j	0.5	ug/L	EPA-200.7
6/15/2006 12:10	Se	j	1	ug/L	EPA-200.7
6/22/2006 11:03	Se	<	0.6	ug/L	EPA-200.7
6/29/2006 12:45	Se	j	2	ug/L	EPA-200.7
7/6/2006 11:29	Se	j	2	ug/L	EPA-200.7
7/20/2006 10:10	Se	j	2	ug/L	EPA-200.7
8/17/2006 11:30	Se	j	2.3	ug/L	EPA-200.7
8/31/2006 11:04	Se	j	2.1	ug/L	EPA-200.7
9/7/2006 12:06	Se	j	1.95	ug/L	EPA-200.7
9/14/2006 11:13	Se	j	1.5	ug/L	EPA-200.7
9/21/2006 11:20	Se	j	3.7	ug/L	EPA-200.7
6/15/2006 12:10	Sn	<	4.3	ug/L	EPA-200.7
6/22/2006 11:03	Sn	<	4.3	ug/L	EPA-200.7
6/29/2006 12:45	Sn	j	5	ug/L	EPA-200.7
7/6/2006 11:29	Sn	j	4	ug/L	EPA-200.7
7/20/2006 10:10	Sn	<	4	ug/L	EPA-200.7
8/17/2006 11:30	Sn	<	4.3	ug/L	EPA-200.7
8/31/2006 11:04	Sn	<	4.3	ug/L	EPA-200.7
9/7/2006 12:06	Sn	j	5.7	ug/L	EPA-200.7
9/14/2006 11:13	Sn	<	4.3	ug/L	EPA-200.7
9/21/2006 11:20	Sn	j	5	ug/L	EPA-200.7
6/15/2006 12:10	Soluble-P		0.02	mg/L	EPA 365.1
6/22/2006 11:03	Soluble-P		0.06	mg/L	EPA 365.1
6/29/2006 12:45	Soluble-P		0.04	mg/L	EPA 365.1
7/6/2006 11:29	Soluble-P		0.07	mg/L	EPA 365.1
7/20/2006 10:10	Soluble-P		0.03	mg/L	EPA 365.1
8/17/2006 11:30	Soluble-P	<	0.01	mg/L	EPA 365.1
8/31/2006 11:04	Soluble-P		0.04	mg/L	EPA 365.1
9/7/2006 12:06	Soluble-P		0.02	mg/L	EPA 365.1
9/14/2006 11:13	Soluble-P		0.04	mg/L	EPA 365.1
9/21/2006 11:20	Soluble-P		0.04	mg/L	EPA 365.1
6/15/2006 12:10	TDS		844	mg/L	SM2540C
6/22/2006 11:03	TDS		298	mg/L	SM2540C
6/29/2006 12:45	TDS		321	mg/L	SM2540C
7/6/2006 11:29	TDS		361	mg/L	SM2540C
7/20/2006 10:10	TDS		699	mg/L	SM2540C
8/17/2006 11:30	TDS		530	mg/L	SM2540C
8/31/2006 11:04	TDS		451	mg/L	SM2540C
9/7/2006 12:06	TDS		608	mg/L	SM2540C

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/14/2006 11:13	TDS		275	mg/L	SM2540C
9/21/2006 11:20	TDS		344	mg/L	SM2540C
6/15/2006 12:10	Ti		2	ug/L	EPA-200.7
6/22/2006 11:03	Ti		16	ug/L	EPA-200.7
6/29/2006 12:45	Ti		3	ug/L	EPA-200.7
7/6/2006 11:29	Ti	<	0.2	ug/L	EPA-200.7
7/20/2006 10:10	Ti		1	ug/L	EPA-200.7
8/17/2006 11:30	Ti		2.4	ug/L	EPA-200.7
8/31/2006 11:04	Ti	j	0.4	ug/L	EPA-200.7
9/7/2006 12:06	Ti	<	0.2	ug/L	EPA-200.7
9/14/2006 11:13	Ti		6.1	ug/L	EPA-200.7
9/21/2006 11:20	Ti		1.4	ug/L	EPA-200.7
6/15/2006 12:10	TI	j	5	ug/L	EPA-200.7
6/22/2006 11:03	TI		5	ug/L	EPA-200.7
6/29/2006 12:45	TI	j	3	ug/L	EPA-200.7
7/6/2006 11:29	TI		11	ug/L	EPA-200.7
7/20/2006 10:10	TI		10	ug/L	EPA-200.7
8/17/2006 11:30	TI		6.6	ug/L	EPA-200.7
8/31/2006 11:04	TI		7.5	ug/L	EPA-200.7
9/7/2006 12:06	TI		10.1	ug/L	EPA-200.7
9/14/2006 11:13	TI	j	4.8	ug/L	EPA-200.7
9/21/2006 11:20	TI		6.6	ug/L	EPA-200.7
6/15/2006 12:10	TMET		12	ug/L	EPA-200.7
6/22/2006 11:03	TMET		38	ug/L	EPA-200.7
6/29/2006 12:45	TMET		18	ug/L	EPA-200.7
7/6/2006 11:29	TMET		13	ug/L	EPA-200.7
7/20/2006 10:10	TMET		14	ug/L	EPA-200.7
8/17/2006 11:30	TMET		15.8	ug/L	EPA-200.7
8/31/2006 11:04	TMET	<	10	ug/L	EPA-200.7
9/7/2006 12:06	TMET	<	10	ug/L	EPA-200.7
9/14/2006 11:13	TMET		18.8	ug/L	EPA-200.7
9/21/2006 11:20	TMET		11.4	ug/L	EPA-200.7
6/15/2006 12:10	Total-P		0.04	mg/L	EPA 365.1
6/29/2006 12:45	Total-P		0.05	mg/L	EPA 365.1
7/6/2006 11:29	Total-P		0.14	mg/L	EPA 365.1
7/20/2006 10:10	Total-P		0.05	mg/L	EPA 365.1
8/17/2006 11:30	Total-P		0.08	mg/L	EPA 365.1
8/31/2006 11:04	Total-P		0.07	mg/L	EPA 365.1
9/7/2006 12:06	Total-P		0.04	mg/L	EPA 365.1
9/14/2006 11:13	Total-P		0.11	mg/L	EPA 365.1
9/21/2006 11:20	Total-P		0.07	mg/L	EPA 365.1

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 12:10	TS		860	mg/L	SM2540B
6/22/2006 11:03	TS		386	mg/L	SM2540B
6/29/2006 12:45	TS		345	mg/L	SM2540B
7/6/2006 11:29	TS		522	mg/L	SM2540B
7/20/2006 10:10	TS		775	mg/L	SM2540B
8/17/2006 11:30	TS		564	mg/L	SM2540B
8/31/2006 11:04	TS		463	mg/L	SM2540B
9/7/2006 12:06	TS		620	mg/L	SM2540B
9/14/2006 11:13	TS		329	mg/L	SM2540B
9/21/2006 11:20	TS		392	mg/L	SM2540B
6/15/2006 12:10	TSS		10	mg/L	SM2540D
6/22/2006 11:03	TSS		30	mg/L	SM2540D
6/29/2006 12:45	TSS		10	mg/L	SM2540D
7/6/2006 11:29	TSS		4	mg/L	SM2540D
7/20/2006 10:10	TSS		10	mg/L	SM2540D
8/17/2006 11:30	TSS		32	mg/L	SM2540D
8/31/2006 11:04	TSS		2	mg/L	SM2540D
9/7/2006 12:06	TSS	<	1	mg/L	SM2540D
9/14/2006 11:13	TSS		17	mg/L	SM2540D
9/21/2006 11:20	TSS		2	mg/L	SM2540D
6/15/2006 12:10	Turbidity		6	NTU	EPA 180.1
6/22/2006 11:03	Turbidity		29.3	NTU	EPA 180.1
6/29/2006 12:45	Turbidity		13.7	NTU	EPA 180.1
7/6/2006 11:29	Turbidity		2.76	NTU	EPA 180.1
7/20/2006 10:10	Turbidity		0.97	NTU	EPA 180.1
8/17/2006 11:30	Turbidity		0.93	NTU	EPA 180.1
8/31/2006 11:04	Turbidity		2.3	NTU	EPA 180.1
9/7/2006 12:06	Turbidity		1.03	NTU	EPA 180.1
9/14/2006 11:13	Turbidity		18.58	NTU	EPA 180.1
9/21/2006 11:20	Turbidity		5.02	NTU	EPA 180.1
6/15/2006 12:10	V	<	0.2	ug/L	EPA-200.7
6/22/2006 11:03	V		4	ug/L	EPA-200.7
6/29/2006 12:45	V	<	0.2	ug/L	EPA-200.7
7/6/2006 11:29	V	<	0.2	ug/L	EPA-200.7
7/20/2006 10:10	V	<	0.2	ug/L	EPA-200.7
8/17/2006 11:30	V	<	0.2	ug/L	EPA-200.7
8/31/2006 11:04	V	<	0.2	ug/L	EPA-200.7
9/7/2006 12:06	V	<	0.2	ug/L	EPA-200.7
9/14/2006 11:13	V		1	ug/L	EPA-200.7
9/21/2006 11:20	V	<	0.2	ug/L	EPA-200.7
6/15/2006 12:10	Zn	j	4	ug/L	EPA-200.7
6/22/2006 11:03	Zn		20	ug/L	EPA-200.7

## Euclid Creek

## RM 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 12:45	Zn	j	7	ug/L	EPA-200.7
7/6/2006 11:29	Zn	j	4	ug/L	EPA-200.7
7/20/2006 10:10	Zn	j	6	ug/L	EPA-200.7
8/17/2006 11:30	Zn	j	6.7	ug/L	EPA-200.7
8/31/2006 11:04	Zn	<	3	ug/L	EPA-200.7
9/7/2006 12:06	Zn	<	3	ug/L	EPA-200.7
9/14/2006 11:13	Zn	j	8.3	ug/L	EPA-200.7
9/21/2006 11:20	Zn	j	3.6	ug/L	EPA-200.7

## Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)