

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:35	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 10:25	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 9:55	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 9:30	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 10:10	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 9:35	Al		38.28	ug/L	EPA-200.7
6/26/2012 10:25	Al		17.84	ug/L	EPA-200.7
7/2/2012 9:55	Al		38.71	ug/L	EPA-200.7
7/10/2012 9:30	Al		25.295	ug/L	EPA-200.7
7/17/2012 10:10	Al		29.35	ug/L	EPA-200.7
6/19/2012 9:35	Alkalinity		112.5	mg/LCaCO3	EPA-310.2
6/26/2012 10:25	Alkalinity		120	mg/LCaCO3	EPA-310.2
7/2/2012 9:55	Alkalinity		111.4	mg/LCaCO3	EPA-310.2
7/10/2012 9:30	Alkalinity		119.8	mg/LCaCO3	EPA-310.2
7/17/2012 10:10	Alkalinity		117.2	mg/LCaCO3	EPA-310.2
6/19/2012 9:35	As	<	0.31	ug/L	EPA-200.7
6/26/2012 10:25	As	<	0.31	ug/L	EPA-200.7
7/2/2012 9:55	As	<	0.31	ug/L	EPA-200.7
7/10/2012 9:30	As	<	0.31	ug/L	EPA-200.7
7/17/2012 10:10	As	j	0.56	ug/L	EPA-200.7
6/19/2012 9:35	Ba		24.5	ug/L	EPA-200.7
6/26/2012 10:25	Ba		28.8	ug/L	EPA-200.7
7/2/2012 9:55	Ba		28.9	ug/L	EPA-200.7
7/10/2012 9:30	Ba		27.85	ug/L	EPA-200.7
7/17/2012 10:10	Ba		35.1	ug/L	EPA-200.7
6/19/2012 9:35	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 10:25	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 9:55	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 9:30	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 10:10	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 9:35	BOD	<	2	mg/L	SM 5210
6/26/2012 10:25	BOD	<	2	mg/L	SM 5210
7/2/2012 9:55	BOD		4.1	mg/L	SM 5210
7/10/2012 9:30	BOD	<	2	mg/L	SM 5210
7/17/2012 10:10	BOD	<	2	mg/L	SM 5210
6/19/2012 9:35	Ca		44750	ug/L	EPA-200.7
6/26/2012 10:25	Ca		52760	ug/L	EPA-200.7
7/2/2012 9:55	Ca		53010	ug/L	EPA-200.7
7/10/2012 9:30	Ca		51280	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:10	Ca		54300	ug/L	EPA-200.7
6/19/2012 9:35	CaCO3		160	mg/LCaCO3	EPA-200.7
6/26/2012 10:25	CaCO3		195	mg/LCaCO3	EPA-200.7
7/2/2012 9:55	CaCO3		188	mg/LCaCO3	EPA-200.7
7/10/2012 9:30	CaCO3		184	mg/LCaCO3	EPA-200.7
7/17/2012 10:10	CaCO3		199	mg/LCaCO3	EPA-200.7
6/19/2012 9:35	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 10:25	Cd	<	0.02	ug/L	EPA-200.7
7/2/2012 9:55	Cd	j	0.02	ug/L	EPA-200.7
7/10/2012 9:30	Cd	j	0.02	ug/L	EPA-200.7
7/17/2012 10:10	Cd	j	0.03	ug/L	EPA-200.7
6/19/2012 9:35	Chloride		174	mg/L	EPA 300.0
6/26/2012 10:25	Chloride		196.1	mg/L	EPA 300.0
7/2/2012 9:55	Chloride		183.3	mg/L	EPA 300.0
7/10/2012 9:30	Chloride		166.7	mg/L	EPA 300.0
7/17/2012 10:10	Chloride		247.1	mg/L	EPA 300.0
6/19/2012 9:35	Co	j	0.27	ug/L	EPA-200.7
6/26/2012 10:25	Co	j	0.28	ug/L	EPA-200.7
7/2/2012 9:55	Co	j	0.34	ug/L	EPA-200.7
7/10/2012 9:30	Co	j	0.305	ug/L	EPA-200.7
7/17/2012 10:10	Co	j	0.33	ug/L	EPA-200.7
6/19/2012 9:35	COD	j	8.4	mg/L	EPA 410.4
6/26/2012 10:25	COD	<	3.6	mg/L	EPA 410.4
7/2/2012 9:55	COD		15.6	mg/L	EPA 410.4
7/10/2012 9:30	COD	<	4.25	mg/L	EPA 410.4
7/17/2012 10:10	COD		10.4	mg/L	EPA 410.4
7/2/2012 9:55	Cr	j	0.27	ug/L	EPA-200.7
7/10/2012 9:30	Cr	<	0.25	ug/L	EPA-200.7
7/2/2012 9:55	Cr+6	j	1.117	ug/L	SM 3500-Cr-D
7/10/2012 9:30	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/19/2012 9:35	Cu		2.96	ug/L	EPA-200.7
6/26/2012 10:25	Cu		1.87	ug/L	EPA-200.7
7/2/2012 9:55	Cu		3.77	ug/L	EPA-200.7
7/10/2012 9:30	Cu		2.86	ug/L	EPA-200.7
7/17/2012 10:10	Cu		2.73	ug/L	EPA-200.7
6/19/2012 9:35	DRPhos		0.018	mg/L	EPA 365.1
6/26/2012 10:25	DRPhos	j	0.008	mg/L	EPA 365.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 9:55	DRPhos		0.015	mg/L	EPA 365.1
7/10/2012 9:30	DRPhos		0.012	mg/L	EPA 365.1
7/17/2012 10:10	DRPhos	j	0.008	mg/L	EPA 365.1
6/19/2012 9:35	E. coli		1033	cfu/100mL	EPA 1603
6/26/2012 10:25	E. coli		270	cfu/100mL	EPA 1603
7/2/2012 9:55	E. coli		4000	cfu/100mL	EPA 1603
7/10/2012 9:30	E. coli		187.5	cfu/100mL	EPA 1603
7/17/2012 10:10	E. coli		300	cfu/100mL	EPA 1603
6/19/2012 9:35	Fe		78.33	ug/L	EPA-200.7
6/26/2012 10:25	Fe		78.68	ug/L	EPA-200.7
7/2/2012 9:55	Fe		127.1	ug/L	EPA-200.7
7/10/2012 9:30	Fe		99.15	ug/L	EPA-200.7
7/17/2012 10:10	Fe		253.3	ug/L	EPA-200.7
6/19/2012 9:35	Field Cond		823	uS/cm	SM 2510A
6/26/2012 10:25	Field Cond		836	uS/cm	SM 2510A
7/2/2012 9:55	Field Cond		858	uS/cm	SM 2510A
7/10/2012 9:30	Field Cond		846	uS/cm	SM 2510A
7/17/2012 10:10	Field Cond		1147	uS/cm	SM 2510A
6/19/2012 9:35	Field DO		8.51	mg/L	SM 4500-0 G
6/26/2012 10:25	Field DO		10.35	mg/L	SM 4500-0 G
7/2/2012 9:55	Field DO		9.74	mg/L	SM 4500-0 G
7/10/2012 9:30	Field DO		7.84	mg/L	SM 4500-0 G
7/17/2012 10:10	Field DO		8.99	mg/L	SM 4500-0 G
6/19/2012 9:35	Field Temp		21.7	C	EPA 170.1
6/26/2012 10:25	Field Temp		19.6	C	EPA 170.1
7/2/2012 9:55	Field Temp		22.3	C	EPA 170.1
7/10/2012 9:30	Field Temp		22.3	C	EPA 170.1
7/17/2012 10:10	Field Temp		24.9	C	EPA 170.1
6/19/2012 9:35	Hg	<	0.005	ug/L	EPA 245.1
6/26/2012 10:25	Hg	<	0.005	ug/L	EPA 245.1
7/2/2012 9:55	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 9:30	Hg	j	0.0145	ug/L	EPA 245.1
7/17/2012 10:10	Hg	j	0.005	ug/L	EPA 245.1
6/19/2012 9:35	K		4296	ug/L	EPA-200.7
6/26/2012 10:25	K		4867	ug/L	EPA-200.7
7/2/2012 9:55	K		4774	ug/L	EPA-200.7
7/10/2012 9:30	K		4686	ug/L	EPA-200.7
7/17/2012 10:10	K		5099	ug/L	EPA-200.7

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:35	Mg		11630	ug/L	EPA-200.7
6/26/2012 10:25	Mg		15320	ug/L	EPA-200.7
7/2/2012 9:55	Mg		13610	ug/L	EPA-200.7
7/10/2012 9:30	Mg		13605	ug/L	EPA-200.7
7/17/2012 10:10	Mg		15310	ug/L	EPA-200.7
6/19/2012 9:35	Mn		14.42	ug/L	EPA-200.7
6/26/2012 10:25	Mn		14.71	ug/L	EPA-200.7
7/2/2012 9:55	Mn		23.52	ug/L	EPA-200.7
7/10/2012 9:30	Mn		24.075	ug/L	EPA-200.7
7/17/2012 10:10	Mn		28.75	ug/L	EPA-200.7
6/19/2012 9:35	Mo		3.98	ug/L	EPA-200.7
6/26/2012 10:25	Mo		4.63	ug/L	EPA-200.7
7/2/2012 9:55	Mo		4.98	ug/L	EPA-200.7
7/10/2012 9:30	Mo		4.945	ug/L	EPA-200.7
7/17/2012 10:10	Mo		4.42	ug/L	EPA-200.7
6/19/2012 9:35	Na		98880	ug/L	EPA-200.7
6/26/2012 10:25	Na		106500	ug/L	EPA-200.7
7/2/2012 9:55	Na		97530	ug/L	EPA-200.7
7/10/2012 9:30	Na		90775	ug/L	EPA-200.7
7/17/2012 10:10	Na		130800	ug/L	EPA-200.7
6/19/2012 9:35	NH3		0.036	mg/L	EPA-350.1
6/26/2012 10:25	NH3	j	0.01	mg/L	EPA-350.1
7/2/2012 9:55	NH3		0.028	mg/L	EPA-350.1
7/10/2012 9:30	NH3	j	0.011	mg/L	EPA-350.1
7/17/2012 10:10	NH3		0.054	mg/L	EPA-350.1
6/19/2012 9:35	Ni	j	1.97	ug/L	EPA-200.7
6/26/2012 10:25	Ni		2.04	ug/L	EPA-200.7
7/2/2012 9:55	Ni		2.38	ug/L	EPA-200.7
7/10/2012 9:30	Ni		1.94	ug/L	EPA-200.7
7/17/2012 10:10	Ni	j	1.84	ug/L	EPA-200.7
6/19/2012 9:35	NO2	j	0.006	mg/L	SM 4500-NO2-B
6/26/2012 10:25	NO2	j	0.005	mg/L	SM 4500-NO2-B
7/2/2012 9:55	NO2		0.023	mg/L	SM 4500-NO2-B
7/10/2012 9:30	NO2	j	0.006	mg/L	SM 4500-NO2-B
7/17/2012 10:10	NO2	j	0.003	mg/L	SM 4500-NO2-B
6/19/2012 9:35	NO3		0.254	mg/L	EPA 353.2
6/26/2012 10:25	NO3		0.021	mg/L	EPA 353.2
7/2/2012 9:55	NO3		0.786	mg/L	EPA 353.2
7/10/2012 9:30	NO3		0.038	mg/L	EPA 353.2

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:10	NO3		0.045	mg/L	EPA 353.2
6/19/2012 9:35	NO3+NO2		0.261	mg/L	EPA 353.2
6/26/2012 10:25	NO3+NO2		0.026	mg/L	EPA 353.2
7/2/2012 9:55	NO3+NO2		0.808	mg/L	EPA 353.2
7/10/2012 9:30	NO3+NO2		0.044	mg/L	EPA 353.2
7/17/2012 10:10	NO3+NO2		0.049	mg/L	EPA 353.2
6/19/2012 9:35	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 10:25	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 9:55	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 9:30	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 10:10	Pb	<	0.39	ug/L	EPA-200.7
6/19/2012 9:35	pH		8.03	S.U.	
6/26/2012 10:25	pH		8.24	S.U.	
7/2/2012 9:55	pH		7.96	S.U.	
7/10/2012 9:30	pH		8.06	S.U.	
7/17/2012 10:10	pH		8.06	S.U.	
6/19/2012 9:35	Sb	<	0.61	ug/L	EPA-200.7
6/26/2012 10:25	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 9:55	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 9:30	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 10:10	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 9:35	Se	j	1.06	ug/L	EPA-200.7
6/26/2012 10:25	Se	j	0.645	ug/L	EPA-200.7
7/2/2012 9:55	Se	j	0.65	ug/L	EPA-200.7
7/10/2012 9:30	Se	<	0.63	ug/L	EPA-200.7
7/17/2012 10:10	Se	<	0.63	ug/L	EPA-200.7
6/19/2012 9:35	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 10:25	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 9:55	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 9:30	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 10:10	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 9:35	SO4		55.7	mg/L	EPA 300.0
6/26/2012 10:25	SO4		76.28	mg/L	EPA 300.0
7/2/2012 9:55	SO4		62.2	mg/L	EPA 300.0
7/10/2012 9:30	SO4		69.9	mg/L	EPA 300.0
7/17/2012 10:10	SO4		67.82	mg/L	EPA 300.0
6/19/2012 9:35	TDS		488	mg/L	SM2540C
6/26/2012 10:25	TDS		562	mg/L	SM2540C

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 9:55	TDS		518	mg/L	SM2540C
7/10/2012 9:30	TDS		506	mg/L	SM2540C
7/17/2012 10:10	TDS		608	mg/L	SM2540C
6/19/2012 9:35	Ti	j	0.3	ug/L	EPA-200.7
6/26/2012 10:25	Ti	<	0.22	ug/L	EPA-200.7
7/2/2012 9:55	Ti	j	0.49	ug/L	EPA-200.7
7/10/2012 9:30	Ti	<	0.225	ug/L	EPA-200.7
7/17/2012 10:10	Ti	<	0.22	ug/L	EPA-200.7
6/19/2012 9:35	TI	<	1.11	ug/L	EPA-200.7
6/26/2012 10:25	TI	<	1.11	ug/L	EPA-200.7
7/2/2012 9:55	TI	j	1.25	ug/L	EPA-200.7
7/10/2012 9:30	TI	j	1.16	ug/L	EPA-200.7
7/17/2012 10:10	TI	j	1.56	ug/L	EPA-200.7
6/19/2012 9:35	TMET	<	10	ug/L	EPA-200.7
6/26/2012 10:25	TMET	<	10	ug/L	EPA-200.7
7/2/2012 9:55	TMET		12.2	ug/L	EPA-200.7
7/10/2012 9:30	TMET		10.65	ug/L	EPA-200.7
7/17/2012 10:10	TMET		10.5	ug/L	EPA-200.7
6/19/2012 9:35	Total-P		0.031	mg/L	EPA 365.1
6/26/2012 10:25	Total-P		0.02	mg/L	EPA 365.1
7/2/2012 9:55	Total-P		0.043	mg/L	EPA 365.1
7/10/2012 9:30	Total-P		0.0215	mg/L	EPA 365.1
7/17/2012 10:10	Total-P		0.024	mg/L	EPA 365.1
6/19/2012 9:35	TS		510	mg/L	SM2540B
6/26/2012 10:25	TS		572	mg/L	SM2540B
7/2/2012 9:55	TS		564	mg/L	SM2540B
7/10/2012 9:30	TS		529	mg/L	SM2540B
7/17/2012 10:10	TS		704	mg/L	SM2540B
6/19/2012 9:35	TSS		1.4	mg/L	SM2540D
6/26/2012 10:25	TSS		1.8	mg/L	SM2540D
7/2/2012 9:55	TSS		3.2	mg/L	SM2540D
7/10/2012 9:30	TSS		1.35	mg/L	SM2540D
7/17/2012 10:10	TSS		4.5	mg/L	SM2540D
6/19/2012 9:35	Turbidity		1.5	NTU	EPA 180.1
6/26/2012 10:25	Turbidity		3.51	NTU	EPA 180.1
7/2/2012 9:55	Turbidity		3.66	NTU	EPA 180.1
7/10/2012 9:30	Turbidity		2.65	NTU	EPA 180.1
7/17/2012 10:10	Turbidity		1.53	NTU	EPA 180.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:35	V	<	0.15	ug/L	EPA-200.7
6/26/2012 10:25	V	<	0.15	ug/L	EPA-200.7
7/2/2012 9:55	V	j	0.28	ug/L	EPA-200.7
7/10/2012 9:30	V	j	0.155	ug/L	EPA-200.7
7/17/2012 10:10	V	<	0.15	ug/L	EPA-200.7
6/19/2012 9:35	Zn	<	1.62	ug/L	EPA-200.7
6/26/2012 10:25	Zn	j	6.03	ug/L	EPA-200.7
7/2/2012 9:55	Zn	j	5.75	ug/L	EPA-200.7
7/10/2012 9:30	Zn	j	5.035	ug/L	EPA-200.7
7/17/2012 10:10	Zn	j	5.94	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 9:55	Ag	<	0.12	ug/L	EPA-200.7
6/26/2012 10:05	Ag	<	0.12	ug/L	EPA-200.7
7/2/2012 9:30	Ag	<	0.12	ug/L	EPA-200.7
7/10/2012 9:55	Ag	<	0.12	ug/L	EPA-200.7
7/17/2012 10:33	Ag	<	0.12	ug/L	EPA-200.7
7/24/2012 10:35	Ag	<	0.12	ug/L	EPA-200.7
6/19/2012 9:55	Al		33.16	ug/L	EPA-200.7
6/26/2012 10:05	Al		60.72	ug/L	EPA-200.7
7/2/2012 9:30	Al		39.1	ug/L	EPA-200.7
7/10/2012 9:55	Al		34.52	ug/L	EPA-200.7
7/17/2012 10:33	Al		38.38	ug/L	EPA-200.7
7/24/2012 10:35	Al		164.6	ug/L	EPA-200.7
6/19/2012 9:55	Alkalinity		115.2	mg/LCaCO3	EPA-310.2
6/26/2012 10:05	Alkalinity		122	mg/LCaCO3	EPA-310.2
7/2/2012 9:30	Alkalinity		104.7	mg/LCaCO3	EPA-310.2
7/10/2012 9:55	Alkalinity		120.7	mg/LCaCO3	EPA-310.2
7/17/2012 10:33	Alkalinity		119	mg/LCaCO3	EPA-310.2
7/24/2012 10:35	Alkalinity		119.45	mg/LCaCO3	EPA-310.2
6/19/2012 9:55	As	<	0.31	ug/L	EPA-200.7
6/26/2012 10:05	As	<	0.31	ug/L	EPA-200.7
7/2/2012 9:30	As	<	0.31	ug/L	EPA-200.7
7/10/2012 9:55	As	<	0.31	ug/L	EPA-200.7
7/17/2012 10:33	As	j	0.81	ug/L	EPA-200.7
7/24/2012 10:35	As		1.645	ug/L	EPA-200.7
6/19/2012 9:55	Ba		25.4	ug/L	EPA-200.7
6/26/2012 10:05	Ba		30.2	ug/L	EPA-200.7
7/2/2012 9:30	Ba		29.9	ug/L	EPA-200.7
7/10/2012 9:55	Ba		30.8	ug/L	EPA-200.7
7/17/2012 10:33	Ba		41.2	ug/L	EPA-200.7
7/24/2012 10:35	Ba		35.555	ug/L	EPA-200.7
6/19/2012 9:55	Be	<	0.12	ug/L	EPA-200.7
6/26/2012 10:05	Be	<	0.12	ug/L	EPA-200.7
7/2/2012 9:30	Be	<	0.12	ug/L	EPA-200.7
7/10/2012 9:55	Be	<	0.12	ug/L	EPA-200.7
7/17/2012 10:33	Be	<	0.12	ug/L	EPA-200.7
7/24/2012 10:35	Be	<	0.12	ug/L	EPA-200.7
6/19/2012 9:55	BOD	<	2	mg/L	SM 5210
6/26/2012 10:05	BOD	<	2	mg/L	SM 5210
7/2/2012 9:30	BOD		5.3	mg/L	SM 5210
7/10/2012 9:55	BOD	<	2	mg/L	SM 5210

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:33	BOD	<	2	mg/L	SM 5210
7/24/2012 10:35	BOD	<	2	mg/L	SM 5210
6/19/2012 9:55	Ca		46750	ug/L	EPA-200.7
6/26/2012 10:05	Ca		55990	ug/L	EPA-200.7
7/2/2012 9:30	Ca		53410	ug/L	EPA-200.7
7/10/2012 9:55	Ca		53760	ug/L	EPA-200.7
7/17/2012 10:33	Ca		63010	ug/L	EPA-200.7
7/24/2012 10:35	Ca		56585	ug/L	EPA-200.7
6/19/2012 9:55	CaCO3		167	mg/LCaCO3	EPA-200.7
6/26/2012 10:05	CaCO3		202	mg/LCaCO3	EPA-200.7
7/2/2012 9:30	CaCO3		189	mg/LCaCO3	EPA-200.7
7/10/2012 9:55	CaCO3		194	mg/LCaCO3	EPA-200.7
7/17/2012 10:33	CaCO3		226	mg/LCaCO3	EPA-200.7
7/24/2012 10:35	CaCO3		201	mg/LCaCO3	EPA-200.7
6/19/2012 9:55	Cd	<	0.02	ug/L	EPA-200.7
6/26/2012 10:05	Cd	j	0.06	ug/L	EPA-200.7
7/2/2012 9:30	Cd	j	0.04	ug/L	EPA-200.7
7/10/2012 9:55	Cd	<	0.02	ug/L	EPA-200.7
7/17/2012 10:33	Cd	<	0.02	ug/L	EPA-200.7
7/24/2012 10:35	Cd	<	0.02	ug/L	EPA-200.7
6/19/2012 9:55	Chloride		176.4	mg/L	EPA 300.0
6/26/2012 10:05	Chloride		193.6	mg/L	EPA 300.0
7/2/2012 9:30	Chloride		197.9	mg/L	EPA 300.0
7/10/2012 9:55	Chloride		185.3	mg/L	EPA 300.0
7/17/2012 10:33	Chloride		239.9	mg/L	EPA 300.0
7/24/2012 10:35	Chloride		210.35	mg/L	EPA 300.0
6/19/2012 9:55	Co	j	0.235	ug/L	EPA-200.7
6/26/2012 10:05	Co	j	0.3	ug/L	EPA-200.7
7/2/2012 9:30	Co	j	0.28	ug/L	EPA-200.7
7/10/2012 9:55	Co	j	0.3	ug/L	EPA-200.7
7/17/2012 10:33	Co	j	0.29	ug/L	EPA-200.7
7/24/2012 10:35	Co	j	0.575	ug/L	EPA-200.7
6/19/2012 9:55	COD		10.4	mg/L	EPA 410.4
6/26/2012 10:05	COD	j	5.1	mg/L	EPA 410.4
7/2/2012 9:30	COD		16.4	mg/L	EPA 410.4
7/10/2012 9:55	COD	<	3.6	mg/L	EPA 410.4
7/17/2012 10:33	COD		13.4	mg/L	EPA 410.4
7/24/2012 10:35	COD		11.9	mg/L	EPA 410.4
7/2/2012 9:30	Cr	j	0.32	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 9:55	Cr	<	0.25	ug/L	EPA-200.7
7/24/2012 10:35	Cr	j	0.4	ug/L	EPA-200.7
7/2/2012 9:30	Cr+6	j	1.126	ug/L	SM 3500-Cr-D
7/10/2012 9:55	Cr+6	<	1	ug/L	SM 3500-Cr-D
7/24/2012 10:35	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/19/2012 9:55	Cu		2.97	ug/L	EPA-200.7
6/26/2012 10:05	Cu		2.86	ug/L	EPA-200.7
7/2/2012 9:30	Cu		3.31	ug/L	EPA-200.7
7/10/2012 9:55	Cu		2.98	ug/L	EPA-200.7
7/17/2012 10:33	Cu		2.88	ug/L	EPA-200.7
7/24/2012 10:35	Cu		2.965	ug/L	EPA-200.7
6/19/2012 9:55	DRPhos		0.014	mg/L	EPA 365.1
6/26/2012 10:05	DRPhos	j	0.009	mg/L	EPA 365.1
7/2/2012 9:30	DRPhos		0.014	mg/L	EPA 365.1
7/10/2012 9:55	DRPhos		0.011	mg/L	EPA 365.1
7/17/2012 10:33	DRPhos	j	0.007	mg/L	EPA 365.1
7/24/2012 10:35	DRPhos		0.014	mg/L	EPA 365.1
6/19/2012 9:55	E. coli		1284	cfu/100mL	EPA 1603
6/26/2012 10:05	E. coli		190	cfu/100mL	EPA 1603
7/2/2012 9:30	E. coli	EC	6800	cfu/100mL	EPA 1603
7/10/2012 9:55	E. coli		548	cfu/100mL	EPA 1603
7/17/2012 10:33	E. coli		334	cfu/100mL	EPA 1603
7/24/2012 10:35	E. coli		783.5	cfu/100mL	EPA 1603
6/19/2012 9:55	Fe		94.83	ug/L	EPA-200.7
6/26/2012 10:05	Fe		128.2	ug/L	EPA-200.7
7/2/2012 9:30	Fe		107.3	ug/L	EPA-200.7
7/10/2012 9:55	Fe		160.5	ug/L	EPA-200.7
7/17/2012 10:33	Fe		172.4	ug/L	EPA-200.7
6/19/2012 9:55	Field Cond		844	uS/cm	SM 2510A
6/26/2012 10:05	Field Cond		837	uS/cm	SM 2510A
7/2/2012 9:30	Field Cond		895	uS/cm	SM 2510A
7/10/2012 9:55	Field Cond		922	uS/cm	SM 2510A
7/17/2012 10:33	Field Cond		1251	uS/cm	SM 2510A
7/24/2012 10:35	Field Cond		1032	uS/cm	SM 2510A
6/19/2012 9:55	Field DO		10.36	mg/L	SM 4500-0 G
6/26/2012 10:05	Field DO		9.47	mg/L	SM 4500-0 G
7/2/2012 9:30	Field DO		9.1	mg/L	SM 4500-0 G
7/10/2012 9:55	Field DO		7.69	mg/L	SM 4500-0 G
7/17/2012 10:33	Field DO		9.68	mg/L	SM 4500-0 G

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/24/2012 10:35	Field DO		8.39	mg/L	SM 4500-0 G
6/19/2012 9:55	Field Temp		22.5	C	EPA 170.1
6/26/2012 10:05	Field Temp		19.7	C	EPA 170.1
7/2/2012 9:30	Field Temp		22.6	C	EPA 170.1
7/10/2012 9:55	Field Temp		23.4	C	EPA 170.1
7/17/2012 10:33	Field Temp		26	C	EPA 170.1
7/24/2012 10:35	Field Temp		26.1	C	EPA 170.1
6/19/2012 9:55	Hg	j	0.01	ug/L	EPA 245.1
6/26/2012 10:05	Hg	<	0.005	ug/L	EPA 245.1
7/2/2012 9:30	Hg	<	0.005	ug/L	EPA 245.1
7/10/2012 9:55	Hg	j	0.014	ug/L	EPA 245.1
7/17/2012 10:33	Hg	j	0.005	ug/L	EPA 245.1
7/24/2012 10:35	Hg	<	0.005	ug/L	EPA 245.1
6/19/2012 9:55	K		4384	ug/L	EPA-200.7
6/26/2012 10:05	K		4911	ug/L	EPA-200.7
7/2/2012 9:30	K		4830	ug/L	EPA-200.7
7/10/2012 9:55	K		4959	ug/L	EPA-200.7
7/17/2012 10:33	K		5521	ug/L	EPA-200.7
7/24/2012 10:35	K		5190	ug/L	EPA-200.7
6/19/2012 9:55	Mg		12100	ug/L	EPA-200.7
6/26/2012 10:05	Mg		15160	ug/L	EPA-200.7
7/2/2012 9:30	Mg		13500	ug/L	EPA-200.7
7/10/2012 9:55	Mg		14560	ug/L	EPA-200.7
7/17/2012 10:33	Mg		16820	ug/L	EPA-200.7
7/24/2012 10:35	Mg		14565	ug/L	EPA-200.7
6/19/2012 9:55	Mn		23.6	ug/L	EPA-200.7
6/26/2012 10:05	Mn		47.22	ug/L	EPA-200.7
7/2/2012 9:30	Mn		27.16	ug/L	EPA-200.7
7/10/2012 9:55	Mn		38.04	ug/L	EPA-200.7
7/17/2012 10:33	Mn		45.57	ug/L	EPA-200.7
6/19/2012 9:55	Mo		4.695	ug/L	EPA-200.7
6/26/2012 10:05	Mo		5.97	ug/L	EPA-200.7
7/2/2012 9:30	Mo		5.63	ug/L	EPA-200.7
7/10/2012 9:55	Mo		6.1	ug/L	EPA-200.7
7/17/2012 10:33	Mo		6.31	ug/L	EPA-200.7
7/24/2012 10:35	Mo		6.235	ug/L	EPA-200.7
6/19/2012 9:55	Na		99050	ug/L	EPA-200.7
6/26/2012 10:05	Na		110600	ug/L	EPA-200.7
7/2/2012 9:30	Na		100700	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/10/2012 9:55	Na		98910	ug/L	EPA-200.7
7/17/2012 10:33	Na		147300	ug/L	EPA-200.7
6/19/2012 9:55	NH3		0.034	mg/L	EPA-350.1
6/26/2012 10:05	NH3		0.038	mg/L	EPA-350.1
7/2/2012 9:30	NH3		0.044	mg/L	EPA-350.1
7/10/2012 9:55	NH3		0.027	mg/L	EPA-350.1
7/17/2012 10:33	NH3		0.067	mg/L	EPA-350.1
6/19/2012 9:55	Ni	j	1.845	ug/L	EPA-200.7
6/26/2012 10:05	Ni		2.74	ug/L	EPA-200.7
7/2/2012 9:30	Ni		2.37	ug/L	EPA-200.7
7/10/2012 9:55	Ni		2	ug/L	EPA-200.7
7/17/2012 10:33	Ni	j	1.65	ug/L	EPA-200.7
7/24/2012 10:35	Ni		2.155	ug/L	EPA-200.7
6/19/2012 9:55	NO2	j	0.008	mg/L	SM 4500-NO2-B
6/26/2012 10:05	NO2	<	0.003	mg/L	SM 4500-NO2-B
7/2/2012 9:30	NO2		0.03	mg/L	SM 4500-NO2-B
7/10/2012 9:55	NO2	j	0.006	mg/L	SM 4500-NO2-B
7/17/2012 10:33	NO2	<	0.003	mg/L	SM 4500-NO2-B
7/24/2012 10:35	NO2	j	0.004	mg/L	SM 4500-NO2-B
6/19/2012 9:55	NO3		0.209	mg/L	EPA 353.2
6/26/2012 10:05	NO3	j	0.011	mg/L	EPA 353.2
7/2/2012 9:30	NO3		0.826	mg/L	EPA 353.2
7/10/2012 9:55	NO3	j	0.015	mg/L	EPA 353.2
7/17/2012 10:33	NO3		0.028	mg/L	EPA 353.2
6/19/2012 9:55	NO3+NO2		0.216	mg/L	EPA 353.2
6/26/2012 10:05	NO3+NO2	j	0.013	mg/L	EPA 353.2
7/2/2012 9:30	NO3+NO2		0.856	mg/L	EPA 353.2
7/10/2012 9:55	NO3+NO2		0.021	mg/L	EPA 353.2
7/17/2012 10:33	NO3+NO2		0.029	mg/L	EPA 353.2
6/19/2012 9:55	Pb	<	0.39	ug/L	EPA-200.7
6/26/2012 10:05	Pb	<	0.39	ug/L	EPA-200.7
7/2/2012 9:30	Pb	<	0.39	ug/L	EPA-200.7
7/10/2012 9:55	Pb	<	0.39	ug/L	EPA-200.7
7/17/2012 10:33	Pb	<	0.39	ug/L	EPA-200.7
7/24/2012 10:35	Pb	j	0.83	ug/L	EPA-200.7
6/19/2012 9:55	pH		8.14	S.U.	
6/26/2012 10:05	pH		8.18	S.U.	
7/2/2012 9:30	pH		7.9	S.U.	
7/10/2012 9:55	pH		8.05	S.U.	

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/17/2012 10:33	pH		8.19	S.U.	
7/24/2012 10:35	pH		8.07	S.U.	
6/19/2012 9:55	Sb	<	0.61	ug/L	EPA-200.7
6/26/2012 10:05	Sb	<	0.61	ug/L	EPA-200.7
7/2/2012 9:30	Sb	<	0.61	ug/L	EPA-200.7
7/10/2012 9:55	Sb	<	0.61	ug/L	EPA-200.7
7/17/2012 10:33	Sb	<	0.61	ug/L	EPA-200.7
7/24/2012 10:35	Sb	<	0.61	ug/L	EPA-200.7
6/19/2012 9:55	Se	j	0.88	ug/L	EPA-200.7
6/26/2012 10:05	Se	j	0.8	ug/L	EPA-200.7
7/2/2012 9:30	Se	j	0.71	ug/L	EPA-200.7
7/10/2012 9:55	Se	<	0.63	ug/L	EPA-200.7
7/17/2012 10:33	Se	<	0.63	ug/L	EPA-200.7
7/24/2012 10:35	Se	j	0.95	ug/L	EPA-200.7
6/19/2012 9:55	Sn	<	18.4	ug/L	EPA-200.7
6/26/2012 10:05	Sn	<	18.4	ug/L	EPA-200.7
7/2/2012 9:30	Sn	<	18.4	ug/L	EPA-200.7
7/10/2012 9:55	Sn	<	18.4	ug/L	EPA-200.7
7/17/2012 10:33	Sn	<	18.4	ug/L	EPA-200.7
7/24/2012 10:35	Sn	<	18.4	ug/L	EPA-200.7
6/19/2012 9:55	SO4		58.66	mg/L	EPA 300.0
6/26/2012 10:05	SO4		76.84	mg/L	EPA 300.0
7/2/2012 9:30	SO4		65.39	mg/L	EPA 300.0
7/10/2012 9:55	SO4		71.02	mg/L	EPA 300.0
7/17/2012 10:33	SO4		70.24	mg/L	EPA 300.0
7/24/2012 10:35	SO4		65.57	mg/L	EPA 300.0
6/19/2012 9:55	TDS		494	mg/L	SM2540C
6/26/2012 10:05	TDS		564	mg/L	SM2540C
7/2/2012 9:30	TDS		538	mg/L	SM2540C
7/10/2012 9:55	TDS		522	mg/L	SM2540C
7/17/2012 10:33	TDS		674	mg/L	SM2540C
7/24/2012 10:35	TDS		585	mg/L	SM2540C
6/19/2012 9:55	Ti	j	0.355	ug/L	EPA-200.7
6/26/2012 10:05	Ti	j	0.72	ug/L	EPA-200.7
7/2/2012 9:30	Ti	j	0.55	ug/L	EPA-200.7
7/10/2012 9:55	Ti	j	0.36	ug/L	EPA-200.7
7/17/2012 10:33	Ti	<	0.22	ug/L	EPA-200.7
7/24/2012 10:35	Ti	j	1.825	ug/L	EPA-200.7
6/19/2012 9:55	TI	<	1.11	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2012 10:05	TI	j	1.15	ug/L	EPA-200.7
7/2/2012 9:30	TI	j	2.47	ug/L	EPA-200.7
7/10/2012 9:55	TI	j	1.73	ug/L	EPA-200.7
7/17/2012 10:33	TI	j	3.04	ug/L	EPA-200.7
7/24/2012 10:35	TI	j	1.28	ug/L	EPA-200.7
6/19/2012 9:55	TMET	<	10	ug/L	EPA-200.7
6/26/2012 10:05	TMET		12.2	ug/L	EPA-200.7
7/2/2012 9:30	TMET		13.8	ug/L	EPA-200.7
7/10/2012 9:55	TMET	<	10	ug/L	EPA-200.7
7/17/2012 10:33	TMET		11.1	ug/L	EPA-200.7
7/24/2012 10:35	TMET		11.9	ug/L	EPA-200.7
6/19/2012 9:55	Total-P		0.036	mg/L	EPA 365.1
6/26/2012 10:05	Total-P		0.022	mg/L	EPA 365.1
7/2/2012 9:30	Total-P		0.04	mg/L	EPA 365.1
7/10/2012 9:55	Total-P		0.026	mg/L	EPA 365.1
7/17/2012 10:33	Total-P		0.03	mg/L	EPA 365.1
6/19/2012 9:55	TS		508	mg/L	SM2540B
6/26/2012 10:05	TS		580	mg/L	SM2540B
7/2/2012 9:30	TS		588	mg/L	SM2540B
7/10/2012 9:55	TS		552	mg/L	SM2540B
7/17/2012 10:33	TS		770	mg/L	SM2540B
7/24/2012 10:35	TS		651	mg/L	SM2540B
6/19/2012 9:55	TSS		1.4	mg/L	SM2540D
6/26/2012 10:05	TSS		2.3	mg/L	SM2540D
7/2/2012 9:30	TSS		3.8	mg/L	SM2540D
7/10/2012 9:55	TSS		1.7	mg/L	SM2540D
7/17/2012 10:33	TSS		4	mg/L	SM2540D
6/19/2012 9:55	Turbidity		1.2	NTU	EPA 180.1
6/26/2012 10:05	Turbidity		2.41	NTU	EPA 180.1
7/2/2012 9:30	Turbidity		3.16	NTU	EPA 180.1
7/10/2012 9:55	Turbidity		3.67	NTU	EPA 180.1
7/17/2012 10:33	Turbidity		1.71	NTU	EPA 180.1
6/19/2012 9:55	V	j	0.21	ug/L	EPA-200.7
6/26/2012 10:05	V	<	0.15	ug/L	EPA-200.7
7/2/2012 9:30	V	j	0.37	ug/L	EPA-200.7
7/10/2012 9:55	V	j	0.18	ug/L	EPA-200.7
7/17/2012 10:33	V	<	0.15	ug/L	EPA-200.7
6/19/2012 9:55	Zn	<	1.62	ug/L	EPA-200.7
6/26/2012 10:05	Zn	j	6.19	ug/L	EPA-200.7

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2012 9:30	Zn	j	7.85	ug/L	EPA-200.7
7/10/2012 9:55	Zn	j	4.59	ug/L	EPA-200.7
7/17/2012 10:33	Zn	j	6.61	ug/L	EPA-200.7
7/24/2012 10:35	Zn	j	6.4	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count