Euclid Creek East Branch River Mile 2.80					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 12:21	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 11:10	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 11:13	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 10:08	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 9:32	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 12:21	Al		69.1	ug/L	EPA-200.8
6/24/2013 11:10	Al		186.2	ug/L	EPA-200.8
7/8/2013 10:08	Al		102.6	ug/L	EPA-200.8
7/15/2013 9:32	Al		49.21	ug/L	EPA-200.8
6/17/2013 12:21	Alkalinity		143	mg/LCaCO3	EPA-310.2
6/24/2013 11:10	Alkalinity		148	mg/LCaCO3	EPA-310.2
7/1/2013 11:13	Alkalinity		129.85	mg/LCaCO3	EPA-310.2
7/8/2013 10:08	Alkalinity		126.6	mg/LCaCO3	EPA-310.2
7/15/2013 9:32	Alkalinity		161	mg/LCaCO3	EPA-310.2
6/17/2013 12:21	As	j	1.486	ug/L	EPA-200.8
6/24/2013 11:10	As	j	1.971	ug/L	EPA-200.8
7/1/2013 11:13	As	j	1.535	ug/L	EPA-200.8
7/8/2013 10:08	As	j	1.755	ug/L	EPA-200.8
7/15/2013 9:32	As	j	1.597	ug/L	EPA-200.8
6/17/2013 12:21	Ba		25.74	ug/L	EPA-200.8
6/24/2013 11:10	Ba		28.45	ug/L	EPA-200.8
7/1/2013 11:13	Ba		23.61	ug/L	EPA-200.8
7/8/2013 10:08	Ba		22.71	ug/L	EPA-200.8
7/15/2013 9:32	Ba		26.92	ug/L	EPA-200.8
6/17/2013 12:21	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 11:10	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 11:13	Be	<	0.126	ug/L	EPA-200.8
7/8/2013 10:08	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 9:32	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 12:21	BOD	<	2	mg/L	SM 5210
7/1/2013 11:13	BOD	<	2	mg/L	SM 5210
7/8/2013 10:08	BOD	<	2	mg/L	SM 5210
7/15/2013 9:32	BOD	<	2	mg/L	SM 5210
6/17/2013 12:21	Ca		57980	ug/L	EPA-200.8
6/24/2013 11:10	Ca		62370	ug/L	EPA-200.8
7/1/2013 11:13	Ca		54430	ug/L	EPA-200.8
7/8/2013 10:08	Ca		51790	ug/L	EPA-200.8
7/15/2013 9:32	Ca		63670	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 2.80 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 12:21	CaCO3		205	mg/LCaCO3	EPA-200.8
6/24/2013 11:10	CaCO3		224	mg/LCaCO3	EPA-200.8
7/1/2013 11:13	CaCO3		192.5	mg/LCaCO3	EPA-200.8
7/8/2013 10:08	CaCO3		185	mg/LCaCO3	EPA-200.8
7/15/2013 9:32	CaCO3		224	mg/LCaCO3	EPA-200.8
6/17/2013 12:21	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 11:10	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 11:13	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 10:08	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 9:32	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 12:21	Chloride		210.3	mg/L	EPA 300.0
6/24/2013 11:10	Chloride		198.9	mg/L	EPA 300.0
7/1/2013 11:13	Chloride		156.65	mg/L	EPA 300.0
7/8/2013 10:08	Chloride		141.2	mg/L	EPA 300.0
7/15/2013 9:32	Chloride		160.2	mg/L	EPA 300.0
6/17/2013 12:21	Co	j	0.165	ug/L	EPA-200.8
6/24/2013 11:10	Co	j	0.309	ug/L	EPA-200.8
7/1/2013 11:13	Co	j	0.2085	ug/L	EPA-200.8
7/8/2013 10:08	Co	j	0.176	ug/L	EPA-200.8
7/15/2013 9:32	Co	j	0.151	ug/L	EPA-200.8
6/17/2013 12:21	COD		23	mg/L	EPA 410.4
7/1/2013 11:13	COD		45.85	mg/L	EPA 410.4
7/8/2013 10:08	COD		18.2	mg/L	EPA 410.4
7/15/2013 9:32	COD		15.9	mg/L	EPA 410.4
6/17/2013 12:21	Cr		1.131	ug/L	EPA-200.8
7/8/2013 10:08	Cr	j	0.633	ug/L	EPA-200.8
7/15/2013 9:32	Cr	j	0.485	ug/L	EPA-200.8
6/17/2013 12:21	Cu		2.983	ug/L	EPA-200.8
6/24/2013 11:10	Cu		3.058	ug/L	EPA-200.8
7/1/2013 11:13	Cu		2.3475	ug/L	EPA-200.8
7/8/2013 10:08	Cu		2.1	ug/L	EPA-200.8
7/15/2013 9:32	Cu		2.825	ug/L	EPA-200.8
6/17/2013 12:21	DRPhos		0.069	mg/L	EPA 365.1
6/24/2013 11:10	DRPhos		0.093	mg/L	EPA 365.1
7/1/2013 11:13	DRPhos		0.076	mg/L	EPA 365.1
7/8/2013 10:08	DRPhos		0.074	mg/L	EPA 365.1
7/15/2013 9:32	DRPhos		0.068	mg/L	EPA 365.1
6/17/2013 12:21	E. coli		350	cfu/100mL	EPA 1603

Euclid Creek East Branch River Mile 2.80 Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 11:10	E. coli	EC	470	cfu/100mL	EPA 1603
7/1/2013 11:13	E. coli		292.5	cfu/100mL	EPA 1603
7/8/2013 10:08	E. coli	EC	415	cfu/100mL	EPA 1603
7/15/2013 9:32	E. coli		185	cfu/100mL	EPA 1603
6/17/2013 12:21	Fe		258	ug/L	EPA-200.8
6/24/2013 11:10	Fe		427.1	ug/L	EPA-200.8
7/8/2013 10:08	Fe		298.1	ug/L	EPA-200.8
7/15/2013 9:32	Fe		219.7	ug/L	EPA-200.8
6/17/2013 12:21	Field Cond		941	umhos/cm	SM 2510A
6/24/2013 11:10	Field Cond		1004	umhos/cm	SM 2510A
7/1/2013 11:13	Field Cond		754	umhos/cm	SM 2510A
7/8/2013 10:08	Field Cond		781	umhos/cm	SM 2510A
7/15/2013 9:32	Field Cond		904	umhos/cm	SM 2510A
6/17/2013 12:21	Field DO		8.31	mg/L	SM 4500-0 G
6/24/2013 11:10	Field DO		8.01	mg/L	SM 4500-0 G
7/1/2013 11:13	Field DO		8.43	mg/L	SM 4500-0 G
7/8/2013 10:08	Field DO		8.47	mg/L	SM 4500-0 G
7/15/2013 9:32	Field DO		7.46	mg/L	SM 4500-0 G
6/17/2013 12:21	Field Temp		20.8	C	EPA 170.1
6/24/2013 11:10	Field Temp		22.9	C	EPA 170.1
7/1/2013 11:13	Field Temp		20.3	C	EPA 170.1
7/8/2013 10:08	Field Temp		21.7	C	EPA 170.1
7/15/2013 9:32	Field Temp		23.2	C	EPA 170.1
6/17/2013 12:21	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 11:10	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 11:13	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 10:08	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 9:32	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 12:21	K		3423	ug/L	EPA-200.8
6/24/2013 11:10	K		3492	ug/L	EPA-200.8
7/1/2013 11:13	K		3416	ug/L	EPA-200.8
7/8/2013 10:08	K		3307	ug/L	EPA-200.8
7/15/2013 9:32	K		4139	ug/L	EPA-200.8
6/17/2013 12:21	Mg		14590	ug/L	EPA-200.8
6/24/2013 11:10	Mg		16650	ug/L	EPA-200.8
7/1/2013 11:13	Mg		13735	ug/L	EPA-200.8
7/8/2013 10:08	Mg		13520	ug/L	EPA-200.8
7/15/2013 9:32	Mg		15780	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 2.80 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 12:21	Mn		39.69	ug/L	EPA-200.8
6/24/2013 11:10	Mn		59.68	ug/L	EPA-200.8
7/8/2013 10:08	Mn		31.77	ug/L	EPA-200.8
7/15/2013 9:32	Mn		21.86	ug/L	EPA-200.8
6/17/2013 12:21	Mo		2.58	ug/L	EPA-200.8
6/24/2013 11:10	Mo		2.945	ug/L	EPA-200.8
7/1/2013 11:13	Mo		2.3535	ug/L	EPA-200.8
7/8/2013 10:08	Mo		2.284	ug/L	EPA-200.8
7/15/2013 9:32	Mo		2.933	ug/L	EPA-200.8
6/17/2013 12:21	Na		124300	ug/L	EPA-200.8
6/24/2013 11:10	Na		120800	ug/L	EPA-200.8
7/1/2013 11:13	Na		109750	ug/L	EPA-200.8
7/8/2013 10:08	Na		95740	ug/L	EPA-200.8
7/15/2013 9:32	Na		104400	ug/L	EPA-200.8
6/17/2013 12:21	NH3		0.022	mg/L	EPA-350.1
6/24/2013 11:10	NH3		0.021	mg/L	EPA-350.1
7/1/2013 11:13	NH3		0.027	mg/L	EPA-350.1
7/8/2013 10:08	NH3		0.022	mg/L	EPA-350.1
7/15/2013 9:32	NH3		0.036	mg/L	EPA-350.1
6/17/2013 12:21	Ni	<	1.96	ug/L	EPA-200.8
6/24/2013 11:10	Ni	j	2.141	ug/L	EPA-200.8
7/1/2013 11:13	Ni	j	1.987	ug/L	EPA-200.8
7/8/2013 10:08	Ni	j	1.738	ug/L	EPA-200.8
7/15/2013 9:32	Ni	j	1.98	ug/L	EPA-200.8
6/17/2013 12:21	NO3-NO2		0.281	mg/L	EPA 353.2
6/24/2013 11:10	NO3-NO2		0.292	mg/L	EPA 353.2
7/1/2013 11:13	NO3-NO2		0.319	mg/L	EPA 353.2
7/8/2013 10:08	NO3-NO2		0.218	mg/L	EPA 353.2
7/15/2013 9:32	NO3-NO2		0.26	mg/L	EPA 353.2
6/17/2013 12:21	Pb	j	0.332	ug/L	EPA-200.8
6/24/2013 11:10	Pb	j	0.703	ug/L	EPA-200.8
7/1/2013 11:13	Pb	j	0.4655	ug/L	EPA-200.8
7/8/2013 10:08	Pb	j	0.541	ug/L	EPA-200.8
7/15/2013 9:32	Pb	j	0.176	ug/L	EPA-200.8
6/17/2013 12:21	pH		8.06	S.U.	
6/24/2013 11:10	pH		8.13	S.U.	
7/1/2013 11:13	pH		8.1	S.U.	
7/8/2013 10:08	pH		8.1	S.U.	
7/15/2013 9:32	pH		8.02	S.U.	

Euclid Creek East Branch
River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 12:21	Sb	j	0.28	ug/L	EPA-200.8
6/24/2013 11:10	Sb	j	0.274	ug/L	EPA-200.8
7/1/2013 11:13	Sb	j	0.285	ug/L	EPA-200.8
7/8/2013 10:08	Sb	j	0.256	ug/L	EPA-200.8
7/15/2013 9:32	Sb	<	0.09	ug/L	EPA-200.8
6/17/2013 12:21	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 11:10	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 11:13	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 10:08	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 9:32	Se	<	0.66	ug/L	EPA-200.8
6/17/2013 12:21	Sn	j	0.382	ug/L	EPA-200.8
6/24/2013 11:10	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 11:13	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 10:08	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 9:32	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 12:21	SO4		45.48	mg/L	EPA 300.0
6/24/2013 11:10	SO4		46.93	mg/L	EPA 300.0
7/1/2013 11:13	SO4		42.565	mg/L	EPA 300.0
7/8/2013 10:08	SO4		35.49	mg/L	EPA 300.0
7/15/2013 9:32	SO4		46.11	mg/L	EPA 300.0
6/17/2013 12:21	Sr		306.952	ug/L	EPA-200.8
6/24/2013 11:10	Sr		330.106	ug/L	EPA-200.8
7/1/2013 11:13	Sr		282.0725	ug/L	EPA-200.8
7/8/2013 10:08	Sr		270.439	ug/L	EPA-200.8
7/15/2013 9:32	Sr		321.903	ug/L	EPA-200.8
6/17/2013 12:21	TDS		556	mg/L	SM2540C
6/24/2013 11:10	TDS		580	mg/L	SM2540C
7/1/2013 11:13	TDS		464	mg/L	SM2540C
7/8/2013 10:08	TDS		454	mg/L	SM2540C
7/15/2013 9:32	TDS		545	mg/L	SM2540C
6/17/2013 12:21	Ti		35.52	ug/L	EPA-200.8
6/24/2013 11:10	Ti		40.29	ug/L	EPA-200.8
7/1/2013 11:13	Ti		31.985	ug/L	EPA-200.8
7/8/2013 10:08	Ti	j	1.778	ug/L	EPA-200.8
7/15/2013 9:32	Ti	j	0.949	ug/L	EPA-200.8
6/17/2013 12:21	TKN	j	0.486	mg/L	EPA-351.1
6/24/2013 11:10	TKN	j	0.337	mg/L	EPA-351.1
7/1/2013 11:13	TKN	<	0.371	mg/L	EPA-351.1

Euclid Creek East Branch River Mile 2.80 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 10:08	TKN	j	0.493	mg/L	EPA-351.1
7/15/2013 9:32	TKN	j	0.425	mg/L	EPA-351.1
6/17/2013 12:21	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 11:10	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 11:13	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 10:08	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 9:32	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 12:21	TMET	<	10	ug/L	EPA-200.8
6/24/2013 11:10	TMET		10.9	ug/L	EPA-200.8
7/1/2013 11:13	TMET	<	10	ug/L	EPA-200.8
7/8/2013 10:08	TMET	<	10	ug/L	EPA-200.8
7/15/2013 9:32	TMET	<	10	ug/L	EPA-200.8
6/17/2013 12:21	Total-P		0.104	mg/L	EPA 365.1
6/24/2013 11:10	Total-P		0.141	mg/L	EPA 365.1
7/1/2013 11:13	Total-P		0.0965	mg/L	EPA 365.1
7/8/2013 10:08	Total-P		0.095	mg/L	EPA 365.1
7/15/2013 9:32	Total-P		0.085	mg/L	EPA 365.1
6/17/2013 12:21	TS		532	mg/L	SM2540B
6/24/2013 11:10	TS		616	mg/L	SM2540B
7/1/2013 11:13	TS		498.5	mg/L	SM2540B
7/8/2013 10:08	TS		466	mg/L	SM2540B
7/15/2013 9:32	TS		582	mg/L	SM2540B
6/17/2013 12:21	TSS		6.9	mg/L	SM2540D
6/24/2013 11:10	TSS		10.5	mg/L	SM2540D
7/1/2013 11:13	TSS		3.5	mg/L	SM2540D
7/8/2013 10:08	TSS		12.1	mg/L	SM2540D
7/15/2013 9:32	TSS		3.8	mg/L	SM2540D
6/17/2013 12:21	Turbidity		3.74	NTU	EPA 180.1
6/24/2013 11:10	Turbidity		7.57	NTU	EPA 180.1
7/1/2013 11:13	Turbidity		3.87	NTU	EPA 180.1
7/8/2013 10:08	Turbidity		3.31	NTU	EPA 180.1
7/15/2013 9:32	Turbidity		2.33	NTU	EPA 180.1
6/17/2013 12:21	V	<	1.84	ug/L	EPA-200.8
6/24/2013 11:10	V	<	1.84	ug/L	EPA-200.8
7/1/2013 11:13	V	<	1.84	ug/L	EPA-200.8
7/8/2013 10:08	V	<	1.04	ug/L	EPA-200.8
7/15/2013 9:32	V	<	1.04	ug/L	EPA-200.8
6/17/2013 12:21	Zn	<	4.8	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 2.80					
Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 11:10	Zn	j	5.126	ug/L	EPA-200.8
7/1/2013 11:13	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 10:08	Zn	j	4.047	ug/L	EPA-200.8
7/15/2013 9:32	Zn	j	2.704	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 0.25 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:44	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 10:35	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 10:40	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 9:45	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 10:00	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 11:44	Al		64.39	ug/L	EPA-200.8
6/24/2013 10:35	Al		41.72	ug/L	EPA-200.8
7/1/2013 10:40	Al		29.38	ug/L	EPA-200.8
7/8/2013 9:45	Al		41.58	ug/L	EPA-200.8
7/15/2013 10:00	Al		42.75	ug/L	EPA-200.8
6/17/2013 11:44	Alkalinity		123.3	mg/LCaCO3	EPA-310.2
6/24/2013 10:35	Alkalinity		122.5	mg/LCaCO3	EPA-310.2
7/1/2013 10:40	Alkalinity		119.4	mg/LCaCO3	EPA-310.2
7/8/2013 9:45	Alkalinity		117.5	mg/LCaCO3	EPA-310.2
7/15/2013 10:00	Alkalinity		144	mg/LCaCO3	EPA-310.2
6/17/2013 11:44	As	j	1.305	ug/L	EPA-200.8
6/24/2013 10:35	As	j	1.225	ug/L	EPA-200.8
7/1/2013 10:40	As	j	1.175	ug/L	EPA-200.8
7/8/2013 9:45	As	j	1.346	ug/L	EPA-200.8
7/15/2013 10:00	As	j	1.141	ug/L	EPA-200.8
6/17/2013 11:44	Ba		23.97	ug/L	EPA-200.8
6/24/2013 10:35	Ba		23.41	ug/L	EPA-200.8
7/1/2013 10:40	Ba		21.26	ug/L	EPA-200.8
7/8/2013 9:45	Ba		20.05	ug/L	EPA-200.8
7/15/2013 10:00	Ba		24.62	ug/L	EPA-200.8
6/17/2013 11:44	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 10:35	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 10:40	Be	<	0.126	ug/L	EPA-200.8
7/8/2013 9:45	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 10:00	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 11:44	BOD	<	2	mg/L	SM 5210
7/1/2013 10:40	BOD	<	2	mg/L	SM 5210
7/8/2013 9:45	BOD	<	2	mg/L	SM 5210
7/15/2013 10:00	BOD	<	2	mg/L	SM 5210
6/17/2013 11:44	Ca		54650	ug/L	EPA-200.8
6/24/2013 10:35	Ca		52800	ug/L	EPA-200.8
7/1/2013 10:40	Ca		50780	ug/L	EPA-200.8
7/8/2013 9:45	Ca		45850	ug/L	EPA-200.8
7/15/2013 10:00	Ca		57740	ug/L	EPA-200.8

Euclid Creek East Branch
River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:44	CaCO3		193	mg/LCaCO3	EPA-200.8
6/24/2013 10:35	CaCO3		188	mg/LCaCO3	EPA-200.8
7/1/2013 10:40	CaCO3		179	mg/LCaCO3	EPA-200.8
7/8/2013 9:45	CaCO3		162	mg/LCaCO3	EPA-200.8
7/15/2013 10:00	CaCO3		203	mg/LCaCO3	EPA-200.8
6/17/2013 11:44	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 10:35	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 10:40	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 9:45	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 10:00	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 11:44	Chloride		158.5	mg/L	EPA 300.0
6/24/2013 10:35	Chloride		126	mg/L	EPA 300.0
7/1/2013 10:40	Chloride		125.4	mg/L	EPA 300.0
7/8/2013 9:45	Chloride		111.9	mg/L	EPA 300.0
7/15/2013 10:00	Chloride		122.2	mg/L	EPA 300.0
6/17/2013 11:44	Co	j	0.137	ug/L	EPA-200.8
6/24/2013 10:35	Co	<	0.134	ug/L	EPA-200.8
7/1/2013 10:40	Co	<	0.134	ug/L	EPA-200.8
7/8/2013 9:45	Co	<	0.138	ug/L	EPA-200.8
7/15/2013 10:00	Co	<	0.138	ug/L	EPA-200.8
6/17/2013 11:44	COD	j	7.2	mg/L	EPA 410.4
7/1/2013 10:40	COD		45.7	mg/L	EPA 410.4
7/8/2013 9:45	COD		16.9	mg/L	EPA 410.4
7/15/2013 10:00	COD		12.2	mg/L	EPA 410.4
6/17/2013 11:44	Cr	j	0.57	ug/L	EPA-200.8
7/8/2013 9:45	Cr	j	0.515	ug/L	EPA-200.8
7/15/2013 10:00	Cr	j	0.497	ug/L	EPA-200.8
6/17/2013 11:44	Cu		2.813	ug/L	EPA-200.8
6/24/2013 10:35	Cu		2.266	ug/L	EPA-200.8
7/1/2013 10:40	Cu		2.049	ug/L	EPA-200.8
7/8/2013 9:45	Cu		2.073	ug/L	EPA-200.8
7/15/2013 10:00	Cu		2.63	ug/L	EPA-200.8
6/17/2013 11:44	DRPhos		0.051	mg/L	EPA 365.1
6/24/2013 10:35	DRPhos		0.054	mg/L	EPA 365.1
7/1/2013 10:40	DRPhos		0.058	mg/L	EPA 365.1
7/8/2013 9:45	DRPhos		0.058	mg/L	EPA 365.1
7/15/2013 10:00	DRPhos		0.062	mg/L	EPA 365.1

Euclid Creek East Branch River Mile 0.25 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:44	E. coli		64	cfu/100mL	EPA 1603
6/24/2013 10:35	E. coli		115	cfu/100mL	EPA 1603
7/1/2013 10:40	E. coli		32	cfu/100mL	EPA 1603
7/8/2013 9:45	E. coli		8	cfu/100mL	EPA 1603
7/15/2013 10:00	E. coli	EC	82	cfu/100mL	EPA 1603
6/17/2013 11:44	Fe		94.88	ug/L	EPA-200.8
6/24/2013 10:35	Fe		64.69	ug/L	EPA-200.8
7/1/2013 10:40	Fe		66.81	ug/L	EPA-200.8
7/8/2013 9:45	Fe		126.2	ug/L	EPA-200.8
7/15/2013 10:00	Fe		121.8	ug/L	EPA-200.8
6/17/2013 11:44	Field Cond		797	umhos/cm	SM 2510A
6/24/2013 10:35	Field Cond		744	umhos/cm	SM 2510A
7/1/2013 10:40	Field Cond		645	umhos/cm	SM 2510A
7/8/2013 9:45	Field Cond		683	umhos/cm	SM 2510A
7/15/2013 10:00	Field Cond		767	umhos/cm	SM 2510A
6/17/2013 11:44	Field DO		9.18	mg/L	SM 4500-0 G
6/24/2013 10:35	Field DO		8.36	mg/L	SM 4500-0 G
7/1/2013 10:40	Field DO		8.96	mg/L	SM 4500-0 G
7/8/2013 9:45	Field DO		8.82	mg/L	SM 4500-0 G
7/15/2013 10:00	Field DO		8.7	mg/L	SM 4500-0 G
6/17/2013 11:44	Field Temp		20.9	C	EPA 170.1
6/24/2013 10:35	Field Temp		22.4	C	EPA 170.1
7/1/2013 10:40	Field Temp		19.8	C	EPA 170.1
7/8/2013 9:45	Field Temp		21.3	C	EPA 170.1
7/15/2013 10:00	Field Temp		22.8	C	EPA 170.1
6/17/2013 11:44	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 10:35	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 10:40	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 9:45	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 10:00	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 11:44	K		3528	ug/L	EPA-200.8
6/24/2013 10:35	K		3553	ug/L	EPA-200.8
7/1/2013 10:40	K		3448	ug/L	EPA-200.8
7/8/2013 9:45	K		3051	ug/L	EPA-200.8
7/15/2013 10:00	K		4133	ug/L	EPA-200.8
6/17/2013 11:44	Mg		13720	ug/L	EPA-200.8
6/24/2013 10:35	Mg		13600	ug/L	EPA-200.8
7/1/2013 10:40	Mg		12770	ug/L	EPA-200.8
7/8/2013 9:45	Mg		11650	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 0.25 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:00	Mg		14320	ug/L	EPA-200.8
6/17/2013 11:44	Mn		10.8	ug/L	EPA-200.8
6/24/2013 10:35	Mn		8.08	ug/L	EPA-200.8
7/1/2013 10:40	Mn		6.99	ug/L	EPA-200.8
7/8/2013 9:45	Mn		6.631	ug/L	EPA-200.8
7/15/2013 10:00	Mn		7.562	ug/L	EPA-200.8
6/17/2013 11:44	Mo		2.66	ug/L	EPA-200.8
6/24/2013 10:35	Mo		2.906	ug/L	EPA-200.8
7/1/2013 10:40	Mo		2.503	ug/L	EPA-200.8
7/8/2013 9:45	Mo		2.591	ug/L	EPA-200.8
7/15/2013 10:00	Mo		2.796	ug/L	EPA-200.8
6/17/2013 11:44	Na		98940	ug/L	EPA-200.8
6/24/2013 10:35	Na		86300	ug/L	EPA-200.8
7/1/2013 10:40	Na		89780	ug/L	EPA-200.8
7/8/2013 9:45	Na		75560	ug/L	EPA-200.8
7/15/2013 10:00	Na		82640	ug/L	EPA-200.8
6/17/2013 11:44	NH3		0.02	mg/L	EPA-350.1
6/24/2013 10:35	NH3	j	0.016	mg/L	EPA-350.1
7/1/2013 10:40	NH3		0.028	mg/L	EPA-350.1
7/8/2013 9:45	NH3		0.032	mg/L	EPA-350.1
7/15/2013 10:00	NH3		0.072	mg/L	EPA-350.1
6/17/2013 11:44	Ni	j	1.986	ug/L	EPA-200.8
6/24/2013 10:35	Ni	<	1.96	ug/L	EPA-200.8
7/1/2013 10:40	Ni	<	1.96	ug/L	EPA-200.8
7/8/2013 9:45	Ni	j	1.696	ug/L	EPA-200.8
7/15/2013 10:00	Ni	j	2.061	ug/L	EPA-200.8
6/17/2013 11:44	NO3-NO2		0.334	mg/L	EPA 353.2
6/24/2013 10:35	NO3-NO2		0.393	mg/L	EPA 353.2
7/1/2013 10:40	NO3-NO2		0.42	mg/L	EPA 353.2
7/8/2013 9:45	NO3-NO2		0.254	mg/L	EPA 353.2
7/15/2013 10:00	NO3-NO2		0.404	mg/L	EPA 353.2
6/17/2013 11:44	Pb	<	0.166	ug/L	EPA-200.8
6/24/2013 10:35	Pb	<	0.166	ug/L	EPA-200.8
7/1/2013 10:40	Pb	<	0.166	ug/L	EPA-200.8
7/8/2013 9:45	Pb	j	0.077	ug/L	EPA-200.8
7/15/2013 10:00	Pb	j	0.065	ug/L	EPA-200.8
6/17/2013 11:44	pH		8.1	S.U.	
6/24/2013 10:35	pH		7.98	S.U.	

Euclid Creek East Branch River Mile 0.25					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 10:40	pH		8	S.U.	
7/8/2013 9:45	pH		8.03	S.U.	
7/15/2013 10:00	pH		8.03	S.U.	
6/17/2013 11:44	Sb	j	0.269	ug/L	EPA-200.8
6/24/2013 10:35	Sb	j	0.344	ug/L	EPA-200.8
7/1/2013 10:40	Sb	j	0.276	ug/L	EPA-200.8
7/8/2013 9:45	Sb	j	0.271	ug/L	EPA-200.8
7/15/2013 10:00	Sb	<	0.09	ug/L	EPA-200.8
6/17/2013 11:44	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 10:35	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 10:40	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 9:45	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 10:00	Se	<	0.66	ug/L	EPA-200.8
6/17/2013 11:44	Sn	j	0.426	ug/L	EPA-200.8
6/24/2013 10:35	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 10:40	Sn	j	0.282	ug/L	EPA-200.8
7/8/2013 9:45	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 10:00	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 11:44	SO4		47.08	mg/L	EPA 300.0
6/24/2013 10:35	SO4		49.44	mg/L	EPA 300.0
7/1/2013 10:40	SO4		49.26	mg/L	EPA 300.0
7/8/2013 9:45	SO4		39.27	mg/L	EPA 300.0
7/15/2013 10:00	SO4		49.1	mg/L	EPA 300.0
6/17/2013 11:44	Sr		272.159	ug/L	EPA-200.8
6/24/2013 10:35	Sr		261.701	ug/L	EPA-200.8
7/1/2013 10:40	Sr		251.188	ug/L	EPA-200.8
7/8/2013 9:45	Sr		227.524	ug/L	EPA-200.8
7/15/2013 10:00	Sr		273.829	ug/L	EPA-200.8
6/17/2013 11:44	TDS		471	mg/L	SM2540C
6/24/2013 10:35	TDS		444	mg/L	SM2540C
7/1/2013 10:40	TDS		418	mg/L	SM2540C
7/8/2013 9:45	TDS		430	mg/L	SM2540C
7/15/2013 10:00	TDS		482	mg/L	SM2540C
6/17/2013 11:44	Ti		33.26	ug/L	EPA-200.8
6/24/2013 10:35	Ti		32.95	ug/L	EPA-200.8
7/1/2013 10:40	Ti		28.75	ug/L	EPA-200.8
7/8/2013 9:45	Ti	j	0.737	ug/L	EPA-200.8
7/15/2013 10:00	Ti	j	0.761	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 0.25 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:44	TKN		0.519	mg/L	EPA-351.1
6/24/2013 10:35	TKN	j	0.335	mg/L	EPA-351.1
7/1/2013 10:40	TKN		0.704	mg/L	EPA-351.1
7/8/2013 9:45	TKN	j	0.429	mg/L	EPA-351.1
7/15/2013 10:00	TKN	j	0.382	mg/L	EPA-351.1
6/17/2013 11:44	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 10:35	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 10:40	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 9:45	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 10:00	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 11:44	TMET	<	10	ug/L	EPA-200.8
6/24/2013 10:35	TMET	<	10	ug/L	EPA-200.8
7/1/2013 10:40	TMET	<	10	ug/L	EPA-200.8
7/8/2013 9:45	TMET	<	10	ug/L	EPA-200.8
7/15/2013 10:00	TMET	<	10	ug/L	EPA-200.8
6/17/2013 11:44	Total-P		0.063	mg/L	EPA 365.1
6/24/2013 10:35	Total-P		0.061	mg/L	EPA 365.1
7/1/2013 10:40	Total-P		0.063	mg/L	EPA 365.1
7/8/2013 9:45	Total-P		0.064	mg/L	EPA 365.1
7/15/2013 10:00	Total-P		0.068	mg/L	EPA 365.1
6/17/2013 11:44	TS		448	mg/L	SM2540B
6/24/2013 10:35	TS		444	mg/L	SM2540B
7/1/2013 10:40	TS		442	mg/L	SM2540B
7/8/2013 9:45	TS		412	mg/L	SM2540B
7/15/2013 10:00	TS		490	mg/L	SM2540B
6/17/2013 11:44	TSS		2.7	mg/L	SM2540D
6/24/2013 10:35	TSS		2.1	mg/L	SM2540D
7/1/2013 10:40	TSS		1.4	mg/L	SM2540D
7/8/2013 9:45	TSS		2.3	mg/L	SM2540D
7/15/2013 10:00	TSS		1.5	mg/L	SM2540D
6/17/2013 11:44	Turbidity		2.57	NTU	EPA 180.1
6/24/2013 10:35	Turbidity		2.13	NTU	EPA 180.1
7/1/2013 10:40	Turbidity		1.37	NTU	EPA 180.1
7/8/2013 9:45	Turbidity		1.9	NTU	EPA 180.1
7/15/2013 10:00	Turbidity		1.37	NTU	EPA 180.1
6/17/2013 11:44	V	<	1.84	ug/L	EPA-200.8
6/24/2013 10:35	V	<	1.84	ug/L	EPA-200.8
7/1/2013 10:40	V	<	1.84	ug/L	EPA-200.8
7/8/2013 9:45	V	<	1.04	ug/L	EPA-200.8

Euclid Creek East Branch River Mile 0.25					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:00	V	<	1.04	ug/L	EPA-200.8
6/17/2013 11:44	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 10:35	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 10:40	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 9:45	Zn	j	1.828	ug/L	EPA-200.8
7/15/2013 10:00	Zn	<	1.58	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek River Mile 1.50					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:18	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 11:35	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 11:35	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 10:26	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 9:18	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 10:18	Al		34.71	ug/L	EPA-200.8
6/24/2013 11:35	Al		28.19	ug/L	EPA-200.8
7/1/2013 11:35	Al		28.83	ug/L	EPA-200.8
7/8/2013 10:26	Al		761.1	ug/L	EPA-200.8
7/15/2013 9:18	Al		125.6	ug/L	EPA-200.8
6/17/2013 10:18	Alkalinity		121.6	mg/LCaCO3	EPA-310.2
6/24/2013 11:35	Alkalinity		125.4	mg/LCaCO3	EPA-310.2
7/1/2013 11:35	Alkalinity		118.2	mg/LCaCO3	EPA-310.2
7/8/2013 10:26	Alkalinity		70.5	mg/LCaCO3	EPA-310.2
7/15/2013 9:18	Alkalinity		149.6	mg/LCaCO3	EPA-310.2
6/17/2013 10:18	As	j	1.278	ug/L	EPA-200.8
6/24/2013 11:35	As	j	1.298	ug/L	EPA-200.8
7/1/2013 11:35	As	j	1.325	ug/L	EPA-200.8
7/8/2013 10:26	As	j	1.637	ug/L	EPA-200.8
7/15/2013 9:18	As	j	1.358	ug/L	EPA-200.8
6/17/2013 10:18	Ba		41.48	ug/L	EPA-200.8
6/24/2013 11:35	Ba		47.86	ug/L	EPA-200.8
7/1/2013 11:35	Ba		41.92	ug/L	EPA-200.8
7/8/2013 10:26	Ba		31.38	ug/L	EPA-200.8
7/15/2013 9:18	Ba		52.16	ug/L	EPA-200.8
6/17/2013 10:18	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 11:35	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 11:35	Be	<	0.126	ug/L	EPA-200.8
7/8/2013 10:26	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 9:18	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 10:18	BOD	<	2	mg/L	SM 5210
7/1/2013 11:35	BOD	<	2	mg/L	SM 5210
7/8/2013 10:26	BOD		2.6	mg/L	SM 5210
7/15/2013 9:18	BOD	<	2	mg/L	SM 5210
6/17/2013 10:18	Ca		64570	ug/L	EPA-200.8
6/24/2013 11:35	Ca		69280	ug/L	EPA-200.8
7/1/2013 11:35	Ca		64370	ug/L	EPA-200.8
7/8/2013 10:26	Ca		45090	ug/L	EPA-200.8
7/15/2013 9:18	Ca		81640	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek River Mile 1.50 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:18	CaCO3		210	mg/LCaCO3	EPA-200.8
6/24/2013 11:35	CaCO3		233	mg/LCaCO3	EPA-200.8
7/1/2013 11:35	CaCO3		211	mg/LCaCO3	EPA-200.8
7/8/2013 10:26	CaCO3		149	mg/LCaCO3	EPA-200.8
7/15/2013 9:18	CaCO3		269	mg/LCaCO3	EPA-200.8
6/17/2013 10:18	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 11:35	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 11:35	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 10:26	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 9:18	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 10:18	Chloride		256.1	mg/L	EPA 300.0
6/24/2013 11:35	Chloride		321	mg/L	EPA 300.0
7/1/2013 11:35	Chloride		268.4	mg/L	EPA 300.0
7/8/2013 10:26	Chloride		277.2	mg/L	EPA 300.0
7/15/2013 9:18	Chloride		344.2	mg/L	EPA 300.0
6/17/2013 10:18	Co	j	0.198	ug/L	EPA-200.8
6/24/2013 11:35	Co	j	0.241	ug/L	EPA-200.8
7/1/2013 11:35	Co	j	0.265	ug/L	EPA-200.8
7/8/2013 10:26	Co	j	0.632	ug/L	EPA-200.8
7/15/2013 9:18	Co	j	0.376	ug/L	EPA-200.8
6/24/2013 11:35	COD		27.7	mg/L	EPA 410.4
7/1/2013 11:35	COD		46.5	mg/L	EPA 410.4
7/8/2013 10:26	COD		16.9	mg/L	EPA 410.4
7/15/2013 9:18	COD	<	3.9	mg/L	EPA 410.4
7/8/2013 10:26	Cr		1.677	ug/L	EPA-200.8
7/15/2013 9:18	Cr	j	0.741	ug/L	EPA-200.8
6/17/2013 10:18	Cu		2.996	ug/L	EPA-200.8
6/24/2013 11:35	Cu		2.358	ug/L	EPA-200.8
7/1/2013 11:35	Cu		1.958	ug/L	EPA-200.8
7/8/2013 10:26	Cu		4.988	ug/L	EPA-200.8
7/15/2013 9:18	Cu		2.576	ug/L	EPA-200.8
6/17/2013 10:18	DRPhos		0.054	mg/L	EPA 365.1
6/24/2013 11:35	DRPhos		0.077	mg/L	EPA 365.1
7/1/2013 11:35	DRPhos		0.064	mg/L	EPA 365.1
7/8/2013 10:26	DRPhos		0.018	mg/L	EPA 365.1
7/15/2013 9:18	DRPhos		0.07	mg/L	EPA 365.1
6/17/2013 10:18	E. coli		2633	cfu/100mL	EPA 1603

Unnamed Tributary to Euclid Creek River Mile 1.50					
Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 11:35	E. coli		4000	cfu/100mL	EPA 1603
7/1/2013 11:35	E. coli		1533	cfu/100mL	EPA 1603
7/8/2013 10:26	E. coli	EC	800	cfu/100mL	EPA 1603
7/15/2013 9:18	E. coli		3000	cfu/100mL	EPA 1603
6/17/2013 10:18	Fe		500.8	ug/L	EPA-200.8
6/24/2013 11:35	Fe		420.9	ug/L	EPA-200.8
7/1/2013 11:35	Fe		447.9	ug/L	EPA-200.8
7/8/2013 10:26	Fe		1366	ug/L	EPA-200.8
7/15/2013 9:18	Fe		572.2	ug/L	EPA-200.8
6/17/2013 10:18	Field Cond		985	umhos/cm	SM 2510A
6/24/2013 11:35	Field Cond		1270	umhos/cm	SM 2510A
7/1/2013 11:35	Field Cond		1017	umhos/cm	SM 2510A
7/8/2013 10:26	Field Cond		648	umhos/cm	SM 2510A
7/15/2013 9:18	Field Cond		1353	umhos/cm	SM 2510A
6/17/2013 10:18	Field DO		7.74	mg/L	SM 4500-0 G
6/24/2013 11:35	Field DO		7.02	mg/L	SM 4500-0 G
7/1/2013 11:35	Field DO		7.19	mg/L	SM 4500-0 G
7/8/2013 10:26	Field DO		7.86	mg/L	SM 4500-0 G
7/15/2013 9:18	Field DO		6.97	mg/L	SM 4500-0 G
6/17/2013 10:18	Field Temp		18.5	C	EPA 170.1
6/24/2013 11:35	Field Temp		20.8	C	EPA 170.1
7/1/2013 11:35	Field Temp		18.5	C	EPA 170.1
7/8/2013 10:26	Field Temp		20.9	C	EPA 170.1
7/15/2013 9:18	Field Temp		20.7	C	EPA 170.1
6/17/2013 10:18	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 11:35	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 11:35	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 10:26	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 9:18	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 10:18	K		3506	ug/L	EPA-200.8
6/24/2013 11:35	K		3591	ug/L	EPA-200.8
7/1/2013 11:35	K		3458	ug/L	EPA-200.8
7/8/2013 10:26	K		3768	ug/L	EPA-200.8
7/15/2013 9:18	K		4004	ug/L	EPA-200.8
6/17/2013 10:18	Mg		11790	ug/L	EPA-200.8
6/24/2013 11:35	Mg		14480	ug/L	EPA-200.8
7/1/2013 11:35	Mg		12260	ug/L	EPA-200.8
7/8/2013 10:26	Mg		8882	ug/L	EPA-200.8
7/15/2013 9:18	Mg		15910	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek
River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:18	Mn		25.24	ug/L	EPA-200.8
6/24/2013 11:35	Mn		26.75	ug/L	EPA-200.8
7/1/2013 11:35	Mn		37.9	ug/L	EPA-200.8
7/8/2013 10:26	Mn		37.61	ug/L	EPA-200.8
7/15/2013 9:18	Mn		68.36	ug/L	EPA-200.8
6/17/2013 10:18	Mo		2.536	ug/L	EPA-200.8
6/24/2013 11:35	Mo		2.164	ug/L	EPA-200.8
7/1/2013 11:35	Mo		1.958	ug/L	EPA-200.8
7/8/2013 10:26	Mo		2.35	ug/L	EPA-200.8
7/15/2013 9:18	Mo		2.134	ug/L	EPA-200.8
6/17/2013 10:18	Na		162200	ug/L	EPA-200.8
6/24/2013 11:35	Na		180900	ug/L	EPA-200.8
7/1/2013 11:35	Na		165200	ug/L	EPA-200.8
7/8/2013 10:26	Na		165100	ug/L	EPA-200.8
7/15/2013 9:18	Na		178800	ug/L	EPA-200.8
6/17/2013 10:18	NH3		0.031	mg/L	EPA-350.1
6/24/2013 11:35	NH3		0.062	mg/L	EPA-350.1
7/1/2013 11:35	NH3		0.057	mg/L	EPA-350.1
7/8/2013 10:26	NH3		0.07	mg/L	EPA-350.1
7/15/2013 9:18	NH3		0.079	mg/L	EPA-350.1
6/17/2013 10:18	Ni	j	2.417	ug/L	EPA-200.8
6/24/2013 11:35	Ni	j	2.478	ug/L	EPA-200.8
7/1/2013 11:35	Ni	j	2.362	ug/L	EPA-200.8
7/8/2013 10:26	Ni	j	3.349	ug/L	EPA-200.8
7/15/2013 9:18	Ni	j	2.625	ug/L	EPA-200.8
6/17/2013 10:18	NO3-NO2		0.517	mg/L	EPA 353.2
6/24/2013 11:35	NO3-NO2		0.692	mg/L	EPA 353.2
7/1/2013 11:35	NO3-NO2		0.728	mg/L	EPA 353.2
7/8/2013 10:26	NO3-NO2		0.666	mg/L	EPA 353.2
7/15/2013 9:18	NO3-NO2		0.827	mg/L	EPA 353.2
6/17/2013 10:18	Pb	j	0.437	ug/L	EPA-200.8
6/24/2013 11:35	Pb	j	0.397	ug/L	EPA-200.8
7/1/2013 11:35	Pb	j	0.374	ug/L	EPA-200.8
7/8/2013 10:26	Pb		1.073	ug/L	EPA-200.8
7/15/2013 9:18	Pb	j	0.924	ug/L	EPA-200.8
6/17/2013 10:18	pH		7.79	S.U.	
6/24/2013 11:35	pH		7.87	S.U.	
7/1/2013 11:35	pH		7.73	S.U.	

Unnamed Tributary to Euclid Creek River Mile 1.50 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 10:26	pH		7.87	S.U.	
7/15/2013 9:18	pH		7.73	S.U.	
6/17/2013 10:18	Sb	j	0.407	ug/L	EPA-200.8
6/24/2013 11:35	Sb	j	0.412	ug/L	EPA-200.8
7/1/2013 11:35	Sb	j	0.333	ug/L	EPA-200.8
7/8/2013 10:26	Sb	j	0.502	ug/L	EPA-200.8
7/15/2013 9:18	Sb	<	0.09	ug/L	EPA-200.8
6/17/2013 10:18	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 11:35	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 11:35	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 10:26	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 9:18	Se	<	0.66	ug/L	EPA-200.8
6/24/2013 11:35	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 11:35	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 10:26	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 9:18	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 10:18	SO4		52.22	mg/L	EPA 300.0
6/24/2013 11:35	SO4		62.9	mg/L	EPA 300.0
7/1/2013 11:35	SO4		57.62	mg/L	EPA 300.0
7/8/2013 10:26	SO4		46.72	mg/L	EPA 300.0
7/15/2013 9:18	SO4		70.56	mg/L	EPA 300.0
6/17/2013 10:18	Sr		288.837	ug/L	EPA-200.8
6/24/2013 11:35	Sr		307.409	ug/L	EPA-200.8
7/1/2013 11:35	Sr		294.562	ug/L	EPA-200.8
7/8/2013 10:26	Sr		234.919	ug/L	EPA-200.8
7/15/2013 9:18	Sr		333.977	ug/L	EPA-200.8
6/17/2013 10:18	TDS		632	mg/L	SM2540C
6/24/2013 11:35	TDS		744	mg/L	SM2540C
7/1/2013 11:35	TDS		648	mg/L	SM2540C
7/8/2013 10:26	TDS		644	mg/L	SM2540C
7/15/2013 9:18	TDS		834	mg/L	SM2540C
6/17/2013 10:18	Ti		38.82	ug/L	EPA-200.8
6/24/2013 11:35	Ti		43.68	ug/L	EPA-200.8
7/1/2013 11:35	Ti		37.12	ug/L	EPA-200.8
7/8/2013 10:26	Ti		7.326	ug/L	EPA-200.8
7/15/2013 9:18	Ti		2.645	ug/L	EPA-200.8
6/17/2013 10:18	TKN		0.529	mg/L	EPA-351.1
6/24/2013 11:35	TKN		0.66	mg/L	EPA-351.1

Unnamed Tributary to Euclid Creek River Mile 1.50					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 11:35	TKN	j	0.49	mg/L	EPA-351.1
7/8/2013 10:26	TKN		0.753	mg/L	EPA-351.1
7/15/2013 9:18	TKN	j	0.374	mg/L	EPA-351.1
6/17/2013 10:18	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 11:35	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 11:35	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 10:26	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 9:18	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 10:18	TMET		10.9	ug/L	EPA-200.8
6/24/2013 11:35	TMET	<	10	ug/L	EPA-200.8
7/1/2013 11:35	TMET	<	10	ug/L	EPA-200.8
7/8/2013 10:26	TMET		18.8	ug/L	EPA-200.8
7/15/2013 9:18	TMET		13.4	ug/L	EPA-200.8
6/17/2013 10:18	Total-P		0.103	mg/L	EPA 365.1
6/24/2013 11:35	Total-P		0.193	mg/L	EPA 365.1
7/1/2013 11:35	Total-P		0.113	mg/L	EPA 365.1
7/8/2013 10:26	Total-P		0.076	mg/L	EPA 365.1
7/15/2013 9:18	Total-P		0.107	mg/L	EPA 365.1
6/17/2013 10:18	TS		664	mg/L	SM2540B
6/24/2013 11:35	TS		782	mg/L	SM2540B
7/1/2013 11:35	TS		710	mg/L	SM2540B
7/8/2013 10:26	TS		700	mg/L	SM2540B
7/15/2013 9:18	TS		946	mg/L	SM2540B
6/17/2013 10:18	TSS		2.1	mg/L	SM2540D
6/24/2013 11:35	TSS		2.6	mg/L	SM2540D
7/1/2013 11:35	TSS		2.2	mg/L	SM2540D
7/8/2013 10:26	TSS		20.3	mg/L	SM2540D
7/15/2013 9:18	TSS		1.8	mg/L	SM2540D
6/17/2013 10:18	Turbidity		2.31	NTU	EPA 180.1
6/24/2013 11:35	Turbidity		2.8	NTU	EPA 180.1
7/1/2013 11:35	Turbidity		3.09	NTU	EPA 180.1
7/8/2013 10:26	Turbidity		11.5	NTU	EPA 180.1
7/15/2013 9:18	Turbidity		2.84	NTU	EPA 180.1
6/17/2013 10:18	V	<	1.84	ug/L	EPA-200.8
6/24/2013 11:35	V	<	1.84	ug/L	EPA-200.8
7/1/2013 11:35	V	<	1.84	ug/L	EPA-200.8
7/8/2013 10:26	V	j	2.143	ug/L	EPA-200.8
7/15/2013 9:18	V	<	1.04	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek River Mile 1.50					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:18	Zn	j	4.869	ug/L	EPA-200.8
6/24/2013 11:35	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 11:35	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 10:26	Zn	j	8.803	ug/L	EPA-200.8
7/15/2013 9:18	Zn	j	7.51	ug/L	EPA-200.8

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:06	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 11:55	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 11:51	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 10:40	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 9:04	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 10:06	Al		29.54	ug/L	EPA-200.8
6/24/2013 11:55	Al		18.74	ug/L	EPA-200.8
7/1/2013 11:51	Al		19.55	ug/L	EPA-200.8
7/8/2013 10:40	Al		167.3	ug/L	EPA-200.8
7/15/2013 9:04	Al		21.71	ug/L	EPA-200.8
6/17/2013 10:06	Alkalinity		115.9	mg/LCaCO3	EPA-310.2
6/24/2013 11:55	Alkalinity		112.6	mg/LCaCO3	EPA-310.2
7/1/2013 11:51	Alkalinity		112.7	mg/LCaCO3	EPA-310.2
7/8/2013 10:40	Alkalinity		77.8	mg/LCaCO3	EPA-310.2
7/15/2013 9:04	Alkalinity		135.6	mg/LCaCO3	EPA-310.2
6/17/2013 10:06	As	j	0.636	ug/L	EPA-200.8
6/24/2013 11:55	As	<	0.52	ug/L	EPA-200.8
7/1/2013 11:51	As	j	1.02	ug/L	EPA-200.8
7/8/2013 10:40	As	j	1.886	ug/L	EPA-200.8
7/15/2013 9:04	As	j	1.135	ug/L	EPA-200.8
6/17/2013 10:06	Ba		43.65	ug/L	EPA-200.8
6/24/2013 11:55	Ba		64.62	ug/L	EPA-200.8
7/1/2013 11:51	Ba		43.18	ug/L	EPA-200.8
7/8/2013 10:40	Ba		25.33	ug/L	EPA-200.8
7/15/2013 9:04	Ba		51.98	ug/L	EPA-200.8
6/17/2013 10:06	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 11:55	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 11:51	Be	<	0.2	ug/L	EPA-200.8
7/8/2013 10:40	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 9:04	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 10:06	BOD	<	2	mg/L	SM 5210
7/1/2013 11:51	BOD	<	2	mg/L	SM 5210
7/8/2013 10:40	BOD		4.4	mg/L	SM 5210
7/15/2013 9:04	BOD	<	2	mg/L	SM 5210
6/17/2013 10:06	Ca		74270	ug/L	EPA-200.8
6/24/2013 11:55	Ca		101800	ug/L	EPA-200.8
7/1/2013 11:51	Ca		71460	ug/L	EPA-200.8
7/8/2013 10:40	Ca		37720	ug/L	EPA-200.8
7/15/2013 9:04	Ca		88730	ug/L	EPA-200.8

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:06	CaCO3		248	mg/LCaCO3	EPA-200.8
6/24/2013 11:55	CaCO3		350	mg/LCaCO3	EPA-200.8
7/1/2013 11:51	CaCO3		240	mg/LCaCO3	EPA-200.8
7/8/2013 10:40	CaCO3		123	mg/LCaCO3	EPA-200.8
7/15/2013 9:04	CaCO3		295	mg/LCaCO3	EPA-200.8
6/17/2013 10:06	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 11:55	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 11:51	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 10:40	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 9:04	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 10:06	Chloride		498	mg/L	EPA 300.0
6/24/2013 11:55	Chloride		857.2	mg/L	EPA 300.0
7/1/2013 11:51	Chloride		495.1	mg/L	EPA 300.0
7/8/2013 10:40	Chloride		126.5	mg/L	EPA 300.0
7/15/2013 9:04	Chloride		600.1	mg/L	EPA 300.0
6/17/2013 10:06	Co	j	0.169	ug/L	EPA-200.8
6/24/2013 11:55	Co	j	0.185	ug/L	EPA-200.8
7/1/2013 11:51	Co	j	0.189	ug/L	EPA-200.8
7/8/2013 10:40	Co	j	0.31	ug/L	EPA-200.8
7/15/2013 9:04	Co	j	0.168	ug/L	EPA-200.8
6/17/2013 10:06	COD		20.4	mg/L	EPA 410.4
7/1/2013 11:51	COD		49.4	mg/L	EPA 410.4
7/8/2013 10:40	COD		25.4	mg/L	EPA 410.4
7/15/2013 9:04	COD		13.2	mg/L	EPA 410.4
7/8/2013 10:40	Cr	j	0.9	ug/L	EPA-200.8
7/15/2013 9:04	Cr	j	0.559	ug/L	EPA-200.8
6/17/2013 10:06	Cu		4.926	ug/L	EPA-200.8
6/24/2013 11:55	Cu		3.758	ug/L	EPA-200.8
7/1/2013 11:51	Cu		4.051	ug/L	EPA-200.8
7/8/2013 10:40	Cu		3.163	ug/L	EPA-200.8
7/15/2013 9:04	Cu		3.757	ug/L	EPA-200.8
6/24/2013 11:55	DRPhos	<	0.005	mg/L	EPA 365.1
7/1/2013 11:51	DRPhos		0.015	mg/L	EPA 365.1
7/8/2013 10:40	DRPhos		0.042	mg/L	EPA 365.1
7/15/2013 9:04	DRPhos		0.01	mg/L	EPA 365.1
6/17/2013 10:06	E. coli		390	cfu/100mL	EPA 1603
6/24/2013 11:55	E. coli		370	cfu/100mL	EPA 1603

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 11:51	E. coli		265	cfu/100mL	EPA 1603
7/8/2013 10:40	E. coli	EC	485	cfu/100mL	EPA 1603
7/15/2013 9:04	E. coli		215	cfu/100mL	EPA 1603
6/17/2013 10:06	Fe		207.7	ug/L	EPA-200.8
6/24/2013 11:55	Fe		219	ug/L	EPA-200.8
7/1/2013 11:51	Fe		241.1	ug/L	EPA-200.8
7/8/2013 10:40	Fe		550.3	ug/L	EPA-200.8
7/15/2013 9:04	Fe		258.6	ug/L	EPA-200.8
6/17/2013 10:06	Field Cond		1699	umhos/cm	SM 2510A
6/24/2013 11:55	Field Cond		2799	umhos/cm	SM 2510A
7/1/2013 11:51	Field Cond		1597	umhos/cm	SM 2510A
7/8/2013 10:40	Field Cond		1109	umhos/cm	SM 2510A
7/15/2013 9:04	Field Cond		2087	umhos/cm	SM 2510A
6/17/2013 10:06	Field DO		8.39	mg/L	SM 4500-0 G
6/24/2013 11:55	Field DO		10.03	mg/L	SM 4500-0 G
7/1/2013 11:51	Field DO		8.01	mg/L	SM 4500-0 G
7/8/2013 10:40	Field DO		7.89	mg/L	SM 4500-0 G
7/15/2013 9:04	Field DO		9.7	mg/L	SM 4500-0 G
6/17/2013 10:06	Field Temp		19.2	C	EPA 170.1
6/24/2013 11:55	Field Temp		24.2	C	EPA 170.1
7/1/2013 11:51	Field Temp		19.8	C	EPA 170.1
7/8/2013 10:40	Field Temp		21	C	EPA 170.1
7/15/2013 9:04	Field Temp		22.9	C	EPA 170.1
6/17/2013 10:06	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 11:55	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 11:51	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 10:40	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 9:04	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 10:06	K		4502	ug/L	EPA-200.8
6/24/2013 11:55	K		5604	ug/L	EPA-200.8
7/1/2013 11:51	K		4267	ug/L	EPA-200.8
7/8/2013 10:40	K		2499	ug/L	EPA-200.8
7/15/2013 9:04	K		5341	ug/L	EPA-200.8
6/17/2013 10:06	Mg		15280	ug/L	EPA-200.8
6/24/2013 11:55	Mg		23310	ug/L	EPA-200.8
7/1/2013 11:51	Mg		15040	ug/L	EPA-200.8
7/8/2013 10:40	Mg		7030	ug/L	EPA-200.8
7/15/2013 9:04	Mg		17920	ug/L	EPA-200.8

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:06	Mn		12.88	ug/L	EPA-200.8
6/24/2013 11:55	Mn		22.88	ug/L	EPA-200.8
7/1/2013 11:51	Mn		20.72	ug/L	EPA-200.8
7/8/2013 10:40	Mn		42.19	ug/L	EPA-200.8
7/15/2013 9:04	Mn		17.65	ug/L	EPA-200.8
6/17/2013 10:06	Mo		2.874	ug/L	EPA-200.8
6/24/2013 11:55	Mo		3.156	ug/L	EPA-200.8
7/1/2013 11:51	Mo		2.736	ug/L	EPA-200.8
7/8/2013 10:40	Mo		1.572	ug/L	EPA-200.8
7/15/2013 9:04	Mo		3.032	ug/L	EPA-200.8
6/17/2013 10:06	Na		323000	ug/L	EPA-200.8
6/24/2013 11:55	Na		441700	ug/L	EPA-200.8
7/1/2013 11:51	Na		275900	ug/L	EPA-200.8
7/8/2013 10:40	Na		88750	ug/L	EPA-200.8
7/15/2013 9:04	Na		288300	ug/L	EPA-200.8
6/17/2013 10:06	NH3	j	0.017	mg/L	EPA-350.1
6/24/2013 11:55	NH3		0.02	mg/L	EPA-350.1
7/1/2013 11:51	NH3		0.066	mg/L	EPA-350.1
7/8/2013 10:40	NH3		0.03	mg/L	EPA-350.1
7/15/2013 9:04	NH3		0.03	mg/L	EPA-350.1
6/17/2013 10:06	Ni	j	2.456	ug/L	EPA-200.8
6/24/2013 11:55	Ni	j	2.364	ug/L	EPA-200.8
7/1/2013 11:51	Ni	j	2.356	ug/L	EPA-200.8
7/8/2013 10:40	Ni	j	1.839	ug/L	EPA-200.8
7/15/2013 9:04	Ni	j	2.462	ug/L	EPA-200.8
6/17/2013 10:06	NO3-NO2		0.386	mg/L	EPA 353.2
6/24/2013 11:55	NO3-NO2		0.095	mg/L	EPA 353.2
7/1/2013 11:51	NO3-NO2		0.358	mg/L	EPA 353.2
7/8/2013 10:40	NO3-NO2		0.189	mg/L	EPA 353.2
7/15/2013 9:04	NO3-NO2		0.463	mg/L	EPA 353.2
6/17/2013 10:06	Pb	<	0.166	ug/L	EPA-200.8
6/24/2013 11:55	Pb	<	0.166	ug/L	EPA-200.8
7/1/2013 11:51	Pb	<	0.166	ug/L	EPA-200.8
7/8/2013 10:40	Pb		1.258	ug/L	EPA-200.8
7/15/2013 9:04	Pb	j	0.073	ug/L	EPA-200.8
6/17/2013 10:06	pH		7.91	S.U.	
6/24/2013 11:55	pH		8.11	S.U.	
7/1/2013 11:51	pH		7.86	S.U.	
7/8/2013 10:40	pH		7.67	S.U.	

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 9:04	pH		7.81	S.U.	
6/17/2013 10:06	Sb	j	0.396	ug/L	EPA-200.8
6/24/2013 11:55	Sb	j	0.366	ug/L	EPA-200.8
7/1/2013 11:51	Sb	j	0.403	ug/L	EPA-200.8
7/8/2013 10:40	Sb	j	0.619	ug/L	EPA-200.8
7/15/2013 9:04	Sb	<	0.09	ug/L	EPA-200.8
6/17/2013 10:06	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 11:55	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 11:51	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 10:40	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 9:04	Se	<	0.66	ug/L	EPA-200.8
6/24/2013 11:55	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 11:51	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 10:40	Sn	j	0.183	ug/L	EPA-200.8
7/15/2013 9:04	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 10:06	SO4		70.24	mg/L	EPA 300.0
6/24/2013 11:55	SO4		92.58	mg/L	EPA 300.0
7/1/2013 11:51	SO4		63.48	mg/L	EPA 300.0
7/8/2013 10:40	SO4		31.52	mg/L	EPA 300.0
7/15/2013 9:04	SO4		82.24	mg/L	EPA 300.0
6/17/2013 10:06	Sr		407.408	ug/L	EPA-200.8
6/24/2013 11:55	Sr		580.817	ug/L	EPA-200.8
7/1/2013 11:51	Sr		408.353	ug/L	EPA-200.8
7/8/2013 10:40	Sr		172.208	ug/L	EPA-200.8
7/15/2013 9:04	Sr		454.133	ug/L	EPA-200.8
6/17/2013 10:06	TDS		1030	mg/L	SM2540C
6/24/2013 11:55	TDS		1612	mg/L	SM2540C
7/1/2013 11:51	TDS		988	mg/L	SM2540C
7/8/2013 10:40	TDS		382	mg/L	SM2540C
7/15/2013 9:04	TDS		1238	mg/L	SM2540C
6/17/2013 10:06	Ti		43.24	ug/L	EPA-200.8
6/24/2013 11:55	Ti		60.38	ug/L	EPA-200.8
7/1/2013 11:51	Ti		41.81	ug/L	EPA-200.8
7/8/2013 10:40	Ti		3.221	ug/L	EPA-200.8
7/15/2013 9:04	Ti	j	0.591	ug/L	EPA-200.8
6/17/2013 10:06	TKN		0.583	mg/L	EPA-351.1
6/24/2013 11:55	TKN	j	0.324	mg/L	EPA-351.1
7/1/2013 11:51	TKN		0.893	mg/L	EPA-351.1

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 10:40	TKN		0.943	mg/L	EPA-351.1
7/15/2013 9:04	TKN	j	0.328	mg/L	EPA-351.1
6/17/2013 10:06	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 11:55	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 11:51	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 10:40	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 9:04	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 10:06	TMET	<	10	ug/L	EPA-200.8
6/24/2013 11:55	TMET	<	10	ug/L	EPA-200.8
7/1/2013 11:51	TMET	<	10	ug/L	EPA-200.8
7/8/2013 10:40	TMET		14.2	ug/L	EPA-200.8
7/15/2013 9:04	TMET	<	10	ug/L	EPA-200.8
6/17/2013 10:06	Total-P		0.029	mg/L	EPA 365.1
6/24/2013 11:55	Total-P		0.02	mg/L	EPA 365.1
7/1/2013 11:51	Total-P		0.039	mg/L	EPA 365.1
7/8/2013 10:40	Total-P		0.169	mg/L	EPA 365.1
7/15/2013 9:04	Total-P		0.027	mg/L	EPA 365.1
6/17/2013 10:06	TS		1080	mg/L	SM2540B
6/24/2013 11:55	TS		1684	mg/L	SM2540B
7/1/2013 11:51	TS		1120	mg/L	SM2540B
7/8/2013 10:40	TS		396	mg/L	SM2540B
7/15/2013 9:04	TS		1362	mg/L	SM2540B
6/17/2013 10:06	TSS		1	mg/L	SM2540D
6/24/2013 11:55	TSS		2.9	mg/L	SM2540D
7/1/2013 11:51	TSS		1.5	mg/L	SM2540D
7/8/2013 10:40	TSS		7.4	mg/L	SM2540D
7/15/2013 9:04	TSS		1.2	mg/L	SM2540D
6/17/2013 10:06	Turbidity		1.4	NTU	EPA 180.1
6/24/2013 11:55	Turbidity		1.66	NTU	EPA 180.1
7/1/2013 11:51	Turbidity		1.67	NTU	EPA 180.1
7/8/2013 10:40	Turbidity		46.8	NTU	EPA 180.1
7/15/2013 9:04	Turbidity		1.52	NTU	EPA 180.1
6/17/2013 10:06	V	<	1.84	ug/L	EPA-200.8
6/24/2013 11:55	V	<	1.84	ug/L	EPA-200.8
7/1/2013 11:51	V	<	1.84	ug/L	EPA-200.8
7/8/2013 10:40	V	<	1.04	ug/L	EPA-200.8
7/15/2013 9:04	V	<	1.04	ug/L	EPA-200.8
6/17/2013 10:06	Zn	<	4.8	ug/L	EPA-200.8

Euclid Creek River Mile 6.90 Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 11:55	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 11:51	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 10:40	Zn	j	8.357	ug/L	EPA-200.8
7/15/2013 9:04	Zn	j	2.7	ug/L	EPA-200.8

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:15	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 10:45	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 10:30	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 9:34	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 10:10	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 11:15	Al		24.95	ug/L	EPA-200.8
6/24/2013 10:45	Al		52.38	ug/L	EPA-200.8
7/1/2013 10:30	Al		30.5	ug/L	EPA-200.8
7/8/2013 9:34	Al		816.9	ug/L	EPA-200.8
7/15/2013 10:10	Al		31.84	ug/L	EPA-200.8
6/17/2013 11:15	Alkalinity		118.2	mg/LCaCO3	EPA-310.2
6/24/2013 10:45	Alkalinity		110	mg/LCaCO3	EPA-310.2
7/1/2013 10:30	Alkalinity		111.7	mg/LCaCO3	EPA-310.2
7/8/2013 9:34	Alkalinity		52	mg/LCaCO3	EPA-310.2
7/15/2013 10:10	Alkalinity		136.2	mg/LCaCO3	EPA-310.2
6/17/2013 11:15	As	j	0.585	ug/L	EPA-200.8
6/24/2013 10:45	As	j	0.709	ug/L	EPA-200.8
7/1/2013 10:30	As	j	0.751	ug/L	EPA-200.8
7/8/2013 9:34	As	j	1.544	ug/L	EPA-200.8
7/15/2013 10:10	As	j	0.885	ug/L	EPA-200.8
6/17/2013 11:15	Ba		46.86	ug/L	EPA-200.8
6/24/2013 10:45	Ba		48.98	ug/L	EPA-200.8
7/1/2013 10:30	Ba		30.79	ug/L	EPA-200.8
7/8/2013 9:34	Ba		22.82	ug/L	EPA-200.8
7/15/2013 10:10	Ba		40.71	ug/L	EPA-200.8
6/17/2013 11:15	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 10:45	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 10:30	Be	<	0.2	ug/L	EPA-200.8
7/8/2013 9:34	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 10:10	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 11:15	BOD		2.9	mg/L	SM 5210
7/1/2013 10:30	BOD	<	2	mg/L	SM 5210
7/8/2013 9:34	BOD	<	2	mg/L	SM 5210
7/15/2013 10:10	BOD	<	2	mg/L	SM 5210
6/17/2013 11:15	Ca		84890	ug/L	EPA-200.8
6/24/2013 10:45	Ca		82140	ug/L	EPA-200.8
7/1/2013 10:30	Ca		56370	ug/L	EPA-200.8
7/8/2013 9:34	Ca		35230	ug/L	EPA-200.8
7/15/2013 10:10	Ca		75270	ug/L	EPA-200.8

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:15	CaCO3		288	mg/LCaCO3	EPA-200.8
6/24/2013 10:45	CaCO3		288	mg/LCaCO3	EPA-200.8
7/1/2013 10:30	CaCO3		193	mg/LCaCO3	EPA-200.8
7/8/2013 9:34	CaCO3		118	mg/LCaCO3	EPA-200.8
7/15/2013 10:10	CaCO3		257	mg/LCaCO3	EPA-200.8
6/17/2013 11:15	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 10:45	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 10:30	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 9:34	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 10:10	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 11:15	Chloride		508.8	mg/L	EPA 300.0
6/24/2013 10:45	Chloride		562.6	mg/L	EPA 300.0
7/1/2013 10:30	Chloride		304.6	mg/L	EPA 300.0
7/8/2013 9:34	Chloride		205.5	mg/L	EPA 300.0
7/15/2013 10:10	Chloride		388.4	mg/L	EPA 300.0
6/17/2013 11:15	Co	j	0.175	ug/L	EPA-200.8
6/24/2013 10:45	Co	j	0.213	ug/L	EPA-200.8
7/1/2013 10:30	Co	j	0.186	ug/L	EPA-200.8
7/8/2013 9:34	Co	j	0.653	ug/L	EPA-200.8
7/15/2013 10:10	Co	j	0.187	ug/L	EPA-200.8
6/17/2013 11:15	COD		21.2	mg/L	EPA 410.4
7/1/2013 10:30	COD		35.7	mg/L	EPA 410.4
7/8/2013 9:34	COD		19.8	mg/L	EPA 410.4
7/15/2013 10:10	COD		16.4	mg/L	EPA 410.4
6/17/2013 11:15	Cr	j	0.603	ug/L	EPA-200.8
7/8/2013 9:34	Cr		1.642	ug/L	EPA-200.8
7/15/2013 10:10	Cr	j	0.51	ug/L	EPA-200.8
6/17/2013 11:15	Cu		3.86	ug/L	EPA-200.8
6/24/2013 10:45	Cu		3.23	ug/L	EPA-200.8
7/1/2013 10:30	Cu		3.39	ug/L	EPA-200.8
7/8/2013 9:34	Cu		4.663	ug/L	EPA-200.8
7/15/2013 10:10	Cu		3.2	ug/L	EPA-200.8
6/17/2013 11:15	DRPhos		0.011	mg/L	EPA 365.1
6/24/2013 10:45	DRPhos	j	0.005	mg/L	EPA 365.1
7/1/2013 10:30	DRPhos		0.011	mg/L	EPA 365.1
7/8/2013 9:34	DRPhos		0.016	mg/L	EPA 365.1
7/15/2013 10:10	DRPhos		0.014	mg/L	EPA 365.1

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:15	E. coli		66	cfu/100mL	EPA 1603
6/24/2013 10:45	E. coli		74	cfu/100mL	EPA 1603
7/1/2013 10:30	E. coli		71	cfu/100mL	EPA 1603
7/8/2013 9:34	E. coli	EC	785	cfu/100mL	EPA 1603
7/15/2013 10:10	E. coli		72	cfu/100mL	EPA 1603
6/17/2013 11:15	Fe		34.14	ug/L	EPA-200.8
6/24/2013 10:45	Fe		64.72	ug/L	EPA-200.8
7/1/2013 10:30	Fe		68.78	ug/L	EPA-200.8
7/8/2013 9:34	Fe		1375	ug/L	EPA-200.8
7/15/2013 10:10	Fe		129.5	ug/L	EPA-200.8
6/17/2013 11:15	Field Cond		1802	umhos/cm	SM 2510A
6/24/2013 10:45	Field Cond		2023	umhos/cm	SM 2510A
7/1/2013 10:30	Field Cond		1125	umhos/cm	SM 2510A
7/8/2013 9:34	Field Cond		848	umhos/cm	SM 2510A
7/15/2013 10:10	Field Cond		1549	umhos/cm	SM 2510A
6/17/2013 11:15	Field DO		8.04	mg/L	SM 4500-0 G
6/24/2013 10:45	Field DO		7.96	mg/L	SM 4500-0 G
7/1/2013 10:30	Field DO		8.13	mg/L	SM 4500-0 G
7/8/2013 9:34	Field DO		8.76	mg/L	SM 4500-0 G
7/15/2013 10:10	Field DO		8.34	mg/L	SM 4500-0 G
6/17/2013 11:15	Field Temp		19.2	C	EPA 170.1
6/24/2013 10:45	Field Temp		22.9	C	EPA 170.1
7/1/2013 10:30	Field Temp		19.6	C	EPA 170.1
7/8/2013 9:34	Field Temp		20.5	C	EPA 170.1
7/15/2013 10:10	Field Temp		23	C	EPA 170.1
6/17/2013 11:15	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 10:45	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 10:30	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 9:34	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 10:10	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 11:15	K		5061	ug/L	EPA-200.8
6/24/2013 10:45	K		5628	ug/L	EPA-200.8
7/1/2013 10:30	K		4002	ug/L	EPA-200.8
7/8/2013 9:34	K		3299	ug/L	EPA-200.8
7/15/2013 10:10	K		5320	ug/L	EPA-200.8
6/17/2013 11:15	Mg		18600	ug/L	EPA-200.8
6/24/2013 10:45	Mg		20000	ug/L	EPA-200.8
7/1/2013 10:30	Mg		12790	ug/L	EPA-200.8
7/8/2013 9:34	Mg		7200	ug/L	EPA-200.8

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:10	Mg		16690	ug/L	EPA-200.8
6/17/2013 11:15	Mn		4.301	ug/L	EPA-200.8
6/24/2013 10:45	Mn		6.138	ug/L	EPA-200.8
7/1/2013 10:30	Mn		5.144	ug/L	EPA-200.8
7/8/2013 9:34	Mn		22.58	ug/L	EPA-200.8
7/15/2013 10:10	Mn		4.693	ug/L	EPA-200.8
6/17/2013 11:15	Mo		2.828	ug/L	EPA-200.8
6/24/2013 10:45	Mo		2.844	ug/L	EPA-200.8
7/1/2013 10:30	Mo		2.593	ug/L	EPA-200.8
7/8/2013 9:34	Mo		2.068	ug/L	EPA-200.8
7/15/2013 10:10	Mo		3.105	ug/L	EPA-200.8
6/17/2013 11:15	Na		304600	ug/L	EPA-200.8
6/24/2013 10:45	Na		303000	ug/L	EPA-200.8
7/1/2013 10:30	Na		193200	ug/L	EPA-200.8
7/8/2013 9:34	Na		128000	ug/L	EPA-200.8
7/15/2013 10:10	Na		206600	ug/L	EPA-200.8
6/17/2013 11:15	NH3	j	0.014	mg/L	EPA-350.1
6/24/2013 10:45	NH3	j	0.014	mg/L	EPA-350.1
7/1/2013 10:30	NH3		0.024	mg/L	EPA-350.1
7/8/2013 9:34	NH3		0.032	mg/L	EPA-350.1
7/15/2013 10:10	NH3		0.053	mg/L	EPA-350.1
6/17/2013 11:15	Ni	j	2.901	ug/L	EPA-200.8
6/24/2013 10:45	Ni	j	2.725	ug/L	EPA-200.8
7/1/2013 10:30	Ni	j	2.558	ug/L	EPA-200.8
7/8/2013 9:34	Ni	j	3.038	ug/L	EPA-200.8
7/15/2013 10:10	Ni	j	2.805	ug/L	EPA-200.8
6/17/2013 11:15	NO3-NO2		0.385	mg/L	EPA 353.2
6/24/2013 10:45	NO3-NO2		0.165	mg/L	EPA 353.2
7/1/2013 10:30	NO3-NO2		0.264	mg/L	EPA 353.2
7/8/2013 9:34	NO3-NO2		0.623	mg/L	EPA 353.2
7/15/2013 10:10	NO3-NO2		0.363	mg/L	EPA 353.2
6/17/2013 11:15	Pb	<	0.166	ug/L	EPA-200.8
6/24/2013 10:45	Pb	<	0.166	ug/L	EPA-200.8
7/1/2013 10:30	Pb	j	0.176	ug/L	EPA-200.8
7/8/2013 9:34	Pb		1.368	ug/L	EPA-200.8
7/15/2013 10:10	Pb	j	0.063	ug/L	EPA-200.8
6/17/2013 11:15	pH		8.03	S.U.	
6/24/2013 10:45	pH		7.93	S.U.	

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 10:30	pH		7.94	S.U.	
7/8/2013 9:34	pH		7.96	S.U.	
7/15/2013 10:10	pH		8.04	S.U.	
6/17/2013 11:15	Sb	j	0.413	ug/L	EPA-200.8
6/24/2013 10:45	Sb	j	0.352	ug/L	EPA-200.8
7/1/2013 10:30	Sb	j	0.395	ug/L	EPA-200.8
7/8/2013 9:34	Sb	j	0.423	ug/L	EPA-200.8
7/15/2013 10:10	Sb	<	0.09	ug/L	EPA-200.8
6/17/2013 11:15	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 10:45	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 10:30	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 9:34	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 10:10	Se	<	0.66	ug/L	EPA-200.8
6/17/2013 11:15	Sn	j	0.472	ug/L	EPA-200.8
6/24/2013 10:45	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 10:30	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 9:34	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 10:10	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 11:15	SO4		82.36	mg/L	EPA 300.0
6/24/2013 10:45	SO4		98.06	mg/L	EPA 300.0
7/1/2013 10:30	SO4		59.96	mg/L	EPA 300.0
7/8/2013 9:34	SO4		39.44	mg/L	EPA 300.0
7/15/2013 10:10	SO4		84.68	mg/L	EPA 300.0
6/17/2013 11:15	Sr		451.922	ug/L	EPA-200.8
6/24/2013 10:45	Sr		456.958	ug/L	EPA-200.8
7/1/2013 10:30	Sr		311.64	ug/L	EPA-200.8
7/8/2013 9:34	Sr		186.898	ug/L	EPA-200.8
7/15/2013 10:10	Sr		390.925	ug/L	EPA-200.8
6/17/2013 11:15	TDS		1108	mg/L	SM2540C
6/24/2013 10:45	TDS		1148	mg/L	SM2540C
7/1/2013 10:30	TDS		688	mg/L	SM2540C
7/8/2013 9:34	TDS		506	mg/L	SM2540C
7/15/2013 10:10	TDS		900	mg/L	SM2540C
6/17/2013 11:15	Ti		49.22	ug/L	EPA-200.8
6/24/2013 10:45	Ti		48.56	ug/L	EPA-200.8
7/1/2013 10:30	Ti		33.16	ug/L	EPA-200.8
7/8/2013 9:34	Ti		6.934	ug/L	EPA-200.8
7/15/2013 10:10	Ti	j	0.59	ug/L	EPA-200.8

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 11:15	TKN		0.694	mg/L	EPA-351.1
6/24/2013 10:45	TKN	j	0.204	mg/L	EPA-351.1
7/1/2013 10:30	TKN	j	0.228	mg/L	EPA-351.1
7/8/2013 9:34	TKN		0.632	mg/L	EPA-351.1
7/15/2013 10:10	TKN	j	0.22	mg/L	EPA-351.1
6/17/2013 11:15	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 10:45	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 10:30	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 9:34	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 10:10	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 11:15	TMET	<	10	ug/L	EPA-200.8
6/24/2013 10:45	TMET	<	10	ug/L	EPA-200.8
7/1/2013 10:30	TMET	<	10	ug/L	EPA-200.8
7/8/2013 9:34	TMET		19.1	ug/L	EPA-200.8
7/15/2013 10:10	TMET	<	10	ug/L	EPA-200.8
6/17/2013 11:15	Total-P		0.016	mg/L	EPA 365.1
6/24/2013 10:45	Total-P		0.017	mg/L	EPA 365.1
7/1/2013 10:30	Total-P		0.018	mg/L	EPA 365.1
7/8/2013 9:34	Total-P		0.076	mg/L	EPA 365.1
7/15/2013 10:10	Total-P		0.02	mg/L	EPA 365.1
6/17/2013 11:15	TS		1136	mg/L	SM2540B
6/24/2013 10:45	TS		1252	mg/L	SM2540B
7/1/2013 10:30	TS		752	mg/L	SM2540B
7/8/2013 9:34	TS		559	mg/L	SM2540B
7/15/2013 10:10	TS		974	mg/L	SM2540B
6/17/2013 11:15	TSS		1.1	mg/L	SM2540D
6/24/2013 10:45	TSS		3.5	mg/L	SM2540D
7/1/2013 10:30	TSS	j	0.9	mg/L	SM2540D
7/8/2013 9:34	TSS		26.2	mg/L	SM2540D
7/15/2013 10:10	TSS		1.2	mg/L	SM2540D
6/17/2013 11:15	Turbidity		0.63	NTU	EPA 180.1
6/24/2013 10:45	Turbidity		0.97	NTU	EPA 180.1
7/1/2013 10:30	Turbidity		0.7	NTU	EPA 180.1
7/8/2013 9:34	Turbidity		45.8	NTU	EPA 180.1
7/15/2013 10:10	Turbidity		0.75	NTU	EPA 180.1
6/17/2013 11:15	V	<	1.84	ug/L	EPA-200.8
6/24/2013 10:45	V	<	1.84	ug/L	EPA-200.8
7/1/2013 10:30	V	<	1.84	ug/L	EPA-200.8
7/8/2013 9:34	V	j	1.276	ug/L	EPA-200.8

Euclid Creek River Mile 3.30 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:10	V	<	1.04	ug/L	EPA-200.8
6/17/2013 11:15	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 10:45	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 10:30	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 9:34	Zn	j	9.75	ug/L	EPA-200.8
7/15/2013 10:10	Zn	j	1.754	ug/L	EPA-200.8

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:52	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 10:10	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 10:10	Ag	j	0.241	ug/L	EPA-200.8
7/8/2013 9:19	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 10:22	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 10:52	Al		30.59	ug/L	EPA-200.8
6/24/2013 10:10	Al		37.95	ug/L	EPA-200.8
7/1/2013 10:10	Al		30.67	ug/L	EPA-200.8
7/8/2013 9:19	Al		793.4	ug/L	EPA-200.8
7/15/2013 10:22	Al		32.19	ug/L	EPA-200.8
6/17/2013 10:52	Alkalinity		118	mg/LCaCO3	EPA-310.2
6/24/2013 10:10	Alkalinity		118.1	mg/LCaCO3	EPA-310.2
7/1/2013 10:10	Alkalinity		115.6	mg/LCaCO3	EPA-310.2
7/8/2013 9:19	Alkalinity		67.2	mg/LCaCO3	EPA-310.2
7/15/2013 10:22	Alkalinity		135.9	mg/LCaCO3	EPA-310.2
6/17/2013 10:52	As	j	0.91	ug/L	EPA-200.8
6/24/2013 10:10	As	j	0.989	ug/L	EPA-200.8
7/1/2013 10:10	As	j	1.473	ug/L	EPA-200.8
7/8/2013 9:19	As	j	1.882	ug/L	EPA-200.8
7/15/2013 10:22	As	j	1.188	ug/L	EPA-200.8
6/17/2013 10:52	Ba		29.88	ug/L	EPA-200.8
6/24/2013 10:10	Ba		29.68	ug/L	EPA-200.8
7/1/2013 10:10	Ba		23.9	ug/L	EPA-200.8
7/8/2013 9:19	Ba		23.6	ug/L	EPA-200.8
7/15/2013 10:22	Ba		29.5	ug/L	EPA-200.8
6/17/2013 10:52	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 10:10	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 10:10	Be	j	0.282	ug/L	EPA-200.8
7/8/2013 9:19	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 10:22	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 10:52	BOD	<	2	mg/L	SM 5210
7/1/2013 10:10	BOD	<	2	mg/L	SM 5210
7/8/2013 9:19	BOD	<	2	mg/L	SM 5210
7/15/2013 10:22	BOD	<	2	mg/L	SM 5210
6/17/2013 10:52	Ca		65820	ug/L	EPA-200.8
6/24/2013 10:10	Ca		61510	ug/L	EPA-200.8
7/1/2013 10:10	Ca		52080	ug/L	EPA-200.8
7/8/2013 9:19	Ca		40270	ug/L	EPA-200.8
7/15/2013 10:22	Ca		65060	ug/L	EPA-200.8

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:52	CaCO3		228	mg/LCaCO3	EPA-200.8
6/24/2013 10:10	CaCO3		217	mg/LCaCO3	EPA-200.8
7/1/2013 10:10	CaCO3		182	mg/LCaCO3	EPA-200.8
7/8/2013 9:19	CaCO3		137	mg/LCaCO3	EPA-200.8
7/15/2013 10:22	CaCO3		225	mg/LCaCO3	EPA-200.8
6/17/2013 10:52	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 10:10	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 10:10	Cd	j	0.311	ug/L	EPA-200.8
7/8/2013 9:19	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 10:22	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 10:52	Chloride		270.7	mg/L	EPA 300.0
6/24/2013 10:10	Chloride		242.9	mg/L	EPA 300.0
7/1/2013 10:10	Chloride		195.5	mg/L	EPA 300.0
7/8/2013 9:19	Chloride		173.9	mg/L	EPA 300.0
7/15/2013 10:22	Chloride		200.5	mg/L	EPA 300.0
6/17/2013 10:52	Co	<	0.134	ug/L	EPA-200.8
6/24/2013 10:10	Co	j	0.144	ug/L	EPA-200.8
7/1/2013 10:10	Co	j	0.364	ug/L	EPA-200.8
7/8/2013 9:19	Co	j	0.646	ug/L	EPA-200.8
7/15/2013 10:22	Co	j	0.149	ug/L	EPA-200.8
7/1/2013 10:10	COD		44.6	mg/L	EPA 410.4
7/8/2013 9:19	COD		16.1	mg/L	EPA 410.4
7/15/2013 10:22	COD		10.3	mg/L	EPA 410.4
7/8/2013 9:19	Cr		1.582	ug/L	EPA-200.8
7/15/2013 10:22	Cr	j	0.444	ug/L	EPA-200.8
6/17/2013 10:52	Cu		2.915	ug/L	EPA-200.8
6/24/2013 10:10	Cu		2.516	ug/L	EPA-200.8
7/1/2013 10:10	Cu		2.859	ug/L	EPA-200.8
7/8/2013 9:19	Cu		4.678	ug/L	EPA-200.8
7/15/2013 10:22	Cu		2.84	ug/L	EPA-200.8
6/24/2013 10:10	DRPhos		0.026	mg/L	EPA 365.1
7/1/2013 10:10	DRPhos		0.036	mg/L	EPA 365.1
7/8/2013 9:19	DRPhos		0.024	mg/L	EPA 365.1
7/15/2013 10:22	DRPhos		0.038	mg/L	EPA 365.1
6/17/2013 10:52	E. coli		55	cfu/100mL	EPA 1603
6/24/2013 10:10	E. coli		165	cfu/100mL	EPA 1603
7/1/2013 10:10	E. coli		48	cfu/100mL	EPA 1603

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 9:19	E. coli	EC	745	cfu/100mL	EPA 1603
7/15/2013 10:22	E. coli	EC	93	cfu/100mL	EPA 1603
6/17/2013 10:52	Fe		46.69	ug/L	EPA-200.8
6/24/2013 10:10	Fe		41.45	ug/L	EPA-200.8
7/1/2013 10:10	Fe		58.7	ug/L	EPA-200.8
7/8/2013 9:19	Fe		1344	ug/L	EPA-200.8
7/15/2013 10:22	Fe		115.8	ug/L	EPA-200.8
6/17/2013 10:52	Field Cond		1148	umhos/cm	SM 2510A
6/24/2013 10:10	Field Cond		1075	umhos/cm	SM 2510A
7/1/2013 10:10	Field Cond		778	umhos/cm	SM 2510A
7/8/2013 9:19	Field Cond		801	umhos/cm	SM 2510A
7/15/2013 10:22	Field Cond		1029	umhos/cm	SM 2510A
6/17/2013 10:52	Field DO		9.72	mg/L	SM 4500-0 G
6/24/2013 10:10	Field DO		10.2	mg/L	SM 4500-0 G
7/1/2013 10:10	Field DO		8.75	mg/L	SM 4500-0 G
7/8/2013 9:19	Field DO		8.78	mg/L	SM 4500-0 G
7/15/2013 10:22	Field DO		9.12	mg/L	SM 4500-0 G
6/17/2013 10:52	Field Temp		20.3	C	EPA 170.1
6/24/2013 10:10	Field Temp		22.7	C	EPA 170.1
7/1/2013 10:10	Field Temp		19.8	C	EPA 170.1
7/8/2013 9:19	Field Temp		20.7	C	EPA 170.1
7/15/2013 10:22	Field Temp		23.1	C	EPA 170.1
6/17/2013 10:52	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 10:10	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 10:10	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 9:19	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 10:22	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 10:52	K		4189	ug/L	EPA-200.8
6/24/2013 10:10	K		4290	ug/L	EPA-200.8
7/1/2013 10:10	K		3723	ug/L	EPA-200.8
7/8/2013 9:19	K		3512	ug/L	EPA-200.8
7/15/2013 10:22	K		4644	ug/L	EPA-200.8
6/17/2013 10:52	Mg		15550	ug/L	EPA-200.8
6/24/2013 10:10	Mg		15300	ug/L	EPA-200.8
7/1/2013 10:10	Mg		12690	ug/L	EPA-200.8
7/8/2013 9:19	Mg		8952	ug/L	EPA-200.8
7/15/2013 10:22	Mg		15250	ug/L	EPA-200.8
6/17/2013 10:52	Mn		5.292	ug/L	EPA-200.8

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 10:10	Mn		5.006	ug/L	EPA-200.8
7/1/2013 10:10	Mn		5.274	ug/L	EPA-200.8
7/8/2013 9:19	Mn		24.78	ug/L	EPA-200.8
7/15/2013 10:22	Mn		5.777	ug/L	EPA-200.8
6/17/2013 10:52	Mo		2.846	ug/L	EPA-200.8
6/24/2013 10:10	Mo		2.78	ug/L	EPA-200.8
7/1/2013 10:10	Mo		2.82	ug/L	EPA-200.8
7/8/2013 9:19	Mo		2.323	ug/L	EPA-200.8
7/15/2013 10:22	Mo		2.96	ug/L	EPA-200.8
6/17/2013 10:52	Na		164800	ug/L	EPA-200.8
6/24/2013 10:10	Na		146400	ug/L	EPA-200.8
7/1/2013 10:10	Na		121200	ug/L	EPA-200.8
7/8/2013 9:19	Na		120200	ug/L	EPA-200.8
7/15/2013 10:22	Na		126700	ug/L	EPA-200.8
6/24/2013 10:10	NH3		0.021	mg/L	EPA-350.1
7/1/2013 10:10	NH3	j	0.016	mg/L	EPA-350.1
7/8/2013 9:19	NH3		0.034	mg/L	EPA-350.1
7/15/2013 10:22	NH3		0.078	mg/L	EPA-350.1
6/17/2013 10:52	Ni	j	2.207	ug/L	EPA-200.8
6/24/2013 10:10	Ni	<	1.96	ug/L	EPA-200.8
7/1/2013 10:10	Ni	j	2.281	ug/L	EPA-200.8
7/8/2013 9:19	Ni	j	3.008	ug/L	EPA-200.8
7/15/2013 10:22	Ni	j	2.387	ug/L	EPA-200.8
6/17/2013 10:52	NO3-NO2		0.342	mg/L	EPA 353.2
6/24/2013 10:10	NO3-NO2		0.293	mg/L	EPA 353.2
7/1/2013 10:10	NO3-NO2		0.362	mg/L	EPA 353.2
7/8/2013 9:19	NO3-NO2		0.533	mg/L	EPA 353.2
7/15/2013 10:22	NO3-NO2		0.375	mg/L	EPA 353.2
6/17/2013 10:52	Pb	<	0.166	ug/L	EPA-200.8
6/24/2013 10:10	Pb	<	0.166	ug/L	EPA-200.8
7/1/2013 10:10	Pb	j	0.419	ug/L	EPA-200.8
7/8/2013 9:19	Pb		1.396	ug/L	EPA-200.8
7/15/2013 10:22	Pb	<	0.062	ug/L	EPA-200.8
6/17/2013 10:52	pH		8.16	S.U.	
6/24/2013 10:10	pH		8.17	S.U.	
7/1/2013 10:10	pH		8.07	S.U.	
7/8/2013 9:19	pH		7.99	S.U.	
7/15/2013 10:22	pH		8.17	S.U.	

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:52	Sb	j	0.327	ug/L	EPA-200.8
6/24/2013 10:10	Sb	j	0.332	ug/L	EPA-200.8
7/1/2013 10:10	Sb	j	0.58	ug/L	EPA-200.8
7/8/2013 9:19	Sb	j	0.417	ug/L	EPA-200.8
7/15/2013 10:22	Sb	<	0.09	ug/L	EPA-200.8
6/17/2013 10:52	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 10:10	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 10:10	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 9:19	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 10:22	Se	<	0.66	ug/L	EPA-200.8
6/24/2013 10:10	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 10:10	Sn	j	0.294	ug/L	EPA-200.8
7/8/2013 9:19	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 10:22	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 10:52	SO4		61.76	mg/L	EPA 300.0
6/24/2013 10:10	SO4		65.48	mg/L	EPA 300.0
7/1/2013 10:10	SO4		48.16	mg/L	EPA 300.0
7/8/2013 9:19	SO4		40.04	mg/L	EPA 300.0
7/15/2013 10:22	SO4		62.79	mg/L	EPA 300.0
6/17/2013 10:52	Sr		330.541	ug/L	EPA-200.8
6/24/2013 10:10	Sr		316.328	ug/L	EPA-200.8
7/1/2013 10:10	Sr		271.595	ug/L	EPA-200.8
7/8/2013 9:19	Sr		209.792	ug/L	EPA-200.8
7/15/2013 10:22	Sr		320.892	ug/L	EPA-200.8
6/17/2013 10:52	TDS		666	mg/L	SM2540C
6/24/2013 10:10	TDS		664	mg/L	SM2540C
7/1/2013 10:10	TDS		504	mg/L	SM2540C
7/8/2013 9:19	TDS		478	mg/L	SM2540C
7/15/2013 10:22	TDS		616	mg/L	SM2540C
6/17/2013 10:52	Ti		39.78	ug/L	EPA-200.8
6/24/2013 10:10	Ti		37.77	ug/L	EPA-200.8
7/1/2013 10:10	Ti		31	ug/L	EPA-200.8
7/8/2013 9:19	Ti		6.97	ug/L	EPA-200.8
7/15/2013 10:22	Ti	j	0.677	ug/L	EPA-200.8
6/17/2013 10:52	TKN		0.609	mg/L	EPA-351.1
6/24/2013 10:10	TKN	<	0.2	mg/L	EPA-351.1
7/1/2013 10:10	TKN		0.514	mg/L	EPA-351.1
7/8/2013 9:19	TKN		0.559	mg/L	EPA-351.1
7/15/2013 10:22	TKN	j	0.328	mg/L	EPA-351.1

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:52	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 10:10	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 10:10	Tl	j	0.312	ug/L	EPA-200.8
7/8/2013 9:19	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 10:22	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 10:52	TMET	<	10	ug/L	EPA-200.8
6/24/2013 10:10	TMET	<	10	ug/L	EPA-200.8
7/1/2013 10:10	TMET	<	10	ug/L	EPA-200.8
7/8/2013 9:19	TMET		18.3	ug/L	EPA-200.8
7/15/2013 10:22	TMET	<	10	ug/L	EPA-200.8
6/17/2013 10:52	Total-P		0.035	mg/L	EPA 365.1
6/24/2013 10:10	Total-P		0.034	mg/L	EPA 365.1
7/1/2013 10:10	Total-P		0.041	mg/L	EPA 365.1
7/8/2013 9:19	Total-P		0.073	mg/L	EPA 365.1
7/15/2013 10:22	Total-P		0.043	mg/L	EPA 365.1
6/17/2013 10:52	TS		698	mg/L	SM2540B
6/24/2013 10:10	TS		646	mg/L	SM2540B
7/1/2013 10:10	TS		532	mg/L	SM2540B
7/8/2013 9:19	TS		528	mg/L	SM2540B
7/15/2013 10:22	TS		654	mg/L	SM2540B
6/17/2013 10:52	TSS		1.4	mg/L	SM2540D
6/24/2013 10:10	TSS		1.6	mg/L	SM2540D
7/1/2013 10:10	TSS		1	mg/L	SM2540D
7/8/2013 9:19	TSS		24.8	mg/L	SM2540D
7/15/2013 10:22	TSS		1.2	mg/L	SM2540D
6/17/2013 10:52	Turbidity		0.97	NTU	EPA 180.1
6/24/2013 10:10	Turbidity		1.08	NTU	EPA 180.1
7/1/2013 10:10	Turbidity		1.21	NTU	EPA 180.1
7/8/2013 9:19	Turbidity		37.8	NTU	EPA 180.1
7/15/2013 10:22	Turbidity		1.06	NTU	EPA 180.1
6/17/2013 10:52	V	<	1.84	ug/L	EPA-200.8
6/24/2013 10:10	V	<	1.84	ug/L	EPA-200.8
7/1/2013 10:10	V	<	1.84	ug/L	EPA-200.8
7/8/2013 9:19	V	j	1.178	ug/L	EPA-200.8
7/15/2013 10:22	V	<	1.04	ug/L	EPA-200.8
6/17/2013 10:52	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 10:10	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 10:10	Zn	<	4.8	ug/L	EPA-200.8

Euclid Creek River Mile 2.70 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 9:19	Zn	j	9.019	ug/L	EPA-200.8
7/15/2013 10:22	Zn	j	1.78	ug/L	EPA-200.8

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:34	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 9:45	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 9:54	Ag	<	0.033	ug/L	EPA-200.8
7/8/2013 9:03	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 10:44	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 10:34	Al		42.26	ug/L	EPA-200.8
6/24/2013 9:45	Al		53.79	ug/L	EPA-200.8
7/1/2013 9:54	Al		43.93	ug/L	EPA-200.8
7/8/2013 9:03	Al		1114	ug/L	EPA-200.8
7/15/2013 10:44	Al		39.45	ug/L	EPA-200.8
6/17/2013 10:34	Alkalinity		119.7	mg/LCaCO3	EPA-310.2
6/24/2013 9:45	Alkalinity		119.2	mg/LCaCO3	EPA-310.2
7/1/2013 9:54	Alkalinity		115.8	mg/LCaCO3	EPA-310.2
7/8/2013 9:03	Alkalinity		62.8	mg/LCaCO3	EPA-310.2
7/15/2013 10:44	Alkalinity		136.7	mg/LCaCO3	EPA-310.2
6/17/2013 10:34	As	j	0.836	ug/L	EPA-200.8
6/24/2013 9:45	As	j	0.9	ug/L	EPA-200.8
7/1/2013 9:54	As		1.248	ug/L	EPA-200.8
7/8/2013 9:03	As	j	1.88	ug/L	EPA-200.8
7/15/2013 10:44	As	j	1.02	ug/L	EPA-200.8
6/17/2013 10:34	Ba		30.07	ug/L	EPA-200.8
6/24/2013 9:45	Ba		31.22	ug/L	EPA-200.8
7/1/2013 9:54	Ba		23.73	ug/L	EPA-200.8
7/8/2013 9:03	Ba		23.21	ug/L	EPA-200.8
7/15/2013 10:44	Ba		29.57	ug/L	EPA-200.8
6/17/2013 10:34	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 9:45	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 9:54	Be	<	0.2	ug/L	EPA-200.8
7/8/2013 9:03	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 10:44	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 10:34	BOD	<	2	mg/L	SM 5210
7/1/2013 9:54	BOD	<	2	mg/L	SM 5210
7/8/2013 9:03	BOD	<	2	mg/L	SM 5210
7/15/2013 10:44	BOD	<	2	mg/L	SM 5210
6/17/2013 10:34	Ca		65020	ug/L	EPA-200.8
6/24/2013 9:45	Ca		66740	ug/L	EPA-200.8
7/1/2013 9:54	Ca		51140	ug/L	EPA-200.8
7/8/2013 9:03	Ca		37410	ug/L	EPA-200.8
7/15/2013 10:44	Ca		66520	ug/L	EPA-200.8

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:34	CaCO3		226	mg/LCaCO3	EPA-200.8
6/24/2013 9:45	CaCO3		235	mg/LCaCO3	EPA-200.8
7/1/2013 9:54	CaCO3		178	mg/LCaCO3	EPA-200.8
7/8/2013 9:03	CaCO3		128	mg/LCaCO3	EPA-200.8
7/15/2013 10:44	CaCO3		232	mg/LCaCO3	EPA-200.8
6/17/2013 10:34	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 9:45	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 9:54	Cd	<	0.11	ug/L	EPA-200.8
7/8/2013 9:03	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 10:44	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 10:34	Chloride		255.4	mg/L	EPA 300.0
6/24/2013 9:45	Chloride		261.4	mg/L	EPA 300.0
7/1/2013 9:54	Chloride		172.1	mg/L	EPA 300.0
7/8/2013 9:03	Chloride		172.2	mg/L	EPA 300.0
7/15/2013 10:44	Chloride		195.1	mg/L	EPA 300.0
6/17/2013 10:34	Co	j	0.214	ug/L	EPA-200.8
6/24/2013 9:45	Co	j	0.243	ug/L	EPA-200.8
7/1/2013 9:54	Co	j	0.208	ug/L	EPA-200.8
7/8/2013 9:03	Co	j	0.91	ug/L	EPA-200.8
7/15/2013 10:44	Co	j	0.229	ug/L	EPA-200.8
7/1/2013 9:54	COD		45.4	mg/L	EPA 410.4
7/8/2013 9:03	COD		16.9	mg/L	EPA 410.4
7/15/2013 10:44	COD		14.8	mg/L	EPA 410.4
7/8/2013 9:03	Cr		2.073	ug/L	EPA-200.8
7/15/2013 10:44	Cr	j	0.586	ug/L	EPA-200.8
6/17/2013 10:34	Cu		3.029	ug/L	EPA-200.8
6/24/2013 9:45	Cu		2.653	ug/L	EPA-200.8
7/1/2013 9:54	Cu		4.04	ug/L	EPA-200.8
7/8/2013 9:03	Cu		5.12	ug/L	EPA-200.8
7/15/2013 10:44	Cu		3.004	ug/L	EPA-200.8
6/24/2013 9:45	DRPhos		0.014	mg/L	EPA 365.1
7/1/2013 9:54	DRPhos		0.024	mg/L	EPA 365.1
7/8/2013 9:03	DRPhos		0.022	mg/L	EPA 365.1
7/15/2013 10:44	DRPhos		0.026	mg/L	EPA 365.1
6/17/2013 10:34	E. coli		125	cfu/100mL	EPA 1603
6/24/2013 9:45	E. coli		354	cfu/100mL	EPA 1603
7/1/2013 9:54	E. coli		140	cfu/100mL	EPA 1603

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 9:03	E. coli	EC	770	cfu/100mL	EPA 1603
7/15/2013 10:44	E. coli		225	cfu/100mL	EPA 1603
6/17/2013 10:34	Fe		131.9	ug/L	EPA-200.8
6/24/2013 9:45	Fe		122.1	ug/L	EPA-200.8
7/1/2013 9:54	Fe		157.4	ug/L	EPA-200.8
7/8/2013 9:03	Fe		1932	ug/L	EPA-200.8
7/15/2013 10:44	Fe		183	ug/L	EPA-200.8
6/17/2013 10:34	Field Cond		1120	umhos/cm	SM 2510A
6/24/2013 9:45	Field Cond		1153	umhos/cm	SM 2510A
7/1/2013 9:54	Field Cond		801	umhos/cm	SM 2510A
7/8/2013 9:03	Field Cond		792	umhos/cm	SM 2510A
7/15/2013 10:44	Field Cond		1042	umhos/cm	SM 2510A
6/17/2013 10:34	Field DO		9.3	mg/L	SM 4500-0 G
6/24/2013 9:45	Field DO		8.21	mg/L	SM 4500-0 G
7/1/2013 9:54	Field DO		8.43	mg/L	SM 4500-0 G
7/8/2013 9:03	Field DO		8.51	mg/L	SM 4500-0 G
7/15/2013 10:44	Field DO		9.26	mg/L	SM 4500-0 G
6/17/2013 10:34	Field Temp		20.2	C	EPA 170.1
6/24/2013 9:45	Field Temp		23.1	C	EPA 170.1
7/1/2013 9:54	Field Temp		19.9	C	EPA 170.1
7/8/2013 9:03	Field Temp		20.7	C	EPA 170.1
7/15/2013 10:44	Field Temp		23.4	C	EPA 170.1
6/17/2013 10:34	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 9:45	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 9:54	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 9:03	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 10:44	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 10:34	K		4244	ug/L	EPA-200.8
6/24/2013 9:45	K		4716	ug/L	EPA-200.8
7/1/2013 9:54	K		3664	ug/L	EPA-200.8
7/8/2013 9:03	K		3417	ug/L	EPA-200.8
7/15/2013 10:44	K		4827	ug/L	EPA-200.8
6/17/2013 10:34	Mg		15560	ug/L	EPA-200.8
6/24/2013 9:45	Mg		16550	ug/L	EPA-200.8
7/1/2013 9:54	Mg		12320	ug/L	EPA-200.8
7/8/2013 9:03	Mg		8344	ug/L	EPA-200.8
7/15/2013 10:44	Mg		15940	ug/L	EPA-200.8
6/17/2013 10:34	Mn		16.57	ug/L	EPA-200.8

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 9:45	Mn		20.19	ug/L	EPA-200.8
7/1/2013 9:54	Mn		13.96	ug/L	EPA-200.8
7/8/2013 9:03	Mn		39.42	ug/L	EPA-200.8
7/15/2013 10:44	Mn		17.31	ug/L	EPA-200.8
6/17/2013 10:34	Mo		4.085	ug/L	EPA-200.8
6/24/2013 9:45	Mo		3.409	ug/L	EPA-200.8
7/1/2013 9:54	Mo		3.436	ug/L	EPA-200.8
7/8/2013 9:03	Mo		2.419	ug/L	EPA-200.8
7/15/2013 10:44	Mo		3.691	ug/L	EPA-200.8
6/17/2013 10:34	Na		157800	ug/L	EPA-200.8
6/24/2013 9:45	Na		156000	ug/L	EPA-200.8
7/1/2013 9:54	Na		116700	ug/L	EPA-200.8
7/8/2013 9:03	Na		113000	ug/L	EPA-200.8
7/15/2013 10:44	Na		126500	ug/L	EPA-200.8
6/17/2013 10:34	NH3		0.021	mg/L	EPA-350.1
6/24/2013 9:45	NH3		0.023	mg/L	EPA-350.1
7/1/2013 9:54	NH3		0.027	mg/L	EPA-350.1
7/8/2013 9:03	NH3		0.042	mg/L	EPA-350.1
7/15/2013 10:44	NH3		0.076	mg/L	EPA-350.1
6/17/2013 10:34	Ni	j	2.272	ug/L	EPA-200.8
6/24/2013 9:45	Ni	j	2.367	ug/L	EPA-200.8
7/1/2013 9:54	Ni		2.122	ug/L	EPA-200.8
7/8/2013 9:03	Ni	j	3.533	ug/L	EPA-200.8
7/15/2013 10:44	Ni	j	2.526	ug/L	EPA-200.8
6/17/2013 10:34	NO3-NO2		0.328	mg/L	EPA 353.2
6/24/2013 9:45	NO3-NO2		0.293	mg/L	EPA 353.2
7/1/2013 9:54	NO3-NO2		0.352	mg/L	EPA 353.2
7/8/2013 9:03	NO3-NO2		0.532	mg/L	EPA 353.2
7/15/2013 10:44	NO3-NO2		0.358	mg/L	EPA 353.2
6/17/2013 10:34	Pb	j	0.215	ug/L	EPA-200.8
6/24/2013 9:45	Pb	j	0.228	ug/L	EPA-200.8
7/1/2013 9:54	Pb	j	0.257	ug/L	EPA-200.8
7/8/2013 9:03	Pb		1.88	ug/L	EPA-200.8
7/15/2013 10:44	Pb	j	0.185	ug/L	EPA-200.8
6/17/2013 10:34	pH		8.06	S.U.	
6/24/2013 9:45	pH		7.98	S.U.	
7/1/2013 9:54	pH		7.98	S.U.	
7/8/2013 9:03	pH		7.89	S.U.	
7/15/2013 10:44	pH		8.16	S.U.	

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:34	Sb	j	0.408	ug/L	EPA-200.8
6/24/2013 9:45	Sb	j	0.364	ug/L	EPA-200.8
7/1/2013 9:54	Sb	j	0.406	ug/L	EPA-200.8
7/8/2013 9:03	Sb	j	0.41	ug/L	EPA-200.8
7/15/2013 10:44	Sb	j	0.126	ug/L	EPA-200.8
6/17/2013 10:34	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 9:45	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 9:54	Se	<	1.23	ug/L	EPA-200.8
7/8/2013 9:03	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 10:44	Se	<	0.66	ug/L	EPA-200.8
6/24/2013 9:45	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 9:54	Sn	j	0.194	ug/L	EPA-200.8
7/8/2013 9:03	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 10:44	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 10:34	SO4		67.52	mg/L	EPA 300.0
6/24/2013 9:45	SO4		77.2	mg/L	EPA 300.0
7/1/2013 9:54	SO4		57.82	mg/L	EPA 300.0
7/8/2013 9:03	SO4		40.16	mg/L	EPA 300.0
7/15/2013 10:44	SO4		71.85	mg/L	EPA 300.0
6/17/2013 10:34	Sr		335.091	ug/L	EPA-200.8
6/24/2013 9:45	Sr		339.419	ug/L	EPA-200.8
7/1/2013 9:54	Sr		275.516	ug/L	EPA-200.8
7/8/2013 9:03	Sr		197.362	ug/L	EPA-200.8
7/15/2013 10:44	Sr		330.785	ug/L	EPA-200.8
6/17/2013 10:34	TDS		626	mg/L	SM2540C
6/24/2013 9:45	TDS		675	mg/L	SM2540C
7/1/2013 9:54	TDS		512	mg/L	SM2540C
7/8/2013 9:03	TDS		470	mg/L	SM2540C
7/15/2013 10:44	TDS		616	mg/L	SM2540C
6/17/2013 10:34	Ti		38.61	ug/L	EPA-200.8
6/24/2013 9:45	Ti		39.71	ug/L	EPA-200.8
7/1/2013 9:54	Ti		30.54	ug/L	EPA-200.8
7/8/2013 9:03	Ti		8.331	ug/L	EPA-200.8
7/15/2013 10:44	Ti	j	0.724	ug/L	EPA-200.8
6/17/2013 10:34	TKN	j	0.444	mg/L	EPA-351.1
6/24/2013 9:45	TKN	j	0.2	mg/L	EPA-351.1
7/1/2013 9:54	TKN	<	0.2	mg/L	EPA-351.1
7/8/2013 9:03	TKN		0.81	mg/L	EPA-351.1

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:44	TKN	j	0.254	mg/L	EPA-351.1
6/17/2013 10:34	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 9:45	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 9:54	Tl	<	0.08	ug/L	EPA-200.8
7/8/2013 9:03	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 10:44	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 10:34	TMET	<	10	ug/L	EPA-200.8
6/24/2013 9:45	TMET	<	10	ug/L	EPA-200.8
7/1/2013 9:54	TMET	<	10	ug/L	EPA-200.8
7/8/2013 9:03	TMET		23.2	ug/L	EPA-200.8
7/15/2013 10:44	TMET		10.2	ug/L	EPA-200.8
6/17/2013 10:34	Total-P		0.028	mg/L	EPA 365.1
6/24/2013 9:45	Total-P		0.026	mg/L	EPA 365.1
7/1/2013 9:54	Total-P		0.035	mg/L	EPA 365.1
7/8/2013 9:03	Total-P		0.087	mg/L	EPA 365.1
7/15/2013 10:44	Total-P		0.034	mg/L	EPA 365.1
6/17/2013 10:34	TS		672	mg/L	SM2540B
6/24/2013 9:45	TS		692	mg/L	SM2540B
7/1/2013 9:54	TS		544	mg/L	SM2540B
7/8/2013 9:03	TS		560	mg/L	SM2540B
7/15/2013 10:44	TS		660	mg/L	SM2540B
6/17/2013 10:34	TSS		3.2	mg/L	SM2540D
6/24/2013 9:45	TSS		3.1	mg/L	SM2540D
7/1/2013 9:54	TSS		1.8	mg/L	SM2540D
7/8/2013 9:03	TSS		36.8	mg/L	SM2540D
7/15/2013 10:44	TSS		1.5	mg/L	SM2540D
6/17/2013 10:34	Turbidity		2.04	NTU	EPA 180.1
6/24/2013 9:45	Turbidity		2.68	NTU	EPA 180.1
7/1/2013 9:54	Turbidity		1.98	NTU	EPA 180.1
7/8/2013 9:03	Turbidity		54.8	NTU	EPA 180.1
7/15/2013 10:44	Turbidity		1.63	NTU	EPA 180.1
6/17/2013 10:34	V	<	1.84	ug/L	EPA-200.8
6/24/2013 9:45	V	<	1.84	ug/L	EPA-200.8
7/1/2013 9:54	V	<	0.92	ug/L	EPA-200.8
7/8/2013 9:03	V	j	1.846	ug/L	EPA-200.8
7/15/2013 10:44	V	<	1.04	ug/L	EPA-200.8
6/17/2013 10:34	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 9:45	Zn	<	4.8	ug/L	EPA-200.8

Euclid Creek River Mile 1.65 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 9:54	Zn	j	4.094	ug/L	EPA-200.8
7/8/2013 9:03	Zn		12.5	ug/L	EPA-200.8
7/15/2013 10:44	Zn	j	4.078	ug/L	EPA-200.8

Euclid Creek River Mile 1.00 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:02	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 10:45	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 9:34	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 8:47	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 11:00	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 10:02	Al		41.91	ug/L	EPA-200.8
6/24/2013 10:45	Al		50.23	ug/L	EPA-200.8
7/1/2013 9:34	Al		33.26	ug/L	EPA-200.8
7/8/2013 8:47	Al		1317	ug/L	EPA-200.8
7/15/2013 11:00	Al		41.18	ug/L	EPA-200.8
6/17/2013 10:02	Alkalinity		119.2	mg/LCaCO3	EPA-310.2
6/24/2013 10:45	Alkalinity		118.1	mg/LCaCO3	EPA-310.2
7/1/2013 9:34	Alkalinity		115.6	mg/LCaCO3	EPA-310.2
7/8/2013 8:47	Alkalinity		56.6	mg/LCaCO3	EPA-310.2
7/15/2013 11:00	Alkalinity		136.8	mg/LCaCO3	EPA-310.2
6/17/2013 10:02	As	j	0.959	ug/L	EPA-200.8
6/24/2013 10:45	As	j	1.0685	ug/L	EPA-200.8
7/1/2013 9:34	As	j	1.147	ug/L	EPA-200.8
7/8/2013 8:47	As		2.205	ug/L	EPA-200.8
7/15/2013 11:00	As	j	1.246	ug/L	EPA-200.8
6/17/2013 10:02	Ba		30.31	ug/L	EPA-200.8
6/24/2013 10:45	Ba		32.31	ug/L	EPA-200.8
7/1/2013 9:34	Ba		24.69	ug/L	EPA-200.8
7/8/2013 8:47	Ba		23.83	ug/L	EPA-200.8
7/15/2013 11:00	Ba		30.24	ug/L	EPA-200.8
6/17/2013 10:02	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 10:45	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 9:34	Be	<	0.2	ug/L	EPA-200.8
7/8/2013 8:47	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 11:00	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 10:02	BOD	<	2	mg/L	SM 5210
7/1/2013 9:34	BOD	<	2	mg/L	SM 5210
7/8/2013 8:47	BOD	<	2	mg/L	SM 5210
7/15/2013 11:00	BOD	<	2	mg/L	SM 5210
6/17/2013 10:02	Ca		64600	ug/L	EPA-200.8
6/24/2013 10:45	Ca		67135	ug/L	EPA-200.8
7/1/2013 9:34	Ca		52160	ug/L	EPA-200.8
7/8/2013 8:47	Ca		36270	ug/L	EPA-200.8
7/15/2013 11:00	Ca		65520	ug/L	EPA-200.8

Euclid Creek River Mile 1.00 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 10:02	CaCO3		225	mg/LCaCO3	EPA-200.8
6/24/2013 10:45	CaCO3		237.5	mg/LCaCO3	EPA-200.8
7/1/2013 9:34	CaCO3		182	mg/LCaCO3	EPA-200.8
7/8/2013 8:47	CaCO3		124	mg/LCaCO3	EPA-200.8
7/15/2013 11:00	CaCO3		227	mg/LCaCO3	EPA-200.8
6/17/2013 10:02	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 10:45	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 9:34	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 8:47	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 11:00	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 10:02	Chloride		251.8	mg/L	EPA 300.0
6/24/2013 10:45	Chloride		269.5	mg/L	EPA 300.0
7/1/2013 9:34	Chloride		170.2	mg/L	EPA 300.0
7/8/2013 8:47	Chloride		171.1	mg/L	EPA 300.0
7/15/2013 11:00	Chloride		200.5	mg/L	EPA 300.0
6/17/2013 10:02	Co	j	0.203	ug/L	EPA-200.8
6/24/2013 10:45	Co	j	0.2385	ug/L	EPA-200.8
7/1/2013 9:34	Co	j	0.187	ug/L	EPA-200.8
7/8/2013 8:47	Co		1.096	ug/L	EPA-200.8
7/15/2013 11:00	Co	j	0.205	ug/L	EPA-200.8
7/1/2013 9:34	COD		35.1	mg/L	EPA 410.4
7/8/2013 8:47	COD		16.4	mg/L	EPA 410.4
7/15/2013 11:00	COD		17.5	mg/L	EPA 410.4
6/24/2013 10:45	Cr	j	0.473	ug/L	EPA-200.8
7/8/2013 8:47	Cr		2.365	ug/L	EPA-200.8
7/15/2013 11:00	Cr	j	0.528	ug/L	EPA-200.8
6/17/2013 10:02	Cu		3.404	ug/L	EPA-200.8
6/24/2013 10:45	Cu		2.8555	ug/L	EPA-200.8
7/1/2013 9:34	Cu		2.648	ug/L	EPA-200.8
7/8/2013 8:47	Cu		5.803	ug/L	EPA-200.8
7/15/2013 11:00	Cu		2.892	ug/L	EPA-200.8
6/24/2013 10:45	DRPhos		0.011	mg/L	EPA 365.1
7/1/2013 9:34	DRPhos		0.02	mg/L	EPA 365.1
7/8/2013 8:47	DRPhos		0.02	mg/L	EPA 365.1
7/15/2013 11:00	DRPhos		0.021	mg/L	EPA 365.1
6/17/2013 10:02	E. coli		255	cfu/100mL	EPA 1603
6/24/2013 10:45	E. coli		190	cfu/100mL	EPA 1603

Euclid Creek River Mile 1.00 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 9:34	E. coli		105	cfu/100mL	EPA 1603
7/8/2013 8:47	E. coli	EC	961	cfu/100mL	EPA 1603
7/15/2013 11:00	E. coli		2200	cfu/100mL	EPA 1603
6/17/2013 10:02	Fe		110.8	ug/L	EPA-200.8
7/1/2013 9:34	Fe		110.2	ug/L	EPA-200.8
7/8/2013 8:47	Fe		2377	ug/L	EPA-200.8
7/15/2013 11:00	Fe		178.6	ug/L	EPA-200.8
6/17/2013 10:02	Field Cond		1106	umhos/cm	SM 2510A
6/24/2013 10:45	Field Cond		1176	umhos/cm	SM 2510A
7/1/2013 9:34	Field Cond		820	umhos/cm	SM 2510A
7/8/2013 8:47	Field Cond		733	umhos/cm	SM 2510A
7/15/2013 11:00	Field Cond		1079	umhos/cm	SM 2510A
6/17/2013 10:02	Field DO		9.96	mg/L	SM 4500-0 G
7/1/2013 9:34	Field DO		7.75	mg/L	SM 4500-0 G
7/8/2013 8:47	Field DO		8.78	mg/L	SM 4500-0 G
7/15/2013 11:00	Field DO		8.42	mg/L	SM 4500-0 G
6/17/2013 10:02	Field Temp		20.6	C	EPA 170.1
6/24/2013 10:45	Field Temp		25	C	EPA 170.1
7/1/2013 9:34	Field Temp		20.2	C	EPA 170.1
7/8/2013 8:47	Field Temp		20.8	C	EPA 170.1
7/15/2013 11:00	Field Temp		24.1	C	EPA 170.1
6/17/2013 10:02	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 10:45	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 9:34	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 8:47	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 11:00	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 10:02	K		4338	ug/L	EPA-200.8
6/24/2013 10:45	K		4816	ug/L	EPA-200.8
7/1/2013 9:34	K		3813	ug/L	EPA-200.8
7/8/2013 8:47	K		3470	ug/L	EPA-200.8
7/15/2013 11:00	K		4764	ug/L	EPA-200.8
6/17/2013 10:02	Mg		15400	ug/L	EPA-200.8
6/24/2013 10:45	Mg		17025	ug/L	EPA-200.8
7/1/2013 9:34	Mg		12660	ug/L	EPA-200.8
7/8/2013 8:47	Mg		8067	ug/L	EPA-200.8
7/15/2013 11:00	Mg		15330	ug/L	EPA-200.8
6/17/2013 10:02	Mn		14.6	ug/L	EPA-200.8
7/1/2013 9:34	Mn		13.21	ug/L	EPA-200.8

Euclid Creek River Mile 1.00 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 8:47	Mn		46.83	ug/L	EPA-200.8
7/15/2013 11:00	Mn		15.21	ug/L	EPA-200.8
6/17/2013 10:02	Mo		4.46	ug/L	EPA-200.8
6/24/2013 10:45	Mo		3.8685	ug/L	EPA-200.8
7/1/2013 9:34	Mo		3.668	ug/L	EPA-200.8
7/8/2013 8:47	Mo		2.441	ug/L	EPA-200.8
7/15/2013 11:00	Mo		3.824	ug/L	EPA-200.8
6/17/2013 10:02	Na		155300	ug/L	EPA-200.8
6/24/2013 10:45	Na		161700	ug/L	EPA-200.8
7/1/2013 9:34	Na		120700	ug/L	EPA-200.8
7/8/2013 8:47	Na		111300	ug/L	EPA-200.8
7/15/2013 11:00	Na		127800	ug/L	EPA-200.8
6/24/2013 10:45	NH3	j	0.019	mg/L	EPA-350.1
7/1/2013 9:34	NH3		0.021	mg/L	EPA-350.1
7/8/2013 8:47	NH3		0.048	mg/L	EPA-350.1
7/15/2013 11:00	NH3		0.065	mg/L	EPA-350.1
6/17/2013 10:02	Ni	j	2.424	ug/L	EPA-200.8
6/24/2013 10:45	Ni	j	2.287	ug/L	EPA-200.8
7/1/2013 9:34	Ni	j	2.205	ug/L	EPA-200.8
7/8/2013 8:47	Ni	j	3.961	ug/L	EPA-200.8
7/15/2013 11:00	Ni	j	2.42	ug/L	EPA-200.8
6/17/2013 10:02	NO3-NO2		0.272	mg/L	EPA 353.2
6/24/2013 10:45	NO3-NO2		0.1795	mg/L	EPA 353.2
7/1/2013 9:34	NO3-NO2		0.306	mg/L	EPA 353.2
7/8/2013 8:47	NO3-NO2		0.512	mg/L	EPA 353.2
7/15/2013 11:00	NO3-NO2		0.291	mg/L	EPA 353.2
6/17/2013 10:02	Pb	j	0.223	ug/L	EPA-200.8
6/24/2013 10:45	Pb	j	0.252	ug/L	EPA-200.8
7/1/2013 9:34	Pb	j	0.206	ug/L	EPA-200.8
7/8/2013 8:47	Pb		2.256	ug/L	EPA-200.8
7/15/2013 11:00	Pb	j	0.162	ug/L	EPA-200.8
6/17/2013 10:02	pH		8.2	S.U.	
6/24/2013 10:45	pH		8.43	S.U.	
7/1/2013 9:34	pH		7.92	S.U.	
7/8/2013 8:47	pH		7.91	S.U.	
7/15/2013 11:00	pH		8.19	S.U.	
6/17/2013 10:02	Sb	j	0.466	ug/L	EPA-200.8
6/24/2013 10:45	Sb	j	0.423	ug/L	EPA-200.8

Euclid Creek River Mile 1.00 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 9:34	Sb	j	0.442	ug/L	EPA-200.8
7/8/2013 8:47	Sb	j	0.399	ug/L	EPA-200.8
7/15/2013 11:00	Sb	j	0.429	ug/L	EPA-200.8
6/17/2013 10:02	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 10:45	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 9:34	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 8:47	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 11:00	Se	j	0.694	ug/L	EPA-200.8
6/24/2013 10:45	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 9:34	Sn		1.062	ug/L	EPA-200.8
7/8/2013 8:47	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 11:00	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 10:02	SO4		68.34	mg/L	EPA 300.0
6/24/2013 10:45	SO4		81.11	mg/L	EPA 300.0
7/1/2013 9:34	SO4		58.26	mg/L	EPA 300.0
7/8/2013 8:47	SO4		38.75	mg/L	EPA 300.0
7/15/2013 11:00	SO4		75.08	mg/L	EPA 300.0
6/17/2013 10:02	Sr		333.52	ug/L	EPA-200.8
6/24/2013 10:45	Sr		351.9115	ug/L	EPA-200.8
7/1/2013 9:34	Sr		282.904	ug/L	EPA-200.8
7/8/2013 8:47	Sr		191.548	ug/L	EPA-200.8
7/15/2013 11:00	Sr		331.983	ug/L	EPA-200.8
6/17/2013 10:02	TDS		614	mg/L	SM2540C
6/24/2013 10:45	TDS		687	mg/L	SM2540C
7/1/2013 9:34	TDS		532	mg/L	SM2540C
7/8/2013 8:47	TDS		448	mg/L	SM2540C
7/15/2013 11:00	TDS		646	mg/L	SM2540C
6/17/2013 10:02	Ti		37.78	ug/L	EPA-200.8
6/24/2013 10:45	Ti		40.38	ug/L	EPA-200.8
7/1/2013 9:34	Ti		30.96	ug/L	EPA-200.8
7/8/2013 8:47	Ti		9.303	ug/L	EPA-200.8
7/15/2013 11:00	Ti	j	0.662	ug/L	EPA-200.8
6/17/2013 10:02	TKN		0.561	mg/L	EPA-351.1
6/24/2013 10:45	TKN	<	0.2125	mg/L	EPA-351.1
7/1/2013 9:34	TKN	<	0.2	mg/L	EPA-351.1
7/8/2013 8:47	TKN		0.735	mg/L	EPA-351.1
7/15/2013 11:00	TKN	j	0.268	mg/L	EPA-351.1
6/17/2013 10:02	Tl	<	0.16	ug/L	EPA-200.8

Euclid Creek River Mile 1.00 Sample Date	Parameter	Code	Result	Units	Method
6/24/2013 10:45	Tl	<	0.16	ug/L	EPA-200.8
7/1/2013 9:34	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 8:47	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 11:00	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 10:02	TMET	<	10	ug/L	EPA-200.8
6/24/2013 10:45	TMET	<	10	ug/L	EPA-200.8
7/1/2013 9:34	TMET	<	10	ug/L	EPA-200.8
7/8/2013 8:47	TMET		26.8	ug/L	EPA-200.8
7/15/2013 11:00	TMET	<	10	ug/L	EPA-200.8
6/17/2013 10:02	Total-P		0.036	mg/L	EPA 365.1
6/24/2013 10:45	Total-P		0.0245	mg/L	EPA 365.1
7/1/2013 9:34	Total-P		0.03	mg/L	EPA 365.1
7/8/2013 8:47	Total-P		0.095	mg/L	EPA 365.1
7/15/2013 11:00	Total-P		0.029	mg/L	EPA 365.1
6/17/2013 10:02	TS		664	mg/L	SM2540B
6/24/2013 10:45	TS		706	mg/L	SM2540B
7/1/2013 9:34	TS		542	mg/L	SM2540B
7/8/2013 8:47	TS		552	mg/L	SM2540B
7/15/2013 11:00	TS		682	mg/L	SM2540B
6/17/2013 10:02	TSS		1.9	mg/L	SM2540D
6/24/2013 10:45	TSS		3.1	mg/L	SM2540D
7/1/2013 9:34	TSS		2.1	mg/L	SM2540D
7/8/2013 8:47	TSS		61.8	mg/L	SM2540D
7/15/2013 11:00	TSS		1.7	mg/L	SM2540D
6/17/2013 10:02	Turbidity		3.15	NTU	EPA 180.1
6/24/2013 10:45	Turbidity		2.3825	NTU	EPA 180.1
7/1/2013 9:34	Turbidity		1.84	NTU	EPA 180.1
7/8/2013 8:47	Turbidity		77.1	NTU	EPA 180.1
7/15/2013 11:00	Turbidity		1.64	NTU	EPA 180.1
6/17/2013 10:02	V	<	1.84	ug/L	EPA-200.8
6/24/2013 10:45	V	<	1.84	ug/L	EPA-200.8
7/1/2013 9:34	V	<	1.84	ug/L	EPA-200.8
7/8/2013 8:47	V	j	2.498	ug/L	EPA-200.8
7/15/2013 11:00	V	<	1.04	ug/L	EPA-200.8
6/17/2013 10:02	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 10:45	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 9:34	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 8:47	Zn		14.64	ug/L	EPA-200.8
7/15/2013 11:00	Zn	j	1.587	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:32	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 11:15	Ag	<	0.066	ug/L	EPA-200.8
7/1/2013 9:22	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 10:00	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 10:20	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 10:43	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 9:32	Al		33.085	ug/L	EPA-200.8
6/24/2013 11:15	Al		53.36	ug/L	EPA-200.8
7/1/2013 9:22	Al		39.48	ug/L	EPA-200.8
7/8/2013 10:00	Al		1212	ug/L	EPA-200.8
7/15/2013 10:20	Al		45.96	ug/L	EPA-200.8
7/23/2013 10:43	Al		168.2	ug/L	EPA-200.8
6/17/2013 9:32	Alkalinity		119.6	mg/LCaCO3	EPA-310.2
6/24/2013 11:15	Alkalinity		123.3	mg/LCaCO3	EPA-310.2
7/1/2013 9:22	Alkalinity		121.7	mg/LCaCO3	EPA-310.2
7/8/2013 10:00	Alkalinity		60.7	mg/LCaCO3	EPA-310.2
7/15/2013 10:20	Alkalinity		142.2	mg/LCaCO3	EPA-310.2
7/23/2013 10:43	Alkalinity		111.4	mg/LCaCO3	EPA-310.2
6/17/2013 9:32	As	j	0.884	ug/L	EPA-200.8
6/24/2013 11:15	As	j	1.129	ug/L	EPA-200.8
7/1/2013 9:22	As	j	1.202	ug/L	EPA-200.8
7/8/2013 10:00	As		2.012	ug/L	EPA-200.8
7/15/2013 10:20	As	j	1.081	ug/L	EPA-200.8
7/23/2013 10:43	As	j	1.377	ug/L	EPA-200.8
6/17/2013 9:32	Ba		30.63	ug/L	EPA-200.8
6/24/2013 11:15	Ba		32.88	ug/L	EPA-200.8
7/1/2013 9:22	Ba		25.14	ug/L	EPA-200.8
7/8/2013 10:00	Ba		24.25	ug/L	EPA-200.8
7/15/2013 10:20	Ba		31.86	ug/L	EPA-200.8
7/23/2013 10:43	Ba		29.24	ug/L	EPA-200.8
6/17/2013 9:32	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 11:15	Be	<	0.126	ug/L	EPA-200.8
7/1/2013 9:22	Be	<	0.2	ug/L	EPA-200.8
7/8/2013 10:00	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 10:20	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 10:43	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 9:32	BOD	<	2	mg/L	SM 5210
7/1/2013 9:22	BOD	<	2	mg/L	SM 5210
7/8/2013 10:00	BOD	<	2	mg/L	SM 5210
7/15/2013 10:20	BOD	<	2	mg/L	SM 5210

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 10:43	BOD	<	2	mg/L	SM 5210
6/17/2013 9:32	Ca		64210	ug/L	EPA-200.8
6/24/2013 11:15	Ca		67990	ug/L	EPA-200.8
7/1/2013 9:22	Ca		52530	ug/L	EPA-200.8
7/8/2013 10:00	Ca		38020	ug/L	EPA-200.8
7/15/2013 10:20	Ca		69010	ug/L	EPA-200.8
7/23/2013 10:43	Ca		57690	ug/L	EPA-200.8
6/17/2013 9:32	CaCO3		223	mg/LCaCO3	EPA-200.8
6/24/2013 11:15	CaCO3		240	mg/LCaCO3	EPA-200.8
7/1/2013 9:22	CaCO3		183	mg/LCaCO3	EPA-200.8
7/8/2013 10:00	CaCO3		130	mg/LCaCO3	EPA-200.8
7/15/2013 10:20	CaCO3		237	mg/LCaCO3	EPA-200.8
7/23/2013 10:43	CaCO3		200	mg/LCaCO3	EPA-200.8
6/17/2013 9:32	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 11:15	Cd	<	0.22	ug/L	EPA-200.8
7/1/2013 9:22	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 10:00	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 10:20	Cd	<	0.076	ug/L	EPA-200.8
7/23/2013 10:43	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 9:32	Chloride		256.35	mg/L	EPA 300.0
6/24/2013 11:15	Chloride		268.5	mg/L	EPA 300.0
7/1/2013 9:22	Chloride		196.2	mg/L	EPA 300.0
7/8/2013 10:00	Chloride		173.2	mg/L	EPA 300.0
7/15/2013 10:20	Chloride		201.1	mg/L	EPA 300.0
7/23/2013 10:43	Chloride		194.4	mg/L	EPA 300.0
6/17/2013 9:32	Co	j	0.203	ug/L	EPA-200.8
6/24/2013 11:15	Co	j	0.211	ug/L	EPA-200.8
7/1/2013 9:22	Co	j	0.199	ug/L	EPA-200.8
7/8/2013 10:00	Co	j	0.994	ug/L	EPA-200.8
7/15/2013 10:20	Co	j	0.211	ug/L	EPA-200.8
7/23/2013 10:43	Co	j	0.313	ug/L	EPA-200.8
6/17/2013 9:32	COD		22.2	mg/L	EPA 410.4
6/24/2013 11:15	COD		15.4	mg/L	EPA 410.4
7/1/2013 9:22	COD		41.5	mg/L	EPA 410.4
7/8/2013 10:00	COD		16.7	mg/L	EPA 410.4
7/15/2013 10:20	COD		15.6	mg/L	EPA 410.4
7/23/2013 10:43	COD		14.6	mg/L	EPA 410.4
6/24/2013 11:15	Cr	j	0.471	ug/L	EPA-200.8
7/8/2013 10:00	Cr		2.198	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:20	Cr	j	0.508	ug/L	EPA-200.8
7/23/2013 10:43	Cr		1.013	ug/L	EPA-200.8
6/17/2013 9:32	Cu		3.397	ug/L	EPA-200.8
6/24/2013 11:15	Cu		2.783	ug/L	EPA-200.8
7/1/2013 9:22	Cu		2.612	ug/L	EPA-200.8
7/8/2013 10:00	Cu		5.621	ug/L	EPA-200.8
7/15/2013 10:20	Cu		3.054	ug/L	EPA-200.8
7/23/2013 10:43	Cu		3.892	ug/L	EPA-200.8
6/24/2013 11:15	DRPhos		0.01	mg/L	EPA 365.1
7/1/2013 9:22	DRPhos		0.019	mg/L	EPA 365.1
7/8/2013 10:00	DRPhos		0.02	mg/L	EPA 365.1
7/15/2013 10:20	DRPhos		0.018	mg/L	EPA 365.1
7/23/2013 10:43	DRPhos		0.028	mg/L	EPA 365.1
6/17/2013 9:32	E. coli		207.5	cfu/100mL	EPA 1603
6/24/2013 11:15	E. coli		270	cfu/100mL	EPA 1603
7/1/2013 9:22	E. coli		100	cfu/100mL	EPA 1603
7/8/2013 10:00	E. coli	EC	765	cfu/100mL	EPA 1603
7/15/2013 10:20	E. coli		440	cfu/100mL	EPA 1603
7/23/2013 10:43	E. coli		1150	cfu/100mL	EPA 1603
6/17/2013 9:32	Fe		124.45	ug/L	EPA-200.8
6/24/2013 11:15	Fe		137.3	ug/L	EPA-200.8
7/1/2013 9:22	Fe		163.4	ug/L	EPA-200.8
7/8/2013 10:00	Fe		2163	ug/L	EPA-200.8
7/15/2013 10:20	Fe		227.3	ug/L	EPA-200.8
7/23/2013 10:43	Fe		337	ug/L	EPA-200.8
6/17/2013 9:32	Field Cond		1097	umhos/cm	SM 2510A
6/24/2013 11:15	Field Cond		1194	umhos/cm	SM 2510A
7/1/2013 9:22	Field Cond		793	umhos/cm	SM 2510A
7/8/2013 10:00	Field Cond		814	umhos/cm	SM 2510A
7/15/2013 10:20	Field Cond		1076	umhos/cm	SM 2510A
7/23/2013 10:43	Field Cond		986	umhos/cm	SM 2510A
6/17/2013 9:32	Field DO		9.24	mg/L	SM 4500-0 G
7/1/2013 9:22	Field DO		7.76	mg/L	SM 4500-0 G
7/8/2013 10:00	Field DO		8.68	mg/L	SM 4500-0 G
7/15/2013 10:20	Field DO		8.56	mg/L	SM 4500-0 G
7/23/2013 10:43	Field DO		9.22	mg/L	SM 4500-0 G
6/17/2013 9:32	Field Temp		20.1	C	EPA 170.1
6/24/2013 11:15	Field Temp		24.9	C	EPA 170.1
7/1/2013 9:22	Field Temp		20.2	C	EPA 170.1

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 10:00	Field Temp		21.2	C	EPA 170.1
7/15/2013 10:20	Field Temp		23.6	C	EPA 170.1
7/23/2013 10:43	Field Temp		21.8	C	EPA 170.1
6/17/2013 9:32	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 11:15	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 9:22	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 10:00	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 10:20	Hg	<	0.008	ug/L	EPA 245.1
7/23/2013 10:43	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 9:32	K		4348	ug/L	EPA-200.8
6/24/2013 11:15	K		4864	ug/L	EPA-200.8
7/1/2013 9:22	K		3836	ug/L	EPA-200.8
7/8/2013 10:00	K		3525	ug/L	EPA-200.8
7/15/2013 10:20	K		4929	ug/L	EPA-200.8
7/23/2013 10:43	K		4727	ug/L	EPA-200.8
6/17/2013 9:32	Mg		15275	ug/L	EPA-200.8
6/24/2013 11:15	Mg		17010	ug/L	EPA-200.8
7/1/2013 9:22	Mg		12640	ug/L	EPA-200.8
7/8/2013 10:00	Mg		8498	ug/L	EPA-200.8
7/15/2013 10:20	Mg		15700	ug/L	EPA-200.8
7/23/2013 10:43	Mg		13470	ug/L	EPA-200.8
6/17/2013 9:32	Mn		25.365	ug/L	EPA-200.8
6/24/2013 11:15	Mn		30.4	ug/L	EPA-200.8
7/1/2013 9:22	Mn		22.73	ug/L	EPA-200.8
7/8/2013 10:00	Mn		47.09	ug/L	EPA-200.8
7/15/2013 10:20	Mn		23.93	ug/L	EPA-200.8
7/23/2013 10:43	Mn		25.62	ug/L	EPA-200.8
6/17/2013 9:32	Mo		4.4805	ug/L	EPA-200.8
6/24/2013 11:15	Mo		3.819	ug/L	EPA-200.8
7/1/2013 9:22	Mo		3.764	ug/L	EPA-200.8
7/8/2013 10:00	Mo		2.627	ug/L	EPA-200.8
7/15/2013 10:20	Mo		3.93	ug/L	EPA-200.8
7/23/2013 10:43	Mo		4.593	ug/L	EPA-200.8
6/17/2013 9:32	Na		156000	ug/L	EPA-200.8
6/24/2013 11:15	Na		161100	ug/L	EPA-200.8
7/1/2013 9:22	Na		121600	ug/L	EPA-200.8
7/8/2013 10:00	Na		113900	ug/L	EPA-200.8
7/15/2013 10:20	Na		131400	ug/L	EPA-200.8
7/23/2013 10:43	Na		111900	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:32	NH3		0.0265	mg/L	EPA-350.1
6/24/2013 11:15	NH3		0.039	mg/L	EPA-350.1
7/1/2013 9:22	NH3		0.027	mg/L	EPA-350.1
7/8/2013 10:00	NH3		0.051	mg/L	EPA-350.1
7/15/2013 10:20	NH3		0.055	mg/L	EPA-350.1
7/23/2013 10:43	NH3		0.301	mg/L	EPA-350.1
6/17/2013 9:32	Ni	j	2.4345	ug/L	EPA-200.8
6/24/2013 11:15	Ni	j	2.125	ug/L	EPA-200.8
7/1/2013 9:22	Ni	j	2.194	ug/L	EPA-200.8
7/8/2013 10:00	Ni	j	3.897	ug/L	EPA-200.8
7/15/2013 10:20	Ni	j	2.61	ug/L	EPA-200.8
7/23/2013 10:43	Ni	j	2.985	ug/L	EPA-200.8
6/17/2013 9:32	NO3-NO2		0.2575	mg/L	EPA 353.2
6/24/2013 11:15	NO3-NO2		0.162	mg/L	EPA 353.2
7/1/2013 9:22	NO3-NO2		0.29	mg/L	EPA 353.2
7/8/2013 10:00	NO3-NO2		0.498	mg/L	EPA 353.2
7/15/2013 10:20	NO3-NO2		0.318	mg/L	EPA 353.2
7/23/2013 10:43	NO3-NO2		0.749	mg/L	EPA 353.2
6/17/2013 9:32	Pb	j	0.1925	ug/L	EPA-200.8
6/24/2013 11:15	Pb	j	0.314	ug/L	EPA-200.8
7/1/2013 9:22	Pb	j	0.245	ug/L	EPA-200.8
7/8/2013 10:00	Pb		2.096	ug/L	EPA-200.8
7/15/2013 10:20	Pb	j	0.216	ug/L	EPA-200.8
7/23/2013 10:43	Pb	j	0.524	ug/L	EPA-200.8
6/17/2013 9:32	pH		8.02	S.U.	
6/24/2013 11:15	pH		8.24	S.U.	
7/1/2013 9:22	pH		7.83	S.U.	
7/8/2013 10:00	pH		7.93	S.U.	
7/15/2013 10:20	pH		8.04	S.U.	
7/23/2013 10:43	pH		7.91	S.U.	
6/17/2013 9:32	Sb	j	0.403	ug/L	EPA-200.8
6/24/2013 11:15	Sb	j	0.38	ug/L	EPA-200.8
7/1/2013 9:22	Sb	j	0.408	ug/L	EPA-200.8
7/8/2013 10:00	Sb	j	0.409	ug/L	EPA-200.8
7/15/2013 10:20	Sb	j	0.442	ug/L	EPA-200.8
7/23/2013 10:43	Sb	j	0.526	ug/L	EPA-200.8
6/17/2013 9:32	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 11:15	Se	<	2.46	ug/L	EPA-200.8
7/1/2013 9:22	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 10:00	Se	<	0.66	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
7/15/2013 10:20	Se	<	0.66	ug/L	EPA-200.8
7/23/2013 10:43	Se	<	0.66	ug/L	EPA-200.8
6/24/2013 11:15	Sn	<	0.172	ug/L	EPA-200.8
7/1/2013 9:22	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 10:00	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 10:20	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 10:43	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 9:32	SO4		67.19	mg/L	EPA 300.0
6/24/2013 11:15	SO4		80.45	mg/L	EPA 300.0
7/1/2013 9:22	SO4		56.42	mg/L	EPA 300.0
7/8/2013 10:00	SO4		40.11	mg/L	EPA 300.0
7/15/2013 10:20	SO4		73.59	mg/L	EPA 300.0
7/23/2013 10:43	SO4		69.17	mg/L	EPA 300.0
6/17/2013 9:32	Sr		336.398	ug/L	EPA-200.8
6/24/2013 11:15	Sr		363.685	ug/L	EPA-200.8
7/1/2013 9:22	Sr		291.778	ug/L	EPA-200.8
7/8/2013 10:00	Sr		205.146	ug/L	EPA-200.8
7/15/2013 10:20	Sr		350.352	ug/L	EPA-200.8
7/23/2013 10:43	Sr		303.64	ug/L	EPA-200.8
6/17/2013 9:32	TDS		630	mg/L	SM2540C
6/24/2013 11:15	TDS		698	mg/L	SM2540C
7/1/2013 9:22	TDS		522	mg/L	SM2540C
7/8/2013 10:00	TDS		454	mg/L	SM2540C
7/15/2013 10:20	TDS		598	mg/L	SM2540C
7/23/2013 10:43	TDS		584	mg/L	SM2540C
6/17/2013 9:32	Ti		38.565	ug/L	EPA-200.8
6/24/2013 11:15	Ti		39.85	ug/L	EPA-200.8
7/1/2013 9:22	Ti		31.42	ug/L	EPA-200.8
7/8/2013 10:00	Ti		9.074	ug/L	EPA-200.8
7/15/2013 10:20	Ti	j	0.899	ug/L	EPA-200.8
7/23/2013 10:43	Ti		2.113	ug/L	EPA-200.8
6/17/2013 9:32	TKN	j	0.399	mg/L	EPA-351.1
6/24/2013 11:15	TKN	j	0.299	mg/L	EPA-351.1
7/1/2013 9:22	TKN	j	0.444	mg/L	EPA-351.1
7/8/2013 10:00	TKN		0.61	mg/L	EPA-351.1
7/15/2013 10:20	TKN	j	0.314	mg/L	EPA-351.1
7/23/2013 10:43	TKN	j	0.26	mg/L	EPA-351.1
6/17/2013 9:32	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 11:15	Tl	<	0.16	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 9:22	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 10:00	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 10:20	Tl	<	0.6	ug/L	EPA-200.8
7/23/2013 10:43	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 9:32	TMET	<	10	ug/L	EPA-200.8
6/24/2013 11:15	TMET	<	10	ug/L	EPA-200.8
7/1/2013 9:22	TMET	<	10	ug/L	EPA-200.8
7/8/2013 10:00	TMET		25.4	ug/L	EPA-200.8
7/15/2013 10:20	TMET	<	10	ug/L	EPA-200.8
7/23/2013 10:43	TMET		15.1	ug/L	EPA-200.8
6/17/2013 9:32	Total-P		0.027	mg/L	EPA 365.1
6/24/2013 11:15	Total-P		0.025	mg/L	EPA 365.1
7/1/2013 9:22	Total-P		0.029	mg/L	EPA 365.1
7/8/2013 10:00	Total-P		0.079	mg/L	EPA 365.1
7/15/2013 10:20	Total-P		0.028	mg/L	EPA 365.1
7/23/2013 10:43	Total-P		0.04	mg/L	EPA 365.1
6/17/2013 9:32	TS		645	mg/L	SM2540B
6/24/2013 11:15	TS		742	mg/L	SM2540B
7/1/2013 9:22	TS		566	mg/L	SM2540B
7/8/2013 10:00	TS		568	mg/L	SM2540B
7/15/2013 10:20	TS		686	mg/L	SM2540B
7/23/2013 10:43	TS		592	mg/L	SM2540B
6/17/2013 9:32	TSS		2.2	mg/L	SM2540D
6/24/2013 11:15	TSS		3	mg/L	SM2540D
7/1/2013 9:22	TSS		1.7	mg/L	SM2540D
7/8/2013 10:00	TSS		57.8	mg/L	SM2540D
7/15/2013 10:20	TSS		2.6	mg/L	SM2540D
7/23/2013 10:43	TSS		4.9	mg/L	SM2540D
6/17/2013 9:32	Turbidity		1.815	NTU	EPA 180.1
6/24/2013 11:15	Turbidity		2.325	NTU	EPA 180.1
7/1/2013 9:22	Turbidity		1.92	NTU	EPA 180.1
7/8/2013 10:00	Turbidity		65.5	NTU	EPA 180.1
7/15/2013 10:20	Turbidity		2.08	NTU	EPA 180.1
7/23/2013 10:43	Turbidity		7.64	NTU	EPA 180.1
6/17/2013 9:32	V	<	1.84	ug/L	EPA-200.8
6/24/2013 11:15	V	<	1.84	ug/L	EPA-200.8
7/1/2013 9:22	V	<	1.84	ug/L	EPA-200.8
7/8/2013 10:00	V	j	1.769	ug/L	EPA-200.8
7/15/2013 10:20	V	<	1.04	ug/L	EPA-200.8
7/23/2013 10:43	V	<	1.04	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:32	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 11:15	Zn	<	4.8	ug/L	EPA-200.8
7/1/2013 9:22	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 10:00	Zn		13.64	ug/L	EPA-200.8
7/15/2013 10:20	Zn	j	1.78	ug/L	EPA-200.8
7/23/2013 10:43	Zn	j	7.204	ug/L	EPA-200.8

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:14	Ag	<	0.066	ug/L	EPA-200.8
6/24/2013 11:43	Ag	<	0.033	ug/L	EPA-200.8
7/1/2013 9:08	Ag	<	0.066	ug/L	EPA-200.8
7/8/2013 9:45	Ag	<	0.038	ug/L	EPA-200.8
7/15/2013 10:40	Ag	<	0.038	ug/L	EPA-200.8
6/17/2013 9:14	Al		48.72	ug/L	EPA-200.8
6/24/2013 11:43	Al		110	ug/L	EPA-200.8
7/1/2013 9:08	Al		43.04	ug/L	EPA-200.8
7/8/2013 9:45	Al		1509	ug/L	EPA-200.8
7/15/2013 10:40	Al		57.24	ug/L	EPA-200.8
6/17/2013 9:14	Alkalinity		123.9	mg/LCaCO3	EPA-310.2
6/24/2013 11:43	Alkalinity		124.8	mg/LCaCO3	EPA-310.2
7/1/2013 9:08	Alkalinity		117.4	mg/LCaCO3	EPA-310.2
7/8/2013 9:45	Alkalinity		56.3	mg/LCaCO3	EPA-310.2
7/15/2013 10:40	Alkalinity		142.4	mg/LCaCO3	EPA-310.2
6/17/2013 9:14	As	j	1.188	ug/L	EPA-200.8
6/24/2013 11:43	As		1.176	ug/L	EPA-200.8
7/1/2013 9:08	As	j	1.316	ug/L	EPA-200.8
7/8/2013 9:45	As		2.408	ug/L	EPA-200.8
7/15/2013 10:40	As	j	1.046	ug/L	EPA-200.8
6/17/2013 9:14	Ba		31.15	ug/L	EPA-200.8
6/24/2013 11:43	Ba		34.33	ug/L	EPA-200.8
7/1/2013 9:08	Ba		25.98	ug/L	EPA-200.8
7/8/2013 9:45	Ba		25.58	ug/L	EPA-200.8
7/15/2013 10:40	Ba		32.38	ug/L	EPA-200.8
6/17/2013 9:14	Be	<	0.126	ug/L	EPA-200.8
6/24/2013 11:43	Be	<	0.063	ug/L	EPA-200.8
7/1/2013 9:08	Be	<	0.2	ug/L	EPA-200.8
7/8/2013 9:45	Be	<	0.2	ug/L	EPA-200.8
7/15/2013 10:40	Be	<	0.2	ug/L	EPA-200.8
6/17/2013 9:14	BOD	<	2	mg/L	SM 5210
7/1/2013 9:08	BOD	<	2	mg/L	SM 5210
7/8/2013 9:45	BOD		2.1	mg/L	SM 5210
7/15/2013 10:40	BOD	<	2	mg/L	SM 5210
6/17/2013 9:14	Ca		64270	ug/L	EPA-200.8
6/24/2013 11:43	Ca		68010	ug/L	EPA-200.8
7/1/2013 9:08	Ca		51640	ug/L	EPA-200.8
7/8/2013 9:45	Ca		36200	ug/L	EPA-200.8
7/15/2013 10:40	Ca		66420	ug/L	EPA-200.8

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:14	CaCO3		222	mg/LCaCO3	EPA-200.8
6/24/2013 11:43	CaCO3		239	mg/LCaCO3	EPA-200.8
7/1/2013 9:08	CaCO3		180	mg/LCaCO3	EPA-200.8
7/8/2013 9:45	CaCO3		124	mg/LCaCO3	EPA-200.8
7/15/2013 10:40	CaCO3		229	mg/LCaCO3	EPA-200.8
6/17/2013 9:14	Cd	<	0.22	ug/L	EPA-200.8
6/24/2013 11:43	Cd	<	0.11	ug/L	EPA-200.8
7/1/2013 9:08	Cd	<	0.22	ug/L	EPA-200.8
7/8/2013 9:45	Cd	<	0.076	ug/L	EPA-200.8
7/15/2013 10:40	Cd	<	0.076	ug/L	EPA-200.8
6/17/2013 9:14	Chloride		249.2	mg/L	EPA 300.0
6/24/2013 11:43	Chloride		261.6	mg/L	EPA 300.0
7/1/2013 9:08	Chloride		108.5	mg/L	EPA 300.0
7/8/2013 9:45	Chloride		177	mg/L	EPA 300.0
7/15/2013 10:40	Chloride		172.2	mg/L	EPA 300.0
6/17/2013 9:14	Co	j	0.233	ug/L	EPA-200.8
6/24/2013 11:43	Co	j	0.274	ug/L	EPA-200.8
7/1/2013 9:08	Co	j	0.229	ug/L	EPA-200.8
7/8/2013 9:45	Co		1.233	ug/L	EPA-200.8
7/15/2013 10:40	Co	j	0.222	ug/L	EPA-200.8
6/17/2013 9:14	COD		20.6	mg/L	EPA 410.4
6/24/2013 11:43	COD		11.9	mg/L	EPA 410.4
7/1/2013 9:08	COD		37.5	mg/L	EPA 410.4
7/8/2013 9:45	COD		19.8	mg/L	EPA 410.4
7/15/2013 10:40	COD		12.7	mg/L	EPA 410.4
6/24/2013 11:43	Cr		0.58	ug/L	EPA-200.8
7/8/2013 9:45	Cr		2.572	ug/L	EPA-200.8
7/15/2013 10:40	Cr	j	0.544	ug/L	EPA-200.8
6/17/2013 9:14	Cu		3.26	ug/L	EPA-200.8
6/24/2013 11:43	Cu		2.696	ug/L	EPA-200.8
7/1/2013 9:08	Cu		2.592	ug/L	EPA-200.8
7/8/2013 9:45	Cu		6.436	ug/L	EPA-200.8
7/15/2013 10:40	Cu		2.981	ug/L	EPA-200.8
6/24/2013 11:43	DRPhos	j	0.007	mg/L	EPA 365.1
7/1/2013 9:08	DRPhos		0.014	mg/L	EPA 365.1
7/8/2013 9:45	DRPhos		0.02	mg/L	EPA 365.1
7/15/2013 10:40	DRPhos		0.016	mg/L	EPA 365.1

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:14	E. coli		280	cfu/100mL	EPA 1603
6/24/2013 11:43	E. coli		355	cfu/100mL	EPA 1603
7/1/2013 9:08	E. coli		328	cfu/100mL	EPA 1603
7/8/2013 9:45	E. coli	EC	913	cfu/100mL	EPA 1603
7/15/2013 10:40	E. coli		600	cfu/100mL	EPA 1603
6/17/2013 9:14	Fe		178.4	ug/L	EPA-200.8
6/24/2013 11:43	Fe		271.8	ug/L	EPA-200.8
7/1/2013 9:08	Fe		220.9	ug/L	EPA-200.8
7/8/2013 9:45	Fe		2721	ug/L	EPA-200.8
7/15/2013 10:40	Fe		267.6	ug/L	EPA-200.8
6/17/2013 9:14	Field Cond		1082	umhos/cm	SM 2510A
6/24/2013 11:43	Field Cond		1173	umhos/cm	SM 2510A
7/1/2013 9:08	Field Cond		830	umhos/cm	SM 2510A
7/8/2013 9:45	Field Cond		799	umhos/cm	SM 2510A
7/15/2013 10:40	Field Cond		1077	umhos/cm	SM 2510A
6/17/2013 9:14	Field DO		7.68	mg/L	SM 4500-0 G
7/1/2013 9:08	Field DO		6.47	mg/L	SM 4500-0 G
7/8/2013 9:45	Field DO		8.1	mg/L	SM 4500-0 G
7/15/2013 10:40	Field DO		6.71	mg/L	SM 4500-0 G
6/17/2013 9:14	Field Temp		19.6	C	EPA 170.1
6/24/2013 11:43	Field Temp		24.4	C	EPA 170.1
7/1/2013 9:08	Field Temp		20.4	C	EPA 170.1
7/8/2013 9:45	Field Temp		21.1	C	EPA 170.1
7/15/2013 10:40	Field Temp		23.8	C	EPA 170.1
6/17/2013 9:14	Hg	<	0.006	ug/L	EPA 245.1
6/24/2013 11:43	Hg	<	0.006	ug/L	EPA 245.1
7/1/2013 9:08	Hg	<	0.006	ug/L	EPA 245.1
7/8/2013 9:45	Hg	<	0.006	ug/L	EPA 245.1
7/15/2013 10:40	Hg	<	0.008	ug/L	EPA 245.1
6/17/2013 9:14	K		4251	ug/L	EPA-200.8
6/24/2013 11:43	K		4798	ug/L	EPA-200.8
7/1/2013 9:08	K		3787	ug/L	EPA-200.8
7/8/2013 9:45	K		3529	ug/L	EPA-200.8
7/15/2013 10:40	K		4736	ug/L	EPA-200.8
6/17/2013 9:14	Mg		15000	ug/L	EPA-200.8
6/24/2013 11:43	Mg		16860	ug/L	EPA-200.8
7/1/2013 9:08	Mg		12540	ug/L	EPA-200.8
7/8/2013 9:45	Mg		8053	ug/L	EPA-200.8
7/15/2013 10:40	Mg		15390	ug/L	EPA-200.8

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:14	Mn		37.51	ug/L	EPA-200.8
6/24/2013 11:43	Mn		57.47	ug/L	EPA-200.8
7/1/2013 9:08	Mn		39.9	ug/L	EPA-200.8
7/8/2013 9:45	Mn		65.37	ug/L	EPA-200.8
7/15/2013 10:40	Mn		40.8	ug/L	EPA-200.8
6/17/2013 9:14	Mo		4.304	ug/L	EPA-200.8
6/24/2013 11:43	Mo		4.142	ug/L	EPA-200.8
7/1/2013 9:08	Mo		3.673	ug/L	EPA-200.8
7/8/2013 9:45	Mo		2.523	ug/L	EPA-200.8
7/15/2013 10:40	Mo		3.966	ug/L	EPA-200.8
6/17/2013 9:14	Na		153000	ug/L	EPA-200.8
6/24/2013 11:43	Na		158400	ug/L	EPA-200.8
7/1/2013 9:08	Na		121600	ug/L	EPA-200.8
7/8/2013 9:45	Na		111400	ug/L	EPA-200.8
7/15/2013 10:40	Na		127500	ug/L	EPA-200.8
6/17/2013 9:14	NH3		0.029	mg/L	EPA-350.1
6/24/2013 11:43	NH3		0.056	mg/L	EPA-350.1
7/1/2013 9:08	NH3		0.038	mg/L	EPA-350.1
7/8/2013 9:45	NH3		0.072	mg/L	EPA-350.1
7/15/2013 10:40	NH3		0.073	mg/L	EPA-350.1
6/17/2013 9:14	Ni	j	2.545	ug/L	EPA-200.8
6/24/2013 11:43	Ni		2.39	ug/L	EPA-200.8
7/1/2013 9:08	Ni	j	2.352	ug/L	EPA-200.8
7/8/2013 9:45	Ni		4.275	ug/L	EPA-200.8
7/15/2013 10:40	Ni	j	2.611	ug/L	EPA-200.8
6/17/2013 9:14	NO3-NO2		0.263	mg/L	EPA 353.2
6/24/2013 11:43	NO3-NO2		0.16	mg/L	EPA 353.2
7/1/2013 9:08	NO3-NO2		0.28	mg/L	EPA 353.2
7/8/2013 9:45	NO3-NO2		0.489	mg/L	EPA 353.2
7/15/2013 10:40	NO3-NO2		0.339	mg/L	EPA 353.2
6/17/2013 9:14	Pb	j	0.274	ug/L	EPA-200.8
6/24/2013 11:43	Pb	j	0.446	ug/L	EPA-200.8
7/1/2013 9:08	Pb	j	0.379	ug/L	EPA-200.8
7/8/2013 9:45	Pb		2.661	ug/L	EPA-200.8
7/15/2013 10:40	Pb	j	0.274	ug/L	EPA-200.8
6/17/2013 9:14	pH		7.73	S.U.	
6/24/2013 11:43	pH		7.84	S.U.	
7/1/2013 9:08	pH		7.56	S.U.	

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
7/8/2013 9:45	pH		7.79	S.U.	
7/15/2013 10:40	pH		7.85	S.U.	
6/17/2013 9:14	Sb	j	0.424	ug/L	EPA-200.8
6/24/2013 11:43	Sb	j	0.43	ug/L	EPA-200.8
7/1/2013 9:08	Sb	j	0.413	ug/L	EPA-200.8
7/8/2013 9:45	Sb	j	0.407	ug/L	EPA-200.8
7/15/2013 10:40	Sb	j	0.452	ug/L	EPA-200.8
6/17/2013 9:14	Se	<	2.46	ug/L	EPA-200.8
6/24/2013 11:43	Se	<	1.23	ug/L	EPA-200.8
7/1/2013 9:08	Se	<	2.46	ug/L	EPA-200.8
7/8/2013 9:45	Se	<	0.66	ug/L	EPA-200.8
7/15/2013 10:40	Se	<	0.66	ug/L	EPA-200.8
6/24/2013 11:43	Sn	<	0.086	ug/L	EPA-200.8
7/1/2013 9:08	Sn	<	0.172	ug/L	EPA-200.8
7/8/2013 9:45	Sn	<	0.178	ug/L	EPA-200.8
7/15/2013 10:40	Sn	<	0.178	ug/L	EPA-200.8
6/17/2013 9:14	SO4		66.4	mg/L	EPA 300.0
6/24/2013 11:43	SO4		80.28	mg/L	EPA 300.0
7/1/2013 9:08	SO4		31.38	mg/L	EPA 300.0
7/8/2013 9:45	SO4		38.22	mg/L	EPA 300.0
7/15/2013 10:40	SO4		73.64	mg/L	EPA 300.0
6/17/2013 9:14	Sr		336.569	ug/L	EPA-200.8
6/24/2013 11:43	Sr		359.822	ug/L	EPA-200.8
7/1/2013 9:08	Sr		286.704	ug/L	EPA-200.8
7/8/2013 9:45	Sr		197.1	ug/L	EPA-200.8
7/15/2013 10:40	Sr		341.412	ug/L	EPA-200.8
6/17/2013 9:14	TDS		610	mg/L	SM2540C
6/24/2013 11:43	TDS		710	mg/L	SM2540C
7/1/2013 9:08	TDS		514	mg/L	SM2540C
7/8/2013 9:45	TDS		456	mg/L	SM2540C
7/15/2013 10:40	TDS		596	mg/L	SM2540C
6/17/2013 9:14	Ti		38.96	ug/L	EPA-200.8
6/24/2013 11:43	Ti		40.11	ug/L	EPA-200.8
7/1/2013 9:08	Ti		30.41	ug/L	EPA-200.8
7/8/2013 9:45	Ti		9.237	ug/L	EPA-200.8
7/15/2013 10:40	Ti	j	0.937	ug/L	EPA-200.8
6/17/2013 9:14	TKN		0.53	mg/L	EPA-351.1
6/24/2013 11:43	TKN	<	0.2	mg/L	EPA-351.1

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
7/1/2013 9:08	TKN	j	0.425	mg/L	EPA-351.1
7/8/2013 9:45	TKN		0.924	mg/L	EPA-351.1
7/15/2013 10:40	TKN	j	0.244	mg/L	EPA-351.1
6/17/2013 9:14	Tl	<	0.16	ug/L	EPA-200.8
6/24/2013 11:43	Tl	j	0.082	ug/L	EPA-200.8
7/1/2013 9:08	Tl	<	0.16	ug/L	EPA-200.8
7/8/2013 9:45	Tl	<	0.6	ug/L	EPA-200.8
7/15/2013 10:40	Tl	<	0.6	ug/L	EPA-200.8
6/17/2013 9:14	TMET	<	10	ug/L	EPA-200.8
6/24/2013 11:43	TMET	<	10	ug/L	EPA-200.8
7/1/2013 9:08	TMET	<	10	ug/L	EPA-200.8
7/8/2013 9:45	TMET		30.1	ug/L	EPA-200.8
7/15/2013 10:40	TMET	<	10	ug/L	EPA-200.8
6/17/2013 9:14	Total-P		0.027	mg/L	EPA 365.1
6/24/2013 11:43	Total-P		0.027	mg/L	EPA 365.1
7/1/2013 9:08	Total-P		0.03	mg/L	EPA 365.1
7/8/2013 9:45	Total-P		0.104	mg/L	EPA 365.1
7/15/2013 10:40	Total-P		0.029	mg/L	EPA 365.1
6/17/2013 9:14	TS		653	mg/L	SM2540B
6/24/2013 11:43	TS		718	mg/L	SM2540B
7/1/2013 9:08	TS		548	mg/L	SM2540B
7/8/2013 9:45	TS		546	mg/L	SM2540B
7/15/2013 10:40	TS		671	mg/L	SM2540B
6/17/2013 9:14	TSS		2.6	mg/L	SM2540D
6/24/2013 11:43	TSS		3.5	mg/L	SM2540D
7/1/2013 9:08	TSS		3.6	mg/L	SM2540D
7/8/2013 9:45	TSS		77	mg/L	SM2540D
7/15/2013 10:40	TSS		3.2	mg/L	SM2540D
6/17/2013 9:14	Turbidity		2.3	NTU	EPA 180.1
6/24/2013 11:43	Turbidity		3.26	NTU	EPA 180.1
7/1/2013 9:08	Turbidity		2.95	NTU	EPA 180.1
7/8/2013 9:45	Turbidity		79.2	NTU	EPA 180.1
7/15/2013 10:40	Turbidity		3.2	NTU	EPA 180.1
6/17/2013 9:14	V	<	1.84	ug/L	EPA-200.8
6/24/2013 11:43	V	<	0.92	ug/L	EPA-200.8
7/1/2013 9:08	V	<	1.84	ug/L	EPA-200.8
7/8/2013 9:45	V	j	2.655	ug/L	EPA-200.8
7/15/2013 10:40	V	<	1.04	ug/L	EPA-200.8

Euclid Creek River Mile 0.40 Sample Date	Parameter	Code	Result	Units	Method
6/17/2013 9:14	Zn	<	4.8	ug/L	EPA-200.8
6/24/2013 11:43	Zn	<	2.4	ug/L	EPA-200.8
7/1/2013 9:08	Zn	<	4.8	ug/L	EPA-200.8
7/8/2013 9:45	Zn		16.86	ug/L	EPA-200.8
7/15/2013 10:40	Zn	<	1.58	ug/L	EPA-200.8

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count