

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:54	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 11:25	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 11:19	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 10:47	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 10:52	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 10:54	Al		134.6	ug/L	EPA-200.8
6/24/2014 11:25	Al		124.6	ug/L	EPA-200.8
7/1/2014 11:19	Al		81.14	ug/L	EPA-200.8
7/8/2014 10:47	Al		1057	ug/L	EPA-200.8
7/15/2014 10:52	Al		533.8	ug/L	EPA-200.8
6/17/2014 10:54	Alkalinity		126.5	mg/LCaCO3	EPA-310.2
6/24/2014 11:25	Alkalinity		114	mg/LCaCO3	EPA-310.2
7/1/2014 11:19	Alkalinity		112.8	mg/LCaCO3	EPA-310.2
7/8/2014 10:47	Alkalinity		54.8	mg/LCaCO3	EPA-310.2
7/15/2014 10:52	Alkalinity		134.9	mg/LCaCO3	EPA-310.2
6/17/2014 10:54	As		2.072	ug/L	EPA-200.8
6/24/2014 11:25	As	j	1.52	ug/L	EPA-200.8
7/1/2014 11:19	As	j	1.694	ug/L	EPA-200.8
7/8/2014 10:47	As	j	1.332	ug/L	EPA-200.8
7/15/2014 10:52	As	j	1.898	ug/L	EPA-200.8
6/17/2014 10:54	Ba		25.4	ug/L	EPA-200.8
6/24/2014 11:25	Ba		21.57	ug/L	EPA-200.8
7/1/2014 11:19	Ba		23.18	ug/L	EPA-200.8
7/8/2014 10:47	Ba		23.07	ug/L	EPA-200.8
7/15/2014 10:52	Ba		29.34	ug/L	EPA-200.8
6/17/2014 10:54	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 11:25	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 11:19	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 10:47	Be	j	0.098	ug/L	EPA-200.8
7/15/2014 10:52	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 10:54	BOD		2	mg/L	SM 5210
6/24/2014 11:25	BOD	<	2	mg/L	SM 5210
7/1/2014 11:19	BOD	<	2	mg/L	SM 5210
7/8/2014 10:47	BOD		4.5	mg/L	SM 5210
7/15/2014 10:52	BOD	<	2	mg/L	SM 5210
6/17/2014 10:54	Ca		57400	ug/L	EPA-200.8
6/24/2014 11:25	Ca		44990	ug/L	EPA-200.8
7/1/2014 11:19	Ca		48330	ug/L	EPA-200.8
7/8/2014 10:47	Ca		27870	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 10:52	Ca		55490	ug/L	EPA-200.8
6/17/2014 10:54	CaCO3		204	mg/LCaCO3	EPA-200.8
6/24/2014 11:25	CaCO3		157	mg/LCaCO3	EPA-200.8
7/1/2014 11:19	CaCO3		170	mg/LCaCO3	EPA-200.8
7/8/2014 10:47	CaCO3		97	mg/LCaCO3	EPA-200.8
7/15/2014 10:52	CaCO3		195	mg/LCaCO3	EPA-200.8
6/17/2014 10:54	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 11:25	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 11:19	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 10:47	Cd	j	0.112	ug/L	EPA-200.8
7/15/2014 10:52	Cd	j	0.095	ug/L	EPA-200.8
6/17/2014 10:54	Chloride		166.3	mg/L	EPA 300.0
6/24/2014 11:25	Chloride		177.8	mg/L	EPA 300.0
7/1/2014 11:19	Chloride		152.5	mg/L	EPA 300.0
7/8/2014 10:47	Chloride		73	mg/L	EPA 300.0
7/15/2014 10:52	Chloride		156.3	mg/L	EPA 300.0
6/17/2014 10:54	Co	j	0.265	ug/L	EPA-200.8
6/24/2014 11:25	Co	j	0.182	ug/L	EPA-200.8
7/1/2014 11:19	Co	j	0.171	ug/L	EPA-200.8
7/8/2014 10:47	Co	j	0.778	ug/L	EPA-200.8
7/15/2014 10:52	Co	j	0.594	ug/L	EPA-200.8
6/24/2014 11:25	COD		18.5	mg/L	EPA 410.4
7/1/2014 11:19	COD		15.2	mg/L	EPA 410.4
7/8/2014 10:47	COD		27.7	mg/L	EPA 410.4
7/15/2014 10:52	COD	j	9.9	mg/L	EPA 410.4
6/17/2014 10:54	Cr	j	0.613	ug/L	EPA-200.8
6/24/2014 11:25	Cr	j	0.845	ug/L	EPA-200.8
7/1/2014 11:19	Cr		1.069	ug/L	EPA-200.8
7/8/2014 10:47	Cr		7.944	ug/L	EPA-200.8
7/15/2014 10:52	Cr		1.488	ug/L	EPA-200.8
6/17/2014 10:54	Cu		2.386	ug/L	EPA-200.8
6/24/2014 11:25	Cu		3.315	ug/L	EPA-200.8
7/1/2014 11:19	Cu		5.482	ug/L	EPA-200.8
7/8/2014 10:47	Cu		9.776	ug/L	EPA-200.8
7/15/2014 10:52	Cu		4.966	ug/L	EPA-200.8
6/17/2014 10:54	DRPhos		0.088	mg/L	EPA 365.1
6/24/2014 11:25	DRPhos		0.103	mg/L	EPA 365.1
7/1/2014 11:19	DRPhos		0.08	mg/L	EPA 365.1

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
7/8/2014 10:47	DRPhos		0.04	mg/L	EPA 365.1
7/15/2014 10:52	DRPhos		0.069	mg/L	EPA 365.1
6/17/2014 10:54	E. coli		448	MPN/100 mL	SM 9223 Colilert
6/24/2014 11:25	E. coli		1540	MPN/100 mL	SM 9223 Colilert
7/1/2014 11:19	E. coli		727	MPN/100 mL	SM 9223 Colilert
7/8/2014 10:47	E. coli		8529	MPN/100 mL	SM 9223 Colilert
7/15/2014 10:52	E. coli		515	MPN/100 mL	SM 9223 Colilert
6/17/2014 10:54	Fe		393.4	ug/L	EPA-200.8
6/24/2014 11:25	Fe		355.1	ug/L	EPA-200.8
7/1/2014 11:19	Fe		291.9	ug/L	EPA-200.8
7/8/2014 10:47	Fe		1680	ug/L	EPA-200.8
7/15/2014 10:52	Fe		957.5	ug/L	EPA-200.8
6/17/2014 10:54	Field Cond		858	umhos/cm	SM 2510A
6/24/2014 11:25	Field Cond		810.8	umhos/cm	SM 2510A
7/1/2014 11:19	Field Cond		761.5	umhos/cm	SM 2510A
7/8/2014 10:47	Field Cond		371	umhos/cm	SM 2510A
7/15/2014 10:52	Field Cond		843	umhos/cm	SM 2510A
6/17/2014 10:54	Field DO		8.66	mg/L	SM 4500-0 G
6/24/2014 11:25	Field DO		8.52	mg/L	SM 4500-0 G
7/1/2014 11:19	Field DO		7.93	mg/L	SM 4500-0 G
7/8/2014 10:47	Field DO		8.17	mg/L	SM 4500-0 G
7/15/2014 10:52	Field DO		9.03	mg/L	SM 4500-0 G
6/17/2014 10:54	Field Temp		22.6	C	EPA 170.1
6/24/2014 11:25	Field Temp		21.7	C	EPA 170.1
7/1/2014 11:19	Field Temp		24	C	EPA 170.1
7/8/2014 10:47	Field Temp		22	C	EPA 170.1
7/15/2014 10:52	Field Temp		21.1	C	EPA 170.1
6/17/2014 10:54	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 11:25	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 11:19	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 10:47	Hg	j	0.016	ug/L	EPA 245.1
7/15/2014 10:52	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 10:54	K		2612	ug/L	EPA-200.8
6/24/2014 11:25	K		2861	ug/L	EPA-200.8
7/1/2014 11:19	K		3184	ug/L	EPA-200.8
7/8/2014 10:47	K		2145	ug/L	EPA-200.8
7/15/2014 10:52	K		3132	ug/L	EPA-200.8
6/17/2014 10:54	Mg		14700	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 11:25	Mg		10900	ug/L	EPA-200.8
7/1/2014 11:19	Mg		12010	ug/L	EPA-200.8
7/8/2014 10:47	Mg		6741	ug/L	EPA-200.8
7/15/2014 10:52	Mg		13660	ug/L	EPA-200.8
6/17/2014 10:54	Mn		66.43	ug/L	EPA-200.8
6/24/2014 11:25	Mn		31.45	ug/L	EPA-200.8
7/1/2014 11:19	Mn		23.56	ug/L	EPA-200.8
7/8/2014 10:47	Mn		91.86	ug/L	EPA-200.8
7/15/2014 10:52	Mn		152.8	ug/L	EPA-200.8
6/17/2014 10:54	Mo		2.715	ug/L	EPA-200.8
6/24/2014 11:25	Mo		2.084	ug/L	EPA-200.8
7/1/2014 11:19	Mo		2.513	ug/L	EPA-200.8
7/8/2014 10:47	Mo		1.357	ug/L	EPA-200.8
7/15/2014 10:52	Mo		2.462	ug/L	EPA-200.8
6/17/2014 10:54	Na		97880	ug/L	EPA-200.8
6/24/2014 11:25	Na		107000	ug/L	EPA-200.8
7/1/2014 11:19	Na		90980	ug/L	EPA-200.8
7/8/2014 10:47	Na		51090	ug/L	EPA-200.8
7/15/2014 10:52	Na		96750	ug/L	EPA-200.8
6/17/2014 10:54	NH3		0.05	mg/L	EPA-350.1
6/24/2014 11:25	NH3		0.023	mg/L	EPA-350.1
7/1/2014 11:19	NH3	j	0.016	mg/L	EPA-350.1
7/8/2014 10:47	NH3		0.137	mg/L	EPA-350.1
7/15/2014 10:52	NH3	j	0.014	mg/L	EPA-350.1
6/17/2014 10:54	Ni	j	2.038	ug/L	EPA-200.8
6/24/2014 11:25	Ni	j	1.742	ug/L	EPA-200.8
7/1/2014 11:19	Ni	j	2.128	ug/L	EPA-200.8
7/8/2014 10:47	Ni	j	3.494	ug/L	EPA-200.8
7/15/2014 10:52	Ni	j	2.86	ug/L	EPA-200.8
6/17/2014 10:54	NO3-NO2		0.305	mg/L	EPA 353.2
6/24/2014 11:25	NO3-NO2		0.366	mg/L	EPA 353.2
7/1/2014 11:19	NO3-NO2		0.267	mg/L	EPA 353.2
7/8/2014 10:47	NO3-NO2		0.274	mg/L	EPA 353.2
7/15/2014 10:52	NO3-NO2		0.132	mg/L	EPA 353.2
6/17/2014 10:54	Pb	j	0.434	ug/L	EPA-200.8
6/24/2014 11:25	Pb	j	0.34	ug/L	EPA-200.8
7/1/2014 11:19	Pb	j	0.245	ug/L	EPA-200.8
7/8/2014 10:47	Pb		6.38	ug/L	EPA-200.8
7/15/2014 10:52	Pb		1.452	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:54	pH		8.06	S.U.	
6/24/2014 11:25	pH		8.09	S.U.	
7/1/2014 11:19	pH		8.07	S.U.	
7/8/2014 10:47	pH		7.91	S.U.	
7/15/2014 10:52	pH		8.22	S.U.	
6/17/2014 10:54	Sb	j	0.32	ug/L	EPA-200.8
7/1/2014 11:19	Sb	j	0.244	ug/L	EPA-200.8
7/8/2014 10:47	Sb	j	0.578	ug/L	EPA-200.8
7/15/2014 10:52	Sb	j	0.272	ug/L	EPA-200.8
6/17/2014 10:54	Se	j	0.402	ug/L	EPA-200.8
6/24/2014 11:25	Se	<	0.28	ug/L	EPA-200.8
7/1/2014 11:19	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 10:47	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 10:52	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 10:54	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 11:25	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 11:19	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 10:47	Sn	j	0.698	ug/L	EPA-200.8
7/15/2014 10:52	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 10:54	SO4		42.24	mg/L	EPA 300.0
6/24/2014 11:25	SO4		39.53	mg/L	EPA 300.0
7/1/2014 11:19	SO4		41.04	mg/L	EPA 300.0
7/8/2014 10:47	SO4		22.04	mg/L	EPA 300.0
7/15/2014 10:52	SO4		40.65	mg/L	EPA 300.0
6/17/2014 10:54	Sr		296.656	ug/L	EPA-200.8
6/24/2014 11:25	Sr		249.108	ug/L	EPA-200.8
7/1/2014 11:19	Sr		257.998	ug/L	EPA-200.8
7/8/2014 10:47	Sr		128.088	ug/L	EPA-200.8
7/15/2014 10:52	Sr		287.295	ug/L	EPA-200.8
6/17/2014 10:54	TDS		492	mg/L	SM2540C
6/24/2014 11:25	TDS		488	mg/L	SM2540C
7/1/2014 11:19	TDS		445	mg/L	SM2540C
7/8/2014 10:47	TDS		215	mg/L	SM2540C
7/15/2014 10:52	TDS		475	mg/L	SM2540C
6/17/2014 10:54	Ti		2.392	ug/L	EPA-200.8
6/24/2014 11:25	Ti		2.173	ug/L	EPA-200.8
7/1/2014 11:19	Ti	j	1.52	ug/L	EPA-200.8
7/8/2014 10:47	Ti		24.26	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 10:52	Ti		5.862	ug/L	EPA-200.8
6/17/2014 10:54	TKN		0.512	mg/L	EPA-351.1
6/24/2014 11:25	TKN		0.508	mg/L	EPA-351.1
7/1/2014 11:19	TKN	j	0.325	mg/L	EPA-351.1
7/8/2014 10:47	TKN		0.565	mg/L	EPA-351.1
7/15/2014 10:52	TKN		0.542	mg/L	EPA-351.1
6/17/2014 10:54	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 11:25	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 11:19	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 10:47	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 10:52	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 10:54	TMET		13.2	ug/L	EPA-200.8
6/24/2014 11:25	TMET		13.2	ug/L	EPA-200.8
7/1/2014 11:19	TMET		15.7	ug/L	EPA-200.8
7/8/2014 10:47	TMET		70.9	ug/L	EPA-200.8
7/15/2014 10:52	TMET		22.6	ug/L	EPA-200.8
6/17/2014 10:54	Total-P		0.134	mg/L	EPA 365.1
6/24/2014 11:25	Total-P		0.135	mg/L	EPA 365.1
7/1/2014 11:19	Total-P		0.106	mg/L	EPA 365.1
7/8/2014 10:47	Total-P		0.115	mg/L	EPA 365.1
7/15/2014 10:52	Total-P		0.127	mg/L	EPA 365.1
6/17/2014 10:54	TS		523	mg/L	SM2540B
6/24/2014 11:25	TS		498	mg/L	SM2540B
7/1/2014 11:19	TS		460	mg/L	SM2540B
7/8/2014 10:47	TS		280	mg/L	SM2540B
7/15/2014 10:52	TS		486	mg/L	SM2540B
6/17/2014 10:54	TSS		4.8	mg/L	SM2540D
6/24/2014 11:25	TSS		4.4	mg/L	SM2540D
7/1/2014 11:19	TSS		3.3	mg/L	SM2540D
7/8/2014 10:47	TSS		66.6	mg/L	SM2540D
7/15/2014 10:52	TSS		4	mg/L	SM2540D
6/17/2014 10:54	Turbidity		8.92	NTU	EPA 180.1
6/24/2014 11:25	Turbidity		4.67	NTU	EPA 180.1
7/1/2014 11:19	Turbidity		2.83	NTU	EPA 180.1
7/8/2014 10:47	Turbidity		48.6	NTU	EPA 180.1
7/15/2014 10:52	Turbidity		8.42	NTU	EPA 180.1
6/17/2014 10:54	V	<	1.22	ug/L	EPA-200.8
6/24/2014 11:25	V	<	1.22	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 2.80

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 11:19	V	<	1.22	ug/L	EPA-200.8
7/8/2014 10:47	V	j	1.92	ug/L	EPA-200.8
7/15/2014 10:52	V	j	1.258	ug/L	EPA-200.8
6/17/2014 10:54	Zn	j	8.194	ug/L	EPA-200.8
6/24/2014 11:25	Zn	j	7.34	ug/L	EPA-200.8
7/1/2014 11:19	Zn	j	7.027	ug/L	EPA-200.8
7/8/2014 10:47	Zn		49.66	ug/L	EPA-200.8
7/15/2014 10:52	Zn		13.31	ug/L	EPA-200.8

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:30	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 11:27	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 10:05	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 9:50	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 9:50	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 9:30	Al		55.83	ug/L	EPA-200.8
6/24/2014 11:27	Al		245.1	ug/L	EPA-200.8
7/1/2014 10:05	Al		89.16	ug/L	EPA-200.8
7/8/2014 9:50	Al		318.5	ug/L	EPA-200.8
7/15/2014 9:50	Al		41.05	ug/L	EPA-200.8
6/17/2014 9:30	Alkalinity		134.5	mg/LCaCO3	EPA-310.2
6/24/2014 11:27	Alkalinity		94.8	mg/LCaCO3	EPA-310.2
7/1/2014 10:05	Alkalinity		107.1	mg/LCaCO3	EPA-310.2
7/8/2014 9:50	Alkalinity		78.1	mg/LCaCO3	EPA-310.2
7/15/2014 9:50	Alkalinity		117.3	mg/LCaCO3	EPA-310.2
6/17/2014 9:30	As	j	1.233	ug/L	EPA-200.8
6/24/2014 11:27	As	j	1.435	ug/L	EPA-200.8
7/1/2014 10:05	As	j	1.277	ug/L	EPA-200.8
7/8/2014 9:50	As	j	1.206	ug/L	EPA-200.8
7/15/2014 9:50	As	j	1.196	ug/L	EPA-200.8
6/17/2014 9:30	Ba		39.27	ug/L	EPA-200.8
6/24/2014 11:27	Ba		25.46	ug/L	EPA-200.8
7/1/2014 10:05	Ba		26.94	ug/L	EPA-200.8
7/8/2014 9:50	Ba		19.2	ug/L	EPA-200.8
7/15/2014 9:50	Ba		31.94	ug/L	EPA-200.8
6/17/2014 9:30	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 11:27	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 10:05	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 9:50	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 9:50	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 9:30	BOD	<	2	mg/L	SM 5210
6/24/2014 11:27	BOD	<	2	mg/L	SM 5210
7/1/2014 10:05	BOD	<	2	mg/L	SM 5210
7/8/2014 9:50	BOD	<	2	mg/L	SM 5210
7/15/2014 9:50	BOD	<	2	mg/L	SM 5210
6/17/2014 9:30	Ca		76790	ug/L	EPA-200.8
6/24/2014 11:27	Ca		45120	ug/L	EPA-200.8
7/1/2014 10:05	Ca		49940	ug/L	EPA-200.8
7/8/2014 9:50	Ca		35840	ug/L	EPA-200.8

Euclid Creek
River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:50	Ca		63380	ug/L	EPA-200.8
6/17/2014 9:30	CaCO3		269	mg/LCaCO3	EPA-200.8
6/24/2014 11:27	CaCO3		157	mg/LCaCO3	EPA-200.8
7/1/2014 10:05	CaCO3		173	mg/LCaCO3	EPA-200.8
7/8/2014 9:50	CaCO3		123	mg/LCaCO3	EPA-200.8
7/15/2014 9:50	CaCO3		217	mg/LCaCO3	EPA-200.8
6/17/2014 9:30	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 11:27	Cd	j	0.05	ug/L	EPA-200.8
7/1/2014 10:05	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 9:50	Cd	j	0.051	ug/L	EPA-200.8
7/15/2014 9:50	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 9:30	Chloride		307.6	mg/L	EPA 300.0
6/24/2014 11:27	Chloride		242.6	mg/L	EPA 300.0
7/1/2014 10:05	Chloride		199.9	mg/L	EPA 300.0
7/8/2014 9:50	Chloride		144.4	mg/L	EPA 300.0
7/15/2014 9:50	Chloride		229.7	mg/L	EPA 300.0
6/17/2014 9:30	Co	j	0.26	ug/L	EPA-200.8
6/24/2014 11:27	Co	j	0.391	ug/L	EPA-200.8
7/1/2014 10:05	Co	j	0.26	ug/L	EPA-200.8
7/8/2014 9:50	Co	j	0.363	ug/L	EPA-200.8
7/15/2014 9:50	Co	j	0.201	ug/L	EPA-200.8
6/24/2014 11:27	COD		18.5	mg/L	EPA 410.4
7/1/2014 10:05	COD	j	7.4	mg/L	EPA 410.4
7/8/2014 9:50	COD		20.8	mg/L	EPA 410.4
7/15/2014 9:50	COD		13.2	mg/L	EPA 410.4
6/24/2014 11:27	Cr		1.564	ug/L	EPA-200.8
7/1/2014 10:05	Cr		1.075	ug/L	EPA-200.8
7/8/2014 9:50	Cr		1.632	ug/L	EPA-200.8
7/15/2014 9:50	Cr	j	0.944	ug/L	EPA-200.8
6/17/2014 9:30	Cu		2.866	ug/L	EPA-200.8
6/24/2014 11:27	Cu		4.433	ug/L	EPA-200.8
7/1/2014 10:05	Cu		6.034	ug/L	EPA-200.8
7/8/2014 9:50	Cu		4.486	ug/L	EPA-200.8
7/15/2014 9:50	Cu		4.355	ug/L	EPA-200.8
6/24/2014 11:27	DRPhos		0.03	mg/L	EPA 365.1
7/1/2014 10:05	DRPhos		0.015	mg/L	EPA 365.1
7/8/2014 9:50	DRPhos		0.03	mg/L	EPA 365.1
7/15/2014 9:50	DRPhos		0.01	mg/L	EPA 365.1

Euclid Creek
River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:30	E. coli		744	MPN/100 mL	SM 9223 Colilert
6/24/2014 11:27	E. coli		2382	MPN/100 mL	SM 9223 Colilert
7/1/2014 10:05	E. coli		2520	MPN/100 mL	SM 9223 Colilert
7/8/2014 9:50	E. coli		6592	MPN/100 mL	SM 9223 Colilert
7/15/2014 9:50	E. coli		1564	MPN/100 mL	SM 9223 Colilert
6/17/2014 9:30	Fe		261.2	ug/L	EPA-200.8
6/24/2014 11:27	Fe		564.5	ug/L	EPA-200.8
7/1/2014 10:05	Fe		282.5	ug/L	EPA-200.8
7/8/2014 9:50	Fe		555.3	ug/L	EPA-200.8
7/15/2014 9:50	Fe		215.9	ug/L	EPA-200.8
6/17/2014 9:30	Field Cond		1310	umhos/cm	SM 2510A
6/24/2014 11:27	Field Cond		976	umhos/cm	SM 2510A
7/1/2014 10:05	Field Cond		964.5	umhos/cm	SM 2510A
7/8/2014 9:50	Field Cond		638.5	umhos/cm	SM 2510A
7/15/2014 9:50	Field Cond		1080	umhos/cm	SM 2510A
6/17/2014 9:30	Field DO		7.32	mg/L	SM 4500-0 G
6/24/2014 11:27	Field DO		10.39	mg/L	SM 4500-0 G
7/1/2014 10:05	Field DO		7.64	mg/L	SM 4500-0 G
7/8/2014 9:50	Field DO		8.61	mg/L	SM 4500-0 G
7/15/2014 9:50	Field DO		8.14	mg/L	SM 4500-0 G
6/17/2014 9:30	Field Temp		22.2	C	EPA 170.1
6/24/2014 11:27	Field Temp		22	C	EPA 170.1
7/1/2014 10:05	Field Temp		23.8	C	EPA 170.1
7/8/2014 9:50	Field Temp		21.3	C	EPA 170.1
7/15/2014 9:50	Field Temp		21.5	C	EPA 170.1
6/17/2014 9:30	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 11:27	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 10:05	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 9:50	Hg	<	0.01	ug/L	EPA 245.1
7/15/2014 9:50	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 9:30	K		4819	ug/L	EPA-200.8
6/24/2014 11:27	K		3488	ug/L	EPA-200.8
7/1/2014 10:05	K		3955	ug/L	EPA-200.8
7/8/2014 9:50	K		3018	ug/L	EPA-200.8
7/15/2014 9:50	K		4614	ug/L	EPA-200.8
6/17/2014 9:30	Mg		18860	ug/L	EPA-200.8
6/24/2014 11:27	Mg		10670	ug/L	EPA-200.8
7/1/2014 10:05	Mg		11670	ug/L	EPA-200.8

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2014 9:50	Mg		8210	ug/L	EPA-200.8
7/15/2014 9:50	Mg		14300	ug/L	EPA-200.8
6/17/2014 9:30	Mn		58.57	ug/L	EPA-200.8
6/24/2014 11:27	Mn		28.07	ug/L	EPA-200.8
7/1/2014 10:05	Mn		22.26	ug/L	EPA-200.8
7/8/2014 9:50	Mn		22.56	ug/L	EPA-200.8
7/15/2014 9:50	Mn		25.48	ug/L	EPA-200.8
6/17/2014 9:30	Mo		4.238	ug/L	EPA-200.8
6/24/2014 11:27	Mo		3.181	ug/L	EPA-200.8
7/1/2014 10:05	Mo		4.121	ug/L	EPA-200.8
7/8/2014 9:50	Mo		2.76	ug/L	EPA-200.8
7/15/2014 9:50	Mo		4.7	ug/L	EPA-200.8
6/17/2014 9:30	Na		185000	ug/L	EPA-200.8
6/24/2014 11:27	Na		134200	ug/L	EPA-200.8
7/1/2014 10:05	Na		117800	ug/L	EPA-200.8
7/8/2014 9:50	Na		93580	ug/L	EPA-200.8
7/15/2014 9:50	Na		146900	ug/L	EPA-200.8
6/17/2014 9:30	NH3		0.046	mg/L	EPA-350.1
6/24/2014 11:27	NH3		0.027	mg/L	EPA-350.1
7/1/2014 10:05	NH3		0.024	mg/L	EPA-350.1
7/8/2014 9:50	NH3	j	0.011	mg/L	EPA-350.1
7/15/2014 9:50	NH3		0.026	mg/L	EPA-350.1
6/17/2014 9:30	Ni	j	2.788	ug/L	EPA-200.8
6/24/2014 11:27	Ni	j	2.723	ug/L	EPA-200.8
7/1/2014 10:05	Ni	j	2.725	ug/L	EPA-200.8
7/8/2014 9:50	Ni	j	2.365	ug/L	EPA-200.8
7/15/2014 9:50	Ni	j	2.584	ug/L	EPA-200.8
6/17/2014 9:30	NO3-NO2		0.322	mg/L	EPA 353.2
6/24/2014 11:27	NO3-NO2		0.614	mg/L	EPA 353.2
7/1/2014 10:05	NO3-NO2		0.322	mg/L	EPA 353.2
7/8/2014 9:50	NO3-NO2		0.469	mg/L	EPA 353.2
7/15/2014 9:50	NO3-NO2		0.101	mg/L	EPA 353.2
6/17/2014 9:30	Pb	j	0.277	ug/L	EPA-200.8
6/24/2014 11:27	Pb	j	0.86	ug/L	EPA-200.8
7/1/2014 10:05	Pb	j	0.334	ug/L	EPA-200.8
7/8/2014 9:50	Pb	j	0.814	ug/L	EPA-200.8
7/15/2014 9:50	Pb	j	0.209	ug/L	EPA-200.8
6/17/2014 9:30	pH		7.64	S.U.	

Euclid Creek
River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 11:27	pH		8.18	S.U.	
7/1/2014 10:05	pH		7.91	S.U.	
7/8/2014 9:50	pH		8.1	S.U.	
7/15/2014 9:50	pH		7.95	S.U.	
6/17/2014 9:30	Sb	j	0.346	ug/L	EPA-200.8
6/24/2014 11:27	Sb	j	0.428	ug/L	EPA-200.8
7/1/2014 10:05	Sb	j	0.461	ug/L	EPA-200.8
7/8/2014 9:50	Sb	j	0.488	ug/L	EPA-200.8
7/15/2014 9:50	Sb	j	0.45	ug/L	EPA-200.8
6/17/2014 9:30	Se	j	0.281	ug/L	EPA-200.8
6/24/2014 11:27	Se	j	0.326	ug/L	EPA-200.8
7/1/2014 10:05	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 9:50	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 9:50	Se	j	0.384	ug/L	EPA-200.8
6/17/2014 9:30	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 11:27	Sn	j	0.388	ug/L	EPA-200.8
7/1/2014 10:05	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 9:50	Sn	<	0.36	ug/L	EPA-200.8
7/15/2014 9:50	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 9:30	SO4		78	mg/L	EPA 300.0
6/24/2014 11:27	SO4		48.96	mg/L	EPA 300.0
7/1/2014 10:05	SO4		59	mg/L	EPA 300.0
7/8/2014 9:50	SO4		35.45	mg/L	EPA 300.0
7/15/2014 9:50	SO4		61.16	mg/L	EPA 300.0
6/17/2014 9:30	Sr		390.305	ug/L	EPA-200.8
6/24/2014 11:27	Sr		255.428	ug/L	EPA-200.8
7/1/2014 10:05	Sr		275.953	ug/L	EPA-200.8
7/8/2014 9:50	Sr		190.089	ug/L	EPA-200.8
7/15/2014 9:50	Sr		321.223	ug/L	EPA-200.8
6/17/2014 9:30	TDS		700	mg/L	SM2540C
6/24/2014 11:27	TDS		592	mg/L	SM2540C
7/1/2014 10:05	TDS		564	mg/L	SM2540C
7/8/2014 9:50	TDS		372	mg/L	SM2540C
7/15/2014 9:50	TDS		600	mg/L	SM2540C
6/17/2014 9:30	Ti	j	0.997	ug/L	EPA-200.8
6/24/2014 11:27	Ti		3.189	ug/L	EPA-200.8
7/1/2014 10:05	Ti	j	1.334	ug/L	EPA-200.8
7/8/2014 9:50	Ti		8.733	ug/L	EPA-200.8
7/15/2014 9:50	Ti	j	0.663	ug/L	EPA-200.8

Euclid Creek
River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:30	TKN	j	0.402	mg/L	EPA-351.1
6/24/2014 11:27	TKN	j	0.46	mg/L	EPA-351.1
7/1/2014 10:05	TKN	j	0.287	mg/L	EPA-351.1
7/8/2014 9:50	TKN	j	0.314	mg/L	EPA-351.1
7/15/2014 9:50	TKN	<	0.122	mg/L	EPA-351.1
6/17/2014 9:30	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 11:27	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 10:05	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 9:50	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 9:50	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 9:30	TMET		11.4	ug/L	EPA-200.8
6/24/2014 11:27	TMET		16.4	ug/L	EPA-200.8
7/1/2014 10:05	TMET		17.5	ug/L	EPA-200.8
7/8/2014 9:50	TMET		16.3	ug/L	EPA-200.8
7/15/2014 9:50	TMET		14.9	ug/L	EPA-200.8
6/24/2014 11:27	Total-P		0.066	mg/L	EPA 365.1
7/1/2014 10:05	Total-P		0.036	mg/L	EPA 365.1
7/8/2014 9:50	Total-P		0.06	mg/L	EPA 365.1
7/15/2014 9:50	Total-P		0.021	mg/L	EPA 365.1
6/17/2014 9:30	TS		786	mg/L	SM2540B
6/24/2014 11:27	TS		612	mg/L	SM2540B
7/1/2014 10:05	TS		560	mg/L	SM2540B
7/8/2014 9:50	TS		378	mg/L	SM2540B
7/15/2014 9:50	TS		642	mg/L	SM2540B
6/17/2014 9:30	TSS		3.4	mg/L	SM2540D
6/24/2014 11:27	TSS		10.7	mg/L	SM2540D
7/1/2014 10:05	TSS		4.9	mg/L	SM2540D
7/8/2014 9:50	TSS		10.8	mg/L	SM2540D
7/15/2014 9:50	TSS		1.4	mg/L	SM2540D
6/17/2014 9:30	Turbidity		3.19	NTU	EPA 180.1
6/24/2014 11:27	Turbidity		13.7	NTU	EPA 180.1
7/1/2014 10:05	Turbidity		3.77	NTU	EPA 180.1
7/8/2014 9:50	Turbidity		13.15	NTU	EPA 180.1
7/15/2014 9:50	Turbidity		1.51	NTU	EPA 180.1
6/17/2014 9:30	V	<	1.22	ug/L	EPA-200.8
6/24/2014 11:27	V	<	1.22	ug/L	EPA-200.8
7/1/2014 10:05	V	<	1.22	ug/L	EPA-200.8
7/8/2014 9:50	V	<	1.22	ug/L	EPA-200.8

Euclid Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:50	V	<	1.22	ug/L	EPA-200.8
6/24/2014 11:27	Zn	j	7.677	ug/L	EPA-200.8
7/1/2014 10:05	Zn	j	7.671	ug/L	EPA-200.8
7/8/2014 9:50	Zn	j	7.816	ug/L	EPA-200.8
7/15/2014 9:50	Zn	j	6.999	ug/L	EPA-200.8

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:30	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 10:48	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 10:48	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 10:10	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 10:26	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 10:30	Al		34.89	ug/L	EPA-200.8
6/24/2014 10:48	Al		115.4	ug/L	EPA-200.8
7/1/2014 10:48	Al		45.72	ug/L	EPA-200.8
7/8/2014 10:10	Al		148.3	ug/L	EPA-200.8
7/15/2014 10:26	Al		39.27	ug/L	EPA-200.8
6/17/2014 10:30	Alkalinity		116.4	mg/LCaCO3	EPA-310.2
6/24/2014 10:48	Alkalinity		108.6	mg/LCaCO3	EPA-310.2
7/1/2014 10:48	Alkalinity		104.6	mg/LCaCO3	EPA-310.2
7/8/2014 10:10	Alkalinity		90.7	mg/LCaCO3	EPA-310.2
7/15/2014 10:26	Alkalinity		126.8	mg/LCaCO3	EPA-310.2
6/17/2014 10:30	As	j	1.271	ug/L	EPA-200.8
6/24/2014 10:48	As	j	1.451	ug/L	EPA-200.8
7/1/2014 10:48	As	j	1.086	ug/L	EPA-200.8
7/8/2014 10:10	As	j	1.156	ug/L	EPA-200.8
7/15/2014 10:26	As	j	1.264	ug/L	EPA-200.8
6/17/2014 10:30	Ba		23.61	ug/L	EPA-200.8
6/24/2014 10:48	Ba		22.7	ug/L	EPA-200.8
7/1/2014 10:48	Ba		21.04	ug/L	EPA-200.8
7/8/2014 10:10	Ba		17.23	ug/L	EPA-200.8
7/15/2014 10:26	Ba		23.67	ug/L	EPA-200.8
6/17/2014 10:30	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 10:48	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 10:48	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 10:10	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 10:26	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 10:30	BOD	<	2	mg/L	SM 5210
6/24/2014 10:48	BOD	<	2	mg/L	SM 5210
7/1/2014 10:48	BOD	<	2	mg/L	SM 5210
7/8/2014 10:10	BOD	<	2	mg/L	SM 5210
7/15/2014 10:26	BOD	<	2	mg/L	SM 5210
6/17/2014 10:30	Ca		52710	ug/L	EPA-200.8
6/24/2014 10:48	Ca		44810	ug/L	EPA-200.8
7/1/2014 10:48	Ca		43040	ug/L	EPA-200.8
7/8/2014 10:10	Ca		38650	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 10:26	Ca		52840	ug/L	EPA-200.8
6/17/2014 10:30	CaCO3		187	mg/LCaCO3	EPA-200.8
6/24/2014 10:48	CaCO3		159	mg/LCaCO3	EPA-200.8
7/1/2014 10:48	CaCO3		152	mg/LCaCO3	EPA-200.8
7/8/2014 10:10	CaCO3		136	mg/LCaCO3	EPA-200.8
7/15/2014 10:26	CaCO3		185	mg/LCaCO3	EPA-200.8
6/17/2014 10:30	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 10:48	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 10:48	Cd	j	0.051	ug/L	EPA-200.8
7/8/2014 10:10	Cd	j	0.044	ug/L	EPA-200.8
7/15/2014 10:26	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 10:30	Chloride		123.9	mg/L	EPA 300.0
6/24/2014 10:48	Chloride		169.2	mg/L	EPA 300.0
7/1/2014 10:48	Chloride		128.2	mg/L	EPA 300.0
7/8/2014 10:10	Chloride		109.3	mg/L	EPA 300.0
7/15/2014 10:26	Chloride		140.5	mg/L	EPA 300.0
6/17/2014 10:30	Co	j	0.116	ug/L	EPA-200.8
6/24/2014 10:48	Co	j	0.219	ug/L	EPA-200.8
7/1/2014 10:48	Co	j	0.146	ug/L	EPA-200.8
7/8/2014 10:10	Co	j	0.162	ug/L	EPA-200.8
7/15/2014 10:26	Co	j	0.126	ug/L	EPA-200.8
6/24/2014 10:48	COD		16.2	mg/L	EPA 410.4
7/1/2014 10:48	COD	j	3.8	mg/L	EPA 410.4
7/8/2014 10:10	COD		15.5	mg/L	EPA 410.4
7/15/2014 10:26	COD	<	2.9	mg/L	EPA 410.4
6/24/2014 10:48	Cr	j	0.765	ug/L	EPA-200.8
7/1/2014 10:48	Cr		1.001	ug/L	EPA-200.8
7/8/2014 10:10	Cr		1.075	ug/L	EPA-200.8
7/15/2014 10:26	Cr	j	0.582	ug/L	EPA-200.8
6/17/2014 10:30	Cu		2.372	ug/L	EPA-200.8
6/24/2014 10:48	Cu		3.369	ug/L	EPA-200.8
7/1/2014 10:48	Cu		6.066	ug/L	EPA-200.8
7/8/2014 10:10	Cu		3.885	ug/L	EPA-200.8
7/15/2014 10:26	Cu		3.094	ug/L	EPA-200.8
6/17/2014 10:30	DRPhos		0.052	mg/L	EPA 365.1
6/24/2014 10:48	DRPhos		0.062	mg/L	EPA 365.1
7/1/2014 10:48	DRPhos		0.048	mg/L	EPA 365.1
7/8/2014 10:10	DRPhos		0.044	mg/L	EPA 365.1

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 10:26	DRPhos		0.041	mg/L	EPA 365.1
6/17/2014 10:30	E. coli		62	MPN/100 mL	SM 9223 Colilert
6/24/2014 10:48	E. coli		577	MPN/100 mL	SM 9223 Colilert
7/1/2014 10:48	E. coli		174	MPN/100 mL	SM 9223 Colilert
7/8/2014 10:10	E. coli		2242	MPN/100 mL	SM 9223 Colilert
7/15/2014 10:26	E. coli		114	MPN/100 mL	SM 9223 Colilert
6/17/2014 10:30	Fe		122.2	ug/L	EPA-200.8
6/24/2014 10:48	Fe		276.7	ug/L	EPA-200.8
7/1/2014 10:48	Fe		140.6	ug/L	EPA-200.8
7/8/2014 10:10	Fe		259.1	ug/L	EPA-200.8
7/15/2014 10:26	Fe		157.1	ug/L	EPA-200.8
6/17/2014 10:30	Field Cond		706	umhos/cm	SM 2510A
6/24/2014 10:48	Field Cond		783	umhos/cm	SM 2510A
7/1/2014 10:48	Field Cond		685	umhos/cm	SM 2510A
7/8/2014 10:10	Field Cond		545	umhos/cm	SM 2510A
7/15/2014 10:26	Field Cond		857	umhos/cm	SM 2510A
6/17/2014 10:30	Field DO		9.6	mg/L	SM 4500-0 G
6/24/2014 10:48	Field DO		8.42	mg/L	SM 4500-0 G
7/1/2014 10:48	Field DO		8.07	mg/L	SM 4500-0 G
7/8/2014 10:10	Field DO		8.39	mg/L	SM 4500-0 G
7/15/2014 10:26	Field DO		9.76	mg/L	SM 4500-0 G
6/17/2014 10:30	Field Temp		21.5	C	EPA 170.1
6/24/2014 10:48	Field Temp		21.6	C	EPA 170.1
7/1/2014 10:48	Field Temp		24	C	EPA 170.1
7/8/2014 10:10	Field Temp		21.2	C	EPA 170.1
7/15/2014 10:26	Field Temp		21.2	C	EPA 170.1
6/17/2014 10:30	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 10:48	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 10:48	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 10:10	Hg	j	0.01	ug/L	EPA 245.1
7/15/2014 10:26	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 10:30	K		3208	ug/L	EPA-200.8
6/24/2014 10:48	K		3180	ug/L	EPA-200.8
7/1/2014 10:48	K		3271	ug/L	EPA-200.8
7/8/2014 10:10	K		2933	ug/L	EPA-200.8
7/15/2014 10:26	K		3427	ug/L	EPA-200.8
6/17/2014 10:30	Mg		13430	ug/L	EPA-200.8
6/24/2014 10:48	Mg		11380	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 10:48	Mg		10790	ug/L	EPA-200.8
7/8/2014 10:10	Mg		9477	ug/L	EPA-200.8
7/15/2014 10:26	Mg		12920	ug/L	EPA-200.8
6/17/2014 10:30	Mn		5.554	ug/L	EPA-200.8
6/24/2014 10:48	Mn		12	ug/L	EPA-200.8
7/1/2014 10:48	Mn		4.092	ug/L	EPA-200.8
7/8/2014 10:10	Mn		7.774	ug/L	EPA-200.8
7/15/2014 10:26	Mn		4.49	ug/L	EPA-200.8
6/17/2014 10:30	Mo		2.926	ug/L	EPA-200.8
6/24/2014 10:48	Mo		2.315	ug/L	EPA-200.8
7/1/2014 10:48	Mo		2.833	ug/L	EPA-200.8
7/8/2014 10:10	Mo		2.091	ug/L	EPA-200.8
7/15/2014 10:26	Mo		2.989	ug/L	EPA-200.8
6/17/2014 10:30	Na		79020	ug/L	EPA-200.8
6/24/2014 10:48	Na		96960	ug/L	EPA-200.8
7/1/2014 10:48	Na		76960	ug/L	EPA-200.8
7/8/2014 10:10	Na		75460	ug/L	EPA-200.8
7/15/2014 10:26	Na		87610	ug/L	EPA-200.8
7/1/2014 10:48	NH3	j	0.006	mg/L	EPA-350.1
7/8/2014 10:10	NH3	<	0.003	mg/L	EPA-350.1
7/15/2014 10:26	NH3	j	0.007	mg/L	EPA-350.1
6/17/2014 10:30	Ni	j	1.856	ug/L	EPA-200.8
6/24/2014 10:48	Ni	j	1.943	ug/L	EPA-200.8
7/1/2014 10:48	Ni	j	2.113	ug/L	EPA-200.8
7/8/2014 10:10	Ni	j	1.95	ug/L	EPA-200.8
7/15/2014 10:26	Ni	j	1.854	ug/L	EPA-200.8
6/17/2014 10:30	NO3-NO2		0.47	mg/L	EPA 353.2
6/24/2014 10:48	NO3-NO2		0.493	mg/L	EPA 353.2
7/1/2014 10:48	NO3-NO2		0.338	mg/L	EPA 353.2
7/8/2014 10:10	NO3-NO2		0.382	mg/L	EPA 353.2
7/15/2014 10:26	NO3-NO2		0.188	mg/L	EPA 353.2
6/17/2014 10:30	Pb	<	0.174	ug/L	EPA-200.8
6/24/2014 10:48	Pb	j	0.281	ug/L	EPA-200.8
7/1/2014 10:48	Pb	<	0.174	ug/L	EPA-200.8
7/8/2014 10:10	Pb	j	0.26	ug/L	EPA-200.8
7/15/2014 10:26	Pb	<	0.174	ug/L	EPA-200.8
6/17/2014 10:30	pH		8.07	S.U.	
6/24/2014 10:48	pH		7.98	S.U.	

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 10:48	pH		7.98	S.U.	
7/8/2014 10:10	pH		7.95	S.U.	
7/15/2014 10:26	pH		8.17	S.U.	
6/17/2014 10:30	Sb	j	0.149	ug/L	EPA-200.8
7/1/2014 10:48	Sb	j	0.315	ug/L	EPA-200.8
7/8/2014 10:10	Sb	j	0.384	ug/L	EPA-200.8
7/15/2014 10:26	Sb	j	0.349	ug/L	EPA-200.8
6/17/2014 10:30	Se	j	0.559	ug/L	EPA-200.8
6/24/2014 10:48	Se	<	0.28	ug/L	EPA-200.8
7/1/2014 10:48	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 10:10	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 10:26	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 10:30	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 10:48	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 10:48	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 10:10	Sn	<	0.36	ug/L	EPA-200.8
7/15/2014 10:26	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 10:30	SO4		45.99	mg/L	EPA 300.0
6/24/2014 10:48	SO4		43.32	mg/L	EPA 300.0
7/1/2014 10:48	SO4		43.42	mg/L	EPA 300.0
7/8/2014 10:10	SO4		34.65	mg/L	EPA 300.0
7/15/2014 10:26	SO4		46.45	mg/L	EPA 300.0
6/17/2014 10:30	Sr		264.307	ug/L	EPA-200.8
6/24/2014 10:48	Sr		240.411	ug/L	EPA-200.8
7/1/2014 10:48	Sr		223.204	ug/L	EPA-200.8
7/8/2014 10:10	Sr		189.886	ug/L	EPA-200.8
7/15/2014 10:26	Sr		261.531	ug/L	EPA-200.8
6/17/2014 10:30	TDS		414	mg/L	SM2540C
6/24/2014 10:48	TDS		466	mg/L	SM2540C
7/1/2014 10:48	TDS		396	mg/L	SM2540C
7/8/2014 10:10	TDS		322	mg/L	SM2540C
7/15/2014 10:26	TDS		424	mg/L	SM2540C
6/17/2014 10:30	Ti	j	0.814	ug/L	EPA-200.8
6/24/2014 10:48	Ti	j	1.752	ug/L	EPA-200.8
7/1/2014 10:48	Ti	j	1.048	ug/L	EPA-200.8
7/8/2014 10:10	Ti		2.563	ug/L	EPA-200.8
7/15/2014 10:26	Ti	j	0.886	ug/L	EPA-200.8
6/17/2014 10:30	TKN	<	0.122	mg/L	EPA-351.1

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 10:48	TKN	j	0.468	mg/L	EPA-351.1
7/1/2014 10:48	TKN	<	0.122	mg/L	EPA-351.1
7/8/2014 10:10	TKN	j	0.414	mg/L	EPA-351.1
7/15/2014 10:26	TKN	j	0.369	mg/L	EPA-351.1
6/17/2014 10:30	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 10:48	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 10:48	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 10:10	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 10:26	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 10:30	TMET		10.5	ug/L	EPA-200.8
6/24/2014 10:48	TMET		11.8	ug/L	EPA-200.8
7/1/2014 10:48	TMET		14.3	ug/L	EPA-200.8
7/8/2014 10:10	TMET		12.2	ug/L	EPA-200.8
7/15/2014 10:26	TMET	<	10	ug/L	EPA-200.8
6/17/2014 10:30	Total-P		0.066	mg/L	EPA 365.1
6/24/2014 10:48	Total-P		0.086	mg/L	EPA 365.1
7/1/2014 10:48	Total-P		0.068	mg/L	EPA 365.1
7/8/2014 10:10	Total-P		0.078	mg/L	EPA 365.1
7/15/2014 10:26	Total-P		0.058	mg/L	EPA 365.1
6/17/2014 10:30	TS		438	mg/L	SM2540B
6/24/2014 10:48	TS		484	mg/L	SM2540B
7/1/2014 10:48	TS		412	mg/L	SM2540B
7/8/2014 10:10	TS		326	mg/L	SM2540B
7/15/2014 10:26	TS		462	mg/L	SM2540B
6/17/2014 10:30	TSS		1.3	mg/L	SM2540D
6/24/2014 10:48	TSS		3.7	mg/L	SM2540D
7/1/2014 10:48	TSS		1.3	mg/L	SM2540D
7/8/2014 10:10	TSS		4.1	mg/L	SM2540D
7/15/2014 10:26	TSS		4.9	mg/L	SM2540D
6/17/2014 10:30	Turbidity		1.25	NTU	EPA 180.1
6/24/2014 10:48	Turbidity		3.75	NTU	EPA 180.1
7/1/2014 10:48	Turbidity		1.4	NTU	EPA 180.1
7/8/2014 10:10	Turbidity		5.9	NTU	EPA 180.1
7/15/2014 10:26	Turbidity		1.19	NTU	EPA 180.1
6/17/2014 10:30	V	<	1.22	ug/L	EPA-200.8
6/24/2014 10:48	V	<	1.22	ug/L	EPA-200.8
7/1/2014 10:48	V	<	1.22	ug/L	EPA-200.8
7/8/2014 10:10	V	<	1.22	ug/L	EPA-200.8
7/15/2014 10:26	V	<	1.22	ug/L	EPA-200.8

Euclid Creek East Branch

River Mile 0.25

Sample Date	Parameter	Code	Result	Units	Method
7/8/2014 10:10	Zn	j	5.33	ug/L	EPA-200.8
7/15/2014 10:26	Zn	j	2.704	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 11:18	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 11:45	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 11:41	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 11:05	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 11:13	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 11:18	Al		113.2	ug/L	EPA-200.8
6/24/2014 11:45	Al		176.55	ug/L	EPA-200.8
7/1/2014 11:41	Al		310.1	ug/L	EPA-200.8
7/8/2014 11:05	Al		1104	ug/L	EPA-200.8
7/15/2014 11:13	Al		73.24	ug/L	EPA-200.8
6/17/2014 11:18	Alkalinity		121.7	mg/LCaCO3	EPA-310.2
6/24/2014 11:45	Alkalinity		87.05	mg/LCaCO3	EPA-310.2
7/1/2014 11:41	Alkalinity		137.6	mg/LCaCO3	EPA-310.2
7/8/2014 11:05	Alkalinity		47.8	mg/LCaCO3	EPA-310.2
7/15/2014 11:13	Alkalinity		136.5	mg/LCaCO3	EPA-310.2
6/17/2014 11:18	As	j	1.229	ug/L	EPA-200.8
6/24/2014 11:45	As	j	1.7605	ug/L	EPA-200.8
7/1/2014 11:41	As	j	1.663	ug/L	EPA-200.8
7/8/2014 11:05	As		2.069	ug/L	EPA-200.8
7/15/2014 11:13	As	j	1.464	ug/L	EPA-200.8
6/17/2014 11:18	Ba		51.62	ug/L	EPA-200.8
6/24/2014 11:45	Ba		26.435	ug/L	EPA-200.8
7/1/2014 11:41	Ba		53	ug/L	EPA-200.8
7/8/2014 11:05	Ba		25.24	ug/L	EPA-200.8
7/15/2014 11:13	Ba		56.29	ug/L	EPA-200.8
6/17/2014 11:18	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 11:45	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 11:41	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 11:05	Be	j	0.085	ug/L	EPA-200.8
7/15/2014 11:13	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 11:18	BOD		2	mg/L	SM 5210
6/24/2014 11:45	BOD		2.8	mg/L	SM 5210
7/1/2014 11:41	BOD	<	2	mg/L	SM 5210
7/8/2014 11:05	BOD		5.8	mg/L	SM 5210
7/15/2014 11:13	BOD	<	2	mg/L	SM 5210
6/17/2014 11:18	Ca		75730	ug/L	EPA-200.8
6/24/2014 11:45	Ca		37165	ug/L	EPA-200.8
7/1/2014 11:41	Ca		68810	ug/L	EPA-200.8
7/8/2014 11:05	Ca		23420	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 11:13	Ca		76130	ug/L	EPA-200.8
6/17/2014 11:18	CaCO3		254	mg/LCaCO3	EPA-200.8
6/24/2014 11:45	CaCO3		117.5	mg/LCaCO3	EPA-200.8
7/1/2014 11:41	CaCO3		226	mg/LCaCO3	EPA-200.8
7/8/2014 11:05	CaCO3		77	mg/LCaCO3	EPA-200.8
7/15/2014 11:13	CaCO3		250	mg/LCaCO3	EPA-200.8
6/17/2014 11:18	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 11:45	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 11:41	Cd	j	0.071	ug/L	EPA-200.8
7/8/2014 11:05	Cd	j	0.089	ug/L	EPA-200.8
7/15/2014 11:13	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 11:18	Chloride		330.3	mg/L	EPA 300.0
6/24/2014 11:45	Chloride		190	mg/L	EPA 300.0
7/1/2014 11:41	Chloride		311.6	mg/L	EPA 300.0
7/8/2014 11:05	Chloride		100.1	mg/L	EPA 300.0
7/15/2014 11:13	Chloride		338.7	mg/L	EPA 300.0
6/17/2014 11:18	Co	j	0.477	ug/L	EPA-200.8
6/24/2014 11:45	Co	j	0.308	ug/L	EPA-200.8
7/1/2014 11:41	Co	j	0.796	ug/L	EPA-200.8
7/8/2014 11:05	Co	j	0.973	ug/L	EPA-200.8
7/15/2014 11:13	Co	j	0.38	ug/L	EPA-200.8
6/17/2014 11:18	COD		27.4	mg/L	EPA 410.4
6/24/2014 11:45	COD		19.3	mg/L	EPA 410.4
7/1/2014 11:41	COD		16.2	mg/L	EPA 410.4
7/8/2014 11:05	COD		31.5	mg/L	EPA 410.4
7/15/2014 11:13	COD	j	9.9	mg/L	EPA 410.4
6/17/2014 11:18	Cr	j	0.723	ug/L	EPA-200.8
6/24/2014 11:45	Cr		1.4505	ug/L	EPA-200.8
7/1/2014 11:41	Cr		1.602	ug/L	EPA-200.8
7/8/2014 11:05	Cr		3.108	ug/L	EPA-200.8
7/15/2014 11:13	Cr		1.114	ug/L	EPA-200.8
6/17/2014 11:18	Cu		4.48	ug/L	EPA-200.8
6/24/2014 11:45	Cu		4.802	ug/L	EPA-200.8
7/1/2014 11:41	Cu		8.548	ug/L	EPA-200.8
7/8/2014 11:05	Cu		8.832	ug/L	EPA-200.8
7/15/2014 11:13	Cu		8.788	ug/L	EPA-200.8
6/17/2014 11:18	DRPhos		0.1	mg/L	EPA 365.1
6/24/2014 11:45	DRPhos		0.0335	mg/L	EPA 365.1

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 11:41	DRPhos		0.05	mg/L	EPA 365.1
7/8/2014 11:05	DRPhos		0.032	mg/L	EPA 365.1
7/15/2014 11:13	DRPhos		0.05	mg/L	EPA 365.1
6/17/2014 11:18	E. coli		1310	MPN/100 mL	SM 9223 Colilert
6/24/2014 11:45	E. coli		6518	MPN/100 mL	SM 9223 Colilert
7/1/2014 11:41	E. coli		2335	MPN/100 mL	SM 9223 Colilert
7/8/2014 11:05	E. coli		49620	MPN/100 mL	SM 9223 Colilert
7/15/2014 11:13	E. coli		3542	MPN/100 mL	SM 9223 Colilert
6/17/2014 11:18	Fe		487.7	ug/L	EPA-200.8
6/24/2014 11:45	Fe		548.6	ug/L	EPA-200.8
7/1/2014 11:41	Fe		1160	ug/L	EPA-200.8
7/8/2014 11:05	Fe		1961	ug/L	EPA-200.8
7/15/2014 11:13	Fe		558.2	ug/L	EPA-200.8
6/17/2014 11:18	Field Cond		1298	umhos/cm	SM 2510A
6/24/2014 11:45	Field Cond		787.7	umhos/cm	SM 2510A
7/1/2014 11:41	Field Cond		1270	umhos/cm	SM 2510A
7/8/2014 11:05	Field Cond		417	umhos/cm	SM 2510A
7/15/2014 11:13	Field Cond		1402	umhos/cm	SM 2510A
6/17/2014 11:18	Field DO		6.32	mg/L	SM 4500-0 G
6/24/2014 11:45	Field DO		8.12	mg/L	SM 4500-0 G
7/1/2014 11:41	Field DO		7.57	mg/L	SM 4500-0 G
7/8/2014 11:05	Field DO		8.16	mg/L	SM 4500-0 G
7/15/2014 11:13	Field DO		7.84	mg/L	SM 4500-0 G
6/17/2014 11:18	Field Temp		19.7	C	EPA 170.1
6/24/2014 11:45	Field Temp		21	C	EPA 170.1
7/1/2014 11:41	Field Temp		22.3	C	EPA 170.1
7/8/2014 11:05	Field Temp		20.9	C	EPA 170.1
7/15/2014 11:13	Field Temp		19.7	C	EPA 170.1
6/17/2014 11:18	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 11:45	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 11:41	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 11:05	Hg	j	0.019	ug/L	EPA 245.1
7/15/2014 11:13	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 11:18	K		3888	ug/L	EPA-200.8
6/24/2014 11:45	K		2726.5	ug/L	EPA-200.8
7/1/2014 11:41	K		3741	ug/L	EPA-200.8
7/8/2014 11:05	K		2275	ug/L	EPA-200.8
7/15/2014 11:13	K		4321	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 11:18	Mg		15650	ug/L	EPA-200.8
6/24/2014 11:45	Mg		5998.5	ug/L	EPA-200.8
7/1/2014 11:41	Mg		13270	ug/L	EPA-200.8
7/8/2014 11:05	Mg		4421	ug/L	EPA-200.8
7/15/2014 11:13	Mg		14580	ug/L	EPA-200.8
6/17/2014 11:18	Mn		76.26	ug/L	EPA-200.8
6/24/2014 11:45	Mn		43.175	ug/L	EPA-200.8
7/1/2014 11:41	Mn		108.4	ug/L	EPA-200.8
7/8/2014 11:05	Mn		89.96	ug/L	EPA-200.8
7/15/2014 11:13	Mn		34.46	ug/L	EPA-200.8
6/17/2014 11:18	Mo		2.11	ug/L	EPA-200.8
6/24/2014 11:45	Mo		1.8335	ug/L	EPA-200.8
7/1/2014 11:41	Mo		2.438	ug/L	EPA-200.8
7/8/2014 11:05	Mo		1.216	ug/L	EPA-200.8
7/15/2014 11:13	Mo		2.572	ug/L	EPA-200.8
6/17/2014 11:18	Na		172300	ug/L	EPA-200.8
6/24/2014 11:45	Na		118300	ug/L	EPA-200.8
7/1/2014 11:41	Na		162800	ug/L	EPA-200.8
7/8/2014 11:05	Na		61560	ug/L	EPA-200.8
7/15/2014 11:13	Na		192400	ug/L	EPA-200.8
6/17/2014 11:18	NH3		0.078	mg/L	EPA-350.1
6/24/2014 11:45	NH3		0.021	mg/L	EPA-350.1
7/1/2014 11:41	NH3		0.027	mg/L	EPA-350.1
7/8/2014 11:05	NH3		0.096	mg/L	EPA-350.1
7/15/2014 11:13	NH3		0.043	mg/L	EPA-350.1
6/17/2014 11:18	Ni	j	3.13	ug/L	EPA-200.8
6/24/2014 11:45	Ni	j	1.996	ug/L	EPA-200.8
7/1/2014 11:41	Ni	j	3.691	ug/L	EPA-200.8
7/8/2014 11:05	Ni	j	3.28	ug/L	EPA-200.8
7/15/2014 11:13	Ni	j	3.276	ug/L	EPA-200.8
6/17/2014 11:18	NO3-NO2		0.621	mg/L	EPA 353.2
6/24/2014 11:45	NO3-NO2		0.6215	mg/L	EPA 353.2
7/1/2014 11:41	NO3-NO2		0.552	mg/L	EPA 353.2
7/8/2014 11:05	NO3-NO2		0.435	mg/L	EPA 353.2
7/15/2014 11:13	NO3-NO2		0.633	mg/L	EPA 353.2
6/17/2014 11:18	Pb	j	0.844	ug/L	EPA-200.8
6/24/2014 11:45	Pb		1.5235	ug/L	EPA-200.8
7/1/2014 11:41	Pb		1.861	ug/L	EPA-200.8
7/8/2014 11:05	Pb		5.043	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 11:13	Pb	j	0.747	ug/L	EPA-200.8
6/17/2014 11:18	pH		7.49	S.U.	
6/24/2014 11:45	pH		7.86	S.U.	
7/1/2014 11:41	pH		7.85	S.U.	
7/8/2014 11:05	pH		7.74	S.U.	
7/15/2014 11:13	pH		7.82	S.U.	
6/17/2014 11:18	Sb	j	0.135	ug/L	EPA-200.8
6/24/2014 11:45	Sb	j	0.6335	ug/L	EPA-200.8
7/1/2014 11:41	Sb	j	0.382	ug/L	EPA-200.8
7/8/2014 11:05	Sb	j	0.543	ug/L	EPA-200.8
7/15/2014 11:13	Sb	j	0.512	ug/L	EPA-200.8
6/17/2014 11:18	Se	j	0.423	ug/L	EPA-200.8
6/24/2014 11:45	Se	j	0.4775	ug/L	EPA-200.8
7/1/2014 11:41	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 11:05	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 11:13	Se	j	0.46	ug/L	EPA-200.8
6/17/2014 11:18	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 11:45	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 11:41	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 11:05	Sn		1.176	ug/L	EPA-200.8
7/15/2014 11:13	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 11:18	SO4		63.43	mg/L	EPA 300.0
6/24/2014 11:45	SO4		37.1	mg/L	EPA 300.0
7/1/2014 11:41	SO4		60.39	mg/L	EPA 300.0
7/8/2014 11:05	SO4		19.92	mg/L	EPA 300.0
7/15/2014 11:13	SO4		61.7	mg/L	EPA 300.0
6/17/2014 11:18	Sr		337.912	ug/L	EPA-200.8
6/24/2014 11:45	Sr		187.5245	ug/L	EPA-200.8
7/1/2014 11:41	Sr		314.168	ug/L	EPA-200.8
7/8/2014 11:05	Sr		108.677	ug/L	EPA-200.8
7/15/2014 11:13	Sr		349.79	ug/L	EPA-200.8
6/17/2014 11:18	TDS		790	mg/L	SM2540C
6/24/2014 11:45	TDS		453	mg/L	SM2540C
7/1/2014 11:41	TDS		754	mg/L	SM2540C
7/8/2014 11:05	TDS		260	mg/L	SM2540C
7/15/2014 11:13	TDS		796	mg/L	SM2540C
6/17/2014 11:18	Ti		3.012	ug/L	EPA-200.8
6/24/2014 11:45	Ti		4.069	ug/L	EPA-200.8

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 11:41	Ti		6.467	ug/L	EPA-200.8
7/8/2014 11:05	Ti		17.31	ug/L	EPA-200.8
7/15/2014 11:13	Ti		2.33	ug/L	EPA-200.8
6/17/2014 11:18	TKN		0.65	mg/L	EPA-351.1
6/24/2014 11:45	TKN		0.832	mg/L	EPA-351.1
7/1/2014 11:41	TKN		0.572	mg/L	EPA-351.1
7/8/2014 11:05	TKN		1.2	mg/L	EPA-351.1
7/15/2014 11:13	TKN		0.593	mg/L	EPA-351.1
6/17/2014 11:18	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 11:45	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 11:41	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 11:05	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 11:13	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 11:18	TMET		22.6	ug/L	EPA-200.8
6/24/2014 11:45	TMET		20.35	ug/L	EPA-200.8
7/1/2014 11:41	TMET		34.8	ug/L	EPA-200.8
7/8/2014 11:05	TMET		48.6	ug/L	EPA-200.8
7/15/2014 11:13	TMET		21.8	ug/L	EPA-200.8
6/17/2014 11:18	Total-P		0.198	mg/L	EPA 365.1
6/24/2014 11:45	Total-P		0.108	mg/L	EPA 365.1
7/1/2014 11:41	Total-P		0.186	mg/L	EPA 365.1
7/8/2014 11:05	Total-P		0.158	mg/L	EPA 365.1
7/15/2014 11:13	Total-P		0.112	mg/L	EPA 365.1
6/17/2014 11:18	TS		862	mg/L	SM2540B
6/24/2014 11:45	TS		476	mg/L	SM2540B
7/1/2014 11:41	TS		814	mg/L	SM2540B
7/8/2014 11:05	TS		320	mg/L	SM2540B
7/15/2014 11:13	TS		864	mg/L	SM2540B
6/17/2014 11:18	TSS		8	mg/L	SM2540D
6/24/2014 11:45	TSS		5.85	mg/L	SM2540D
7/1/2014 11:41	TSS		6.8	mg/L	SM2540D
7/8/2014 11:05	TSS		49	mg/L	SM2540D
7/15/2014 11:13	TSS		13.8	mg/L	SM2540D
6/17/2014 11:18	Turbidity		3.27	NTU	EPA 180.1
6/24/2014 11:45	Turbidity		6.41	NTU	EPA 180.1
7/1/2014 11:41	Turbidity		9.5	NTU	EPA 180.1
7/8/2014 11:05	Turbidity		53.5	NTU	EPA 180.1
7/15/2014 11:13	Turbidity		3.17	NTU	EPA 180.1

Unnamed Tributary to Euclid Creek

River Mile 1.50

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 11:18	V	<	1.22	ug/L	EPA-200.8
6/24/2014 11:45	V	j	1.294	ug/L	EPA-200.8
7/1/2014 11:41	V	<	1.22	ug/L	EPA-200.8
7/8/2014 11:05	V	j	2.908	ug/L	EPA-200.8
7/15/2014 11:13	V	<	1.22	ug/L	EPA-200.8
6/17/2014 11:18	Zn		14.22	ug/L	EPA-200.8
6/24/2014 11:45	Zn		12.14	ug/L	EPA-200.8
7/1/2014 11:41	Zn		21.03	ug/L	EPA-200.8
7/8/2014 11:05	Zn		33.38	ug/L	EPA-200.8
7/15/2014 11:13	Zn	j	8.592	ug/L	EPA-200.8

Euclid Creek River Mile 6.90					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 11:33	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 12:05	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 12:03	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 11:21	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 11:29	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 11:33	Al		30.56	ug/L	EPA-200.8
6/24/2014 12:05	Al		84.6	ug/L	EPA-200.8
7/1/2014 12:03	Al		150.6	ug/L	EPA-200.8
7/8/2014 11:21	Al		1300	ug/L	EPA-200.8
7/15/2014 11:29	Al		24.66	ug/L	EPA-200.8
6/17/2014 11:33	Alkalinity		116.4	mg/LCaCO3	EPA-310.2
6/24/2014 12:05	Alkalinity		94.8	mg/LCaCO3	EPA-310.2
7/1/2014 12:03	Alkalinity		98.7	mg/LCaCO3	EPA-310.2
7/8/2014 11:21	Alkalinity	j	3.9	mg/LCaCO3	EPA-310.2
7/15/2014 11:29	Alkalinity		99.9	mg/LCaCO3	EPA-310.2
6/17/2014 11:33	As	j	1.025	ug/L	EPA-200.8
6/24/2014 12:05	As	j	1.441	ug/L	EPA-200.8
7/1/2014 12:03	As	j	0.588	ug/L	EPA-200.8
7/8/2014 11:21	As	j	1.084	ug/L	EPA-200.8
7/15/2014 11:29	As	j	0.625	ug/L	EPA-200.8
6/17/2014 11:33	Ba		65.36	ug/L	EPA-200.8
6/24/2014 12:05	Ba		33.64	ug/L	EPA-200.8
7/1/2014 12:03	Ba		44.28	ug/L	EPA-200.8
7/8/2014 11:21	Ba		15.4	ug/L	EPA-200.8
7/15/2014 11:29	Ba		47.72	ug/L	EPA-200.8
6/17/2014 11:33	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 12:05	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 12:03	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 11:21	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 11:29	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 11:33	BOD	<	2	mg/L	SM 5210
6/24/2014 12:05	BOD	<	2	mg/L	SM 5210
7/1/2014 12:03	BOD	<	2	mg/L	SM 5210
7/8/2014 11:21	BOD		3.6	mg/L	SM 5210
7/15/2014 11:29	BOD	<	2	mg/L	SM 5210
6/17/2014 11:33	Ca		102300	ug/L	EPA-200.8
6/24/2014 12:05	Ca		53640	ug/L	EPA-200.8
7/1/2014 12:03	Ca		69210	ug/L	EPA-200.8
7/8/2014 11:21	Ca		7042	ug/L	EPA-200.8

Euclid Creek
River Mile 6.90

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 11:29	Ca		80290	ug/L	EPA-200.8
6/17/2014 11:33	CaCO3		345	mg/LCaCO3	EPA-200.8
6/24/2014 12:05	CaCO3		178	mg/LCaCO3	EPA-200.8
7/1/2014 12:03	CaCO3		230	mg/LCaCO3	EPA-200.8
7/8/2014 11:21	CaCO3		24	mg/LCaCO3	EPA-200.8
7/15/2014 11:29	CaCO3		264	mg/LCaCO3	EPA-200.8
6/17/2014 11:33	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 12:05	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 12:03	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 11:21	Cd	j	0.086	ug/L	EPA-200.8
7/15/2014 11:29	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 11:33	Chloride		893.1	mg/L	EPA 300.0
6/24/2014 12:05	Chloride		475.2	mg/L	EPA 300.0
7/1/2014 12:03	Chloride		493.4	mg/L	EPA 300.0
7/8/2014 11:21	Chloride		13.18	mg/L	EPA 300.0
7/15/2014 11:29	Chloride		522.2	mg/L	EPA 300.0
6/17/2014 11:33	Co	j	0.225	ug/L	EPA-200.8
6/24/2014 12:05	Co	j	0.262	ug/L	EPA-200.8
7/1/2014 12:03	Co	j	0.355	ug/L	EPA-200.8
7/8/2014 11:21	Co	j	0.813	ug/L	EPA-200.8
7/15/2014 11:29	Co	j	0.194	ug/L	EPA-200.8
6/17/2014 11:33	COD		20.6	mg/L	EPA 410.4
6/24/2014 12:05	COD		17	mg/L	EPA 410.4
7/1/2014 12:03	COD		10.1	mg/L	EPA 410.4
7/8/2014 11:21	COD		23.9	mg/L	EPA 410.4
7/15/2014 11:29	COD	j	9.9	mg/L	EPA 410.4
6/17/2014 11:33	Cr	j	0.542	ug/L	EPA-200.8
6/24/2014 12:05	Cr		1.184	ug/L	EPA-200.8
7/1/2014 12:03	Cr		1.298	ug/L	EPA-200.8
7/8/2014 11:21	Cr		4.975	ug/L	EPA-200.8
7/15/2014 11:29	Cr		1.468	ug/L	EPA-200.8
6/17/2014 11:33	Cu		5.226	ug/L	EPA-200.8
6/24/2014 12:05	Cu		6.008	ug/L	EPA-200.8
7/1/2014 12:03	Cu		9.385	ug/L	EPA-200.8
7/8/2014 11:21	Cu		8.449	ug/L	EPA-200.8
7/15/2014 11:29	Cu		8.136	ug/L	EPA-200.8
6/17/2014 11:33	DRPhos		0.022	mg/L	EPA 365.1
6/24/2014 12:05	DRPhos		0.028	mg/L	EPA 365.1

Euclid Creek
River Mile 6.90

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 12:03	DRPhos	j	0.008	mg/L	EPA 365.1
7/8/2014 11:21	DRPhos		0.031	mg/L	EPA 365.1
7/15/2014 11:29	DRPhos		0.019	mg/L	EPA 365.1
6/17/2014 11:33	E. coli		1539	MPN/100 mL	SM 9223 Colilert
6/24/2014 12:05	E. coli		2211	MPN/100 mL	SM 9223 Colilert
7/1/2014 12:03	E. coli		600	MPN/100 mL	SM 9223 Colilert
7/8/2014 11:21	E. coli		23740	MPN/100 mL	SM 9223 Colilert
7/15/2014 11:29	E. coli		701	MPN/100 mL	SM 9223 Colilert
6/17/2014 11:33	Fe		369.7	ug/L	EPA-200.8
6/24/2014 12:05	Fe		351.9	ug/L	EPA-200.8
7/1/2014 12:03	Fe		556.3	ug/L	EPA-200.8
7/8/2014 11:21	Fe		2017	ug/L	EPA-200.8
7/15/2014 11:29	Fe		277.7	ug/L	EPA-200.8
6/17/2014 11:33	Field Cond		2855	umhos/cm	SM 2510A
6/24/2014 12:05	Field Cond		1620	umhos/cm	SM 2510A
7/1/2014 12:03	Field Cond		1759	umhos/cm	SM 2510A
7/8/2014 11:21	Field Cond		94	umhos/cm	SM 2510A
7/15/2014 11:29	Field Cond		2074	umhos/cm	SM 2510A
6/17/2014 11:33	Field DO		9.11	mg/L	SM 4500-0 G
6/24/2014 12:05	Field DO		8.44	mg/L	SM 4500-0 G
7/1/2014 12:03	Field DO		8.04	mg/L	SM 4500-0 G
7/8/2014 11:21	Field DO		8.51	mg/L	SM 4500-0 G
7/15/2014 11:29	Field DO		9.51	mg/L	SM 4500-0 G
6/17/2014 11:33	Field Temp		22.8	C	EPA 170.1
6/24/2014 12:05	Field Temp		21.9	C	EPA 170.1
7/1/2014 12:03	Field Temp		24.7	C	EPA 170.1
7/8/2014 11:21	Field Temp		21.5	C	EPA 170.1
7/15/2014 11:29	Field Temp		20.7	C	EPA 170.1
6/17/2014 11:33	Hg	j	0.01	ug/L	EPA 245.1
6/24/2014 12:05	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 12:03	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 11:21	Hg	j	0.012	ug/L	EPA 245.1
7/15/2014 11:29	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 11:33	K		5446	ug/L	EPA-200.8
6/24/2014 12:05	K		3805	ug/L	EPA-200.8
7/1/2014 12:03	K		4681	ug/L	EPA-200.8
7/8/2014 11:21	K		1123	ug/L	EPA-200.8
7/15/2014 11:29	K		5243	ug/L	EPA-200.8

Euclid Creek River Mile 6.90					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 11:33	Mg		21840	ug/L	EPA-200.8
6/24/2014 12:05	Mg		10740	ug/L	EPA-200.8
7/1/2014 12:03	Mg		13840	ug/L	EPA-200.8
7/8/2014 11:21	Mg		1495	ug/L	EPA-200.8
7/15/2014 11:29	Mg		15430	ug/L	EPA-200.8
6/17/2014 11:33	Mn		23.54	ug/L	EPA-200.8
6/24/2014 12:05	Mn		17.06	ug/L	EPA-200.8
7/1/2014 12:03	Mn		21.55	ug/L	EPA-200.8
7/8/2014 11:21	Mn		55.73	ug/L	EPA-200.8
7/15/2014 11:29	Mn		11.29	ug/L	EPA-200.8
6/17/2014 11:33	Mo		2.966	ug/L	EPA-200.8
6/24/2014 12:05	Mo		2.83	ug/L	EPA-200.8
7/1/2014 12:03	Mo		3.086	ug/L	EPA-200.8
7/8/2014 11:21	Mo	j	0.507	ug/L	EPA-200.8
7/15/2014 11:29	Mo		3.11	ug/L	EPA-200.8
6/17/2014 11:33	Na		405200	ug/L	EPA-200.8
6/24/2014 12:05	Na		251400	ug/L	EPA-200.8
7/1/2014 12:03	Na		252200	ug/L	EPA-200.8
7/8/2014 11:21	Na		11560	ug/L	EPA-200.8
7/15/2014 11:29	Na		297700	ug/L	EPA-200.8
6/17/2014 11:33	NH3		0.035	mg/L	EPA-350.1
6/24/2014 12:05	NH3		0.025	mg/L	EPA-350.1
7/1/2014 12:03	NH3	j	0.014	mg/L	EPA-350.1
7/8/2014 11:21	NH3		0.099	mg/L	EPA-350.1
7/15/2014 11:29	NH3		0.025	mg/L	EPA-350.1
6/17/2014 11:33	Ni	j	2.818	ug/L	EPA-200.8
6/24/2014 12:05	Ni	j	2.526	ug/L	EPA-200.8
7/1/2014 12:03	Ni	j	3.431	ug/L	EPA-200.8
7/8/2014 11:21	Ni	j	2.715	ug/L	EPA-200.8
7/15/2014 11:29	Ni	j	2.774	ug/L	EPA-200.8
6/17/2014 11:33	NO3-NO2		0.575	mg/L	EPA 353.2
6/24/2014 12:05	NO3-NO2		0.517	mg/L	EPA 353.2
7/1/2014 12:03	NO3-NO2		0.414	mg/L	EPA 353.2
7/8/2014 11:21	NO3-NO2		0.175	mg/L	EPA 353.2
7/15/2014 11:29	NO3-NO2		0.51	mg/L	EPA 353.2
6/17/2014 11:33	Pb	<	0.174	ug/L	EPA-200.8
6/24/2014 12:05	Pb	j	0.262	ug/L	EPA-200.8
7/1/2014 12:03	Pb	j	0.498	ug/L	EPA-200.8
7/8/2014 11:21	Pb		5.17	ug/L	EPA-200.8

Euclid Creek
River Mile 6.90

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 11:29	Pb	<	0.174	ug/L	EPA-200.8
6/17/2014 11:33	pH		7.85	S.U.	
6/24/2014 12:05	pH		7.95	S.U.	
7/1/2014 12:03	pH		7.84	S.U.	
7/8/2014 11:21	pH		7.62	S.U.	
7/15/2014 11:29	pH		7.95	S.U.	
6/17/2014 11:33	Sb	j	0.15	ug/L	EPA-200.8
6/24/2014 12:05	Sb	j	0.596	ug/L	EPA-200.8
7/1/2014 12:03	Sb	j	0.368	ug/L	EPA-200.8
7/8/2014 11:21	Sb	j	0.391	ug/L	EPA-200.8
7/15/2014 11:29	Sb	j	0.258	ug/L	EPA-200.8
6/17/2014 11:33	Se	j	0.732	ug/L	EPA-200.8
6/24/2014 12:05	Se	j	0.304	ug/L	EPA-200.8
7/1/2014 12:03	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 11:21	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 11:29	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 11:33	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 12:05	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 12:03	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 11:21	Sn	<	0.36	ug/L	EPA-200.8
7/15/2014 11:29	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 11:33	SO4		83.36	mg/L	EPA 300.0
6/24/2014 12:05	SO4		53.03	mg/L	EPA 300.0
7/1/2014 12:03	SO4		66.43	mg/L	EPA 300.0
7/8/2014 11:21	SO4	j	3.682	mg/L	EPA 300.0
7/15/2014 11:29	SO4		62.28	mg/L	EPA 300.0
6/17/2014 11:33	Sr		588.337	ug/L	EPA-200.8
6/24/2014 12:05	Sr		323.912	ug/L	EPA-200.8
7/1/2014 12:03	Sr		387.557	ug/L	EPA-200.8
7/8/2014 11:21	Sr		40.574	ug/L	EPA-200.8
7/15/2014 11:29	Sr		417.829	ug/L	EPA-200.8
6/17/2014 11:33	TDS		1646	mg/L	SM2540C
6/24/2014 12:05	TDS		876	mg/L	SM2540C
7/1/2014 12:03	TDS		1004	mg/L	SM2540C
7/8/2014 11:21	TDS		57	mg/L	SM2540C
7/15/2014 11:29	TDS		1056	mg/L	SM2540C
6/17/2014 11:33	Ti	<	0.16	ug/L	EPA-200.8
6/24/2014 12:05	Ti	j	1.537	ug/L	EPA-200.8

Euclid Creek River Mile 6.90					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 12:03	Ti		2.581	ug/L	EPA-200.8
7/8/2014 11:21	Ti		18.62	ug/L	EPA-200.8
7/15/2014 11:29	Ti	j	0.799	ug/L	EPA-200.8
6/17/2014 11:33	TKN	j	0.366	mg/L	EPA-351.1
6/24/2014 12:05	TKN		0.5	mg/L	EPA-351.1
7/1/2014 12:03	TKN	j	0.394	mg/L	EPA-351.1
7/8/2014 11:21	TKN		0.6	mg/L	EPA-351.1
7/15/2014 11:29	TKN		0.525	mg/L	EPA-351.1
6/17/2014 11:33	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 12:05	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 12:03	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 11:21	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 11:29	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 11:33	TMET		15.2	ug/L	EPA-200.8
6/24/2014 12:05	TMET		15.6	ug/L	EPA-200.8
7/1/2014 12:03	TMET		26	ug/L	EPA-200.8
7/8/2014 11:21	TMET		53.9	ug/L	EPA-200.8
7/15/2014 11:29	TMET		19	ug/L	EPA-200.8
6/17/2014 11:33	Total-P		0.056	mg/L	EPA 365.1
6/24/2014 12:05	Total-P		0.064	mg/L	EPA 365.1
7/1/2014 12:03	Total-P		0.037	mg/L	EPA 365.1
7/8/2014 11:21	Total-P		0.1	mg/L	EPA 365.1
7/15/2014 11:29	Total-P		0.046	mg/L	EPA 365.1
6/17/2014 11:33	TS		1844	mg/L	SM2540B
6/24/2014 12:05	TS		970	mg/L	SM2540B
7/1/2014 12:03	TS		1076	mg/L	SM2540B
7/8/2014 11:21	TS		102	mg/L	SM2540B
7/15/2014 11:29	TS		1162	mg/L	SM2540B
6/17/2014 11:33	TSS		1.4	mg/L	SM2540D
6/24/2014 12:05	TSS		6.4	mg/L	SM2540D
7/1/2014 12:03	TSS		2.1	mg/L	SM2540D
7/8/2014 11:21	TSS		50.3	mg/L	SM2540D
7/15/2014 11:29	TSS		3	mg/L	SM2540D
6/17/2014 11:33	Turbidity		2.22	NTU	EPA 180.1
6/24/2014 12:05	Turbidity		3.36	NTU	EPA 180.1
7/1/2014 12:03	Turbidity		4.77	NTU	EPA 180.1
7/8/2014 11:21	Turbidity		53.4	NTU	EPA 180.1
7/15/2014 11:29	Turbidity		1.32	NTU	EPA 180.1

Euclid Creek
River Mile 6.90

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 11:33	V	<	1.22	ug/L	EPA-200.8
6/24/2014 12:05	V	<	1.22	ug/L	EPA-200.8
7/1/2014 12:03	V	<	1.22	ug/L	EPA-200.8
7/8/2014 11:21	V	j	1.513	ug/L	EPA-200.8
7/15/2014 11:29	V	<	1.22	ug/L	EPA-200.8
6/17/2014 11:33	Zn	j	6.578	ug/L	EPA-200.8
7/1/2014 12:03	Zn		11.94	ug/L	EPA-200.8
7/8/2014 11:21	Zn		37.78	ug/L	EPA-200.8
7/15/2014 11:29	Zn	j	6.63	ug/L	EPA-200.8

Euclid Creek River Mile 3.30					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:13	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 10:33	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 10:20	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 9:52	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 10:05	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 10:13	Al		24.535	ug/L	EPA-200.8
6/24/2014 10:33	Al		109.6	ug/L	EPA-200.8
7/1/2014 10:20	Al		43.15	ug/L	EPA-200.8
7/8/2014 9:52	Al		231.7	ug/L	EPA-200.8
7/15/2014 10:05	Al		61.36	ug/L	EPA-200.8
6/17/2014 10:13	Alkalinity		116.05	mg/LCaCO3	EPA-310.2
6/24/2014 10:33	Alkalinity		85.5	mg/LCaCO3	EPA-310.2
7/1/2014 10:20	Alkalinity		101.4	mg/LCaCO3	EPA-310.2
7/8/2014 9:52	Alkalinity		68	mg/LCaCO3	EPA-310.2
7/15/2014 10:05	Alkalinity		102.8	mg/LCaCO3	EPA-310.2
6/17/2014 10:13	As	j	1.235	ug/L	EPA-200.8
6/24/2014 10:33	As	j	0.89	ug/L	EPA-200.8
7/1/2014 10:20	As	j	0.977	ug/L	EPA-200.8
7/8/2014 9:52	As	j	1.05	ug/L	EPA-200.8
7/15/2014 10:05	As	j	0.918	ug/L	EPA-200.8
6/17/2014 10:13	Ba		50.75	ug/L	EPA-200.8
6/24/2014 10:33	Ba		25.99	ug/L	EPA-200.8
7/1/2014 10:20	Ba		33.57	ug/L	EPA-200.8
7/8/2014 9:52	Ba		18.66	ug/L	EPA-200.8
7/15/2014 10:05	Ba		36.48	ug/L	EPA-200.8
6/17/2014 10:13	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 10:33	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 10:20	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 9:52	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 10:05	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 10:13	BOD	<	2	mg/L	SM 5210
6/24/2014 10:33	BOD	<	2	mg/L	SM 5210
7/1/2014 10:20	BOD	<	2	mg/L	SM 5210
7/8/2014 9:52	BOD		2	mg/L	SM 5210
7/15/2014 10:05	BOD	<	2	mg/L	SM 5210
6/17/2014 10:13	Ca		81760	ug/L	EPA-200.8
6/24/2014 10:33	Ca		41000	ug/L	EPA-200.8
7/1/2014 10:20	Ca		54740	ug/L	EPA-200.8
7/8/2014 9:52	Ca		31780	ug/L	EPA-200.8

Euclid Creek
River Mile 3.30

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 10:05	Ca		63780	ug/L	EPA-200.8
6/17/2014 10:13	CaCO3		283	mg/LCaCO3	EPA-200.8
6/24/2014 10:33	CaCO3		138	mg/LCaCO3	EPA-200.8
7/1/2014 10:20	CaCO3		186	mg/LCaCO3	EPA-200.8
7/8/2014 9:52	CaCO3		107	mg/LCaCO3	EPA-200.8
7/15/2014 10:05	CaCO3		214	mg/LCaCO3	EPA-200.8
6/17/2014 10:13	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 10:33	Cd	j	0.044	ug/L	EPA-200.8
7/1/2014 10:20	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 9:52	Cd	<	0.044	ug/L	EPA-200.8
7/15/2014 10:05	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 10:13	Chloride		547.6	mg/L	EPA 300.0
6/24/2014 10:33	Chloride		332.7	mg/L	EPA 300.0
7/1/2014 10:20	Chloride		310.8	mg/L	EPA 300.0
7/8/2014 9:52	Chloride		177.6	mg/L	EPA 300.0
7/15/2014 10:05	Chloride		331.7	mg/L	EPA 300.0
6/17/2014 10:13	Co	j	0.2345	ug/L	EPA-200.8
6/24/2014 10:33	Co	j	0.265	ug/L	EPA-200.8
7/1/2014 10:20	Co	j	0.241	ug/L	EPA-200.8
7/8/2014 9:52	Co	j	0.331	ug/L	EPA-200.8
7/15/2014 10:05	Co	j	0.218	ug/L	EPA-200.8
6/24/2014 10:33	COD		17.8	mg/L	EPA 410.4
7/1/2014 10:20	COD	j	6.3	mg/L	EPA 410.4
7/8/2014 9:52	COD		19.6	mg/L	EPA 410.4
7/15/2014 10:05	COD	j	8.9	mg/L	EPA 410.4
6/17/2014 10:13	Cr	j	0.568	ug/L	EPA-200.8
6/24/2014 10:33	Cr		1.482	ug/L	EPA-200.8
7/1/2014 10:20	Cr	j	0.972	ug/L	EPA-200.8
7/8/2014 9:52	Cr		1.797	ug/L	EPA-200.8
7/15/2014 10:05	Cr	j	0.911	ug/L	EPA-200.8
6/17/2014 10:13	Cu		3.9725	ug/L	EPA-200.8
6/24/2014 10:33	Cu		4.9	ug/L	EPA-200.8
7/1/2014 10:20	Cu		6.473	ug/L	EPA-200.8
7/8/2014 9:52	Cu		6.03	ug/L	EPA-200.8
7/15/2014 10:05	Cu		5.385	ug/L	EPA-200.8
6/24/2014 10:33	DRPhos		0.02	mg/L	EPA 365.1
7/1/2014 10:20	DRPhos		0.01	mg/L	EPA 365.1
7/8/2014 9:52	DRPhos	j	0.009	mg/L	EPA 365.1

Euclid Creek
River Mile 3.30

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 10:05	DRPhos	j	0.008	mg/L	EPA 365.1
6/17/2014 10:13	E. coli		244.5	MPN/100 mL	SM 9223 Colilert
6/24/2014 10:33	E. coli		2545	MPN/100 mL	SM 9223 Colilert
7/1/2014 10:20	E. coli		368	MPN/100 mL	SM 9223 Colilert
7/8/2014 9:52	E. coli		3468	MPN/100 mL	SM 9223 Colilert
7/15/2014 10:05	E. coli		216	MPN/100 mL	SM 9223 Colilert
6/17/2014 10:13	Fe		177.55	ug/L	EPA-200.8
6/24/2014 10:33	Fe		296.6	ug/L	EPA-200.8
7/1/2014 10:20	Fe		164.1	ug/L	EPA-200.8
7/8/2014 9:52	Fe		452.9	ug/L	EPA-200.8
7/15/2014 10:05	Fe		207.6	ug/L	EPA-200.8
6/17/2014 10:13	Field Cond		1797	umhos/cm	SM 2510A
6/24/2014 10:33	Field Cond		1186	umhos/cm	SM 2510A
7/1/2014 10:20	Field Cond		1260	umhos/cm	SM 2510A
7/8/2014 9:52	Field Cond		706	umhos/cm	SM 2510A
7/15/2014 10:05	Field Cond		1355	umhos/cm	SM 2510A
6/17/2014 10:13	Field DO		9.25	mg/L	SM 4500-0 G
6/24/2014 10:33	Field DO		8.4	mg/L	SM 4500-0 G
7/1/2014 10:20	Field DO		7.86	mg/L	SM 4500-0 G
7/8/2014 9:52	Field DO		8.43	mg/L	SM 4500-0 G
7/15/2014 10:05	Field DO		9.27	mg/L	SM 4500-0 G
6/17/2014 10:13	Field Temp		21.8	C	EPA 170.1
6/24/2014 10:33	Field Temp		21.1	C	EPA 170.1
7/1/2014 10:20	Field Temp		23.1	C	EPA 170.1
7/8/2014 9:52	Field Temp		20.9	C	EPA 170.1
7/15/2014 10:05	Field Temp		20.3	C	EPA 170.1
6/17/2014 10:13	Hg	j	0.01	ug/L	EPA 245.1
6/24/2014 10:33	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 10:20	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 9:52	Hg	j	0.014	ug/L	EPA 245.1
7/15/2014 10:05	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 10:13	K		5256.5	ug/L	EPA-200.8
6/24/2014 10:33	K		3432	ug/L	EPA-200.8
7/1/2014 10:20	K		4455	ug/L	EPA-200.8
7/8/2014 9:52	K		3064	ug/L	EPA-200.8
7/15/2014 10:05	K		4886	ug/L	EPA-200.8
6/17/2014 10:13	Mg		19185	ug/L	EPA-200.8
6/24/2014 10:33	Mg		8749	ug/L	EPA-200.8

Euclid Creek River Mile 3.30					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 10:20	Mg		11980	ug/L	EPA-200.8
7/8/2014 9:52	Mg		6678	ug/L	EPA-200.8
7/15/2014 10:05	Mg		13290	ug/L	EPA-200.8
6/17/2014 10:13	Mn		6.938	ug/L	EPA-200.8
6/24/2014 10:33	Mn		9.14	ug/L	EPA-200.8
7/1/2014 10:20	Mn		3.582	ug/L	EPA-200.8
7/8/2014 9:52	Mn		12.57	ug/L	EPA-200.8
7/15/2014 10:05	Mn		3.173	ug/L	EPA-200.8
6/17/2014 10:13	Mo		3.1945	ug/L	EPA-200.8
6/24/2014 10:33	Mo		2.43	ug/L	EPA-200.8
7/1/2014 10:20	Mo		3.309	ug/L	EPA-200.8
7/8/2014 9:52	Mo		2.2	ug/L	EPA-200.8
7/15/2014 10:05	Mo		3.215	ug/L	EPA-200.8
6/17/2014 10:13	Na		282450	ug/L	EPA-200.8
6/24/2014 10:33	Na		185300	ug/L	EPA-200.8
7/1/2014 10:20	Na		183400	ug/L	EPA-200.8
7/8/2014 9:52	Na		121500	ug/L	EPA-200.8
7/15/2014 10:05	Na		205600	ug/L	EPA-200.8
7/1/2014 10:20	NH3	j	0.007	mg/L	EPA-350.1
7/8/2014 9:52	NH3	<	0.003	mg/L	EPA-350.1
7/15/2014 10:05	NH3		0.032	mg/L	EPA-350.1
6/17/2014 10:13	Ni	j	3.317	ug/L	EPA-200.8
6/24/2014 10:33	Ni	j	2.502	ug/L	EPA-200.8
7/1/2014 10:20	Ni	j	3.204	ug/L	EPA-200.8
7/8/2014 9:52	Ni	j	2.649	ug/L	EPA-200.8
7/15/2014 10:05	Ni	j	2.972	ug/L	EPA-200.8
6/17/2014 10:13	NO3-NO2		0.4475	mg/L	EPA 353.2
6/24/2014 10:33	NO3-NO2		0.639	mg/L	EPA 353.2
7/1/2014 10:20	NO3-NO2		0.428	mg/L	EPA 353.2
7/8/2014 9:52	NO3-NO2		0.468	mg/L	EPA 353.2
7/15/2014 10:05	NO3-NO2		0.326	mg/L	EPA 353.2
6/17/2014 10:13	Pb	<	0.174	ug/L	EPA-200.8
6/24/2014 10:33	Pb	j	0.385	ug/L	EPA-200.8
7/1/2014 10:20	Pb	<	0.174	ug/L	EPA-200.8
7/8/2014 9:52	Pb	j	0.71	ug/L	EPA-200.8
7/15/2014 10:05	Pb	<	0.174	ug/L	EPA-200.8
6/17/2014 10:13	pH		7.99	S.U.	
6/24/2014 10:33	pH		8	S.U.	

Euclid Creek River Mile 3.30					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 10:20	pH		7.98	S.U.	
7/8/2014 9:52	pH		8	S.U.	
7/15/2014 10:05	pH		8.09	S.U.	
6/17/2014 10:13	Sb	j	0.3125	ug/L	EPA-200.8
7/1/2014 10:20	Sb	j	0.45	ug/L	EPA-200.8
7/8/2014 9:52	Sb	j	0.469	ug/L	EPA-200.8
7/15/2014 10:05	Sb	j	0.267	ug/L	EPA-200.8
6/17/2014 10:13	Se	j	0.575	ug/L	EPA-200.8
6/24/2014 10:33	Se	<	0.28	ug/L	EPA-200.8
7/1/2014 10:20	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 9:52	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 10:05	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 10:13	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 10:33	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 10:20	Sn	j	0.529	ug/L	EPA-200.8
7/8/2014 9:52	Sn	j	0.638	ug/L	EPA-200.8
7/15/2014 10:05	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 10:13	SO4		80.835	mg/L	EPA 300.0
6/24/2014 10:33	SO4		49.27	mg/L	EPA 300.0
7/1/2014 10:20	SO4		66.44	mg/L	EPA 300.0
7/8/2014 9:52	SO4		37.46	mg/L	EPA 300.0
7/15/2014 10:05	SO4		64.4	mg/L	EPA 300.0
6/17/2014 10:13	Sr		468.2635	ug/L	EPA-200.8
6/24/2014 10:33	Sr		236.614	ug/L	EPA-200.8
7/1/2014 10:20	Sr		295.528	ug/L	EPA-200.8
7/8/2014 9:52	Sr		170.631	ug/L	EPA-200.8
7/15/2014 10:05	Sr		323.42	ug/L	EPA-200.8
6/17/2014 10:13	TDS		1081	mg/L	SM2540C
6/24/2014 10:33	TDS		694	mg/L	SM2540C
7/1/2014 10:20	TDS		728	mg/L	SM2540C
7/8/2014 9:52	TDS		406	mg/L	SM2540C
7/15/2014 10:05	TDS		752	mg/L	SM2540C
6/17/2014 10:13	Ti	j	0.601	ug/L	EPA-200.8
6/24/2014 10:33	Ti	j	1.627	ug/L	EPA-200.8
7/1/2014 10:20	Ti	j	1.017	ug/L	EPA-200.8
7/8/2014 9:52	Ti		4.679	ug/L	EPA-200.8
7/15/2014 10:05	Ti	j	1.048	ug/L	EPA-200.8
6/17/2014 10:13	TKN	j	0.3815	mg/L	EPA-351.1

Euclid Creek
River Mile 3.30

Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 10:33	TKN	j	0.378	mg/L	EPA-351.1
7/1/2014 10:20	TKN	j	0.125	mg/L	EPA-351.1
7/8/2014 9:52	TKN	j	0.375	mg/L	EPA-351.1
7/15/2014 10:05	TKN	j	0.37	mg/L	EPA-351.1
6/17/2014 10:13	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 10:33	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 10:20	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 9:52	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 10:05	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 10:13	TMET		13.6	ug/L	EPA-200.8
6/24/2014 10:33	TMET		15.5	ug/L	EPA-200.8
7/1/2014 10:20	TMET		16.8	ug/L	EPA-200.8
7/8/2014 9:52	TMET		20.4	ug/L	EPA-200.8
7/15/2014 10:05	TMET		16.1	ug/L	EPA-200.8
6/24/2014 10:33	Total-P		0.039	mg/L	EPA 365.1
7/1/2014 10:20	Total-P		0.026	mg/L	EPA 365.1
7/8/2014 9:52	Total-P		0.04	mg/L	EPA 365.1
7/15/2014 10:05	Total-P		0.018	mg/L	EPA 365.1
6/17/2014 10:13	TS		1225	mg/L	SM2540B
6/24/2014 10:33	TS		714	mg/L	SM2540B
7/1/2014 10:20	TS		740	mg/L	SM2540B
7/8/2014 9:52	TS		404	mg/L	SM2540B
7/15/2014 10:05	TS		810	mg/L	SM2540B
6/17/2014 10:13	TSS		1.9	mg/L	SM2540D
6/24/2014 10:33	TSS		4.1	mg/L	SM2540D
7/1/2014 10:20	TSS		1.8	mg/L	SM2540D
7/8/2014 9:52	TSS		7	mg/L	SM2540D
7/15/2014 10:05	TSS	<	0.5	mg/L	SM2540D
6/17/2014 10:13	Turbidity		1.235	NTU	EPA 180.1
6/24/2014 10:33	Turbidity		3.47	NTU	EPA 180.1
7/1/2014 10:20	Turbidity		1.7	NTU	EPA 180.1
7/8/2014 9:52	Turbidity		8.74	NTU	EPA 180.1
7/15/2014 10:05	Turbidity		1.7	NTU	EPA 180.1
6/17/2014 10:13	V	<	1.22	ug/L	EPA-200.8
6/24/2014 10:33	V	<	1.22	ug/L	EPA-200.8
7/1/2014 10:20	V	<	1.22	ug/L	EPA-200.8
7/8/2014 9:52	V	<	1.22	ug/L	EPA-200.8
7/15/2014 10:05	V	<	1.22	ug/L	EPA-200.8

Euclid Creek
River Mile 3.30

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:13	Zn	j	6.551	ug/L	EPA-200.8
6/24/2014 10:33	Zn	j	6.637	ug/L	EPA-200.8
7/8/2014 9:52	Zn	j	9.916	ug/L	EPA-200.8
7/15/2014 10:05	Zn	j	6.834	ug/L	EPA-200.8

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:52	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 10:06	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 10:04	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 9:36	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 9:49	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 9:52	Al		32.72	ug/L	EPA-200.8
6/24/2014 10:06	Al		100.4	ug/L	EPA-200.8
7/1/2014 10:04	Al		47.85	ug/L	EPA-200.8
7/8/2014 9:36	Al		225.4	ug/L	EPA-200.8
7/15/2014 9:49	Al		25.95	ug/L	EPA-200.8
6/17/2014 9:52	Alkalinity		115	mg/LCaCO3	EPA-310.2
6/24/2014 10:06	Alkalinity		96.4	mg/LCaCO3	EPA-310.2
7/1/2014 10:04	Alkalinity		102.3	mg/LCaCO3	EPA-310.2
7/8/2014 9:36	Alkalinity		78	mg/LCaCO3	EPA-310.2
7/15/2014 9:49	Alkalinity		115.7	mg/LCaCO3	EPA-310.2
6/17/2014 9:52	As	j	1.264	ug/L	EPA-200.8
6/24/2014 10:06	As	j	1.146	ug/L	EPA-200.8
7/1/2014 10:04	As	j	0.834	ug/L	EPA-200.8
7/8/2014 9:36	As	j	1.056	ug/L	EPA-200.8
7/15/2014 9:49	As	j	1.081	ug/L	EPA-200.8
6/17/2014 9:52	Ba		32.35	ug/L	EPA-200.8
6/24/2014 10:06	Ba		23.67	ug/L	EPA-200.8
7/1/2014 10:04	Ba		24.87	ug/L	EPA-200.8
7/8/2014 9:36	Ba		17.03	ug/L	EPA-200.8
7/15/2014 9:49	Ba		30.42	ug/L	EPA-200.8
6/17/2014 9:52	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 10:06	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 10:04	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 9:36	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 9:49	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 9:52	BOD	<	2	mg/L	SM 5210
6/24/2014 10:06	BOD	<	2	mg/L	SM 5210
7/1/2014 10:04	BOD	<	2	mg/L	SM 5210
7/8/2014 9:36	BOD	<	2	mg/L	SM 5210
7/15/2014 9:49	BOD	<	2	mg/L	SM 5210
6/17/2014 9:52	Ca		64420	ug/L	EPA-200.8
6/24/2014 10:06	Ca		42880	ug/L	EPA-200.8
7/1/2014 10:04	Ca		46990	ug/L	EPA-200.8
7/8/2014 9:36	Ca		33360	ug/L	EPA-200.8

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:49	Ca		60060	ug/L	EPA-200.8
6/17/2014 9:52	CaCO3		226	mg/LCaCO3	EPA-200.8
6/24/2014 10:06	CaCO3		149	mg/LCaCO3	EPA-200.8
7/1/2014 10:04	CaCO3		163	mg/LCaCO3	EPA-200.8
7/8/2014 9:36	CaCO3		116	mg/LCaCO3	EPA-200.8
7/15/2014 9:49	CaCO3		206	mg/LCaCO3	EPA-200.8
6/17/2014 9:52	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 10:06	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 10:04	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 9:36	Cd	<	0.044	ug/L	EPA-200.8
7/15/2014 9:49	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 9:52	Chloride		272.8	mg/L	EPA 300.0
6/24/2014 10:06	Chloride		247	mg/L	EPA 300.0
7/1/2014 10:04	Chloride		189	mg/L	EPA 300.0
7/8/2014 9:36	Chloride		133.8	mg/L	EPA 300.0
7/15/2014 9:49	Chloride		225.8	mg/L	EPA 300.0
6/17/2014 9:52	Co	j	0.16	ug/L	EPA-200.8
6/24/2014 10:06	Co	j	0.214	ug/L	EPA-200.8
7/1/2014 10:04	Co	j	0.196	ug/L	EPA-200.8
7/8/2014 9:36	Co	j	0.25	ug/L	EPA-200.8
7/15/2014 9:49	Co	j	0.169	ug/L	EPA-200.8
6/24/2014 10:06	COD		14.7	mg/L	EPA 410.4
7/1/2014 10:04	COD	j	8.6	mg/L	EPA 410.4
7/8/2014 9:36	COD		20.6	mg/L	EPA 410.4
7/15/2014 9:49	COD	j	8.4	mg/L	EPA 410.4
6/24/2014 10:06	Cr		1.128	ug/L	EPA-200.8
7/1/2014 10:04	Cr	j	0.981	ug/L	EPA-200.8
7/8/2014 9:36	Cr		1.29	ug/L	EPA-200.8
7/15/2014 9:49	Cr	j	0.91	ug/L	EPA-200.8
6/17/2014 9:52	Cu		2.887	ug/L	EPA-200.8
6/24/2014 10:06	Cu		4.125	ug/L	EPA-200.8
7/1/2014 10:04	Cu		5.106	ug/L	EPA-200.8
7/8/2014 9:36	Cu		4.432	ug/L	EPA-200.8
7/15/2014 9:49	Cu		4.707	ug/L	EPA-200.8
6/24/2014 10:06	DRPhos		0.039	mg/L	EPA 365.1
7/1/2014 10:04	DRPhos		0.027	mg/L	EPA 365.1
7/8/2014 9:36	DRPhos		0.028	mg/L	EPA 365.1
7/15/2014 9:49	DRPhos		0.019	mg/L	EPA 365.1

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:52	E. coli		132	MPN/100 mL	SM 9223 Colilert
6/24/2014 10:06	E. coli		1682	MPN/100 mL	SM 9223 Colilert
7/1/2014 10:04	E. coli		351	MPN/100 mL	SM 9223 Colilert
7/8/2014 9:36	E. coli		2060	MPN/100 mL	SM 9223 Colilert
7/15/2014 9:49	E. coli		298	MPN/100 mL	SM 9223 Colilert
6/17/2014 9:52	Fe		142.2	ug/L	EPA-200.8
6/24/2014 10:06	Fe		247.4	ug/L	EPA-200.8
7/1/2014 10:04	Fe		149.3	ug/L	EPA-200.8
7/8/2014 9:36	Fe		377.2	ug/L	EPA-200.8
7/15/2014 9:49	Fe		148.8	ug/L	EPA-200.8
6/17/2014 9:52	Field Cond		1176	umhos/cm	SM 2510A
6/24/2014 10:06	Field Cond		968	umhos/cm	SM 2510A
7/1/2014 10:04	Field Cond		889	umhos/cm	SM 2510A
7/8/2014 9:36	Field Cond		599	umhos/cm	SM 2510A
7/15/2014 9:49	Field Cond		1141	umhos/cm	SM 2510A
6/17/2014 9:52	Field DO		9.86	mg/L	SM 4500-0 G
6/24/2014 10:06	Field DO		8.56	mg/L	SM 4500-0 G
7/1/2014 10:04	Field DO		8.09	mg/L	SM 4500-0 G
7/8/2014 9:36	Field DO		8.63	mg/L	SM 4500-0 G
7/15/2014 9:49	Field DO		9.79	mg/L	SM 4500-0 G
6/17/2014 9:52	Field Temp		21.7	C	EPA 170.1
6/24/2014 10:06	Field Temp		21.2	C	EPA 170.1
7/1/2014 10:04	Field Temp		23.6	C	EPA 170.1
7/8/2014 9:36	Field Temp		21.2	C	EPA 170.1
7/15/2014 9:49	Field Temp		20.9	C	EPA 170.1
6/17/2014 9:52	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 10:06	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 10:04	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 9:36	Hg	j	0.014	ug/L	EPA 245.1
7/15/2014 9:49	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 9:52	K		4094	ug/L	EPA-200.8
6/24/2014 10:06	K		3347	ug/L	EPA-200.8
7/1/2014 10:04	K		3730	ug/L	EPA-200.8
7/8/2014 9:36	K		2835	ug/L	EPA-200.8
7/15/2014 9:49	K		4310	ug/L	EPA-200.8
6/17/2014 9:52	Mg		15780	ug/L	EPA-200.8
6/24/2014 10:06	Mg		10120	ug/L	EPA-200.8
7/1/2014 10:04	Mg		11180	ug/L	EPA-200.8

Euclid Creek River Mile 2.70					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2014 9:36	Mg		7878	ug/L	EPA-200.8
7/15/2014 9:49	Mg		13710	ug/L	EPA-200.8
6/17/2014 9:52	Mn		5.604	ug/L	EPA-200.8
6/24/2014 10:06	Mn		6.918	ug/L	EPA-200.8
7/1/2014 10:04	Mn		4.41	ug/L	EPA-200.8
7/8/2014 9:36	Mn		9.777	ug/L	EPA-200.8
7/15/2014 9:49	Mn		3.25	ug/L	EPA-200.8
6/17/2014 9:52	Mo		3.104	ug/L	EPA-200.8
6/24/2014 10:06	Mo		2.467	ug/L	EPA-200.8
7/1/2014 10:04	Mo		2.962	ug/L	EPA-200.8
7/8/2014 9:36	Mo		2.042	ug/L	EPA-200.8
7/15/2014 9:49	Mo		3.247	ug/L	EPA-200.8
6/17/2014 9:52	Na		160000	ug/L	EPA-200.8
6/24/2014 10:06	Na		137200	ug/L	EPA-200.8
7/1/2014 10:04	Na		114300	ug/L	EPA-200.8
7/8/2014 9:36	Na		86700	ug/L	EPA-200.8
7/15/2014 9:49	Na		143400	ug/L	EPA-200.8
6/17/2014 9:52	NH3		0.146	mg/L	EPA-350.1
7/1/2014 10:04	NH3	j	0.008	mg/L	EPA-350.1
7/8/2014 9:36	NH3	j	0.004	mg/L	EPA-350.1
7/15/2014 9:49	NH3	<	0.003	mg/L	EPA-350.1
6/17/2014 9:52	Ni	j	2.393	ug/L	EPA-200.8
6/24/2014 10:06	Ni	j	2.168	ug/L	EPA-200.8
7/1/2014 10:04	Ni	j	2.442	ug/L	EPA-200.8
7/8/2014 9:36	Ni	j	2.102	ug/L	EPA-200.8
7/15/2014 9:49	Ni	j	2.591	ug/L	EPA-200.8
6/17/2014 9:52	NO3-NO2		0.457	mg/L	EPA 353.2
6/24/2014 10:06	NO3-NO2		0.605	mg/L	EPA 353.2
7/1/2014 10:04	NO3-NO2		0.356	mg/L	EPA 353.2
7/8/2014 9:36	NO3-NO2		0.448	mg/L	EPA 353.2
7/15/2014 9:49	NO3-NO2		0.198	mg/L	EPA 353.2
6/17/2014 9:52	Pb	<	0.174	ug/L	EPA-200.8
6/24/2014 10:06	Pb	j	0.242	ug/L	EPA-200.8
7/1/2014 10:04	Pb	<	0.174	ug/L	EPA-200.8
7/8/2014 9:36	Pb	j	0.422	ug/L	EPA-200.8
7/15/2014 9:49	Pb	<	0.174	ug/L	EPA-200.8
6/17/2014 9:52	pH		8.15	S.U.	
6/24/2014 10:06	pH		7.99	S.U.	

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 10:04	pH		8.02	S.U.	
7/8/2014 9:36	pH		8	S.U.	
7/15/2014 9:49	pH		8.22	S.U.	
6/17/2014 9:52	Sb	j	0.255	ug/L	EPA-200.8
7/1/2014 10:04	Sb	j	0.387	ug/L	EPA-200.8
7/8/2014 9:36	Sb	j	0.36	ug/L	EPA-200.8
7/15/2014 9:49	Sb	j	0.218	ug/L	EPA-200.8
6/17/2014 9:52	Se	j	0.527	ug/L	EPA-200.8
6/24/2014 10:06	Se	j	0.492	ug/L	EPA-200.8
7/1/2014 10:04	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 9:36	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 9:49	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 9:52	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 10:06	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 10:04	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 9:36	Sn	<	0.36	ug/L	EPA-200.8
7/15/2014 9:49	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 9:52	SO4		61.6	mg/L	EPA 300.0
6/24/2014 10:06	SO4		46.92	mg/L	EPA 300.0
7/1/2014 10:04	SO4		52.34	mg/L	EPA 300.0
7/8/2014 9:36	SO4		36.12	mg/L	EPA 300.0
7/15/2014 9:49	SO4		55.9	mg/L	EPA 300.0
6/17/2014 9:52	Sr		332.844	ug/L	EPA-200.8
6/24/2014 10:06	Sr		240.905	ug/L	EPA-200.8
7/1/2014 10:04	Sr		249.128	ug/L	EPA-200.8
7/8/2014 9:36	Sr		167.8	ug/L	EPA-200.8
7/15/2014 9:49	Sr		301.982	ug/L	EPA-200.8
6/17/2014 9:52	TDS		650	mg/L	SM2540C
6/24/2014 10:06	TDS		585	mg/L	SM2540C
7/1/2014 10:04	TDS		528	mg/L	SM2540C
7/8/2014 9:36	TDS		358	mg/L	SM2540C
7/15/2014 9:49	TDS		582	mg/L	SM2540C
6/17/2014 9:52	Ti	j	0.691	ug/L	EPA-200.8
6/24/2014 10:06	Ti	j	1.673	ug/L	EPA-200.8
7/1/2014 10:04	Ti	j	1.702	ug/L	EPA-200.8
7/8/2014 9:36	Ti		4.708	ug/L	EPA-200.8
7/15/2014 9:49	Ti	j	0.869	ug/L	EPA-200.8
6/17/2014 9:52	TKN	j	0.317	mg/L	EPA-351.1

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 10:06	TKN	j	0.394	mg/L	EPA-351.1
7/1/2014 10:04	TKN	j	0.148	mg/L	EPA-351.1
7/8/2014 9:36	TKN	j	0.386	mg/L	EPA-351.1
7/15/2014 9:49	TKN	j	0.362	mg/L	EPA-351.1
6/17/2014 9:52	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 10:06	TI	j	0.228	ug/L	EPA-200.8
7/1/2014 10:04	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 9:36	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 9:49	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 9:52	TMET		13.2	ug/L	EPA-200.8
6/24/2014 10:06	TMET		15.6	ug/L	EPA-200.8
7/1/2014 10:04	TMET		14.5	ug/L	EPA-200.8
7/8/2014 9:36	TMET		15.8	ug/L	EPA-200.8
7/15/2014 9:49	TMET		15.3	ug/L	EPA-200.8
6/24/2014 10:06	Total-P		0.057	mg/L	EPA 365.1
7/1/2014 10:04	Total-P		0.047	mg/L	EPA 365.1
7/8/2014 9:36	Total-P		0.061	mg/L	EPA 365.1
7/15/2014 9:49	Total-P		0.032	mg/L	EPA 365.1
6/17/2014 9:52	TS		714	mg/L	SM2540B
6/24/2014 10:06	TS		598	mg/L	SM2540B
7/1/2014 10:04	TS		538	mg/L	SM2540B
7/8/2014 9:36	TS		340	mg/L	SM2540B
7/15/2014 9:49	TS		628	mg/L	SM2540B
6/17/2014 9:52	TSS		1.1	mg/L	SM2540D
6/24/2014 10:06	TSS		6.7	mg/L	SM2540D
7/1/2014 10:04	TSS		1.4	mg/L	SM2540D
7/8/2014 9:36	TSS		6	mg/L	SM2540D
7/15/2014 9:49	TSS		1.7	mg/L	SM2540D
6/17/2014 9:52	Turbidity		0.93	NTU	EPA 180.1
6/24/2014 10:06	Turbidity		3.91	NTU	EPA 180.1
7/1/2014 10:04	Turbidity		1.83	NTU	EPA 180.1
7/8/2014 9:36	Turbidity		8.75	NTU	EPA 180.1
7/15/2014 9:49	Turbidity		0.77	NTU	EPA 180.1
6/17/2014 9:52	V	<	1.22	ug/L	EPA-200.8
6/24/2014 10:06	V	<	1.22	ug/L	EPA-200.8
7/1/2014 10:04	V	<	1.22	ug/L	EPA-200.8
7/8/2014 9:36	V	<	1.22	ug/L	EPA-200.8
7/15/2014 9:49	V	<	1.22	ug/L	EPA-200.8

Euclid Creek
River Mile 2.70

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:52	Zn	j	7.414	ug/L	EPA-200.8
6/24/2014 10:06	Zn	j	8.203	ug/L	EPA-200.8
7/8/2014 9:36	Zn	j	7.92	ug/L	EPA-200.8
7/15/2014 9:49	Zn	j	7.11	ug/L	EPA-200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:34	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 9:37	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 9:41	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 9:13	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 9:26	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 9:34	Al		43.83	ug/L	EPA-200.8
6/24/2014 9:37	Al		113.2	ug/L	EPA-200.8
7/1/2014 9:41	Al		57.53	ug/L	EPA-200.8
7/8/2014 9:13	Al		282.6	ug/L	EPA-200.8
7/15/2014 9:26	Al		24.26	ug/L	EPA-200.8
6/17/2014 9:34	Alkalinity		130.9	mg/LCaCO3	EPA-310.2
6/24/2014 9:37	Alkalinity		91.5	mg/LCaCO3	EPA-310.2
7/1/2014 9:41	Alkalinity		103.25	mg/LCaCO3	EPA-310.2
7/8/2014 9:13	Alkalinity		77.6	mg/LCaCO3	EPA-310.2
7/15/2014 9:26	Alkalinity		115.6	mg/LCaCO3	EPA-310.2
6/17/2014 9:34	As	j	1.179	ug/L	EPA-200.8
6/24/2014 9:37	As	j	1.206	ug/L	EPA-200.8
7/1/2014 9:41	As	j	1.1045	ug/L	EPA-200.8
7/8/2014 9:13	As	j	1.424	ug/L	EPA-200.8
7/15/2014 9:26	As	j	0.845	ug/L	EPA-200.8
6/17/2014 9:34	Ba		32.94	ug/L	EPA-200.8
6/24/2014 9:37	Ba		23.56	ug/L	EPA-200.8
7/1/2014 9:41	Ba		25.13	ug/L	EPA-200.8
7/8/2014 9:13	Ba		17.61	ug/L	EPA-200.8
7/15/2014 9:26	Ba		29.37	ug/L	EPA-200.8
6/17/2014 9:34	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 9:37	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 9:41	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 9:13	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 9:26	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 9:34	BOD	<	2	mg/L	SM 5210
6/24/2014 9:37	BOD	<	2	mg/L	SM 5210
7/1/2014 9:41	BOD	<	2	mg/L	SM 5210
7/8/2014 9:13	BOD	<	2	mg/L	SM 5210
7/15/2014 9:26	BOD	<	2	mg/L	SM 5210
6/17/2014 9:34	Ca		67410	ug/L	EPA-200.8
6/24/2014 9:37	Ca		42960	ug/L	EPA-200.8
7/1/2014 9:41	Ca		48780	ug/L	EPA-200.8
7/8/2014 9:13	Ca		33920	ug/L	EPA-200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:26	Ca		60220	ug/L	EPA-200.8
6/17/2014 9:34	CaCO3		237	mg/LCaCO3	EPA-200.8
6/24/2014 9:37	CaCO3		149	mg/LCaCO3	EPA-200.8
7/1/2014 9:41	CaCO3		170	mg/LCaCO3	EPA-200.8
7/8/2014 9:13	CaCO3		118	mg/LCaCO3	EPA-200.8
7/15/2014 9:26	CaCO3		207	mg/LCaCO3	EPA-200.8
6/17/2014 9:34	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 9:37	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 9:41	Cd	<	0.045	ug/L	EPA-200.8
7/8/2014 9:13	Cd	<	0.044	ug/L	EPA-200.8
7/15/2014 9:26	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 9:34	Chloride		276	mg/L	EPA 300.0
6/24/2014 9:37	Chloride		247.5	mg/L	EPA 300.0
7/1/2014 9:41	Chloride		197.3	mg/L	EPA 300.0
7/8/2014 9:13	Chloride		138	mg/L	EPA 300.0
7/15/2014 9:26	Chloride		226.1	mg/L	EPA 300.0
6/17/2014 9:34	Co	j	0.286	ug/L	EPA-200.8
6/24/2014 9:37	Co	j	0.293	ug/L	EPA-200.8
7/1/2014 9:41	Co	j	0.2235	ug/L	EPA-200.8
7/8/2014 9:13	Co	j	0.33	ug/L	EPA-200.8
7/15/2014 9:26	Co	j	0.237	ug/L	EPA-200.8
6/17/2014 9:34	COD		16	mg/L	EPA 410.4
6/24/2014 9:37	COD		14.7	mg/L	EPA 410.4
7/8/2014 9:13	COD		15.5	mg/L	EPA 410.4
7/15/2014 9:26	COD		10.4	mg/L	EPA 410.4
6/24/2014 9:37	Cr		1.348	ug/L	EPA-200.8
7/1/2014 9:41	Cr		1.111	ug/L	EPA-200.8
7/8/2014 9:13	Cr		1.244	ug/L	EPA-200.8
7/15/2014 9:26	Cr	j	0.964	ug/L	EPA-200.8
6/17/2014 9:34	Cu		3.025	ug/L	EPA-200.8
6/24/2014 9:37	Cu		3.84	ug/L	EPA-200.8
7/1/2014 9:41	Cu		5.216	ug/L	EPA-200.8
7/8/2014 9:13	Cu		5.072	ug/L	EPA-200.8
7/15/2014 9:26	Cu		4.793	ug/L	EPA-200.8
6/24/2014 9:37	DRPhos		0.033	mg/L	EPA 365.1
7/1/2014 9:41	DRPhos		0.018	mg/L	EPA 365.1
7/8/2014 9:13	DRPhos		0.026	mg/L	EPA 365.1
7/15/2014 9:26	DRPhos		0.012	mg/L	EPA 365.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:34	E. coli		351	MPN/100 mL	SM 9223 Colilert
6/24/2014 9:37	E. coli		2305	MPN/100 mL	SM 9223 Colilert
7/1/2014 9:41	E. coli		827	MPN/100 mL	SM 9223 Colilert
7/8/2014 9:13	E. coli		3423	MPN/100 mL	SM 9223 Colilert
7/15/2014 9:26	E. coli		226	MPN/100 mL	SM 9223 Colilert
6/17/2014 9:34	Fe		204.6	ug/L	EPA-200.8
6/24/2014 9:37	Fe		294.8	ug/L	EPA-200.8
7/1/2014 9:41	Fe		200.2	ug/L	EPA-200.8
7/8/2014 9:13	Fe		466.6	ug/L	EPA-200.8
7/15/2014 9:26	Fe		187.3	ug/L	EPA-200.8
6/17/2014 9:34	Field Cond		1201	umhos/cm	SM 2510A
6/24/2014 9:37	Field Cond		960.5	umhos/cm	SM 2510A
7/1/2014 9:41	Field Cond		911.6	umhos/cm	SM 2510A
7/8/2014 9:13	Field Cond		612	umhos/cm	SM 2510A
7/15/2014 9:26	Field Cond		1070	umhos/cm	SM 2510A
6/17/2014 9:34	Field DO		8.54	mg/L	SM 4500-0 G
6/24/2014 9:37	Field DO		8.04	mg/L	SM 4500-0 G
7/1/2014 9:41	Field DO		7.21	mg/L	SM 4500-0 G
7/8/2014 9:13	Field DO		8.48	mg/L	SM 4500-0 G
7/15/2014 9:26	Field DO		9.4	mg/L	SM 4500-0 G
6/17/2014 9:34	Field Temp		21.8	C	EPA 170.1
6/24/2014 9:37	Field Temp		21	C	EPA 170.1
7/1/2014 9:41	Field Temp		23.7	C	EPA 170.1
7/8/2014 9:13	Field Temp		21.1	C	EPA 170.1
7/15/2014 9:26	Field Temp		21.1	C	EPA 170.1
6/17/2014 9:34	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 9:37	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 9:41	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 9:13	Hg	j	0.013	ug/L	EPA 245.1
7/15/2014 9:26	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 9:34	K		4436	ug/L	EPA-200.8
6/24/2014 9:37	K		3344	ug/L	EPA-200.8
7/1/2014 9:41	K		3910	ug/L	EPA-200.8
7/8/2014 9:13	K		2896	ug/L	EPA-200.8
7/15/2014 9:26	K		4357	ug/L	EPA-200.8
6/17/2014 9:34	Mg		16620	ug/L	EPA-200.8
6/24/2014 9:37	Mg		10200	ug/L	EPA-200.8
7/1/2014 9:41	Mg		11735	ug/L	EPA-200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2014 9:13	Mg		8044	ug/L	EPA-200.8
7/15/2014 9:26	Mg		13870	ug/L	EPA-200.8
6/17/2014 9:34	Mn		24.5	ug/L	EPA-200.8
6/24/2014 9:37	Mn		16.17	ug/L	EPA-200.8
7/1/2014 9:41	Mn		11.035	ug/L	EPA-200.8
7/8/2014 9:13	Mn		16.72	ug/L	EPA-200.8
7/15/2014 9:26	Mn		13.78	ug/L	EPA-200.8
6/17/2014 9:34	Mo		3.806	ug/L	EPA-200.8
6/24/2014 9:37	Mo		2.945	ug/L	EPA-200.8
7/1/2014 9:41	Mo		3.9355	ug/L	EPA-200.8
7/8/2014 9:13	Mo		2.681	ug/L	EPA-200.8
7/15/2014 9:26	Mo		4.176	ug/L	EPA-200.8
6/17/2014 9:34	Na		165200	ug/L	EPA-200.8
6/24/2014 9:37	Na		131200	ug/L	EPA-200.8
7/1/2014 9:41	Na		115650	ug/L	EPA-200.8
7/8/2014 9:13	Na		87920	ug/L	EPA-200.8
7/15/2014 9:26	Na		140900	ug/L	EPA-200.8
6/17/2014 9:34	NH3		0.119	mg/L	EPA-350.1
6/24/2014 9:37	NH3	j	0.018	mg/L	EPA-350.1
7/1/2014 9:41	NH3	j	0.0095	mg/L	EPA-350.1
7/8/2014 9:13	NH3		0.098	mg/L	EPA-350.1
7/15/2014 9:26	NH3	<	0.003	mg/L	EPA-350.1
6/17/2014 9:34	Ni	j	2.609	ug/L	EPA-200.8
6/24/2014 9:37	Ni	j	2.276	ug/L	EPA-200.8
7/1/2014 9:41	Ni	j	2.605	ug/L	EPA-200.8
7/8/2014 9:13	Ni	j	2.305	ug/L	EPA-200.8
7/15/2014 9:26	Ni	j	2.616	ug/L	EPA-200.8
6/17/2014 9:34	NO3-NO2		0.47	mg/L	EPA 353.2
6/24/2014 9:37	NO3-NO2		0.651	mg/L	EPA 353.2
7/1/2014 9:41	NO3-NO2		0.3655	mg/L	EPA 353.2
7/8/2014 9:13	NO3-NO2		0.604	mg/L	EPA 353.2
7/15/2014 9:26	NO3-NO2		0.161	mg/L	EPA 353.2
6/17/2014 9:34	Pb	<	0.174	ug/L	EPA-200.8
6/24/2014 9:37	Pb	j	0.55	ug/L	EPA-200.8
7/1/2014 9:41	Pb	j	0.1835	ug/L	EPA-200.8
7/8/2014 9:13	Pb	j	0.662	ug/L	EPA-200.8
7/15/2014 9:26	Pb	<	0.174	ug/L	EPA-200.8
6/17/2014 9:34	pH		7.88	S.U.	

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 9:37	pH		7.86	S.U.	
7/1/2014 9:41	pH		7.85	S.U.	
7/8/2014 9:13	pH		7.94	S.U.	
7/15/2014 9:26	pH		8.13	S.U.	
6/17/2014 9:34	Sb	j	0.377	ug/L	EPA-200.8
7/1/2014 9:41	Sb	j	0.4585	ug/L	EPA-200.8
7/8/2014 9:13	Sb	j	0.402	ug/L	EPA-200.8
7/15/2014 9:26	Sb	j	0.301	ug/L	EPA-200.8
6/17/2014 9:34	Se	j	0.477	ug/L	EPA-200.8
6/24/2014 9:37	Se	j	0.442	ug/L	EPA-200.8
7/1/2014 9:41	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 9:13	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 9:26	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 9:34	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 9:37	Sn	<	0.36	ug/L	EPA-200.8
7/1/2014 9:41	Sn	<	0.404	ug/L	EPA-200.8
7/8/2014 9:13	Sn	<	0.36	ug/L	EPA-200.8
7/15/2014 9:26	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 9:34	SO4		69.68	mg/L	EPA 300.0
6/24/2014 9:37	SO4		48.68	mg/L	EPA 300.0
7/1/2014 9:41	SO4		59.59	mg/L	EPA 300.0
7/8/2014 9:13	SO4		38	mg/L	EPA 300.0
7/15/2014 9:26	SO4		61.04	mg/L	EPA 300.0
6/17/2014 9:34	Sr		349.832	ug/L	EPA-200.8
6/24/2014 9:37	Sr		243.062	ug/L	EPA-200.8
7/1/2014 9:41	Sr		262.3435	ug/L	EPA-200.8
7/8/2014 9:13	Sr		179.425	ug/L	EPA-200.8
7/15/2014 9:26	Sr		308.651	ug/L	EPA-200.8
6/17/2014 9:34	TDS		662	mg/L	SM2540C
6/24/2014 9:37	TDS		585	mg/L	SM2540C
7/1/2014 9:41	TDS		550.5	mg/L	SM2540C
7/8/2014 9:13	TDS		362	mg/L	SM2540C
7/15/2014 9:26	TDS		590	mg/L	SM2540C
6/17/2014 9:34	Ti	j	1.077	ug/L	EPA-200.8
6/24/2014 9:37	Ti	j	1.649	ug/L	EPA-200.8
7/1/2014 9:41	Ti	j	1.3005	ug/L	EPA-200.8
7/8/2014 9:13	Ti		3.687	ug/L	EPA-200.8
7/15/2014 9:26	Ti	j	1.322	ug/L	EPA-200.8

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	Method	
6/17/2014 9:34	TKN	j	0.401	mg/L	EPA-351.1	
6/24/2014 9:37	TKN	j	0.323	mg/L	EPA-351.1	
7/1/2014 9:41	TKN	j	0.252	mg/L	EPA-351.1	
7/8/2014 9:13	TKN	j	0.408	mg/L	EPA-351.1	
7/15/2014 9:26	TKN	j	0.339	mg/L	EPA-351.1	
6/17/2014 9:34	TI	<	0.138	ug/L	EPA-200.8	
6/24/2014 9:37	TI	<	0.138	ug/L	EPA-200.8	
7/1/2014 9:41	TI	<	0.138	ug/L	EPA-200.8	
7/8/2014 9:13	TI	<	0.138	ug/L	EPA-200.8	
7/15/2014 9:26	TI	<	0.138	ug/L	EPA-200.8	
6/17/2014 9:34	TMET		13	ug/L	EPA-200.8	
6/24/2014 9:37	TMET		14.6	ug/L	EPA-200.8	
7/1/2014 9:41	TMET		16.85	ug/L	EPA-200.8	
7/8/2014 9:13	TMET		17.7	ug/L	EPA-200.8	
7/15/2014 9:26	TMET		14.3	ug/L	EPA-200.8	
6/24/2014 9:37	Total-P		0.054	mg/L	EPA 365.1	
7/1/2014 9:41	Total-P		0.042	mg/L	EPA 365.1	
7/8/2014 9:13	Total-P		0.066	mg/L	EPA 365.1	
7/15/2014 9:26	Total-P		0.026	mg/L	EPA 365.1	
6/17/2014 9:34	TS		720	mg/L	SM2540B	
6/24/2014 9:37	TS		594	mg/L	SM2540B	
7/1/2014 9:41	TS		556	mg/L	SM2540B	
7/8/2014 9:13	TS		374	mg/L	SM2540B	
7/15/2014 9:26	TS		638	mg/L	SM2540B	
6/17/2014 9:34	TSS		2.5	mg/L	SM2540D	
6/24/2014 9:37	TSS		7.3	mg/L	SM2540D	
7/1/2014 9:41	TSS		2.85	mg/L	SM2540D	
7/8/2014 9:13	TSS		9.4	mg/L	SM2540D	
7/15/2014 9:26	TSS	j	0.9	mg/L	SM2540D	
6/17/2014 9:34	Turbidity		2.11	NTU	EPA 180.1	
6/24/2014 9:37	Turbidity		4.9	NTU	EPA 180.1	
7/1/2014 9:41	Turbidity		2.415	NTU	EPA 180.1	
7/8/2014 9:13	Turbidity		12.05	NTU	EPA 180.1	
7/15/2014 9:26	Turbidity		1.28	NTU	EPA 180.1	
6/17/2014 9:34	V	<	1.22	ug/L	EPA-200.8	
6/24/2014 9:37	V	<	1.22	ug/L	EPA-200.8	
7/1/2014 9:41	V	<	1.22	ug/L	EPA-200.8	
7/8/2014 9:13	V	<	1.22	ug/L	EPA-200.8	
7/15/2014 9:26	V	<	1.22	ug/L	EPA-200.8	

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:34	Zn	j	6.91	ug/L	EPA-200.8
6/24/2014 9:37	Zn	j	7.138	ug/L	EPA-200.8
7/1/2014 9:41	Zn	j	7.9455	ug/L	EPA-200.8
7/8/2014 9:13	Zn	j	9.107	ug/L	EPA-200.8
7/15/2014 9:26	Zn	j	5.931	ug/L	EPA-200.8

Euclid Creek River Mile 1.00					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:18	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 9:10	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 9:20	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 8:50	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 9:05	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 9:18	Al		45.6	ug/L	EPA-200.8
6/24/2014 9:10	Al		124.4	ug/L	EPA-200.8
7/1/2014 9:20	Al		54.05	ug/L	EPA-200.8
7/8/2014 8:50	Al		361.2	ug/L	EPA-200.8
7/15/2014 9:05	Al		23.16	ug/L	EPA-200.8
6/17/2014 9:18	Alkalinity		128.8	mg/LCaCO3	EPA-310.2
6/24/2014 9:10	Alkalinity		93.5	mg/LCaCO3	EPA-310.2
7/1/2014 9:20	Alkalinity		104.9	mg/LCaCO3	EPA-310.2
7/8/2014 8:50	Alkalinity		76.6	mg/LCaCO3	EPA-310.2
7/15/2014 9:05	Alkalinity		113.8	mg/LCaCO3	EPA-310.2
6/17/2014 9:18	As	j	1.045	ug/L	EPA-200.8
6/24/2014 9:10	As	j	1.155	ug/L	EPA-200.8
7/1/2014 9:20	As	j	1.062	ug/L	EPA-200.8
7/8/2014 8:50	As	j	0.99	ug/L	EPA-200.8
7/15/2014 9:05	As	j	1.09	ug/L	EPA-200.8
6/17/2014 9:18	Ba		33.94	ug/L	EPA-200.8
6/24/2014 9:10	Ba		24.14	ug/L	EPA-200.8
7/1/2014 9:20	Ba		26.21	ug/L	EPA-200.8
7/8/2014 8:50	Ba		18.32	ug/L	EPA-200.8
7/15/2014 9:05	Ba		28.18	ug/L	EPA-200.8
6/17/2014 9:18	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 9:10	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 9:20	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 8:50	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 9:05	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 9:18	BOD	<	2	mg/L	SM 5210
6/24/2014 9:10	BOD	<	2	mg/L	SM 5210
7/1/2014 9:20	BOD	<	2	mg/L	SM 5210
7/8/2014 8:50	BOD	<	2	mg/L	SM 5210
7/15/2014 9:05	BOD	<	2	mg/L	SM 5210
6/17/2014 9:18	Ca		67510	ug/L	EPA-200.8
6/24/2014 9:10	Ca		45290	ug/L	EPA-200.8
7/1/2014 9:20	Ca		50580	ug/L	EPA-200.8
7/8/2014 8:50	Ca		34530	ug/L	EPA-200.8

Euclid Creek River Mile 1.00					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:05	Ca		55130	ug/L	EPA-200.8
6/17/2014 9:18	CaCO3		238	mg/LCaCO3	EPA-200.8
6/24/2014 9:10	CaCO3		157	mg/LCaCO3	EPA-200.8
7/1/2014 9:20	CaCO3		176	mg/LCaCO3	EPA-200.8
7/8/2014 8:50	CaCO3		120	mg/LCaCO3	EPA-200.8
7/15/2014 9:05	CaCO3		191	mg/LCaCO3	EPA-200.8
6/17/2014 9:18	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 9:10	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 9:20	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 8:50	Cd	j	0.045	ug/L	EPA-200.8
7/15/2014 9:05	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 9:18	Chloride		286.7	mg/L	EPA 300.0
6/24/2014 9:10	Chloride		240.4	mg/L	EPA 300.0
7/1/2014 9:20	Chloride		196.2	mg/L	EPA 300.0
7/8/2014 8:50	Chloride		146.4	mg/L	EPA 300.0
7/15/2014 9:05	Chloride		229.4	mg/L	EPA 300.0
6/17/2014 9:18	Co	j	0.238	ug/L	EPA-200.8
6/24/2014 9:10	Co	j	0.279	ug/L	EPA-200.8
7/1/2014 9:20	Co	j	0.239	ug/L	EPA-200.8
7/8/2014 8:50	Co	j	0.372	ug/L	EPA-200.8
7/15/2014 9:05	Co	j	0.195	ug/L	EPA-200.8
6/17/2014 9:18	COD		15.7	mg/L	EPA 410.4
6/24/2014 9:10	COD		15.7	mg/L	EPA 410.4
7/1/2014 9:20	COD	j	6.3	mg/L	EPA 410.4
7/8/2014 8:50	COD		16.2	mg/L	EPA 410.4
7/15/2014 9:05	COD	j	9.9	mg/L	EPA 410.4
6/24/2014 9:10	Cr		1.439	ug/L	EPA-200.8
7/1/2014 9:20	Cr		1.085	ug/L	EPA-200.8
7/8/2014 8:50	Cr		1.518	ug/L	EPA-200.8
7/15/2014 9:05	Cr	j	0.922	ug/L	EPA-200.8
6/17/2014 9:18	Cu		2.847	ug/L	EPA-200.8
6/24/2014 9:10	Cu		3.992	ug/L	EPA-200.8
7/1/2014 9:20	Cu		5.021	ug/L	EPA-200.8
7/8/2014 8:50	Cu		5.121	ug/L	EPA-200.8
7/15/2014 9:05	Cu		4.858	ug/L	EPA-200.8
6/24/2014 9:10	DRPhos		0.036	mg/L	EPA 365.1
7/1/2014 9:20	DRPhos		0.014	mg/L	EPA 365.1
7/8/2014 8:50	DRPhos		0.021	mg/L	EPA 365.1

Euclid Creek
River Mile 1.00

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:05	DRPhos		0.01	mg/L	EPA 365.1
6/17/2014 9:18	E. coli		458	MPN/100 mL	SM 9223 Colilert
6/24/2014 9:10	E. coli		2195	MPN/100 mL	SM 9223 Colilert
7/1/2014 9:20	E. coli		826	MPN/100 mL	SM 9223 Colilert
7/8/2014 8:50	E. coli		4402	MPN/100 mL	SM 9223 Colilert
7/15/2014 9:05	E. coli		360	MPN/100 mL	SM 9223 Colilert
6/17/2014 9:18	Fe		184.8	ug/L	EPA-200.8
6/24/2014 9:10	Fe		307.3	ug/L	EPA-200.8
7/1/2014 9:20	Fe		190.9	ug/L	EPA-200.8
7/8/2014 8:50	Fe		564.7	ug/L	EPA-200.8
7/15/2014 9:05	Fe		170	ug/L	EPA-200.8
6/17/2014 9:18	Field Cond		1241	umhos/cm	SM 2510A
6/24/2014 9:10	Field Cond		951	umhos/cm	SM 2510A
7/1/2014 9:20	Field Cond		934.6	umhos/cm	SM 2510A
7/8/2014 8:50	Field Cond		624	umhos/cm	SM 2510A
7/15/2014 9:05	Field Cond		1082	umhos/cm	SM 2510A
6/17/2014 9:18	Field DO		10.5	mg/L	SM 4500-0 G
6/24/2014 9:10	Field DO		8.88	mg/L	SM 4500-0 G
7/1/2014 9:20	Field DO		8.48	mg/L	SM 4500-0 G
7/8/2014 8:50	Field DO		8.84	mg/L	SM 4500-0 G
7/15/2014 9:05	Field DO		10.82	mg/L	SM 4500-0 G
6/17/2014 9:18	Field Temp		22.1	C	EPA 170.1
6/24/2014 9:10	Field Temp		21	C	EPA 170.1
7/1/2014 9:20	Field Temp		24	C	EPA 170.1
7/8/2014 8:50	Field Temp		21.1	C	EPA 170.1
7/15/2014 9:05	Field Temp		21.6	C	EPA 170.1
6/17/2014 9:18	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 9:10	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 9:20	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 8:50	Hg	j	0.014	ug/L	EPA 245.1
7/15/2014 9:05	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 9:18	K		4414	ug/L	EPA-200.8
6/24/2014 9:10	K		3482	ug/L	EPA-200.8
7/1/2014 9:20	K		4046	ug/L	EPA-200.8
7/8/2014 8:50	K		2945	ug/L	EPA-200.8
7/15/2014 9:05	K		4099	ug/L	EPA-200.8
6/17/2014 9:18	Mg		16900	ug/L	EPA-200.8
6/24/2014 9:10	Mg		10690	ug/L	EPA-200.8

Euclid Creek
River Mile 1.00

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 9:20	Mg		11990	ug/L	EPA-200.8
7/8/2014 8:50	Mg		8093	ug/L	EPA-200.8
7/15/2014 9:05	Mg		13030	ug/L	EPA-200.8
6/17/2014 9:18	Mn		17.45	ug/L	EPA-200.8
6/24/2014 9:10	Mn		15.46	ug/L	EPA-200.8
7/1/2014 9:20	Mn		11.89	ug/L	EPA-200.8
7/8/2014 8:50	Mn		18.91	ug/L	EPA-200.8
7/15/2014 9:05	Mn		9.001	ug/L	EPA-200.8
6/17/2014 9:18	Mo		3.939	ug/L	EPA-200.8
6/24/2014 9:10	Mo		3.028	ug/L	EPA-200.8
7/1/2014 9:20	Mo		4.058	ug/L	EPA-200.8
7/8/2014 8:50	Mo		2.502	ug/L	EPA-200.8
7/15/2014 9:05	Mo		4.132	ug/L	EPA-200.8
6/17/2014 9:18	Na		166600	ug/L	EPA-200.8
6/24/2014 9:10	Na		136200	ug/L	EPA-200.8
7/1/2014 9:20	Na		120700	ug/L	EPA-200.8
7/8/2014 8:50	Na		91040	ug/L	EPA-200.8
7/15/2014 9:05	Na		131900	ug/L	EPA-200.8
6/17/2014 9:18	NH3		0.126	mg/L	EPA-350.1
6/24/2014 9:10	NH3	j	0.016	mg/L	EPA-350.1
7/1/2014 9:20	NH3	<	0.003	mg/L	EPA-350.1
7/8/2014 8:50	NH3	j	0.009	mg/L	EPA-350.1
7/15/2014 9:05	NH3	<	0.003	mg/L	EPA-350.1
6/17/2014 9:18	Ni	j	2.689	ug/L	EPA-200.8
6/24/2014 9:10	Ni	j	2.328	ug/L	EPA-200.8
7/1/2014 9:20	Ni	j	2.657	ug/L	EPA-200.8
7/8/2014 8:50	Ni	j	2.483	ug/L	EPA-200.8
7/15/2014 9:05	Ni	j	2.535	ug/L	EPA-200.8
6/17/2014 9:18	NO3-NO2		0.387	mg/L	EPA 353.2
6/24/2014 9:10	NO3-NO2		0.662	mg/L	EPA 353.2
7/1/2014 9:20	NO3-NO2		0.323	mg/L	EPA 353.2
7/8/2014 8:50	NO3-NO2		0.252	mg/L	EPA 353.2
7/15/2014 9:05	NO3-NO2		0.104	mg/L	EPA 353.2
6/17/2014 9:18	Pb	j	0.208	ug/L	EPA-200.8
6/24/2014 9:10	Pb		1.586	ug/L	EPA-200.8
7/1/2014 9:20	Pb	j	0.181	ug/L	EPA-200.8
7/8/2014 8:50	Pb	j	0.838	ug/L	EPA-200.8
7/15/2014 9:05	Pb	<	0.174	ug/L	EPA-200.8

Euclid Creek
River Mile 1.00

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:18	pH		8.2	S.U.	
6/24/2014 9:10	pH		8	S.U.	
7/1/2014 9:20	pH		8.07	S.U.	
7/8/2014 8:50	pH		8	S.U.	
7/15/2014 9:05	pH		8.29	S.U.	
6/17/2014 9:18	Sb	j	0.532	ug/L	EPA-200.8
7/1/2014 9:20	Sb	j	0.493	ug/L	EPA-200.8
7/8/2014 8:50	Sb	j	0.429	ug/L	EPA-200.8
7/15/2014 9:05	Sb	j	0.291	ug/L	EPA-200.8
6/17/2014 9:18	Se	j	0.535	ug/L	EPA-200.8
6/24/2014 9:10	Se	j	0.453	ug/L	EPA-200.8
7/1/2014 9:20	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 8:50	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 9:05	Se	<	0.28	ug/L	EPA-200.8
6/17/2014 9:18	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 9:10	Sn	j	0.551	ug/L	EPA-200.8
7/1/2014 9:20	Sn	<	0.36	ug/L	EPA-200.8
7/8/2014 8:50	Sn	<	0.36	ug/L	EPA-200.8
7/15/2014 9:05	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 9:18	SO4		72.76	mg/L	EPA 300.0
6/24/2014 9:10	SO4		48.36	mg/L	EPA 300.0
7/1/2014 9:20	SO4		59.32	mg/L	EPA 300.0
7/8/2014 8:50	SO4		38.8	mg/L	EPA 300.0
7/15/2014 9:05	SO4		62.08	mg/L	EPA 300.0
6/17/2014 9:18	Sr		350.009	ug/L	EPA-200.8
6/24/2014 9:10	Sr		248.969	ug/L	EPA-200.8
7/1/2014 9:20	Sr		270.745	ug/L	EPA-200.8
7/8/2014 8:50	Sr		182.364	ug/L	EPA-200.8
7/15/2014 9:05	Sr		292.891	ug/L	EPA-200.8
6/17/2014 9:18	TDS		676	mg/L	SM2540C
6/24/2014 9:10	TDS		582	mg/L	SM2540C
7/1/2014 9:20	TDS		562	mg/L	SM2540C
7/8/2014 8:50	TDS		370	mg/L	SM2540C
7/15/2014 9:05	TDS		578	mg/L	SM2540C
6/17/2014 9:18	Ti	j	0.647	ug/L	EPA-200.8
6/24/2014 9:10	Ti		2.796	ug/L	EPA-200.8
7/1/2014 9:20	Ti	j	0.882	ug/L	EPA-200.8
7/8/2014 8:50	Ti		5.191	ug/L	EPA-200.8
7/15/2014 9:05	Ti	j	0.584	ug/L	EPA-200.8

Euclid Creek
River Mile 1.00

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 9:18	TKN	j	0.381	mg/L	EPA-351.1
6/24/2014 9:10	TKN	j	0.464	mg/L	EPA-351.1
7/1/2014 9:20	TKN	j	0.131	mg/L	EPA-351.1
7/8/2014 8:50	TKN	j	0.382	mg/L	EPA-351.1
7/15/2014 9:05	TKN	<	0.122	mg/L	EPA-351.1
6/17/2014 9:18	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 9:10	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 9:20	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 8:50	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 9:05	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 9:18	TMET		13.1	ug/L	EPA-200.8
6/24/2014 9:10	TMET		14.7	ug/L	EPA-200.8
7/1/2014 9:20	TMET		15.6	ug/L	EPA-200.8
7/8/2014 8:50	TMET		18.5	ug/L	EPA-200.8
7/15/2014 9:05	TMET		16.6	ug/L	EPA-200.8
6/24/2014 9:10	Total-P		0.058	mg/L	EPA 365.1
7/1/2014 9:20	Total-P		0.038	mg/L	EPA 365.1
7/8/2014 8:50	Total-P		0.066	mg/L	EPA 365.1
7/15/2014 9:05	Total-P		0.024	mg/L	EPA 365.1
6/17/2014 9:18	TS		752	mg/L	SM2540B
6/24/2014 9:10	TS		586	mg/L	SM2540B
7/1/2014 9:20	TS		562	mg/L	SM2540B
7/8/2014 8:50	TS		380	mg/L	SM2540B
7/15/2014 9:05	TS		628	mg/L	SM2540B
6/17/2014 9:18	TSS		1.3	mg/L	SM2540D
6/24/2014 9:10	TSS		6.2	mg/L	SM2540D
7/1/2014 9:20	TSS		1.5	mg/L	SM2540D
7/8/2014 8:50	TSS		7.5	mg/L	SM2540D
7/15/2014 9:05	TSS		1.2	mg/L	SM2540D
6/17/2014 9:18	Turbidity		1.59	NTU	EPA 180.1
6/24/2014 9:10	Turbidity		5.67	NTU	EPA 180.1
7/1/2014 9:20	Turbidity		2.64	NTU	EPA 180.1
7/8/2014 8:50	Turbidity		13.9	NTU	EPA 180.1
7/15/2014 9:05	Turbidity		0.9	NTU	EPA 180.1
6/17/2014 9:18	V	<	1.22	ug/L	EPA-200.8
6/24/2014 9:10	V	<	1.22	ug/L	EPA-200.8
7/1/2014 9:20	V	<	1.22	ug/L	EPA-200.8
7/8/2014 8:50	V	<	1.22	ug/L	EPA-200.8

Euclid Creek
River Mile 1.00

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:05	V	<	1.22	ug/L	EPA-200.8
6/17/2014 9:18	Zn	j	7.078	ug/L	EPA-200.8
6/24/2014 9:10	Zn	j	6.944	ug/L	EPA-200.8
7/1/2014 9:20	Zn	j	6.884	ug/L	EPA-200.8
7/8/2014 8:50	Zn	j	9.374	ug/L	EPA-200.8
7/15/2014 9:05	Zn	j	8.314	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 (EM5)					
Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:00	Ag	<	0.052	ug/L	EPA-200.8
6/24/2014 10:58	Ag	<	0.052	ug/L	EPA-200.8
7/1/2014 9:40	Ag	<	0.052	ug/L	EPA-200.8
7/8/2014 9:25	Ag	<	0.052	ug/L	EPA-200.8
7/15/2014 9:35	Ag	<	0.052	ug/L	EPA-200.8
7/22/2014 9:00	Ag	<	0.052	ug/L	EPA-200.8
6/17/2014 10:00	Al		59.7	ug/L	EPA-200.8
6/24/2014 10:58	Al		106.2	ug/L	EPA-200.8
7/1/2014 9:40	Al		66.66	ug/L	EPA-200.8
7/8/2014 9:25	Al		327.4	ug/L	EPA-200.8
7/15/2014 9:35	Al		31.99	ug/L	EPA-200.8
7/22/2014 9:00	Al		44.86	ug/L	EPA-200.8
6/17/2014 10:00	Alkalinity		130.4	mg/LCaCO3	EPA-310.2
6/24/2014 10:58	Alkalinity		95.9	mg/LCaCO3	EPA-310.2
7/1/2014 9:40	Alkalinity		103.5	mg/LCaCO3	EPA-310.2
7/8/2014 9:25	Alkalinity		77.8	mg/LCaCO3	EPA-310.2
7/15/2014 9:35	Alkalinity		117.9	mg/LCaCO3	EPA-310.2
7/22/2014 9:00	Alkalinity		116.3	mg/LCaCO3	EPA-310.2
6/17/2014 10:00	As	j	0.858	ug/L	EPA-200.8
6/24/2014 10:58	As	j	1.298	ug/L	EPA-200.8
7/1/2014 9:40	As	j	1.182	ug/L	EPA-200.8
7/8/2014 9:25	As	j	1.092	ug/L	EPA-200.8
7/15/2014 9:35	As	j	1.094	ug/L	EPA-200.8
7/22/2014 9:00	As	j	0.993	ug/L	EPA-200.8
6/17/2014 10:00	Ba		34.75	ug/L	EPA-200.8
6/24/2014 10:58	Ba		23.95	ug/L	EPA-200.8
7/1/2014 9:40	Ba		26.09	ug/L	EPA-200.8
7/8/2014 9:25	Ba		20.12	ug/L	EPA-200.8
7/15/2014 9:35	Ba		29.79	ug/L	EPA-200.8
7/22/2014 9:00	Ba		28.22	ug/L	EPA-200.8
6/17/2014 10:00	Be	<	0.084	ug/L	EPA-200.8
6/24/2014 10:58	Be	<	0.084	ug/L	EPA-200.8
7/1/2014 9:40	Be	<	0.084	ug/L	EPA-200.8
7/8/2014 9:25	Be	<	0.084	ug/L	EPA-200.8
7/15/2014 9:35	Be	<	0.084	ug/L	EPA-200.8
7/22/2014 9:00	Be	<	0.084	ug/L	EPA-200.8
6/17/2014 10:00	BOD	<	2	mg/L	SM 5210
6/24/2014 10:58	BOD	<	2	mg/L	SM 5210
7/1/2014 9:40	BOD	<	2	mg/L	SM 5210
7/8/2014 9:25	BOD	<	2	mg/L	SM 5210

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:35	BOD	<	2	mg/L	SM 5210
7/22/2014 9:00	BOD	<	2	mg/L	SM 5210
6/17/2014 10:00	Ca		72320	ug/L	EPA-200.8
6/24/2014 10:58	Ca		45310	ug/L	EPA-200.8
7/1/2014 9:40	Ca		49260	ug/L	EPA-200.8
7/8/2014 9:25	Ca		35990	ug/L	EPA-200.8
7/15/2014 9:35	Ca		59570	ug/L	EPA-200.8
7/22/2014 9:00	Ca		55640	ug/L	EPA-200.8
6/17/2014 10:00	CaCO3		254	mg/LCaCO3	EPA-200.8
6/24/2014 10:58	CaCO3		157	mg/LCaCO3	EPA-200.8
7/1/2014 9:40	CaCO3		171	mg/LCaCO3	EPA-200.8
7/8/2014 9:25	CaCO3		124	mg/LCaCO3	EPA-200.8
7/15/2014 9:35	CaCO3		205	mg/LCaCO3	EPA-200.8
7/22/2014 9:00	CaCO3		195	mg/LCaCO3	EPA-200.8
6/17/2014 10:00	Cd	<	0.044	ug/L	EPA-200.8
6/24/2014 10:58	Cd	<	0.044	ug/L	EPA-200.8
7/1/2014 9:40	Cd	<	0.044	ug/L	EPA-200.8
7/8/2014 9:25	Cd	j	0.057	ug/L	EPA-200.8
7/15/2014 9:35	Cd	<	0.044	ug/L	EPA-200.8
7/22/2014 9:00	Cd	<	0.044	ug/L	EPA-200.8
6/17/2014 10:00	Chloride		294.7	mg/L	EPA 300.0
6/24/2014 10:58	Chloride		242.5	mg/L	EPA 300.0
7/1/2014 9:40	Chloride		203	mg/L	EPA 300.0
7/8/2014 9:25	Chloride		144.8	mg/L	EPA 300.0
7/15/2014 9:35	Chloride		230.9	mg/L	EPA 300.0
7/22/2014 9:00	Chloride		210.5	mg/L	EPA 300.0
6/17/2014 10:00	Co	j	0.225	ug/L	EPA-200.8
6/24/2014 10:58	Co	j	0.255	ug/L	EPA-200.8
7/1/2014 9:40	Co	j	0.219	ug/L	EPA-200.8
7/8/2014 9:25	Co	j	0.5	ug/L	EPA-200.8
7/15/2014 9:35	Co	j	0.205	ug/L	EPA-200.8
7/22/2014 9:00	Co	j	0.216	ug/L	EPA-200.8
6/17/2014 10:00	COD		17.5	mg/L	EPA 410.4
6/24/2014 10:58	COD		14.7	mg/L	EPA 410.4
7/1/2014 9:40	COD	j	6.1	mg/L	EPA 410.4
7/8/2014 9:25	COD		20.1	mg/L	EPA 410.4
7/15/2014 9:35	COD	j	8.6	mg/L	EPA 410.4
7/22/2014 9:00	COD		20.8	mg/L	EPA 410.4
6/24/2014 10:58	Cr		1.293	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/1/2014 9:40	Cr		1.054	ug/L	EPA-200.8
7/8/2014 9:25	Cr		1.546	ug/L	EPA-200.8
7/15/2014 9:35	Cr	j	0.93	ug/L	EPA-200.8
7/22/2014 9:00	Cr	j	0.643	ug/L	EPA-200.8
6/17/2014 10:00	Cu		2.977	ug/L	EPA-200.8
6/24/2014 10:58	Cu		3.93	ug/L	EPA-200.8
7/1/2014 9:40	Cu		5.764	ug/L	EPA-200.8
7/8/2014 9:25	Cu		5.615	ug/L	EPA-200.8
7/15/2014 9:35	Cu		4.61	ug/L	EPA-200.8
7/22/2014 9:00	Cu		3.462	ug/L	EPA-200.8
6/24/2014 10:58	DRPhos		0.034	mg/L	EPA 365.1
7/1/2014 9:40	DRPhos		0.017	mg/L	EPA 365.1
7/8/2014 9:25	DRPhos		0.022	mg/L	EPA 365.1
7/15/2014 9:35	DRPhos		0.01	mg/L	EPA 365.1
7/22/2014 9:00	DRPhos		0.01	mg/L	EPA 365.1
6/17/2014 10:00	E. coli		666	MPN/100 mL	SM 9223 Colilert
6/24/2014 10:58	E. coli		2675	MPN/100 mL	SM 9223 Colilert
7/1/2014 9:40	E. coli		953	MPN/100 mL	SM 9223 Colilert
7/8/2014 9:25	E. coli		4686	MPN/100 mL	SM 9223 Colilert
7/15/2014 9:35	E. coli		548	MPN/100 mL	SM 9223 Colilert
7/22/2014 9:00	E. coli		275	MPN/100 mL	SM 9223 Colilert
6/17/2014 10:00	Fe		236.9	ug/L	EPA-200.8
6/24/2014 10:58	Fe		294.9	ug/L	EPA-200.8
7/1/2014 9:40	Fe		233.4	ug/L	EPA-200.8
7/8/2014 9:25	Fe		614	ug/L	EPA-200.8
7/15/2014 9:35	Fe		200.2	ug/L	EPA-200.8
7/22/2014 9:00	Fe		218.8	ug/L	EPA-200.8
6/17/2014 10:00	Field Cond		1272	umhos/cm	SM 2510A
6/24/2014 10:58	Field Cond		1035	umhos/cm	SM 2510A
7/1/2014 9:40	Field Cond		972.4	umhos/cm	SM 2510A
7/8/2014 9:25	Field Cond		636.7	umhos/cm	SM 2510A
7/15/2014 9:35	Field Cond		1088	umhos/cm	SM 2510A
7/22/2014 9:00	Field Cond		1001	umhos/cm	SM 2510A
6/17/2014 10:00	Field DO		9.97	mg/L	SM 4500-0 G
6/24/2014 10:58	Field DO		10.41	mg/L	SM 4500-0 G
7/1/2014 9:40	Field DO		8.38	mg/L	SM 4500-0 G
7/8/2014 9:25	Field DO		8.75	mg/L	SM 4500-0 G
7/15/2014 9:35	Field DO		9.67	mg/L	SM 4500-0 G
7/22/2014 9:00	Field DO		8.79	mg/L	SM 4500-0 G

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/17/2014 10:00	Field Temp		22.4	C	EPA 170.1
6/24/2014 10:58	Field Temp		21.7	C	EPA 170.1
7/1/2014 9:40	Field Temp		24	C	EPA 170.1
7/8/2014 9:25	Field Temp		21.3	C	EPA 170.1
7/15/2014 9:35	Field Temp		21.7	C	EPA 170.1
7/22/2014 9:00	Field Temp		21	C	EPA 170.1
6/17/2014 10:00	Hg	<	0.01	ug/L	EPA 245.1
6/24/2014 10:58	Hg	<	0.01	ug/L	EPA 245.1
7/1/2014 9:40	Hg	<	0.01	ug/L	EPA 245.1
7/8/2014 9:25	Hg	<	0.01	ug/L	EPA 245.1
7/15/2014 9:35	Hg	<	0.01	ug/L	EPA 245.1
7/22/2014 9:00	Hg	<	0.01	ug/L	EPA 245.1
6/17/2014 10:00	K		4644	ug/L	EPA-200.8
6/24/2014 10:58	K		3460	ug/L	EPA-200.8
7/1/2014 9:40	K		3852	ug/L	EPA-200.8
7/8/2014 9:25	K		3052	ug/L	EPA-200.8
7/15/2014 9:35	K		4355	ug/L	EPA-200.8
7/22/2014 9:00	K		3886	ug/L	EPA-200.8
6/17/2014 10:00	Mg		17940	ug/L	EPA-200.8
6/24/2014 10:58	Mg		10660	ug/L	EPA-200.8
7/1/2014 9:40	Mg		11620	ug/L	EPA-200.8
7/8/2014 9:25	Mg		8270	ug/L	EPA-200.8
7/15/2014 9:35	Mg		13680	ug/L	EPA-200.8
7/22/2014 9:00	Mg		13460	ug/L	EPA-200.8
6/17/2014 10:00	Mn		29.1	ug/L	EPA-200.8
6/24/2014 10:58	Mn		18.86	ug/L	EPA-200.8
7/1/2014 9:40	Mn		17.41	ug/L	EPA-200.8
7/8/2014 9:25	Mn		32.93	ug/L	EPA-200.8
7/15/2014 9:35	Mn		25.68	ug/L	EPA-200.8
7/22/2014 9:00	Mn		25.52	ug/L	EPA-200.8
6/17/2014 10:00	Mo		3.97	ug/L	EPA-200.8
6/24/2014 10:58	Mo		3.089	ug/L	EPA-200.8
7/1/2014 9:40	Mo		4.088	ug/L	EPA-200.8
7/8/2014 9:25	Mo		2.748	ug/L	EPA-200.8
7/15/2014 9:35	Mo		4.534	ug/L	EPA-200.8
7/22/2014 9:00	Mo		4.335	ug/L	EPA-200.8
6/17/2014 10:00	Na		177600	ug/L	EPA-200.8
6/24/2014 10:58	Na		135500	ug/L	EPA-200.8
7/1/2014 9:40	Na		116900	ug/L	EPA-200.8
7/8/2014 9:25	Na		93290	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/15/2014 9:35	Na		142100	ug/L	EPA-200.8
7/22/2014 9:00	Na		131100	ug/L	EPA-200.8
6/17/2014 10:00	NH3		0.026	mg/L	EPA-350.1
6/24/2014 10:58	NH3		0.024	mg/L	EPA-350.1
7/1/2014 9:40	NH3		0.149	mg/L	EPA-350.1
7/8/2014 9:25	NH3		0.03	mg/L	EPA-350.1
7/15/2014 9:35	NH3	j	0.018	mg/L	EPA-350.1
7/22/2014 9:00	NH3	j	0.018	mg/L	EPA-350.1
6/17/2014 10:00	Ni	j	2.557	ug/L	EPA-200.8
6/24/2014 10:58	Ni	j	2.274	ug/L	EPA-200.8
7/1/2014 9:40	Ni	j	2.609	ug/L	EPA-200.8
7/8/2014 9:25	Ni	j	2.769	ug/L	EPA-200.8
7/15/2014 9:35	Ni	j	2.542	ug/L	EPA-200.8
7/22/2014 9:00	Ni	j	2.378	ug/L	EPA-200.8
6/17/2014 10:00	NO3-NO2		0.319	mg/L	EPA 353.2
6/24/2014 10:58	NO3-NO2		0.623	mg/L	EPA 353.2
7/1/2014 9:40	NO3-NO2		0.32	mg/L	EPA 353.2
7/8/2014 9:25	NO3-NO2		0.41	mg/L	EPA 353.2
7/15/2014 9:35	NO3-NO2		0.096	mg/L	EPA 353.2
7/22/2014 9:00	NO3-NO2		0.042	mg/L	EPA 353.2
6/17/2014 10:00	Pb	j	0.258	ug/L	EPA-200.8
6/24/2014 10:58	Pb	j	0.459	ug/L	EPA-200.8
7/1/2014 9:40	Pb	j	0.229	ug/L	EPA-200.8
7/8/2014 9:25	Pb	j	0.973	ug/L	EPA-200.8
7/15/2014 9:35	Pb	<	0.174	ug/L	EPA-200.8
7/22/2014 9:00	Pb	j	0.218	ug/L	EPA-200.8
6/17/2014 10:00	pH		8.06	S.U.	
6/24/2014 10:58	pH		8.21	S.U.	
7/1/2014 9:40	pH		7.92	S.U.	
7/8/2014 9:25	pH		8.13	S.U.	
7/15/2014 9:35	pH		8.12	S.U.	
7/22/2014 9:00	pH		7.59	S.U.	
6/17/2014 10:00	Sb	j	0.274	ug/L	EPA-200.8
6/24/2014 10:58	Sb	j	0.422	ug/L	EPA-200.8
7/1/2014 9:40	Sb	j	0.436	ug/L	EPA-200.8
7/8/2014 9:25	Sb	j	0.437	ug/L	EPA-200.8
7/15/2014 9:35	Sb	j	0.334	ug/L	EPA-200.8
7/22/2014 9:00	Sb	j	0.432	ug/L	EPA-200.8
6/17/2014 10:00	Se	j	0.316	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/24/2014 10:58	Se	j	0.285	ug/L	EPA-200.8
7/1/2014 9:40	Se	<	0.28	ug/L	EPA-200.8
7/8/2014 9:25	Se	<	0.28	ug/L	EPA-200.8
7/15/2014 9:35	Se	<	0.28	ug/L	EPA-200.8
7/22/2014 9:00	Se	j	0.446	ug/L	EPA-200.8
6/17/2014 10:00	Sn	<	0.36	ug/L	EPA-200.8
6/24/2014 10:58	Sn	j	0.441	ug/L	EPA-200.8
7/1/2014 9:40	Sn	j	0.375	ug/L	EPA-200.8
7/8/2014 9:25	Sn	j	0.385	ug/L	EPA-200.8
7/15/2014 9:35	Sn	<	0.36	ug/L	EPA-200.8
7/22/2014 9:00	Sn	<	0.36	ug/L	EPA-200.8
6/17/2014 10:00	SO4		78.05	mg/L	EPA 300.0
6/24/2014 10:58	SO4		49.16	mg/L	EPA 300.0
7/1/2014 9:40	SO4		59.57	mg/L	EPA 300.0
7/8/2014 9:25	SO4		35.66	mg/L	EPA 300.0
7/15/2014 9:35	SO4		61.88	mg/L	EPA 300.0
7/22/2014 9:00	SO4		62.42	mg/L	EPA 300.0
6/17/2014 10:00	Sr		364.022	ug/L	EPA-200.8
6/24/2014 10:58	Sr		251.072	ug/L	EPA-200.8
7/1/2014 9:40	Sr		270.888	ug/L	EPA-200.8
7/8/2014 9:25	Sr		194.764	ug/L	EPA-200.8
7/15/2014 9:35	Sr		309.295	ug/L	EPA-200.8
7/22/2014 9:00	Sr		311.044	ug/L	EPA-200.8
6/17/2014 10:00	TDS		708	mg/L	SM2540C
6/24/2014 10:58	TDS		578	mg/L	SM2540C
7/1/2014 9:40	TDS		570	mg/L	SM2540C
7/8/2014 9:25	TDS		380	mg/L	SM2540C
7/15/2014 9:35	TDS		590	mg/L	SM2540C
7/22/2014 9:00	TDS		558	mg/L	SM2540C
6/17/2014 10:00	Ti	j	0.739	ug/L	EPA-200.8
6/24/2014 10:58	Ti	j	1.76	ug/L	EPA-200.8
7/1/2014 9:40	Ti	j	1.152	ug/L	EPA-200.8
7/8/2014 9:25	Ti		5.168	ug/L	EPA-200.8
7/15/2014 9:35	Ti	j	0.609	ug/L	EPA-200.8
7/22/2014 9:00	Ti	j	0.652	ug/L	EPA-200.8
6/17/2014 10:00	TKN	j	0.369	mg/L	EPA-351.1
6/24/2014 10:58	TKN		0.508	mg/L	EPA-351.1
7/1/2014 9:40	TKN	j	0.416	mg/L	EPA-351.1
7/8/2014 9:25	TKN	j	0.442	mg/L	EPA-351.1
7/15/2014 9:35	TKN	j	0.175	mg/L	EPA-351.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 9:00	TKN		0.618	mg/L	EPA-351.1
6/17/2014 10:00	TI	<	0.138	ug/L	EPA-200.8
6/24/2014 10:58	TI	<	0.138	ug/L	EPA-200.8
7/1/2014 9:40	TI	<	0.138	ug/L	EPA-200.8
7/8/2014 9:25	TI	<	0.138	ug/L	EPA-200.8
7/15/2014 9:35	TI	<	0.138	ug/L	EPA-200.8
7/22/2014 9:00	TI	<	0.138	ug/L	EPA-200.8
6/17/2014 10:00	TMET		13.5	ug/L	EPA-200.8
6/24/2014 10:58	TMET		13.4	ug/L	EPA-200.8
7/1/2014 9:40	TMET		14.8	ug/L	EPA-200.8
7/8/2014 9:25	TMET		19.1	ug/L	EPA-200.8
7/15/2014 9:35	TMET		14.6	ug/L	EPA-200.8
7/22/2014 9:00	TMET		12.8	ug/L	EPA-200.8
6/24/2014 10:58	Total-P		0.055	mg/L	EPA 365.1
7/1/2014 9:40	Total-P		0.037	mg/L	EPA 365.1
7/8/2014 9:25	Total-P		0.067	mg/L	EPA 365.1
7/15/2014 9:35	Total-P		0.023	mg/L	EPA 365.1
7/22/2014 9:00	Total-P		0.02	mg/L	EPA 365.1
6/17/2014 10:00	TS		770	mg/L	SM2540B
6/24/2014 10:58	TS		588	mg/L	SM2540B
7/1/2014 9:40	TS		580	mg/L	SM2540B
7/8/2014 9:25	TS		390	mg/L	SM2540B
7/15/2014 9:35	TS		642	mg/L	SM2540B
7/22/2014 9:00	TS		620	mg/L	SM2540B
6/17/2014 10:00	TSS		4.5	mg/L	SM2540D
6/24/2014 10:58	TSS		6.1	mg/L	SM2540D
7/1/2014 9:40	TSS		2.8	mg/L	SM2540D
7/8/2014 9:25	TSS		14.6	mg/L	SM2540D
7/15/2014 9:35	TSS		2.7	mg/L	SM2540D
7/22/2014 9:00	TSS		2	mg/L	SM2540D
6/17/2014 10:00	Turbidity		1.81	NTU	EPA 180.1
6/24/2014 10:58	Turbidity		5.08	NTU	EPA 180.1
7/1/2014 9:40	Turbidity		2.59	NTU	EPA 180.1
7/8/2014 9:25	Turbidity		15.45	NTU	EPA 180.1
7/15/2014 9:35	Turbidity		1.4	NTU	EPA 180.1
7/22/2014 9:00	Turbidity		1.51	NTU	EPA 180.1
6/17/2014 10:00	V	<	1.22	ug/L	EPA-200.8
6/24/2014 10:58	V	<	1.22	ug/L	EPA-200.8
7/1/2014 9:40	V	<	1.22	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 (EM5)					
Sample Date	Parameter	Code	Result	Units	Method
7/8/2014 9:25	V	<	1.22	ug/L	EPA-200.8
7/15/2014 9:35	V	<	1.22	ug/L	EPA-200.8
7/22/2014 9:00	V	<	1.22	ug/L	EPA-200.8
6/17/2014 10:00	Zn	j	7.516	ug/L	EPA-200.8
6/24/2014 10:58	Zn	j	5.91	ug/L	EPA-200.8
7/1/2014 9:40	Zn	j	5.423	ug/L	EPA-200.8
7/8/2014 9:25	Zn	j	9.141	ug/L	EPA-200.8
7/15/2014 9:35	Zn	j	6.499	ug/L	EPA-200.8
7/22/2014 9:00	Zn	j	6.17	ug/L	EPA-200.8