

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 12:00	*CaCO3		98	mg/LCaCO3	EPA-200.8
6/23/2015 11:43	*CaCO3		78	mg/LCaCO3	EPA-200.8
6/30/2015 11:16	*CaCO3		205	mg/LCaCO3	EPA-200.8
7/7/2015 11:30	*CaCO3		231	mg/LCaCO3	EPA-200.8
7/14/2015 9:33	*CaCO3		174	mg/LCaCO3	EPA-200.8
6/16/2015 12:00	Ag	<	0.018	ug/L	EPA-200.8
6/23/2015 11:43	Ag	j	0.043	ug/L	EPA-200.8
6/30/2015 11:16	Ag	<	0.018	ug/L	EPA-200.8
7/7/2015 11:30	Ag	<	0.018	ug/L	EPA-200.8
7/14/2015 9:33	Ag	<	0.018	ug/L	EPA-200.8
6/16/2015 12:00	Al		1148	ug/L	EPA-200.8
6/23/2015 11:43	Al		3538	ug/L	EPA-200.8
6/30/2015 11:16	Al		114.2	ug/L	EPA-200.8
7/7/2015 11:30	Al		38.9	ug/L	EPA-200.8
7/14/2015 9:33	Al		43.17	ug/L	EPA-200.8
6/16/2015 12:00	Alkalinity		79.9	mg/LCaCO3	EPA-310.2
6/23/2015 11:43	Alkalinity		40.5	mg/LCaCO3	EPA-310.2
6/30/2015 11:16	Alkalinity		127.7	mg/LCaCO3	EPA-310.2
7/7/2015 11:30	Alkalinity		124.2	mg/LCaCO3	EPA-310.2
7/14/2015 9:33	Alkalinity		117	mg/LCaCO3	EPA-310.2
6/16/2015 12:00	As		2.475	ug/L	EPA-200.8
6/23/2015 11:43	As		4.548	ug/L	EPA-200.8
6/30/2015 11:16	As	j	1.003	ug/L	EPA-200.8
7/7/2015 11:30	As	j	1.156	ug/L	EPA-200.8
7/14/2015 9:33	As	j	1.186	ug/L	EPA-200.8
6/16/2015 12:00	Ba		22.56	ug/L	EPA-200.8
6/23/2015 11:43	Ba		29.36	ug/L	EPA-200.8
6/30/2015 11:16	Ba		29.58	ug/L	EPA-200.8
7/7/2015 11:30	Ba		32.3	ug/L	EPA-200.8
7/14/2015 9:33	Ba		24.38	ug/L	EPA-200.8
6/16/2015 12:00	Be	<	0.108	ug/L	EPA-200.8
6/23/2015 11:43	Be	j	0.207	ug/L	EPA-200.8
6/30/2015 11:16	Be	<	0.108	ug/L	EPA-200.8
7/7/2015 11:30	Be	<	0.108	ug/L	EPA-200.8
7/14/2015 9:33	Be	<	0.108	ug/L	EPA-200.8
6/16/2015 12:00	BOD		2.8	mg/L	SM 5210
6/23/2015 11:43	BOD		3.9	mg/L	SM 5210
6/30/2015 11:16	BOD	<	2	mg/L	SM 5210
7/7/2015 11:30	BOD	<	2	mg/L	SM 5210

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 9:33	BOD	<	2	mg/L	SM 5210
6/16/2015 12:00	Ca		28820	ug/L	EPA-200.8
6/23/2015 11:43	Ca		21830	ug/L	EPA-200.8
6/30/2015 11:16	Ca		58930	ug/L	EPA-200.8
7/7/2015 11:30	Ca		66210	ug/L	EPA-200.8
7/14/2015 9:33	Ca		49910	ug/L	EPA-200.8
6/16/2015 12:00	Cd	j	0.118	ug/L	EPA-200.8
6/23/2015 11:43	Cd	j	0.207	ug/L	EPA-200.8
6/30/2015 11:16	Cd	<	0.068	ug/L	EPA-200.8
7/7/2015 11:30	Cd	<	0.068	ug/L	EPA-200.8
7/14/2015 9:33	Cd	<	0.068	ug/L	EPA-200.8
6/16/2015 12:00	Chloride		82.27	mg/L	EPA 300.0
6/23/2015 11:43	Chloride		56.33	mg/L	EPA 300.0
6/30/2015 11:16	Chloride		177.4	mg/L	EPA 300.0
7/7/2015 11:30	Chloride		256.2	mg/L	EPA 300.0
7/14/2015 9:33	Chloride		155.7	mg/L	EPA 300.0
6/16/2015 12:00	Co		1.473	ug/L	EPA-200.8
6/23/2015 11:43	Co		3.586	ug/L	EPA-200.8
6/30/2015 11:16	Co	j	0.512	ug/L	EPA-200.8
7/7/2015 11:30	Co	j	0.351	ug/L	EPA-200.8
7/14/2015 9:33	Co	j	0.277	ug/L	EPA-200.8
6/16/2015 12:00	COD		40.5	mg/L	EPA 410.4
6/23/2015 11:43	COD		41.3	mg/L	EPA 410.4
6/30/2015 11:16	COD		21.6	mg/L	EPA 410.4
7/7/2015 11:30	COD		14.8	mg/L	EPA 410.4
7/14/2015 9:33	COD		15.6	mg/L	EPA 410.4
6/16/2015 12:00	Conduct	HT	528	uS/cm	SM 2510B
6/23/2015 11:43	Conduct	HT	377	uS/cm	SM 2510B
6/30/2015 11:16	Conduct		994	uS/cm	SM 2510B
7/7/2015 11:30	Conduct		1250	uS/cm	SM 2510B
7/14/2015 9:33	Conduct		882	uS/cm	SM 2510B
6/16/2015 12:00	Cr		3.03	ug/L	EPA-200.8
6/23/2015 11:43	Cr		5.912	ug/L	EPA-200.8
6/30/2015 11:16	Cr		1.086	ug/L	EPA-200.8
7/7/2015 11:30	Cr	j	0.682	ug/L	EPA-200.8
7/14/2015 9:33	Cr	j	0.849	ug/L	EPA-200.8
6/16/2015 12:00	Cu		8.662	ug/L	EPA-200.8
6/23/2015 11:43	Cu		10.44	ug/L	EPA-200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 11:16	Cu		4.178	ug/L	EPA-200.8
7/7/2015 11:30	Cu		3.13	ug/L	EPA-200.8
7/14/2015 9:33	Cu		3.801	ug/L	EPA-200.8
6/16/2015 12:00	DRPhos		0.043	mg/L	EPA 365.1
6/23/2015 11:43	DRPhos		0.034	mg/L	EPA 365.1
6/30/2015 11:16	DRPhos		0.028	mg/L	EPA 365.1
7/7/2015 11:30	DRPhos		0.012	mg/L	EPA 365.1
7/14/2015 9:33	DRPhos		0.022	mg/L	EPA 365.1
6/16/2015 12:00	E. coli		7174	MPN/100 mL	SM 9223 Colilert
6/23/2015 11:43	E. coli		22800	MPN/100 mL	SM 9223 Colilert
6/30/2015 11:16	E. coli		577	MPN/100 mL	SM 9223 Colilert
7/7/2015 11:30	E. coli		683	MPN/100 mL	SM 9223 Colilert
7/14/2015 9:33	E. coli		565	MPN/100 mL	SM 9223 Colilert
6/16/2015 12:00	Fe		2290	ug/L	EPA-200.8
6/23/2015 11:43	Fe		7186	ug/L	EPA-200.8
6/30/2015 11:16	Fe		373.2	ug/L	EPA-200.8
7/7/2015 11:30	Fe		210.6	ug/L	EPA-200.8
7/14/2015 9:33	Fe		209.4	ug/L	EPA-200.8
6/16/2015 12:00	Field Cond		483.9	umhos/cm	SM 2510A
6/23/2015 11:43	Field Cond		343	umhos/cm	SM 2510A
6/30/2015 11:16	Field Cond		837.3	umhos/cm	SM 2510A
7/7/2015 11:30	Field Cond		1159	umhos/cm	SM 2510A
7/14/2015 9:33	Field Cond		806	umhos/cm	SM 2510A
6/16/2015 12:00	Field Spec Cond		521.2	umhos/cm	SM 2510B
6/23/2015 11:43	Field Spec Cond		370.9	umhos/cm	SM 2510B
6/30/2015 11:16	Field Spec Cond		963.6	umhos/cm	SM 2510B
7/7/2015 11:30	Field Spec Cond		1225	umhos/cm	SM 2510B
7/14/2015 9:33	Field Spec Cond		881	umhos/cm	SM 2510B
6/16/2015 12:00	Field DO		8.52	mg/L	SM 4500-0 G
6/23/2015 11:43	Field DO		8.46	mg/L	SM 4500-0 G
6/30/2015 11:16	Field DO		8.68	mg/L	SM 4500-0 G
7/7/2015 11:30	Field DO		10.38	mg/L	SM 4500-0 G
7/14/2015 9:33	Field DO		8.8	mg/L	SM 4500-0 G
6/16/2015 12:00	Field DO		96.1	%	
6/23/2015 11:43	Field DO		95.1	%	
6/30/2015 11:16	Field DO		92.2	%	
7/7/2015 11:30	Field DO		119.5	%	
7/14/2015 9:33	Field DO		99.3	%	

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 12:00	Field Temp		21.2	C	EPA 170.1
6/23/2015 11:43	Field Temp		21.1	C	EPA 170.1
6/30/2015 11:16	Field Temp		18.1	C	EPA 170.1
7/7/2015 11:30	Field Temp		22.2	C	EPA 170.1
7/14/2015 9:33	Field Temp		20.6	C	EPA 170.1
6/16/2015 12:00	Hg	j	0.016	ug/L	EPA 245.1
6/23/2015 11:43	Hg	<	0.006	ug/L	EPA 245.1
6/30/2015 11:16	Hg	<	0.006	ug/L	EPA 245.1
7/7/2015 11:30	Hg	<	0.006	ug/L	EPA 245.1
7/14/2015 9:33	Hg	<	0.006	ug/L	EPA 245.1
6/16/2015 12:00	K		3406	ug/L	EPA-200.8
6/23/2015 11:43	K		3674	ug/L	EPA-200.8
6/30/2015 11:16	K		4320	ug/L	EPA-200.8
7/7/2015 11:30	K		4518	ug/L	EPA-200.8
7/14/2015 9:33	K		3791	ug/L	EPA-200.8
6/16/2015 12:00	Mg		6460	ug/L	EPA-200.8
6/23/2015 11:43	Mg		5608	ug/L	EPA-200.8
6/30/2015 11:16	Mg		14060	ug/L	EPA-200.8
7/7/2015 11:30	Mg		15970	ug/L	EPA-200.8
7/14/2015 9:33	Mg		11910	ug/L	EPA-200.8
6/16/2015 12:00	Mn		60.74	ug/L	EPA-200.8
6/23/2015 11:43	Mn		151.8	ug/L	EPA-200.8
6/30/2015 11:16	Mn		24.99	ug/L	EPA-200.8
7/7/2015 11:30	Mn		18.39	ug/L	EPA-200.8
7/14/2015 9:33	Mn		11.07	ug/L	EPA-200.8
6/16/2015 12:00	Mo		2.333	ug/L	EPA-200.8
6/23/2015 11:43	Mo		1.963	ug/L	EPA-200.8
6/30/2015 11:16	Mo		3.7	ug/L	EPA-200.8
7/7/2015 11:30	Mo		3.746	ug/L	EPA-200.8
7/14/2015 9:33	Mo		3.648	ug/L	EPA-200.8
6/16/2015 12:00	Na		57200	ug/L	EPA-200.8
6/23/2015 11:43	Na		39050	ug/L	EPA-200.8
6/30/2015 11:16	Na		121200	ug/L	EPA-200.8
7/7/2015 11:30	Na		155800	ug/L	EPA-200.8
7/14/2015 9:33	Na		105800	ug/L	EPA-200.8
6/16/2015 12:00	NH3		0.056	mg/L	EPA-350.1
6/23/2015 11:43	NH3		0.084	mg/L	EPA-350.1
6/30/2015 11:16	NH3	j	0.018	mg/L	EPA-350.1
7/7/2015 11:30	NH3		0.173	mg/L	EPA-350.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 12:00	Ni		5.715	ug/L	EPA-200.8
6/23/2015 11:43	Ni		10.54	ug/L	EPA-200.8
6/30/2015 11:16	Ni	j	3.983	ug/L	EPA-200.8
7/7/2015 11:30	Ni	j	2.744	ug/L	EPA-200.8
7/14/2015 9:33	Ni	j	2.902	ug/L	EPA-200.8
6/16/2015 12:00	NO2		0.03	mg/L	SM 4500-NO2-B
6/23/2015 11:43	NO2		0.057	mg/L	SM 4500-NO2-B
6/30/2015 11:16	NO2	<	0.001	mg/L	SM 4500-NO2-B
7/7/2015 11:30	NO2	<	0.001	mg/L	SM 4500-NO2-B
7/14/2015 9:33	NO2	<	0.001	mg/L	SM 4500-NO2-B
6/16/2015 12:00	NO3		0.334	mg/L	EPA 353.2
6/23/2015 11:43	NO3		0.294	mg/L	EPA 353.2
6/30/2015 11:16	NO3		0.631	mg/L	EPA 353.2
7/7/2015 11:30	NO3		0.16	mg/L	EPA 353.2
7/14/2015 9:33	NO3		0.269	mg/L	EPA 353.2
6/16/2015 12:00	NO3+NO2		0.362	mg/L	EPA 353.2
6/23/2015 11:43	NO3+NO2		0.354	mg/L	EPA 353.2
6/30/2015 11:16	NO3+NO2		0.631	mg/L	EPA 353.2
7/7/2015 11:30	NO3+NO2		0.154	mg/L	EPA 353.2
7/14/2015 9:33	NO3+NO2		0.266	mg/L	EPA 353.2
6/16/2015 12:00	Pb		3.466	ug/L	EPA-200.8
6/23/2015 11:43	Pb		8.151	ug/L	EPA-200.8
6/30/2015 11:16	Pb	j	0.423	ug/L	EPA-200.8
7/7/2015 11:30	Pb	j	0.184	ug/L	EPA-200.8
7/14/2015 9:33	Pb	j	0.171	ug/L	EPA-200.8
6/16/2015 12:00	pH		8	S.U.	
6/23/2015 11:43	pH		7.82	S.U.	
6/30/2015 11:16	pH		7.9	S.U.	
7/7/2015 11:30	pH		8.28	S.U.	
7/14/2015 9:33	pH		8	S.U.	
6/16/2015 12:00	Sb	j	0.449	ug/L	EPA-200.8
6/23/2015 11:43	Sb	j	0.37	ug/L	EPA-200.8
6/30/2015 11:16	Sb	j	0.534	ug/L	EPA-200.8
7/7/2015 11:30	Sb	j	0.468	ug/L	EPA-200.8
7/14/2015 9:33	Sb	j	0.525	ug/L	EPA-200.8
6/16/2015 12:00	Se	<	0.76	ug/L	EPA-200.8
6/23/2015 11:43	Se	<	0.76	ug/L	EPA-200.8
6/30/2015 11:16	Se	<	0.76	ug/L	EPA-200.8

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	Method	
7/7/2015 11:30	Se	<	0.76	ug/L	EPA-200.8	
7/14/2015 9:33	Se	<	0.76	ug/L	EPA-200.8	
6/16/2015 12:00	Sn	<	0.162	ug/L	EPA-200.8	
6/30/2015 11:16	Sn	<	0.162	ug/L	EPA-200.8	
7/7/2015 11:30	Sn	<	0.162	ug/L	EPA-200.8	
7/14/2015 9:33	Sn	<	0.162	ug/L	EPA-200.8	
6/16/2015 12:00	SO4		25.23	mg/L	EPA 300.0	
6/23/2015 11:43	SO4		19.77	mg/L	EPA 300.0	
6/30/2015 11:16	SO4		61.17	mg/L	EPA 300.0	
7/7/2015 11:30	SO4		74.41	mg/L	EPA 300.0	
7/14/2015 9:33	SO4		51.13	mg/L	EPA 300.0	
6/16/2015 12:00	Sr		163.982	ug/L	EPA-200.8	
6/23/2015 11:43	Sr		137.108	ug/L	EPA-200.8	
6/30/2015 11:16	Sr		301.848	ug/L	EPA-200.8	
7/7/2015 11:30	Sr		339.616	ug/L	EPA-200.8	
7/14/2015 9:33	Sr		254.589	ug/L	EPA-200.8	
6/16/2015 12:00	TDS		284	mg/L	SM2540C	
6/23/2015 11:43	TDS		214	mg/L	SM2540C	
6/30/2015 11:16	TDS		604	mg/L	SM2540C	
7/7/2015 11:30	TDS		722	mg/L	SM2540C	
7/14/2015 9:33	TDS		492	mg/L	SM2540C	
6/16/2015 12:00	Ti		10.92	ug/L	EPA-200.8	
6/23/2015 11:43	Ti		22.68	ug/L	EPA-200.8	
6/30/2015 11:16	Ti	j	1.932	ug/L	EPA-200.8	
7/7/2015 11:30	Ti	j	1.155	ug/L	EPA-200.8	
7/14/2015 9:33	Ti	j	1.138	ug/L	EPA-200.8	
6/16/2015 12:00	TKN		1.264	mg/L	EPA-351.1	
6/23/2015 11:43	TKN		1.362	mg/L	EPA-351.1	
6/30/2015 11:16	TKN	j	0.484	mg/L	EPA-351.1	
7/7/2015 11:30	TKN	j	0.303	mg/L	EPA-351.1	
7/14/2015 9:33	TKN	j	0.394	mg/L	EPA-351.1	
6/16/2015 12:00	TI	j	0.061	ug/L	EPA-200.8	
6/23/2015 11:43	TI	j	0.118	ug/L	EPA-200.8	
6/30/2015 11:16	TI	j	0.044	ug/L	EPA-200.8	
7/7/2015 11:30	TI	j	0.04	ug/L	EPA-200.8	
7/14/2015 9:33	TI	j	0.052	ug/L	EPA-200.8	
6/16/2015 12:00	TMET		37.4	ug/L	EPA-200.8	
6/23/2015 11:43	TMET		67.8	ug/L	EPA-200.8	

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 11:16	TMET		12.7	ug/L	EPA-200.8
7/7/2015 11:30	TMET	<	10	ug/L	EPA-200.8
7/14/2015 9:33	TMET		10.9	ug/L	EPA-200.8
6/16/2015 12:00	Total-P		0.126	mg/L	EPA 365.1
6/23/2015 11:43	Total-P		0.226	mg/L	EPA 365.1
6/30/2015 11:16	Total-P		0.048	mg/L	EPA 365.1
7/7/2015 11:30	Total-P		0.028	mg/L	EPA 365.1
7/14/2015 9:33	Total-P		0.093	mg/L	EPA 365.1
6/16/2015 12:00	TS		390	mg/L	SM2540B
6/23/2015 11:43	TS		478	mg/L	SM2540B
6/30/2015 11:16	TS		610	mg/L	SM2540B
7/7/2015 11:30	TS		796	mg/L	SM2540B
7/14/2015 9:33	TS		514	mg/L	SM2540B
6/16/2015 12:00	TSS		63.3	mg/L	SM2540D
6/23/2015 11:43	TSS		247.7	mg/L	SM2540D
6/30/2015 11:16	TSS		3.9	mg/L	SM2540D
7/7/2015 11:30	TSS		1.2	mg/L	SM2540D
7/14/2015 9:33	TSS		1.2	mg/L	SM2540D
6/16/2015 12:00	Turbidity		66.8	NTU	EPA 180.1
6/23/2015 11:43	Turbidity		187	NTU	EPA 180.1
6/30/2015 11:16	Turbidity		4.74	NTU	EPA 180.1
7/7/2015 11:30	Turbidity		0.92	NTU	EPA 180.1
7/14/2015 9:33	Turbidity		1.68	NTU	EPA 180.1
6/16/2015 12:00	V	j	1.781	ug/L	EPA-200.8
6/23/2015 11:43	V	j	6.357	ug/L	EPA-200.8
6/30/2015 11:16	V	<	0.48	ug/L	EPA-200.8
7/7/2015 11:30	V	<	0.48	ug/L	EPA-200.8
7/14/2015 9:33	V	<	0.48	ug/L	EPA-200.8
6/16/2015 12:00	Zn		20.05	ug/L	EPA-200.8
6/23/2015 11:43	Zn		40.89	ug/L	EPA-200.8
6/30/2015 11:16	Zn	j	3.428	ug/L	EPA-200.8
7/7/2015 11:30	Zn	j	2.451	ug/L	EPA-200.8
7/14/2015 9:33	Zn	j	3.343	ug/L	EPA-200.8

Euclid Creek River Mile 0.55 (EM5)					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 11:28	*CaCO3		105	mg/LCaCO3	EPA-200.8
6/23/2015 12:13	*CaCO3		76	mg/LCaCO3	EPA-200.8
6/30/2015 11:32	*CaCO3		196	mg/LCaCO3	EPA-200.8
7/7/2015 12:02	*CaCO3		232	mg/LCaCO3	EPA-200.8
7/14/2015 9:53	*CaCO3		175	mg/LCaCO3	EPA-200.8
6/16/2015 11:28	Ag	j	0.019	ug/L	EPA-200.8
6/23/2015 12:13	Ag	j	0.053	ug/L	EPA-200.8
6/30/2015 11:32	Ag	<	0.018	ug/L	EPA-200.8
7/7/2015 12:02	Ag	<	0.018	ug/L	EPA-200.8
7/14/2015 9:53	Ag	<	0.018	ug/L	EPA-200.8
6/16/2015 11:28	Al		1421	ug/L	EPA-200.8
6/23/2015 12:13	Al		3580	ug/L	EPA-200.8
6/30/2015 11:32	Al		182.4	ug/L	EPA-200.8
7/7/2015 12:02	Al		37.145	ug/L	EPA-200.8
7/14/2015 9:53	Al		84.46	ug/L	EPA-200.8
6/16/2015 11:28	Alkalinity		76.7	mg/LCaCO3	EPA-310.2
6/23/2015 12:13	Alkalinity		41.4	mg/LCaCO3	EPA-310.2
6/30/2015 11:32	Alkalinity		126.2	mg/LCaCO3	EPA-310.2
7/7/2015 12:02	Alkalinity		128.7	mg/LCaCO3	EPA-310.2
7/14/2015 9:53	Alkalinity		121.3	mg/LCaCO3	EPA-310.2
6/16/2015 11:28	As		2.763	ug/L	EPA-200.8
6/23/2015 12:13	As		4.616	ug/L	EPA-200.8
6/30/2015 11:32	As	j	1.539	ug/L	EPA-200.8
7/7/2015 12:02	As	j	0.841	ug/L	EPA-200.8
7/14/2015 9:53	As	j	1.088	ug/L	EPA-200.8
6/16/2015 11:28	Ba		23.92	ug/L	EPA-200.8
6/23/2015 12:13	Ba		29.61	ug/L	EPA-200.8
6/30/2015 11:32	Ba		28.64	ug/L	EPA-200.8
7/7/2015 12:02	Ba		33.72	ug/L	EPA-200.8
7/14/2015 9:53	Ba		25.08	ug/L	EPA-200.8
6/16/2015 11:28	Be	j	0.112	ug/L	EPA-200.8
6/23/2015 12:13	Be	j	0.21	ug/L	EPA-200.8
6/30/2015 11:32	Be	<	0.108	ug/L	EPA-200.8
7/7/2015 12:02	Be	<	0.108	ug/L	EPA-200.8
7/14/2015 9:53	Be	<	0.108	ug/L	EPA-200.8
6/16/2015 11:28	BOD		2.6	mg/L	SM 5210
6/23/2015 12:13	BOD		4.1	mg/L	SM 5210
6/30/2015 11:32	BOD	<	2	mg/L	SM 5210
7/7/2015 12:02	BOD	<	2	mg/L	SM 5210

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 9:53	BOD	<	2	mg/L	SM 5210
6/16/2015 11:28	Ca		30640	ug/L	EPA-200.8
6/23/2015 12:13	Ca		21490	ug/L	EPA-200.8
6/30/2015 11:32	Ca		56400	ug/L	EPA-200.8
7/7/2015 12:02	Ca		66480	ug/L	EPA-200.8
7/14/2015 9:53	Ca		50240	ug/L	EPA-200.8
6/16/2015 11:28	Cd	j	0.122	ug/L	EPA-200.8
6/23/2015 12:13	Cd	j	0.249	ug/L	EPA-200.8
6/30/2015 11:32	Cd	<	0.068	ug/L	EPA-200.8
7/7/2015 12:02	Cd	<	0.068	ug/L	EPA-200.8
7/14/2015 9:53	Cd	<	0.068	ug/L	EPA-200.8
6/16/2015 11:28	Chloride		89.74	mg/L	EPA 300.0
6/23/2015 12:13	Chloride		57.64	mg/L	EPA 300.0
6/30/2015 11:32	Chloride		179	mg/L	EPA 300.0
7/7/2015 12:02	Chloride		261.55	mg/L	EPA 300.0
7/14/2015 9:53	Chloride		158.3	mg/L	EPA 300.0
6/16/2015 11:28	Co		1.725	ug/L	EPA-200.8
6/23/2015 12:13	Co		3.697	ug/L	EPA-200.8
6/30/2015 11:32	Co	j	0.546	ug/L	EPA-200.8
7/7/2015 12:02	Co	j	0.2675	ug/L	EPA-200.8
7/14/2015 9:53	Co	j	0.294	ug/L	EPA-200.8
6/16/2015 11:28	COD		42.4	mg/L	EPA 410.4
6/23/2015 12:13	COD		39.2	mg/L	EPA 410.4
6/30/2015 11:32	COD		21	mg/L	EPA 410.4
7/7/2015 12:02	COD		14.5	mg/L	EPA 410.4
7/14/2015 9:53	COD		19.4	mg/L	EPA 410.4
6/16/2015 11:28	Conduct	HT	557	uS/cm	SM 2510B
6/23/2015 12:13	Conduct		386	uS/cm	SM 2510B
6/30/2015 11:32	Conduct		995	uS/cm	SM 2510B
7/7/2015 12:02	Conduct		1285	uS/cm	SM 2510B
7/14/2015 9:53	Conduct		888	uS/cm	SM 2510B
6/16/2015 11:28	Cr		3.461	ug/L	EPA-200.8
6/23/2015 12:13	Cr		6.113	ug/L	EPA-200.8
6/30/2015 11:32	Cr	j	0.985	ug/L	EPA-200.8
7/7/2015 12:02	Cr	j	0.6185	ug/L	EPA-200.8
7/14/2015 9:53	Cr	j	0.824	ug/L	EPA-200.8
6/16/2015 11:28	Cu		9.11	ug/L	EPA-200.8
6/23/2015 12:13	Cu		10.87	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 11:32	Cu		4.038	ug/L	EPA-200.8
7/7/2015 12:02	Cu		3.324	ug/L	EPA-200.8
7/14/2015 9:53	Cu		3.806	ug/L	EPA-200.8
6/16/2015 11:28	DRPhos		0.041	mg/L	EPA 365.1
6/23/2015 12:13	DRPhos		0.03	mg/L	EPA 365.1
6/30/2015 11:32	DRPhos		0.031	mg/L	EPA 365.1
7/7/2015 12:02	DRPhos		0.0155	mg/L	EPA 365.1
7/14/2015 9:53	DRPhos		0.018	mg/L	EPA 365.1
6/16/2015 11:28	E. coli		7116	MPN/100 mL	SM 9223 Colilert
6/23/2015 12:13	E. coli		31600	MPN/100 mL	SM 9223 Colilert
6/30/2015 11:32	E. coli		902	MPN/100 mL	SM 9223 Colilert
7/7/2015 12:02	E. coli		534	MPN/100 mL	SM 9223 Colilert
7/14/2015 9:53	E. coli		811	MPN/100 mL	SM 9223 Colilert
6/16/2015 11:28	Fe		2789	ug/L	EPA-200.8
6/23/2015 12:13	Fe		7553	ug/L	EPA-200.8
6/30/2015 11:32	Fe		547.3	ug/L	EPA-200.8
7/7/2015 12:02	Fe		214.45	ug/L	EPA-200.8
7/14/2015 9:53	Fe		319.4	ug/L	EPA-200.8
6/16/2015 11:28	Field Cond		508.9	umhos/cm	SM 2510A
6/23/2015 12:13	Field Cond		355.4	umhos/cm	SM 2510A
6/30/2015 11:32	Field Cond		846.3	umhos/cm	SM 2510A
7/7/2015 12:02	Field Cond		1218	umhos/cm	SM 2510A
7/14/2015 9:53	Field Cond		827	umhos/cm	SM 2510A
6/16/2015 11:28	Field Spec Cond		548	umhos/cm	SM 2510B
6/23/2015 12:13	Field Spec Cond		382.3	umhos/cm	SM 2510B
6/30/2015 11:32	Field Spec Cond		949.6	umhos/cm	SM 2510B
7/7/2015 12:02	Field Spec Cond		1255	umhos/cm	SM 2510B
7/14/2015 9:53	Field Spec Cond		896	umhos/cm	SM 2510B
6/16/2015 11:28	Field DO		8.64	mg/L	SM 4500-0 G
6/23/2015 12:13	Field DO		8.68	mg/L	SM 4500-0 G
6/30/2015 11:32	Field DO		8.31	mg/L	SM 4500-0 G
7/7/2015 12:02	Field DO		11.05	mg/L	SM 4500-0 G
7/14/2015 9:53	Field DO		9.29	mg/L	SM 4500-0 G
6/16/2015 11:28	Field DO		97.4	%	
6/23/2015 12:13	Field DO		98.1	%	
6/30/2015 11:32	Field DO		90.8	%	
7/7/2015 12:02	Field DO		130.3	%	
7/14/2015 9:53	Field DO		104.4	%	

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 11:28	Field Temp		21.1	C	EPA 170.1
6/23/2015 12:13	Field Temp		21.3	C	EPA 170.1
6/30/2015 11:32	Field Temp		19.4	C	EPA 170.1
7/7/2015 12:02	Field Temp		23.4	C	EPA 170.1
7/14/2015 9:53	Field Temp		21	C	EPA 170.1
6/16/2015 11:28	Hg	j	0.014	ug/L	EPA 245.1
6/23/2015 12:13	Hg	<	0.006	ug/L	EPA 245.1
6/30/2015 11:32	Hg	<	0.006	ug/L	EPA 245.1
7/7/2015 12:02	Hg	<	0.006	ug/L	EPA 245.1
7/14/2015 9:53	Hg	<	0.006	ug/L	EPA 245.1
6/16/2015 11:28	K		3606	ug/L	EPA-200.8
6/23/2015 12:13	K		3618	ug/L	EPA-200.8
6/30/2015 11:32	K		4260	ug/L	EPA-200.8
7/7/2015 12:02	K		4539.5	ug/L	EPA-200.8
7/14/2015 9:53	K		3808	ug/L	EPA-200.8
6/16/2015 11:28	Mg		6905	ug/L	EPA-200.8
6/23/2015 12:13	Mg		5544	ug/L	EPA-200.8
6/30/2015 11:32	Mg		13400	ug/L	EPA-200.8
7/7/2015 12:02	Mg		16105	ug/L	EPA-200.8
7/14/2015 9:53	Mg		12100	ug/L	EPA-200.8
6/16/2015 11:28	Mn		71.25	ug/L	EPA-200.8
6/23/2015 12:13	Mn		161	ug/L	EPA-200.8
6/30/2015 11:32	Mn		20.33	ug/L	EPA-200.8
7/7/2015 12:02	Mn		21.33	ug/L	EPA-200.8
7/14/2015 9:53	Mn		21.56	ug/L	EPA-200.8
6/16/2015 11:28	Mo		2.45	ug/L	EPA-200.8
6/23/2015 12:13	Mo		1.943	ug/L	EPA-200.8
6/30/2015 11:32	Mo		3.406	ug/L	EPA-200.8
7/7/2015 12:02	Mo		3.856	ug/L	EPA-200.8
7/14/2015 9:53	Mo		3.874	ug/L	EPA-200.8
6/16/2015 11:28	Na		63610	ug/L	EPA-200.8
6/23/2015 12:13	Na		38810	ug/L	EPA-200.8
6/30/2015 11:32	Na		116200	ug/L	EPA-200.8
7/7/2015 12:02	Na		156550	ug/L	EPA-200.8
7/14/2015 9:53	Na		109600	ug/L	EPA-200.8
6/16/2015 11:28	NH3		0.066	mg/L	EPA-350.1
6/23/2015 12:13	NH3		0.09	mg/L	EPA-350.1
6/30/2015 11:32	NH3		0.02	mg/L	EPA-350.1
7/14/2015 9:53	NH3	j	0.014	mg/L	EPA-350.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 11:28	Ni		6.484	ug/L	EPA-200.8
6/23/2015 12:13	Ni		11.21	ug/L	EPA-200.8
6/30/2015 11:32	Ni		4.072	ug/L	EPA-200.8
7/7/2015 12:02	Ni	j	2.7295	ug/L	EPA-200.8
7/14/2015 9:53	Ni	j	2.962	ug/L	EPA-200.8
6/16/2015 11:28	NO2		0.034	mg/L	SM 4500-NO2-B
6/23/2015 12:13	NO2		0.056	mg/L	SM 4500-NO2-B
6/30/2015 11:32	NO2	<	0.001	mg/L	SM 4500-NO2-B
7/7/2015 12:02	NO2	j	0.0015	mg/L	SM 4500-NO2-B
7/14/2015 9:53	NO2	<	0.001	mg/L	SM 4500-NO2-B
6/16/2015 11:28	NO3		0.384	mg/L	EPA 353.2
6/23/2015 12:13	NO3		0.302	mg/L	EPA 353.2
6/30/2015 11:32	NO3		0.606	mg/L	EPA 353.2
7/7/2015 12:02	NO3		0.116	mg/L	EPA 353.2
7/14/2015 9:53	NO3		0.232	mg/L	EPA 353.2
6/16/2015 11:28	NO3+NO2		0.394	mg/L	EPA 353.2
6/23/2015 12:13	NO3+NO2		0.357	mg/L	EPA 353.2
6/30/2015 11:32	NO3+NO2		0.606	mg/L	EPA 353.2
7/7/2015 12:02	NO3+NO2		0.115	mg/L	EPA 353.2
7/14/2015 9:53	NO3+NO2		0.228	mg/L	EPA 353.2
6/16/2015 11:28	Pb		4.02	ug/L	EPA-200.8
6/23/2015 12:13	Pb		8.146	ug/L	EPA-200.8
6/30/2015 11:32	Pb	j	0.728	ug/L	EPA-200.8
7/7/2015 12:02	Pb	j	0.1235	ug/L	EPA-200.8
7/14/2015 9:53	Pb	j	0.322	ug/L	EPA-200.8
6/16/2015 11:28	pH		8	S.U.	
6/23/2015 12:13	pH		7.8	S.U.	
6/30/2015 11:32	pH		7.87	S.U.	
7/7/2015 12:02	pH		8.28	S.U.	
7/14/2015 9:53	pH		8.09	S.U.	
6/16/2015 11:28	Sb	j	0.52	ug/L	EPA-200.8
6/23/2015 12:13	Sb	j	0.431	ug/L	EPA-200.8
6/30/2015 11:32	Sb	j	0.57	ug/L	EPA-200.8
7/7/2015 12:02	Sb	j	0.509	ug/L	EPA-200.8
7/14/2015 9:53	Sb	j	0.582	ug/L	EPA-200.8
6/16/2015 11:28	Se	<	0.76	ug/L	EPA-200.8
6/23/2015 12:13	Se	<	0.76	ug/L	EPA-200.8
6/30/2015 11:32	Se	<	0.76	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/7/2015 12:02	Se	<	0.76	ug/L	EPA-200.8
7/14/2015 9:53	Se	<	0.76	ug/L	EPA-200.8
6/16/2015 11:28	Sn	<	0.162	ug/L	EPA-200.8
6/30/2015 11:32	Sn	<	0.162	ug/L	EPA-200.8
7/7/2015 12:02	Sn	<	0.162	ug/L	EPA-200.8
7/14/2015 9:53	Sn	<	0.162	ug/L	EPA-200.8
6/16/2015 11:28	SO4		25.81	mg/L	EPA 300.0
6/23/2015 12:13	SO4		20.1	mg/L	EPA 300.0
6/30/2015 11:32	SO4		60.78	mg/L	EPA 300.0
7/7/2015 12:02	SO4		76.805	mg/L	EPA 300.0
7/14/2015 9:53	SO4		51.56	mg/L	EPA 300.0
6/16/2015 11:28	Sr		176.222	ug/L	EPA-200.8
6/23/2015 12:13	Sr		141.871	ug/L	EPA-200.8
6/30/2015 11:32	Sr		284.712	ug/L	EPA-200.8
7/7/2015 12:02	Sr		350.1955	ug/L	EPA-200.8
7/14/2015 9:53	Sr		262.686	ug/L	EPA-200.8
6/16/2015 11:28	TDS		310	mg/L	SM2540C
6/23/2015 12:13	TDS		214	mg/L	SM2540C
6/30/2015 11:32	TDS		592	mg/L	SM2540C
7/7/2015 12:02	TDS		711	mg/L	SM2540C
7/14/2015 9:53	TDS		500	mg/L	SM2540C
6/16/2015 11:28	Ti		12.37	ug/L	EPA-200.8
6/23/2015 12:13	Ti		19.24	ug/L	EPA-200.8
6/30/2015 11:32	Ti		2.85	ug/L	EPA-200.8
7/7/2015 12:02	Ti	j	0.687	ug/L	EPA-200.8
7/14/2015 9:53	Ti	j	1.691	ug/L	EPA-200.8
6/16/2015 11:28	TKN		1.209	mg/L	EPA-351.1
6/23/2015 12:13	TKN		1.566	mg/L	EPA-351.1
6/30/2015 11:32	TKN	j	0.472	mg/L	EPA-351.1
7/7/2015 12:02	TKN	j	0.377	mg/L	EPA-351.1
7/14/2015 9:53	TKN	j	0.447	mg/L	EPA-351.1
6/16/2015 11:28	TI	j	0.07	ug/L	EPA-200.8
6/23/2015 12:13	TI	j	0.124	ug/L	EPA-200.8
6/30/2015 11:32	TI	j	0.068	ug/L	EPA-200.8
7/7/2015 12:02	TI	j	0.039	ug/L	EPA-200.8
7/14/2015 9:53	TI	j	0.067	ug/L	EPA-200.8
6/16/2015 11:28	TMET		42.7	ug/L	EPA-200.8
6/23/2015 12:13	TMET		84.6	ug/L	EPA-200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 11:32	TMET		15	ug/L	EPA-200.8
7/7/2015 12:02	TMET		15.15	ug/L	EPA-200.8
7/14/2015 9:53	TMET		11.6	ug/L	EPA-200.8
6/16/2015 11:28	Total-P		0.132	mg/L	EPA 365.1
6/23/2015 12:13	Total-P		0.23	mg/L	EPA 365.1
6/30/2015 11:32	Total-P		0.053	mg/L	EPA 365.1
7/7/2015 12:02	Total-P		0.025	mg/L	EPA 365.1
7/14/2015 9:53	Total-P		0.038	mg/L	EPA 365.1
6/16/2015 11:28	TS		430	mg/L	SM2540B
6/23/2015 12:13	TS		524	mg/L	SM2540B
6/30/2015 11:32	TS		618	mg/L	SM2540B
7/7/2015 12:02	TS		828	mg/L	SM2540B
7/14/2015 9:53	TS		514	mg/L	SM2540B
6/16/2015 11:28	TSS		83.3	mg/L	SM2540D
6/23/2015 12:13	TSS		269.2	mg/L	SM2540D
6/30/2015 11:32	TSS		8.2	mg/L	SM2540D
7/7/2015 12:02	TSS		1.4	mg/L	SM2540D
7/14/2015 9:53	TSS		3.8	mg/L	SM2540D
6/16/2015 11:28	Turbidity		85	NTU	EPA 180.1
6/23/2015 12:13	Turbidity		212	NTU	EPA 180.1
6/30/2015 11:32	Turbidity		6.48	NTU	EPA 180.1
7/7/2015 12:02	Turbidity		1.27	NTU	EPA 180.1
7/14/2015 9:53	Turbidity		2.87	NTU	EPA 180.1
6/16/2015 11:28	V	j	2.422	ug/L	EPA-200.8
6/23/2015 12:13	V	j	6.249	ug/L	EPA-200.8
6/30/2015 11:32	V	<	0.48	ug/L	EPA-200.8
7/7/2015 12:02	V	<	0.48	ug/L	EPA-200.8
7/14/2015 9:53	V	<	0.48	ug/L	EPA-200.8
6/16/2015 11:28	Zn		23.61	ug/L	EPA-200.8
6/23/2015 12:13	Zn		56.42	ug/L	EPA-200.8
6/30/2015 11:32	Zn	j	5.861	ug/L	EPA-200.8
7/14/2015 9:53	Zn	j	4.012	ug/L	EPA-200.8