

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2017 10:05	*CaCO3		221	mg/LCaCO3	EPA200.8
6/21/2017 9:45	*CaCO3		132.5	mg/LCaCO3	EPA200.8
6/28/2017 9:45	*CaCO3		173	mg/LCaCO3	EPA200.8
7/5/2017 10:00	*CaCO3		202	mg/LCaCO3	EPA200.8
7/12/2017 10:10	*CaCO3		152	mg/LCaCO3	EPA200.8
6/15/2017 10:05	Ag	<	0.254	ug/L	EPA200.8
6/21/2017 9:45	Ag	<	0.254	ug/L	EPA200.8
6/28/2017 9:45	Ag	<	0.254	ug/L	EPA200.8
7/5/2017 10:00	Ag		2.229	ug/L	EPA200.8
7/12/2017 10:10	Ag	<	0.254	ug/L	EPA200.8
6/15/2017 10:05	Al		40.37	ug/L	EPA200.8
6/21/2017 9:45	Al		62.55	ug/L	EPA200.8
6/28/2017 9:45	Al		61.04	ug/L	EPA200.8
7/5/2017 10:00	Al		54.89	ug/L	EPA200.8
7/12/2017 10:10	Al		20.89	ug/L	EPA200.8
6/15/2017 10:05	Alkalinity		124.4	mg/LCaCO3	EPA310.2
6/21/2017 9:45	Alkalinity		98.2	mg/LCaCO3	EPA310.2
6/28/2017 9:45	Alkalinity		111.4	mg/LCaCO3	EPA310.2
7/5/2017 10:00	Alkalinity		127.9	mg/LCaCO3	EPA310.2
7/12/2017 10:10	Alkalinity		107.7	mg/LCaCO3	EPA310.2
6/15/2017 10:05	As	<	1.164	ug/L	EPA200.8
6/21/2017 9:45	As	<	1.164	ug/L	EPA200.8
6/28/2017 9:45	As	<	1.164	ug/L	EPA200.8
7/5/2017 10:00	As	j	1.73	ug/L	EPA200.8
7/12/2017 10:10	As	<	1.164	ug/L	EPA200.8
6/15/2017 10:05	Ba		33.01	ug/L	EPA200.8
6/21/2017 9:45	Ba		18.685	ug/L	EPA200.8
6/28/2017 9:45	Ba		23.07	ug/L	EPA200.8
7/5/2017 10:00	Ba		27.36	ug/L	EPA200.8
7/12/2017 10:10	Ba		19.84	ug/L	EPA200.8
6/15/2017 10:05	Be	<	0.188	ug/L	EPA200.8
6/21/2017 9:45	Be	<	0.188	ug/L	EPA200.8
6/28/2017 9:45	Be	<	0.188	ug/L	EPA200.8
7/5/2017 10:00	Be		1.718	ug/L	EPA200.8
7/12/2017 10:10	Be	<	0.188	ug/L	EPA200.8
6/15/2017 10:05	BOD	<	2	mg/L	SM5210 B
6/21/2017 9:45	BOD	<	2	mg/L	SM5210 B
6/28/2017 9:45	BOD	<	2	mg/L	SM5210 B
7/5/2017 10:00	BOD	<	2	mg/L	SM5210 B

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/12/2017 10:10	BOD	<	2	mg/L	SM5210 B
6/15/2017 10:05	Ca		63280	ug/L	EPA200.8
6/21/2017 9:45	Ca		38155	ug/L	EPA200.8
6/28/2017 9:45	Ca		50500	ug/L	EPA200.8
7/5/2017 10:00	Ca		59080	ug/L	EPA200.8
7/12/2017 10:10	Ca		44870	ug/L	EPA200.8
6/15/2017 10:05	Cd	<	0.106	ug/L	EPA200.8
6/21/2017 9:45	Cd	<	0.106	ug/L	EPA200.8
6/28/2017 9:45	Cd	<	0.106	ug/L	EPA200.8
7/5/2017 10:00	Cd		2.897	ug/L	EPA200.8
7/12/2017 10:10	Cd	<	0.106	ug/L	EPA200.8
6/21/2017 9:45	Chloride		136.55	mg/L	EPA300.0
7/5/2017 10:00	Chloride		176.8	mg/L	EPA300.0
7/12/2017 10:10	Chloride		132.7	mg/L	EPA300.0
6/15/2017 10:05	Co	j	0.288	ug/L	EPA200.8
6/21/2017 9:45	Co	j	0.2555	ug/L	EPA200.8
6/28/2017 9:45	Co	j	0.307	ug/L	EPA200.8
7/5/2017 10:00	Co		2.708	ug/L	EPA200.8
7/12/2017 10:10	Co	j	0.162	ug/L	EPA200.8
6/15/2017 10:05	COD		14.7	mg/L	EPA410.4
6/28/2017 9:45	COD	j	6.3	mg/L	EPA410.4
7/5/2017 10:00	COD	j	9.8	mg/L	EPA410.4
7/12/2017 10:10	COD	j	4.9	mg/L	EPA410.4
6/15/2017 10:05	Conduct		1223	uS/cm	SM2510 B
6/21/2017 9:45	Conduct		728	uS/cm	SM2510 B
6/28/2017 9:45	Conduct		921	uS/cm	SM2510 B
7/5/2017 10:00	Conduct		977	uS/cm	SM2510 B
7/12/2017 10:10	Conduct		761	uS/cm	SM2510 B
6/15/2017 10:05	Cr	j	1.492	ug/L	EPA200.8
6/21/2017 9:45	Cr	j	1.2455	ug/L	EPA200.8
6/28/2017 9:45	Cr	j	1.579	ug/L	EPA200.8
7/12/2017 10:10	Cr	j	1.105	ug/L	EPA200.8
6/15/2017 10:05	Cu		3.589	ug/L	EPA200.8
6/21/2017 9:45	Cu		2.855	ug/L	EPA200.8
6/28/2017 9:45	Cu		2.44	ug/L	EPA200.8
7/5/2017 10:00	Cu		4.537	ug/L	EPA200.8
7/12/2017 10:10	Cu		2.552	ug/L	EPA200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2017 10:05	DRPhos		0.016	mg/L	EPA365.1
6/21/2017 9:45	DRPhos		0.041	mg/L	EPA365.1
6/28/2017 9:45	DRPhos		0.032	mg/L	EPA365.1
7/12/2017 10:10	DRPhos		0.029	mg/L	EPA365.1
6/15/2017 10:05	E. coli		3470	MPN/100 mL	SM9223 Colilert
6/21/2017 9:45	E. coli		874	MPN/100 mL	SM9223 Colilert
6/28/2017 9:45	E. coli		496	MPN/100 mL	SM9223 Colilert
7/5/2017 10:00	E. coli		1232	MPN/100 mL	SM9223 Colilert
7/12/2017 10:10	E. coli		1012	MPN/100 mL	SM9223 Colilert
6/15/2017 10:05	Fe		321.4	ug/L	EPA200.8
6/21/2017 9:45	Fe		253.55	ug/L	EPA200.8
6/28/2017 9:45	Fe		327.9	ug/L	EPA200.8
7/5/2017 10:00	Fe		390	ug/L	EPA200.8
7/12/2017 10:10	Fe		188.2	ug/L	EPA200.8
6/15/2017 10:05	Field Cond		1176	umhos/cm	SM 2510A
6/21/2017 9:45	Field Cond		639.5	umhos/cm	SM 2510A
6/28/2017 9:45	Field Cond		799	umhos/cm	SM 2510A
7/5/2017 10:00	Field Cond		851	umhos/cm	SM 2510A
7/12/2017 10:10	Field Cond		714	umhos/cm	SM 2510A
6/15/2017 10:05	Field Spec Cond		1236	umhos/cm	SM 2510B
6/21/2017 9:45	Field Spec Cond		721.9	umhos/cm	SM 2510B
6/28/2017 9:45	Field Spec Cond		925	umhos/cm	SM 2510B
7/5/2017 10:00	Field Spec Cond		940.7	umhos/cm	SM 2510B
7/12/2017 10:10	Field Spec Cond		757	umhos/cm	SM 2510B
6/15/2017 10:05	Field DO		7.9	mg/L	SM 4500-0 G
6/21/2017 9:45	Field DO		8.84	mg/L	SM 4500-0 G
6/28/2017 9:45	Field DO		9.54	mg/L	SM 4500-0 G
7/5/2017 10:00	Field DO		8.8	mg/L	SM 4500-0 G
7/12/2017 10:10	Field DO		8.3	mg/L	SM 4500-0 G
6/15/2017 10:05	Field DO		91	%	
6/21/2017 9:45	Field DO		95.6	%	
6/28/2017 9:45	Field DO		99.5	%	
7/5/2017 10:00	Field DO		97	%	
7/12/2017 10:10	Field DO		95	%	
6/15/2017 10:05	Field Temp		22.5	C	EPA 170.1
6/21/2017 9:45	Field Temp		19	C	EPA 170.1
6/28/2017 9:45	Field Temp		16.7	C	EPA 170.1
7/5/2017 10:00	Field Temp		20	C	EPA 170.1
7/12/2017 10:10	Field Temp		22	C	EPA 170.1

Euclid Creek
River Mile 1.65

Sample Date	Parameter	Code	Result	Units	Method
6/15/2017 10:05	Hg	<	0.025	ug/L	EPA245.1
6/21/2017 9:45	Hg	<	0.025	ug/L	EPA245.1
6/28/2017 9:45	Hg	<	0.025	ug/L	EPA245.1
7/5/2017 10:00	Hg	<	0.025	ug/L	EPA245.1
7/12/2017 10:10	Hg	<	0.025	ug/L	EPA245.1
6/15/2017 10:05	K		4489	ug/L	EPA200.8
6/21/2017 9:45	K		2844	ug/L	EPA200.8
6/28/2017 9:45	K		3414	ug/L	EPA200.8
7/5/2017 10:00	K		4659	ug/L	EPA200.8
7/12/2017 10:10	K		3245	ug/L	EPA200.8
6/15/2017 10:05	Mg		15360	ug/L	EPA200.8
6/21/2017 9:45	Mg		9037.5	ug/L	EPA200.8
6/28/2017 9:45	Mg		11440	ug/L	EPA200.8
7/5/2017 10:00	Mg		13140	ug/L	EPA200.8
7/12/2017 10:10	Mg		9667	ug/L	EPA200.8
6/15/2017 10:05	Mn		16.7	ug/L	EPA200.8
6/21/2017 9:45	Mn		12.135	ug/L	EPA200.8
6/28/2017 9:45	Mn		17.73	ug/L	EPA200.8
7/5/2017 10:00	Mn		18.46	ug/L	EPA200.8
7/12/2017 10:10	Mn		9.714	ug/L	EPA200.8
6/15/2017 10:05	Mo		3.478	ug/L	EPA200.8
6/21/2017 9:45	Mo		2.751	ug/L	EPA200.8
6/28/2017 9:45	Mo		2.592	ug/L	EPA200.8
7/5/2017 10:00	Mo		4.038	ug/L	EPA200.8
7/12/2017 10:10	Mo		2.928	ug/L	EPA200.8
6/15/2017 10:05	Na		149000	ug/L	EPA200.8
6/21/2017 9:45	Na		84685	ug/L	EPA200.8
6/28/2017 9:45	Na		114200	ug/L	EPA200.8
7/5/2017 10:00	Na		114400	ug/L	EPA200.8
7/12/2017 10:10	Na		96720	ug/L	EPA200.8
6/15/2017 10:05	NH3	j	0.013	mg/L	EPA350.1
6/21/2017 9:45	NH3	j	0.01	mg/L	EPA350.1
6/28/2017 9:45	NH3	<	0.01	mg/L	EPA350.1
7/5/2017 10:00	NH3	<	0.01	mg/L	EPA350.1
7/12/2017 10:10	NH3	<	0.01	mg/L	EPA350.1
6/15/2017 10:05	Ni	j	3.28	ug/L	EPA200.8
6/21/2017 9:45	Ni	j	2.3155	ug/L	EPA200.8
6/28/2017 9:45	Ni	j	2.603	ug/L	EPA200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
7/5/2017 10:00	Ni		5.112	ug/L	EPA200.8
7/12/2017 10:10	Ni	j	2.075	ug/L	EPA200.8
6/15/2017 10:05	NO2	<	0.005	mg/L	SM4500-NO2 B
6/21/2017 9:45	NO2	<	0.005	mg/L	SM4500-NO2 B
6/28/2017 9:45	NO2	<	0.005	mg/L	SM4500-NO2 B
7/5/2017 10:00	NO2	<	0.005	mg/L	SM4500-NO2 B
7/12/2017 10:10	NO2	<	0.005	mg/L	SM4500-NO2 B
6/15/2017 10:05	NO3		0.81	mg/L	EPA353.2
6/21/2017 9:45	NO3		0.7225	mg/L	EPA353.2
6/28/2017 9:45	NO3		0.39	mg/L	EPA353.2
7/5/2017 10:00	NO3		0.376	mg/L	EPA353.2
7/12/2017 10:10	NO3		0.208	mg/L	EPA353.2
6/15/2017 10:05	NO3+NO2		0.813	mg/L	EPA353.2
6/21/2017 9:45	NO3+NO2		0.722	mg/L	EPA353.2
6/28/2017 9:45	NO3+NO2		0.384	mg/L	EPA353.2
7/5/2017 10:00	NO3+NO2		0.376	mg/L	EPA353.2
7/12/2017 10:10	NO3+NO2		0.207	mg/L	EPA353.2
6/15/2017 10:05	Pb	j	0.412	ug/L	EPA200.8
6/21/2017 9:45	Pb	j	0.3945	ug/L	EPA200.8
6/28/2017 9:45	Pb	j	0.422	ug/L	EPA200.8
7/5/2017 10:00	Pb		2.365	ug/L	EPA200.8
7/12/2017 10:10	Pb	<	0.168	ug/L	EPA200.8
6/15/2017 10:05	pH		7.85	S.U.	
6/21/2017 9:45	pH		7.97	S.U.	
6/28/2017 9:45	pH		7.97	S.U.	
7/5/2017 10:00	pH		7.92	S.U.	
7/12/2017 10:10	pH		7.9	S.U.	
6/15/2017 10:05	Sb	<	0.794	ug/L	EPA200.8
6/21/2017 9:45	Sb	<	0.794	ug/L	EPA200.8
6/28/2017 9:45	Sb	<	0.794	ug/L	EPA200.8
7/5/2017 10:00	Sb	j	0.887	ug/L	EPA200.8
7/12/2017 10:10	Sb	<	0.794	ug/L	EPA200.8
6/15/2017 10:05	Se	<	1.244	ug/L	EPA200.8
6/21/2017 9:45	Se	<	1.244	ug/L	EPA200.8
6/28/2017 9:45	Se	<	1.244	ug/L	EPA200.8
7/5/2017 10:00	Se	<	1.244	ug/L	EPA200.8
7/12/2017 10:10	Se	<	1.244	ug/L	EPA200.8
6/15/2017 10:05	Sn	<	1.336	ug/L	EPA200.8

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/21/2017 9:45	Sn	<	1.6295	ug/L	EPA200.8
6/28/2017 9:45	Sn	<	1.336	ug/L	EPA200.8
7/5/2017 10:00	Sn	j	3.812	ug/L	EPA200.8
7/12/2017 10:10	Sn	<	1.336	ug/L	EPA200.8
6/21/2017 9:45	SO4		38.385	mg/L	EPA300.0
7/5/2017 10:00	SO4		63.5	mg/L	EPA300.0
7/12/2017 10:10	SO4		42.81	mg/L	EPA300.0
6/15/2017 10:05	Sr		323.291	ug/L	EPA200.8
6/21/2017 9:45	Sr		195.1615	ug/L	EPA200.8
6/28/2017 9:45	Sr		254.101	ug/L	EPA200.8
7/5/2017 10:00	Sr		292.744	ug/L	EPA200.8
7/12/2017 10:10	Sr		210.072	ug/L	EPA200.8
6/15/2017 10:05	TDS		681	mg/L	SM2540 C
6/21/2017 9:45	TDS		382	mg/L	SM2540 C
6/28/2017 9:45	TDS		438	mg/L	SM2540 C
7/5/2017 10:00	TDS		590	mg/L	SM2540 C
7/12/2017 10:10	TDS		410	mg/L	SM2540 C
6/15/2017 10:05	Ti	j	1.14	ug/L	EPA200.8
6/21/2017 9:45	Ti	j	1.7745	ug/L	EPA200.8
6/28/2017 9:45	Ti	j	1.658	ug/L	EPA200.8
7/5/2017 10:00	Ti		3.025	ug/L	EPA200.8
7/12/2017 10:10	Ti	j	0.83	ug/L	EPA200.8
6/15/2017 10:05	TKN		0.606	mg/L	EPA351.2
6/21/2017 9:45	TKN	j	0.4125	mg/L	EPA351.2
6/28/2017 9:45	TKN	j	0.318	mg/L	EPA351.2
7/5/2017 10:00	TKN	j	0.414	mg/L	EPA351.2
7/12/2017 10:10	TKN	j	0.34	mg/L	EPA351.2
6/15/2017 10:05	TI	<	0.196	ug/L	EPA200.8
6/21/2017 9:45	TI	<	0.196	ug/L	EPA200.8
6/28/2017 9:45	TI	<	0.196	ug/L	EPA200.8
7/5/2017 10:00	TI	j	0.624	ug/L	EPA200.8
7/12/2017 10:10	TI	<	0.196	ug/L	EPA200.8
6/15/2017 10:05	TMET		12.8	ug/L	EPA200.8
6/21/2017 9:45	TMET	<	10.45	ug/L	EPA200.8
6/28/2017 9:45	TMET	<	10	ug/L	EPA200.8
7/5/2017 10:00	TMET		482.2	ug/L	EPA200.8
7/12/2017 10:10	TMET	<	10	ug/L	EPA200.8
6/15/2017 10:05	Total-P		0.032	mg/L	EPA365.1

Euclid Creek River Mile 1.65					
Sample Date	Parameter	Code	Result	Units	Method
6/21/2017 9:45	Total-P		0.0545	mg/L	EPA365.1
6/28/2017 9:45	Total-P		0.038	mg/L	EPA365.1
7/5/2017 10:00	Total-P		0.035	mg/L	EPA365.1
7/12/2017 10:10	Total-P		0.038	mg/L	EPA365.1
6/15/2017 10:05	TS		844	mg/L	SM2540 B
6/21/2017 9:45	TS		432	mg/L	SM2540 B
6/28/2017 9:45	TS		560	mg/L	SM2540 B
7/5/2017 10:00	TS		544	mg/L	SM2540 B
7/12/2017 10:10	TS		456	mg/L	SM2540 B
6/15/2017 10:05	TSS		2.5	mg/L	SM2540 D
6/21/2017 9:45	TSS		3.5	mg/L	SM2540 D
6/28/2017 9:45	TSS		1.7	mg/L	SM2540 D
7/5/2017 10:00	TSS		2.2	mg/L	SM2540 D
7/12/2017 10:10	TSS		1.7	mg/L	SM2540 D
6/15/2017 10:05	Turbidity		1.91	NTU	EPA180.1
6/21/2017 9:45	Turbidity		4.05	NTU	EPA180.1
6/28/2017 9:45	Turbidity		3.04	NTU	EPA180.1
7/5/2017 10:00	Turbidity		2.35	NTU	EPA180.1
7/12/2017 10:10	Turbidity		1.8	NTU	EPA180.1
6/15/2017 10:05	V	<	4.138	ug/L	EPA200.8
6/21/2017 9:45	V	<	4.138	ug/L	EPA200.8
6/28/2017 9:45	V	<	4.138	ug/L	EPA200.8
7/5/2017 10:00	V	<	4.138	ug/L	EPA200.8
7/12/2017 10:10	V	<	4.138	ug/L	EPA200.8
6/15/2017 10:05	Zn	j	4.393	ug/L	EPA200.8
6/21/2017 9:45	Zn	j	3.9935	ug/L	EPA200.8
6/28/2017 9:45	Zn	j	2.804	ug/L	EPA200.8
7/5/2017 10:00	Zn		469.3	ug/L	EPA200.8
7/12/2017 10:10	Zn	j	2.127	ug/L	EPA200.8

Euclid Creek River Mile 0.55 (EM5)					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2017 9:20	*CaCO3		220	mg/LCaCO3	EPA200.8
6/21/2017 9:15	*CaCO3		126	mg/LCaCO3	EPA200.8
6/28/2017 9:15	*CaCO3		172	mg/LCaCO3	EPA200.8
7/5/2017 9:30	*CaCO3		206	mg/LCaCO3	EPA200.8
7/12/2017 9:45	*CaCO3		151	mg/LCaCO3	EPA200.8
6/15/2017 9:20	Ag	<	0.254	ug/L	EPA200.8
6/21/2017 9:15	Ag	<	0.254	ug/L	EPA200.8
6/28/2017 9:15	Ag	<	0.254	ug/L	EPA200.8
7/5/2017 9:30	Ag	<	0.254	ug/L	EPA200.8
7/12/2017 9:45	Ag	<	0.254	ug/L	EPA200.8
6/15/2017 9:20	Al		39.78	ug/L	EPA200.8
6/21/2017 9:15	Al		88.68	ug/L	EPA200.8
6/28/2017 9:15	Al		64.58	ug/L	EPA200.8
7/5/2017 9:30	Al		52.02	ug/L	EPA200.8
7/12/2017 9:45	Al		45.87	ug/L	EPA200.8
6/15/2017 9:20	Alkalinity		121.8	mg/LCaCO3	EPA310.2
6/21/2017 9:15	Alkalinity		91.8	mg/LCaCO3	EPA310.2
6/28/2017 9:15	Alkalinity		114.9	mg/LCaCO3	EPA310.2
7/5/2017 9:30	Alkalinity		132.5	mg/LCaCO3	EPA310.2
7/12/2017 9:45	Alkalinity		106.8	mg/LCaCO3	EPA310.2
6/15/2017 9:20	As	<	1.164	ug/L	EPA200.8
6/21/2017 9:15	As	<	1.164	ug/L	EPA200.8
6/28/2017 9:15	As	<	1.164	ug/L	EPA200.8
7/5/2017 9:30	As	<	1.164	ug/L	EPA200.8
7/12/2017 9:45	As	<	1.164	ug/L	EPA200.8
6/15/2017 9:20	Ba		33.93	ug/L	EPA200.8
6/21/2017 9:15	Ba		18.31	ug/L	EPA200.8
6/28/2017 9:15	Ba		24.45	ug/L	EPA200.8
7/5/2017 9:30	Ba		29.11	ug/L	EPA200.8
7/12/2017 9:45	Ba		21.51	ug/L	EPA200.8
6/15/2017 9:20	Be	<	0.188	ug/L	EPA200.8
6/21/2017 9:15	Be	<	0.188	ug/L	EPA200.8
6/28/2017 9:15	Be	<	0.188	ug/L	EPA200.8
7/5/2017 9:30	Be	<	0.188	ug/L	EPA200.8
7/12/2017 9:45	Be	<	0.188	ug/L	EPA200.8
6/15/2017 9:20	BOD		2.8	mg/L	SM5210 B
6/21/2017 9:15	BOD	<	2	mg/L	SM5210 B
6/28/2017 9:15	BOD	<	2	mg/L	SM5210 B
7/5/2017 9:30	BOD	<	2	mg/L	SM5210 B

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/12/2017 9:45	BOD	<	2	mg/L	SM5210 B
6/15/2017 9:20	Ca		63370	ug/L	EPA200.8
6/21/2017 9:15	Ca		36500	ug/L	EPA200.8
6/28/2017 9:15	Ca		49820	ug/L	EPA200.8
7/5/2017 9:30	Ca		60950	ug/L	EPA200.8
7/12/2017 9:45	Ca		44400	ug/L	EPA200.8
6/15/2017 9:20	Cd	<	0.106	ug/L	EPA200.8
6/21/2017 9:15	Cd	<	0.106	ug/L	EPA200.8
6/28/2017 9:15	Cd	<	0.106	ug/L	EPA200.8
7/5/2017 9:30	Cd	<	0.106	ug/L	EPA200.8
7/12/2017 9:45	Cd	<	0.106	ug/L	EPA200.8
6/21/2017 9:15	Chloride		131.8	mg/L	EPA300.0
7/12/2017 9:45	Chloride		135.4	mg/L	EPA300.0
6/15/2017 9:20	Co	j	0.261	ug/L	EPA200.8
6/21/2017 9:15	Co	j	0.253	ug/L	EPA200.8
6/28/2017 9:15	Co	j	0.276	ug/L	EPA200.8
7/5/2017 9:30	Co	j	0.305	ug/L	EPA200.8
7/12/2017 9:45	Co	j	0.211	ug/L	EPA200.8
6/15/2017 9:20	COD		15.2	mg/L	EPA410.4
6/21/2017 9:15	COD	j	9.5	mg/L	EPA410.4
6/28/2017 9:15	COD	j	8.7	mg/L	EPA410.4
7/5/2017 9:30	COD		12.5	mg/L	EPA410.4
7/12/2017 9:45	COD	<	4.6	mg/L	EPA410.4
6/15/2017 9:20	Conduct		1220	uS/cm	SM2510 B
6/21/2017 9:15	Conduct		732	uS/cm	SM2510 B
6/28/2017 9:15	Conduct		937	uS/cm	SM2510 B
7/5/2017 9:30	Conduct		1004	uS/cm	SM2510 B
7/12/2017 9:45	Conduct		765.7	uS/cm	SM2510 B
6/15/2017 9:20	Cr	j	1.446	ug/L	EPA200.8
6/21/2017 9:15	Cr	j	1.167	ug/L	EPA200.8
6/28/2017 9:15	Cr	j	1.482	ug/L	EPA200.8
7/5/2017 9:30	Cr	j	1.612	ug/L	EPA200.8
7/12/2017 9:45	Cr	<	0.954	ug/L	EPA200.8
6/15/2017 9:20	Cu		3.944	ug/L	EPA200.8
6/21/2017 9:15	Cu		3.027	ug/L	EPA200.8
6/28/2017 9:15	Cu		2.556	ug/L	EPA200.8
7/5/2017 9:30	Cu		2.585	ug/L	EPA200.8
7/12/2017 9:45	Cu		3.057	ug/L	EPA200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/15/2017 9:20	DRPhos		0.015	mg/L	EPA365.1
6/21/2017 9:15	DRPhos		0.032	mg/L	EPA365.1
6/28/2017 9:15	DRPhos		0.023	mg/L	EPA365.1
7/12/2017 9:45	DRPhos		0.02	mg/L	EPA365.1
6/15/2017 9:20	E. coli		7980	MPN/100 mL	SM9223 Colilert
6/21/2017 9:15	E. coli		1485	MPN/100 mL	SM9223 Colilert
6/28/2017 9:15	E. coli		992	MPN/100 mL	SM9223 Colilert
7/5/2017 9:30	E. coli		1386	MPN/100 mL	SM9223 Colilert
7/12/2017 9:45	E. coli		2439	MPN/100 mL	SM9223 Colilert
6/15/2017 9:20	Fe		329.4	ug/L	EPA200.8
6/21/2017 9:15	Fe		286.6	ug/L	EPA200.8
6/28/2017 9:15	Fe		366.2	ug/L	EPA200.8
7/5/2017 9:30	Fe		369.9	ug/L	EPA200.8
7/12/2017 9:45	Fe		264.5	ug/L	EPA200.8
6/15/2017 9:20	Field Cond		1186	umhos/cm	SM 2510A
6/21/2017 9:15	Field Cond		629.4	umhos/cm	SM 2510A
6/28/2017 9:15	Field Cond		799	umhos/cm	SM 2510A
7/5/2017 9:30	Field Cond		894.5	umhos/cm	SM 2510A
7/12/2017 9:45	Field Cond		728	umhos/cm	SM 2510A
6/15/2017 9:20	Field Spec Cond		1244	umhos/cm	SM 2510B
6/21/2017 9:15	Field Spec Cond		707.9	umhos/cm	SM 2510B
6/28/2017 9:15	Field Spec Cond		938	umhos/cm	SM 2510B
7/5/2017 9:30	Field Spec Cond		979.5	umhos/cm	SM 2510B
7/12/2017 9:45	Field Spec Cond		769	umhos/cm	SM 2510B
6/15/2017 9:20	Field DO		8.21	mg/L	SM 4500-0 G
6/21/2017 9:15	Field DO		9.23	mg/L	SM 4500-0 G
6/28/2017 9:15	Field DO		9.34	mg/L	SM 4500-0 G
7/5/2017 9:30	Field DO		9.4	mg/L	SM 4500-0 G
7/12/2017 9:45	Field DO		8	mg/L	SM 4500-0 G
6/15/2017 9:20	Field DO		95.2	%	
6/21/2017 9:15	Field DO		100.1	%	
6/28/2017 9:15	Field DO		97.7	%	
7/5/2017 9:30	Field DO		104.5	%	
7/12/2017 9:45	Field DO		92	%	
6/15/2017 9:20	Field Temp		22.5	C	EPA 170.1
6/21/2017 9:15	Field Temp		19.2	C	EPA 170.1
6/28/2017 9:15	Field Temp		17.2	C	EPA 170.1
7/5/2017 9:30	Field Temp		20.5	C	EPA 170.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/12/2017 9:45	Field Temp		22.2	C	EPA 170.1
6/15/2017 9:20	Hg	<	0.025	ug/L	EPA245.1
6/21/2017 9:15	Hg	<	0.025	ug/L	EPA245.1
6/28/2017 9:15	Hg	<	0.025	ug/L	EPA245.1
7/5/2017 9:30	Hg	<	0.025	ug/L	EPA245.1
7/12/2017 9:45	Hg	<	0.025	ug/L	EPA245.1
6/15/2017 9:20	K		4630	ug/L	EPA200.8
6/21/2017 9:15	K		2751	ug/L	EPA200.8
6/28/2017 9:15	K		3297	ug/L	EPA200.8
7/5/2017 9:30	K		4121	ug/L	EPA200.8
7/12/2017 9:45	K		3245	ug/L	EPA200.8
6/15/2017 9:20	Mg		14960	ug/L	EPA200.8
6/21/2017 9:15	Mg		8574	ug/L	EPA200.8
6/28/2017 9:15	Mg		11750	ug/L	EPA200.8
7/5/2017 9:30	Mg		12960	ug/L	EPA200.8
7/12/2017 9:45	Mg		9762	ug/L	EPA200.8
6/15/2017 9:20	Mn		19.07	ug/L	EPA200.8
6/21/2017 9:15	Mn		13.83	ug/L	EPA200.8
6/28/2017 9:15	Mn		23.12	ug/L	EPA200.8
7/5/2017 9:30	Mn		24.01	ug/L	EPA200.8
7/12/2017 9:45	Mn		19.5	ug/L	EPA200.8
6/15/2017 9:20	Mo		3.736	ug/L	EPA200.8
6/21/2017 9:15	Mo		3.036	ug/L	EPA200.8
6/28/2017 9:15	Mo		2.942	ug/L	EPA200.8
7/5/2017 9:30	Mo		3.296	ug/L	EPA200.8
7/12/2017 9:45	Mo		3.044	ug/L	EPA200.8
6/15/2017 9:20	Na		150700	ug/L	EPA200.8
6/21/2017 9:15	Na		83270	ug/L	EPA200.8
6/28/2017 9:15	Na		114000	ug/L	EPA200.8
7/5/2017 9:30	Na		121600	ug/L	EPA200.8
7/12/2017 9:45	Na		97810	ug/L	EPA200.8
6/15/2017 9:20	NH3	j	0.011	mg/L	EPA350.1
6/21/2017 9:15	NH3	j	0.014	mg/L	EPA350.1
6/28/2017 9:15	NH3	<	0.01	mg/L	EPA350.1
7/5/2017 9:30	NH3	<	0.01	mg/L	EPA350.1
7/12/2017 9:45	NH3	<	0.01	mg/L	EPA350.1
6/15/2017 9:20	Ni	j	3.354	ug/L	EPA200.8
6/21/2017 9:15	Ni	j	2.25	ug/L	EPA200.8

Euclid Creek River Mile 0.55 (EM5)						
Sample Date	Parameter	Code	Result	Units	Method	
6/28/2017 9:15	Ni	j	2.586	ug/L	EPA200.8	
7/5/2017 9:30	Ni	j	3.18	ug/L	EPA200.8	
7/12/2017 9:45	Ni	j	2.175	ug/L	EPA200.8	
6/15/2017 9:20	NO2	j	0.006	mg/L	SM4500-NO2 B	
6/21/2017 9:15	NO2	<	0.005	mg/L	SM4500-NO2 B	
6/28/2017 9:15	NO2	<	0.005	mg/L	SM4500-NO2 B	
7/5/2017 9:30	NO2	<	0.005	mg/L	SM4500-NO2 B	
7/12/2017 9:45	NO2	<	0.005	mg/L	SM4500-NO2 B	
6/15/2017 9:20	NO3		0.758	mg/L	EPA353.2	
6/21/2017 9:15	NO3		0.766	mg/L	EPA353.2	
6/28/2017 9:15	NO3		0.34	mg/L	EPA353.2	
7/5/2017 9:30	NO3		0.293	mg/L	EPA353.2	
7/12/2017 9:45	NO3		0.172	mg/L	EPA353.2	
6/15/2017 9:20	NO3+NO2		0.764	mg/L	EPA353.2	
6/21/2017 9:15	NO3+NO2		0.771	mg/L	EPA353.2	
6/28/2017 9:15	NO3+NO2		0.339	mg/L	EPA353.2	
7/5/2017 9:30	NO3+NO2		0.292	mg/L	EPA353.2	
7/12/2017 9:45	NO3+NO2		0.172	mg/L	EPA353.2	
6/15/2017 9:20	Pb	j	0.42	ug/L	EPA200.8	
6/21/2017 9:15	Pb	j	0.418	ug/L	EPA200.8	
6/28/2017 9:15	Pb	j	0.412	ug/L	EPA200.8	
7/5/2017 9:30	Pb	j	0.435	ug/L	EPA200.8	
7/12/2017 9:45	Pb	j	0.518	ug/L	EPA200.8	
6/15/2017 9:20	pH		7.86	S.U.		
6/21/2017 9:15	pH		7.99	S.U.		
6/28/2017 9:15	pH		8.03	S.U.		
7/5/2017 9:30	pH		8.02	S.U.		
7/12/2017 9:45	pH		7.8	S.U.		
6/15/2017 9:20	Sb	<	0.794	ug/L	EPA200.8	
6/21/2017 9:15	Sb	<	0.794	ug/L	EPA200.8	
6/28/2017 9:15	Sb	<	0.794	ug/L	EPA200.8	
7/5/2017 9:30	Sb	<	0.794	ug/L	EPA200.8	
7/12/2017 9:45	Sb	<	0.794	ug/L	EPA200.8	
6/15/2017 9:20	Se	<	1.244	ug/L	EPA200.8	
6/21/2017 9:15	Se	<	1.244	ug/L	EPA200.8	
6/28/2017 9:15	Se	<	1.244	ug/L	EPA200.8	
7/5/2017 9:30	Se	<	1.244	ug/L	EPA200.8	
7/12/2017 9:45	Se	<	1.244	ug/L	EPA200.8	

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/15/2017 9:20	Sn	<	1.336	ug/L	EPA200.8
6/21/2017 9:15	Sn	<	1.336	ug/L	EPA200.8
6/28/2017 9:15	Sn	<	1.336	ug/L	EPA200.8
7/5/2017 9:30	Sn	<	1.336	ug/L	EPA200.8
7/12/2017 9:45	Sn	<	1.336	ug/L	EPA200.8
6/21/2017 9:15	SO4		35.88	mg/L	EPA300.0
7/12/2017 9:45	SO4		42.71	mg/L	EPA300.0
6/15/2017 9:20	Sr		324.422	ug/L	EPA200.8
6/21/2017 9:15	Sr		187.96	ug/L	EPA200.8
6/28/2017 9:15	Sr		252.956	ug/L	EPA200.8
7/5/2017 9:30	Sr		309.123	ug/L	EPA200.8
7/12/2017 9:45	Sr		217.886	ug/L	EPA200.8
6/15/2017 9:20	TDS		704	mg/L	SM2540 C
6/21/2017 9:15	TDS		382	mg/L	SM2540 C
6/28/2017 9:15	TDS		410	mg/L	SM2540 C
7/5/2017 9:30	TDS		622	mg/L	SM2540 C
7/12/2017 9:45	TDS		400	mg/L	SM2540 C
6/15/2017 9:20	Ti	j	1.977	ug/L	EPA200.8
6/21/2017 9:15	Ti	j	1.766	ug/L	EPA200.8
6/28/2017 9:15	Ti	j	1.494	ug/L	EPA200.8
7/5/2017 9:30	Ti	j	1.358	ug/L	EPA200.8
7/12/2017 9:45	Ti	j	1.093	ug/L	EPA200.8
6/15/2017 9:20	TKN		0.525	mg/L	EPA351.2
6/21/2017 9:15	TKN	j	0.438	mg/L	EPA351.2
6/28/2017 9:15	TKN	j	0.358	mg/L	EPA351.2
7/5/2017 9:30	TKN	j	0.337	mg/L	EPA351.2
7/12/2017 9:45	TKN	j	0.414	mg/L	EPA351.2
6/15/2017 9:20	TI	<	0.196	ug/L	EPA200.8
6/21/2017 9:15	TI	<	0.196	ug/L	EPA200.8
6/28/2017 9:15	TI	<	0.196	ug/L	EPA200.8
7/5/2017 9:30	TI	<	0.196	ug/L	EPA200.8
7/12/2017 9:45	TI	<	0.196	ug/L	EPA200.8
6/15/2017 9:20	TMET		13.1	ug/L	EPA200.8
6/21/2017 9:15	TMET	<	10	ug/L	EPA200.8
6/28/2017 9:15	TMET	<	10	ug/L	EPA200.8
7/5/2017 9:30	TMET	<	10	ug/L	EPA200.8
7/12/2017 9:45	TMET	<	10	ug/L	EPA200.8
6/15/2017 9:20	Total-P		0.032	mg/L	EPA365.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/21/2017 9:15	Total-P		0.05	mg/L	EPA365.1
6/28/2017 9:15	Total-P		0.037	mg/L	EPA365.1
7/5/2017 9:30	Total-P		0.029	mg/L	EPA365.1
7/12/2017 9:45	Total-P		0.047	mg/L	EPA365.1
6/15/2017 9:20	TS		704	mg/L	SM2540 B
6/21/2017 9:15	TS		474	mg/L	SM2540 B
6/28/2017 9:15	TS		567	mg/L	SM2540 B
7/5/2017 9:30	TS		636	mg/L	SM2540 B
7/12/2017 9:45	TS		494	mg/L	SM2540 B
6/15/2017 9:20	TSS		2.5	mg/L	SM2540 D
6/21/2017 9:15	TSS		2.9	mg/L	SM2540 D
6/28/2017 9:15	TSS		8.9	mg/L	SM2540 D
7/5/2017 9:30	TSS		6.1	mg/L	SM2540 D
7/12/2017 9:45	TSS		10.8	mg/L	SM2540 D
6/15/2017 9:20	Turbidity		2.41	NTU	EPA180.1
6/21/2017 9:15	Turbidity		4.24	NTU	EPA180.1
6/28/2017 9:15	Turbidity		2.64	NTU	EPA180.1
7/5/2017 9:30	Turbidity		2.6	NTU	EPA180.1
7/12/2017 9:45	Turbidity		4.5	NTU	EPA180.1
6/15/2017 9:20	V	<	4.138	ug/L	EPA200.8
6/21/2017 9:15	V	<	4.138	ug/L	EPA200.8
6/28/2017 9:15	V	<	4.138	ug/L	EPA200.8
7/5/2017 9:30	V	<	4.138	ug/L	EPA200.8
7/12/2017 9:45	V	<	4.138	ug/L	EPA200.8
6/15/2017 9:20	Zn	j	4.373	ug/L	EPA200.8
6/21/2017 9:15	Zn	j	3.658	ug/L	EPA200.8
6/28/2017 9:15	Zn	j	2.903	ug/L	EPA200.8
7/5/2017 9:30	Zn	j	2.156	ug/L	EPA200.8
7/12/2017 9:45	Zn	j	3.621	ug/L	EPA200.8