

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 9:42	*CaCO3		109.5	mg/LCaCO3	1	EPA200.8
6/26/2018 10:00	*CaCO3		177	mg/LCaCO3	1	EPA200.8
7/2/2018 9:42	*CaCO3		180	mg/LCaCO3	1	EPA200.8
7/10/2018 10:15	*CaCO3		181	mg/LCaCO3	1	EPA200.8
7/17/2018 11:08	*CaCO3		129	mg/LCaCO3	1	EPA200.8
6/19/2018 9:42	Ag	<	0.254	ug/L	0.254	EPA200.8
6/26/2018 10:00	Ag	<	0.254	ug/L	0.254	EPA200.8
7/2/2018 9:42	Ag	<	0.254	ug/L	0.254	EPA200.8
7/10/2018 10:15	Ag	<	0.254	ug/L	0.254	EPA200.8
7/17/2018 11:08	Ag	<	0.254	ug/L	0.254	EPA200.8
6/19/2018 9:42	Al		287.05	ug/L	5	EPA200.8
6/26/2018 10:00	Al		30.34	ug/L	5	EPA200.8
7/2/2018 9:42	Al		42.13	ug/L	5	EPA200.8
7/10/2018 10:15	Al		26.56	ug/L	5	EPA200.8
7/17/2018 11:08	Al		126	ug/L	5	EPA200.8
6/19/2018 9:42	Alkalinity		86.45	mg/LCaCO3	4.6	EPA310.2
6/26/2018 10:00	Alkalinity		125.1	mg/LCaCO3	4.6	EPA310.2
7/2/2018 9:42	Alkalinity		132.9	mg/LCaCO3	4.6	EPA310.2
7/10/2018 10:15	Alkalinity		125.5	mg/LCaCO3	4.6	EPA310.2
7/17/2018 11:08	Alkalinity		82.9	mg/LCaCO3	4.6	EPA310.2
6/19/2018 9:42	As	j	1.546	ug/L	1.164	EPA200.8
6/26/2018 10:00	As	<	1.164	ug/L	1.164	EPA200.8
7/2/2018 9:42	As	<	1.164	ug/L	1.164	EPA200.8
7/10/2018 10:15	As	<	1.164	ug/L	1.164	EPA200.8
7/17/2018 11:08	As	j	1.478	ug/L	1.164	EPA200.8
6/19/2018 9:42	Ba		18.795	ug/L	0.268	EPA200.8
6/26/2018 10:00	Ba		24.91	ug/L	0.268	EPA200.8
7/2/2018 9:42	Ba		27.66	ug/L	0.268	EPA200.8
7/10/2018 10:15	Ba		27.09	ug/L	0.268	EPA200.8
7/17/2018 11:08	Ba		20.05	ug/L	0.268	EPA200.8
6/19/2018 9:42	Be	<	0.188	ug/L	0.188	EPA200.8
6/26/2018 10:00	Be	<	0.188	ug/L	0.188	EPA200.8
7/2/2018 9:42	Be	<	0.188	ug/L	0.188	EPA200.8
7/10/2018 10:15	Be	<	0.188	ug/L	0.188	EPA200.8
7/17/2018 11:08	Be	<	0.188	ug/L	0.188	EPA200.8
6/19/2018 9:42	BOD	<	2	mg/L	2	SM5210 B
6/26/2018 10:00	BOD	<	2	mg/L	2	SM5210 B
7/2/2018 9:42	BOD	<	2	mg/L	2	SM5210 B
7/17/2018 11:08	BOD	~	2.2	mg/L	2	SM5210 B

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 9:42	Ca		31195	ug/L	56.43	EPA200.8
6/26/2018 10:00	Ca		50460	ug/L	56.43	EPA200.8
7/2/2018 9:42	Ca		50370	ug/L	56.43	EPA200.8
7/10/2018 10:15	Ca		52700	ug/L	56.43	EPA200.8
7/17/2018 11:08	Ca		38010	ug/L	56.43	EPA200.8
6/19/2018 9:42	Cd	<	0.106	ug/L	0.106	EPA200.8
6/26/2018 10:00	Cd	<	0.106	ug/L	0.106	EPA200.8
7/2/2018 9:42	Cd	<	0.106	ug/L	0.106	EPA200.8
7/10/2018 10:15	Cd	<	0.106	ug/L	0.106	EPA200.8
7/17/2018 11:08	Cd	<	0.106	ug/L	0.106	EPA200.8
6/19/2018 9:42	Chloride		133.7	mg/L	2.5	EPA300.0
6/26/2018 10:00	Chloride		196	mg/L	2.5	EPA300.0
7/2/2018 9:42	Chloride		184.4	mg/L	2.5	EPA300.0
7/10/2018 10:15	Chloride		190.6	mg/L	2.5	EPA300.0
7/17/2018 11:08	Chloride		143	mg/L	2.5	EPA300.0
6/19/2018 9:42	Co	j	0.4405	ug/L	0.072	EPA200.8
6/26/2018 10:00	Co	j	0.332	ug/L	0.072	EPA200.8
7/2/2018 9:42	Co	j	0.389	ug/L	0.072	EPA200.8
7/10/2018 10:15	Co	j	0.29	ug/L	0.072	EPA200.8
7/17/2018 11:08	Co	j	0.297	ug/L	0.072	EPA200.8
6/19/2018 9:42	COD		30.95	mg/L	8.8	EPA410.4
7/2/2018 9:42	COD	j	19.6	mg/L	8.8	EPA410.4
7/10/2018 10:15	COD	j	11.9	mg/L	8.8	EPA410.4
7/17/2018 11:08	COD	j	11.3	mg/L	8.8	EPA410.4
6/19/2018 9:42	Conduct		684	uS/cm	0.7	SM2510 B
6/26/2018 10:00	Conduct		1036	uS/cm	0.7	SM2510 B
7/2/2018 9:42	Conduct		968	uS/cm	0.7	SM2510 B
7/10/2018 10:15	Conduct		1003	uS/cm	0.7	SM2510 B
7/17/2018 11:08	Conduct		745.3	uS/cm	0.7	SM2510 B
6/19/2018 9:42	Cr	<	0.954	ug/L	0.954	EPA200.8
6/26/2018 10:00	Cr	<	0.954	ug/L	0.954	EPA200.8
7/2/2018 9:42	Cr	<	0.954	ug/L	0.954	EPA200.8
7/10/2018 10:15	Cr	<	0.954	ug/L	0.954	EPA200.8
7/17/2018 11:08	Cr	j	1.293	ug/L	0.954	EPA200.8
6/19/2018 9:42	Cu		4.038	ug/L	0.22	EPA200.8
6/26/2018 10:00	Cu		2.267	ug/L	0.22	EPA200.8
7/2/2018 9:42	Cu		2.739	ug/L	0.22	EPA200.8
7/10/2018 10:15	Cu		2.446	ug/L	0.22	EPA200.8

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/17/2018 11:08	Cu		4.716	ug/L	0.22	EPA200.8
6/19/2018 9:42	DRPhos		0.04	mg/L	0.012	EPA365.1
6/26/2018 10:00	DRPhos		0.03	mg/L	0.012	EPA365.1
7/2/2018 9:42	DRPhos		0.026	mg/L	0.012	EPA365.1
7/10/2018 10:15	DRPhos		0.028	mg/L	0.012	EPA365.1
7/17/2018 11:08	DRPhos		0.036	mg/L	0.012	EPA365.1
6/19/2018 9:42	E. coli		8110	MPN/100 mL	1	SM9223 Colilert
6/26/2018 10:00	E. coli		332	MPN/100 mL	1	SM9223 Colilert
7/2/2018 9:42	E. coli		575	MPN/100 mL	1	SM9223 Colilert
7/10/2018 10:15	E. coli	~	359	MPN/100 mL	1	SM9223 Colilert
7/17/2018 11:08	E. coli		5500	MPN/100 mL	1	SM9223 Colilert
6/19/2018 9:42	Fe		588.75	ug/L	4.208	EPA200.8
6/26/2018 10:00	Fe		308.4	ug/L	4.208	EPA200.8
7/2/2018 9:42	Fe		341.8	ug/L	4.208	EPA200.8
7/10/2018 10:15	Fe		314.6	ug/L	4.208	EPA200.8
7/17/2018 11:08	Fe		386.7	ug/L	4.208	EPA200.8
6/19/2018 9:42	Field Cond		677	umhos/cm		SM 2510A
6/26/2018 10:00	Field Cond		857	umhos/cm		SM 2510A
7/2/2018 9:42	Field Cond		1001	umhos/cm		SM 2510A
7/10/2018 10:15	Field Cond		920	umhos/cm		SM 2510A
7/17/2018 11:08	Field Cond		732	umhos/cm		SM 2510A
6/19/2018 9:42	Field Spec Cond		716	umhos/cm		SM 2510B
6/26/2018 10:00	Field Spec Cond		984	umhos/cm		SM 2510B
7/2/2018 9:42	Field Spec Cond		1005	umhos/cm		SM 2510B
7/10/2018 10:15	Field Spec Cond		965	umhos/cm		SM 2510B
7/17/2018 11:08	Field Spec Cond		741	umhos/cm		SM 2510B
6/19/2018 9:42	Field DO		7.9	mg/L		SM 4500-0 G
6/26/2018 10:00	Field DO		8.7	mg/L		SM 4500-0 G
7/2/2018 9:42	Field DO		7.6	mg/L		SM 4500-0 G
7/10/2018 10:15	Field DO		8.5	mg/L		SM 4500-0 G
7/17/2018 11:08	Field DO		8.3	mg/L		SM 4500-0 G
6/19/2018 9:42	Field DO		91	%		
6/26/2018 10:00	Field DO		93	%		
7/2/2018 9:42	Field DO		92	%		
7/10/2018 10:15	Field DO		98	%		
7/17/2018 11:08	Field DO		99	%		
6/19/2018 9:42	Field Temp		22.2	C		EPA 170.1
6/26/2018 10:00	Field Temp		18.2	C		EPA 170.1

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/2/2018 9:42	Field Temp		24.8	C		EPA 170.1
7/10/2018 10:15	Field Temp		22.4	C		EPA 170.1
7/17/2018 11:08	Field Temp		24.4	C		EPA 170.1
6/19/2018 9:42	Hg	<	0.025	ug/L	0.025	EPA245.1
6/26/2018 10:00	Hg	<	0.025	ug/L	0.025	EPA245.1
7/2/2018 9:42	Hg	<	0.025	ug/L	0.025	EPA245.1
7/10/2018 10:15	Hg	<	0.025	ug/L	0.025	EPA245.1
7/17/2018 11:08	Hg	<	0.025	ug/L	0.025	EPA245.1
6/19/2018 9:42	K		2718.5	ug/L	107.6	EPA200.8
6/26/2018 10:00	K		3386	ug/L	107.6	EPA200.8
7/2/2018 9:42	K		3485	ug/L	107.6	EPA200.8
7/10/2018 10:15	K		3476	ug/L	107.6	EPA200.8
7/17/2018 11:08	K		3100	ug/L	107.6	EPA200.8
6/19/2018 9:42	Mg		7764	ug/L	24.11	EPA200.8
6/26/2018 10:00	Mg		12420	ug/L	24.11	EPA200.8
7/2/2018 9:42	Mg		13340	ug/L	24.11	EPA200.8
7/10/2018 10:15	Mg		12040	ug/L	24.11	EPA200.8
7/17/2018 11:08	Mg		8352	ug/L	24.11	EPA200.8
6/19/2018 9:42	Mn		22.505	ug/L	0.254	EPA200.8
6/26/2018 10:00	Mn		16.94	ug/L	0.254	EPA200.8
7/2/2018 9:42	Mn		18.33	ug/L	0.254	EPA200.8
7/10/2018 10:15	Mn		15.64	ug/L	0.254	EPA200.8
7/17/2018 11:08	Mn		17.9	ug/L	0.254	EPA200.8
6/19/2018 9:42	Mo		3.437	ug/L	0.238	EPA200.8
6/26/2018 10:00	Mo		3.15	ug/L	0.238	EPA200.8
7/2/2018 9:42	Mo		3.438	ug/L	0.238	EPA200.8
7/10/2018 10:15	Mo		3.365	ug/L	0.238	EPA200.8
7/17/2018 11:08	Mo		2.353	ug/L	0.238	EPA200.8
6/19/2018 9:42	Na		83950	ug/L	43.67	EPA200.8
6/26/2018 10:00	Na		117600	ug/L	43.67	EPA200.8
7/2/2018 9:42	Na		104300	ug/L	43.67	EPA200.8
7/10/2018 10:15	Na		112000	ug/L	43.67	EPA200.8
7/17/2018 11:08	Na		91650	ug/L	43.67	EPA200.8
6/19/2018 9:42	NH3		0.0315	mg/L	0.01	EPA350.1
6/26/2018 10:00	NH3	<	0.01	mg/L	0.01	EPA350.1
7/2/2018 9:42	NH3	<	0.01	mg/L	0.01	EPA350.1
7/10/2018 10:15	NH3	<	0.01	mg/L	0.01	EPA350.1
7/17/2018 11:08	NH3	<	0.01	mg/L	0.01	EPA350.1

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 9:42	Ni	j	2.859	ug/L	0.208	EPA200.8
6/26/2018 10:00	Ni	j	2.392	ug/L	0.208	EPA200.8
7/2/2018 9:42	Ni	j	3.018	ug/L	0.208	EPA200.8
7/10/2018 10:15	Ni	j	2.425	ug/L	0.208	EPA200.8
7/17/2018 11:08	Ni	j	2.734	ug/L	0.208	EPA200.8
6/19/2018 9:42	NO2		0.0205	mg/L	0.005	SM4500-NO2 B
6/26/2018 10:00	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
7/2/2018 9:42	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
7/10/2018 10:15	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
7/17/2018 11:08	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
6/19/2018 9:42	NO3		0.6835	mg/L	0.009	EPA353.2
6/26/2018 10:00	NO3		0.446	mg/L	0.009	EPA353.2
7/2/2018 9:42	NO3		0.415	mg/L	0.009	EPA353.2
7/10/2018 10:15	NO3		0.473	mg/L	0.009	EPA353.2
7/17/2018 11:08	NO3		0.501	mg/L	0.009	EPA353.2
6/19/2018 9:42	NO3+NO2		0.7045	mg/L	0.009	EPA353.2
6/26/2018 10:00	NO3+NO2		0.447	mg/L	0.009	EPA353.2
7/2/2018 9:42	NO3+NO2		0.418	mg/L	0.009	EPA353.2
7/10/2018 10:15	NO3+NO2		0.473	mg/L	0.009	EPA353.2
7/17/2018 11:08	NO3+NO2		0.501	mg/L	0.009	EPA353.2
6/19/2018 9:42	Pb	j	0.889	ug/L	0.168	EPA200.8
6/26/2018 10:00	Pb	<	0.168	ug/L	0.168	EPA200.8
7/2/2018 9:42	Pb	<	0.168	ug/L	0.168	EPA200.8
7/10/2018 10:15	Pb	<	0.168	ug/L	0.168	EPA200.8
7/17/2018 11:08	Pb	j	0.652	ug/L	0.168	EPA200.8
6/19/2018 9:42	pH		7.9	S.U.		
6/26/2018 10:00	pH		8.1	S.U.		
7/2/2018 9:42	pH		8	S.U.		
7/10/2018 10:15	pH		8.1	S.U.		
7/17/2018 11:08	pH		8.1	S.U.		
6/19/2018 9:42	Sb	<	0.794	ug/L	0.794	EPA200.8
6/26/2018 10:00	Sb	<	0.794	ug/L	0.794	EPA200.8
7/2/2018 9:42	Sb	<	0.794	ug/L	0.794	EPA200.8
7/10/2018 10:15	Sb	<	0.794	ug/L	0.794	EPA200.8
7/17/2018 11:08	Sb	<	0.794	ug/L	0.794	EPA200.8
6/19/2018 9:42	Se	<	1.244	ug/L	1.244	EPA200.8
6/26/2018 10:00	Se	<	1.244	ug/L	1.244	EPA200.8
7/2/2018 9:42	Se	<	1.244	ug/L	1.244	EPA200.8
7/10/2018 10:15	Se	<	1.244	ug/L	1.244	EPA200.8

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/17/2018 11:08	Se	<	1.244	ug/L	1.244	EPA200.8
6/19/2018 9:42	Sn	<	1.336	ug/L	1.336	EPA200.8
6/26/2018 10:00	Sn	<	1.336	ug/L	1.336	EPA200.8
7/2/2018 9:42	Sn	<	1.336	ug/L	1.336	EPA200.8
7/10/2018 10:15	Sn	<	1.336	ug/L	1.336	EPA200.8
7/17/2018 11:08	Sn	<	1.336	ug/L	1.336	EPA200.8
6/19/2018 9:42	SO4		35.525	mg/L	0.5	EPA300.0
6/26/2018 10:00	SO4		58.48	mg/L	0.5	EPA300.0
7/2/2018 9:42	SO4		62.18	mg/L	0.5	EPA300.0
7/10/2018 10:15	SO4		61.73	mg/L	0.5	EPA300.0
7/17/2018 11:08	SO4		39.53	mg/L	0.5	EPA300.0
6/19/2018 9:42	Sr		179.095	ug/L	0.132	EPA200.8
6/26/2018 10:00	Sr		270.866	ug/L	0.132	EPA200.8
7/2/2018 9:42	Sr		280.93	ug/L	0.132	EPA200.8
7/10/2018 10:15	Sr		293.04	ug/L	0.132	EPA200.8
7/17/2018 11:08	Sr		196.006	ug/L	0.132	EPA200.8
6/19/2018 9:42	TDS		419	mg/L	1	SM2540 C
6/26/2018 10:00	TDS		596	mg/L	1	SM2540 C
7/2/2018 9:42	TDS		606	mg/L	1	SM2540 C
7/10/2018 10:15	TDS		548	mg/L	1	SM2540 C
7/17/2018 11:08	TDS		410	mg/L	1	SM2540 C
6/26/2018 10:00	Ti	j	0.799	ug/L	0.474	EPA200.8
7/2/2018 9:42	Ti	j	1.243	ug/L	0.474	EPA200.8
7/10/2018 10:15	Ti	j	1.093	ug/L	0.474	EPA200.8
7/17/2018 11:08	Ti	j	1.876	ug/L	0.474	EPA200.8
6/19/2018 9:42	TKN		0.6595	mg/L	0.179	EPA351.2
6/26/2018 10:00	TKN	j	0.281	mg/L	0.179	EPA351.2
7/2/2018 9:42	TKN	j	0.317	mg/L	0.179	EPA351.2
7/10/2018 10:15	TKN		0.736	mg/L	0.179	EPA351.2
7/17/2018 11:08	TKN		0.744	mg/L	0.179	EPA351.2
6/19/2018 9:42	TI	<	0.196	ug/L	0.196	EPA200.8
6/26/2018 10:00	TI	<	0.196	ug/L	0.196	EPA200.8
7/2/2018 9:42	TI	<	0.196	ug/L	0.196	EPA200.8
7/10/2018 10:15	TI	<	0.196	ug/L	0.196	EPA200.8
7/17/2018 11:08	TI	<	0.196	ug/L	0.196	EPA200.8
6/19/2018 9:42	TMET		12.85	ug/L	10	EPA200.8
6/26/2018 10:00	TMET	<	10	ug/L	10	EPA200.8
7/2/2018 9:42	TMET	<	10	ug/L	10	EPA200.8

Euclid Creek River Mile 1.65						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/10/2018 10:15	TMET	<	10	ug/L	10	EPA200.8
7/17/2018 11:08	TMET		13	ug/L	10	EPA200.8
6/19/2018 9:42	Total-P		0.0695	mg/L	0.01	EPA365.1
6/26/2018 10:00	Total-P		0.04	mg/L	0.01	EPA365.1
7/2/2018 9:42	Total-P		0.044	mg/L	0.01	EPA365.1
7/10/2018 10:15	Total-P		0.038	mg/L	0.01	EPA365.1
7/17/2018 11:08	Total-P		0.068	mg/L	0.01	EPA365.1
6/19/2018 9:42	TS		496.5	mg/L	1	SM2540 B
6/26/2018 10:00	TS		660	mg/L	1	SM2540 B
7/2/2018 9:42	TS		812	mg/L	1	SM2540 B
7/10/2018 10:15	TS		642	mg/L	1	SM2540 B
7/17/2018 11:08	TS		486	mg/L	1	SM2540 B
6/19/2018 9:42	TSS		14.85	mg/L	0.5	SM2540 D
6/26/2018 10:00	TSS		1.5	mg/L	0.5	SM2540 D
7/2/2018 9:42	TSS		12.8	mg/L	0.5	SM2540 D
7/10/2018 10:15	TSS		1.3	mg/L	0.5	SM2540 D
7/17/2018 11:08	TSS		8.1	mg/L	0.5	SM2540 D
6/19/2018 9:42	Turbidity		12.4	NTU		EPA180.1
6/26/2018 10:00	Turbidity		1.6	NTU		EPA180.1
7/2/2018 9:42	Turbidity		1.6	NTU		EPA180.1
7/10/2018 10:15	Turbidity		1.6	NTU		EPA180.1
7/17/2018 11:08	Turbidity		10	NTU		EPA180.1
6/19/2018 9:42	V	<	4.138	ug/L	4.138	EPA200.8
6/26/2018 10:00	V	<	4.138	ug/L	4.138	EPA200.8
7/2/2018 9:42	V	<	4.138	ug/L	4.138	EPA200.8
7/10/2018 10:15	V	<	4.138	ug/L	4.138	EPA200.8
7/17/2018 11:08	V	<	4.138	ug/L	4.138	EPA200.8
6/19/2018 9:42	Zn	j	5.93	ug/L	0.626	EPA200.8
7/2/2018 9:42	Zn	j	2.035	ug/L	0.626	EPA200.8
7/10/2018 10:15	Zn	j	2.02	ug/L	0.626	EPA200.8
7/17/2018 11:08	Zn	j	4.283	ug/L	0.626	EPA200.8

Euclid Creek River Mile 0.55 (EM5)						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 10:45	*CaCO3		75	mg/LCaCO3	1	EPA200.8
6/26/2018 10:25	*CaCO3		196	mg/LCaCO3	1	EPA200.8
7/2/2018 9:23	*CaCO3		184	mg/LCaCO3	1	EPA200.8
7/10/2018 9:55	*CaCO3		189	mg/LCaCO3	1	EPA200.8
7/17/2018 10:45	*CaCO3		128	mg/LCaCO3	1	EPA200.8
6/19/2018 10:45	Ag	<	0.254	ug/L	0.254	EPA200.8
6/26/2018 10:25	Ag	<	0.254	ug/L	0.254	EPA200.8
7/2/2018 9:23	Ag	<	0.254	ug/L	0.254	EPA200.8
7/10/2018 9:55	Ag	<	0.254	ug/L	0.254	EPA200.8
7/17/2018 10:45	Ag	<	0.254	ug/L	0.254	EPA200.8
6/19/2018 10:45	Al		183.5	ug/L	5	EPA200.8
6/26/2018 10:25	Al		77.08	ug/L	5	EPA200.8
7/2/2018 9:23	Al		66.59	ug/L	5	EPA200.8
7/10/2018 9:55	Al		40.08	ug/L	5	EPA200.8
7/17/2018 10:45	Al		153.7	ug/L	5	EPA200.8
6/19/2018 10:45	Alkalinity		86.8	mg/LCaCO3	4.6	EPA310.2
6/26/2018 10:25	Alkalinity		128.4	mg/LCaCO3	4.6	EPA310.2
7/2/2018 9:23	Alkalinity		139.5	mg/LCaCO3	4.6	EPA310.2
7/10/2018 9:55	Alkalinity		134.2	mg/LCaCO3	4.6	EPA310.2
7/17/2018 10:45	Alkalinity		87.4	mg/LCaCO3	4.6	EPA310.2
6/19/2018 10:45	As	j	1.331	ug/L	1.164	EPA200.8
6/26/2018 10:25	As	<	1.164	ug/L	1.164	EPA200.8
7/2/2018 9:23	As	j	1.236	ug/L	1.164	EPA200.8
7/10/2018 9:55	As	<	1.164	ug/L	1.164	EPA200.8
7/17/2018 10:45	As	j	1.304	ug/L	1.164	EPA200.8
6/19/2018 10:45	Ba		18.45	ug/L	0.268	EPA200.8
6/26/2018 10:25	Ba		27.8	ug/L	0.268	EPA200.8
7/2/2018 9:23	Ba		30.44	ug/L	0.268	EPA200.8
7/10/2018 9:55	Ba		29.46	ug/L	0.268	EPA200.8
7/17/2018 10:45	Ba		20.38	ug/L	0.268	EPA200.8
6/19/2018 10:45	Be	<	0.188	ug/L	0.188	EPA200.8
6/26/2018 10:25	Be	<	0.188	ug/L	0.188	EPA200.8
7/2/2018 9:23	Be	<	0.188	ug/L	0.188	EPA200.8
7/10/2018 9:55	Be	<	0.188	ug/L	0.188	EPA200.8
7/17/2018 10:45	Be	<	0.188	ug/L	0.188	EPA200.8
6/19/2018 10:45	BOD	<	2	mg/L	2	SM5210 B
6/26/2018 10:25	BOD	<	2	mg/L	2	SM5210 B
7/2/2018 9:23	BOD	<	2	mg/L	2	SM5210 B
7/17/2018 10:45	BOD	~	3	mg/L	2	SM5210 B

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 10:45	Ca		21240	ug/L	56.43	EPA200.8
6/26/2018 10:25	Ca		52400	ug/L	56.43	EPA200.8
7/2/2018 9:23	Ca		46720	ug/L	56.43	EPA200.8
7/10/2018 9:55	Ca		54100	ug/L	56.43	EPA200.8
7/17/2018 10:45	Ca		37520	ug/L	56.43	EPA200.8
6/19/2018 10:45	Cd	<	0.106	ug/L	0.106	EPA200.8
6/26/2018 10:25	Cd	<	0.106	ug/L	0.106	EPA200.8
7/2/2018 9:23	Cd	j	0.197	ug/L	0.106	EPA200.8
7/10/2018 9:55	Cd	<	0.106	ug/L	0.106	EPA200.8
7/17/2018 10:45	Cd	<	0.106	ug/L	0.106	EPA200.8
6/19/2018 10:45	Chloride		139.7	mg/L	2.5	EPA300.0
6/26/2018 10:25	Chloride		213.3	mg/L	5	EPA300.0
7/2/2018 9:23	Chloride		187.2	mg/L	5	EPA300.0
7/10/2018 9:55	Chloride		197.8	mg/L	2.5	EPA300.0
7/17/2018 10:45	Chloride		148.1	mg/L	2.5	EPA300.0
6/19/2018 10:45	Co	j	0.424	ug/L	0.072	EPA200.8
6/26/2018 10:25	Co	j	0.334	ug/L	0.072	EPA200.8
7/2/2018 9:23	Co	j	0.469	ug/L	0.072	EPA200.8
7/10/2018 9:55	Co	j	0.268	ug/L	0.072	EPA200.8
7/17/2018 10:45	Co	j	0.32	ug/L	0.072	EPA200.8
6/19/2018 10:45	COD		33	mg/L	8.8	EPA410.4
7/2/2018 9:23	COD		24.1	mg/L	8.8	EPA410.4
7/10/2018 9:55	COD	<	8.8	mg/L	8.8	EPA410.4
7/17/2018 10:45	COD	<	8.8	mg/L	8.8	EPA410.4
6/19/2018 10:45	Conduct		726	uS/cm	0.7	SM2510 B
6/26/2018 10:25	Conduct		1044	uS/cm	0.7	SM2510 B
7/2/2018 9:23	Conduct		1018	uS/cm	0.7	SM2510 B
7/10/2018 9:55	Conduct		1033	uS/cm	0.7	SM2510 B
7/17/2018 10:45	Conduct		775.7	uS/cm	0.7	SM2510 B
6/19/2018 10:45	Cr	<	0.954	ug/L	0.954	EPA200.8
6/26/2018 10:25	Cr	<	0.954	ug/L	0.954	EPA200.8
7/2/2018 9:23	Cr	<	0.954	ug/L	0.954	EPA200.8
7/10/2018 9:55	Cr	<	0.954	ug/L	0.954	EPA200.8
7/17/2018 10:45	Cr	j	1.119	ug/L	0.954	EPA200.8
6/19/2018 10:45	Cu		4.174	ug/L	0.22	EPA200.8
6/26/2018 10:25	Cu		2.728	ug/L	0.22	EPA200.8
7/2/2018 9:23	Cu		3.275	ug/L	0.22	EPA200.8
7/10/2018 9:55	Cu		2.588	ug/L	0.22	EPA200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/17/2018 10:45	Cu		3.845	ug/L	0.22	EPA200.8
6/19/2018 10:45	DRPhos		0.044	mg/L	0.012	EPA365.1
6/26/2018 10:25	DRPhos		0.028	mg/L	0.012	EPA365.1
7/2/2018 9:23	DRPhos	j	0.018	mg/L	0.012	EPA365.1
7/10/2018 9:55	DRPhos		0.025	mg/L	0.012	EPA365.1
7/17/2018 10:45	DRPhos		0.032	mg/L	0.012	EPA365.1
6/19/2018 10:45	E. coli		21520	MPN/100 mL	1	SM9223 Colilert
6/26/2018 10:25	E. coli		624	MPN/100 mL	1	SM9223 Colilert
7/2/2018 9:23	E. coli		588	MPN/100 mL	1	SM9223 Colilert
7/10/2018 9:55	E. coli	~	589	MPN/100 mL	1	SM9223 Colilert
7/17/2018 10:45	E. coli		3380	MPN/100 mL	1	SM9223 Colilert
6/19/2018 10:45	Fe		537.3	ug/L	4.208	EPA200.8
6/26/2018 10:25	Fe		398	ug/L	4.208	EPA200.8
7/2/2018 9:23	Fe		403.3	ug/L	4.208	EPA200.8
7/10/2018 9:55	Fe		345.2	ug/L	4.208	EPA200.8
7/17/2018 10:45	Fe		455.3	ug/L	4.208	EPA200.8
6/19/2018 10:45	Field Cond		704	umhos/cm		SM 2510A
6/26/2018 10:25	Field Cond		814	umhos/cm		SM 2510A
7/2/2018 9:23	Field Cond		1042	umhos/cm		SM 2510A
7/10/2018 9:55	Field Cond		927	umhos/cm		SM 2510A
7/17/2018 10:45	Field Cond		756	umhos/cm		SM 2510A
6/19/2018 10:45	Field Spec Cond		742	umhos/cm		SM 2510B
6/26/2018 10:25	Field Spec Cond		907	umhos/cm		SM 2510B
7/2/2018 9:23	Field Spec Cond		1041	umhos/cm		SM 2510B
7/10/2018 9:55	Field Spec Cond		996	umhos/cm		SM 2510B
7/17/2018 10:45	Field Spec Cond		760	umhos/cm		SM 2510B
6/19/2018 10:45	Field DO		7.7	mg/L		SM 4500-0 G
6/26/2018 10:25	Field DO		11	mg/L		SM 4500-0 G
7/2/2018 9:23	Field DO		7.1	mg/L		SM 4500-0 G
7/10/2018 9:55	Field DO		8	mg/L		SM 4500-0 G
7/17/2018 10:45	Field DO		9	mg/L		SM 4500-0 G
6/19/2018 10:45	Field DO		89	%		
6/26/2018 10:25	Field DO		120	%		
7/2/2018 9:23	Field DO		87	%		
7/10/2018 9:55	Field DO		96	%		
7/17/2018 10:45	Field DO		108	%		
6/19/2018 10:45	Field Temp		22.3	C		EPA 170.1
6/26/2018 10:25	Field Temp		19.6	C		EPA 170.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/2/2018 9:23	Field Temp		25.2	C		EPA 170.1
7/10/2018 9:55	Field Temp		23	C		EPA 170.1
7/17/2018 10:45	Field Temp		24.7	C		EPA 170.1
6/19/2018 10:45	Hg	<	0.025	ug/L	0.025	EPA245.1
6/26/2018 10:25	Hg	<	0.025	ug/L	0.025	EPA245.1
7/2/2018 9:23	Hg	<	0.025	ug/L	0.025	EPA245.1
7/10/2018 9:55	Hg	<	0.025	ug/L	0.025	EPA245.1
7/17/2018 10:45	Hg	<	0.025	ug/L	0.025	EPA245.1
6/19/2018 10:45	K		1865	ug/L	107.6	EPA200.8
6/26/2018 10:25	K		3486	ug/L	107.6	EPA200.8
7/2/2018 9:23	K		3670	ug/L	107.6	EPA200.8
7/10/2018 9:55	K		3623	ug/L	107.6	EPA200.8
7/17/2018 10:45	K		3114	ug/L	107.6	EPA200.8
6/19/2018 10:45	Mg		5326	ug/L	24.11	EPA200.8
6/26/2018 10:25	Mg		15840	ug/L	24.11	EPA200.8
7/2/2018 9:23	Mg		16440	ug/L	24.11	EPA200.8
7/10/2018 9:55	Mg		13060	ug/L	24.11	EPA200.8
7/17/2018 10:45	Mg		8252	ug/L	24.11	EPA200.8
6/19/2018 10:45	Mn		22.42	ug/L	0.254	EPA200.8
6/26/2018 10:25	Mn		28.36	ug/L	0.254	EPA200.8
7/2/2018 9:23	Mn		29.56	ug/L	0.254	EPA200.8
7/10/2018 9:55	Mn		24.35	ug/L	0.254	EPA200.8
7/17/2018 10:45	Mn		24.8	ug/L	0.254	EPA200.8
6/19/2018 10:45	Mo		3.014	ug/L	0.238	EPA200.8
6/26/2018 10:25	Mo		3.326	ug/L	0.238	EPA200.8
7/2/2018 9:23	Mo		3.802	ug/L	0.238	EPA200.8
7/10/2018 9:55	Mo		3.796	ug/L	0.238	EPA200.8
7/17/2018 10:45	Mo		2.307	ug/L	0.238	EPA200.8
6/19/2018 10:45	Na		85050	ug/L	43.67	EPA200.8
6/26/2018 10:25	Na		135000	ug/L	43.67	EPA200.8
7/2/2018 9:23	Na		103700	ug/L	43.67	EPA200.8
7/10/2018 9:55	Na		119600	ug/L	43.67	EPA200.8
7/17/2018 10:45	Na		88880	ug/L	43.67	EPA200.8
6/19/2018 10:45	NH3		0.086	mg/L	0.01	EPA350.1
6/26/2018 10:25	NH3	j	0.019	mg/L	0.01	EPA350.1
7/2/2018 9:23	NH3	j	0.012	mg/L	0.01	EPA350.1
7/10/2018 9:55	NH3	<	0.01	mg/L	0.01	EPA350.1
7/17/2018 10:45	NH3	<	0.01	mg/L	0.01	EPA350.1

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 10:45	Ni	j	2.725	ug/L	0.208	EPA200.8
6/26/2018 10:25	Ni	j	2.575	ug/L	0.208	EPA200.8
7/2/2018 9:23	Ni	j	3.372	ug/L	0.208	EPA200.8
7/10/2018 9:55	Ni	j	2.577	ug/L	0.208	EPA200.8
7/17/2018 10:45	Ni	j	2.655	ug/L	0.208	EPA200.8
6/19/2018 10:45	NO2		0.024	mg/L	0.005	SM4500-NO2 B
6/26/2018 10:25	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
7/2/2018 9:23	NO2	j	0.007	mg/L	0.005	SM4500-NO2 B
7/10/2018 9:55	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
7/17/2018 10:45	NO2	<	0.005	mg/L	0.005	SM4500-NO2 B
6/19/2018 10:45	NO3		0.697	mg/L	0.009	EPA353.2
6/26/2018 10:25	NO3		0.318	mg/L	0.009	EPA353.2
7/2/2018 9:23	NO3		0.282	mg/L	0.009	EPA353.2
7/10/2018 9:55	NO3		0.285	mg/L	0.009	EPA353.2
7/17/2018 10:45	NO3		0.515	mg/L	0.009	EPA353.2
6/19/2018 10:45	NO3+NO2		0.721	mg/L	0.009	EPA353.2
6/26/2018 10:25	NO3+NO2		0.32	mg/L	0.009	EPA353.2
7/2/2018 9:23	NO3+NO2		0.289	mg/L	0.009	EPA353.2
7/10/2018 9:55	NO3+NO2		0.285	mg/L	0.009	EPA353.2
7/17/2018 10:45	NO3+NO2		0.515	mg/L	0.009	EPA353.2
6/19/2018 10:45	Pb	j	0.936	ug/L	0.168	EPA200.8
6/26/2018 10:25	Pb	j	0.633	ug/L	0.168	EPA200.8
7/2/2018 9:23	Pb	j	0.626	ug/L	0.168	EPA200.8
7/10/2018 9:55	Pb	j	0.385	ug/L	0.168	EPA200.8
7/17/2018 10:45	Pb		1.404	ug/L	0.168	EPA200.8
6/19/2018 10:45	pH		7.8	S.U.		
6/26/2018 10:25	pH		8.4	S.U.		
7/2/2018 9:23	pH		8	S.U.		
7/10/2018 9:55	pH		8.2	S.U.		
7/17/2018 10:45	pH		8.2	S.U.		
6/19/2018 10:45	Sb	<	0.794	ug/L	0.794	EPA200.8
6/26/2018 10:25	Sb	<	0.794	ug/L	0.794	EPA200.8
7/2/2018 9:23	Sb	<	0.794	ug/L	0.794	EPA200.8
7/10/2018 9:55	Sb	<	0.794	ug/L	0.794	EPA200.8
7/17/2018 10:45	Sb	<	0.794	ug/L	0.794	EPA200.8
6/19/2018 10:45	Se	<	1.244	ug/L	1.244	EPA200.8
6/26/2018 10:25	Se	<	1.244	ug/L	1.244	EPA200.8
7/2/2018 9:23	Se	<	1.244	ug/L	1.244	EPA200.8
7/10/2018 9:55	Se	<	1.244	ug/L	1.244	EPA200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/17/2018 10:45	Se	<	1.244	ug/L	1.244	EPA200.8
6/19/2018 10:45	Sn	<	1.336	ug/L	1.336	EPA200.8
6/26/2018 10:25	Sn	<	1.336	ug/L	1.336	EPA200.8
7/2/2018 9:23	Sn	<	1.336	ug/L	1.336	EPA200.8
7/10/2018 9:55	Sn	<	1.336	ug/L	1.336	EPA200.8
7/17/2018 10:45	Sn	<	1.336	ug/L	1.336	EPA200.8
6/19/2018 10:45	SO4		36.24	mg/L	0.5	EPA300.0
6/26/2018 10:25	SO4		60.67	mg/L	1	EPA300.0
7/2/2018 9:23	SO4		62.45	mg/L	1	EPA300.0
7/10/2018 9:55	SO4		63.3	mg/L	0.5	EPA300.0
7/17/2018 10:45	SO4		40.12	mg/L	0.5	EPA300.0
6/19/2018 10:45	Sr		175.62	ug/L	0.132	EPA200.8
6/26/2018 10:25	Sr		289.592	ug/L	0.132	EPA200.8
7/2/2018 9:23	Sr		297.499	ug/L	0.132	EPA200.8
7/10/2018 9:55	Sr		313.368	ug/L	0.132	EPA200.8
7/17/2018 10:45	Sr		198.769	ug/L	0.132	EPA200.8
6/19/2018 10:45	TDS		424	mg/L	1	SM2540 C
6/26/2018 10:25	TDS		614	mg/L	1	SM2540 C
7/2/2018 9:23	TDS		612	mg/L	1	SM2540 C
7/10/2018 9:55	TDS		564	mg/L	1	SM2540 C
7/17/2018 10:45	TDS		424	mg/L	1	SM2540 C
6/19/2018 10:45	Ti	<	0.474	ug/L	0.474	EPA200.8
6/26/2018 10:25	Ti	j	1.447	ug/L	0.474	EPA200.8
7/2/2018 9:23	Ti	j	1.455	ug/L	0.474	EPA200.8
7/10/2018 9:55	Ti	j	0.994	ug/L	0.474	EPA200.8
7/17/2018 10:45	Ti		2.246	ug/L	0.474	EPA200.8
6/19/2018 10:45	TKN		0.614	mg/L	0.179	EPA351.2
6/26/2018 10:25	TKN	j	0.433	mg/L	0.179	EPA351.2
7/2/2018 9:23	TKN	j	0.412	mg/L	0.179	EPA351.2
7/10/2018 9:55	TKN	j	0.269	mg/L	0.179	EPA351.2
7/17/2018 10:45	TKN		0.797	mg/L	0.179	EPA351.2
6/19/2018 10:45	TI	<	0.196	ug/L	0.196	EPA200.8
6/26/2018 10:25	TI	<	0.196	ug/L	0.196	EPA200.8
7/2/2018 9:23	TI	j	0.378	ug/L	0.196	EPA200.8
7/10/2018 9:55	TI	<	0.196	ug/L	0.196	EPA200.8
7/17/2018 10:45	TI	<	0.196	ug/L	0.196	EPA200.8
6/19/2018 10:45	TMET		12.6	ug/L	10	EPA200.8
6/26/2018 10:25	TMET	<	10	ug/L	10	EPA200.8

Euclid Creek
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/2/2018 9:23	TMET	<	10	ug/L	10	EPA200.8
7/10/2018 9:55	TMET	<	10	ug/L	10	EPA200.8
7/17/2018 10:45	TMET		11.7	ug/L	10	EPA200.8
6/19/2018 10:45	Total-P		0.079	mg/L	0.01	EPA365.1
6/26/2018 10:25	Total-P		0.04	mg/L	0.01	EPA365.1
7/2/2018 9:23	Total-P		0.032	mg/L	0.01	EPA365.1
7/10/2018 9:55	Total-P		0.037	mg/L	0.01	EPA365.1
7/17/2018 10:45	Total-P		0.067	mg/L	0.01	EPA365.1
6/19/2018 10:45	TS		502	mg/L	1	SM2540 B
6/26/2018 10:25	TS		718	mg/L	1	SM2540 B
7/2/2018 9:23	TS		800	mg/L	1	SM2540 B
7/10/2018 9:55	TS		702	mg/L	1	SM2540 B
7/17/2018 10:45	TS		506	mg/L	1	SM2540 B
6/19/2018 10:45	TSS		12	mg/L	0.5	SM2540 D
6/26/2018 10:25	TSS		11.6	mg/L	0.5	SM2540 D
7/2/2018 9:23	TSS		4.5	mg/L	0.5	SM2540 D
7/10/2018 9:55	TSS		1.8	mg/L	0.5	SM2540 D
7/17/2018 10:45	TSS		9.4	mg/L	0.5	SM2540 D
6/19/2018 10:45	Turbidity		13.4	NTU		EPA180.1
6/26/2018 10:25	Turbidity		1.9	NTU		EPA180.1
7/2/2018 9:23	Turbidity		2.2	NTU		EPA180.1
7/10/2018 9:55	Turbidity		1.8	NTU		EPA180.1
7/17/2018 10:45	Turbidity		9.6	NTU		EPA180.1
6/19/2018 10:45	V	<	4.138	ug/L	4.138	EPA200.8
6/26/2018 10:25	V	<	4.138	ug/L	4.138	EPA200.8
7/2/2018 9:23	V	<	4.138	ug/L	4.138	EPA200.8
7/10/2018 9:55	V	<	4.138	ug/L	4.138	EPA200.8
7/17/2018 10:45	V	<	4.138	ug/L	4.138	EPA200.8
6/19/2018 10:45	Zn	j	5.675	ug/L	0.626	EPA200.8
7/2/2018 9:23	Zn	j	2.634	ug/L	0.626	EPA200.8
7/10/2018 9:55	Zn	j	1.944	ug/L	0.626	EPA200.8
7/17/2018 10:45	Zn	j	4.1	ug/L	0.626	EPA200.8

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 10:20	*CaCO3		111	mg/LCaCO3	1	EPA200.8
6/26/2018 10:48	*CaCO3		192	mg/LCaCO3	1	EPA200.8
7/2/2018 9:06	*CaCO3		169	mg/LCaCO3	1	EPA200.8
7/10/2018 9:40	*CaCO3		188	mg/LCaCO3	1	EPA200.8
7/17/2018 10:35	*CaCO3		123	mg/LCaCO3	1	EPA200.8
6/19/2018 10:20	Ag	<	0.254	ug/L	0.254	EPA200.8
6/26/2018 10:48	Ag	<	0.254	ug/L	0.254	EPA200.8
7/2/2018 9:06	Ag	<	0.254	ug/L	0.254	EPA200.8
7/10/2018 9:40	Ag	<	0.254	ug/L	0.254	EPA200.8
7/17/2018 10:35	Ag	<	0.254	ug/L	0.254	EPA200.8
6/19/2018 10:20	Al		417.3	ug/L	5	EPA200.8
6/26/2018 10:48	Al		106.5	ug/L	5	EPA200.8
7/2/2018 9:06	Al		214.3	ug/L	5	EPA200.8
7/10/2018 9:40	Al		40.87	ug/L	5	EPA200.8
7/17/2018 10:35	Al		276.5	ug/L	5	EPA200.8
6/19/2018 10:20	Alkalinity		78.6	mg/LCaCO3	4.6	EPA310.2
6/26/2018 10:48	Alkalinity		128.6	mg/LCaCO3	4.6	EPA310.2
7/2/2018 9:06	Alkalinity		132.1	mg/LCaCO3	4.6	EPA310.2
7/10/2018 9:40	Alkalinity		134.8	mg/LCaCO3	4.6	EPA310.2
7/17/2018 10:35	Alkalinity		85.2	mg/LCaCO3	4.6	EPA310.2
6/19/2018 10:20	As	j	1.663	ug/L	1.164	EPA200.8
6/26/2018 10:48	As	<	1.164	ug/L	1.164	EPA200.8
7/2/2018 9:06	As	j	2.105	ug/L	1.164	EPA200.8
7/10/2018 9:40	As	<	1.164	ug/L	1.164	EPA200.8
7/17/2018 10:35	As	j	1.457	ug/L	1.164	EPA200.8
6/19/2018 10:20	Ba		20.5	ug/L	0.268	EPA200.8
6/26/2018 10:48	Ba		28.9	ug/L	0.268	EPA200.8
7/2/2018 9:06	Ba		31.04	ug/L	0.268	EPA200.8
7/10/2018 9:40	Ba		15.04	ug/L	0.268	EPA200.8
7/17/2018 10:35	Ba		20.95	ug/L	0.268	EPA200.8
6/19/2018 10:20	Be	<	0.188	ug/L	0.188	EPA200.8
6/26/2018 10:48	Be	<	0.188	ug/L	0.188	EPA200.8
7/2/2018 9:06	Be	<	0.188	ug/L	0.188	EPA200.8
7/10/2018 9:40	Be	<	0.188	ug/L	0.188	EPA200.8
7/17/2018 10:35	Be	<	0.188	ug/L	0.188	EPA200.8
6/19/2018 10:20	BOD		2.4	mg/L	2	SM5210 B
6/26/2018 10:48	BOD	<	2	mg/L	2	SM5210 B
7/2/2018 9:06	BOD	<	2	mg/L	2	SM5210 B
7/17/2018 10:35	BOD	~	5.1	mg/L	2	SM5210 B

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 10:20	Ca		31600	ug/L	56.43	EPA200.8
6/26/2018 10:48	Ca		52660	ug/L	56.43	EPA200.8
7/2/2018 9:06	Ca		46390	ug/L	56.43	EPA200.8
7/10/2018 9:40	Ca		54840	ug/L	56.43	EPA200.8
7/17/2018 10:35	Ca		36300	ug/L	56.43	EPA200.8
6/19/2018 10:20	Cd	<	0.106	ug/L	0.106	EPA200.8
6/26/2018 10:48	Cd	<	0.106	ug/L	0.106	EPA200.8
7/2/2018 9:06	Cd	<	0.106	ug/L	0.106	EPA200.8
7/10/2018 9:40	Cd	<	0.106	ug/L	0.106	EPA200.8
7/17/2018 10:35	Cd	<	0.106	ug/L	0.106	EPA200.8
6/19/2018 10:20	Co	j	0.594	ug/L	0.072	EPA200.8
6/26/2018 10:48	Co	j	0.386	ug/L	0.072	EPA200.8
7/2/2018 9:06	Co	j	0.573	ug/L	0.072	EPA200.8
7/10/2018 9:40	Co	j	0.273	ug/L	0.072	EPA200.8
7/17/2018 10:35	Co	j	0.385	ug/L	0.072	EPA200.8
6/19/2018 10:20	COD		37.4	mg/L	8.8	EPA410.4
7/2/2018 9:06	COD		33.1	mg/L	8.8	EPA410.4
7/10/2018 9:40	COD	<	8.8	mg/L	8.8	EPA410.4
7/17/2018 10:35	COD	j	10.7	mg/L	8.8	EPA410.4
6/19/2018 10:20	Cr	j	0.962	ug/L	0.954	EPA200.8
6/26/2018 10:48	Cr	<	0.954	ug/L	0.954	EPA200.8
7/2/2018 9:06	Cr	<	0.954	ug/L	0.954	EPA200.8
7/10/2018 9:40	Cr	<	0.954	ug/L	0.954	EPA200.8
7/17/2018 10:35	Cr	j	1.084	ug/L	0.954	EPA200.8
6/19/2018 10:20	Cu		4.653	ug/L	0.22	EPA200.8
6/26/2018 10:48	Cu		2.686	ug/L	0.22	EPA200.8
7/2/2018 9:06	Cu		2.963	ug/L	0.22	EPA200.8
7/10/2018 9:40	Cu	j	1.283	ug/L	0.22	EPA200.8
7/17/2018 10:35	Cu		4.229	ug/L	0.22	EPA200.8
6/19/2018 10:20	DRPhos		0.039	mg/L	0.012	EPA365.1
6/26/2018 10:48	DRPhos	j	0.022	mg/L	0.012	EPA365.1
7/2/2018 9:06	DRPhos	j	0.023	mg/L	0.012	EPA365.1
7/10/2018 9:40	DRPhos	j	0.022	mg/L	0.012	EPA365.1
7/17/2018 10:35	DRPhos	~	0.031	mg/L	0.012	EPA365.1
6/19/2018 10:20	E. coli		19180	MPN/100 mL	1	SM9223 Colilert
6/26/2018 10:48	E. coli		803	MPN/100 mL	1	SM9223 Colilert
7/2/2018 9:06	E. coli		1215	MPN/100 mL	1	SM9223 Colilert
7/10/2018 9:40	E. coli	~	820	MPN/100 mL	1	SM9223 Colilert

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/17/2018 10:35	E. coli		7940	MPN/100 mL	1	SM9223 Colilert
6/19/2018 10:20	Fe		840.8	ug/L	4.208	EPA200.8
6/26/2018 10:48	Fe		480.1	ug/L	4.208	EPA200.8
7/2/2018 9:06	Fe		777	ug/L	4.208	EPA200.8
7/10/2018 9:40	Fe		186.8	ug/L	4.208	EPA200.8
7/17/2018 10:35	Fe		614	ug/L	4.208	EPA200.8
6/19/2018 10:20	Field Cond		691	umhos/cm		SM 2510A
6/26/2018 10:48	Field Cond		943	umhos/cm		SM 2510A
7/2/2018 9:06	Field Cond		1018	umhos/cm		SM 2510A
7/10/2018 9:40	Field Cond		832	umhos/cm		SM 2510A
7/17/2018 10:35	Field Cond		748	umhos/cm		SM 2510A
6/19/2018 10:20	Field Spec Cond		730	umhos/cm		SM 2510B
6/26/2018 10:48	Field Spec Cond		1059	umhos/cm		SM 2510B
7/2/2018 9:06	Field Spec Cond		978	umhos/cm		SM 2510B
7/10/2018 9:40	Field Spec Cond		966	umhos/cm		SM 2510B
7/17/2018 10:35	Field Spec Cond		755	umhos/cm		SM 2510B
6/19/2018 10:20	Field DO		8.2	mg/L		SM 4500-0 G
6/26/2018 10:48	Field DO		7.8	mg/L		SM 4500-0 G
7/2/2018 9:06	Field DO		5.7	mg/L		SM 4500-0 G
7/10/2018 9:40	Field DO		5.8	mg/L		SM 4500-0 G
7/17/2018 10:35	Field DO		7.7	mg/L		SM 4500-0 G
6/19/2018 10:20	Field DO		94	%		
6/26/2018 10:48	Field DO		84	%		
7/2/2018 9:06	Field DO		70	%		
7/10/2018 9:40	Field DO		68	%		
7/17/2018 10:35	Field DO		93	%		
6/19/2018 10:20	Field Temp		22.2	C		EPA 170.1
6/26/2018 10:48	Field Temp		19.2	C		EPA 170.1
7/2/2018 9:06	Field Temp		27.2	C		EPA 170.1
7/10/2018 9:40	Field Temp		22.9	C		EPA 170.1
7/17/2018 10:35	Field Temp		24.5	C		EPA 170.1
6/19/2018 10:20	Hg	<	0.025	ug/L	0.025	EPA245.1
6/26/2018 10:48	Hg	<	0.025	ug/L	0.025	EPA245.1
7/2/2018 9:06	Hg	<	0.025	ug/L	0.025	EPA245.1
7/10/2018 9:40	Hg	<	0.025	ug/L	0.025	EPA245.1
7/17/2018 10:35	Hg	<	0.025	ug/L	0.025	EPA245.1
6/19/2018 10:20	K		2784	ug/L	107.6	EPA200.8
6/26/2018 10:48	K		3533	ug/L	107.6	EPA200.8

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/2/2018 9:06	K		3520	ug/L	107.6	EPA200.8
7/10/2018 9:40	K		3516	ug/L	107.6	EPA200.8
7/17/2018 10:35	K		2994	ug/L	107.6	EPA200.8
6/19/2018 10:20	Mg		7763	ug/L	24.11	EPA200.8
6/26/2018 10:48	Mg		14680	ug/L	24.11	EPA200.8
7/2/2018 9:06	Mg		12950	ug/L	24.11	EPA200.8
7/10/2018 9:40	Mg		12530	ug/L	24.11	EPA200.8
7/17/2018 10:35	Mg		7847	ug/L	24.11	EPA200.8
6/19/2018 10:20	Mn		37.83	ug/L	0.254	EPA200.8
6/26/2018 10:48	Mn		38.39	ug/L	0.254	EPA200.8
7/2/2018 9:06	Mn		88.64	ug/L	0.254	EPA200.8
7/10/2018 9:40	Mn		18.17	ug/L	0.254	EPA200.8
7/17/2018 10:35	Mn		33.21	ug/L	0.254	EPA200.8
6/19/2018 10:20	Mo		3.076	ug/L	0.238	EPA200.8
6/26/2018 10:48	Mo		3.268	ug/L	0.238	EPA200.8
7/2/2018 9:06	Mo		3.66	ug/L	0.238	EPA200.8
7/10/2018 9:40	Mo		1.89	ug/L	0.238	EPA200.8
7/17/2018 10:35	Mo		2.396	ug/L	0.238	EPA200.8
6/19/2018 10:20	Na		87400	ug/L	43.67	EPA200.8
6/26/2018 10:48	Na		134600	ug/L	43.67	EPA200.8
7/2/2018 9:06	Na		101400	ug/L	43.67	EPA200.8
7/10/2018 9:40	Na		57160	ug/L	43.67	EPA200.8
7/17/2018 10:35	Na		87180	ug/L	43.67	EPA200.8
6/19/2018 10:20	NH3		0.09	mg/L	0.01	EPA350.1
6/26/2018 10:48	NH3		0.026	mg/L	0.01	EPA350.1
7/2/2018 9:06	NH3		0.087	mg/L	0.01	EPA350.1
7/10/2018 9:40	NH3	j	0.015	mg/L	0.01	EPA350.1
7/17/2018 10:35	NH3	<	0.01	mg/L	0.01	EPA350.1
6/19/2018 10:20	Ni	j	3.277	ug/L	0.208	EPA200.8
6/26/2018 10:48	Ni	j	2.784	ug/L	0.208	EPA200.8
7/2/2018 9:06	Ni	j	3.204	ug/L	0.208	EPA200.8
7/10/2018 9:40	Ni	j	1.351	ug/L	0.208	EPA200.8
7/17/2018 10:35	Ni	j	2.973	ug/L	0.208	EPA200.8
6/19/2018 10:20	NO3-NO2		0.726	mg/L	0.009	EPA353.2
6/26/2018 10:48	NO3-NO2		0.348	mg/L	0.009	EPA353.2
7/2/2018 9:06	NO3-NO2		0.226	mg/L	0.009	EPA353.2
7/10/2018 9:40	NO3-NO2		0.329	mg/L	0.009	EPA353.2
7/17/2018 10:35	NO3-NO2		0.552	mg/L	0.009	EPA353.2

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/19/2018 10:20	Pb		1.813	ug/L	0.168	EPA200.8
6/26/2018 10:48	Pb	j	0.633	ug/L	0.168	EPA200.8
7/2/2018 9:06	Pb		1.491	ug/L	0.168	EPA200.8
7/10/2018 9:40	Pb	j	0.507	ug/L	0.168	EPA200.8
7/17/2018 10:35	Pb		1.047	ug/L	0.168	EPA200.8
6/19/2018 10:20	pH		7.9	S.U.		
6/26/2018 10:48	pH		8	S.U.		
7/2/2018 9:06	pH		7.8	S.U.		
7/10/2018 9:40	pH		7.6	S.U.		
7/17/2018 10:35	pH		7.9	S.U.		
6/19/2018 10:20	Sb	<	0.794	ug/L	0.794	EPA200.8
6/26/2018 10:48	Sb	<	0.794	ug/L	0.794	EPA200.8
7/2/2018 9:06	Sb	<	0.794	ug/L	0.794	EPA200.8
7/10/2018 9:40	Sb	<	0.794	ug/L	0.794	EPA200.8
7/17/2018 10:35	Sb	<	0.794	ug/L	0.794	EPA200.8
6/19/2018 10:20	Se	<	1.244	ug/L	1.244	EPA200.8
6/26/2018 10:48	Se	<	1.244	ug/L	1.244	EPA200.8
7/2/2018 9:06	Se	<	1.244	ug/L	1.244	EPA200.8
7/10/2018 9:40	Se	<	1.244	ug/L	1.244	EPA200.8
7/17/2018 10:35	Se	<	1.244	ug/L	1.244	EPA200.8
6/19/2018 10:20	Sn	<	1.336	ug/L	1.336	EPA200.8
6/26/2018 10:48	Sn	<	1.336	ug/L	1.336	EPA200.8
7/2/2018 9:06	Sn	<	1.336	ug/L	1.336	EPA200.8
7/10/2018 9:40	Sn	<	1.336	ug/L	1.336	EPA200.8
7/17/2018 10:35	Sn	<	1.336	ug/L	1.336	EPA200.8
6/19/2018 10:20	Sr		184.345	ug/L	0.132	EPA200.8
6/26/2018 10:48	Sr		295.533	ug/L	0.132	EPA200.8
7/2/2018 9:06	Sr		270.832	ug/L	0.132	EPA200.8
7/10/2018 9:40	Sr		154.803	ug/L	0.132	EPA200.8
7/17/2018 10:35	Sr		191.599	ug/L	0.132	EPA200.8
6/19/2018 10:20	TDS		428	mg/L	1	SM2540 C
6/26/2018 10:48	TDS		626	mg/L	1	SM2540 C
7/2/2018 9:06	TDS		572	mg/L	1	SM2540 C
7/10/2018 9:40	TDS		568	mg/L	1	SM2540 C
7/17/2018 10:35	TDS		426	mg/L	1	SM2540 C
6/19/2018 10:20	Ti		6.647	ug/L	0.474	EPA200.8
6/26/2018 10:48	Ti	j	1.67	ug/L	0.474	EPA200.8
7/2/2018 9:06	Ti		3.344	ug/L	0.474	EPA200.8
7/10/2018 9:40	Ti	j	0.497	ug/L	0.474	EPA200.8

Euclid Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/17/2018 10:35	Ti		3.73	ug/L	0.474	EPA200.8
6/19/2018 10:20	TKN		0.666	mg/L	0.179	EPA351.2
6/26/2018 10:48	TKN	j	0.381	mg/L	0.179	EPA351.2
7/2/2018 9:06	TKN		0.593	mg/L	0.179	EPA351.2
7/10/2018 9:40	TKN	j	0.372	mg/L	0.179	EPA351.2
7/17/2018 10:35	TKN		0.853	mg/L	0.179	EPA351.2
6/19/2018 10:20	TI	<	0.196	ug/L	0.196	EPA200.8
6/26/2018 10:48	TI	<	0.196	ug/L	0.196	EPA200.8
7/2/2018 9:06	TI	<	0.196	ug/L	0.196	EPA200.8
7/10/2018 9:40	TI	<	0.196	ug/L	0.196	EPA200.8
7/17/2018 10:35	TI	<	0.196	ug/L	0.196	EPA200.8
6/19/2018 10:20	TMET		17.3	ug/L	10	EPA200.8
6/26/2018 10:48	TMET	<	10	ug/L	10	EPA200.8
7/2/2018 9:06	TMET		11.1	ug/L	10	EPA200.8
7/10/2018 9:40	TMET	<	10	ug/L	10	EPA200.8
7/17/2018 10:35	TMET		13.9	ug/L	10	EPA200.8
6/19/2018 10:20	Total-P		0.087	mg/L	0.01	EPA365.1
6/26/2018 10:48	Total-P		0.037	mg/L	0.01	EPA365.1
7/2/2018 9:06	Total-P		0.081	mg/L	0.01	EPA365.1
7/10/2018 9:40	Total-P		0.038	mg/L	0.01	EPA365.1
7/17/2018 10:35	Total-P		0.072	mg/L	0.01	EPA365.1
6/19/2018 10:20	TS		522	mg/L	1	SM2540 B
6/26/2018 10:48	TS		710	mg/L	1	SM2540 B
7/2/2018 9:06	TS		754	mg/L	1	SM2540 B
7/10/2018 9:40	TS		638	mg/L	1	SM2540 B
7/17/2018 10:35	TS		558	mg/L	1	SM2540 B
6/19/2018 10:20	TSS		28.1	mg/L	0.5	SM2540 D
6/26/2018 10:48	TSS		4	mg/L	0.5	SM2540 D
7/2/2018 9:06	TSS		12.4	mg/L	0.5	SM2540 D
7/10/2018 9:40	TSS		3.6	mg/L	0.5	SM2540 D
7/17/2018 10:35	TSS		38.6	mg/L	0.5	SM2540 D
6/19/2018 10:20	Turbidity		18	NTU		EPA180.1
6/26/2018 10:48	Turbidity		2.9	NTU		EPA180.1
7/2/2018 9:06	Turbidity		14.7	NTU		EPA180.1
7/10/2018 9:40	Turbidity		2.2	NTU		EPA180.1
7/17/2018 10:35	Turbidity		13.1	NTU		EPA180.1
6/19/2018 10:20	V	<	4.138	ug/L	4.138	EPA200.8
6/26/2018 10:48	V	<	4.138	ug/L	4.138	EPA200.8

Euclid Creek
River Mile 0.40

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/2/2018 9:06	V	<	4.138	ug/L	4.138	EPA200.8
7/10/2018 9:40	V	<	4.138	ug/L	4.138	EPA200.8
7/17/2018 10:35	V	<	4.138	ug/L	4.138	EPA200.8
6/19/2018 10:20	Zn	j	8.37	ug/L	0.626	EPA200.8
7/2/2018 9:06	Zn	j	4.916	ug/L	0.626	EPA200.8
7/10/2018 9:40	Zn	j	0.968	ug/L	0.626	EPA200.8
7/17/2018 10:35	Zn	j	5.576	ug/L	0.626	EPA200.8