

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Alkalinity, Total		197	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Alkalinity, Total		190	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Alkalinity, Total		183	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Alkalinity, Total		171	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Alkalinity, Total		196	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Aluminum, Total	<	68	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Aluminum, Total	<	68	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Aluminum, Total	<	68	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Aluminum, Total	J	71.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Aluminum, Total	<	68	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Ammonia, Total	<	0.022	mg/L	EPA-350.1
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Ammonia, Total	J	0.0353	mg/L	EPA-350.1
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Ammonia, Total		0.0583	mg/L	EPA-350.1
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Ammonia, Total	J	0.031	mg/L	EPA-350.1
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Ammonia, Total	J	0.0388	mg/L	EPA-350.1
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Antimony, Total	J	1.77	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Antimony, Total	J	1.08	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Antimony, Total	J	0.899	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Antimony, Total	J	2.22	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Antimony, Total	J	1.96	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Arsenic, Total		2.72	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Arsenic, Total		2.95	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Arsenic, Total		2.95	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Arsenic, Total		2.65	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Arsenic, Total		3.5	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Barium, Total		39.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Barium, Total		39.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Barium, Total		48.5	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Barium, Total		37.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Barium, Total		42	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Beryllium, Total	<	0.285	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Beryllium, Total	<	0.285	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Beryllium, Total	<	0.285	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Beryllium, Total	<	0.285	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Beryllium, Total	<	0.285	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Cadmium, Total	<	0.405	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Cadmium, Total	<	0.405	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Cadmium, Total	<	0.405	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Cadmium, Total	<	0.405	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Cadmium, Total	<	0.405	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Calcium, Total		74000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Calcium, Total		74200	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Calcium, Total		76900	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Calcium, Total		60500	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Calcium, Total		71300	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Chloride		234	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Chloride		298	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Chloride		327	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Chloride		171	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Chloride		223	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Chromium, Total	<	12.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Chromium, Total	<	12.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Chromium, Total	<	12.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Chromium, Total	<	12.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Chromium, Total	<	12.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Cobalt, Total	<	0.315	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Cobalt, Total	<	0.315	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Cobalt, Total	J	0.353	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Cobalt, Total	<	0.315	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Cobalt, Total	<	0.315	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	COD, Total	J	13.5	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	COD, Total	J	17.4	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	COD, Total	J	16.1	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	COD, Total		21.9	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	COD, Total		22.3	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Conductivity		1117	UMHOS/CM	SM 2510A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Conductivity		1244	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Conductivity		1362	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Conductivity		1467	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Conductivity		1462	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Conductivity		1509	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Conductivity		937	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Conductivity		996	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Conductivity		1131	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Conductivity		1220	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Copper, Total		2.93	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Copper, Total	J	2.35	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Copper, Total		2.69	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Copper, Total		5.41	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Copper, Total		2.81	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Dissolved Oxygen		96	%	N/A
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Dissolved Oxygen		8.7	mg/L	SM 4500-0 G
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Dissolved Oxygen		95	%	N/A
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Dissolved Oxygen		8.4	mg/L	SM 4500-0 G
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Dissolved Oxygen		100	%	N/A
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Dissolved Oxygen		8.5	mg/L	SM 4500-0 G
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Dissolved Oxygen		98	%	N/A
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Dissolved Oxygen		8.6	mg/L	SM 4500-0 G
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Dissolved Oxygen		96	%	N/A
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Dissolved Oxygen		8.6	mg/L	SM 4500-0 G
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Escherichia coli		727	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Escherichia coli		579	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Escherichia coli		2420	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Escherichia coli		21050	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Escherichia coli		1553	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Hardness, Total		250	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Hardness, Total		253	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Hardness, Total		261	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Hardness, Total		200	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Hardness, Total		237	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Iron, Total	J	726	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Iron, Total	J	681	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Iron, Total		862	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Iron, Total		772	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Iron, Total		799	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Lead, Total	<	0.337	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Lead, Total	<	0.337	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Lead, Total	<	0.337	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Lead, Total	J	0.652	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Lead, Total	<	0.337	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Magnesium, Total		15700	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Magnesium, Total		16300	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Magnesium, Total		16700	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Magnesium, Total		11800	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Magnesium, Total		14400	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Manganese, Total		127	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Manganese, Total		76	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Manganese, Total		164	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Manganese, Total		116	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Manganese, Total		116	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Molybdenum, Total		14.1	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Molybdenum, Total		9.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Molybdenum, Total		8.76	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Molybdenum, Total		12.8	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Molybdenum, Total		11.8	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Nickel, Total		3.01	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Nickel, Total		2.56	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Nickel, Total		2.85	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Nickel, Total	J	2.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Nickel, Total	J	2.25	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Nitrate		0.18	mg/L	EPA 353.2

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Nitrate		1.52	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Nitrate		0.793	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Nitrate		1.92	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Nitrate		1.8	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Nitrite		0.0545	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Nitrite		0.0816	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Nitrite	J	0.0148	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Nitrite	J	0.0147	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Nitrite	J	0.0166	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Nitrite - Nitrate, Total		0.234	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Nitrite - Nitrate, Total		1.6	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Nitrite - Nitrate, Total		0.808	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Nitrite - Nitrate, Total		1.94	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Nitrite - Nitrate, Total		1.82	mg/L	EPA 353.2
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	pH		8	S.U.	N/A
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	pH		8	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	pH		8	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	pH		7.9	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	pH		8	S.U.	N/A
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Phosphorus, Diss. Reactive		0.0736	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Phosphorus, Diss. Reactive		0.0934	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Phosphorus, Diss. Reactive		0.0446	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Phosphorus, Diss. Reactive		0.0519	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Phosphorus, Diss. Reactive		0.0643	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Phosphorus, Total		0.0975	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Phosphorus, Total		0.133	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Phosphorus, Total		0.0828	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Phosphorus, Total		0.0938	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Phosphorus, Total		0.104	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Potassium, Total		6760	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Potassium, Total		6480	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Potassium, Total		6510	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Potassium, Total		6490	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Potassium, Total		6650	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Selenium, Total	J	0.667	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Selenium, Total	<	0.565	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Selenium, Total	<	0.565	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Selenium, Total	J	1	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Selenium, Total	J	0.689	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Silver, Total	<	3.54	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Silver, Total	<	3.54	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Silver, Total	<	3.54	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Silver, Total	<	3.54	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Silver, Total	<	3.54	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Sodium, Total		155000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Sodium, Total		193000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Sodium, Total		222000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Sodium, Total		114000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Sodium, Total		141000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Strontium, Total		547	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Strontium, Total		515	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Strontium, Total		538	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Strontium, Total		500	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Strontium, Total		544	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Sulfate		64.1	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Sulfate		67	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Sulfate		67.5	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Sulfate		47.8	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Sulfate		58.9	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Thallium, Total	<	1.36	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Thallium, Total	<	1.36	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Thallium, Total	<	1.36	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Thallium, Total	<	1.36	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Tin, Total	<	6.62	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Tin, Total	<	6.62	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Tin, Total	<	6.62	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Tin, Total	<	6.62	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Tin, Total	<	6.62	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Titanium, Total	J	1.98	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Titanium, Total	J	1.66	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Titanium, Total	J	1.54	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Titanium, Total	J	2.19	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Titanium, Total	J	1.71	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Total Dissolved Solids		678	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Total Dissolved Solids		778	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Total Dissolved Solids		830	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Total Dissolved Solids		550	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Total Dissolved Solids		656	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Total Kjeldahl Nitrogen	J	0.692	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Total Kjeldahl Nitrogen	J	0.681	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Total Kjeldahl Nitrogen	J	0.669	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Total Kjeldahl Nitrogen	J	0.68	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Total Kjeldahl Nitrogen	J	0.483	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Total Solids		702	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Total Solids		848	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Total Solids		831	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Total Solids		564	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Total Solids		712	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Total Suspended Solids		2.1	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Total Suspended Solids		1.5	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Total Suspended Solids		1.8	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Total Suspended Solids		2.6	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Total Suspended Solids		1.4	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Turbidity		2.9	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Turbidity		2.6	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Turbidity		3	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Turbidity		3.6	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Turbidity		3.2	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Vanadium, Total	<	14.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Vanadium, Total	<	14.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Vanadium, Total	<	14.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Vanadium, Total	<	14.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Water Temperature		19.6	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Water Temperature		21.42	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Water Temperature		23.76	°C	EPA 170.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Water Temperature		21.83	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Water Temperature		21.16	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	7/21/2021 11:05	Zinc, Total	J	22	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/28/2021 9:45	Zinc, Total		27.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/4/2021 10:10	Zinc, Total	J	11.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/11/2021 10:20	Zinc, Total		28	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/18/2021 9:15	Zinc, Total	<	9.9	ug/L	EPA-200.8