

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Alkalinity, Total		175	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Alkalinity, Total		170	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Alkalinity, Total		201	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Alkalinity, Total		178	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Alkalinity, Total		197	mg/LCaCO3	EPA-310.2
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Aluminum, Total	<	47.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Aluminum, Total	J	36.7	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Aluminum, Total	J	47.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Ammonia, Total		0.0561	mg/L	EPA-350.1 (G)
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Ammonia, Total		0.0641	mg/L	EPA-350.1 (G)
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Ammonia, Total		0.0611	mg/L	EPA-350.1 (G)
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Ammonia, Total		0.0851	mg/L	EPA-350.1 (G)
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Ammonia, Total	J	0.0474	mg/L	EPA-350.1 (G)
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Antimony, Total	J	1.66	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Antimony, Total	J	1.07	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Antimony, Total	J	2.33	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Antimony, Total	J	1.12	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Antimony, Total	J	1.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Arsenic, Total		4.03	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Arsenic, Total		3.73	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Arsenic, Total		3.53	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Arsenic, Total	J	3.43	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Arsenic, Total	J	2.69	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Barium, Total		42.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Barium, Total		40.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Barium, Total		40	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Barium, Total		37.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Barium, Total		38.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Beryllium, Total	<	0.157	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Beryllium, Total	<	0.141	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Beryllium, Total	<	0.141	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	BOD, Total		2.9	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	BOD, Total	<	2	mg/L	SM5210 B
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Cadmium, Total	<	0.242	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Cadmium, Total	<	0.233	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Calcium, Total		72800	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Calcium, Total		73800	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Calcium, Total		67000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Calcium, Total		71600	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Calcium, Total		67800	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Chloride		231	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Chloride		264	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Chloride		188	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Chloride		251	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Chloride		202	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Chromium, Total	J	8.16	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Chromium, Total	J	8.51	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Chromium, Total	J	8.05	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Chromium, Total	<	10.2	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Chromium, Total	<	10.2	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Cobalt, Total	J	0.242	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Cobalt, Total	J	0.178	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Cobalt, Total	J	0.309	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Cobalt, Total	J	0.295	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Cobalt, Total	J	0.273	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	COD, Total	J	13.2	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	COD, Total	<	8.4	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	COD, Total	<	7.83	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	COD, Total	<	8.4	mg/L	EPA 410.4
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	COD, Total	<	7.83	mg/L	EPA 410.4

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Conductivity		463	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Conductivity		561	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Conductivity		1152	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Conductivity		1221	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Conductivity		1262	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Conductivity		1358	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Conductivity		1062	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Conductivity		1119	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Conductivity		1229	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Conductivity		1324	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Conductivity		1121	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Conductivity		1171	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Conductivity		687	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Conductivity		738	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Conductivity		315	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Conductivity		390	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Conductivity		863	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Conductivity		1074	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Conductivity		1019	UMHOS/CM	SM 2510A
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Conductivity		1288	UMHOS/CM	SM 2510B
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Copper, Total		3.12	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Copper, Total		2.5	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Copper, Total		4.52	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Copper, Total		2.89	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Copper, Total		2.87	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Dissolved Oxygen		96	%	N/A
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Dissolved Oxygen		9.5	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Dissolved Oxygen		98	%	N/A
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Dissolved Oxygen		97	%	N/A
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Dissolved Oxygen		8.5	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Dissolved Oxygen		96	%	N/A
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Dissolved Oxygen		8.3	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Dissolved Oxygen		96	%	N/A
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Dissolved Oxygen		8.5	mg/L	SM 4500-O G

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Dissolved Oxygen		94	%	N/A
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Dissolved Oxygen		8.1	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Dissolved Oxygen		98	%	N/A
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Dissolved Oxygen		8.6	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Dissolved Oxygen		97	%	N/A
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Dissolved Oxygen		9.7	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Dissolved Oxygen		98	%	N/A
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Dissolved Oxygen		9.9	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Dissolved Oxygen		98	%	N/A
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Dissolved Oxygen		10.0	mg/L	SM 4500-O G
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Escherichia coli		7945	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Escherichia coli		20980	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Escherichia coli		231	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Escherichia coli		18720	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Escherichia coli		1046	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Escherichia coli		6932	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Escherichia coli		5450	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Escherichia coli		7945	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Escherichia coli		1300	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Escherichia coli		488	MPN/100 mL	SM9223 Colilert
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Hardness, Total		242	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Hardness, Total		249	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Hardness, Total		219	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Hardness, Total		239	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Hardness, Total		221	mg/LCaCO3	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Iron, Total		755	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Iron, Total		784	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Iron, Total	J	721	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Iron, Total		787	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Iron, Total	J	683	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Lead, Total	J	0.24	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Lead, Total	J	0.146	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Lead, Total	J	0.475	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Lead, Total	J	0.226	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Lead, Total	J	0.311	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Magnesium, Total		14600	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Magnesium, Total		15700	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Magnesium, Total		12500	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Magnesium, Total		14600	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Magnesium, Total		12500	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Manganese, Total		113	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Manganese, Total		94.1	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Manganese, Total		81.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Manganese, Total		93.3	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Manganese, Total		83	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Mercury, Total	<	0.0199	ug/L	EPA 245.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Molybdenum, Total		14.8	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Molybdenum, Total		9.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Molybdenum, Total		15.6	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Molybdenum, Total		13.7	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Molybdenum, Total		12.4	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Nickel, Total		2.97	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Nickel, Total		3.01	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Nickel, Total		3.08	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Nickel, Total		3.46	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Nickel, Total		2.55	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Nitrite - Nitrate, Total		1.89	mg/L	ASTM D7781
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Nitrite - Nitrate, Total		1.78	mg/L	ASTM D7781
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Nitrite - Nitrate, Total		2.52	mg/L	ASTM D7781
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Nitrite - Nitrate, Total		1.96	mg/L	ASTM D7781
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Nitrite - Nitrate, Total		2.06	mg/L	ASTM D7781
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	pH		7.6	S.U.	N/A
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	pH		8.0	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	pH		8.1	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	pH		7.9	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	pH		8.2	S.U.	N/A

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	pH		8.0	S.U.	N/A
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	pH		7.6	S.U.	N/A
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	pH		7.6	S.U.	N/A
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	pH		7.9	S.U.	N/A
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	pH		7.9	S.U.	N/A
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Phosphorus, Diss. Reactive		0.0518	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Phosphorus, Diss. Reactive		0.0935	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Phosphorus, Diss. Reactive		0.0606	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Phosphorus, Diss. Reactive		0.0914	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Phosphorus, Diss. Reactive		0.0506	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Phosphorus, Total		0.0994	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Phosphorus, Total		0.0739	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Phosphorus, Total		0.125	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Phosphorus, Total		0.0835	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Phosphorus, Total		0.122	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Phosphorus, Total		0.0703	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Phosphorus, Total		0.087	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Phosphorus, Total		0.109	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Phosphorus, Total		0.0852	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Phosphorus, Total		0.115	mg/L	EPA 365.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Potassium, Total		6950	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Potassium, Total		6600	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Potassium, Total		6700	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Potassium, Total		6400	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Potassium, Total		6500	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Selenium, Total	J	0.974	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Selenium, Total	J	0.342	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Selenium, Total	J	0.911	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Selenium, Total	<	2.41	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Selenium, Total	<	2.41	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Silver, Total	<	0.2	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Silver, Total	<	0.2	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Silver, Total	<	0.2	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Silver, Total	<	0.0765	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Silver, Total	<	0.0765	ug/L	EPA-200.8

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Sodium, Total		150000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Sodium, Total		168000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Sodium, Total		117000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Sodium, Total		152000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Sodium, Total		124000	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Strontium, Total		547	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Strontium, Total		505	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Strontium, Total		553	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Strontium, Total		499	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Strontium, Total		524	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Sulfate		63.1	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Sulfate		62.7	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Sulfate		57.2	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Sulfate		59.8	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Sulfate		56.8	mg/L	EPA 300.0
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Thallium, Total	<	1.71	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Thallium, Total	<	1.71	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Thallium, Total	<	1.71	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Thallium, Total	<	3.49	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Thallium, Total	<	3.49	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Tin, Total	<	3.57	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Tin, Total	<	3.57	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Tin, Total	<	3.57	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Tin, Total	J	1.42	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Tin, Total	J	1.14	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Titanium, Total	J	2.07	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Titanium, Total	J	2.22	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Titanium, Total	J	2.15	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Titanium, Total	J	2.26	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Titanium, Total	J	2.13	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Total Dissolved Solids		678	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Total Dissolved Solids		724	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Total Dissolved Solids		600	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Total Dissolved Solids		694	mg/L	SM2540 C
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Total Dissolved Solids		604	mg/L	SM2540 C

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Total Kjeldahl Nitrogen	J	0.635	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Total Kjeldahl Nitrogen	J	0.538	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Total Kjeldahl Nitrogen	J	0.433	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Total Kjeldahl Nitrogen	J	0.298	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Total Kjeldahl Nitrogen	J	0.532	mg/L	EPA351.2
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Total Solids		748	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Total Solids		762	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Total Solids		662	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Total Solids		800	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Total Solids		692	mg/L	SM2540 B
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Total Suspended Solids		1.9	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Total Suspended Solids	<	0.9	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Total Suspended Solids		2.1	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Total Suspended Solids		1.3	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Total Suspended Solids		1.4	mg/L	SM2540 D
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Turbidity		22.7	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Turbidity		3.0	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Turbidity		2.3	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Turbidity		3.2	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Turbidity		2.7	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Turbidity		3.1	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Turbidity		10.9	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Turbidity		57.1	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Turbidity		2.2	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Turbidity		1.9	NTU	EPA 180.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Vanadium, Total	J	7.52	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Vanadium, Total	<	5.15	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Vanadium, Total	<	2.59	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Vanadium, Total	J	5.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	10/13/2022 9:47	Water Temperature		15.83	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Water Temperature		21.96	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Water Temperature		21.48	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Water Temperature		22.64	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Water Temperature		20.75	°C	EPA 170.1

Sample Information							
Waterbody	Sample Location	Sample Date	Parameter	Code	Result	Units	Method
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Water Temperature		23.60	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	8/30/2022 9:30	Water Temperature		21.36	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	9/27/2022 10:10	Water Temperature		14.91	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	10/24/2022 10:15	Water Temperature		14.69	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	11/3/2022 10:45	Water Temperature		14.03	°C	EPA 170.1
Green Creek	Culvert-Humphrey Park	7/26/2022 11:35	Zinc, Total	J	6.08	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/2/2022 11:50	Zinc, Total	J	5.41	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/10/2022 10:50	Zinc, Total	J	8.17	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/17/2022 12:30	Zinc, Total	J	6.9	ug/L	EPA-200.8
Green Creek	Culvert-Humphrey Park	8/24/2022 10:55	Zinc, Total	J	6.58	ug/L	EPA-200.8