

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/4/2009 9:25	E. coli	EC	33	cfu/100mL	EPA1603
5/5/2009 9:02	E. coli		79	cfu/100mL	EPA1603
5/6/2009 9:10	E. coli		130	cfu/100mL	EPA1603
5/7/2009 9:22	E. coli		13	cfu/100mL	EPA1603
5/11/2009 9:30	E. coli		64	cfu/100mL	EPA1603
5/12/2009 9:05	E. coli		24	cfu/100mL	EPA1603
5/13/2009 9:05	E. coli		6	cfu/100mL	EPA1603
5/14/2009 9:20	E. coli		21	cfu/100mL	EPA1603
5/18/2009 8:45	E. coli		22	cfu/100mL	EPA1603
5/19/2009 7:45	E. coli		52	cfu/100mL	EPA1603
5/20/2009 8:09	E. coli		42	cfu/100mL	EPA1603
5/21/2009 8:03	E. coli		64	cfu/100mL	EPA1603
5/22/2009 7:26	E. coli		130	cfu/100mL	EPA1603
5/23/2009 7:34	E. coli		700	cfu/100mL	EPA1603
5/24/2009 7:25	E. coli		21	cfu/100mL	EPA1603
5/25/2009 7:14	E. coli		680	cfu/100mL	EPA1603
5/26/2009 7:58	E. coli		1360	cfu/100mL	EPA1603
5/27/2009 9:15	E. coli		11	cfu/100mL	EPA1603
5/28/2009 8:45	E. coli		57	cfu/100mL	EPA1603
5/29/2009 8:30	E. coli		1240	cfu/100mL	EPA1603
5/30/2009 7:40	E. coli		395	cfu/100mL	EPA1603
5/31/2009 7:52	E. coli		960	cfu/100mL	EPA1603
6/1/2009 8:23	E. coli		38	cfu/100mL	EPA1603
6/2/2009 8:05	E. coli		215	cfu/100mL	EPA1603
6/3/2009 8:42	E. coli		58	cfu/100mL	EPA1603
6/4/2009 8:27	E. coli		62	cfu/100mL	EPA1603
6/5/2009 8:25	E. coli		75	cfu/100mL	EPA1603
6/6/2009 7:32	E. coli		31	cfu/100mL	EPA1603
6/7/2009 7:41	E. coli		23	cfu/100mL	EPA1603
6/8/2009 8:20	E. coli		140	cfu/100mL	EPA1603
6/9/2009 8:25	E. coli		39	cfu/100mL	EPA1603
6/10/2009 8:22	E. coli		155	cfu/100mL	EPA1603
6/11/2009 8:18	E. coli		20	cfu/100mL	EPA1603
6/12/2009 8:22	E. coli		350	cfu/100mL	EPA1603
6/13/2009 7:35	E. coli		130	cfu/100mL	EPA1603
6/14/2009 7:35	E. coli		50	cfu/100mL	EPA1603
6/15/2009 8:25	E. coli		460	cfu/100mL	EPA1603
6/16/2009 8:43	E. coli		51	cfu/100mL	EPA1603
6/17/2009 8:51	E. coli		66	cfu/100mL	EPA1603
6/18/2009 8:32	E. coli		365	cfu/100mL	EPA1603
6/19/2009 11:05	E. coli		31	cfu/100mL	EPA1603
6/20/2009 8:26	E. coli		1683	cfu/100mL	EPA1603
6/21/2009 7:06	E. coli		270	cfu/100mL	EPA1603
6/22/2009 8:52	E. coli		35	cfu/100mL	EPA1603
6/23/2009 8:30	E. coli		33	cfu/100mL	EPA1603
6/24/2009 8:28	E. coli		11	cfu/100mL	EPA1603
6/25/2009 8:34	E. coli		22	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/26/2009 8:30	E. coli		270	cfu/100mL	EPA1603
6/27/2009 7:37	E. coli		620	cfu/100mL	EPA1603
6/28/2009 7:04	E. coli		61	cfu/100mL	EPA1603
6/29/2009 8:19	E. coli		370	cfu/100mL	EPA1603
6/30/2009 8:36	E. coli		164	cfu/100mL	EPA1603
7/1/2009 8:25	E. coli		395	cfu/100mL	EPA1603
7/2/2009 8:33	E. coli		1383	cfu/100mL	EPA1603
7/3/2009 7:23	E. coli		1100	cfu/100mL	EPA1603
7/4/2009 7:51	E. coli	EC	200	cfu/100mL	EPA1603
7/5/2009 9:20	E. coli	EC	21	cfu/100mL	EPA1603
7/6/2009 8:15	E. coli		6	cfu/100mL	EPA1603
7/7/2009 8:31	E. coli	EC	87	cfu/100mL	EPA1603
7/8/2009 8:30	E. coli		23	cfu/100mL	EPA1603
7/9/2009	E. coli	EC	10	cfu/100mL	EPA1603
7/10/2009 8:34	E. coli		34	cfu/100mL	EPA1603
7/11/2009 6:00	E. coli		11	cfu/100mL	EPA1603
7/12/2009 8:35	E. coli		115	cfu/100mL	EPA1603
7/12/2009 11:58	E. coli		10	cfu/100mL	EPA1603
7/13/2009 9:12	E. coli		130	cfu/100mL	EPA1603
7/14/2009 8:31	E. coli		64	cfu/100mL	EPA1603
7/15/2009 8:37	E. coli		23	cfu/100mL	EPA1603
7/16/2009 8:55	E. coli		372	cfu/100mL	EPA1603
7/17/2009 8:52	E. coli		245	cfu/100mL	EPA1603
7/18/2009 7:58	E. coli		460	cfu/100mL	EPA1603
7/19/2009 7:45	E. coli		163	cfu/100mL	EPA1603
7/20/2009 8:35	E. coli		22	cfu/100mL	EPA1603
7/21/2009 8:35	E. coli		24	cfu/100mL	EPA1603
7/22/2009 8:40	E. coli	EC	83	cfu/100mL	EPA1603
7/23/2009 8:47	E. coli		980	cfu/100mL	EPA1603
7/24/2009 8:43	E. coli		185	cfu/100mL	EPA1603
7/25/2009 7:45	E. coli		70	cfu/100mL	EPA1603
7/26/2009 7:48	E. coli		470	cfu/100mL	EPA1603
7/27/2009 8:22	E. coli		80	cfu/100mL	EPA1603
7/28/2009 8:35	E. coli		46	cfu/100mL	EPA1603
7/29/2009 9:49	E. coli		370	cfu/100mL	EPA1603
7/30/2009 8:42	E. coli		133	cfu/100mL	EPA1603
7/31/2009 8:36	E. coli	EC	28	cfu/100mL	EPA1603
8/1/2009 7:39	E. coli		160	cfu/100mL	EPA1603
8/2/2009 7:30	E. coli		235	cfu/100mL	EPA1603
8/3/2009 8:33	E. coli		40	cfu/100mL	EPA1603
8/4/2009 8:27	E. coli	EC	34	cfu/100mL	EPA1603
8/5/2009 8:58	E. coli		440	cfu/100mL	EPA1603
8/6/2009 8:50	E. coli		40	cfu/100mL	EPA1603
8/7/2009 8:25	E. coli	EC	27	cfu/100mL	EPA1603
8/8/2009 7:01	E. coli		45	cfu/100mL	EPA1603
8/9/2009 7:00	E. coli		390	cfu/100mL	EPA1603
8/10/2009 8:33	E. coli		64	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/11/2009 8:30	E. coli		106	cfu/100mL	EPA1603
8/12/2009 8:25	E. coli		380	cfu/100mL	EPA1603
8/13/2009 8:55	E. coli		58	cfu/100mL	EPA1603
8/14/2009 8:36	E. coli		54	cfu/100mL	EPA1603
8/15/2009 7:15	E. coli		28	cfu/100mL	EPA1603
8/16/2009 7:20	E. coli		59	cfu/100mL	EPA1603
8/17/2009 8:25	E. coli		54	cfu/100mL	EPA1603
8/18/2009 8:44	E. coli		70	cfu/100mL	EPA1603
8/19/2009 8:35	E. coli		210	cfu/100mL	EPA1603
8/20/2009 8:20	E. coli	EC	46	cfu/100mL	EPA1603
8/21/2009 8:10	E. coli		250	cfu/100mL	EPA1603
8/22/2009 7:50	E. coli		62	cfu/100mL	EPA1603
8/23/2009 7:32	E. coli		66	cfu/100mL	EPA1603
8/24/2009 8:25	E. coli		36	cfu/100mL	EPA1603
8/25/2009 8:25	E. coli		36	cfu/100mL	EPA1603
8/26/2009 8:30	E. coli		293	cfu/100mL	EPA1603
8/27/2009 8:25	E. coli		80	cfu/100mL	EPA1603
8/28/2009 8:35	E. coli		44	cfu/100mL	EPA1603
8/29/2009 7:35	E. coli		157	cfu/100mL	EPA1603
8/30/2009 7:30	E. coli		68	cfu/100mL	EPA1603
8/31/2009 8:30	E. coli		88	cfu/100mL	EPA1603
9/1/2009 8:35	E. coli		46	cfu/100mL	EPA1603
9/2/2009 8:40	E. coli		59	cfu/100mL	EPA1603
9/3/2009 8:40	E. coli		36	cfu/100mL	EPA1603
9/4/2009 8:35	E. coli		47	cfu/100mL	EPA1603
9/5/2009 7:20	E. coli		87	cfu/100mL	EPA1603
9/6/2009 6:40	E. coli		42	cfu/100mL	EPA1603
9/7/2009 6:47	E. coli		384	cfu/100mL	EPA1603
9/8/2009 8:55	E. coli		110	cfu/100mL	EPA1603
9/9/2009 8:25	E. coli		390	cfu/100mL	EPA1603
9/10/2009 8:35	E. coli		161	cfu/100mL	EPA1603
9/11/2009 8:34	E. coli		91	cfu/100mL	EPA1603
9/14/2009 8:53	E. coli		81	cfu/100mL	EPA1603
9/15/2009 8:55	E. coli		418	cfu/100mL	EPA1603
9/16/2009 9:25	E. coli		950	cfu/100mL	EPA1603
9/17/2009 9:17	E. coli	EC	16	cfu/100mL	EPA1603
9/21/2009 9:30	E. coli		235	cfu/100mL	EPA1603
9/22/2009 9:50	E. coli		295	cfu/100mL	EPA1603
9/23/2009 9:20	E. coli		252	cfu/100mL	EPA1603
9/24/2009 9:00	E. coli		675	cfu/100mL	EPA1603
9/28/2009 9:40	E. coli		1000	cfu/100mL	EPA1603
9/29/2009 9:45	E. coli		316	cfu/100mL	EPA1603
9/30/2009 10:10	E. coli		382	cfu/100mL	EPA1603
10/1/2009 9:20	E. coli	EC	28	cfu/100mL	EPA1603
10/5/2009 9:15	E. coli		142	cfu/100mL	EPA1603
10/6/2009 9:17	E. coli		78	cfu/100mL	EPA1603
10/7/2009 9:33	E. coli		242	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/8/2009 9:13	E. coli		86	cfu/100mL	EPA1603
10/12/2009 11:07	E. coli		153	cfu/100mL	EPA1603
10/13/2009 9:15	E. coli		715	cfu/100mL	EPA1603
10/14/2009 9:25	E. coli		49	cfu/100mL	EPA1603
10/15/2009 9:25	E. coli		53	cfu/100mL	EPA1603
10/19/2009 9:30	E. coli		12	cfu/100mL	EPA1603
10/20/2009 9:35	E. coli		69	cfu/100mL	EPA1603
10/21/2009 9:20	E. coli		48	cfu/100mL	EPA1603
10/22/2009 9:23	E. coli		122	cfu/100mL	EPA1603
10/26/2009 9:13	E. coli		206	cfu/100mL	EPA1603
10/27/2009 9:20	E. coli		372	cfu/100mL	EPA1603
10/28/2009 9:35	E. coli	EC	910	cfu/100mL	EPA1603
10/29/2009 9:20	E. coli		1240	cfu/100mL	EPA1603
5/3/2010 9:35	E. coli		84	cfu/100mL	EPA1603
5/4/2010 8:55	E. coli	EC	30	cfu/100mL	EPA1603
5/5/2010 9:00	E. coli	EC	6	cfu/100mL	EPA1603
5/6/2010 9:15	E. coli	EC	24	cfu/100mL	EPA1603
5/10/2010 9:00	E. coli		56	cfu/100mL	EPA1603
5/20/2009 8:09	Field Cond		318	uS/cm	SM 2510A
5/21/2009 8:03	Field Cond		301	uS/cm	SM 2510A
5/22/2009 7:26	Field Cond		301	uS/cm	SM 2510A
5/23/2009 7:34	Field Cond		301	uS/cm	SM 2510A
5/24/2009 7:25	Field Cond		305	uS/cm	SM 2510A
5/25/2009 7:14	Field Cond		310	uS/cm	SM 2510A
5/26/2009 7:58	Field Cond		359	uS/cm	SM 2510A
5/27/2009 9:15	Field Cond		290	uS/cm	SM 2510A
5/28/2009 8:45	Field Cond		300	uS/cm	SM 2510A
5/29/2009 8:30	Field Cond		368	uS/cm	SM 2510A
5/30/2009 7:40	Field Cond		323	uS/cm	SM 2510A
5/31/2009 7:52	Field Cond		330	uS/cm	SM 2510A
6/1/2009 8:23	Field Cond		314	uS/cm	SM 2510A
6/2/2009 8:05	Field Cond		335	uS/cm	SM 2510A
6/3/2009 8:42	Field Cond		341	uS/cm	SM 2510A
6/4/2009 8:27	Field Cond		380	uS/cm	SM 2510A
6/5/2009 8:25	Field Cond		460	uS/cm	SM 2510A
6/6/2009 7:32	Field Cond		353	uS/cm	SM 2510A
6/7/2009 7:41	Field Cond		353	uS/cm	SM 2510A
6/8/2009 8:20	Field Cond		322	uS/cm	SM 2510A
6/9/2009 8:25	Field Cond		297	uS/cm	SM 2510A
6/10/2009 8:22	Field Cond		299	uS/cm	SM 2510A
6/11/2009 8:18	Field Cond		283	uS/cm	SM 2510A
6/12/2009 8:22	Field Cond		317	uS/cm	SM 2510A
6/13/2009 7:35	Field Cond		335	uS/cm	SM 2510A
6/14/2009 7:35	Field Cond		381	uS/cm	SM 2510A
6/15/2009 8:25	Field Cond		363	uS/cm	SM 2510A
6/16/2009 8:43	Field Cond		353	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/17/2009 8:51	Field Cond		303	uS/cm	SM 2510A
6/18/2009 8:32	Field Cond		292	uS/cm	SM 2510A
6/19/2009 11:05	Field Cond		290	uS/cm	SM 2510A
6/20/2009 8:26	Field Cond		390	uS/cm	SM 2510A
6/21/2009 7:06	Field Cond		395	uS/cm	SM 2510A
6/22/2009 8:52	Field Cond		328	uS/cm	SM 2510A
6/23/2009 8:30	Field Cond		290	uS/cm	SM 2510A
6/24/2009 8:28	Field Cond		313	uS/cm	SM 2510A
6/25/2009 8:34	Field Cond		288	uS/cm	SM 2510A
6/26/2009 8:30	Field Cond		300	uS/cm	SM 2510A
6/27/2009 7:37	Field Cond		299	uS/cm	SM 2510A
6/28/2009 7:04	Field Cond		287	uS/cm	SM 2510A
6/29/2009 8:19	Field Cond		296	uS/cm	SM 2510A
6/30/2009 8:36	Field Cond		303	uS/cm	SM 2510A
7/1/2009 8:25	Field Cond		288	uS/cm	SM 2510A
7/2/2009 8:33	Field Cond		295	uS/cm	SM 2510A
7/3/2009 7:23	Field Cond		281	uS/cm	SM 2510A
7/5/2009 9:20	Field Cond		283	uS/cm	SM 2510A
7/6/2009 8:15	Field Cond		273	uS/cm	SM 2510A
7/7/2009 8:31	Field Cond		275	uS/cm	SM 2510A
7/8/2009 8:30	Field Cond		266	uS/cm	SM 2510A
7/9/2009	Field Cond		266	uS/cm	SM 2510A
7/10/2009 8:34	Field Cond		290	uS/cm	SM 2510A
7/11/2009 6:00	Field Cond		277	uS/cm	SM 2510A
7/13/2009 9:12	Field Cond		309	uS/cm	SM 2510A
7/14/2009 8:31	Field Cond		294	uS/cm	SM 2510A
7/15/2009 8:37	Field Cond		316	uS/cm	SM 2510A
7/16/2009 8:55	Field Cond		298	uS/cm	SM 2510A
7/17/2009 8:52	Field Cond		288	uS/cm	SM 2510A
7/18/2009 7:58	Field Cond		290	uS/cm	SM 2510A
7/19/2009 7:45	Field Cond		297	uS/cm	SM 2510A
7/20/2009 8:35	Field Cond		302	uS/cm	SM 2510A
7/21/2009 8:35	Field Cond		331	uS/cm	SM 2510A
7/22/2009 8:40	Field Cond		351	uS/cm	SM 2510A
7/23/2009 8:47	Field Cond		330	uS/cm	SM 2510A
7/24/2009 8:43	Field Cond		344	uS/cm	SM 2510A
7/27/2009 8:22	Field Cond		299	uS/cm	SM 2510A
7/28/2009 8:35	Field Cond		286	uS/cm	SM 2510A
7/29/2009 9:49	Field Cond		327	uS/cm	SM 2510A
7/30/2009 8:42	Field Cond		290	uS/cm	SM 2510A
7/31/2009 8:36	Field Cond		300	uS/cm	SM 2510A
8/1/2009 7:39	Field Cond		324	uS/cm	SM 2510A
8/2/2009 7:30	Field Cond		296	uS/cm	SM 2510A
8/3/2009 8:33	Field Cond		301	uS/cm	SM 2510A
8/4/2009 8:27	Field Cond		336	uS/cm	SM 2510A
8/5/2009 8:58	Field Cond		363	uS/cm	SM 2510A
8/6/2009 8:50	Field Cond		336	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/7/2009 8:25	Field Cond		366	uS/cm	SM 2510A
8/8/2009 7:01	Field Cond		329	uS/cm	SM 2510A
8/9/2009 7:00	Field Cond		339	uS/cm	SM 2510A
8/10/2009 8:33	Field Cond		327	uS/cm	SM 2510A
8/11/2009 8:30	Field Cond		344	uS/cm	SM 2510A
8/12/2009 8:25	Field Cond		314	uS/cm	SM 2510A
8/13/2009 8:55	Field Cond		312	uS/cm	SM 2510A
8/14/2009 8:36	Field Cond		300	uS/cm	SM 2510A
8/15/2009 7:15	Field Cond		295	uS/cm	SM 2510A
8/16/2009 7:20	Field Cond		297	uS/cm	SM 2510A
8/17/2009 8:25	Field Cond		307	uS/cm	SM 2510A
8/18/2009 8:44	Field Cond		310	uS/cm	SM 2510A
8/19/2009 8:35	Field Cond		297	uS/cm	SM 2510A
8/20/2009 8:20	Field Cond		323	uS/cm	SM 2510A
8/21/2009 8:10	Field Cond		420	uS/cm	SM 2510A
8/22/2009 7:50	Field Cond		320	uS/cm	SM 2510A
8/23/2009 7:32	Field Cond		319	uS/cm	SM 2510A
8/24/2009 8:25	Field Cond		310	uS/cm	SM 2510A
8/25/2009 8:25	Field Cond		306	uS/cm	SM 2510A
8/26/2009 8:30	Field Cond		323	uS/cm	SM 2510A
8/27/2009 8:25	Field Cond		332	uS/cm	SM 2510A
8/28/2009 8:35	Field Cond		357	uS/cm	SM 2510A
8/29/2009 7:35	Field Cond		333	uS/cm	SM 2510A
8/30/2009 7:30	Field Cond		327	uS/cm	SM 2510A
8/31/2009 8:30	Field Cond		356	uS/cm	SM 2510A
9/1/2009 8:35	Field Cond		308	uS/cm	SM 2510A
9/2/2009 8:40	Field Cond		375	uS/cm	SM 2510A
9/3/2009 8:40	Field Cond		417	uS/cm	SM 2510A
9/4/2009 8:35	Field Cond		448	uS/cm	SM 2510A
9/5/2009 7:20	Field Cond		348	uS/cm	SM 2510A
9/6/2009 6:40	Field Cond		335	uS/cm	SM 2510A
9/7/2009 6:47	Field Cond		336	uS/cm	SM 2510A
9/8/2009 8:55	Field Cond		343	uS/cm	SM 2510A
9/9/2009 8:25	Field Cond		352	uS/cm	SM 2510A
9/10/2009 8:35	Field Cond		352	uS/cm	SM 2510A
9/11/2009 8:34	Field Cond		365	uS/cm	SM 2510A
9/14/2009 8:53	Field Cond		333	uS/cm	SM 2510A
9/15/2009 8:55	Field Cond		329	uS/cm	SM 2510A
9/16/2009 9:25	Field Cond		315	uS/cm	SM 2510A
9/17/2009 9:17	Field Cond		345	uS/cm	SM 2510A
9/21/2009 9:30	Field Cond		374	uS/cm	SM 2510A
9/22/2009 9:50	Field Cond		340	uS/cm	SM 2510A
9/23/2009 9:20	Field Cond		357	uS/cm	SM 2510A
9/24/2009 9:00	Field Cond		355	uS/cm	SM 2510A
9/28/2009 9:40	Field Cond		307	uS/cm	SM 2510A
9/29/2009 9:45	Field Cond		308	uS/cm	SM 2510A
9/30/2009 10:10	Field Cond		310	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/1/2009 9:20	Field Cond		277	uS/cm	SM 2510A
10/5/2009 9:15	Field Cond		326	uS/cm	SM 2510A
10/6/2009 9:17	Field Cond		327	uS/cm	SM 2510A
10/7/2009 9:33	Field Cond		325	uS/cm	SM 2510A
10/8/2009 9:13	Field Cond		313	uS/cm	SM 2510A
10/12/2009 11:07	Field Cond		297	uS/cm	SM 2510A
10/13/2009 9:15	Field Cond		302	uS/cm	SM 2510A
10/14/2009 9:25	Field Cond		302	uS/cm	SM 2510A
10/15/2009 9:25	Field Cond		303	uS/cm	SM 2510A
10/19/2009 9:30	Field Cond		277	uS/cm	SM 2510A
10/20/2009 9:35	Field Cond		290	uS/cm	SM 2510A
10/21/2009 9:20	Field Cond		308	uS/cm	SM 2510A
10/22/2009 9:23	Field Cond		308	uS/cm	SM 2510A
10/26/2009 9:13	Field Cond		291	uS/cm	SM 2510A
10/27/2009 9:20	Field Cond		289	uS/cm	SM 2510A
10/28/2009 9:35	Field Cond		369	uS/cm	SM 2510A
10/29/2009 9:20	Field Cond		423	uS/cm	SM 2510A
5/3/2010 9:35	Field Cond		346	uS/cm	SM 2510A
5/4/2010 8:55	Field Cond		298	uS/cm	SM 2510A
5/5/2010 9:00	Field Cond		316	uS/cm	SM 2510A
5/6/2010 9:15	Field Cond		320	uS/cm	SM 2510A
5/10/2010 9:00	Field Cond		285	uS/cm	SM 2510A
5/20/2009 8:09	Field Temp		14.8	C	EPA 170.1
5/21/2009 8:03	Field Temp		14.9	C	EPA 170.1
5/22/2009 7:26	Field Temp		16.3	C	EPA 170.1
5/23/2009 7:34	Field Temp		14.9	C	EPA 170.1
5/24/2009 7:25	Field Temp		18.3	C	EPA 170.1
5/25/2009 7:14	Field Temp		16.8	C	EPA 170.1
5/26/2009 7:58	Field Temp		16.1	C	EPA 170.1
5/27/2009 9:15	Field Temp		15.1	C	EPA 170.1
5/28/2009 8:45	Field Temp		16.6	C	EPA 170.1
5/29/2009 8:30	Field Temp		17.4	C	EPA 170.1
5/30/2009 7:40	Field Temp		17.4	C	EPA 170.1
5/31/2009 7:52	Field Temp		16.9	C	EPA 170.1
6/1/2009 8:23	Field Temp		16.7	C	EPA 170.1
6/2/2009 8:05	Field Temp		17.2	C	EPA 170.1
6/3/2009 8:42	Field Temp		17.5	C	EPA 170.1
6/4/2009 8:27	Field Temp		16.5	C	EPA 170.1
6/5/2009 8:25	Field Temp		17	C	EPA 170.1
6/6/2009 7:32	Field Temp		17.5	C	EPA 170.1
6/7/2009 7:41	Field Temp		19	C	EPA 170.1
6/8/2009 8:20	Field Temp		18.4	C	EPA 170.1
6/9/2009 8:25	Field Temp		18.3	C	EPA 170.1
6/10/2009 8:22	Field Temp		20	C	EPA 170.1
6/11/2009 8:18	Field Temp		19	C	EPA 170.1
6/12/2009 8:22	Field Temp		18.8	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/13/2009 7:35	Field Temp		19.5	C	EPA 170.1
6/14/2009 7:35	Field Temp		19.7	C	EPA 170.1
6/15/2009 8:25	Field Temp		20.2	C	EPA 170.1
6/16/2009 8:43	Field Temp		19.3	C	EPA 170.1
6/17/2009 8:51	Field Temp		18	C	EPA 170.1
6/18/2009 8:32	Field Temp		19.4	C	EPA 170.1
6/19/2009 11:05	Field Temp		19.7	C	EPA 170.1
6/20/2009 8:26	Field Temp		19.5	C	EPA 170.1
6/21/2009 7:06	Field Temp		20.6	C	EPA 170.1
6/22/2009 8:52	Field Temp		21.8	C	EPA 170.1
6/23/2009 8:30	Field Temp		23.1	C	EPA 170.1
6/24/2009 8:28	Field Temp		24	C	EPA 170.1
6/25/2009 8:34	Field Temp		23.3	C	EPA 170.1
6/26/2009 8:30	Field Temp		24.8	C	EPA 170.1
6/27/2009 7:37	Field Temp		23.5	C	EPA 170.1
6/28/2009 7:04	Field Temp		23.7	C	EPA 170.1
6/29/2009 8:19	Field Temp		21.5	C	EPA 170.1
6/30/2009 8:36	Field Temp		20.6	C	EPA 170.1
7/1/2009 8:25	Field Temp		21.1	C	EPA 170.1
7/2/2009 8:33	Field Temp		20.5	C	EPA 170.1
7/3/2009 7:23	Field Temp		20.3	C	EPA 170.1
7/5/2009 9:20	Field Temp		22.1	C	EPA 170.1
7/6/2009 8:15	Field Temp		22.4	C	EPA 170.1
7/7/2009 8:31	Field Temp		22.3	C	EPA 170.1
7/8/2009 8:30	Field Temp		21.5	C	EPA 170.1
7/9/2009	Field Temp		23	C	EPA 170.1
7/10/2009 8:34	Field Temp		22.7	C	EPA 170.1
7/11/2009 6:00	Field Temp		24	C	EPA 170.1
7/13/2009 9:12	Field Temp		21.2	C	EPA 170.1
7/14/2009 8:31	Field Temp		21.1	C	EPA 170.1
7/15/2009 8:37	Field Temp		22.6	C	EPA 170.1
7/16/2009 8:55	Field Temp		23.3	C	EPA 170.1
7/17/2009 8:52	Field Temp		23.3	C	EPA 170.1
7/18/2009 7:58	Field Temp		21	C	EPA 170.1
7/19/2009 7:45	Field Temp		20.8	C	EPA 170.1
7/20/2009 8:35	Field Temp		21.4	C	EPA 170.1
7/21/2009 8:35	Field Temp		22.1	C	EPA 170.1
7/22/2009 8:40	Field Temp		22.1	C	EPA 170.1
7/23/2009 8:47	Field Temp		22.4	C	EPA 170.1
7/24/2009 8:43	Field Temp		21.2	C	EPA 170.1
7/27/2009 8:22	Field Temp		21.9	C	EPA 170.1
7/28/2009 8:35	Field Temp		22.8	C	EPA 170.1
7/29/2009 9:49	Field Temp		23.3	C	EPA 170.1
7/30/2009 8:42	Field Temp		23	C	EPA 170.1
7/31/2009 8:36	Field Temp		20	C	EPA 170.1
8/1/2009 7:39	Field Temp		23	C	EPA 170.1
8/2/2009 7:30	Field Temp		23.6	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/3/2009 8:33	Field Temp		23.2	C	EPA 170.1
8/4/2009 8:27	Field Temp		23	C	EPA 170.1
8/5/2009 8:58	Field Temp		22.8	C	EPA 170.1
8/6/2009 8:50	Field Temp		22.9	C	EPA 170.1
8/7/2009 8:25	Field Temp		22.7	C	EPA 170.1
8/8/2009 7:01	Field Temp		22.9	C	EPA 170.1
8/9/2009 7:00	Field Temp		23	C	EPA 170.1
8/11/2009 8:30	Field Temp		24.4	C	EPA 170.1
8/12/2009 8:25	Field Temp		23.6	C	EPA 170.1
8/13/2009 8:55	Field Temp		24.6	C	EPA 170.1
8/14/2009 8:36	Field Temp		24.6	C	EPA 170.1
8/15/2009 7:15	Field Temp		23.5	C	EPA 170.1
8/16/2009 7:20	Field Temp		23.4	C	EPA 170.1
8/17/2009 8:25	Field Temp		24.7	C	EPA 170.1
8/18/2009 8:44	Field Temp		25.3	C	EPA 170.1
8/19/2009 8:35	Field Temp		24.6	C	EPA 170.1
8/20/2009 8:20	Field Temp		24.9	C	EPA 170.1
8/21/2009 8:10	Field Temp		23.6	C	EPA 170.1
8/22/2009 7:50	Field Temp		24	C	EPA 170.1
8/23/2009 7:32	Field Temp		21.9	C	EPA 170.1
8/24/2009 8:25	Field Temp		22.6	C	EPA 170.1
8/25/2009 8:25	Field Temp		22.8	C	EPA 170.1
8/26/2009 8:30	Field Temp		23.6	C	EPA 170.1
8/27/2009 8:25	Field Temp		23.3	C	EPA 170.1
8/28/2009 8:35	Field Temp		22.5	C	EPA 170.1
8/29/2009 7:35	Field Temp		22.7	C	EPA 170.1
8/30/2009 7:30	Field Temp		21.6	C	EPA 170.1
8/31/2009 8:30	Field Temp		19.8	C	EPA 170.1
9/1/2009 8:35	Field Temp		20	C	EPA 170.1
9/2/2009 8:40	Field Temp		20.4	C	EPA 170.1
9/3/2009 8:40	Field Temp		20.5	C	EPA 170.1
9/4/2009 8:35	Field Temp		21.2	C	EPA 170.1
9/5/2009 7:20	Field Temp		21.2	C	EPA 170.1
9/6/2009 6:40	Field Temp		22.2	C	EPA 170.1
9/7/2009 6:47	Field Temp		21.7	C	EPA 170.1
9/8/2009 8:55	Field Temp		21.8	C	EPA 170.1
9/9/2009 8:25	Field Temp		21.6	C	EPA 170.1
9/10/2009 8:35	Field Temp		21.6	C	EPA 170.1
9/11/2009 8:34	Field Temp		20.7	C	EPA 170.1
9/14/2009 8:53	Field Temp		21	C	EPA 170.1
9/15/2009 8:55	Field Temp		22.1	C	EPA 170.1
9/16/2009 9:25	Field Temp		21.9	C	EPA 170.1
9/17/2009 9:17	Field Temp		21.2	C	EPA 170.1
9/21/2009 9:30	Field Temp		21.9	C	EPA 170.1
9/22/2009 9:50	Field Temp		21.5	C	EPA 170.1
9/23/2009 9:20	Field Temp		21.5	C	EPA 170.1
9/24/2009 9:00	Field Temp		21.5	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/28/2009 9:40	Field Temp		19.7	C	EPA 170.1
9/29/2009 9:45	Field Temp		15.8	C	EPA 170.1
9/30/2009 10:10	Field Temp		14.5	C	EPA 170.1
10/1/2009 9:20	Field Temp		16.3	C	EPA 170.1
10/5/2009 9:15	Field Temp		15.7	C	EPA 170.1
10/6/2009 9:17	Field Temp		15.3	C	EPA 170.1
10/7/2009 9:33	Field Temp		13.6	C	EPA 170.1
10/8/2009 9:13	Field Temp		14.9	C	EPA 170.1
10/12/2009 11:07	Field Temp		14.3	C	EPA 170.1
10/13/2009 9:15	Field Temp		14.2	C	EPA 170.1
10/14/2009 9:25	Field Temp		13.4	C	EPA 170.1
10/15/2009 9:25	Field Temp		13.3	C	EPA 170.1
10/19/2009 9:30	Field Temp		11.6	C	EPA 170.1
10/20/2009 9:35	Field Temp		12.3	C	EPA 170.1
10/21/2009 9:20	Field Temp		13	C	EPA 170.1
10/22/2009 9:23	Field Temp		13.3	C	EPA 170.1
10/26/2009 9:13	Field Temp		12.2	C	EPA 170.1
10/27/2009 9:20	Field Temp		12.2	C	EPA 170.1
10/28/2009 9:35	Field Temp		12.8	C	EPA 170.1
10/29/2009 9:20	Field Temp		12.6	C	EPA 170.1
5/3/2010 9:35	Field Temp		14.1	C	EPA 170.1
5/4/2010 8:55	Field Temp		15.1	C	EPA 170.1
5/5/2010 9:00	Field Temp		15.9	C	EPA 170.1
5/6/2010 9:15	Field Temp		14.6	C	EPA 170.1
5/10/2010 9:00	Field Temp		12.6	C	EPA 170.1
5/20/2009 8:09	pH		7.4	S.U.	
5/21/2009 8:03	pH		8.4	S.U.	
5/22/2009 7:26	pH		8.4	S.U.	
5/23/2009 7:34	pH		8.4	S.U.	
5/24/2009 7:25	pH		8.2	S.U.	
5/25/2009 7:14	pH		7.4	S.U.	
5/26/2009 7:58	pH		6.7	S.U.	
5/27/2009 9:15	pH		8.1	S.U.	
5/28/2009 8:45	pH		7.6	S.U.	
5/29/2009 8:30	pH		7.9	S.U.	
5/30/2009 7:40	pH		7.5	S.U.	
5/31/2009 7:52	pH		7.6	S.U.	
6/1/2009 8:23	pH		8.2	S.U.	
6/2/2009 8:05	pH		7.9	S.U.	
6/3/2009 8:42	pH		8.2	S.U.	
6/4/2009 8:27	pH		8.1	S.U.	
6/5/2009 8:25	pH		6.93	S.U.	
6/6/2009 7:32	pH		7.26	S.U.	
6/7/2009 7:41	pH		6.8	S.U.	
6/8/2009 8:20	pH		7.2	S.U.	
6/9/2009 8:25	pH		6.36	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/10/2009 8:22	pH		7.3	S.U.	
6/11/2009 8:18	pH		8.4	S.U.	
6/12/2009 8:22	pH		8.1	S.U.	
6/13/2009 7:35	pH		8.3	S.U.	
6/14/2009 7:35	pH		8.5	S.U.	
6/15/2009 8:25	pH		8.5	S.U.	
6/16/2009 8:43	pH		7.7	S.U.	
6/17/2009 8:51	pH		6.8	S.U.	
6/18/2009 8:32	pH		6.8	S.U.	
6/19/2009 11:05	pH		8.3	S.U.	
6/20/2009 8:26	pH		8.3	S.U.	
6/21/2009 7:06	pH		8.1	S.U.	
6/22/2009 8:52	pH		6	S.U.	
6/23/2009 8:30	pH		8.2	S.U.	
6/24/2009 8:28	pH		8.24	S.U.	
6/25/2009 8:34	pH		8.33	S.U.	
6/26/2009 8:30	pH		7.2	S.U.	
6/27/2009 7:37	pH		8.1	S.U.	
6/28/2009 7:04	pH		8.2	S.U.	
6/29/2009 8:19	pH		7.97	S.U.	
6/30/2009 8:36	pH		7.95	S.U.	
7/1/2009 8:25	pH		6.6	S.U.	
7/2/2009 8:33	pH		6.53	S.U.	
7/3/2009 7:23	pH		8.1	S.U.	
7/5/2009 9:20	pH		8.2	S.U.	
7/6/2009 8:15	pH		8.3	S.U.	
7/7/2009 8:31	pH		8.05	S.U.	
7/8/2009 8:30	pH		8.2	S.U.	
7/9/2009	pH		8.5	S.U.	
7/10/2009 8:34	pH		7.44	S.U.	
7/11/2009 6:00	pH		7.8	S.U.	
7/13/2009 9:12	pH		8.07	S.U.	
7/14/2009 8:31	pH		7.7	S.U.	
7/15/2009 8:37	pH		6.7	S.U.	
7/16/2009 8:55	pH		6.5	S.U.	
7/17/2009 8:52	pH		8.3	S.U.	
7/18/2009 7:58	pH		7.9	S.U.	
7/19/2009 7:45	pH		8	S.U.	
7/20/2009 8:35	pH		7.8	S.U.	
7/21/2009 8:35	pH		7.4	S.U.	
7/22/2009 8:40	pH		7.9	S.U.	
7/23/2009 8:47	pH		8.34	S.U.	
7/24/2009 8:43	pH		7.4	S.U.	
7/27/2009 8:22	pH		7.2	S.U.	
7/28/2009 8:35	pH		7.11	S.U.	
7/29/2009 9:49	pH		8.23	S.U.	
7/30/2009 8:42	pH		7.17	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/31/2009 8:36	pH		7.2	S.U.	
8/1/2009 7:39	pH		7.17	S.U.	
8/2/2009 7:30	pH		7.1	S.U.	
8/3/2009 8:33	pH		6.98	S.U.	
8/4/2009 8:27	pH		7.05	S.U.	
8/5/2009 8:58	pH		7.7	S.U.	
8/6/2009 8:50	pH		8	S.U.	
8/7/2009 8:25	pH		8.26	S.U.	
8/8/2009 7:01	pH		8.4	S.U.	
8/9/2009 7:00	pH		8.3	S.U.	
8/10/2009 8:33	pH		8.2	S.U.	
8/11/2009 8:30	pH		8.4	S.U.	
8/12/2009 8:25	pH		8.2	S.U.	
8/13/2009 8:55	pH		8.2	S.U.	
8/14/2009 8:36	pH		8.5	S.U.	
8/15/2009 7:15	pH		8.4	S.U.	
8/16/2009 7:20	pH		8.2	S.U.	
8/17/2009 8:25	pH		8.2	S.U.	
8/18/2009 8:44	pH		8.4	S.U.	
8/19/2009 8:35	pH		8.3	S.U.	
8/20/2009 8:20	pH		8.4	S.U.	
8/21/2009 8:10	pH		8.4	S.U.	
8/22/2009 7:50	pH		8.2	S.U.	
8/23/2009 7:32	pH		7.6	S.U.	
8/24/2009 8:25	pH		8.2	S.U.	
8/25/2009 8:25	pH		8.4	S.U.	
8/26/2009 8:30	pH		8.5	S.U.	
8/27/2009 8:25	pH		8.2	S.U.	
8/28/2009 8:35	pH		8	S.U.	
8/29/2009 7:35	pH		8	S.U.	
8/30/2009 7:30	pH		7.9	S.U.	
8/31/2009 8:30	pH		8	S.U.	
9/1/2009 8:35	pH		8.3	S.U.	
9/2/2009 8:40	pH		7.9	S.U.	
9/3/2009 8:40	pH		7.9	S.U.	
9/4/2009 8:35	pH		8.3	S.U.	
9/5/2009 7:20	pH		8	S.U.	
9/6/2009 6:40	pH		7.8	S.U.	
9/7/2009 6:47	pH		7.6	S.U.	
9/8/2009 8:55	pH		8.1	S.U.	
9/9/2009 8:25	pH		7.9	S.U.	
9/10/2009 8:35	pH		8	S.U.	
9/11/2009 8:34	pH		8.3	S.U.	
9/14/2009 8:53	pH		7.5	S.U.	
9/15/2009 8:55	pH		7.3	S.U.	
9/16/2009 9:25	pH		7.4	S.U.	
9/17/2009 9:17	pH		7.4	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/21/2009 9:30	pH		7.4	S.U.	
9/22/2009 9:50	pH		7.6	S.U.	
9/23/2009 9:20	pH		7.7	S.U.	
9/24/2009 9:00	pH		7.4	S.U.	
9/28/2009 9:40	pH		7.7	S.U.	
9/29/2009 9:45	pH		7.8	S.U.	
9/30/2009 10:10	pH		7.4	S.U.	
10/1/2009 9:20	pH		7.3	S.U.	
10/5/2009 9:15	pH		7.8	S.U.	
10/6/2009 9:17	pH		7.3	S.U.	
10/7/2009 9:33	pH		7.7	S.U.	
10/8/2009 9:13	pH		7.4	S.U.	
10/12/2009 11:07	pH		7.4	S.U.	
10/13/2009 9:15	pH		7.6	S.U.	
10/14/2009 9:25	pH		7.2	S.U.	
10/15/2009 9:25	pH		7.2	S.U.	
10/19/2009 9:30	pH		7.9	S.U.	
10/20/2009 9:35	pH		7.4	S.U.	
10/21/2009 9:20	pH		7.3	S.U.	
10/22/2009 9:23	pH		7.2	S.U.	
10/26/2009 9:13	pH		7.2	S.U.	
10/27/2009 9:20	pH		7.4	S.U.	
10/28/2009 9:35	pH		7.5	S.U.	
10/29/2009 9:20	pH		7.3	S.U.	
5/3/2010 9:35	pH		7.66	S.U.	
5/4/2010 8:55	pH		7.03	S.U.	
5/5/2010 9:00	pH		7.3	S.U.	
5/6/2010 9:15	pH		7.15	S.U.	
5/10/2010 9:00	pH		7.57	S.U.	
5/4/2009 9:25	Turbidity		9.09	NTU	EPA180.1
5/5/2009 9:02	Turbidity		15	NTU	EPA180.1
5/6/2009 9:10	Turbidity		14.25	NTU	EPA180.1
5/7/2009 9:22	Turbidity		8.92	NTU	EPA180.1
5/11/2009 9:30	Turbidity		27.45	NTU	EPA180.1
5/12/2009 9:05	Turbidity		8.35	NTU	EPA180.1
5/14/2009 9:20	Turbidity		11.7	NTU	EPA180.1
5/18/2009 8:45	Turbidity		11.2	NTU	EPA180.1
5/19/2009 7:45	Turbidity		14.15	NTU	EPA180.1
5/20/2009 8:09	Turbidity		9.5	NTU	EPA180.1
5/21/2009 8:03	Turbidity		10.85	NTU	EPA180.1
5/22/2009 7:26	Turbidity		5.31	NTU	EPA180.1
5/23/2009 7:34	Turbidity		15.55	NTU	EPA180.1
5/24/2009 7:25	Turbidity		7.01	NTU	EPA180.1
5/25/2009 7:14	Turbidity		21.9	NTU	EPA180.1
5/26/2009 7:58	Turbidity		26.95	NTU	EPA180.1
5/27/2009 9:15	Turbidity		28.6	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/28/2009 8:45	Turbidity		7.6	NTU	EPA180.1
5/29/2009 8:30	Turbidity		28	NTU	EPA180.1
5/30/2009 7:40	Turbidity		12.8	NTU	EPA180.1
5/31/2009 7:52	Turbidity		28.5	NTU	EPA180.1
6/1/2009 8:23	Turbidity		9.19	NTU	EPA180.1
6/2/2009 8:05	Turbidity		12.2	NTU	EPA180.1
6/3/2009 8:42	Turbidity		5.7	NTU	EPA180.1
6/4/2009 8:27	Turbidity		8.6	NTU	EPA180.1
6/5/2009 8:25	Turbidity		5.6	NTU	EPA180.1
6/6/2009 7:32	Turbidity		4.1	NTU	EPA180.1
6/7/2009 7:41	Turbidity		3.1	NTU	EPA180.1
6/8/2009 8:20	Turbidity		5.9	NTU	EPA180.1
6/9/2009 8:25	Turbidity		10	NTU	EPA180.1
6/10/2009 8:22	Turbidity		5.8	NTU	EPA180.1
6/11/2009 8:18	Turbidity		2.98	NTU	EPA180.1
6/12/2009 8:22	Turbidity		5.56	NTU	EPA180.1
6/13/2009 7:35	Turbidity		7.4	NTU	EPA180.1
6/14/2009 7:35	Turbidity		2.86	NTU	EPA180.1
6/15/2009 8:25	Turbidity		4.3	NTU	EPA180.1
6/16/2009 8:43	Turbidity		3.4	NTU	EPA180.1
6/17/2009 8:51	Turbidity		5	NTU	EPA180.1
6/18/2009 8:32	Turbidity		7.3	NTU	EPA180.1
6/19/2009 11:05	Turbidity		5.5	NTU	EPA180.1
6/20/2009 8:26	Turbidity		5.7	NTU	EPA180.1
6/21/2009 7:06	Turbidity		7.7	NTU	EPA180.1
6/22/2009 8:52	Turbidity		3.41	NTU	EPA180.1
6/23/2009 8:30	Turbidity		2.77	NTU	EPA180.1
6/24/2009 8:28	Turbidity		2.23	NTU	EPA180.1
6/25/2009 8:34	Turbidity		3.4	NTU	EPA180.1
6/26/2009 8:30	Turbidity		5	NTU	EPA180.1
6/27/2009 7:37	Turbidity		6.1	NTU	EPA180.1
6/28/2009 7:04	Turbidity		4.2	NTU	EPA180.1
6/29/2009 8:19	Turbidity		24.5	NTU	EPA180.1
6/30/2009 8:36	Turbidity		37.88	NTU	EPA180.1
7/1/2009 8:25	Turbidity		26.6	NTU	EPA180.1
7/2/2009 8:33	Turbidity		19.1	NTU	EPA180.1
7/3/2009 7:23	Turbidity		39.1	NTU	EPA180.1
7/4/2009 7:51	Turbidity		18.5	NTU	EPA180.1
7/5/2009 9:20	Turbidity		3.9	NTU	EPA180.1
7/6/2009 8:15	Turbidity		3.2	NTU	EPA180.1
7/7/2009 8:31	Turbidity		5.4	NTU	EPA180.1
7/8/2009 8:30	Turbidity		5.9	NTU	EPA180.1
7/9/2009	Turbidity		3	NTU	EPA180.1
7/10/2009 8:34	Turbidity		5.3	NTU	EPA180.1
7/11/2009 6:00	Turbidity		2.26	NTU	EPA180.1
7/12/2009 8:35	Turbidity		6.6	NTU	EPA180.1
7/13/2009 9:12	Turbidity		7	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/14/2009 8:31	Turbidity		9.8	NTU	EPA180.1
7/15/2009 8:37	Turbidity		4.1	NTU	EPA180.1
7/16/2009 8:55	Turbidity		6.1	NTU	EPA180.1
7/17/2009 8:52	Turbidity		6	NTU	EPA180.1
7/18/2009 7:58	Turbidity		12.53	NTU	EPA180.1
7/19/2009 7:45	Turbidity		23	NTU	EPA180.1
7/20/2009 8:35	Turbidity		4.6	NTU	EPA180.1
7/21/2009 8:35	Turbidity		2.5	NTU	EPA180.1
7/22/2009 8:40	Turbidity		1.8	NTU	EPA180.1
7/23/2009 8:47	Turbidity		3.3	NTU	EPA180.1
7/24/2009 8:43	Turbidity		6.3	NTU	EPA180.1
7/25/2009 7:45	Turbidity		2.8	NTU	EPA180.1
7/26/2009 7:48	Turbidity		3.4	NTU	EPA180.1
7/27/2009 8:22	Turbidity		7	NTU	EPA180.1
7/28/2009 8:35	Turbidity		2.3	NTU	EPA180.1
7/29/2009 9:49	Turbidity		2.51	NTU	EPA180.1
7/30/2009 8:42	Turbidity		2	NTU	EPA180.1
7/31/2009 8:36	Turbidity		1.5	NTU	EPA180.1
8/1/2009 7:39	Turbidity		1.8	NTU	EPA180.1
8/2/2009 7:30	Turbidity		2	NTU	EPA180.1
8/3/2009 8:33	Turbidity		4.1	NTU	EPA180.1
8/4/2009 8:27	Turbidity		1.8	NTU	EPA180.1
8/5/2009 8:58	Turbidity		22.4	NTU	EPA180.1
8/6/2009 8:50	Turbidity		3.3	NTU	EPA180.1
8/7/2009 8:25	Turbidity		2.3	NTU	EPA180.1
8/8/2009 7:01	Turbidity		2.8	NTU	EPA180.1
8/9/2009 7:00	Turbidity		4	NTU	EPA180.1
8/10/2009 8:33	Turbidity		4.1	NTU	EPA180.1
8/11/2009 8:30	Turbidity		1.6	NTU	EPA180.1
8/12/2009 8:25	Turbidity		6.2	NTU	EPA180.1
8/13/2009 8:55	Turbidity		3.1	NTU	EPA180.1
8/14/2009 8:36	Turbidity		2	NTU	EPA180.1
8/15/2009 7:15	Turbidity		2	NTU	EPA180.1
8/16/2009 7:20	Turbidity		1.8	NTU	EPA180.1
8/17/2009 8:25	Turbidity		1.4	NTU	EPA180.1
8/18/2009 8:44	Turbidity		1.8	NTU	EPA180.1
8/19/2009 8:35	Turbidity		6.8	NTU	EPA180.1
8/20/2009 8:20	Turbidity		1.7	NTU	EPA180.1
8/21/2009 8:10	Turbidity		5	NTU	EPA180.1
8/22/2009 7:50	Turbidity		2.6	NTU	EPA180.1
8/23/2009 7:32	Turbidity		6.6	NTU	EPA180.1
8/24/2009 8:25	Turbidity		2.8	NTU	EPA180.1
8/25/2009 8:25	Turbidity		1.7	NTU	EPA180.1
8/26/2009 8:30	Turbidity		2.9	NTU	EPA180.1
8/27/2009 8:25	Turbidity		2.7	NTU	EPA180.1
8/28/2009 8:35	Turbidity		2.3	NTU	EPA180.1
8/29/2009 7:35	Turbidity		7.5	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/30/2009 7:30	Turbidity		22.7	NTU	EPA180.1
8/31/2009 8:30	Turbidity		8.2	NTU	EPA180.1
9/1/2009 8:35	Turbidity		4.7	NTU	EPA180.1
9/2/2009 8:40	Turbidity		2.8	NTU	EPA180.1
9/3/2009 8:40	Turbidity		2.1	NTU	EPA180.1
9/4/2009 8:35	Turbidity		3.6	NTU	EPA180.1
9/5/2009 7:20	Turbidity		2.1	NTU	EPA180.1
9/6/2009 6:40	Turbidity		2.1	NTU	EPA180.1
9/7/2009 6:47	Turbidity		7.8	NTU	EPA180.1
9/8/2009 8:55	Turbidity		1.5	NTU	EPA180.1
9/9/2009 8:25	Turbidity		2.3	NTU	EPA180.1
9/10/2009 8:35	Turbidity		2.5	NTU	EPA180.1
9/11/2009 8:34	Turbidity		3	NTU	EPA180.1
9/14/2009 8:53	Turbidity		4.1	NTU	EPA180.1
9/15/2009 8:55	Turbidity		6.6	NTU	EPA180.1
9/17/2009 9:17	Turbidity		4.5	NTU	EPA180.1
9/21/2009 9:30	Turbidity		4.59	NTU	EPA180.1
9/22/2009 9:50	Turbidity		3	NTU	EPA180.1
9/24/2009 9:00	Turbidity		6.5	NTU	EPA180.1
9/28/2009 9:40	Turbidity		7.4	NTU	EPA180.1
9/29/2009 9:45	Turbidity		32.2	NTU	EPA180.1
9/30/2009 10:10	Turbidity		20.9	NTU	EPA180.1
10/1/2009 9:20	Turbidity		18.4	NTU	EPA180.1
10/5/2009 9:15	Turbidity		31.8	NTU	EPA180.1
10/6/2009 9:17	Turbidity		16.7	NTU	EPA180.1
10/7/2009 9:33	Turbidity		27.3	NTU	EPA180.1
10/8/2009 9:13	Turbidity		22.9	NTU	EPA180.1
10/12/2009 11:07	Turbidity		9.6	NTU	EPA180.1
10/13/2009 9:15	Turbidity		13.9	NTU	EPA180.1
10/14/2009 9:25	Turbidity		16	NTU	EPA180.1
10/15/2009 9:25	Turbidity		20.4	NTU	EPA180.1
10/19/2009 9:30	Turbidity		11.8	NTU	EPA180.1
10/20/2009 9:35	Turbidity		11.1	NTU	EPA180.1
10/21/2009 9:20	Turbidity		6.3	NTU	EPA180.1
10/22/2009 9:23	Turbidity		5.5	NTU	EPA180.1
10/26/2009 9:13	Turbidity		9.715	NTU	EPA180.1
10/27/2009 9:20	Turbidity		12	NTU	EPA180.1
10/28/2009 9:35	Turbidity		17.2	NTU	EPA180.1
10/29/2009 9:20	Turbidity		8.4	NTU	EPA180.1
5/3/2010 9:35	Turbidity		10.9	NTU	EPA180.1
5/4/2010 8:55	Turbidity		7.06	NTU	EPA180.1
5/5/2010 9:00	Turbidity		2.74	NTU	EPA180.1
5/6/2010 9:15	Turbidity		5.02	NTU	EPA180.1
5/10/2010 9:00	Turbidity		18.5	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/4/2009 9:40	E. coli		44	cfu/100mL	EPA1603
5/5/2009 9:13	E. coli		19	cfu/100mL	EPA1603
5/6/2009 9:20	E. coli		22	cfu/100mL	EPA1603
5/7/2009 9:35	E. coli		16	cfu/100mL	EPA1603
5/11/2009 9:41	E. coli		36	cfu/100mL	EPA1603
5/12/2009 9:15	E. coli		6	cfu/100mL	EPA1603
5/13/2009 9:15	E. coli		39	cfu/100mL	EPA1603
5/14/2009 9:30	E. coli		12	cfu/100mL	EPA1603
5/18/2009 8:53	E. coli		105	cfu/100mL	EPA1603
5/19/2009 7:52	E. coli		59	cfu/100mL	EPA1603
5/20/2009 8:17	E. coli		30	cfu/100mL	EPA1603
5/21/2009 8:10	E. coli		200	cfu/100mL	EPA1603
5/22/2009 7:33	E. coli	EC	88	cfu/100mL	EPA1603
5/23/2009 7:43	E. coli		1360	cfu/100mL	EPA1603
5/24/2009 7:35	E. coli		31	cfu/100mL	EPA1603
5/25/2009 7:24	E. coli		210	cfu/100mL	EPA1603
5/26/2009 8:09	E. coli		780	cfu/100mL	EPA1603
5/27/2009 9:30	E. coli		24	cfu/100mL	EPA1603
5/28/2009 9:00	E. coli		33	cfu/100mL	EPA1603
5/29/2009 8:40	E. coli		1100	cfu/100mL	EPA1603
5/30/2009 7:50	E. coli		165	cfu/100mL	EPA1603
5/31/2009 8:02	E. coli		1120	cfu/100mL	EPA1603
6/1/2009 8:30	E. coli		35	cfu/100mL	EPA1603
6/2/2009 8:15	E. coli		140	cfu/100mL	EPA1603
6/3/2009 8:54	E. coli		11	cfu/100mL	EPA1603
6/4/2009 8:35	E. coli		35	cfu/100mL	EPA1603
6/5/2009 8:33	E. coli		14	cfu/100mL	EPA1603
6/6/2009 7:40	E. coli		40	cfu/100mL	EPA1603
6/7/2009 7:48	E. coli		34	cfu/100mL	EPA1603
6/8/2009 8:27	E. coli		660	cfu/100mL	EPA1603
6/9/2009 8:33	E. coli		26	cfu/100mL	EPA1603
6/10/2009 8:33	E. coli		31	cfu/100mL	EPA1603
6/11/2009 8:25	E. coli		17	cfu/100mL	EPA1603
6/12/2009 8:30	E. coli		245	cfu/100mL	EPA1603
6/13/2009 7:44	E. coli		30	cfu/100mL	EPA1603
6/14/2009 7:40	E. coli		38	cfu/100mL	EPA1603
6/15/2009 8:34	E. coli		25	cfu/100mL	EPA1603
6/16/2009 8:57	E. coli		22	cfu/100mL	EPA1603
6/17/2009 9:04	E. coli		13	cfu/100mL	EPA1603
6/18/2009 8:44	E. coli		400	cfu/100mL	EPA1603
6/19/2009 11:15	E. coli		46	cfu/100mL	EPA1603
6/20/2009 8:38	E. coli		330	cfu/100mL	EPA1603
6/21/2009 7:16	E. coli		320	cfu/100mL	EPA1603
6/22/2009 9:02	E. coli		65	cfu/100mL	EPA1603
6/23/2009 8:38	E. coli		49	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/24/2009 8:38	E. coli	EC	88	cfu/100mL	EPA1603
6/25/2009 8:42	E. coli		36	cfu/100mL	EPA1603
6/26/2009 8:38	E. coli		165	cfu/100mL	EPA1603
6/27/2009 7:46	E. coli		290	cfu/100mL	EPA1603
6/28/2009 7:12	E. coli		43	cfu/100mL	EPA1603
6/29/2009 8:28	E. coli		50	cfu/100mL	EPA1603
6/30/2009 8:42	E. coli		140	cfu/100mL	EPA1603
7/1/2009 8:37	E. coli		408	cfu/100mL	EPA1603
7/2/2009 8:42	E. coli		820	cfu/100mL	EPA1603
7/3/2009 7:31	E. coli		753	cfu/100mL	EPA1603
7/4/2009 8:00	E. coli	EC	212	cfu/100mL	EPA1603
7/5/2009 9:25	E. coli	EC	11	cfu/100mL	EPA1603
7/6/2009 8:25	E. coli		20	cfu/100mL	EPA1603
7/7/2009 8:40	E. coli		240	cfu/100mL	EPA1603
7/8/2009 8:40	E. coli		130	cfu/100mL	EPA1603
7/9/2009 8:43	E. coli	EC	17	cfu/100mL	EPA1603
7/10/2009 8:43	E. coli		2	cfu/100mL	EPA1603
7/11/2009 6:04	E. coli		17	cfu/100mL	EPA1603
7/12/2009 8:28	E. coli		37	cfu/100mL	EPA1603
7/12/2009 11:53	E. coli		30	cfu/100mL	EPA1603
7/13/2009 9:06	E. coli		125	cfu/100mL	EPA1603
7/14/2009 8:38	E. coli		120	cfu/100mL	EPA1603
7/15/2009 8:45	E. coli		38	cfu/100mL	EPA1603
7/16/2009 9:03	E. coli		740	cfu/100mL	EPA1603
7/17/2009 9:00	E. coli		325	cfu/100mL	EPA1603
7/18/2009 8:07	E. coli		640	cfu/100mL	EPA1603
7/19/2009 7:55	E. coli		155	cfu/100mL	EPA1603
7/20/2009 8:42	E. coli		10	cfu/100mL	EPA1603
7/21/2009 8:42	E. coli		54	cfu/100mL	EPA1603
7/22/2009 8:50	E. coli	EC	100	cfu/100mL	EPA1603
7/23/2009 8:55	E. coli		126	cfu/100mL	EPA1603
7/24/2009 8:51	E. coli		700	cfu/100mL	EPA1603
7/25/2009 7:50	E. coli		110	cfu/100mL	EPA1603
7/26/2009 7:53	E. coli		800	cfu/100mL	EPA1603
7/27/2009 8:30	E. coli		160	cfu/100mL	EPA1603
7/28/2009 8:43	E. coli		60	cfu/100mL	EPA1603
7/29/2009 10:04	E. coli		300	cfu/100mL	EPA1603
7/30/2009 8:50	E. coli		123	cfu/100mL	EPA1603
7/31/2009 8:43	E. coli		70	cfu/100mL	EPA1603
8/1/2009 7:45	E. coli		154	cfu/100mL	EPA1603
8/2/2009 7:35	E. coli		121	cfu/100mL	EPA1603
8/3/2009 8:40	E. coli		116	cfu/100mL	EPA1603
8/4/2009 8:33	E. coli	EC	29	cfu/100mL	EPA1603
8/5/2009 9:08	E. coli		127	cfu/100mL	EPA1603
8/6/2009 8:57	E. coli		44	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/7/2009 8:33	E. coli		62	cfu/100mL	EPA1603
8/8/2009 7:06	E. coli		45	cfu/100mL	EPA1603
8/9/2009 7:07	E. coli		980	cfu/100mL	EPA1603
8/10/2009 8:39	E. coli		166	cfu/100mL	EPA1603
8/11/2009 8:40	E. coli		143	cfu/100mL	EPA1603
8/12/2009 8:35	E. coli		195	cfu/100mL	EPA1603
8/13/2009 9:05	E. coli		56	cfu/100mL	EPA1603
8/14/2009 8:45	E. coli	EC	33	cfu/100mL	EPA1603
8/15/2009 7:25	E. coli		36	cfu/100mL	EPA1603
8/16/2009 7:28	E. coli	EC	15	cfu/100mL	EPA1603
8/17/2009 8:35	E. coli		400	cfu/100mL	EPA1603
8/18/2009 8:51	E. coli		88	cfu/100mL	EPA1603
8/19/2009 8:40	E. coli		144	cfu/100mL	EPA1603
8/20/2009 8:30	E. coli	EC	35	cfu/100mL	EPA1603
8/21/2009 8:17	E. coli		230	cfu/100mL	EPA1603
8/22/2009 7:55	E. coli		45	cfu/100mL	EPA1603
8/23/2009 7:37	E. coli		46	cfu/100mL	EPA1603
8/24/2009 8:35	E. coli		18	cfu/100mL	EPA1603
8/25/2009 8:35	E. coli		45	cfu/100mL	EPA1603
8/26/2009 8:40	E. coli		580	cfu/100mL	EPA1603
8/27/2009 8:35	E. coli		56	cfu/100mL	EPA1603
8/28/2009 8:40	E. coli		50	cfu/100mL	EPA1603
8/29/2009 7:43	E. coli		103	cfu/100mL	EPA1603
8/30/2009 7:35	E. coli		52	cfu/100mL	EPA1603
8/31/2009 8:40	E. coli		103	cfu/100mL	EPA1603
9/1/2009 8:45	E. coli	EC	33	cfu/100mL	EPA1603
9/2/2009 8:45	E. coli		27	cfu/100mL	EPA1603
9/3/2009 8:45	E. coli		31	cfu/100mL	EPA1603
9/4/2009 8:45	E. coli		53	cfu/100mL	EPA1603
9/5/2009 7:25	E. coli		55	cfu/100mL	EPA1603
9/6/2009 6:45	E. coli		58	cfu/100mL	EPA1603
9/7/2009 6:52	E. coli		120	cfu/100mL	EPA1603
9/8/2009 9:05	E. coli		247	cfu/100mL	EPA1603
9/9/2009 8:35	E. coli		730	cfu/100mL	EPA1603
9/10/2009 8:45	E. coli		215	cfu/100mL	EPA1603
9/11/2009 8:42	E. coli		79	cfu/100mL	EPA1603
9/14/2009 8:58	E. coli		53	cfu/100mL	EPA1603
9/15/2009 9:00	E. coli		287	cfu/100mL	EPA1603
9/16/2009 9:35	E. coli		293	cfu/100mL	EPA1603
9/17/2009 9:26	E. coli		80	cfu/100mL	EPA1603
9/21/2009 9:35	E. coli		100	cfu/100mL	EPA1603
9/22/2009 10:00	E. coli		453	cfu/100mL	EPA1603
9/23/2009 9:15	E. coli		360	cfu/100mL	EPA1603
9/24/2009 9:05	E. coli		330	cfu/100mL	EPA1603
9/28/2009 9:50	E. coli		4000	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/29/2009 9:55	E. coli		317	cfu/100mL	EPA1603
9/30/2009 10:15	E. coli		560	cfu/100mL	EPA1603
10/1/2009 9:30	E. coli		58	cfu/100mL	EPA1603
10/5/2009 9:20	E. coli		123	cfu/100mL	EPA1603
10/6/2009 9:22	E. coli		60	cfu/100mL	EPA1603
10/7/2009 9:39	E. coli		388	cfu/100mL	EPA1603
10/8/2009 9:18	E. coli		60	cfu/100mL	EPA1603
10/12/2009 11:16	E. coli		121	cfu/100mL	EPA1603
10/13/2009 9:23	E. coli		141	cfu/100mL	EPA1603
10/14/2009 9:35	E. coli		23	cfu/100mL	EPA1603
10/15/2009 9:30	E. coli		100	cfu/100mL	EPA1603
10/19/2009 9:35	E. coli		22	cfu/100mL	EPA1603
10/20/2009 9:45	E. coli		45	cfu/100mL	EPA1603
10/21/2009 9:30	E. coli		51	cfu/100mL	EPA1603
10/22/2009 9:38	E. coli		116	cfu/100mL	EPA1603
10/26/2009 9:22	E. coli		260	cfu/100mL	EPA1603
10/27/2009 9:30	E. coli		323	cfu/100mL	EPA1603
10/28/2009 9:40	E. coli	EC	990	cfu/100mL	EPA1603
10/29/2009 9:25	E. coli		1367	cfu/100mL	EPA1603
5/3/2010 9:47	E. coli		320	cfu/100mL	EPA1603
5/4/2010 9:03	E. coli	EC	27	cfu/100mL	EPA1603
5/5/2010 9:07	E. coli	EC	6	cfu/100mL	EPA1603
5/6/2010 9:33	E. coli		67	cfu/100mL	EPA1603
5/10/2010 9:12	E. coli		68	cfu/100mL	EPA1603
5/20/2009 8:17	Field Cond		319	uS/cm	SM 2510A
5/21/2009 8:10	Field Cond		300	uS/cm	SM 2510A
5/22/2009 7:33	Field Cond		302	uS/cm	SM 2510A
5/23/2009 7:43	Field Cond		300	uS/cm	SM 2510A
5/24/2009 7:35	Field Cond		305	uS/cm	SM 2510A
5/25/2009 7:24	Field Cond		311	uS/cm	SM 2510A
5/26/2009 8:09	Field Cond		355	uS/cm	SM 2510A
5/27/2009 9:30	Field Cond		284	uS/cm	SM 2510A
5/28/2009 9:00	Field Cond		305	uS/cm	SM 2510A
5/29/2009 8:40	Field Cond		324	uS/cm	SM 2510A
5/30/2009 7:50	Field Cond		332	uS/cm	SM 2510A
5/31/2009 8:02	Field Cond		329	uS/cm	SM 2510A
6/1/2009 8:30	Field Cond		304	uS/cm	SM 2510A
6/2/2009 8:15	Field Cond		322	uS/cm	SM 2510A
6/3/2009 8:54	Field Cond		335	uS/cm	SM 2510A
6/4/2009 8:35	Field Cond		418	uS/cm	SM 2510A
6/5/2009 8:33	Field Cond		466	uS/cm	SM 2510A
6/6/2009 7:40	Field Cond		369	uS/cm	SM 2510A
6/7/2009 7:48	Field Cond		355	uS/cm	SM 2510A
6/8/2009 8:27	Field Cond		329	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/9/2009 8:33	Field Cond		300	uS/cm	SM 2510A
6/10/2009 8:33	Field Cond		305	uS/cm	SM 2510A
6/11/2009 8:25	Field Cond		286	uS/cm	SM 2510A
6/12/2009 8:30	Field Cond		338	uS/cm	SM 2510A
6/13/2009 7:44	Field Cond		323	uS/cm	SM 2510A
6/14/2009 7:40	Field Cond		368	uS/cm	SM 2510A
6/15/2009 8:34	Field Cond		356	uS/cm	SM 2510A
6/16/2009 8:57	Field Cond		323	uS/cm	SM 2510A
6/17/2009 9:04	Field Cond		299	uS/cm	SM 2510A
6/18/2009 8:44	Field Cond		293	uS/cm	SM 2510A
6/19/2009 11:15	Field Cond		288	uS/cm	SM 2510A
6/20/2009 8:38	Field Cond		312	uS/cm	SM 2510A
6/21/2009 7:16	Field Cond		330	uS/cm	SM 2510A
6/22/2009 9:02	Field Cond		329	uS/cm	SM 2510A
6/23/2009 8:38	Field Cond		289	uS/cm	SM 2510A
6/24/2009 8:38	Field Cond		310	uS/cm	SM 2510A
6/25/2009 8:42	Field Cond		290	uS/cm	SM 2510A
6/26/2009 8:38	Field Cond		293	uS/cm	SM 2510A
6/27/2009 7:46	Field Cond		300	uS/cm	SM 2510A
6/28/2009 7:12	Field Cond		286	uS/cm	SM 2510A
6/29/2009 8:28	Field Cond		285	uS/cm	SM 2510A
6/30/2009 8:42	Field Cond		300	uS/cm	SM 2510A
7/1/2009 8:37	Field Cond		291	uS/cm	SM 2510A
7/2/2009 8:42	Field Cond		288	uS/cm	SM 2510A
7/3/2009 7:31	Field Cond		280	uS/cm	SM 2510A
7/5/2009 9:25	Field Cond		280	uS/cm	SM 2510A
7/6/2009 8:25	Field Cond		274	uS/cm	SM 2510A
7/7/2009 8:40	Field Cond		280	uS/cm	SM 2510A
7/8/2009 8:40	Field Cond		272	uS/cm	SM 2510A
7/9/2009 8:43	Field Cond		263	uS/cm	SM 2510A
7/10/2009 8:43	Field Cond		282	uS/cm	SM 2510A
7/11/2009 6:04	Field Cond		278	uS/cm	SM 2510A
7/13/2009 9:06	Field Cond		312	uS/cm	SM 2510A
7/14/2009 8:38	Field Cond		290	uS/cm	SM 2510A
7/15/2009 8:45	Field Cond		315	uS/cm	SM 2510A
7/16/2009 9:03	Field Cond		305	uS/cm	SM 2510A
7/17/2009 9:00	Field Cond		298	uS/cm	SM 2510A
7/18/2009 8:07	Field Cond		292	uS/cm	SM 2510A
7/19/2009 7:55	Field Cond		304	uS/cm	SM 2510A
7/20/2009 8:42	Field Cond		299	uS/cm	SM 2510A
7/21/2009 8:42	Field Cond		329	uS/cm	SM 2510A
7/22/2009 8:50	Field Cond		351	uS/cm	SM 2510A
7/23/2009 8:55	Field Cond		336	uS/cm	SM 2510A
7/24/2009 8:51	Field Cond		363	uS/cm	SM 2510A
7/27/2009 8:30	Field Cond		291	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/28/2009 8:43	Field Cond		282	uS/cm	SM 2510A
7/29/2009 10:04	Field Cond		324	uS/cm	SM 2510A
7/30/2009 8:50	Field Cond		294	uS/cm	SM 2510A
7/31/2009 8:43	Field Cond		240	uS/cm	SM 2510A
8/1/2009 7:45	Field Cond		334	uS/cm	SM 2510A
8/2/2009 7:35	Field Cond		298	uS/cm	SM 2510A
8/3/2009 8:40	Field Cond		315	uS/cm	SM 2510A
8/4/2009 8:33	Field Cond		335	uS/cm	SM 2510A
8/5/2009 9:08	Field Cond		360	uS/cm	SM 2510A
8/6/2009 8:57	Field Cond		336	uS/cm	SM 2510A
8/7/2009 8:33	Field Cond		365	uS/cm	SM 2510A
8/8/2009 7:06	Field Cond		327	uS/cm	SM 2510A
8/9/2009 7:07	Field Cond		335	uS/cm	SM 2510A
8/10/2009 8:39	Field Cond		331	uS/cm	SM 2510A
8/11/2009 8:40	Field Cond		329	uS/cm	SM 2510A
8/12/2009 8:35	Field Cond		316	uS/cm	SM 2510A
8/13/2009 9:05	Field Cond		307	uS/cm	SM 2510A
8/14/2009 8:45	Field Cond		300	uS/cm	SM 2510A
8/15/2009 7:25	Field Cond		298	uS/cm	SM 2510A
8/16/2009 7:28	Field Cond		294	uS/cm	SM 2510A
8/17/2009 8:35	Field Cond		314	uS/cm	SM 2510A
8/18/2009 8:51	Field Cond		311	uS/cm	SM 2510A
8/19/2009 8:40	Field Cond		299	uS/cm	SM 2510A
8/20/2009 8:30	Field Cond		315	uS/cm	SM 2510A
8/21/2009 8:17	Field Cond		380	uS/cm	SM 2510A
8/22/2009 7:55	Field Cond		320	uS/cm	SM 2510A
8/23/2009 7:37	Field Cond		317	uS/cm	SM 2510A
8/24/2009 8:35	Field Cond		309	uS/cm	SM 2510A
8/25/2009 8:35	Field Cond		308	uS/cm	SM 2510A
8/26/2009 8:40	Field Cond		323	uS/cm	SM 2510A
8/27/2009 8:35	Field Cond		333	uS/cm	SM 2510A
8/28/2009 8:40	Field Cond		360	uS/cm	SM 2510A
8/29/2009 7:43	Field Cond		318	uS/cm	SM 2510A
8/30/2009 7:35	Field Cond		327	uS/cm	SM 2510A
8/31/2009 8:40	Field Cond		349	uS/cm	SM 2510A
9/1/2009 8:45	Field Cond		309	uS/cm	SM 2510A
9/2/2009 8:45	Field Cond		356	uS/cm	SM 2510A
9/3/2009 8:45	Field Cond		390	uS/cm	SM 2510A
9/4/2009 8:45	Field Cond		425	uS/cm	SM 2510A
9/5/2009 7:25	Field Cond		344	uS/cm	SM 2510A
9/6/2009 6:45	Field Cond		314	uS/cm	SM 2510A
9/7/2009 6:52	Field Cond		330	uS/cm	SM 2510A
9/8/2009 9:05	Field Cond		336	uS/cm	SM 2510A
9/9/2009 8:35	Field Cond		352	uS/cm	SM 2510A
9/10/2009 8:45	Field Cond		355	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/11/2009 8:42	Field Cond		365	uS/cm	SM 2510A
9/14/2009 8:58	Field Cond		323	uS/cm	SM 2510A
9/15/2009 9:00	Field Cond		331	uS/cm	SM 2510A
9/16/2009 9:35	Field Cond		314	uS/cm	SM 2510A
9/17/2009 9:26	Field Cond		347	uS/cm	SM 2510A
9/21/2009 9:35	Field Cond		370	uS/cm	SM 2510A
9/22/2009 10:00	Field Cond		340	uS/cm	SM 2510A
9/23/2009 9:15	Field Cond		357	uS/cm	SM 2510A
9/24/2009 9:05	Field Cond		352	uS/cm	SM 2510A
9/28/2009 9:50	Field Cond		307	uS/cm	SM 2510A
9/29/2009 9:55	Field Cond		308	uS/cm	SM 2510A
9/30/2009 10:15	Field Cond		310	uS/cm	SM 2510A
10/1/2009 9:30	Field Cond		280	uS/cm	SM 2510A
10/5/2009 9:20	Field Cond		327	uS/cm	SM 2510A
10/6/2009 9:22	Field Cond		329	uS/cm	SM 2510A
10/7/2009 9:39	Field Cond		324	uS/cm	SM 2510A
10/8/2009 9:18	Field Cond		314	uS/cm	SM 2510A
10/12/2009 11:16	Field Cond		295	uS/cm	SM 2510A
10/13/2009 9:23	Field Cond		300	uS/cm	SM 2510A
10/14/2009 9:35	Field Cond		302	uS/cm	SM 2510A
10/15/2009 9:30	Field Cond		298	uS/cm	SM 2510A
10/19/2009 9:35	Field Cond		273	uS/cm	SM 2510A
10/20/2009 9:45	Field Cond		286	uS/cm	SM 2510A
10/21/2009 9:30	Field Cond		309	uS/cm	SM 2510A
10/22/2009 9:38	Field Cond		311	uS/cm	SM 2510A
10/26/2009 9:22	Field Cond		278	uS/cm	SM 2510A
10/27/2009 9:30	Field Cond		290	uS/cm	SM 2510A
10/28/2009 9:40	Field Cond		415	uS/cm	SM 2510A
10/29/2009 9:25	Field Cond		420	uS/cm	SM 2510A
5/3/2010 9:47	Field Cond		349	uS/cm	SM 2510A
5/4/2010 9:03	Field Cond		312	uS/cm	SM 2510A
5/5/2010 9:07	Field Cond		319	uS/cm	SM 2510A
5/6/2010 9:33	Field Cond		328	uS/cm	SM 2510A
5/10/2010 9:12	Field Cond		293	uS/cm	SM 2510A
5/20/2009 8:17	Field Temp		14.6	C	EPA 170.1
5/21/2009 8:10	Field Temp		14.4	C	EPA 170.1
5/22/2009 7:33	Field Temp		15.4	C	EPA 170.1
5/23/2009 7:43	Field Temp		14.9	C	EPA 170.1
5/24/2009 7:35	Field Temp		18.2	C	EPA 170.1
5/25/2009 7:24	Field Temp		15.6	C	EPA 170.1
5/26/2009 8:09	Field Temp		15.5	C	EPA 170.1
5/27/2009 9:30	Field Temp		15.5	C	EPA 170.1
5/28/2009 9:00	Field Temp		16.6	C	EPA 170.1
5/29/2009 8:40	Field Temp		15.7	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/30/2009 7:50	Field Temp		17.4	C	EPA 170.1
5/31/2009 8:02	Field Temp		16.7	C	EPA 170.1
6/1/2009 8:30	Field Temp		16.7	C	EPA 170.1
6/2/2009 8:15	Field Temp		16.9	C	EPA 170.1
6/3/2009 8:54	Field Temp		16.9	C	EPA 170.1
6/4/2009 8:35	Field Temp		16.2	C	EPA 170.1
6/5/2009 8:33	Field Temp		17.2	C	EPA 170.1
6/6/2009 7:40	Field Temp		17.3	C	EPA 170.1
6/7/2009 7:48	Field Temp		18.6	C	EPA 170.1
6/8/2009 8:27	Field Temp		18.2	C	EPA 170.1
6/9/2009 8:33	Field Temp		17.8	C	EPA 170.1
6/10/2009 8:33	Field Temp		19.9	C	EPA 170.1
6/11/2009 8:25	Field Temp		18.6	C	EPA 170.1
6/12/2009 8:30	Field Temp		18.2	C	EPA 170.1
6/13/2009 7:44	Field Temp		19.2	C	EPA 170.1
6/14/2009 7:40	Field Temp		19.5	C	EPA 170.1
6/15/2009 8:34	Field Temp		19.9	C	EPA 170.1
6/16/2009 8:57	Field Temp		19.4	C	EPA 170.1
6/17/2009 9:04	Field Temp		18	C	EPA 170.1
6/18/2009 8:44	Field Temp		18.9	C	EPA 170.1
6/19/2009 11:15	Field Temp		19.6	C	EPA 170.1
6/20/2009 8:38	Field Temp		19.6	C	EPA 170.1
6/21/2009 7:16	Field Temp		20.2	C	EPA 170.1
6/22/2009 9:02	Field Temp		21.6	C	EPA 170.1
6/23/2009 8:38	Field Temp		23.3	C	EPA 170.1
6/24/2009 8:38	Field Temp		24.1	C	EPA 170.1
6/25/2009 8:42	Field Temp		23.3	C	EPA 170.1
6/26/2009 8:38	Field Temp		25	C	EPA 170.1
6/27/2009 7:46	Field Temp		23.3	C	EPA 170.1
6/28/2009 7:12	Field Temp		23.8	C	EPA 170.1
6/29/2009 8:28	Field Temp		21.4	C	EPA 170.1
6/30/2009 8:42	Field Temp		20.2	C	EPA 170.1
7/1/2009 8:37	Field Temp		21.1	C	EPA 170.1
7/2/2009 8:42	Field Temp		20.5	C	EPA 170.1
7/3/2009 7:31	Field Temp		19.7	C	EPA 170.1
7/5/2009 9:25	Field Temp		22.3	C	EPA 170.1
7/6/2009 8:25	Field Temp		22.3	C	EPA 170.1
7/7/2009 8:40	Field Temp		22	C	EPA 170.1
7/8/2009 8:40	Field Temp		21.1	C	EPA 170.1
7/9/2009 8:43	Field Temp		22.9	C	EPA 170.1
7/10/2009 8:43	Field Temp		22.9	C	EPA 170.1
7/11/2009 6:04	Field Temp		23.8	C	EPA 170.1
7/13/2009 9:06	Field Temp		22	C	EPA 170.1
7/14/2009 8:38	Field Temp		20.5	C	EPA 170.1
7/15/2009 8:45	Field Temp		22.7	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/16/2009 9:03	Field Temp		23.1	C	EPA 170.1
7/17/2009 9:00	Field Temp		23	C	EPA 170.1
7/18/2009 8:07	Field Temp		20.8	C	EPA 170.1
7/19/2009 7:55	Field Temp		20	C	EPA 170.1
7/20/2009 8:42	Field Temp		21.7	C	EPA 170.1
7/21/2009 8:42	Field Temp		21.7	C	EPA 170.1
7/22/2009 8:50	Field Temp		22.3	C	EPA 170.1
7/23/2009 8:55	Field Temp		22.5	C	EPA 170.1
7/24/2009 8:51	Field Temp		20.8	C	EPA 170.1
7/27/2009 8:30	Field Temp		21.5	C	EPA 170.1
7/28/2009 8:43	Field Temp		22.9	C	EPA 170.1
7/29/2009 10:04	Field Temp		24	C	EPA 170.1
7/30/2009 8:50	Field Temp		22.8	C	EPA 170.1
7/31/2009 8:43	Field Temp		22.5	C	EPA 170.1
8/1/2009 7:45	Field Temp		23	C	EPA 170.1
8/2/2009 7:35	Field Temp		23.2	C	EPA 170.1
8/3/2009 8:40	Field Temp		22.2	C	EPA 170.1
8/4/2009 8:33	Field Temp		23	C	EPA 170.1
8/5/2009 9:08	Field Temp		23.2	C	EPA 170.1
8/6/2009 8:57	Field Temp		22.9	C	EPA 170.1
8/7/2009 8:33	Field Temp		22.9	C	EPA 170.1
8/8/2009 7:06	Field Temp		22.9	C	EPA 170.1
8/9/2009 7:07	Field Temp		23	C	EPA 170.1
8/11/2009 8:40	Field Temp		24.2	C	EPA 170.1
8/12/2009 8:35	Field Temp		23.5	C	EPA 170.1
8/13/2009 9:05	Field Temp		24.4	C	EPA 170.1
8/14/2009 8:45	Field Temp		24.7	C	EPA 170.1
8/15/2009 7:25	Field Temp		23	C	EPA 170.1
8/16/2009 7:28	Field Temp		23.6	C	EPA 170.1
8/17/2009 8:35	Field Temp		24.5	C	EPA 170.1
8/18/2009 8:51	Field Temp		24.9	C	EPA 170.1
8/19/2009 8:40	Field Temp		24.9	C	EPA 170.1
8/20/2009 8:30	Field Temp		24.8	C	EPA 170.1
8/21/2009 8:17	Field Temp		23.8	C	EPA 170.1
8/22/2009 7:55	Field Temp		24	C	EPA 170.1
8/23/2009 7:37	Field Temp		22	C	EPA 170.1
8/24/2009 8:35	Field Temp		22.7	C	EPA 170.1
8/25/2009 8:35	Field Temp		22.7	C	EPA 170.1
8/26/2009 8:40	Field Temp		23.4	C	EPA 170.1
8/27/2009 8:35	Field Temp		23.1	C	EPA 170.1
8/28/2009 8:40	Field Temp		22.2	C	EPA 170.1
8/29/2009 7:43	Field Temp		22.8	C	EPA 170.1
8/30/2009 7:35	Field Temp		21.6	C	EPA 170.1
8/31/2009 8:40	Field Temp		19.6	C	EPA 170.1
9/1/2009 8:45	Field Temp		20.4	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/2/2009 8:45	Field Temp		20.4	C	EPA 170.1
9/3/2009 8:45	Field Temp		20.7	C	EPA 170.1
9/4/2009 8:45	Field Temp		21.2	C	EPA 170.1
9/5/2009 7:25	Field Temp		21.4	C	EPA 170.1
9/6/2009 6:45	Field Temp		22.2	C	EPA 170.1
9/7/2009 6:52	Field Temp		21.9	C	EPA 170.1
9/8/2009 9:05	Field Temp		21.8	C	EPA 170.1
9/9/2009 8:35	Field Temp		21.6	C	EPA 170.1
9/10/2009 8:45	Field Temp		21.6	C	EPA 170.1
9/11/2009 8:42	Field Temp		20.4	C	EPA 170.1
9/14/2009 8:58	Field Temp		21.9	C	EPA 170.1
9/15/2009 9:00	Field Temp		22.3	C	EPA 170.1
9/16/2009 9:35	Field Temp		21.7	C	EPA 170.1
9/17/2009 9:26	Field Temp		21.2	C	EPA 170.1
9/21/2009 9:35	Field Temp		21.4	C	EPA 170.1
9/22/2009 10:00	Field Temp		21.7	C	EPA 170.1
9/23/2009 9:15	Field Temp		21.4	C	EPA 170.1
9/24/2009 9:05	Field Temp		21.4	C	EPA 170.1
9/28/2009 9:50	Field Temp		19.3	C	EPA 170.1
9/29/2009 9:55	Field Temp		16.4	C	EPA 170.1
9/30/2009 10:15	Field Temp		15.4	C	EPA 170.1
10/1/2009 9:30	Field Temp		16.1	C	EPA 170.1
10/5/2009 9:20	Field Temp		15	C	EPA 170.1
10/6/2009 9:22	Field Temp		15.4	C	EPA 170.1
10/7/2009 9:39	Field Temp		13.6	C	EPA 170.1
10/8/2009 9:18	Field Temp		14.9	C	EPA 170.1
10/12/2009 11:16	Field Temp		14.3	C	EPA 170.1
10/13/2009 9:23	Field Temp		13.2	C	EPA 170.1
10/14/2009 9:35	Field Temp		13.3	C	EPA 170.1
10/15/2009 9:30	Field Temp		13.1	C	EPA 170.1
10/19/2009 9:35	Field Temp		11.6	C	EPA 170.1
10/20/2009 9:45	Field Temp		12	C	EPA 170.1
10/21/2009 9:30	Field Temp		12.9	C	EPA 170.1
10/22/2009 9:38	Field Temp		12.9	C	EPA 170.1
10/26/2009 9:22	Field Temp		11.9	C	EPA 170.1
10/27/2009 9:30	Field Temp		12.2	C	EPA 170.1
10/28/2009 9:40	Field Temp		12.7	C	EPA 170.1
10/29/2009 9:25	Field Temp		12.6	C	EPA 170.1
5/3/2010 9:47	Field Temp		13.4	C	EPA 170.1
5/4/2010 9:03	Field Temp		15	C	EPA 170.1
5/5/2010 9:07	Field Temp		15.8	C	EPA 170.1
5/6/2010 9:33	Field Temp		14.7	C	EPA 170.1
5/10/2010 9:12	Field Temp		12.3	C	EPA 170.1
5/20/2009 8:17	pH		7.7	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/21/2009 8:10	pH		8.5	S.U.	
5/22/2009 7:33	pH		8.5	S.U.	
5/23/2009 7:43	pH		8.5	S.U.	
5/24/2009 7:35	pH		8.4	S.U.	
5/25/2009 7:24	pH		7.8	S.U.	
5/26/2009 8:09	pH		6.8	S.U.	
5/27/2009 9:30	pH		8.1	S.U.	
5/28/2009 9:00	pH		7.8	S.U.	
5/29/2009 8:40	pH		8.3	S.U.	
5/30/2009 7:50	pH		7.6	S.U.	
5/31/2009 8:02	pH		7.7	S.U.	
6/1/2009 8:30	pH		8.5	S.U.	
6/2/2009 8:15	pH		7.9	S.U.	
6/3/2009 8:54	pH		8.4	S.U.	
6/4/2009 8:35	pH		8	S.U.	
6/5/2009 8:33	pH		7.1	S.U.	
6/6/2009 7:40	pH		7.33	S.U.	
6/7/2009 7:48	pH		7.1	S.U.	
6/8/2009 8:27	pH		7.27	S.U.	
6/9/2009 8:33	pH		6.6	S.U.	
6/10/2009 8:33	pH		7.45	S.U.	
6/11/2009 8:25	pH		8.4	S.U.	
6/12/2009 8:30	pH		8.2	S.U.	
6/13/2009 7:44	pH		8.4	S.U.	
6/14/2009 7:40	pH		8.6	S.U.	
6/15/2009 8:34	pH		8.5	S.U.	
6/16/2009 8:57	pH		7.6	S.U.	
6/17/2009 9:04	pH		6.9	S.U.	
6/18/2009 8:44	pH		6.9	S.U.	
6/19/2009 11:15	pH		8.3	S.U.	
6/20/2009 8:38	pH		8.3	S.U.	
6/21/2009 7:16	pH		8.3	S.U.	
6/22/2009 9:02	pH		6.4	S.U.	
6/23/2009 8:38	pH		8.4	S.U.	
6/24/2009 8:38	pH		8.43	S.U.	
6/25/2009 8:42	pH		8.1	S.U.	
6/26/2009 8:38	pH		7.6	S.U.	
6/27/2009 7:46	pH		8.2	S.U.	
6/28/2009 7:12	pH		8.3	S.U.	
6/29/2009 8:28	pH		8.03	S.U.	
6/30/2009 8:42	pH		8.04	S.U.	
7/1/2009 8:37	pH		6.85	S.U.	
7/2/2009 8:42	pH		6.7	S.U.	
7/3/2009 7:31	pH		8.2	S.U.	
7/5/2009 9:25	pH		8.3	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/6/2009 8:25	pH		8.4	S.U.	
7/7/2009 8:40	pH		8.18	S.U.	
7/8/2009 8:40	pH		8.3	S.U.	
7/9/2009 8:43	pH		8.6	S.U.	
7/10/2009 8:43	pH		7.57	S.U.	
7/11/2009 6:04	pH		8.2	S.U.	
7/13/2009 9:06	pH		7.82	S.U.	
7/14/2009 8:38	pH		7.9	S.U.	
7/15/2009 8:45	pH		7.01	S.U.	
7/16/2009 9:03	pH		6.65	S.U.	
7/17/2009 9:00	pH		8	S.U.	
7/18/2009 8:07	pH		7.9	S.U.	
7/19/2009 7:55	pH		8	S.U.	
7/20/2009 8:42	pH		7.9	S.U.	
7/21/2009 8:42	pH		7.6	S.U.	
7/22/2009 8:50	pH		8.04	S.U.	
7/23/2009 8:55	pH		8.32	S.U.	
7/24/2009 8:51	pH		7.65	S.U.	
7/27/2009 8:30	pH		7.5	S.U.	
7/28/2009 8:43	pH		7.54	S.U.	
7/29/2009 10:04	pH		8.24	S.U.	
7/30/2009 8:50	pH		7.5	S.U.	
7/31/2009 8:43	pH		7.4	S.U.	
8/1/2009 7:45	pH		7.4	S.U.	
8/2/2009 7:35	pH		7.4	S.U.	
8/3/2009 8:40	pH		7.35	S.U.	
8/4/2009 8:33	pH		7.33	S.U.	
8/5/2009 9:08	pH		7.9	S.U.	
8/6/2009 8:57	pH		8.14	S.U.	
8/7/2009 8:33	pH		8.26	S.U.	
8/8/2009 7:06	pH		8.4	S.U.	
8/9/2009 7:07	pH		8.4	S.U.	
8/10/2009 8:39	pH		8.2	S.U.	
8/11/2009 8:40	pH		8.2	S.U.	
8/12/2009 8:35	pH		8.2	S.U.	
8/13/2009 9:05	pH		8.3	S.U.	
8/14/2009 8:45	pH		8.4	S.U.	
8/15/2009 7:25	pH		8.4	S.U.	
8/16/2009 7:28	pH		8.2	S.U.	
8/17/2009 8:35	pH		8.2	S.U.	
8/18/2009 8:51	pH		8.4	S.U.	
8/19/2009 8:40	pH		8.3	S.U.	
8/20/2009 8:30	pH		8.4	S.U.	
8/21/2009 8:17	pH		8.2	S.U.	
8/22/2009 7:55	pH		8.2	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/23/2009 7:37	pH		7.9	S.U.	
8/24/2009 8:35	pH		8.2	S.U.	
8/25/2009 8:35	pH		8.4	S.U.	
8/26/2009 8:40	pH		8.4	S.U.	
8/27/2009 8:35	pH		8.2	S.U.	
8/28/2009 8:40	pH		8	S.U.	
8/29/2009 7:43	pH		8.2	S.U.	
8/30/2009 7:35	pH		7.9	S.U.	
8/31/2009 8:40	pH		8	S.U.	
9/1/2009 8:45	pH		8.3	S.U.	
9/2/2009 8:45	pH		8.3	S.U.	
9/3/2009 8:45	pH		8.3	S.U.	
9/4/2009 8:45	pH		8.3	S.U.	
9/5/2009 7:25	pH		8.1	S.U.	
9/6/2009 6:45	pH		7.7	S.U.	
9/7/2009 6:52	pH		7.9	S.U.	
9/8/2009 9:05	pH		8.2	S.U.	
9/9/2009 8:35	pH		8.1	S.U.	
9/10/2009 8:45	pH		8.2	S.U.	
9/11/2009 8:42	pH		8.2	S.U.	
9/14/2009 8:58	pH		7.6	S.U.	
9/15/2009 9:00	pH		7.8	S.U.	
9/16/2009 9:35	pH		7.5	S.U.	
9/17/2009 9:26	pH		7.5	S.U.	
9/21/2009 9:35	pH		7.5	S.U.	
9/22/2009 10:00	pH		7.7	S.U.	
9/23/2009 9:15	pH		7.6	S.U.	
9/24/2009 9:05	pH		7.5	S.U.	
9/28/2009 9:50	pH		7.6	S.U.	
9/29/2009 9:55	pH		7.5	S.U.	
9/30/2009 10:15	pH		7.7	S.U.	
10/1/2009 9:30	pH		7.3	S.U.	
10/5/2009 9:20	pH		7.3	S.U.	
10/6/2009 9:22	pH		7.1	S.U.	
10/7/2009 9:39	pH		7.5	S.U.	
10/8/2009 9:18	pH		7.3	S.U.	
10/12/2009 11:16	pH		7.4	S.U.	
10/13/2009 9:23	pH		7.4	S.U.	
10/14/2009 9:35	pH		7.3	S.U.	
10/15/2009 9:30	pH		7.3	S.U.	
10/19/2009 9:35	pH		7.3	S.U.	
10/20/2009 9:45	pH		7.2	S.U.	
10/21/2009 9:30	pH		7.3	S.U.	
10/22/2009 9:38	pH		7.2	S.U.	
10/26/2009 9:22	pH		7.2	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
10/27/2009 9:30	pH		7.2	S.U.	
10/28/2009 9:40	pH		7.4	S.U.	
10/29/2009 9:25	pH		7.3	S.U.	
5/3/2010 9:47	pH		7.86	S.U.	
5/4/2010 9:03	pH		7.02	S.U.	
5/5/2010 9:07	pH		7.31	S.U.	
5/6/2010 9:33	pH		7.5	S.U.	
5/10/2010 9:12	pH		7.59	S.U.	
5/4/2009 9:40	Turbidity		10.9	NTU	EPA180.1
5/5/2009 9:13	Turbidity		15.3	NTU	EPA180.1
5/6/2009 9:20	Turbidity		11.2	NTU	EPA180.1
5/7/2009 9:35	Turbidity		8.02	NTU	EPA180.1
5/11/2009 9:41	Turbidity		20.4	NTU	EPA180.1
5/12/2009 9:15	Turbidity		7.34	NTU	EPA180.1
5/13/2009 9:15	Turbidity		7.24	NTU	EPA180.1
5/14/2009 9:30	Turbidity		12.2	NTU	EPA180.1
5/18/2009 8:53	Turbidity		36.2	NTU	EPA180.1
5/19/2009 7:52	Turbidity		14.6	NTU	EPA180.1
5/20/2009 8:17	Turbidity		8.24	NTU	EPA180.1
5/21/2009 8:10	Turbidity		10.4	NTU	EPA180.1
5/22/2009 7:33	Turbidity		7.72	NTU	EPA180.1
5/23/2009 7:43	Turbidity		16.8	NTU	EPA180.1
5/24/2009 7:35	Turbidity		7.24	NTU	EPA180.1
5/25/2009 7:24	Turbidity		18.05	NTU	EPA180.1
5/26/2009 8:09	Turbidity		17.2	NTU	EPA180.1
5/27/2009 9:30	Turbidity		21.1	NTU	EPA180.1
5/28/2009 9:00	Turbidity		8.7	NTU	EPA180.1
5/29/2009 8:40	Turbidity		27	NTU	EPA180.1
5/30/2009 7:50	Turbidity		18	NTU	EPA180.1
5/31/2009 8:02	Turbidity		27.9	NTU	EPA180.1
6/1/2009 8:30	Turbidity		9.27	NTU	EPA180.1
6/2/2009 8:15	Turbidity		10.9	NTU	EPA180.1
6/3/2009 8:54	Turbidity		5.1	NTU	EPA180.1
6/4/2009 8:35	Turbidity		9.3	NTU	EPA180.1
6/5/2009 8:33	Turbidity		4.5	NTU	EPA180.1
6/6/2009 7:40	Turbidity		4.3	NTU	EPA180.1
6/7/2009 7:48	Turbidity		3.4	NTU	EPA180.1
6/8/2009 8:27	Turbidity		5	NTU	EPA180.1
6/9/2009 8:33	Turbidity		10.4	NTU	EPA180.1
6/10/2009 8:33	Turbidity		5.4	NTU	EPA180.1
6/11/2009 8:25	Turbidity		3.64	NTU	EPA180.1
6/12/2009 8:30	Turbidity		4.87	NTU	EPA180.1
6/13/2009 7:44	Turbidity		5.85	NTU	EPA180.1
6/14/2009 7:40	Turbidity		3.47	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/15/2009 8:34	Turbidity		3.4	NTU	EPA180.1
6/16/2009 8:57	Turbidity		3.3	NTU	EPA180.1
6/17/2009 9:04	Turbidity		13.7	NTU	EPA180.1
6/18/2009 8:44	Turbidity		10	NTU	EPA180.1
6/19/2009 11:15	Turbidity		6.4	NTU	EPA180.1
6/20/2009 8:38	Turbidity		6.6	NTU	EPA180.1
6/21/2009 7:16	Turbidity		9.4	NTU	EPA180.1
6/22/2009 9:02	Turbidity		5	NTU	EPA180.1
6/23/2009 8:38	Turbidity		3.13	NTU	EPA180.1
6/24/2009 8:38	Turbidity		2.67	NTU	EPA180.1
6/25/2009 8:42	Turbidity		3.6	NTU	EPA180.1
6/26/2009 8:38	Turbidity		3.9	NTU	EPA180.1
6/27/2009 7:46	Turbidity		6.6	NTU	EPA180.1
6/28/2009 7:12	Turbidity		3.8	NTU	EPA180.1
6/29/2009 8:28	Turbidity		8.5	NTU	EPA180.1
6/30/2009 8:42	Turbidity		21.03	NTU	EPA180.1
7/1/2009 8:37	Turbidity		29.3	NTU	EPA180.1
7/2/2009 8:42	Turbidity		16.1	NTU	EPA180.1
7/3/2009 7:31	Turbidity		48.74	NTU	EPA180.1
7/4/2009 8:00	Turbidity		20.25	NTU	EPA180.1
7/5/2009 9:25	Turbidity		4.2	NTU	EPA180.1
7/6/2009 8:25	Turbidity		8.4	NTU	EPA180.1
7/7/2009 8:40	Turbidity		6.7	NTU	EPA180.1
7/8/2009 8:40	Turbidity		11.1	NTU	EPA180.1
7/9/2009 8:43	Turbidity		3.1	NTU	EPA180.1
7/10/2009 8:43	Turbidity		5.4	NTU	EPA180.1
7/11/2009 6:04	Turbidity		2.82	NTU	EPA180.1
7/12/2009 8:28	Turbidity		3.8	NTU	EPA180.1
7/13/2009 9:06	Turbidity		10.2	NTU	EPA180.1
7/14/2009 8:38	Turbidity		10.6	NTU	EPA180.1
7/15/2009 8:45	Turbidity		4.7	NTU	EPA180.1
7/16/2009 9:03	Turbidity		10.3	NTU	EPA180.1
7/17/2009 9:00	Turbidity		6.1	NTU	EPA180.1
7/18/2009 8:07	Turbidity		13.52	NTU	EPA180.1
7/19/2009 7:55	Turbidity		23	NTU	EPA180.1
7/20/2009 8:42	Turbidity		4.6	NTU	EPA180.1
7/21/2009 8:42	Turbidity		3.2	NTU	EPA180.1
7/22/2009 8:50	Turbidity		3.7	NTU	EPA180.1
7/23/2009 8:55	Turbidity		2.9	NTU	EPA180.1
7/24/2009 8:51	Turbidity		10.3	NTU	EPA180.1
7/25/2009 7:50	Turbidity		2.9	NTU	EPA180.1
7/26/2009 7:53	Turbidity		4.3	NTU	EPA180.1
7/27/2009 8:30	Turbidity		8	NTU	EPA180.1
7/28/2009 8:43	Turbidity		2.7	NTU	EPA180.1
7/29/2009 10:04	Turbidity		2.03	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/30/2009 8:50	Turbidity		2.1	NTU	EPA180.1
7/31/2009 8:43	Turbidity		2	NTU	EPA180.1
8/1/2009 7:45	Turbidity		1.9	NTU	EPA180.1
8/2/2009 7:35	Turbidity		1.9	NTU	EPA180.1
8/3/2009 8:40	Turbidity		5.4	NTU	EPA180.1
8/4/2009 8:33	Turbidity		1.9	NTU	EPA180.1
8/5/2009 9:08	Turbidity		17.8	NTU	EPA180.1
8/6/2009 8:57	Turbidity		3.3	NTU	EPA180.1
8/7/2009 8:33	Turbidity		2.4	NTU	EPA180.1
8/8/2009 7:06	Turbidity		3.2	NTU	EPA180.1
8/9/2009 7:07	Turbidity		6.4	NTU	EPA180.1
8/10/2009 8:39	Turbidity		4.8	NTU	EPA180.1
8/11/2009 8:40	Turbidity		1.9	NTU	EPA180.1
8/12/2009 8:35	Turbidity		3.2	NTU	EPA180.1
8/13/2009 9:05	Turbidity		3.2	NTU	EPA180.1
8/14/2009 8:45	Turbidity		2.3	NTU	EPA180.1
8/15/2009 7:25	Turbidity		2	NTU	EPA180.1
8/16/2009 7:28	Turbidity		1.9	NTU	EPA180.1
8/17/2009 8:35	Turbidity		1.4	NTU	EPA180.1
8/18/2009 8:51	Turbidity		2.4	NTU	EPA180.1
8/19/2009 8:40	Turbidity		3.6	NTU	EPA180.1
8/20/2009 8:30	Turbidity		1.6	NTU	EPA180.1
8/21/2009 8:17	Turbidity		4.1	NTU	EPA180.1
8/22/2009 7:55	Turbidity		2.59	NTU	EPA180.1
8/23/2009 7:37	Turbidity		7.2	NTU	EPA180.1
8/24/2009 8:35	Turbidity		2.7	NTU	EPA180.1
8/25/2009 8:35	Turbidity		2	NTU	EPA180.1
8/26/2009 8:40	Turbidity		4.2	NTU	EPA180.1
8/27/2009 8:35	Turbidity		3.6	NTU	EPA180.1
8/28/2009 8:40	Turbidity		3.3	NTU	EPA180.1
8/29/2009 7:43	Turbidity		4.36	NTU	EPA180.1
8/30/2009 7:35	Turbidity		23.3	NTU	EPA180.1
8/31/2009 8:40	Turbidity		9.8	NTU	EPA180.1
9/1/2009 8:45	Turbidity		4.6	NTU	EPA180.1
9/2/2009 8:45	Turbidity		3.7	NTU	EPA180.1
9/3/2009 8:45	Turbidity		3.6	NTU	EPA180.1
9/4/2009 8:45	Turbidity		3.7	NTU	EPA180.1
9/5/2009 7:25	Turbidity		2.3	NTU	EPA180.1
9/6/2009 6:45	Turbidity		2.9	NTU	EPA180.1
9/7/2009 6:52	Turbidity		5.7	NTU	EPA180.1
9/8/2009 9:05	Turbidity		1.6	NTU	EPA180.1
9/9/2009 8:35	Turbidity		2.6	NTU	EPA180.1
9/10/2009 8:45	Turbidity		2.9	NTU	EPA180.1
9/11/2009 8:42	Turbidity		3.1	NTU	EPA180.1
9/14/2009 8:58	Turbidity		4	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/15/2009 9:00	Turbidity		8.5	NTU	EPA180.1
9/17/2009 9:26	Turbidity		6.6	NTU	EPA180.1
9/21/2009 9:35	Turbidity		4.99	NTU	EPA180.1
9/22/2009 10:00	Turbidity		5.5	NTU	EPA180.1
9/24/2009 9:05	Turbidity		5.3	NTU	EPA180.1
9/28/2009 9:50	Turbidity		11.5	NTU	EPA180.1
9/29/2009 9:55	Turbidity		31.7	NTU	EPA180.1
9/30/2009 10:15	Turbidity		18.4	NTU	EPA180.1
10/1/2009 9:30	Turbidity		17	NTU	EPA180.1
10/5/2009 9:20	Turbidity		36	NTU	EPA180.1
10/6/2009 9:22	Turbidity		15.5	NTU	EPA180.1
10/7/2009 9:39	Turbidity		27.6	NTU	EPA180.1
10/8/2009 9:18	Turbidity		25.4	NTU	EPA180.1
10/12/2009 11:16	Turbidity		11.6	NTU	EPA180.1
10/13/2009 9:23	Turbidity		13.1	NTU	EPA180.1
10/14/2009 9:35	Turbidity		12.9	NTU	EPA180.1
10/15/2009 9:30	Turbidity		21.9	NTU	EPA180.1
10/19/2009 9:35	Turbidity		8.7	NTU	EPA180.1
10/20/2009 9:45	Turbidity		10.4	NTU	EPA180.1
10/21/2009 9:30	Turbidity		6.2	NTU	EPA180.1
10/22/2009 9:38	Turbidity		5.7	NTU	EPA180.1
10/26/2009 9:22	Turbidity		11.7	NTU	EPA180.1
10/27/2009 9:30	Turbidity		12.2	NTU	EPA180.1
10/28/2009 9:40	Turbidity		16.5	NTU	EPA180.1
10/29/2009 9:25	Turbidity		9.8	NTU	EPA180.1
5/3/2010 9:47	Turbidity		13.2	NTU	EPA180.1
5/4/2010 9:03	Turbidity		7.3	NTU	EPA180.1
5/5/2010 9:07	Turbidity		2.72	NTU	EPA180.1
5/6/2010 9:33	Turbidity		7.62	NTU	EPA180.1
5/10/2010 9:12	Turbidity		21.26	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/4/2009 10:50	E. coli	EC	11	cfu/100mL	EPA1603
5/5/2009 10:10	E. coli		19	cfu/100mL	EPA1603
5/6/2009 10:29	E. coli		6	cfu/100mL	EPA1603
5/7/2009 10:46	E. coli		23	cfu/100mL	EPA1603
5/11/2009 9:37	E. coli		7	cfu/100mL	EPA1603
5/12/2009 10:05	E. coli		1	cfu/100mL	EPA1603
5/13/2009 9:47	E. coli		12	cfu/100mL	EPA1603
5/14/2009 10:22	E. coli		680	cfu/100mL	EPA1603
5/18/2009 9:39	E. coli		8	cfu/100mL	EPA1603
5/19/2009 8:46	E. coli		8	cfu/100mL	EPA1603
5/20/2009 9:20	E. coli		1	cfu/100mL	EPA1603
5/21/2009 9:05	E. coli		185	cfu/100mL	EPA1603
5/22/2009 8:24	E. coli		2	cfu/100mL	EPA1603
5/23/2009 8:37	E. coli		8	cfu/100mL	EPA1603
5/24/2009 8:40	E. coli		4	cfu/100mL	EPA1603
5/25/2009 8:32	E. coli		820	cfu/100mL	EPA1603
5/26/2009 9:25	E. coli		285	cfu/100mL	EPA1603
5/27/2009 9:11	E. coli		9	cfu/100mL	EPA1603
5/28/2009 8:57	E. coli		760	cfu/100mL	EPA1603
5/29/2009 9:21	E. coli		4900	cfu/100mL	EPA1603
5/30/2009 9:05	E. coli		125	cfu/100mL	EPA1603
5/31/2009 9:25	E. coli		740	cfu/100mL	EPA1603
6/1/2009 9:30	E. coli		185	cfu/100mL	EPA1603
6/2/2009 10:18	E. coli		1120	cfu/100mL	EPA1603
6/3/2009 9:47	E. coli		225	cfu/100mL	EPA1603
6/4/2009 10:00	E. coli		160	cfu/100mL	EPA1603
6/5/2009 10:26	E. coli		35	cfu/100mL	EPA1603
6/6/2009 8:55	E. coli		83	cfu/100mL	EPA1603
6/7/2009 8:55	E. coli		26	cfu/100mL	EPA1603
6/8/2009 9:50	E. coli		2400	cfu/100mL	EPA1603
6/9/2009 9:57	E. coli		225	cfu/100mL	EPA1603
6/10/2009 9:50	E. coli		50	cfu/100mL	EPA1603
6/11/2009 9:51	E. coli		20	cfu/100mL	EPA1603
6/12/2009 9:40	E. coli		1300	cfu/100mL	EPA1603
6/13/2009 9:11	E. coli		65	cfu/100mL	EPA1603
6/14/2009 9:00	E. coli		93	cfu/100mL	EPA1603
6/15/2009 10:10	E. coli		175	cfu/100mL	EPA1603
6/16/2009 10:10	E. coli		64	cfu/100mL	EPA1603
6/17/2009 9:58	E. coli		43	cfu/100mL	EPA1603
6/18/2009 10:25	E. coli		2500	cfu/100mL	EPA1603
6/19/2009 11:40	E. coli	EC	92	cfu/100mL	EPA1603
6/20/2009 11:31	E. coli		2500	cfu/100mL	EPA1603
6/21/2009 8:33	E. coli		1140	cfu/100mL	EPA1603
6/22/2009 10:05	E. coli		79	cfu/100mL	EPA1603
6/23/2009 9:44	E. coli		34	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/24/2009 10:25	E. coli		15	cfu/100mL	EPA1603
6/25/2009 9:50	E. coli		25	cfu/100mL	EPA1603
6/26/2009 9:42	E. coli		348	cfu/100mL	EPA1603
6/27/2009 9:10	E. coli		175	cfu/100mL	EPA1603
6/28/2009 8:24	E. coli		145	cfu/100mL	EPA1603
6/29/2009 9:58	E. coli	EC	92	cfu/100mL	EPA1603
6/30/2009 12:43	E. coli	EC	8200	cfu/100mL	EPA1603
7/1/2009 10:00	E. coli		1160	cfu/100mL	EPA1603
7/2/2009 10:43	E. coli	EC	8500	cfu/100mL	EPA1603
7/3/2009 9:20	E. coli		633	cfu/100mL	EPA1603
7/4/2009 9:05	E. coli	EC	16	cfu/100mL	EPA1603
7/5/2009 10:47	E. coli		98	cfu/100mL	EPA1603
7/6/2009 9:44	E. coli		900	cfu/100mL	EPA1603
7/7/2009 9:46	E. coli		520	cfu/100mL	EPA1603
7/8/2009 9:35	E. coli		125	cfu/100mL	EPA1603
7/9/2009 9:37	E. coli		20	cfu/100mL	EPA1603
7/10/2009 9:25	E. coli		30	cfu/100mL	EPA1603
7/11/2009 6:55	E. coli		235	cfu/100mL	EPA1603
7/12/2009 9:52	E. coli		640	cfu/100mL	EPA1603
7/13/2009 9:36	E. coli		860	cfu/100mL	EPA1603
7/14/2009 9:45	E. coli		720	cfu/100mL	EPA1603
7/15/2009 9:39	E. coli		13	cfu/100mL	EPA1603
7/16/2009 9:45	E. coli		700	cfu/100mL	EPA1603
7/17/2009 9:33	E. coli		428	cfu/100mL	EPA1603
7/18/2009 9:53	E. coli		1160	cfu/100mL	EPA1603
7/19/2009 9:30	E. coli		112	cfu/100mL	EPA1603
7/20/2009 9:54	E. coli		60	cfu/100mL	EPA1603
7/21/2009 9:34	E. coli		21	cfu/100mL	EPA1603
7/22/2009 9:54	E. coli		580	cfu/100mL	EPA1603
7/23/2009 9:40	E. coli		270	cfu/100mL	EPA1603
7/24/2009 9:43	E. coli		1120	cfu/100mL	EPA1603
7/25/2009 9:10	E. coli		46	cfu/100mL	EPA1603
7/26/2009 9:06	E. coli		290	cfu/100mL	EPA1603
7/27/2009 9:32	E. coli		290	cfu/100mL	EPA1603
7/28/2009 9:57	E. coli		180	cfu/100mL	EPA1603
7/29/2009 9:25	E. coli		58	cfu/100mL	EPA1603
7/30/2009 9:36	E. coli		18	cfu/100mL	EPA1603
7/31/2009 9:51	E. coli		4400	cfu/100mL	EPA1603
8/1/2009 8:51	E. coli	EC	37	cfu/100mL	EPA1603
8/2/2009 8:55	E. coli		800	cfu/100mL	EPA1603
8/3/2009 9:37	E. coli		74	cfu/100mL	EPA1603
8/4/2009 10:01	E. coli	EC	20	cfu/100mL	EPA1603
8/5/2009 10:28	E. coli		150	cfu/100mL	EPA1603
8/6/2009 9:56	E. coli	EC	17	cfu/100mL	EPA1603
8/7/2009 9:56	E. coli		275	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/8/2009 8:05	E. coli		115	cfu/100mL	EPA1603
8/9/2009 8:19	E. coli		2300	cfu/100mL	EPA1603
8/10/2009 9:36	E. coli	EC	73	cfu/100mL	EPA1603
8/11/2009 9:44	E. coli		66	cfu/100mL	EPA1603
8/12/2009 9:36	E. coli		660	cfu/100mL	EPA1603
8/13/2009 9:56	E. coli		148	cfu/100mL	EPA1603
8/14/2009 10:09	E. coli		372	cfu/100mL	EPA1603
8/15/2009 8:30	E. coli	EC	22	cfu/100mL	EPA1603
8/16/2009 8:12	E. coli		38	cfu/100mL	EPA1603
8/17/2009 9:18	E. coli		117	cfu/100mL	EPA1603
8/18/2009 10:14	E. coli		620	cfu/100mL	EPA1603
8/19/2009 9:39	E. coli		48	cfu/100mL	EPA1603
8/20/2009 9:32	E. coli		64	cfu/100mL	EPA1603
8/21/2009 9:59	E. coli		1120	cfu/100mL	EPA1603
8/22/2009 9:20	E. coli	EC	867	cfu/100mL	EPA1603
8/23/2009 8:46	E. coli		55	cfu/100mL	EPA1603
8/24/2009 9:31	E. coli		27	cfu/100mL	EPA1603
8/25/2009 9:50	E. coli		24	cfu/100mL	EPA1603
8/26/2009 9:40	E. coli		480	cfu/100mL	EPA1603
8/27/2009 9:52	E. coli		50	cfu/100mL	EPA1603
8/28/2009 10:11	E. coli	EC	21	cfu/100mL	EPA1603
8/29/2009 8:47	E. coli		1340	cfu/100mL	EPA1603
8/30/2009 8:33	E. coli		295	cfu/100mL	EPA1603
8/31/2009 9:38	E. coli	EC	17	cfu/100mL	EPA1603
9/1/2009 9:55	E. coli	EC	3	cfu/100mL	EPA1603
9/2/2009 9:52	E. coli		10	cfu/100mL	EPA1603
9/3/2009 9:54	E. coli		3	cfu/100mL	EPA1603
9/4/2009 9:18	E. coli		47	cfu/100mL	EPA1603
9/5/2009 8:15	E. coli		54	cfu/100mL	EPA1603
9/6/2009 7:18	E. coli		81	cfu/100mL	EPA1603
9/7/2009 7:59	E. coli		114	cfu/100mL	EPA1603
9/8/2009 9:27	E. coli		380	cfu/100mL	EPA1603
9/9/2009 9:50	E. coli		80	cfu/100mL	EPA1603
9/10/2009 10:20	E. coli		35	cfu/100mL	EPA1603
9/11/2009 9:50	E. coli	EC	14	cfu/100mL	EPA1603
9/14/2009 10:27	E. coli		320	cfu/100mL	EPA1603
9/15/2009 10:45	E. coli	EC	1040	cfu/100mL	EPA1603
9/16/2009 10:39	E. coli		155	cfu/100mL	EPA1603
9/17/2009 10:20	E. coli	EC	9	cfu/100mL	EPA1603
9/21/2009 10:35	E. coli		55	cfu/100mL	EPA1603
9/22/2009 11:00	E. coli		42	cfu/100mL	EPA1603
9/23/2009 10:15	E. coli	EC	2130	cfu/100mL	EPA1603
9/24/2009 9:50	E. coli		630	cfu/100mL	EPA1603
9/28/2009 10:55	E. coli		840	cfu/100mL	EPA1603
9/29/2009 11:05	E. coli		1260	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/30/2009 11:15	E. coli		1180	cfu/100mL	EPA1603
10/1/2009 10:20	E. coli		332	cfu/100mL	EPA1603
10/5/2009 10:22	E. coli		280	cfu/100mL	EPA1603
10/6/2009 10:36	E. coli	EC	22	cfu/100mL	EPA1603
10/7/2009 10:43	E. coli		391	cfu/100mL	EPA1603
10/8/2009 10:22	E. coli		66	cfu/100mL	EPA1603
10/12/2009 10:00	E. coli	EC	6	cfu/100mL	EPA1603
10/13/2009 10:20	E. coli		68	cfu/100mL	EPA1603
10/14/2009 10:25	E. coli		4	cfu/100mL	EPA1603
10/15/2009 10:30	E. coli	EC	6	cfu/100mL	EPA1603
10/19/2009 10:45	E. coli		12	cfu/100mL	EPA1603
10/20/2009 10:45	E. coli		5	cfu/100mL	EPA1603
10/21/2009 10:25	E. coli		3	cfu/100mL	EPA1603
10/22/2009 10:22	E. coli		22	cfu/100mL	EPA1603
10/26/2009 10:20	E. coli		12	cfu/100mL	EPA1603
10/27/2009 10:25	E. coli	EC	13	cfu/100mL	EPA1603
10/28/2009 10:35	E. coli	EC	1720	cfu/100mL	EPA1603
10/29/2009 10:15	E. coli		840	cfu/100mL	EPA1603
5/3/2010 10:41	E. coli		68	cfu/100mL	EPA1603
5/4/2010 9:47	E. coli		79	cfu/100mL	EPA1603
5/5/2010 9:55	E. coli	EC	18	cfu/100mL	EPA1603
5/6/2010 10:34	E. coli		270	cfu/100mL	EPA1603
5/10/2010 10:04	E. coli		76	cfu/100mL	EPA1603
5/11/2010 10:10	E. coli		20	cfu/100mL	EPA1603
5/12/2010 10:25	E. coli		167	cfu/100mL	EPA1603
5/13/2010 10:05	E. coli		78	cfu/100mL	EPA1603
5/20/2009 9:20	Field Cond		323	uS/cm	SM 2510A
5/21/2009 9:05	Field Cond		322	uS/cm	SM 2510A
5/22/2009 8:24	Field Cond		341	uS/cm	SM 2510A
5/23/2009 8:37	Field Cond		359	uS/cm	SM 2510A
5/24/2009 8:40	Field Cond		378	uS/cm	SM 2510A
5/25/2009 8:32	Field Cond		332	uS/cm	SM 2510A
5/26/2009 9:25	Field Cond		317	uS/cm	SM 2510A
5/27/2009 9:11	Field Cond		306	uS/cm	SM 2510A
5/28/2009 8:57	Field Cond		323	uS/cm	SM 2510A
5/29/2009 9:21	Field Cond		412	uS/cm	SM 2510A
5/30/2009 9:05	Field Cond		328	uS/cm	SM 2510A
5/31/2009 9:25	Field Cond		343	uS/cm	SM 2510A
6/1/2009 9:30	Field Cond		307	uS/cm	SM 2510A
6/2/2009 10:18	Field Cond		439	uS/cm	SM 2510A
6/3/2009 9:47	Field Cond		334	uS/cm	SM 2510A
6/4/2009 10:00	Field Cond		313	uS/cm	SM 2510A
6/5/2009 10:26	Field Cond		298	uS/cm	SM 2510A
6/6/2009 8:55	Field Cond		297	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/7/2009 8:55	Field Cond		305	uS/cm	SM 2510A
6/8/2009 9:50	Field Cond		313	uS/cm	SM 2510A
6/9/2009 9:57	Field Cond		323	uS/cm	SM 2510A
6/10/2009 9:50	Field Cond		290	uS/cm	SM 2510A
6/11/2009 9:51	Field Cond		320	uS/cm	SM 2510A
6/12/2009 9:40	Field Cond		364	uS/cm	SM 2510A
6/13/2009 9:11	Field Cond		326	uS/cm	SM 2510A
6/14/2009 9:00	Field Cond		301	uS/cm	SM 2510A
6/15/2009 10:10	Field Cond		300	uS/cm	SM 2510A
6/16/2009 10:10	Field Cond		337	uS/cm	SM 2510A
6/17/2009 9:58	Field Cond		299	uS/cm	SM 2510A
6/18/2009 10:25	Field Cond		306	uS/cm	SM 2510A
6/19/2009 11:40	Field Cond		293	uS/cm	SM 2510A
6/20/2009 11:31	Field Cond		340	uS/cm	SM 2510A
6/21/2009 8:33	Field Cond		395	uS/cm	SM 2510A
6/22/2009 10:05	Field Cond		303	uS/cm	SM 2510A
6/23/2009 9:44	Field Cond		327	uS/cm	SM 2510A
6/24/2009 10:25	Field Cond		301	uS/cm	SM 2510A
6/25/2009 9:50	Field Cond		299	uS/cm	SM 2510A
6/26/2009 9:42	Field Cond		286	uS/cm	SM 2510A
6/27/2009 9:10	Field Cond		311	uS/cm	SM 2510A
6/28/2009 8:24	Field Cond		305	uS/cm	SM 2510A
6/29/2009 9:58	Field Cond		320	uS/cm	SM 2510A
6/30/2009 12:43	Field Cond		320	uS/cm	SM 2510A
7/1/2009 10:00	Field Cond		316	uS/cm	SM 2510A
7/2/2009 10:43	Field Cond		291	uS/cm	SM 2510A
7/3/2009 9:20	Field Cond		313	uS/cm	SM 2510A
7/5/2009 10:47	Field Cond		302	uS/cm	SM 2510A
7/6/2009 9:44	Field Cond		289	uS/cm	SM 2510A
7/7/2009 9:46	Field Cond		285	uS/cm	SM 2510A
7/8/2009 9:35	Field Cond		303	uS/cm	SM 2510A
7/9/2009 9:37	Field Cond		279	uS/cm	SM 2510A
7/10/2009 9:25	Field Cond		256	uS/cm	SM 2510A
7/11/2009 6:55	Field Cond		275	uS/cm	SM 2510A
7/13/2009 9:36	Field Cond		330	uS/cm	SM 2510A
7/14/2009 9:45	Field Cond		314	uS/cm	SM 2510A
7/15/2009 9:39	Field Cond		253	uS/cm	SM 2510A
7/16/2009 9:45	Field Cond		282	uS/cm	SM 2510A
7/17/2009 9:33	Field Cond		292	uS/cm	SM 2510A
7/18/2009 9:53	Field Cond		306	uS/cm	SM 2510A
7/19/2009 9:30	Field Cond		307	uS/cm	SM 2510A
7/20/2009 9:54	Field Cond		333	uS/cm	SM 2510A
7/21/2009 9:34	Field Cond		302	uS/cm	SM 2510A
7/22/2009 9:54	Field Cond		304	uS/cm	SM 2510A
7/23/2009 9:40	Field Cond		298	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/24/2009 9:43	Field Cond		322	uS/cm	SM 2510A
7/27/2009 9:32	Field Cond		303	uS/cm	SM 2510A
7/28/2009 9:57	Field Cond		304	uS/cm	SM 2510A
7/29/2009 9:25	Field Cond		310	uS/cm	SM 2510A
7/30/2009 9:36	Field Cond		313	uS/cm	SM 2510A
7/31/2009 9:51	Field Cond		306	uS/cm	SM 2510A
8/1/2009 8:51	Field Cond		334	uS/cm	SM 2510A
8/2/2009 8:55	Field Cond		315	uS/cm	SM 2510A
8/3/2009 9:37	Field Cond		348	uS/cm	SM 2510A
8/4/2009 10:01	Field Cond		314	uS/cm	SM 2510A
8/5/2009 10:28	Field Cond		345	uS/cm	SM 2510A
8/6/2009 9:56	Field Cond		258	uS/cm	SM 2510A
8/7/2009 9:56	Field Cond		262	uS/cm	SM 2510A
8/8/2009 8:05	Field Cond		292	uS/cm	SM 2510A
8/9/2009 8:19	Field Cond		298	uS/cm	SM 2510A
8/10/2009 9:36	Field Cond		313	uS/cm	SM 2510A
8/11/2009 9:44	Field Cond		330	uS/cm	SM 2510A
8/12/2009 9:36	Field Cond		326	uS/cm	SM 2510A
8/13/2009 9:56	Field Cond		310	uS/cm	SM 2510A
8/14/2009 10:09	Field Cond		315	uS/cm	SM 2510A
8/15/2009 8:30	Field Cond		310	uS/cm	SM 2510A
8/16/2009 8:12	Field Cond		310	uS/cm	SM 2510A
8/17/2009 9:18	Field Cond		309	uS/cm	SM 2510A
8/18/2009 10:14	Field Cond		330	uS/cm	SM 2510A
8/19/2009 9:39	Field Cond		307	uS/cm	SM 2510A
8/20/2009 9:32	Field Cond		253	uS/cm	SM 2510A
8/21/2009 9:59	Field Cond		308	uS/cm	SM 2510A
8/22/2009 9:20	Field Cond		312	uS/cm	SM 2510A
8/23/2009 8:46	Field Cond		308	uS/cm	SM 2510A
8/24/2009 9:31	Field Cond		292	uS/cm	SM 2510A
8/25/2009 9:50	Field Cond		299	uS/cm	SM 2510A
8/26/2009 9:40	Field Cond		293	uS/cm	SM 2510A
8/27/2009 9:52	Field Cond		340	uS/cm	SM 2510A
8/28/2009 10:11	Field Cond		300	uS/cm	SM 2510A
8/29/2009 8:47	Field Cond		308	uS/cm	SM 2510A
8/30/2009 8:33	Field Cond		306	uS/cm	SM 2510A
8/31/2009 9:38	Field Cond		300	uS/cm	SM 2510A
9/1/2009 9:55	Field Cond		310	uS/cm	SM 2510A
9/2/2009 9:52	Field Cond		292	uS/cm	SM 2510A
9/3/2009 9:54	Field Cond		287	uS/cm	SM 2510A
9/4/2009 9:18	Field Cond		299	uS/cm	SM 2510A
9/5/2009 8:15	Field Cond		294	uS/cm	SM 2510A
9/6/2009 7:18	Field Cond		301	uS/cm	SM 2510A
9/7/2009 7:59	Field Cond		299	uS/cm	SM 2510A
9/8/2009 9:27	Field Cond		312	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/9/2009 9:50	Field Cond		312	uS/cm	SM 2510A
9/10/2009 10:20	Field Cond		306	uS/cm	SM 2510A
9/11/2009 9:50	Field Cond		307	uS/cm	SM 2510A
9/14/2009 10:27	Field Cond		325	uS/cm	SM 2510A
9/15/2009 10:45	Field Cond		318	uS/cm	SM 2510A
9/16/2009 10:39	Field Cond		324	uS/cm	SM 2510A
9/17/2009 10:20	Field Cond		309	uS/cm	SM 2510A
9/21/2009 10:35	Field Cond		302	uS/cm	SM 2510A
9/22/2009 11:00	Field Cond		304	uS/cm	SM 2510A
9/23/2009 10:15	Field Cond		307	uS/cm	SM 2510A
9/24/2009 9:50	Field Cond		318	uS/cm	SM 2510A
9/28/2009 10:55	Field Cond		296	uS/cm	SM 2510A
9/29/2009 11:05	Field Cond		322	uS/cm	SM 2510A
9/30/2009 11:15	Field Cond		342	uS/cm	SM 2510A
10/1/2009 10:20	Field Cond		307	uS/cm	SM 2510A
10/5/2009 10:22	Field Cond		307	uS/cm	SM 2510A
10/6/2009 10:36	Field Cond		281	uS/cm	SM 2510A
10/7/2009 10:43	Field Cond		313	uS/cm	SM 2510A
10/8/2009 10:22	Field Cond		302	uS/cm	SM 2510A
10/12/2009 10:00	Field Cond		310	uS/cm	SM 2510A
10/13/2009 10:20	Field Cond		322	uS/cm	SM 2510A
10/14/2009 10:25	Field Cond		302	uS/cm	SM 2510A
10/15/2009 10:30	Field Cond		305	uS/cm	SM 2510A
10/19/2009 10:45	Field Cond		293	uS/cm	SM 2510A
10/20/2009 10:45	Field Cond		290	uS/cm	SM 2510A
10/21/2009 10:25	Field Cond		291	uS/cm	SM 2510A
10/22/2009 10:22	Field Cond		323	uS/cm	SM 2510A
10/26/2009 10:20	Field Cond		292	uS/cm	SM 2510A
10/27/2009 10:25	Field Cond		300	uS/cm	SM 2510A
10/28/2009 10:35	Field Cond		327	uS/cm	SM 2510A
10/29/2009 10:15	Field Cond		302	uS/cm	SM 2510A
5/3/2010 10:41	Field Cond		424	uS/cm	SM 2510A
5/4/2010 9:47	Field Cond		365	uS/cm	SM 2510A
5/5/2010 9:55	Field Cond		355	uS/cm	SM 2510A
5/6/2010 10:34	Field Cond		380	uS/cm	SM 2510A
5/10/2010 10:04	Field Cond		333	uS/cm	SM 2510A
5/11/2010 10:10	Field Cond		400	uS/cm	SM 2510A
5/12/2010 10:25	Field Cond		401	uS/cm	SM 2510A
5/13/2010 10:05	Field Cond		327	uS/cm	SM 2510A
5/20/2009 9:20	Field Temp		15	C	EPA 170.1
5/21/2009 9:05	Field Temp		16	C	EPA 170.1
5/22/2009 8:24	Field Temp		16.3	C	EPA 170.1
5/23/2009 8:37	Field Temp		16	C	EPA 170.1
5/24/2009 8:40	Field Temp		16.2	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/25/2009 8:32	Field Temp		15	C	EPA 170.1
5/26/2009 9:25	Field Temp		15.1	C	EPA 170.1
5/27/2009 9:11	Field Temp		15.1	C	EPA 170.1
5/28/2009 8:57	Field Temp		16.6	C	EPA 170.1
5/29/2009 9:21	Field Temp		16.4	C	EPA 170.1
5/30/2009 9:05	Field Temp		17.1	C	EPA 170.1
5/31/2009 9:25	Field Temp		17.8	C	EPA 170.1
6/1/2009 9:30	Field Temp		17.1	C	EPA 170.1
6/2/2009 10:18	Field Temp		16.4	C	EPA 170.1
6/3/2009 9:47	Field Temp		16.3	C	EPA 170.1
6/4/2009 10:00	Field Temp		16.3	C	EPA 170.1
6/5/2009 10:26	Field Temp		16.9	C	EPA 170.1
6/6/2009 8:55	Field Temp		17	C	EPA 170.1
6/7/2009 8:55	Field Temp		18	C	EPA 170.1
6/8/2009 9:50	Field Temp		17.5	C	EPA 170.1
6/9/2009 9:57	Field Temp		18.5	C	EPA 170.1
6/10/2009 9:50	Field Temp		20	C	EPA 170.1
6/11/2009 9:51	Field Temp		19	C	EPA 170.1
6/12/2009 9:40	Field Temp		18.6	C	EPA 170.1
6/13/2009 9:11	Field Temp		19.6	C	EPA 170.1
6/14/2009 9:00	Field Temp		19	C	EPA 170.1
6/15/2009 10:10	Field Temp		19.4	C	EPA 170.1
6/16/2009 10:10	Field Temp		18.1	C	EPA 170.1
6/17/2009 9:58	Field Temp		16.8	C	EPA 170.1
6/18/2009 10:25	Field Temp		17.9	C	EPA 170.1
6/19/2009 11:40	Field Temp		19.7	C	EPA 170.1
6/20/2009 11:31	Field Temp		19.8	C	EPA 170.1
6/21/2009 8:33	Field Temp		19.6	C	EPA 170.1
6/22/2009 10:05	Field Temp		21.1	C	EPA 170.1
6/23/2009 9:44	Field Temp		22.4	C	EPA 170.1
6/24/2009 10:25	Field Temp		23.7	C	EPA 170.1
6/25/2009 9:50	Field Temp		24.4	C	EPA 170.1
6/26/2009 9:42	Field Temp		24.2	C	EPA 170.1
6/27/2009 9:10	Field Temp		23.7	C	EPA 170.1
6/28/2009 8:24	Field Temp		23.7	C	EPA 170.1
6/29/2009 9:58	Field Temp		23.6	C	EPA 170.1
6/30/2009 12:43	Field Temp		21.9	C	EPA 170.1
7/1/2009 10:00	Field Temp		21.3	C	EPA 170.1
7/2/2009 10:43	Field Temp		19.7	C	EPA 170.1
7/3/2009 9:20	Field Temp		20	C	EPA 170.1
7/5/2009 10:47	Field Temp		23.1	C	EPA 170.1
7/6/2009 9:44	Field Temp		22.5	C	EPA 170.1
7/7/2009 9:46	Field Temp		22.8	C	EPA 170.1
7/8/2009 9:35	Field Temp		22.1	C	EPA 170.1
7/9/2009 9:37	Field Temp		23.1	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/10/2009 9:25	Field Temp		23.1	C	EPA 170.1
7/11/2009 6:55	Field Temp		23.5	C	EPA 170.1
7/13/2009 9:36	Field Temp		22.4	C	EPA 170.1
7/14/2009 9:45	Field Temp		22.2	C	EPA 170.1
7/15/2009 9:39	Field Temp		22.2	C	EPA 170.1
7/16/2009 9:45	Field Temp		22.6	C	EPA 170.1
7/17/2009 9:33	Field Temp		22.1	C	EPA 170.1
7/18/2009 9:53	Field Temp		20.3	C	EPA 170.1
7/19/2009 9:30	Field Temp		21.5	C	EPA 170.1
7/20/2009 9:54	Field Temp		24.1	C	EPA 170.1
7/21/2009 9:34	Field Temp		22.3	C	EPA 170.1
7/22/2009 9:54	Field Temp		21.8	C	EPA 170.1
7/23/2009 9:40	Field Temp		22	C	EPA 170.1
7/24/2009 9:43	Field Temp		22.5	C	EPA 170.1
7/27/2009 9:32	Field Temp		23	C	EPA 170.1
7/28/2009 9:57	Field Temp		23.8	C	EPA 170.1
7/29/2009 9:25	Field Temp		22.7	C	EPA 170.1
7/30/2009 9:36	Field Temp		23.6	C	EPA 170.1
7/31/2009 9:51	Field Temp		23.4	C	EPA 170.1
8/1/2009 8:51	Field Temp		7.6	C	EPA 170.1
8/2/2009 8:55	Field Temp		22.6	C	EPA 170.1
8/3/2009 9:37	Field Temp		23.4	C	EPA 170.1
8/4/2009 10:01	Field Temp		24	C	EPA 170.1
8/5/2009 10:28	Field Temp		19.4	C	EPA 170.1
8/8/2009 8:05	Field Temp		22.9	C	EPA 170.1
8/9/2009 8:19	Field Temp		23.1	C	EPA 170.1
8/10/2009 9:36	Field Temp		24.6	C	EPA 170.1
8/11/2009 9:44	Field Temp		24.6	C	EPA 170.1
8/12/2009 9:36	Field Temp		24.4	C	EPA 170.1
8/13/2009 9:56	Field Temp		24.4	C	EPA 170.1
8/14/2009 10:09	Field Temp		24.7	C	EPA 170.1
8/15/2009 8:30	Field Temp		23.5	C	EPA 170.1
8/16/2009 8:12	Field Temp		23.8	C	EPA 170.1
8/17/2009 9:18	Field Temp		25.4	C	EPA 170.1
8/18/2009 10:14	Field Temp		25.7	C	EPA 170.1
8/19/2009 9:39	Field Temp		25.8	C	EPA 170.1
8/20/2009 9:32	Field Temp		25.3	C	EPA 170.1
8/21/2009 9:59	Field Temp		25	C	EPA 170.1
8/22/2009 9:20	Field Temp		24.4	C	EPA 170.1
8/23/2009 8:46	Field Temp		23	C	EPA 170.1
8/24/2009 9:31	Field Temp		23.4	C	EPA 170.1
8/25/2009 9:50	Field Temp		23.9	C	EPA 170.1
8/26/2009 9:40	Field Temp		8.3	C	EPA 170.1
8/27/2009 9:52	Field Temp		24	C	EPA 170.1
8/28/2009 10:11	Field Temp		23.3	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/29/2009 8:47	Field Temp		22.3	C	EPA 170.1
8/30/2009 8:33	Field Temp		21	C	EPA 170.1
8/31/2009 9:38	Field Temp		21.5	C	EPA 170.1
9/1/2009 9:55	Field Temp		21.5	C	EPA 170.1
9/2/2009 9:52	Field Temp		22.2	C	EPA 170.1
9/3/2009 9:54	Field Temp		22	C	EPA 170.1
9/4/2009 9:18	Field Temp		22	C	EPA 170.1
9/5/2009 8:15	Field Temp		21.6	C	EPA 170.1
9/6/2009 7:18	Field Temp		21.4	C	EPA 170.1
9/7/2009 7:59	Field Temp		21.9	C	EPA 170.1
9/8/2009 9:27	Field Temp		22.2	C	EPA 170.1
9/9/2009 9:50	Field Temp		22.5	C	EPA 170.1
9/10/2009 10:20	Field Temp		22.7	C	EPA 170.1
9/11/2009 9:50	Field Temp		21.7	C	EPA 170.1
9/14/2009 10:27	Field Temp		22	C	EPA 170.1
9/15/2009 10:45	Field Temp		22.5	C	EPA 170.1
9/16/2009 10:39	Field Temp		21.2	C	EPA 170.1
9/17/2009 10:20	Field Temp		21.3	C	EPA 170.1
9/21/2009 10:35	Field Temp		21.5	C	EPA 170.1
9/22/2009 11:00	Field Temp		22.1	C	EPA 170.1
9/23/2009 10:15	Field Temp		21.7	C	EPA 170.1
9/24/2009 9:50	Field Temp		21.7	C	EPA 170.1
9/28/2009 10:55	Field Temp		19.4	C	EPA 170.1
9/29/2009 11:05	Field Temp		16.1	C	EPA 170.1
9/30/2009 11:15	Field Temp		15	C	EPA 170.1
10/1/2009 10:20	Field Temp		16.5	C	EPA 170.1
10/5/2009 10:22	Field Temp		14.7	C	EPA 170.1
10/6/2009 10:36	Field Temp		16.7	C	EPA 170.1
10/7/2009 10:43	Field Temp		14.6	C	EPA 170.1
10/8/2009 10:22	Field Temp		15.2	C	EPA 170.1
10/12/2009 10:00	Field Temp		14.3	C	EPA 170.1
10/13/2009 10:20	Field Temp		13.6	C	EPA 170.1
10/14/2009 10:25	Field Temp		13.3	C	EPA 170.1
10/15/2009 10:30	Field Temp		13.2	C	EPA 170.1
10/19/2009 10:45	Field Temp		11.4	C	EPA 170.1
10/20/2009 10:45	Field Temp		12.6	C	EPA 170.1
10/21/2009 10:25	Field Temp		13	C	EPA 170.1
10/22/2009 10:22	Field Temp		13.3	C	EPA 170.1
10/26/2009 10:20	Field Temp		12.2	C	EPA 170.1
10/27/2009 10:25	Field Temp		12.5	C	EPA 170.1
10/28/2009 10:35	Field Temp		12.4	C	EPA 170.1
10/29/2009 10:15	Field Temp		12.6	C	EPA 170.1
5/3/2010 10:41	Field Temp		14.2	C	EPA 170.1
5/4/2010 9:47	Field Temp		14.5	C	EPA 170.1
5/5/2010 9:55	Field Temp		15.1	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/6/2010 10:34	Field Temp		14.6	C	EPA 170.1
5/10/2010 10:04	Field Temp		13.3	C	EPA 170.1
5/11/2010 10:10	Field Temp		12	C	EPA 170.1
5/12/2010 10:25	Field Temp		12.7	C	EPA 170.1
5/13/2010 10:05	Field Temp		13.2	C	EPA 170.1
5/20/2009 9:20	pH		7.9	S.U.	
5/21/2009 9:05	pH		8.5	S.U.	
5/22/2009 8:24	pH		8.8	S.U.	
5/23/2009 8:37	pH		8.6	S.U.	
5/24/2009 8:40	pH		7.9	S.U.	
5/25/2009 8:32	pH		7.6	S.U.	
5/26/2009 9:25	pH		7.4	S.U.	
5/27/2009 9:11	pH		7.2	S.U.	
5/28/2009 8:57	pH		7.9	S.U.	
5/29/2009 9:21	pH		7.4	S.U.	
5/30/2009 9:05	pH		7.9	S.U.	
5/31/2009 9:25	pH		8.2	S.U.	
6/1/2009 9:30	pH		7.7	S.U.	
6/2/2009 10:18	pH		8	S.U.	
6/3/2009 9:47	pH		7.6	S.U.	
6/4/2009 10:00	pH		7.7	S.U.	
6/5/2009 10:26	pH		7.2	S.U.	
6/6/2009 8:55	pH		7.47	S.U.	
6/7/2009 8:55	pH		7.5	S.U.	
6/8/2009 9:50	pH		7.9	S.U.	
6/9/2009 9:57	pH		8.18	S.U.	
6/10/2009 9:50	pH		8.04	S.U.	
6/11/2009 9:51	pH		7.7	S.U.	
6/12/2009 9:40	pH		7.52	S.U.	
6/13/2009 9:11	pH		8.2	S.U.	
6/14/2009 9:00	pH		8.6	S.U.	
6/15/2009 10:10	pH		7.48	S.U.	
6/16/2009 10:10	pH		7.9	S.U.	
6/17/2009 9:58	pH		7.7	S.U.	
6/18/2009 10:25	pH		7.2	S.U.	
6/19/2009 11:40	pH		7.2	S.U.	
6/20/2009 11:31	pH		8.4	S.U.	
6/21/2009 8:33	pH		8.4	S.U.	
6/22/2009 10:05	pH		8.18	S.U.	
6/23/2009 9:44	pH		7.29	S.U.	
6/24/2009 10:25	pH		8.2	S.U.	
6/25/2009 9:50	pH		8.1	S.U.	
6/26/2009 9:42	pH		8.5	S.U.	
6/27/2009 9:10	pH		8.3	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/28/2009 8:24	pH		8.2	S.U.	
6/29/2009 9:58	pH		7.6	S.U.	
6/30/2009 12:43	pH		6.36	S.U.	
7/1/2009 10:00	pH		8	S.U.	
7/2/2009 10:43	pH		8.1	S.U.	
7/3/2009 9:20	pH		8.3	S.U.	
7/5/2009 10:47	pH		8.2	S.U.	
7/6/2009 9:44	pH		7.7	S.U.	
7/7/2009 9:46	pH		8	S.U.	
7/8/2009 9:35	pH		8.8	S.U.	
7/9/2009 9:37	pH		7.7	S.U.	
7/10/2009 9:25	pH		8.2	S.U.	
7/11/2009 6:55	pH		7.4	S.U.	
7/13/2009 9:36	pH		7.7	S.U.	
7/14/2009 9:45	pH		7.5	S.U.	
7/15/2009 9:39	pH		7.8	S.U.	
7/16/2009 9:45	pH		8.1	S.U.	
7/17/2009 9:33	pH		8	S.U.	
7/18/2009 9:53	pH		8.1	S.U.	
7/19/2009 9:30	pH		8	S.U.	
7/20/2009 9:54	pH		8.3	S.U.	
7/21/2009 9:34	pH		8.2	S.U.	
7/22/2009 9:54	pH		7.9	S.U.	
7/23/2009 9:40	pH		7.6	S.U.	
7/24/2009 9:43	pH		8	S.U.	
7/27/2009 9:32	pH		8.1	S.U.	
7/28/2009 9:57	pH		8.3	S.U.	
7/29/2009 9:25	pH		7.9	S.U.	
7/30/2009 9:36	pH		8.1	S.U.	
7/31/2009 9:51	pH		8.1	S.U.	
8/1/2009 8:51	pH		23.4	S.U.	
8/2/2009 8:55	pH		7.7	S.U.	
8/3/2009 9:37	pH		8.1	S.U.	
8/4/2009 10:01	pH		8.3	S.U.	
8/5/2009 10:28	pH		7.7	S.U.	
8/6/2009 9:56	pH		8.2	S.U.	
8/7/2009 9:56	pH		8.3	S.U.	
8/8/2009 8:05	pH		8.1	S.U.	
8/9/2009 8:19	pH		8	S.U.	
8/10/2009 9:36	pH		8.1	S.U.	
8/11/2009 9:44	pH		8.1	S.U.	
8/12/2009 9:36	pH		8.1	S.U.	
8/13/2009 9:56	pH		8.1	S.U.	
8/14/2009 10:09	pH		8.3	S.U.	
8/15/2009 8:30	pH		8.4	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/16/2009 8:12	pH		8.3	S.U.	
8/17/2009 9:18	pH		8.5	S.U.	
8/18/2009 10:14	pH		8.4	S.U.	
8/19/2009 9:39	pH		8.38	S.U.	
8/20/2009 9:32	pH		8.48	S.U.	
8/21/2009 9:59	pH		8.32	S.U.	
8/22/2009 9:20	pH		8.1	S.U.	
8/23/2009 8:46	pH		8.1	S.U.	
8/24/2009 9:31	pH		8.2	S.U.	
8/25/2009 9:50	pH		8.29	S.U.	
8/26/2009 9:40	pH		24.1	S.U.	
8/27/2009 9:52	pH		8.15	S.U.	
8/28/2009 10:11	pH		8.2	S.U.	
8/29/2009 8:47	pH		308	S.U.	
8/30/2009 8:33	pH		8.1	S.U.	
8/31/2009 9:38	pH		8.2	S.U.	
9/1/2009 9:55	pH		8.3	S.U.	
9/2/2009 9:52	pH		8.3	S.U.	
9/3/2009 9:54	pH		8.2	S.U.	
9/4/2009 9:18	pH		8.2	S.U.	
9/5/2009 8:15	pH		8.2	S.U.	
9/6/2009 7:18	pH		7.9	S.U.	
9/7/2009 7:59	pH		8	S.U.	
9/8/2009 9:27	pH		8.1	S.U.	
9/9/2009 9:50	pH		8	S.U.	
9/10/2009 10:20	pH		7.94	S.U.	
9/11/2009 9:50	pH		8	S.U.	
9/14/2009 10:27	pH		7.9	S.U.	
9/15/2009 10:45	pH		8.3	S.U.	
9/16/2009 10:39	pH		8	S.U.	
9/17/2009 10:20	pH		8.2	S.U.	
9/21/2009 10:35	pH		7.8	S.U.	
9/22/2009 11:00	pH		8	S.U.	
9/23/2009 10:15	pH		8	S.U.	
9/24/2009 9:50	pH		8	S.U.	
9/28/2009 10:55	pH		7.6	S.U.	
9/29/2009 11:05	pH		7.5	S.U.	
9/30/2009 11:15	pH		7.6	S.U.	
10/1/2009 10:20	pH		7.7	S.U.	
10/5/2009 10:22	pH		7.5	S.U.	
10/6/2009 10:36	pH		7.7	S.U.	
10/7/2009 10:43	pH		7.4	S.U.	
10/8/2009 10:22	pH		7.6	S.U.	
10/12/2009 10:00	pH		7.3	S.U.	
10/13/2009 10:20	pH		7.6	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/14/2009 10:25	pH		7.6	S.U.	
10/15/2009 10:30	pH		7.6	S.U.	
10/19/2009 10:45	pH		7.4	S.U.	
10/20/2009 10:45	pH		7.5	S.U.	
10/21/2009 10:25	pH		7.5	S.U.	
10/22/2009 10:22	pH		7.5	S.U.	
10/26/2009 10:20	pH		7.4	S.U.	
10/27/2009 10:25	pH		7.5	S.U.	
10/28/2009 10:35	pH		7.4	S.U.	
10/29/2009 10:15	pH		7.4	S.U.	
5/3/2010 10:41	pH		7.8	S.U.	
5/4/2010 9:47	pH		7.45	S.U.	
5/5/2010 9:55	pH		7.5	S.U.	
5/6/2010 10:34	pH		7.76	S.U.	
5/10/2010 10:04	pH		7.92	S.U.	
5/11/2010 10:10	pH		7.45	S.U.	
5/12/2010 10:25	pH		7.51	S.U.	
5/13/2010 10:05	pH		7.48	S.U.	
5/4/2009 10:50	Turbidity		11.9	NTU	EPA180.1
5/5/2009 10:10	Turbidity		12.3	NTU	EPA180.1
5/6/2009 10:29	Turbidity		10.7	NTU	EPA180.1
5/7/2009 10:46	Turbidity		7.5	NTU	EPA180.1
5/11/2009 9:37	Turbidity		9.87	NTU	EPA180.1
5/12/2009 10:05	Turbidity		5.96	NTU	EPA180.1
5/13/2009 9:47	Turbidity		8.26	NTU	EPA180.1
5/14/2009 10:22	Turbidity		12.2	NTU	EPA180.1
5/18/2009 9:39	Turbidity		5.59	NTU	EPA180.1
5/19/2009 8:46	Turbidity		5.44	NTU	EPA180.1
5/20/2009 9:20	Turbidity		6.64	NTU	EPA180.1
5/21/2009 9:05	Turbidity		4.77	NTU	EPA180.1
5/22/2009 8:24	Turbidity		4.55	NTU	EPA180.1
5/23/2009 8:37	Turbidity		5.61	NTU	EPA180.1
5/24/2009 8:40	Turbidity		3.96	NTU	EPA180.1
5/25/2009 8:32	Turbidity		15.5	NTU	EPA180.1
5/26/2009 9:25	Turbidity		13.1	NTU	EPA180.1
5/27/2009 9:11	Turbidity		8.65	NTU	EPA180.1
5/28/2009 8:57	Turbidity		8.32	NTU	EPA180.1
5/29/2009 9:21	Turbidity		22.4	NTU	EPA180.1
5/30/2009 9:05	Turbidity		7.9	NTU	EPA180.1
5/31/2009 9:25	Turbidity		37.1	NTU	EPA180.1
6/1/2009 9:30	Turbidity		10.2	NTU	EPA180.1
6/2/2009 10:18	Turbidity		19.2	NTU	EPA180.1
6/3/2009 9:47	Turbidity		5.6	NTU	EPA180.1
6/4/2009 10:00	Turbidity		6.5	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/5/2009 10:26	Turbidity		3.9	NTU	EPA180.1
6/6/2009 8:55	Turbidity		2.4	NTU	EPA180.1
6/7/2009 8:55	Turbidity		1.95	NTU	EPA180.1
6/8/2009 9:50	Turbidity		4.02	NTU	EPA180.1
6/9/2009 9:57	Turbidity		3.67	NTU	EPA180.1
6/10/2009 9:50	Turbidity		2	NTU	EPA180.1
6/11/2009 9:51	Turbidity		2.41	NTU	EPA180.1
6/12/2009 9:40	Turbidity		6.47	NTU	EPA180.1
6/13/2009 9:11	Turbidity		2.43	NTU	EPA180.1
6/14/2009 9:00	Turbidity		1.67	NTU	EPA180.1
6/15/2009 10:10	Turbidity		2.18	NTU	EPA180.1
6/16/2009 10:10	Turbidity		2.7	NTU	EPA180.1
6/17/2009 9:58	Turbidity		3	NTU	EPA180.1
6/18/2009 10:25	Turbidity		9.6	NTU	EPA180.1
6/19/2009 11:40	Turbidity		2.4	NTU	EPA180.1
6/20/2009 11:31	Turbidity		5.4	NTU	EPA180.1
6/21/2009 8:33	Turbidity		6.3	NTU	EPA180.1
6/22/2009 10:05	Turbidity		1.98	NTU	EPA180.1
6/23/2009 9:44	Turbidity		1.21	NTU	EPA180.1
6/24/2009 10:25	Turbidity		1.84	NTU	EPA180.1
6/25/2009 9:50	Turbidity		1.3	NTU	EPA180.1
6/26/2009 9:42	Turbidity		3.1	NTU	EPA180.1
6/27/2009 9:10	Turbidity		5.9	NTU	EPA180.1
6/28/2009 8:24	Turbidity		2.01	NTU	EPA180.1
6/29/2009 9:58	Turbidity		9.42	NTU	EPA180.1
6/30/2009 12:43	Turbidity		18.9	NTU	EPA180.1
7/1/2009 10:00	Turbidity		6.42	NTU	EPA180.1
7/2/2009 10:43	Turbidity		18.5	NTU	EPA180.1
7/3/2009 9:20	Turbidity		17.92	NTU	EPA180.1
7/4/2009 9:05	Turbidity		6.65	NTU	EPA180.1
7/5/2009 10:47	Turbidity		3.66	NTU	EPA180.1
7/6/2009 9:44	Turbidity		2.38	NTU	EPA180.1
7/7/2009 9:46	Turbidity		4.67	NTU	EPA180.1
7/8/2009 9:35	Turbidity		3.65	NTU	EPA180.1
7/9/2009 9:37	Turbidity		1.22	NTU	EPA180.1
7/10/2009 9:25	Turbidity		2.32	NTU	EPA180.1
7/11/2009 6:55	Turbidity		2.06	NTU	EPA180.1
7/12/2009 9:52	Turbidity		2.41	NTU	EPA180.1
7/13/2009 9:36	Turbidity		5.76	NTU	EPA180.1
7/14/2009 9:45	Turbidity		9.11	NTU	EPA180.1
7/15/2009 9:39	Turbidity		1.13	NTU	EPA180.1
7/16/2009 9:45	Turbidity		6.21	NTU	EPA180.1
7/17/2009 9:33	Turbidity		4.61	NTU	EPA180.1
7/18/2009 9:53	Turbidity		18.61	NTU	EPA180.1
7/19/2009 9:30	Turbidity		7.3	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 9:54	Turbidity		1.25	NTU	EPA180.1
7/21/2009 9:34	Turbidity		1.06	NTU	EPA180.1
7/22/2009 9:54	Turbidity		1.72	NTU	EPA180.1
7/23/2009 9:40	Turbidity		1.37	NTU	EPA180.1
7/24/2009 9:43	Turbidity		5.28	NTU	EPA180.1
7/25/2009 9:10	Turbidity		1.5	NTU	EPA180.1
7/26/2009 9:06	Turbidity		6.04	NTU	EPA180.1
7/27/2009 9:32	Turbidity		10.13	NTU	EPA180.1
7/28/2009 9:57	Turbidity		2.72	NTU	EPA180.1
7/29/2009 9:25	Turbidity		1.42	NTU	EPA180.1
7/30/2009 9:36	Turbidity		1.56	NTU	EPA180.1
7/31/2009 9:51	Turbidity		2.01	NTU	EPA180.1
8/1/2009 8:51	Turbidity		1.36	NTU	EPA180.1
8/2/2009 8:55	Turbidity		3.81	NTU	EPA180.1
8/3/2009 9:37	Turbidity		3.09	NTU	EPA180.1
8/4/2009 10:01	Turbidity		2.37	NTU	EPA180.1
8/5/2009 10:28	Turbidity		9.44	NTU	EPA180.1
8/6/2009 9:56	Turbidity		1.49	NTU	EPA180.1
8/7/2009 9:56	Turbidity		1.93	NTU	EPA180.1
8/8/2009 8:05	Turbidity		0.67	NTU	EPA180.1
8/9/2009 8:19	Turbidity		3.9	NTU	EPA180.1
8/10/2009 9:36	Turbidity		4.73	NTU	EPA180.1
8/11/2009 9:44	Turbidity		1.65	NTU	EPA180.1
8/12/2009 9:36	Turbidity		9.61	NTU	EPA180.1
8/13/2009 9:56	Turbidity		2.2	NTU	EPA180.1
8/14/2009 10:09	Turbidity		1.4	NTU	EPA180.1
8/15/2009 8:30	Turbidity		1.1	NTU	EPA180.1
8/16/2009 8:12	Turbidity		1.48	NTU	EPA180.1
8/17/2009 9:18	Turbidity		1.8	NTU	EPA180.1
8/18/2009 10:14	Turbidity		5.82	NTU	EPA180.1
8/19/2009 9:39	Turbidity		3.9	NTU	EPA180.1
8/20/2009 9:32	Turbidity		1.49	NTU	EPA180.1
8/21/2009 9:59	Turbidity		8.42	NTU	EPA180.1
8/22/2009 9:20	Turbidity		3	NTU	EPA180.1
8/23/2009 8:46	Turbidity		3.5	NTU	EPA180.1
8/24/2009 9:31	Turbidity		1.8	NTU	EPA180.1
8/25/2009 9:50	Turbidity		1.01	NTU	EPA180.1
8/26/2009 9:40	Turbidity		4.5	NTU	EPA180.1
8/27/2009 9:52	Turbidity		1.8	NTU	EPA180.1
8/28/2009 10:11	Turbidity		2.11	NTU	EPA180.1
8/29/2009 8:47	Turbidity		8.02	NTU	EPA180.1
8/30/2009 8:33	Turbidity		15.84	NTU	EPA180.1
8/31/2009 9:38	Turbidity		6.83	NTU	EPA180.1
9/1/2009 9:55	Turbidity		2.38	NTU	EPA180.1
9/2/2009 9:52	Turbidity		2.7	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/3/2009 9:54	Turbidity		2.1	NTU	EPA180.1
9/4/2009 9:18	Turbidity		2	NTU	EPA180.1
9/5/2009 8:15	Turbidity		1.8	NTU	EPA180.1
9/6/2009 7:18	Turbidity		1.94	NTU	EPA180.1
9/7/2009 7:59	Turbidity		1.6	NTU	EPA180.1
9/8/2009 9:27	Turbidity		3.8	NTU	EPA180.1
9/9/2009 9:50	Turbidity		2.8	NTU	EPA180.1
9/10/2009 10:20	Turbidity		1.8	NTU	EPA180.1
9/11/2009 9:50	Turbidity		1.6	NTU	EPA180.1
9/14/2009 10:27	Turbidity		3.4	NTU	EPA180.1
9/15/2009 10:45	Turbidity		18.7	NTU	EPA180.1
9/16/2009 10:39	Turbidity		14.7	NTU	EPA180.1
9/17/2009 10:20	Turbidity		3.4	NTU	EPA180.1
9/21/2009 10:35	Turbidity		2.72	NTU	EPA180.1
9/22/2009 11:00	Turbidity		2.2	NTU	EPA180.1
9/23/2009 10:15	Turbidity		2.7	NTU	EPA180.1
9/24/2009 9:50	Turbidity		5.2	NTU	EPA180.1
9/28/2009 10:55	Turbidity		41.2	NTU	EPA180.1
9/29/2009 11:05	Turbidity		170.8	NTU	EPA180.1
9/30/2009 11:15	Turbidity		108	NTU	EPA180.1
10/1/2009 10:20	Turbidity		33.5	NTU	EPA180.1
10/5/2009 10:22	Turbidity		26.8	NTU	EPA180.1
10/6/2009 10:36	Turbidity		5.1	NTU	EPA180.1
10/7/2009 10:43	Turbidity		106.24	NTU	EPA180.1
10/8/2009 10:22	Turbidity		39.9	NTU	EPA180.1
10/12/2009 10:00	Turbidity		7	NTU	EPA180.1
10/13/2009 10:20	Turbidity		23.9	NTU	EPA180.1
10/14/2009 10:25	Turbidity		13.1	NTU	EPA180.1
10/15/2009 10:30	Turbidity		14.3	NTU	EPA180.1
10/19/2009 10:45	Turbidity		7.8	NTU	EPA180.1
10/20/2009 10:45	Turbidity		10	NTU	EPA180.1
10/21/2009 10:25	Turbidity		3.4	NTU	EPA180.1
10/22/2009 10:22	Turbidity		4.5	NTU	EPA180.1
10/26/2009 10:20	Turbidity		7.62	NTU	EPA180.1
10/27/2009 10:25	Turbidity		4.8	NTU	EPA180.1
10/28/2009 10:35	Turbidity		26.8	NTU	EPA180.1
10/29/2009 10:15	Turbidity		4.8	NTU	EPA180.1
5/3/2010 10:41	Turbidity		7.26	NTU	EPA180.1
5/4/2010 9:47	Turbidity		10.04	NTU	EPA180.1
5/5/2010 9:55	Turbidity		3.6	NTU	EPA180.1
5/6/2010 10:34	Turbidity		8.16	NTU	EPA180.1
5/10/2010 10:04	Turbidity		17.8	NTU	EPA180.1
5/11/2010 10:10	Turbidity		6.65	NTU	EPA180.1
5/12/2010 10:25	Turbidity		9.1	NTU	EPA180.1
5/13/2010 10:05	Turbidity		4.86	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/4/2009 10:55	E. coli	EC	31	cfu/100mL	EPA1603
5/5/2009 10:15	E. coli		18	cfu/100mL	EPA1603
5/6/2009 10:35	E. coli	<	1	cfu/100mL	EPA1603
5/7/2009 10:58	E. coli		145	cfu/100mL	EPA1603
5/11/2009 9:48	E. coli		8	cfu/100mL	EPA1603
5/12/2009 10:08	E. coli		14	cfu/100mL	EPA1603
5/13/2009 9:53	E. coli		2	cfu/100mL	EPA1603
5/14/2009 10:28	E. coli		150	cfu/100mL	EPA1603
5/18/2009 9:43	E. coli		12	cfu/100mL	EPA1603
5/19/2009 8:53	E. coli		10	cfu/100mL	EPA1603
5/20/2009 9:25	E. coli		2	cfu/100mL	EPA1603
5/21/2009 9:09	E. coli		13	cfu/100mL	EPA1603
5/22/2009 8:29	E. coli		155	cfu/100mL	EPA1603
5/23/2009 8:42	E. coli		13	cfu/100mL	EPA1603
5/24/2009 8:45	E. coli		14	cfu/100mL	EPA1603
5/25/2009 8:36	E. coli		720	cfu/100mL	EPA1603
5/26/2009 9:35	E. coli		396	cfu/100mL	EPA1603
5/27/2009 9:16	E. coli		11	cfu/100mL	EPA1603
5/28/2009 9:02	E. coli		520	cfu/100mL	EPA1603
5/29/2009 9:27	E. coli		4400	cfu/100mL	EPA1603
5/30/2009 9:10	E. coli		145	cfu/100mL	EPA1603
5/31/2009 9:34	E. coli		436	cfu/100mL	EPA1603
6/1/2009 9:39	E. coli		51	cfu/100mL	EPA1603
6/2/2009 10:23	E. coli		700	cfu/100mL	EPA1603
6/3/2009 9:54	E. coli		312	cfu/100mL	EPA1603
6/4/2009 10:10	E. coli		165	cfu/100mL	EPA1603
6/5/2009 10:32	E. coli		43	cfu/100mL	EPA1603
6/6/2009 9:00	E. coli		22	cfu/100mL	EPA1603
6/7/2009 9:00	E. coli		292	cfu/100mL	EPA1603
6/8/2009 9:58	E. coli		1667	cfu/100mL	EPA1603
6/9/2009 10:05	E. coli		820	cfu/100mL	EPA1603
6/10/2009 9:57	E. coli		115	cfu/100mL	EPA1603
6/11/2009 10:00	E. coli		79	cfu/100mL	EPA1603
6/12/2009 9:46	E. coli		1560	cfu/100mL	EPA1603
6/13/2009 9:18	E. coli		120	cfu/100mL	EPA1603
6/14/2009 9:08	E. coli		14	cfu/100mL	EPA1603
6/15/2009 10:15	E. coli		155	cfu/100mL	EPA1603
6/16/2009 10:16	E. coli		240	cfu/100mL	EPA1603
6/17/2009 10:05	E. coli		270	cfu/100mL	EPA1603
6/18/2009 10:35	E. coli	EC	17300	cfu/100mL	EPA1603
6/19/2009 11:45	E. coli		345	cfu/100mL	EPA1603
6/20/2009 11:36	E. coli		1180	cfu/100mL	EPA1603
6/21/2009 8:38	E. coli		900	cfu/100mL	EPA1603
6/22/2009 10:15	E. coli		155	cfu/100mL	EPA1603
6/23/2009 9:50	E. coli		61	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/24/2009 10:31	E. coli		6	cfu/100mL	EPA1603
6/25/2009 9:55	E. coli		55	cfu/100mL	EPA1603
6/26/2009 9:48	E. coli		330	cfu/100mL	EPA1603
6/27/2009 9:16	E. coli		125	cfu/100mL	EPA1603
6/28/2009 8:31	E. coli		77	cfu/100mL	EPA1603
6/29/2009 10:05	E. coli		205	cfu/100mL	EPA1603
6/30/2009 12:37	E. coli	EC	9600	cfu/100mL	EPA1603
7/1/2009 10:07	E. coli		780	cfu/100mL	EPA1603
7/2/2009 10:55	E. coli		7500	cfu/100mL	EPA1603
7/3/2009 9:25	E. coli		567	cfu/100mL	EPA1603
7/4/2009 9:10	E. coli	EC	22	cfu/100mL	EPA1603
7/5/2009 10:54	E. coli	EC	9	cfu/100mL	EPA1603
7/6/2009 9:51	E. coli		52	cfu/100mL	EPA1603
7/7/2009 9:50	E. coli		720	cfu/100mL	EPA1603
7/8/2009 9:41	E. coli		245	cfu/100mL	EPA1603
7/9/2009 9:43	E. coli		44	cfu/100mL	EPA1603
7/10/2009 9:31	E. coli		76	cfu/100mL	EPA1603
7/11/2009 7:00	E. coli		53	cfu/100mL	EPA1603
7/12/2009 9:58	E. coli		600	cfu/100mL	EPA1603
7/13/2009 9:43	E. coli		1100	cfu/100mL	EPA1603
7/14/2009 9:50	E. coli		400	cfu/100mL	EPA1603
7/15/2009 9:43	E. coli		31	cfu/100mL	EPA1603
7/16/2009 9:52	E. coli		1000	cfu/100mL	EPA1603
7/17/2009 9:40	E. coli		1440	cfu/100mL	EPA1603
7/18/2009 9:59	E. coli		920	cfu/100mL	EPA1603
7/19/2009 9:35	E. coli		102	cfu/100mL	EPA1603
7/20/2009 10:00	E. coli		10	cfu/100mL	EPA1603
7/21/2009 9:41	E. coli		52	cfu/100mL	EPA1603
7/22/2009 10:01	E. coli		460	cfu/100mL	EPA1603
7/23/2009 9:45	E. coli	EC	517	cfu/100mL	EPA1603
7/24/2009 9:49	E. coli		600	cfu/100mL	EPA1603
7/25/2009 9:15	E. coli		70	cfu/100mL	EPA1603
7/26/2009 9:11	E. coli		480	cfu/100mL	EPA1603
7/27/2009 9:39	E. coli		388	cfu/100mL	EPA1603
7/28/2009 10:05	E. coli		86	cfu/100mL	EPA1603
7/29/2009 9:30	E. coli		82	cfu/100mL	EPA1603
7/30/2009 9:41	E. coli		13	cfu/100mL	EPA1603
7/31/2009 9:57	E. coli	EC	29	cfu/100mL	EPA1603
8/1/2009 8:55	E. coli	EC	42	cfu/100mL	EPA1603
8/2/2009 9:00	E. coli		60	cfu/100mL	EPA1603
8/3/2009 9:42	E. coli	EC	36	cfu/100mL	EPA1603
8/4/2009 10:05	E. coli	EC	10	cfu/100mL	EPA1603
8/5/2009 10:34	E. coli		332	cfu/100mL	EPA1603
8/6/2009 10:01	E. coli	EC	15	cfu/100mL	EPA1603
8/7/2009 10:01	E. coli	EC	8	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/8/2009 8:10	E. coli		1280	cfu/100mL	EPA1603
8/9/2009 8:25	E. coli		613	cfu/100mL	EPA1603
8/10/2009 9:42	E. coli	EC	42	cfu/100mL	EPA1603
8/11/2009 9:53	E. coli		58	cfu/100mL	EPA1603
8/12/2009 9:44	E. coli		1350	cfu/100mL	EPA1603
8/13/2009 10:02	E. coli	EC	35	cfu/100mL	EPA1603
8/14/2009 10:13	E. coli		245	cfu/100mL	EPA1603
8/15/2009 8:35	E. coli		64	cfu/100mL	EPA1603
8/16/2009 8:15	E. coli		780	cfu/100mL	EPA1603
8/17/2009 9:21	E. coli		205	cfu/100mL	EPA1603
8/18/2009 10:14	E. coli		372	cfu/100mL	EPA1603
8/19/2009 9:43	E. coli		50	cfu/100mL	EPA1603
8/20/2009 9:37	E. coli	EC	9	cfu/100mL	EPA1603
8/21/2009 10:03	E. coli		480	cfu/100mL	EPA1603
8/22/2009 9:25	E. coli	EC	571	cfu/100mL	EPA1603
8/23/2009 8:51	E. coli		130	cfu/100mL	EPA1603
8/24/2009 9:38	E. coli		26	cfu/100mL	EPA1603
8/25/2009 9:57	E. coli		29	cfu/100mL	EPA1603
8/26/2009 9:45	E. coli		62	cfu/100mL	EPA1603
8/27/2009 9:57	E. coli		220	cfu/100mL	EPA1603
8/28/2009 10:16	E. coli		113	cfu/100mL	EPA1603
8/29/2009 8:52	E. coli		220	cfu/100mL	EPA1603
8/30/2009 8:38	E. coli		240	cfu/100mL	EPA1603
8/31/2009 9:45	E. coli	EC	33	cfu/100mL	EPA1603
9/1/2009 10:00	E. coli	EC	3	cfu/100mL	EPA1603
9/2/2009 9:58	E. coli		7	cfu/100mL	EPA1603
9/3/2009 9:58	E. coli		9	cfu/100mL	EPA1603
9/4/2009 9:24	E. coli	EC	8	cfu/100mL	EPA1603
9/5/2009 8:20	E. coli	EC	1	cfu/100mL	EPA1603
9/6/2009 7:20	E. coli		61	cfu/100mL	EPA1603
9/7/2009 8:04	E. coli		151	cfu/100mL	EPA1603
9/8/2009 9:33	E. coli		307	cfu/100mL	EPA1603
9/9/2009 9:55	E. coli		257	cfu/100mL	EPA1603
9/10/2009 10:35	E. coli		71	cfu/100mL	EPA1603
9/11/2009 9:57	E. coli		24	cfu/100mL	EPA1603
9/14/2009 10:33	E. coli		790	cfu/100mL	EPA1603
9/15/2009 10:50	E. coli	EC	1280	cfu/100mL	EPA1603
9/16/2009 10:47	E. coli		165	cfu/100mL	EPA1603
9/17/2009 10:25	E. coli	EC	17	cfu/100mL	EPA1603
9/21/2009 10:40	E. coli	EC	4	cfu/100mL	EPA1603
9/22/2009 11:05	E. coli		28	cfu/100mL	EPA1603
9/23/2009 10:20	E. coli		307	cfu/100mL	EPA1603
9/24/2009 10:00	E. coli		750	cfu/100mL	EPA1603
9/28/2009 11:00	E. coli		880	cfu/100mL	EPA1603
9/29/2009 11:10	E. coli		1380	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/30/2009 11:20	E. coli		1200	cfu/100mL	EPA1603
10/1/2009 10:25	E. coli		260	cfu/100mL	EPA1603
10/5/2009 10:22	E. coli		185	cfu/100mL	EPA1603
10/6/2009 10:41	E. coli	EC	35	cfu/100mL	EPA1603
10/7/2009 10:48	E. coli		513	cfu/100mL	EPA1603
10/8/2009 10:27	E. coli		50	cfu/100mL	EPA1603
10/12/2009 10:05	E. coli	EC	16	cfu/100mL	EPA1603
10/13/2009 10:26	E. coli	EC	18	cfu/100mL	EPA1603
10/14/2009 10:30	E. coli		6	cfu/100mL	EPA1603
10/15/2009 10:35	E. coli	EC	14	cfu/100mL	EPA1603
10/19/2009 10:50	E. coli		11	cfu/100mL	EPA1603
10/20/2009 10:50	E. coli		2	cfu/100mL	EPA1603
10/21/2009 10:30	E. coli		3	cfu/100mL	EPA1603
10/22/2009 10:27	E. coli		50	cfu/100mL	EPA1603
10/26/2009 10:25	E. coli		7	cfu/100mL	EPA1603
10/27/2009 10:30	E. coli	EC	6	cfu/100mL	EPA1603
10/28/2009 10:40	E. coli	EC	2350	cfu/100mL	EPA1603
10/29/2009 10:20	E. coli		388	cfu/100mL	EPA1603
5/3/2010 10:46	E. coli	EC	31	cfu/100mL	EPA1603
5/4/2010 9:52	E. coli	EC	27	cfu/100mL	EPA1603
5/5/2010 10:08	E. coli	EC	6	cfu/100mL	EPA1603
5/6/2010 10:40	E. coli		300	cfu/100mL	EPA1603
5/10/2010 10:12	E. coli		66	cfu/100mL	EPA1603
5/11/2010 10:15	E. coli		66	cfu/100mL	EPA1603
5/12/2010 10:31	E. coli		157	cfu/100mL	EPA1603
5/13/2010 10:13	E. coli		107	cfu/100mL	EPA1603
5/20/2009 9:25	Field Cond		322	uS/cm	SM 2510A
5/21/2009 9:09	Field Cond		323	uS/cm	SM 2510A
5/22/2009 8:29	Field Cond		342	uS/cm	SM 2510A
5/23/2009 8:42	Field Cond		323	uS/cm	SM 2510A
5/24/2009 8:45	Field Cond		386	uS/cm	SM 2510A
5/25/2009 8:36	Field Cond		333	uS/cm	SM 2510A
5/26/2009 9:35	Field Cond		319	uS/cm	SM 2510A
5/27/2009 9:16	Field Cond		307	uS/cm	SM 2510A
5/28/2009 9:02	Field Cond		321	uS/cm	SM 2510A
5/29/2009 9:27	Field Cond		416	uS/cm	SM 2510A
5/30/2009 9:10	Field Cond		328	uS/cm	SM 2510A
5/31/2009 9:34	Field Cond		342	uS/cm	SM 2510A
6/1/2009 9:39	Field Cond		309	uS/cm	SM 2510A
6/2/2009 10:23	Field Cond		435	uS/cm	SM 2510A
6/3/2009 9:54	Field Cond		330	uS/cm	SM 2510A
6/4/2009 10:10	Field Cond		314	uS/cm	SM 2510A
6/5/2009 10:32	Field Cond		303	uS/cm	SM 2510A
6/6/2009 9:00	Field Cond		297	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/7/2009 9:00	Field Cond		307	uS/cm	SM 2510A
6/8/2009 9:58	Field Cond		315	uS/cm	SM 2510A
6/9/2009 10:05	Field Cond		325	uS/cm	SM 2510A
6/10/2009 9:57	Field Cond		293	uS/cm	SM 2510A
6/11/2009 10:00	Field Cond		321	uS/cm	SM 2510A
6/12/2009 9:46	Field Cond		366	uS/cm	SM 2510A
6/13/2009 9:18	Field Cond		328	uS/cm	SM 2510A
6/14/2009 9:08	Field Cond		303	uS/cm	SM 2510A
6/15/2009 10:15	Field Cond		298	uS/cm	SM 2510A
6/16/2009 10:16	Field Cond		336	uS/cm	SM 2510A
6/17/2009 10:05	Field Cond		299	uS/cm	SM 2510A
6/18/2009 10:35	Field Cond		312	uS/cm	SM 2510A
6/19/2009 11:45	Field Cond		293	uS/cm	SM 2510A
6/20/2009 11:36	Field Cond		335	uS/cm	SM 2510A
6/21/2009 8:38	Field Cond		341	uS/cm	SM 2510A
6/22/2009 10:15	Field Cond		301	uS/cm	SM 2510A
6/23/2009 9:50	Field Cond		331	uS/cm	SM 2510A
6/24/2009 10:31	Field Cond		294	uS/cm	SM 2510A
6/25/2009 9:55	Field Cond		299	uS/cm	SM 2510A
6/26/2009 9:48	Field Cond		300	uS/cm	SM 2510A
6/27/2009 9:16	Field Cond		309	uS/cm	SM 2510A
6/28/2009 8:31	Field Cond		306	uS/cm	SM 2510A
6/29/2009 10:05	Field Cond		324	uS/cm	SM 2510A
6/30/2009 12:37	Field Cond		327	uS/cm	SM 2510A
7/1/2009 10:07	Field Cond		314	uS/cm	SM 2510A
7/2/2009 10:55	Field Cond		292	uS/cm	SM 2510A
7/3/2009 9:25	Field Cond		313	uS/cm	SM 2510A
7/5/2009 10:54	Field Cond		298	uS/cm	SM 2510A
7/6/2009 9:51	Field Cond		286	uS/cm	SM 2510A
7/7/2009 9:50	Field Cond		283	uS/cm	SM 2510A
7/8/2009 9:41	Field Cond		295	uS/cm	SM 2510A
7/9/2009 9:43	Field Cond		275	uS/cm	SM 2510A
7/10/2009 9:31	Field Cond		248	uS/cm	SM 2510A
7/11/2009 7:00	Field Cond		272	uS/cm	SM 2510A
7/13/2009 9:43	Field Cond		329	uS/cm	SM 2510A
7/14/2009 9:50	Field Cond		310	uS/cm	SM 2510A
7/15/2009 9:43	Field Cond		250	uS/cm	SM 2510A
7/16/2009 9:52	Field Cond		282	uS/cm	SM 2510A
7/17/2009 9:40	Field Cond		294	uS/cm	SM 2510A
7/18/2009 9:59	Field Cond		303	uS/cm	SM 2510A
7/19/2009 9:35	Field Cond		309	uS/cm	SM 2510A
7/20/2009 10:00	Field Cond		331	uS/cm	SM 2510A
7/21/2009 9:41	Field Cond		302	uS/cm	SM 2510A
7/22/2009 10:01	Field Cond		302	uS/cm	SM 2510A
7/23/2009 9:45	Field Cond		296	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/24/2009 9:49	Field Cond		320	uS/cm	SM 2510A
7/27/2009 9:39	Field Cond		304	uS/cm	SM 2510A
7/28/2009 10:05	Field Cond		302	uS/cm	SM 2510A
7/29/2009 9:30	Field Cond		309	uS/cm	SM 2510A
7/30/2009 9:41	Field Cond		326	uS/cm	SM 2510A
7/31/2009 9:57	Field Cond		313	uS/cm	SM 2510A
8/1/2009 8:55	Field Cond		331	uS/cm	SM 2510A
8/2/2009 9:00	Field Cond		315	uS/cm	SM 2510A
8/3/2009 9:42	Field Cond		344	uS/cm	SM 2510A
8/4/2009 10:05	Field Cond		313	uS/cm	SM 2510A
8/5/2009 10:34	Field Cond		340	uS/cm	SM 2510A
8/6/2009 10:01	Field Cond		254	uS/cm	SM 2510A
8/7/2009 10:01	Field Cond		257	uS/cm	SM 2510A
8/8/2009 8:10	Field Cond		293	uS/cm	SM 2510A
8/9/2009 8:25	Field Cond		297	uS/cm	SM 2510A
8/10/2009 9:42	Field Cond		313	uS/cm	SM 2510A
8/11/2009 9:53	Field Cond		325	uS/cm	SM 2510A
8/12/2009 9:44	Field Cond		329	uS/cm	SM 2510A
8/13/2009 10:02	Field Cond		308	uS/cm	SM 2510A
8/14/2009 10:13	Field Cond		311	uS/cm	SM 2510A
8/15/2009 8:35	Field Cond		313	uS/cm	SM 2510A
8/16/2009 8:15	Field Cond		308	uS/cm	SM 2510A
8/17/2009 9:21	Field Cond		309	uS/cm	SM 2510A
8/18/2009 10:14	Field Cond		329	uS/cm	SM 2510A
8/19/2009 9:43	Field Cond		308	uS/cm	SM 2510A
8/20/2009 9:37	Field Cond		252	uS/cm	SM 2510A
8/21/2009 10:03	Field Cond		305	uS/cm	SM 2510A
8/22/2009 9:25	Field Cond		313	uS/cm	SM 2510A
8/23/2009 8:51	Field Cond		305	uS/cm	SM 2510A
8/24/2009 9:38	Field Cond		291	uS/cm	SM 2510A
8/25/2009 9:57	Field Cond		298	uS/cm	SM 2510A
8/26/2009 9:45	Field Cond		291	uS/cm	SM 2510A
8/27/2009 9:57	Field Cond		342	uS/cm	SM 2510A
8/28/2009 10:16	Field Cond		300	uS/cm	SM 2510A
8/29/2009 8:52	Field Cond		305	uS/cm	SM 2510A
8/30/2009 8:38	Field Cond		308	uS/cm	SM 2510A
8/31/2009 9:45	Field Cond		298	uS/cm	SM 2510A
9/1/2009 10:00	Field Cond		310	uS/cm	SM 2510A
9/2/2009 9:58	Field Cond		292	uS/cm	SM 2510A
9/3/2009 9:58	Field Cond		287	uS/cm	SM 2510A
9/4/2009 9:24	Field Cond		299	uS/cm	SM 2510A
9/5/2009 8:20	Field Cond		296	uS/cm	SM 2510A
9/6/2009 7:20	Field Cond		305	uS/cm	SM 2510A
9/7/2009 8:04	Field Cond		300	uS/cm	SM 2510A
9/8/2009 9:33	Field Cond		312	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/9/2009 9:55	Field Cond		313	uS/cm	SM 2510A
9/10/2009 10:35	Field Cond		305	uS/cm	SM 2510A
9/11/2009 9:57	Field Cond		307	uS/cm	SM 2510A
9/14/2009 10:33	Field Cond		320	uS/cm	SM 2510A
9/15/2009 10:50	Field Cond		320	uS/cm	SM 2510A
9/16/2009 10:47	Field Cond		321	uS/cm	SM 2510A
9/17/2009 10:25	Field Cond		309	uS/cm	SM 2510A
9/21/2009 10:40	Field Cond		298	uS/cm	SM 2510A
9/22/2009 11:05	Field Cond		299	uS/cm	SM 2510A
9/23/2009 10:20	Field Cond		301	uS/cm	SM 2510A
9/24/2009 10:00	Field Cond		320	uS/cm	SM 2510A
9/28/2009 11:00	Field Cond		299	uS/cm	SM 2510A
9/29/2009 11:10	Field Cond		321	uS/cm	SM 2510A
9/30/2009 11:20	Field Cond		344	uS/cm	SM 2510A
10/1/2009 10:25	Field Cond		308	uS/cm	SM 2510A
10/5/2009 10:22	Field Cond		307	uS/cm	SM 2510A
10/6/2009 10:41	Field Cond		279	uS/cm	SM 2510A
10/7/2009 10:48	Field Cond		305	uS/cm	SM 2510A
10/8/2009 10:27	Field Cond		300	uS/cm	SM 2510A
10/12/2009 10:05	Field Cond		308	uS/cm	SM 2510A
10/13/2009 10:26	Field Cond		327	uS/cm	SM 2510A
10/14/2009 10:30	Field Cond		299	uS/cm	SM 2510A
10/15/2009 10:35	Field Cond		306	uS/cm	SM 2510A
10/19/2009 10:50	Field Cond		288	uS/cm	SM 2510A
10/20/2009 10:50	Field Cond		290	uS/cm	SM 2510A
10/21/2009 10:30	Field Cond		290	uS/cm	SM 2510A
10/22/2009 10:27	Field Cond		325	uS/cm	SM 2510A
10/26/2009 10:25	Field Cond		297	uS/cm	SM 2510A
10/27/2009 10:30	Field Cond		301	uS/cm	SM 2510A
10/28/2009 10:40	Field Cond		332	uS/cm	SM 2510A
10/29/2009 10:20	Field Cond		309	uS/cm	SM 2510A
5/3/2010 10:46	Field Cond		428	uS/cm	SM 2510A
5/4/2010 9:52	Field Cond		367	uS/cm	SM 2510A
5/5/2010 10:08	Field Cond		350	uS/cm	SM 2510A
5/6/2010 10:40	Field Cond		384	uS/cm	SM 2510A
5/10/2010 10:12	Field Cond		332	uS/cm	SM 2510A
5/11/2010 10:15	Field Cond		394	uS/cm	SM 2510A
5/12/2010 10:31	Field Cond		398	uS/cm	SM 2510A
5/13/2010 10:13	Field Cond		327	uS/cm	SM 2510A
5/20/2009 9:25	Field Temp		14.6	C	EPA 170.1
5/21/2009 9:09	Field Temp		15.3	C	EPA 170.1
5/22/2009 8:29	Field Temp		16.1	C	EPA 170.1
5/23/2009 8:42	Field Temp		15.3	C	EPA 170.1
5/24/2009 8:45	Field Temp		16.1	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/25/2009 8:36	Field Temp		15.2	C	EPA 170.1
5/26/2009 9:35	Field Temp		15.1	C	EPA 170.1
5/27/2009 9:16	Field Temp		14.6	C	EPA 170.1
5/28/2009 9:02	Field Temp		15	C	EPA 170.1
5/29/2009 9:27	Field Temp		16.3	C	EPA 170.1
5/30/2009 9:10	Field Temp		17.1	C	EPA 170.1
5/31/2009 9:34	Field Temp		17.3	C	EPA 170.1
6/1/2009 9:39	Field Temp		16.8	C	EPA 170.1
6/2/2009 10:23	Field Temp		16.4	C	EPA 170.1
6/3/2009 9:54	Field Temp		16.4	C	EPA 170.1
6/4/2009 10:10	Field Temp		16.4	C	EPA 170.1
6/5/2009 10:32	Field Temp		16.8	C	EPA 170.1
6/6/2009 9:00	Field Temp		16.7	C	EPA 170.1
6/7/2009 9:00	Field Temp		17.7	C	EPA 170.1
6/8/2009 9:58	Field Temp		17	C	EPA 170.1
6/9/2009 10:05	Field Temp		18.6	C	EPA 170.1
6/10/2009 9:57	Field Temp		19.4	C	EPA 170.1
6/11/2009 10:00	Field Temp		18.9	C	EPA 170.1
6/12/2009 9:46	Field Temp		18.5	C	EPA 170.1
6/13/2009 9:18	Field Temp		19.2	C	EPA 170.1
6/14/2009 9:08	Field Temp		18.9	C	EPA 170.1
6/15/2009 10:15	Field Temp		19.5	C	EPA 170.1
6/16/2009 10:16	Field Temp		18.3	C	EPA 170.1
6/17/2009 10:05	Field Temp		17	C	EPA 170.1
6/18/2009 10:35	Field Temp		18	C	EPA 170.1
6/19/2009 11:45	Field Temp		19.8	C	EPA 170.1
6/20/2009 11:36	Field Temp		19.8	C	EPA 170.1
6/21/2009 8:38	Field Temp		19.7	C	EPA 170.1
6/22/2009 10:15	Field Temp		21.4	C	EPA 170.1
6/23/2009 9:50	Field Temp		22.2	C	EPA 170.1
6/24/2009 10:31	Field Temp		23.5	C	EPA 170.1
6/25/2009 9:55	Field Temp		24.5	C	EPA 170.1
6/26/2009 9:48	Field Temp		24.2	C	EPA 170.1
6/27/2009 9:16	Field Temp		23.8	C	EPA 170.1
6/28/2009 8:31	Field Temp		23.5	C	EPA 170.1
6/29/2009 10:05	Field Temp		23.3	C	EPA 170.1
6/30/2009 12:37	Field Temp		21.5	C	EPA 170.1
7/1/2009 10:07	Field Temp		21.3	C	EPA 170.1
7/2/2009 10:55	Field Temp		19.8	C	EPA 170.1
7/3/2009 9:25	Field Temp		19.8	C	EPA 170.1
7/5/2009 10:54	Field Temp		23.3	C	EPA 170.1
7/6/2009 9:51	Field Temp		22.5	C	EPA 170.1
7/7/2009 9:50	Field Temp		22.8	C	EPA 170.1
7/8/2009 9:41	Field Temp		22.3	C	EPA 170.1
7/9/2009 9:43	Field Temp		22.8	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/10/2009 9:31	Field Temp		23.2	C	EPA 170.1
7/11/2009 7:00	Field Temp		23.4	C	EPA 170.1
7/13/2009 9:43	Field Temp		22.4	C	EPA 170.1
7/14/2009 9:50	Field Temp		22.1	C	EPA 170.1
7/15/2009 9:43	Field Temp		22.4	C	EPA 170.1
7/16/2009 9:52	Field Temp		22.8	C	EPA 170.1
7/17/2009 9:40	Field Temp		21.5	C	EPA 170.1
7/18/2009 9:59	Field Temp		20.7	C	EPA 170.1
7/19/2009 9:35	Field Temp		20.9	C	EPA 170.1
7/20/2009 10:00	Field Temp		23.6	C	EPA 170.1
7/21/2009 9:41	Field Temp		23.2	C	EPA 170.1
7/22/2009 10:01	Field Temp		21.7	C	EPA 170.1
7/23/2009 9:45	Field Temp		22.2	C	EPA 170.1
7/24/2009 9:49	Field Temp		22.4	C	EPA 170.1
7/27/2009 9:39	Field Temp		22.8	C	EPA 170.1
7/28/2009 10:05	Field Temp		24	C	EPA 170.1
7/29/2009 9:30	Field Temp		23	C	EPA 170.1
7/30/2009 9:41	Field Temp		23.4	C	EPA 170.1
7/31/2009 9:57	Field Temp		23.5	C	EPA 170.1
8/1/2009 8:55	Field Temp		23.5	C	EPA 170.1
8/2/2009 9:00	Field Temp		22.6	C	EPA 170.1
8/3/2009 9:42	Field Temp		23.4	C	EPA 170.1
8/4/2009 10:05	Field Temp		23.9	C	EPA 170.1
8/5/2009 10:34	Field Temp		21.4	C	EPA 170.1
8/8/2009 8:10	Field Temp		22.7	C	EPA 170.1
8/9/2009 8:25	Field Temp		23.1	C	EPA 170.1
8/10/2009 9:42	Field Temp		24.4	C	EPA 170.1
8/11/2009 9:53	Field Temp		24.8	C	EPA 170.1
8/12/2009 9:44	Field Temp		24.3	C	EPA 170.1
8/13/2009 10:02	Field Temp		24.4	C	EPA 170.1
8/14/2009 10:13	Field Temp		24.7	C	EPA 170.1
8/15/2009 8:35	Field Temp		23.2	C	EPA 170.1
8/16/2009 8:15	Field Temp		23.8	C	EPA 170.1
8/17/2009 9:21	Field Temp		24.5	C	EPA 170.1
8/18/2009 10:14	Field Temp		25.9	C	EPA 170.1
8/19/2009 9:43	Field Temp		25.5	C	EPA 170.1
8/20/2009 9:37	Field Temp		25.5	C	EPA 170.1
8/21/2009 10:03	Field Temp		24.8	C	EPA 170.1
8/22/2009 9:25	Field Temp		24	C	EPA 170.1
8/23/2009 8:51	Field Temp		22.1	C	EPA 170.1
8/24/2009 9:38	Field Temp		24	C	EPA 170.1
8/25/2009 9:57	Field Temp		23.8	C	EPA 170.1
8/26/2009 9:45	Field Temp		24	C	EPA 170.1
8/27/2009 9:57	Field Temp		23.7	C	EPA 170.1
8/28/2009 10:16	Field Temp		23.2	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/29/2009 8:52	Field Temp		22.8	C	EPA 170.1
8/30/2009 8:38	Field Temp		21.3	C	EPA 170.1
8/31/2009 9:45	Field Temp		21.5	C	EPA 170.1
9/1/2009 10:00	Field Temp		21.4	C	EPA 170.1
9/2/2009 9:58	Field Temp		22.1	C	EPA 170.1
9/3/2009 9:58	Field Temp		21.9	C	EPA 170.1
9/4/2009 9:24	Field Temp		21.8	C	EPA 170.1
9/5/2009 8:20	Field Temp		21.7	C	EPA 170.1
9/6/2009 7:20	Field Temp		21.5	C	EPA 170.1
9/7/2009 8:04	Field Temp		21.8	C	EPA 170.1
9/8/2009 9:33	Field Temp		22.3	C	EPA 170.1
9/9/2009 9:55	Field Temp		22.5	C	EPA 170.1
9/10/2009 10:35	Field Temp		22.6	C	EPA 170.1
9/11/2009 9:57	Field Temp		21.8	C	EPA 170.1
9/14/2009 10:33	Field Temp		22.3	C	EPA 170.1
9/15/2009 10:50	Field Temp		22.5	C	EPA 170.1
9/16/2009 10:47	Field Temp		21.7	C	EPA 170.1
9/17/2009 10:25	Field Temp		21.2	C	EPA 170.1
9/21/2009 10:40	Field Temp		21.7	C	EPA 170.1
9/22/2009 11:05	Field Temp		22.1	C	EPA 170.1
9/23/2009 10:20	Field Temp		21.8	C	EPA 170.1
9/24/2009 10:00	Field Temp		21.7	C	EPA 170.1
9/28/2009 11:00	Field Temp		19.2	C	EPA 170.1
9/29/2009 11:10	Field Temp		16.9	C	EPA 170.1
9/30/2009 11:20	Field Temp		15.5	C	EPA 170.1
10/1/2009 10:25	Field Temp		16.4	C	EPA 170.1
10/5/2009 10:22	Field Temp		14.7	C	EPA 170.1
10/6/2009 10:41	Field Temp		16.7	C	EPA 170.1
10/7/2009 10:48	Field Temp		14.8	C	EPA 170.1
10/8/2009 10:27	Field Temp		15.2	C	EPA 170.1
10/12/2009 10:05	Field Temp		14.3	C	EPA 170.1
10/13/2009 10:26	Field Temp		13.6	C	EPA 170.1
10/14/2009 10:30	Field Temp		13.3	C	EPA 170.1
10/15/2009 10:35	Field Temp		13.1	C	EPA 170.1
10/19/2009 10:50	Field Temp		11.3	C	EPA 170.1
10/20/2009 10:50	Field Temp		12.4	C	EPA 170.1
10/21/2009 10:30	Field Temp		13.2	C	EPA 170.1
10/22/2009 10:27	Field Temp		13.3	C	EPA 170.1
10/26/2009 10:25	Field Temp		12.3	C	EPA 170.1
10/27/2009 10:30	Field Temp		12.2	C	EPA 170.1
10/28/2009 10:40	Field Temp		12.4	C	EPA 170.1
10/29/2009 10:20	Field Temp		12.5	C	EPA 170.1
5/3/2010 10:46	Field Temp		14.1	C	EPA 170.1
5/4/2010 9:52	Field Temp		14.3	C	EPA 170.1
5/5/2010 10:08	Field Temp		15	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/6/2010 10:40	Field Temp		14.9	C	EPA 170.1
5/10/2010 10:12	Field Temp		13.5	C	EPA 170.1
5/11/2010 10:15	Field Temp		12.3	C	EPA 170.1
5/12/2010 10:31	Field Temp		13	C	EPA 170.1
5/13/2010 10:13	Field Temp		12.9	C	EPA 170.1
5/20/2009 9:25	pH		8	S.U.	
5/21/2009 9:09	pH		8.6	S.U.	
5/22/2009 8:29	pH		8.8	S.U.	
5/23/2009 8:42	pH		8.6	S.U.	
5/24/2009 8:45	pH		7.8	S.U.	
5/25/2009 8:36	pH		7.6	S.U.	
5/26/2009 9:35	pH		7.4	S.U.	
5/27/2009 9:16	pH		7.1	S.U.	
5/28/2009 9:02	pH		8	S.U.	
5/29/2009 9:27	pH		7.4	S.U.	
5/30/2009 9:10	pH		7.9	S.U.	
5/31/2009 9:34	pH		8.2	S.U.	
6/1/2009 9:39	pH		7.9	S.U.	
6/2/2009 10:23	pH		8.2	S.U.	
6/3/2009 9:54	pH		7.7	S.U.	
6/4/2009 10:10	pH		7.7	S.U.	
6/5/2009 10:32	pH		7.2	S.U.	
6/6/2009 9:00	pH		7.51	S.U.	
6/7/2009 9:00	pH		7.6	S.U.	
6/8/2009 9:58	pH		7.9	S.U.	
6/9/2009 10:05	pH		8.31	S.U.	
6/10/2009 9:57	pH		8.4	S.U.	
6/11/2009 10:00	pH		7.8	S.U.	
6/12/2009 9:46	pH		7.54	S.U.	
6/13/2009 9:18	pH		8.2	S.U.	
6/14/2009 9:08	pH		8.2	S.U.	
6/15/2009 10:15	pH		7.8	S.U.	
6/16/2009 10:16	pH		8.1	S.U.	
6/17/2009 10:05	pH		7.1	S.U.	
6/18/2009 10:35	pH		6.7	S.U.	
6/19/2009 11:45	pH		7.4	S.U.	
6/20/2009 11:36	pH		8.4	S.U.	
6/21/2009 8:38	pH		8.4	S.U.	
6/22/2009 10:15	pH		8.36	S.U.	
6/23/2009 9:50	pH		7.36	S.U.	
6/24/2009 10:31	pH		8.2	S.U.	
6/25/2009 9:55	pH		8.1	S.U.	
6/26/2009 9:48	pH		8.5	S.U.	
6/27/2009 9:16	pH		8.3	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/28/2009 8:31	pH		8.2	S.U.	
6/29/2009 10:05	pH		7.8	S.U.	
6/30/2009 12:37	pH		6.58	S.U.	
7/1/2009 10:07	pH		7.9	S.U.	
7/2/2009 10:55	pH		8.1	S.U.	
7/3/2009 9:25	pH		8.3	S.U.	
7/5/2009 10:54	pH		8.5	S.U.	
7/6/2009 9:51	pH		7.8	S.U.	
7/7/2009 9:50	pH		8.1	S.U.	
7/8/2009 9:41	pH		9.1	S.U.	
7/9/2009 9:43	pH		7.8	S.U.	
7/10/2009 9:31	pH		8.3	S.U.	
7/11/2009 7:00	pH		7.2	S.U.	
7/13/2009 9:43	pH		7.7	S.U.	
7/14/2009 9:50	pH		7.6	S.U.	
7/15/2009 9:43	pH		8	S.U.	
7/16/2009 9:52	pH		8.2	S.U.	
7/17/2009 9:40	pH		8.2	S.U.	
7/18/2009 9:59	pH		8.1	S.U.	
7/19/2009 9:35	pH		8.1	S.U.	
7/20/2009 10:00	pH		8.6	S.U.	
7/21/2009 9:41	pH		8.3	S.U.	
7/22/2009 10:01	pH		8.1	S.U.	
7/23/2009 9:45	pH		7.6	S.U.	
7/24/2009 9:49	pH		8.2	S.U.	
7/27/2009 9:39	pH		8.2	S.U.	
7/28/2009 10:05	pH		8.6	S.U.	
7/29/2009 9:30	pH		7.6	S.U.	
7/30/2009 9:41	pH		8.3	S.U.	
7/31/2009 9:57	pH		8.1	S.U.	
8/1/2009 8:55	pH		7.7	S.U.	
8/2/2009 9:00	pH		7.6	S.U.	
8/3/2009 9:42	pH		8.7	S.U.	
8/4/2009 10:05	pH		8.3	S.U.	
8/5/2009 10:34	pH		7.7	S.U.	
8/6/2009 10:01	pH		8.3	S.U.	
8/7/2009 10:01	pH		8.3	S.U.	
8/8/2009 8:10	pH		8	S.U.	
8/9/2009 8:25	pH		8.1	S.U.	
8/10/2009 9:42	pH		8.1	S.U.	
8/11/2009 9:53	pH		8.4	S.U.	
8/12/2009 9:44	pH		8.1	S.U.	
8/13/2009 10:02	pH		8.4	S.U.	
8/14/2009 10:13	pH		8.3	S.U.	
8/15/2009 8:35	pH		8.4	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/16/2009 8:15	pH		8.2	S.U.	
8/17/2009 9:21	pH		8.58	S.U.	
8/18/2009 10:14	pH		8.6	S.U.	
8/19/2009 9:43	pH		8.38	S.U.	
8/20/2009 9:37	pH		8.53	S.U.	
8/21/2009 10:03	pH		8.36	S.U.	
8/22/2009 9:25	pH		8.1	S.U.	
8/23/2009 8:51	pH		8.2	S.U.	
8/24/2009 9:38	pH		8.3	S.U.	
8/25/2009 9:57	pH		8.47	S.U.	
8/26/2009 9:45	pH		8.33	S.U.	
8/27/2009 9:57	pH		8.17	S.U.	
8/28/2009 10:16	pH		8.2	S.U.	
8/29/2009 8:52	pH		8.2	S.U.	
8/30/2009 8:38	pH		8.1	S.U.	
8/31/2009 9:45	pH		8.2	S.U.	
9/1/2009 10:00	pH		8.3	S.U.	
9/2/2009 9:58	pH		8.3	S.U.	
9/3/2009 9:58	pH		8.31	S.U.	
9/4/2009 9:24	pH		8.27	S.U.	
9/5/2009 8:20	pH		8.2	S.U.	
9/6/2009 7:20	pH		7.9	S.U.	
9/7/2009 8:04	pH		8.1	S.U.	
9/8/2009 9:33	pH		8.1	S.U.	
9/9/2009 9:55	pH		8.1	S.U.	
9/10/2009 10:35	pH		8.16	S.U.	
9/11/2009 9:57	pH		8.1	S.U.	
9/14/2009 10:33	pH		8.1	S.U.	
9/15/2009 10:50	pH		8.3	S.U.	
9/16/2009 10:47	pH		8.1	S.U.	
9/17/2009 10:25	pH		8.1	S.U.	
9/21/2009 10:40	pH		8	S.U.	
9/22/2009 11:05	pH		8.1	S.U.	
9/23/2009 10:20	pH		8	S.U.	
9/24/2009 10:00	pH		8	S.U.	
9/28/2009 11:00	pH		7.5	S.U.	
9/29/2009 11:10	pH		7.5	S.U.	
9/30/2009 11:20	pH		7.6	S.U.	
10/1/2009 10:25	pH		7.8	S.U.	
10/5/2009 10:22	pH		7.5	S.U.	
10/6/2009 10:41	pH		7.3	S.U.	
10/7/2009 10:48	pH		7.4	S.U.	
10/8/2009 10:27	pH		7.6	S.U.	
10/12/2009 10:05	pH		7.3	S.U.	
10/13/2009 10:26	pH		327	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/14/2009 10:30	pH		7.7	S.U.	
10/15/2009 10:35	pH		7.6	S.U.	
10/19/2009 10:50	pH		7.4	S.U.	
10/20/2009 10:50	pH		7.5	S.U.	
10/21/2009 10:30	pH		7.6	S.U.	
10/22/2009 10:27	pH		7.5	S.U.	
10/26/2009 10:25	pH		7.4	S.U.	
10/27/2009 10:30	pH		7.5	S.U.	
10/28/2009 10:40	pH		7.5	S.U.	
10/29/2009 10:20	pH		7.4	S.U.	
5/3/2010 10:46	pH		7.79	S.U.	
5/4/2010 9:52	pH		7.54	S.U.	
5/5/2010 10:08	pH		7.52	S.U.	
5/6/2010 10:40	pH		7.82	S.U.	
5/10/2010 10:12	pH		7.95	S.U.	
5/11/2010 10:15	pH		7.51	S.U.	
5/12/2010 10:31	pH		7.57	S.U.	
5/13/2010 10:13	pH		7.48	S.U.	
5/4/2009 10:55	Turbidity		13	NTU	EPA180.1
5/5/2009 10:15	Turbidity		8.77	NTU	EPA180.1
5/6/2009 10:35	Turbidity		6.71	NTU	EPA180.1
5/7/2009 10:58	Turbidity		11.85	NTU	EPA180.1
5/11/2009 9:48	Turbidity		10.9	NTU	EPA180.1
5/12/2009 10:08	Turbidity		7.75	NTU	EPA180.1
5/13/2009 9:53	Turbidity		5.1	NTU	EPA180.1
5/14/2009 10:28	Turbidity		15.4	NTU	EPA180.1
5/18/2009 9:43	Turbidity		6.48	NTU	EPA180.1
5/19/2009 8:53	Turbidity		4.44	NTU	EPA180.1
5/20/2009 9:25	Turbidity		7.52	NTU	EPA180.1
5/21/2009 9:09	Turbidity		4.68	NTU	EPA180.1
5/22/2009 8:29	Turbidity		7.12	NTU	EPA180.1
5/23/2009 8:42	Turbidity		5.48	NTU	EPA180.1
5/24/2009 8:45	Turbidity		4.61	NTU	EPA180.1
5/25/2009 8:36	Turbidity		12.9	NTU	EPA180.1
5/26/2009 9:35	Turbidity		18.9	NTU	EPA180.1
5/27/2009 9:16	Turbidity		10.55	NTU	EPA180.1
5/28/2009 9:02	Turbidity		7.25	NTU	EPA180.1
5/29/2009 9:27	Turbidity		22.2	NTU	EPA180.1
5/30/2009 9:10	Turbidity		8.4	NTU	EPA180.1
5/31/2009 9:34	Turbidity		35.7	NTU	EPA180.1
6/1/2009 9:39	Turbidity		10.4	NTU	EPA180.1
6/2/2009 10:23	Turbidity		20.2	NTU	EPA180.1
6/3/2009 9:54	Turbidity		5.8	NTU	EPA180.1
6/4/2009 10:10	Turbidity		6.2	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/5/2009 10:32	Turbidity		4.1	NTU	EPA180.1
6/6/2009 9:00	Turbidity		2.4	NTU	EPA180.1
6/7/2009 9:00	Turbidity		2.21	NTU	EPA180.1
6/8/2009 9:58	Turbidity		4.06	NTU	EPA180.1
6/9/2009 10:05	Turbidity		6.54	NTU	EPA180.1
6/10/2009 9:57	Turbidity		2.39	NTU	EPA180.1
6/11/2009 10:00	Turbidity		2.16	NTU	EPA180.1
6/12/2009 9:46	Turbidity		6.34	NTU	EPA180.1
6/13/2009 9:18	Turbidity		1.99	NTU	EPA180.1
6/14/2009 9:08	Turbidity		1.72	NTU	EPA180.1
6/15/2009 10:15	Turbidity		2.56	NTU	EPA180.1
6/16/2009 10:16	Turbidity		2.4	NTU	EPA180.1
6/17/2009 10:05	Turbidity		3	NTU	EPA180.1
6/18/2009 10:35	Turbidity		15.5	NTU	EPA180.1
6/19/2009 11:45	Turbidity		3	NTU	EPA180.1
6/20/2009 11:36	Turbidity		3.8	NTU	EPA180.1
6/21/2009 8:38	Turbidity		7.1	NTU	EPA180.1
6/22/2009 10:15	Turbidity		2.13	NTU	EPA180.1
6/23/2009 9:50	Turbidity		1.51	NTU	EPA180.1
6/24/2009 10:31	Turbidity		2.22	NTU	EPA180.1
6/25/2009 9:55	Turbidity		1.13	NTU	EPA180.1
6/26/2009 9:48	Turbidity		2.4	NTU	EPA180.1
6/27/2009 9:16	Turbidity		4.5	NTU	EPA180.1
6/28/2009 8:31	Turbidity		2.16	NTU	EPA180.1
6/29/2009 10:05	Turbidity		8.15	NTU	EPA180.1
6/30/2009 12:37	Turbidity		11.2	NTU	EPA180.1
7/1/2009 10:07	Turbidity		5.98	NTU	EPA180.1
7/2/2009 10:55	Turbidity		28.9	NTU	EPA180.1
7/3/2009 9:25	Turbidity		13.68	NTU	EPA180.1
7/4/2009 9:10	Turbidity		8.64	NTU	EPA180.1
7/5/2009 10:54	Turbidity		2.87	NTU	EPA180.1
7/6/2009 9:51	Turbidity		1.56	NTU	EPA180.1
7/7/2009 9:50	Turbidity		3.88	NTU	EPA180.1
7/8/2009 9:41	Turbidity		2.97	NTU	EPA180.1
7/9/2009 9:43	Turbidity		1.39	NTU	EPA180.1
7/10/2009 9:31	Turbidity		1.27	NTU	EPA180.1
7/11/2009 7:00	Turbidity		1.37	NTU	EPA180.1
7/12/2009 9:58	Turbidity		2.9	NTU	EPA180.1
7/13/2009 9:43	Turbidity		6.2	NTU	EPA180.1
7/14/2009 9:50	Turbidity		9.12	NTU	EPA180.1
7/15/2009 9:43	Turbidity		1.4	NTU	EPA180.1
7/16/2009 9:52	Turbidity		9.39	NTU	EPA180.1
7/17/2009 9:40	Turbidity		17.18	NTU	EPA180.1
7/18/2009 9:59	Turbidity		18.77	NTU	EPA180.1
7/19/2009 9:35	Turbidity		8.4	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 10:00	Turbidity		1.44	NTU	EPA180.1
7/21/2009 9:41	Turbidity		1.15	NTU	EPA180.1
7/22/2009 10:01	Turbidity		2	NTU	EPA180.1
7/23/2009 9:45	Turbidity		1.64	NTU	EPA180.1
7/24/2009 9:49	Turbidity		2.79	NTU	EPA180.1
7/25/2009 9:15	Turbidity		2.7	NTU	EPA180.1
7/26/2009 9:11	Turbidity		10.12	NTU	EPA180.1
7/27/2009 9:39	Turbidity		15.37	NTU	EPA180.1
7/28/2009 10:05	Turbidity		3.83	NTU	EPA180.1
7/29/2009 9:30	Turbidity		2.44	NTU	EPA180.1
7/30/2009 9:41	Turbidity		1.45	NTU	EPA180.1
7/31/2009 9:57	Turbidity		1.59	NTU	EPA180.1
8/1/2009 8:55	Turbidity		1.15	NTU	EPA180.1
8/2/2009 9:00	Turbidity		4.75	NTU	EPA180.1
8/3/2009 9:42	Turbidity		2.69	NTU	EPA180.1
8/4/2009 10:05	Turbidity		1.51	NTU	EPA180.1
8/5/2009 10:34	Turbidity		9.96	NTU	EPA180.1
8/6/2009 10:01	Turbidity		1.45	NTU	EPA180.1
8/7/2009 10:01	Turbidity		1.16	NTU	EPA180.1
8/8/2009 8:10	Turbidity		0.57	NTU	EPA180.1
8/9/2009 8:25	Turbidity		7.26	NTU	EPA180.1
8/10/2009 9:42	Turbidity		3.07	NTU	EPA180.1
8/11/2009 9:53	Turbidity		1.18	NTU	EPA180.1
8/12/2009 9:44	Turbidity		10.07	NTU	EPA180.1
8/13/2009 10:02	Turbidity		1.8	NTU	EPA180.1
8/14/2009 10:13	Turbidity		1.2	NTU	EPA180.1
8/15/2009 8:35	Turbidity		1.1	NTU	EPA180.1
8/16/2009 8:15	Turbidity		1.02	NTU	EPA180.1
8/17/2009 9:21	Turbidity		1.6	NTU	EPA180.1
8/18/2009 10:14	Turbidity		6.72	NTU	EPA180.1
8/19/2009 9:43	Turbidity		2.6	NTU	EPA180.1
8/20/2009 9:37	Turbidity		0.93	NTU	EPA180.1
8/21/2009 10:03	Turbidity		5.1	NTU	EPA180.1
8/22/2009 9:25	Turbidity		1.4	NTU	EPA180.1
8/23/2009 8:51	Turbidity		4.7	NTU	EPA180.1
8/24/2009 9:38	Turbidity		2.4	NTU	EPA180.1
8/25/2009 9:57	Turbidity		1.78	NTU	EPA180.1
8/26/2009 9:45	Turbidity		1.5	NTU	EPA180.1
8/27/2009 9:57	Turbidity		4	NTU	EPA180.1
8/28/2009 10:16	Turbidity		3.35	NTU	EPA180.1
8/29/2009 8:52	Turbidity		12.78	NTU	EPA180.1
8/30/2009 8:38	Turbidity		13.55	NTU	EPA180.1
8/31/2009 9:45	Turbidity		7.71	NTU	EPA180.1
9/1/2009 10:00	Turbidity		2.68	NTU	EPA180.1
9/2/2009 9:58	Turbidity		4	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/3/2009 9:58	Turbidity		1.9	NTU	EPA180.1
9/4/2009 9:24	Turbidity		1.4	NTU	EPA180.1
9/5/2009 8:20	Turbidity		1.3	NTU	EPA180.1
9/6/2009 7:20	Turbidity		1.51	NTU	EPA180.1
9/7/2009 8:04	Turbidity		2.1	NTU	EPA180.1
9/8/2009 9:33	Turbidity		3.3	NTU	EPA180.1
9/9/2009 9:55	Turbidity		3.3	NTU	EPA180.1
9/10/2009 10:35	Turbidity		2.4	NTU	EPA180.1
9/11/2009 9:57	Turbidity		1.7	NTU	EPA180.1
9/14/2009 10:33	Turbidity		4.5	NTU	EPA180.1
9/15/2009 10:50	Turbidity		18.9	NTU	EPA180.1
9/16/2009 10:47	Turbidity		10.3	NTU	EPA180.1
9/17/2009 10:25	Turbidity		4	NTU	EPA180.1
9/21/2009 10:40	Turbidity		2.54	NTU	EPA180.1
9/22/2009 11:05	Turbidity		2.1	NTU	EPA180.1
9/23/2009 10:20	Turbidity		2.6	NTU	EPA180.1
9/24/2009 10:00	Turbidity		4.9	NTU	EPA180.1
9/28/2009 11:00	Turbidity		27.6	NTU	EPA180.1
9/29/2009 11:10	Turbidity		157.2	NTU	EPA180.1
9/30/2009 11:20	Turbidity		94.4	NTU	EPA180.1
10/1/2009 10:25	Turbidity		34.1	NTU	EPA180.1
10/5/2009 10:22	Turbidity		23.9	NTU	EPA180.1
10/6/2009 10:41	Turbidity		5.3	NTU	EPA180.1
10/7/2009 10:48	Turbidity		95.6	NTU	EPA180.1
10/8/2009 10:27	Turbidity		33.6	NTU	EPA180.1
10/12/2009 10:05	Turbidity		6.6	NTU	EPA180.1
10/13/2009 10:26	Turbidity		15.8	NTU	EPA180.1
10/14/2009 10:30	Turbidity		12.5	NTU	EPA180.1
10/15/2009 10:35	Turbidity		19	NTU	EPA180.1
10/19/2009 10:50	Turbidity		10	NTU	EPA180.1
10/20/2009 10:50	Turbidity		9.3	NTU	EPA180.1
10/21/2009 10:30	Turbidity		3.4	NTU	EPA180.1
10/22/2009 10:27	Turbidity		6.5	NTU	EPA180.1
10/26/2009 10:25	Turbidity		8.25	NTU	EPA180.1
10/27/2009 10:30	Turbidity		3.9	NTU	EPA180.1
10/28/2009 10:40	Turbidity		27.5	NTU	EPA180.1
10/29/2009 10:20	Turbidity		4.6	NTU	EPA180.1
5/3/2010 10:46	Turbidity		7.24	NTU	EPA180.1
5/4/2010 9:52	Turbidity		9.18	NTU	EPA180.1
5/5/2010 10:08	Turbidity		4.02	NTU	EPA180.1
5/6/2010 10:40	Turbidity		12	NTU	EPA180.1
5/10/2010 10:12	Turbidity		20.37	NTU	EPA180.1
5/11/2010 10:15	Turbidity		6.62	NTU	EPA180.1
5/12/2010 10:31	Turbidity		8.61	NTU	EPA180.1
5/13/2010 10:13	Turbidity		4.21	NTU	EPA180.1

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
5/4/2009 10:27	E. coli	EC	5	cfu/100mL	EPA1603	
5/5/2009 9:50	E. coli		14	cfu/100mL	EPA1603	
5/6/2009 10:07	E. coli		9	cfu/100mL	EPA1603	
5/7/2009 10:20	E. coli		130	cfu/100mL	EPA1603	
5/11/2009 9:56	E. coli		6	cfu/100mL	EPA1603	
5/12/2009 9:50	E. coli		38	cfu/100mL	EPA1603	
5/13/2009 9:28	E. coli	<	1	cfu/100mL	EPA1603	
5/14/2009 10:05	E. coli		408	cfu/100mL	EPA1603	
5/18/2009 9:12	E. coli		120	cfu/100mL	EPA1603	
5/19/2009 8:32	E. coli		12	cfu/100mL	EPA1603	
5/20/2009 9:00	E. coli		5	cfu/100mL	EPA1603	
5/21/2009 8:53	E. coli		5	cfu/100mL	EPA1603	
5/22/2009 8:08	E. coli		10	cfu/100mL	EPA1603	
5/23/2009 8:20	E. coli		328	cfu/100mL	EPA1603	
5/24/2009 8:24	E. coli		31	cfu/100mL	EPA1603	
5/25/2009 8:17	E. coli		1020	cfu/100mL	EPA1603	
5/26/2009 9:03	E. coli		240	cfu/100mL	EPA1603	
5/27/2009 8:57	E. coli		28	cfu/100mL	EPA1603	
5/28/2009 8:44	E. coli		880	cfu/100mL	EPA1603	
5/29/2009 9:04	E. coli		6400	cfu/100mL	EPA1603	
5/30/2009 8:40	E. coli		388	cfu/100mL	EPA1603	
5/31/2009 9:00	E. coli		720	cfu/100mL	EPA1603	
6/1/2009 9:10	E. coli		29	cfu/100mL	EPA1603	
6/2/2009 10:00	E. coli		1550	cfu/100mL	EPA1603	
6/3/2009 9:28	E. coli		288	cfu/100mL	EPA1603	
6/4/2009 9:45	E. coli		63	cfu/100mL	EPA1603	
6/5/2009 10:00	E. coli		56	cfu/100mL	EPA1603	
6/6/2009 8:40	E. coli		35	cfu/100mL	EPA1603	
6/7/2009 8:40	E. coli		292	cfu/100mL	EPA1603	
6/8/2009 9:30	E. coli		5300	cfu/100mL	EPA1603	
6/9/2009 9:38	E. coli		135	cfu/100mL	EPA1603	
6/10/2009 9:23	E. coli		340	cfu/100mL	EPA1603	
6/11/2009 9:35	E. coli		325	cfu/100mL	EPA1603	
6/12/2009 9:17	E. coli		1480	cfu/100mL	EPA1603	
6/13/2009 8:50	E. coli		39	cfu/100mL	EPA1603	
6/14/2009 8:50	E. coli		67	cfu/100mL	EPA1603	
6/15/2009 9:55	E. coli		135	cfu/100mL	EPA1603	
6/16/2009 9:52	E. coli		780	cfu/100mL	EPA1603	
6/17/2009 9:32	E. coli		56	cfu/100mL	EPA1603	
6/18/2009 9:35	E. coli	EC	8400	cfu/100mL	EPA1603	
6/19/2009 11:21	E. coli		105	cfu/100mL	EPA1603	
6/20/2009 11:11	E. coli		3900	cfu/100mL	EPA1603	
6/21/2009 8:15	E. coli		1020	cfu/100mL	EPA1603	
6/22/2009 9:45	E. coli		440	cfu/100mL	EPA1603	
6/23/2009 9:27	E. coli		54	cfu/100mL	EPA1603	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/24/2009 10:05	E. coli		210	cfu/100mL	EPA1603	
6/25/2009 9:29	E. coli		54	cfu/100mL	EPA1603	
6/26/2009 9:23	E. coli		800	cfu/100mL	EPA1603	
6/27/2009 8:54	E. coli	EC	84	cfu/100mL	EPA1603	
6/28/2009 8:10	E. coli		560	cfu/100mL	EPA1603	
6/29/2009 9:33	E. coli		110	cfu/100mL	EPA1603	
6/30/2009 12:55	E. coli		7200	cfu/100mL	EPA1603	
7/1/2009 9:41	E. coli		2000	cfu/100mL	EPA1603	
7/2/2009 10:16	E. coli		4100	cfu/100mL	EPA1603	
7/3/2009 9:03	E. coli		773	cfu/100mL	EPA1603	
7/4/2009 8:50	E. coli		112	cfu/100mL	EPA1603	
7/5/2009 10:30	E. coli	EC	20	cfu/100mL	EPA1603	
7/6/2009 9:31	E. coli		250	cfu/100mL	EPA1603	
7/7/2009 9:28	E. coli		1000	cfu/100mL	EPA1603	
7/8/2009 9:16	E. coli		60	cfu/100mL	EPA1603	
7/9/2009 9:22	E. coli		540	cfu/100mL	EPA1603	
7/10/2009 9:09	E. coli		51	cfu/100mL	EPA1603	
7/11/2009 6:44	E. coli		432	cfu/100mL	EPA1603	
7/12/2009 9:42	E. coli		1340	cfu/100mL	EPA1603	
7/13/2009 9:20	E. coli		880	cfu/100mL	EPA1603	
7/14/2009 9:25	E. coli		395	cfu/100mL	EPA1603	
7/15/2009 9:19	E. coli		51	cfu/100mL	EPA1603	
7/16/2009 9:32	E. coli		1580	cfu/100mL	EPA1603	
7/17/2009 9:23	E. coli		295	cfu/100mL	EPA1603	
7/18/2009 9:38	E. coli		1040	cfu/100mL	EPA1603	
7/19/2009 9:10	E. coli		96	cfu/100mL	EPA1603	
7/20/2009 9:35	E. coli		17	cfu/100mL	EPA1603	
7/21/2009 9:22	E. coli		145	cfu/100mL	EPA1603	
7/22/2009 9:39	E. coli		860	cfu/100mL	EPA1603	
7/23/2009 9:20	E. coli		456	cfu/100mL	EPA1603	
7/24/2009 9:24	E. coli		820	cfu/100mL	EPA1603	
7/25/2009 8:55	E. coli		29	cfu/100mL	EPA1603	
7/26/2009 8:54	E. coli		527	cfu/100mL	EPA1603	
7/27/2009 9:14	E. coli		820	cfu/100mL	EPA1603	
7/28/2009 9:39	E. coli		86	cfu/100mL	EPA1603	
7/29/2009 9:09	E. coli	EC	31	cfu/100mL	EPA1603	
7/30/2009 9:19	E. coli		40	cfu/100mL	EPA1603	
7/31/2009 9:33	E. coli		1480	cfu/100mL	EPA1603	
8/1/2009 8:36	E. coli		118	cfu/100mL	EPA1603	
8/2/2009 8:45	E. coli		300	cfu/100mL	EPA1603	
8/3/2009 9:21	E. coli	EC	24	cfu/100mL	EPA1603	
8/4/2009 9:43	E. coli		56	cfu/100mL	EPA1603	
8/5/2009 10:11	E. coli		120	cfu/100mL	EPA1603	
8/6/2009 9:37	E. coli		108	cfu/100mL	EPA1603	
8/7/2009 9:38	E. coli		150	cfu/100mL	EPA1603	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/8/2009 7:56	E. coli	EC	18	cfu/100mL	EPA1603	
8/9/2009 8:09	E. coli		2700	cfu/100mL	EPA1603	
8/10/2009 9:22	E. coli		100	cfu/100mL	EPA1603	
8/11/2009 9:33	E. coli		70	cfu/100mL	EPA1603	
8/12/2009 9:19	E. coli		1080	cfu/100mL	EPA1603	
8/13/2009 9:45	E. coli	EC	32	cfu/100mL	EPA1603	
8/14/2009 9:46	E. coli		74	cfu/100mL	EPA1603	
8/15/2009 8:15	E. coli		140	cfu/100mL	EPA1603	
8/16/2009 7:58	E. coli		37	cfu/100mL	EPA1603	
8/17/2009 9:08	E. coli		240	cfu/100mL	EPA1603	
8/18/2009 9:59	E. coli		580	cfu/100mL	EPA1603	
8/19/2009 9:30	E. coli		56	cfu/100mL	EPA1603	
8/20/2009 9:16	E. coli		58	cfu/100mL	EPA1603	
8/21/2009 9:49	E. coli		2600	cfu/100mL	EPA1603	
8/22/2009 9:05	E. coli	EC	428	cfu/100mL	EPA1603	
8/23/2009 8:33	E. coli	EC	84	cfu/100mL	EPA1603	
8/24/2009 9:23	E. coli		20	cfu/100mL	EPA1603	
8/25/2009 9:34	E. coli		14	cfu/100mL	EPA1603	
8/26/2009 9:28	E. coli		403	cfu/100mL	EPA1603	
8/27/2009 9:42	E. coli		74	cfu/100mL	EPA1603	
8/28/2009 9:52	E. coli		205	cfu/100mL	EPA1603	
8/29/2009 8:34	E. coli		5100	cfu/100mL	EPA1603	
8/30/2009 8:23	E. coli		780	cfu/100mL	EPA1603	
8/31/2009 9:26	E. coli		50	cfu/100mL	EPA1603	
9/1/2009 9:46	E. coli	EC	2	cfu/100mL	EPA1603	
9/2/2009 9:43	E. coli		47	cfu/100mL	EPA1603	
9/3/2009 9:40	E. coli		72	cfu/100mL	EPA1603	
9/4/2009 9:05	E. coli		24	cfu/100mL	EPA1603	
9/5/2009 8:05	E. coli		38	cfu/100mL	EPA1603	
9/6/2009 7:10	E. coli		31	cfu/100mL	EPA1603	
9/7/2009 7:49	E. coli		170	cfu/100mL	EPA1603	
9/8/2009 9:13	E. coli		680	cfu/100mL	EPA1603	
9/9/2009 9:40	E. coli		290	cfu/100mL	EPA1603	
9/10/2009 10:10	E. coli		337	cfu/100mL	EPA1603	
9/11/2009 9:44	E. coli		22	cfu/100mL	EPA1603	
9/14/2009 10:11	E. coli		627	cfu/100mL	EPA1603	
9/15/2009 10:35	E. coli		300	cfu/100mL	EPA1603	
9/16/2009 10:25	E. coli		165	cfu/100mL	EPA1603	
9/17/2009 10:10	E. coli	EC	27	cfu/100mL	EPA1603	
9/21/2009 10:15	E. coli		27	cfu/100mL	EPA1603	
9/22/2009 10:45	E. coli		230	cfu/100mL	EPA1603	
9/23/2009 10:05	E. coli		200	cfu/100mL	EPA1603	
9/24/2009 9:40	E. coli		780	cfu/100mL	EPA1603	
9/28/2009 10:40	E. coli	EC	1764	cfu/100mL	EPA1603	
9/29/2009 10:50	E. coli	EC	1727	cfu/100mL	EPA1603	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
9/30/2009 11:00	E. coli		2000	cfu/100mL	EPA1603	
10/1/2009 10:10	E. coli		325	cfu/100mL	EPA1603	
10/5/2009 10:07	E. coli		560	cfu/100mL	EPA1603	
10/6/2009 10:28	E. coli	EC	25	cfu/100mL	EPA1603	
10/7/2009 10:27	E. coli		340	cfu/100mL	EPA1603	
10/8/2009 10:07	E. coli		114	cfu/100mL	EPA1603	
10/12/2009 9:48	E. coli	EC	7	cfu/100mL	EPA1603	
10/13/2009 10:10	E. coli		40	cfu/100mL	EPA1603	
10/14/2009 10:10	E. coli		4	cfu/100mL	EPA1603	
10/15/2009 10:15	E. coli	EC	4	cfu/100mL	EPA1603	
10/19/2009 10:25	E. coli		3	cfu/100mL	EPA1603	
10/20/2009 10:30	E. coli		8	cfu/100mL	EPA1603	
10/21/2009 10:10	E. coli		83	cfu/100mL	EPA1603	
10/22/2009 10:13	E. coli		37	cfu/100mL	EPA1603	
10/26/2009 10:01	E. coli		173	cfu/100mL	EPA1603	
10/27/2009 10:10	E. coli	EC	5	cfu/100mL	EPA1603	
10/28/2009 10:25	E. coli	EC	3600	cfu/100mL	EPA1603	
10/29/2009 10:05	E. coli		660	cfu/100mL	EPA1603	
5/3/2010 10:28	E. coli		126	cfu/100mL	EPA1603	
5/4/2010 9:35	E. coli		44	cfu/100mL	EPA1603	
5/5/2010 9:42	E. coli	EC	8	cfu/100mL	EPA1603	
5/6/2010 10:15	E. coli		335	cfu/100mL	EPA1603	
5/10/2010 9:50	E. coli	EC	21	cfu/100mL	EPA1603	
5/11/2010 9:58	E. coli		25	cfu/100mL	EPA1603	
5/12/2010 10:10	E. coli		1240	cfu/100mL	EPA1603	
5/13/2010 9:50	E. coli		58	cfu/100mL	EPA1603	
5/20/2009 9:00	Field Cond		332	uS/cm	SM 2510A	
5/21/2009 8:53	Field Cond		315	umhos/cm	SM 2510A	
5/23/2009 8:20	Field Cond		363	uS/cm	SM 2510A	
5/24/2009 8:24	Field Cond		387	uS/cm	SM 2510A	
5/25/2009 8:17	Field Cond		332	uS/cm	SM 2510A	
5/26/2009 9:03	Field Cond		324	uS/cm	SM 2510A	
5/27/2009 8:57	Field Cond		311	uS/cm	SM 2510A	
5/28/2009 8:44	Field Cond		309	uS/cm	SM 2510A	
5/29/2009 9:04	Field Cond		410	uS/cm	SM 2510A	
5/30/2009 8:40	Field Cond		352	uS/cm	SM 2510A	
5/31/2009 9:00	Field Cond		357	uS/cm	SM 2510A	
6/1/2009 9:10	Field Cond		311	uS/cm	SM 2510A	
6/2/2009 10:00	Field Cond		449	uS/cm	SM 2510A	
6/3/2009 9:28	Field Cond		343	uS/cm	SM 2510A	
6/4/2009 9:45	Field Cond		316	uS/cm	SM 2510A	
6/5/2009 10:00	Field Cond		296	uS/cm	SM 2510A	
6/6/2009 8:40	Field Cond		300	uS/cm	SM 2510A	
6/7/2009 8:40	Field Cond		304	uS/cm	SM 2510A	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/8/2009 9:30	Field Cond		309	uS/cm	SM 2510A	
6/9/2009 9:38	Field Cond		319	uS/cm	SM 2510A	
6/10/2009 9:23	Field Cond		301	uS/cm	SM 2510A	
6/11/2009 9:35	Field Cond		322	uS/cm	SM 2510A	
6/12/2009 9:17	Field Cond		379	uS/cm	SM 2510A	
6/13/2009 8:50	Field Cond		333	uS/cm	SM 2510A	
6/14/2009 8:50	Field Cond		372	uS/cm	SM 2510A	
6/15/2009 9:55	Field Cond		300	uS/cm	SM 2510A	
6/16/2009 9:52	Field Cond		338	uS/cm	SM 2510A	
6/17/2009 9:32	Field Cond		302	uS/cm	SM 2510A	
6/18/2009 9:35	Field Cond		305	uS/cm	SM 2510A	
6/19/2009 11:21	Field Cond		315	uS/cm	SM 2510A	
6/20/2009 11:11	Field Cond		306	uS/cm	SM 2510A	
6/21/2009 8:15	Field Cond		361	uS/cm	SM 2510A	
6/22/2009 9:45	Field Cond		318	uS/cm	SM 2510A	
6/23/2009 9:27	Field Cond		329	uS/cm	SM 2510A	
6/24/2009 10:05	Field Cond		305	uS/cm	SM 2510A	
6/25/2009 9:29	Field Cond		300	uS/cm	SM 2510A	
6/26/2009 9:23	Field Cond		297	uS/cm	SM 2510A	
6/27/2009 8:54	Field Cond		310	uS/cm	SM 2510A	
6/28/2009 8:10	Field Cond		314	uS/cm	SM 2510A	
6/29/2009 9:33	Field Cond		322	uS/cm	SM 2510A	
6/30/2009 12:55	Field Cond		320	uS/cm	SM 2510A	
7/1/2009 9:41	Field Cond		316	uS/cm	SM 2510A	
7/2/2009 10:16	Field Cond		292	uS/cm	SM 2510A	
7/3/2009 9:03	Field Cond		337	uS/cm	SM 2510A	
7/5/2009 10:30	Field Cond		303	uS/cm	SM 2510A	
7/6/2009 9:31	Field Cond		293	uS/cm	SM 2510A	
7/7/2009 9:28	Field Cond		306	uS/cm	SM 2510A	
7/8/2009 9:16	Field Cond		313	uS/cm	SM 2510A	
7/9/2009 9:22	Field Cond		287	uS/cm	SM 2510A	
7/10/2009 9:09	Field Cond		272	uS/cm	SM 2510A	
7/11/2009 6:44	Field Cond		292	uS/cm	SM 2510A	
7/13/2009 9:20	Field Cond		333	uS/cm	SM 2510A	
7/14/2009 9:25	Field Cond		303	uS/cm	SM 2510A	
7/15/2009 9:19	Field Cond		255	uS/cm	SM 2510A	
7/16/2009 9:32	Field Cond		286	uS/cm	SM 2510A	
7/17/2009 9:23	Field Cond		293	uS/cm	SM 2510A	
7/18/2009 9:38	Field Cond		306	uS/cm	SM 2510A	
7/19/2009 9:10	Field Cond		303	uS/cm	SM 2510A	
7/20/2009 9:35	Field Cond		340	uS/cm	SM 2510A	
7/21/2009 9:22	Field Cond		302	uS/cm	SM 2510A	
7/22/2009 9:39	Field Cond		305	uS/cm	SM 2510A	
7/23/2009 9:20	Field Cond		304	uS/cm	SM 2510A	
7/24/2009 9:24	Field Cond		325	uS/cm	SM 2510A	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
7/27/2009 9:14	Field Cond		310	uS/cm	SM 2510A	
7/28/2009 9:39	Field Cond		318	uS/cm	SM 2510A	
7/29/2009 9:09	Field Cond		310	uS/cm	SM 2510A	
7/30/2009 9:19	Field Cond		313	uS/cm	SM 2510A	
7/31/2009 9:33	Field Cond		303	uS/cm	SM 2510A	
8/1/2009 8:36	Field Cond		340	uS/cm	SM 2510A	
8/2/2009 8:45	Field Cond		331	uS/cm	SM 2510A	
8/3/2009 9:21	Field Cond		350	uS/cm	SM 2510A	
8/4/2009 9:43	Field Cond		314	uS/cm	SM 2510A	
8/5/2009 10:11	Field Cond		354	uS/cm	SM 2510A	
8/6/2009 9:37	Field Cond		268	uS/cm	SM 2510A	
8/7/2009 9:38	Field Cond		265	uS/cm	SM 2510A	
8/8/2009 7:56	Field Cond		292	uS/cm	SM 2510A	
8/9/2009 8:09	Field Cond		298	uS/cm	SM 2510A	
8/10/2009 9:22	Field Cond		316	uS/cm	SM 2510A	
8/11/2009 9:33	Field Cond		332	uS/cm	SM 2510A	
8/12/2009 9:19	Field Cond		335	uS/cm	SM 2510A	
8/13/2009 9:45	Field Cond		312	uS/cm	SM 2510A	
8/14/2009 9:46	Field Cond		313	uS/cm	SM 2510A	
8/15/2009 8:15	Field Cond		314	uS/cm	SM 2510A	
8/16/2009 7:58	Field Cond		309	uS/cm	SM 2510A	
8/17/2009 9:08	Field Cond		339	uS/cm	SM 2510A	
8/18/2009 9:59	Field Cond		328	uS/cm	SM 2510A	
8/19/2009 9:30	Field Cond		323	uS/cm	SM 2510A	
8/20/2009 9:16	Field Cond		250	uS/cm	SM 2510A	
8/21/2009 9:49	Field Cond		311	uS/cm	SM 2510A	
8/22/2009 9:05	Field Cond		311	uS/cm	SM 2510A	
8/23/2009 8:33	Field Cond		305	uS/cm	SM 2510A	
8/24/2009 9:23	Field Cond		293	uS/cm	SM 2510A	
8/25/2009 9:34	Field Cond		305	uS/cm	SM 2510A	
8/26/2009 9:28	Field Cond		292	uS/cm	SM 2510A	
8/27/2009 9:42	Field Cond		342	uS/cm	SM 2510A	
8/28/2009 9:52	Field Cond		302	uS/cm	SM 2510A	
8/29/2009 8:34	Field Cond		311	uS/cm	SM 2510A	
8/30/2009 8:23	Field Cond		315	uS/cm	SM 2510A	
8/31/2009 9:26	Field Cond		300	uS/cm	SM 2510A	
9/1/2009 9:46	Field Cond		308	uS/cm	SM 2510A	
9/2/2009 9:43	Field Cond		295	uS/cm	SM 2510A	
9/3/2009 9:40	Field Cond		289	uS/cm	SM 2510A	
9/4/2009 9:05	Field Cond		301	uS/cm	SM 2510A	
9/5/2009 8:05	Field Cond		293	uS/cm	SM 2510A	
9/6/2009 7:10	Field Cond		300	uS/cm	SM 2510A	
9/7/2009 7:49	Field Cond		297	uS/cm	SM 2510A	
9/8/2009 9:13	Field Cond		311	uS/cm	SM 2510A	
9/9/2009 9:40	Field Cond		312	uS/cm	SM 2510A	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
9/10/2009 10:10	Field Cond		307	uS/cm	SM 2510A	
9/11/2009 9:44	Field Cond		309	uS/cm	SM 2510A	
9/14/2009 10:11	Field Cond		323	uS/cm	SM 2510A	
9/15/2009 10:35	Field Cond		352	uS/cm	SM 2510A	
9/16/2009 10:25	Field Cond		329	uS/cm	SM 2510A	
9/17/2009 10:10	Field Cond		309	uS/cm	SM 2510A	
9/21/2009 10:15	Field Cond		300	uS/cm	SM 2510A	
9/22/2009 10:45	Field Cond		304	uS/cm	SM 2510A	
9/23/2009 10:05	Field Cond		302	uS/cm	SM 2510A	
9/24/2009 9:40	Field Cond		326	uS/cm	SM 2510A	
9/28/2009 10:40	Field Cond		307	uS/cm	SM 2510A	
9/29/2009 10:50	Field Cond		321	uS/cm	SM 2510A	
9/30/2009 11:00	Field Cond		379	uS/cm	SM 2510A	
10/1/2009 10:10	Field Cond		302	uS/cm	SM 2510A	
10/5/2009 10:07	Field Cond		320	uS/cm	SM 2510A	
10/6/2009 10:28	Field Cond		283	uS/cm	SM 2510A	
10/7/2009 10:27	Field Cond		325	uS/cm	SM 2510A	
10/8/2009 10:07	Field Cond		310	uS/cm	SM 2510A	
10/12/2009 9:48	Field Cond		306	uS/cm	SM 2510A	
10/13/2009 10:10	Field Cond		342	uS/cm	SM 2510A	
10/14/2009 10:10	Field Cond		304	uS/cm	SM 2510A	
10/15/2009 10:15	Field Cond		303	uS/cm	SM 2510A	
10/19/2009 10:25	Field Cond		287	uS/cm	SM 2510A	
10/20/2009 10:30	Field Cond		289	uS/cm	SM 2510A	
10/21/2009 10:10	Field Cond		288	uS/cm	SM 2510A	
10/22/2009 10:13	Field Cond		322	uS/cm	SM 2510A	
10/26/2009 10:01	Field Cond		292	uS/cm	SM 2510A	
10/27/2009 10:10	Field Cond		297	uS/cm	SM 2510A	
10/28/2009 10:25	Field Cond		357	uS/cm	SM 2510A	
10/29/2009 10:05	Field Cond		312	uS/cm	SM 2510A	
5/3/2010 10:28	Field Cond		423	uS/cm	SM 2510A	
5/4/2010 9:35	Field Cond		345	uS/cm	SM 2510A	
5/5/2010 9:42	Field Cond		354	uS/cm	SM 2510A	
5/6/2010 10:15	Field Cond		372	uS/cm	SM 2510A	
5/10/2010 9:50	Field Cond		325	uS/cm	SM 2510A	
5/11/2010 9:58	Field Cond		403	uS/cm	SM 2510A	
5/12/2010 10:10	Field Cond		443	uS/cm	SM 2510A	
5/13/2010 9:50	Field Cond		333	uS/cm	SM 2510A	
5/20/2009 9:00	Field Temp		15.3	C	EPA 170.1	
5/21/2009 8:53	Field Temp		16.3	C	EPA 170.1	
5/23/2009 8:20	Field Temp		16.7	C	EPA 170.1	
5/24/2009 8:24	Field Temp		16.6	C	EPA 170.1	
5/25/2009 8:17	Field Temp		16	C	EPA 170.1	
5/26/2009 9:03	Field Temp		15.6	C	EPA 170.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
5/27/2009 8:57	Field Temp		15.1	C	EPA 170.1	
5/28/2009 8:44	Field Temp		16.5	C	EPA 170.1	
5/29/2009 9:04	Field Temp		17	C	EPA 170.1	
5/30/2009 8:40	Field Temp		18.1	C	EPA 170.1	
5/31/2009 9:00	Field Temp		18.2	C	EPA 170.1	
6/1/2009 9:10	Field Temp		17.1	C	EPA 170.1	
6/2/2009 10:00	Field Temp		16.6	C	EPA 170.1	
6/3/2009 9:28	Field Temp		16.4	C	EPA 170.1	
6/4/2009 9:45	Field Temp		16.5	C	EPA 170.1	
6/5/2009 10:00	Field Temp		17.1	C	EPA 170.1	
6/6/2009 8:40	Field Temp		17.6	C	EPA 170.1	
6/7/2009 8:40	Field Temp		17.8	C	EPA 170.1	
6/8/2009 9:30	Field Temp		18.1	C	EPA 170.1	
6/9/2009 9:38	Field Temp		18.8	C	EPA 170.1	
6/10/2009 9:23	Field Temp		19.6	C	EPA 170.1	
6/11/2009 9:35	Field Temp		19	C	EPA 170.1	
6/12/2009 9:17	Field Temp		19	C	EPA 170.1	
6/13/2009 8:50	Field Temp		19.6	C	EPA 170.1	
6/14/2009 8:50	Field Temp		20	C	EPA 170.1	
6/15/2009 9:55	Field Temp		19.4	C	EPA 170.1	
6/16/2009 9:52	Field Temp		18.1	C	EPA 170.1	
6/17/2009 9:32	Field Temp		16.8	C	EPA 170.1	
6/18/2009 9:35	Field Temp		17.9	C	EPA 170.1	
6/19/2009 11:21	Field Temp		19.4	C	EPA 170.1	
6/20/2009 11:11	Field Temp		19.9	C	EPA 170.1	
6/21/2009 8:15	Field Temp		19.9	C	EPA 170.1	
6/22/2009 9:45	Field Temp		21.3	C	EPA 170.1	
6/23/2009 9:27	Field Temp		22	C	EPA 170.1	
6/24/2009 10:05	Field Temp		23.8	C	EPA 170.1	
6/25/2009 9:29	Field Temp		24	C	EPA 170.1	
6/26/2009 9:23	Field Temp		24.8	C	EPA 170.1	
6/27/2009 8:54	Field Temp		24.1	C	EPA 170.1	
6/28/2009 8:10	Field Temp		23.9	C	EPA 170.1	
6/29/2009 9:33	Field Temp		23.6	C	EPA 170.1	
6/30/2009 12:55	Field Temp		21	C	EPA 170.1	
7/1/2009 9:41	Field Temp		21.8	C	EPA 170.1	
7/2/2009 10:16	Field Temp		20.1	C	EPA 170.1	
7/3/2009 9:03	Field Temp		19.8	C	EPA 170.1	
7/5/2009 10:30	Field Temp		23.3	C	EPA 170.1	
7/6/2009 9:31	Field Temp		22.6	C	EPA 170.1	
7/7/2009 9:28	Field Temp		22.8	C	EPA 170.1	
7/8/2009 9:16	Field Temp		22.3	C	EPA 170.1	
7/9/2009 9:22	Field Temp		22.5	C	EPA 170.1	
7/10/2009 9:09	Field Temp		23	C	EPA 170.1	
7/11/2009 6:44	Field Temp		23.2	C	EPA 170.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
7/13/2009 9:20	Field Temp		22.7	C	EPA 170.1	
7/14/2009 9:25	Field Temp		22.4	C	EPA 170.1	
7/15/2009 9:19	Field Temp		22.1	C	EPA 170.1	
7/16/2009 9:32	Field Temp		22.4	C	EPA 170.1	
7/17/2009 9:23	Field Temp		22.2	C	EPA 170.1	
7/18/2009 9:38	Field Temp		21.4	C	EPA 170.1	
7/19/2009 9:10	Field Temp		20.5	C	EPA 170.1	
7/20/2009 9:35	Field Temp		23.1	C	EPA 170.1	
7/21/2009 9:22	Field Temp		23.2	C	EPA 170.1	
7/22/2009 9:39	Field Temp		21.7	C	EPA 170.1	
7/23/2009 9:20	Field Temp		21.7	C	EPA 170.1	
7/24/2009 9:24	Field Temp		22.3	C	EPA 170.1	
7/27/2009 9:14	Field Temp		22.7	C	EPA 170.1	
7/28/2009 9:39	Field Temp		23.7	C	EPA 170.1	
7/29/2009 9:09	Field Temp		22.3	C	EPA 170.1	
7/30/2009 9:19	Field Temp		23.6	C	EPA 170.1	
7/31/2009 9:33	Field Temp		23.3	C	EPA 170.1	
8/1/2009 8:36	Field Temp		23	C	EPA 170.1	
8/2/2009 8:45	Field Temp		22.1	C	EPA 170.1	
8/3/2009 9:21	Field Temp		22.9	C	EPA 170.1	
8/4/2009 9:43	Field Temp		23.7	C	EPA 170.1	
8/5/2009 10:11	Field Temp		23.3	C	EPA 170.1	
8/8/2009 7:56	Field Temp		23.2	C	EPA 170.1	
8/9/2009 8:09	Field Temp		23.3	C	EPA 170.1	
8/10/2009 9:22	Field Temp		24.4	C	EPA 170.1	
8/11/2009 9:33	Field Temp		24.5	C	EPA 170.1	
8/12/2009 9:19	Field Temp		24.3	C	EPA 170.1	
8/13/2009 9:45	Field Temp		24.4	C	EPA 170.1	
8/14/2009 9:46	Field Temp		24.9	C	EPA 170.1	
8/15/2009 8:15	Field Temp		23.2	C	EPA 170.1	
8/16/2009 7:58	Field Temp		23.8	C	EPA 170.1	
8/17/2009 9:08	Field Temp		25.3	C	EPA 170.1	
8/18/2009 9:59	Field Temp		25.7	C	EPA 170.1	
8/19/2009 9:30	Field Temp		25.9	C	EPA 170.1	
8/20/2009 9:16	Field Temp		25.5	C	EPA 170.1	
8/21/2009 9:49	Field Temp		25.2	C	EPA 170.1	
8/22/2009 9:05	Field Temp		24	C	EPA 170.1	
8/23/2009 8:33	Field Temp		22.5	C	EPA 170.1	
8/24/2009 9:23	Field Temp		23.8	C	EPA 170.1	
8/25/2009 9:34	Field Temp		23.5	C	EPA 170.1	
8/26/2009 9:28	Field Temp		24.1	C	EPA 170.1	
8/27/2009 9:42	Field Temp		23.8	C	EPA 170.1	
8/28/2009 9:52	Field Temp		23.2	C	EPA 170.1	
8/29/2009 8:34	Field Temp		22	C	EPA 170.1	
8/30/2009 8:23	Field Temp		21.6	C	EPA 170.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/31/2009 9:26	Field Temp		21	C	EPA 170.1	
9/1/2009 9:46	Field Temp		21.5	C	EPA 170.1	
9/2/2009 9:43	Field Temp		21.5	C	EPA 170.1	
9/3/2009 9:40	Field Temp		21.9	C	EPA 170.1	
9/4/2009 9:05	Field Temp		21.7	C	EPA 170.1	
9/5/2009 8:05	Field Temp		21.8	C	EPA 170.1	
9/6/2009 7:10	Field Temp		21.5	C	EPA 170.1	
9/7/2009 7:49	Field Temp		22.4	C	EPA 170.1	
9/8/2009 9:13	Field Temp		22.1	C	EPA 170.1	
9/9/2009 9:40	Field Temp		22.4	C	EPA 170.1	
9/10/2009 10:10	Field Temp		22.6	C	EPA 170.1	
9/11/2009 9:44	Field Temp		21.7	C	EPA 170.1	
9/14/2009 10:11	Field Temp		22.1	C	EPA 170.1	
9/15/2009 10:35	Field Temp		23	C	EPA 170.1	
9/16/2009 10:25	Field Temp		21.9	C	EPA 170.1	
9/17/2009 10:10	Field Temp		21.4	C	EPA 170.1	
9/21/2009 10:15	Field Temp		21.6	C	EPA 170.1	
9/22/2009 10:45	Field Temp		22.6	C	EPA 170.1	
9/23/2009 10:05	Field Temp		21.8	C	EPA 170.1	
9/24/2009 9:40	Field Temp		22	C	EPA 170.1	
9/28/2009 10:40	Field Temp		18.5	C	EPA 170.1	
9/29/2009 10:50	Field Temp		16.8	C	EPA 170.1	
9/30/2009 11:00	Field Temp		14.8	C	EPA 170.1	
10/1/2009 10:10	Field Temp		16.6	C	EPA 170.1	
10/5/2009 10:07	Field Temp		15.1	C	EPA 170.1	
10/6/2009 10:28	Field Temp		16.7	C	EPA 170.1	
10/7/2009 10:27	Field Temp		14.1	C	EPA 170.1	
10/8/2009 10:07	Field Temp		15.6	C	EPA 170.1	
10/12/2009 9:48	Field Temp		14.6	C	EPA 170.1	
10/13/2009 10:10	Field Temp		14.2	C	EPA 170.1	
10/14/2009 10:10	Field Temp		13.2	C	EPA 170.1	
10/15/2009 10:15	Field Temp		13.3	C	EPA 170.1	
10/19/2009 10:25	Field Temp		11.8	C	EPA 170.1	
10/20/2009 10:30	Field Temp		12.3	C	EPA 170.1	
10/21/2009 10:10	Field Temp		13.5	C	EPA 170.1	
10/22/2009 10:13	Field Temp		13.5	C	EPA 170.1	
10/26/2009 10:01	Field Temp		12.3	C	EPA 170.1	
10/27/2009 10:10	Field Temp		13	C	EPA 170.1	
10/28/2009 10:25	Field Temp		13.4	C	EPA 170.1	
10/29/2009 10:05	Field Temp		12.7	C	EPA 170.1	
5/3/2010 10:28	Field Temp		15.5	C	EPA 170.1	
5/4/2010 9:35	Field Temp		14.7	C	EPA 170.1	
5/5/2010 9:42	Field Temp		15.4	C	EPA 170.1	
5/6/2010 10:15	Field Temp		14.9	C	EPA 170.1	
5/10/2010 9:50	Field Temp		13.5	C	EPA 170.1	

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/11/2010 9:58	Field Temp		12.6	C	EPA 170.1
5/12/2010 10:10	Field Temp		12.6	C	EPA 170.1
5/13/2010 9:50	Field Temp		13.3	C	EPA 170.1
5/20/2009 9:00	pH		7.8	S.U.	
5/21/2009 8:53	pH		8.5	S.U.	
5/23/2009 8:20	pH		8.4	S.U.	
5/24/2009 8:24	pH		8.3	S.U.	
5/25/2009 8:17	pH		7.5	S.U.	
5/26/2009 9:03	pH		7.3	S.U.	
5/27/2009 8:57	pH		6.9	S.U.	
5/28/2009 8:44	pH		7.9	S.U.	
5/29/2009 9:04	pH		7.3	S.U.	
5/30/2009 8:40	pH		8.1	S.U.	
5/31/2009 9:00	pH		8.1	S.U.	
6/1/2009 9:10	pH		7.1	S.U.	
6/2/2009 10:00	pH		7.8	S.U.	
6/3/2009 9:28	pH		7.4	S.U.	
6/4/2009 9:45	pH		7.5	S.U.	
6/5/2009 10:00	pH		8.1	S.U.	
6/6/2009 8:40	pH		7.33	S.U.	
6/7/2009 8:40	pH		7.4	S.U.	
6/8/2009 9:30	pH		7.8	S.U.	
6/9/2009 9:38	pH		7.97	S.U.	
6/10/2009 9:23	pH		8.4	S.U.	
6/11/2009 9:35	pH		7.6	S.U.	
6/12/2009 9:17	pH		7.3	S.U.	
6/13/2009 8:50	pH		8.1	S.U.	
6/14/2009 8:50	pH		8.1	S.U.	
6/15/2009 9:55	pH		7.38	S.U.	
6/16/2009 9:52	pH		7.8	S.U.	
6/17/2009 9:32	pH		7.2	S.U.	
6/18/2009 9:35	pH		6.8	S.U.	
6/19/2009 11:21	pH		6.6	S.U.	
6/20/2009 11:11	pH		8.4	S.U.	
6/21/2009 8:15	pH		8.3	S.U.	
6/22/2009 9:45	pH		8.06	S.U.	
6/23/2009 9:27	pH		7.1	S.U.	
6/24/2009 10:05	pH		8.1	S.U.	
6/25/2009 9:29	pH		7.9	S.U.	
6/26/2009 9:23	pH		8.5	S.U.	
6/27/2009 8:54	pH		8.3	S.U.	
6/28/2009 8:10	pH		8.2	S.U.	
6/29/2009 9:33	pH		7.3	S.U.	
6/30/2009 12:55	pH		6.6	S.U.	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
7/1/2009 9:41	pH		7.9	S.U.		
7/2/2009 10:16	pH		8	S.U.		
7/3/2009 9:03	pH		8.2	S.U.		
7/5/2009 10:30	pH		8.1	S.U.		
7/6/2009 9:31	pH		7.2	S.U.		
7/7/2009 9:28	pH		7.6	S.U.		
7/8/2009 9:16	pH		8.5	S.U.		
7/9/2009 9:22	pH		7.25	S.U.		
7/10/2009 9:09	pH		8.2	S.U.		
7/11/2009 6:44	pH		7.5	S.U.		
7/13/2009 9:20	pH		7.3	S.U.		
7/14/2009 9:25	pH		7.2	S.U.		
7/15/2009 9:19	pH		7.9	S.U.		
7/16/2009 9:32	pH		8.1	S.U.		
7/17/2009 9:23	pH		7.9	S.U.		
7/18/2009 9:38	pH		7.8	S.U.		
7/19/2009 9:10	pH		8	S.U.		
7/20/2009 9:35	pH		8.3	S.U.		
7/21/2009 9:22	pH		8.3	S.U.		
7/22/2009 9:39	pH		7.8	S.U.		
7/23/2009 9:20	pH		7.5	S.U.		
7/24/2009 9:24	pH		8	S.U.		
7/27/2009 9:14	pH		8.1	S.U.		
7/28/2009 9:39	pH		8.3	S.U.		
7/29/2009 9:09	pH		7.7	S.U.		
7/30/2009 9:19	pH		8.1	S.U.		
7/31/2009 9:33	pH		8	S.U.		
8/1/2009 8:36	pH		7.5	S.U.		
8/2/2009 8:45	pH		7.7	S.U.		
8/3/2009 9:21	pH		8.1	S.U.		
8/4/2009 9:43	pH		8.2	S.U.		
8/5/2009 10:11	pH		7.6	S.U.		
8/6/2009 9:37	pH		8.2	S.U.		
8/7/2009 9:38	pH		8.1	S.U.		
8/8/2009 7:56	pH		8.1	S.U.		
8/9/2009 8:09	pH		8.1	S.U.		
8/10/2009 9:22	pH		8.1	S.U.		
8/11/2009 9:33	pH		8.1	S.U.		
8/12/2009 9:19	pH		8.1	S.U.		
8/13/2009 9:45	pH		8.2	S.U.		
8/14/2009 9:46	pH		8.3	S.U.		
8/15/2009 8:15	pH		8.4	S.U.		
8/16/2009 7:58	pH		8.3	S.U.		
8/17/2009 9:08	pH		8.4	S.U.		
8/18/2009 9:59	pH		8.4	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/19/2009 9:30	pH		8.38	S.U.		
8/20/2009 9:16	pH		8.4	S.U.		
8/21/2009 9:49	pH		8.3	S.U.		
8/22/2009 9:05	pH		8	S.U.		
8/23/2009 8:33	pH		8.1	S.U.		
8/24/2009 9:23	pH		8.2	S.U.		
8/25/2009 9:34	pH		8.25	S.U.		
8/26/2009 9:28	pH		8.23	S.U.		
8/27/2009 9:42	pH		8.17	S.U.		
8/28/2009 9:52	pH		8.16	S.U.		
8/29/2009 8:34	pH		7.9	S.U.		
8/30/2009 8:23	pH		8.03	S.U.		
8/31/2009 9:26	pH		8.07	S.U.		
9/1/2009 9:46	pH		8.3	S.U.		
9/2/2009 9:43	pH		8.1	S.U.		
9/3/2009 9:40	pH		8.2	S.U.		
9/4/2009 9:05	pH		8.23	S.U.		
9/5/2009 8:05	pH		8.2	S.U.		
9/6/2009 7:10	pH		8	S.U.		
9/7/2009 7:49	pH		8	S.U.		
9/8/2009 9:13	pH		8	S.U.		
9/9/2009 9:40	pH		7.9	S.U.		
9/10/2009 10:10	pH		7.84	S.U.		
9/11/2009 9:44	pH		8	S.U.		
9/14/2009 10:11	pH		7.8	S.U.		
9/15/2009 10:35	pH		8.3	S.U.		
9/16/2009 10:25	pH		7.2	S.U.		
9/17/2009 10:10	pH		8.1	S.U.		
9/21/2009 10:15	pH		7.7	S.U.		
9/22/2009 10:45	pH		7.8	S.U.		
9/23/2009 10:05	pH		8	S.U.		
9/24/2009 9:40	pH		7.8	S.U.		
9/28/2009 10:40	pH		7.5	S.U.		
9/29/2009 10:50	pH		7.3	S.U.		
9/30/2009 11:00	pH		7.3	S.U.		
10/1/2009 10:10	pH		7.6	S.U.		
10/5/2009 10:07	pH		7.3	S.U.		
10/6/2009 10:28	pH		7.6	S.U.		
10/7/2009 10:27	pH		7.5	S.U.		
10/8/2009 10:07	pH		7.5	S.U.		
10/12/2009 9:48	pH		7.2	S.U.		
10/13/2009 10:10	pH		7.5	S.U.		
10/14/2009 10:10	pH		7.6	S.U.		
10/15/2009 10:15	pH		7.5	S.U.		
10/19/2009 10:25	pH		7.4	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
10/20/2009 10:30	pH		7.5	S.U.		
10/21/2009 10:10	pH		7.5	S.U.		
10/22/2009 10:13	pH		7.5	S.U.		
10/26/2009 10:01	pH		7.4	S.U.		
10/27/2009 10:10	pH		7.4	S.U.		
10/28/2009 10:25	pH		7.3	S.U.		
10/29/2009 10:05	pH		7.4	S.U.		
5/3/2010 10:28	pH		7.9	S.U.		
5/4/2010 9:35	pH		7.27	S.U.		
5/5/2010 9:42	pH		7.26	S.U.		
5/6/2010 10:15	pH		7.6	S.U.		
5/10/2010 9:50	pH		7.9	S.U.		
5/11/2010 9:58	pH		7.24	S.U.		
5/12/2010 10:10	pH		7.36	S.U.		
5/13/2010 9:50	pH		7.22	S.U.		
5/4/2009 10:27	Turbidity		12	NTU	EPA180.1	
5/5/2009 9:50	Turbidity		8.79	NTU	EPA180.1	
5/6/2009 10:07	Turbidity		7.32	NTU	EPA180.1	
5/7/2009 10:20	Turbidity		11.45	NTU	EPA180.1	
5/11/2009 9:56	Turbidity		9.09	NTU	EPA180.1	
5/12/2009 9:50	Turbidity		29.94	NTU	EPA180.1	
5/13/2009 9:28	Turbidity		5.11	NTU	EPA180.1	
5/14/2009 10:05	Turbidity		14.5	NTU	EPA180.1	
5/18/2009 9:12	Turbidity		6.26	NTU	EPA180.1	
5/19/2009 8:32	Turbidity		5.04	NTU	EPA180.1	
5/20/2009 9:00	Turbidity		5.81	NTU	EPA180.1	
5/21/2009 8:53	Turbidity		4.78	NTU	EPA180.1	
5/22/2009 8:08	Turbidity		6.72	NTU	EPA180.1	
5/23/2009 8:20	Turbidity		5.73	NTU	EPA180.1	
5/24/2009 8:24	Turbidity		4.87	NTU	EPA180.1	
5/25/2009 8:17	Turbidity		11.4	NTU	EPA180.1	
5/26/2009 9:03	Turbidity		16.8	NTU	EPA180.1	
5/27/2009 8:57	Turbidity		8.03	NTU	EPA180.1	
5/28/2009 8:44	Turbidity		9.25	NTU	EPA180.1	
5/29/2009 9:04	Turbidity		27.5	NTU	EPA180.1	
5/30/2009 8:40	Turbidity		9.2	NTU	EPA180.1	
5/31/2009 9:00	Turbidity		29.4	NTU	EPA180.1	
6/1/2009 9:10	Turbidity		8.1	NTU	EPA180.1	
6/2/2009 10:00	Turbidity		15.9	NTU	EPA180.1	
6/3/2009 9:28	Turbidity		5.2	NTU	EPA180.1	
6/4/2009 9:45	Turbidity		5.3	NTU	EPA180.1	
6/5/2009 10:00	Turbidity		4.5	NTU	EPA180.1	
6/6/2009 8:40	Turbidity		2.7	NTU	EPA180.1	
6/7/2009 8:40	Turbidity		2.3	NTU	EPA180.1	

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/8/2009 9:30	Turbidity		4.13	NTU	EPA180.1
6/9/2009 9:38	Turbidity		4.02	NTU	EPA180.1
6/10/2009 9:23	Turbidity		2.02	NTU	EPA180.1
6/11/2009 9:35	Turbidity		2.25	NTU	EPA180.1
6/12/2009 9:17	Turbidity		6.62	NTU	EPA180.1
6/13/2009 8:50	Turbidity		2.17	NTU	EPA180.1
6/14/2009 8:50	Turbidity		1.91	NTU	EPA180.1
6/15/2009 9:55	Turbidity		2.62	NTU	EPA180.1
6/16/2009 9:52	Turbidity		2.8	NTU	EPA180.1
6/17/2009 9:32	Turbidity		2.9	NTU	EPA180.1
6/18/2009 9:35	Turbidity		11.9	NTU	EPA180.1
6/19/2009 11:21	Turbidity		2.7	NTU	EPA180.1
6/20/2009 11:11	Turbidity		7.1	NTU	EPA180.1
6/21/2009 8:15	Turbidity		6.4	NTU	EPA180.1
6/22/2009 9:45	Turbidity		1.77	NTU	EPA180.1
6/23/2009 9:27	Turbidity		1.81	NTU	EPA180.1
6/24/2009 10:05	Turbidity		1.89	NTU	EPA180.1
6/25/2009 9:29	Turbidity		1.23	NTU	EPA180.1
6/26/2009 9:23	Turbidity		4.4	NTU	EPA180.1
6/27/2009 8:54	Turbidity		4.8	NTU	EPA180.1
6/28/2009 8:10	Turbidity		2.9	NTU	EPA180.1
6/29/2009 9:33	Turbidity		10.3	NTU	EPA180.1
6/30/2009 12:55	Turbidity		17.2	NTU	EPA180.1
7/1/2009 9:41	Turbidity		7.4	NTU	EPA180.1
7/2/2009 10:16	Turbidity		19.7	NTU	EPA180.1
7/3/2009 9:03	Turbidity		19.65	NTU	EPA180.1
7/4/2009 8:50	Turbidity		9.44	NTU	EPA180.1
7/5/2009 10:30	Turbidity		4.28	NTU	EPA180.1
7/6/2009 9:31	Turbidity		2.39	NTU	EPA180.1
7/7/2009 9:28	Turbidity		4.68	NTU	EPA180.1
7/8/2009 9:16	Turbidity		2.02	NTU	EPA180.1
7/9/2009 9:22	Turbidity		1.41	NTU	EPA180.1
7/10/2009 9:09	Turbidity		1.66	NTU	EPA180.1
7/11/2009 6:44	Turbidity		2.21	NTU	EPA180.1
7/12/2009 9:42	Turbidity		3.01	NTU	EPA180.1
7/13/2009 9:20	Turbidity		3.2	NTU	EPA180.1
7/14/2009 9:25	Turbidity		6.86	NTU	EPA180.1
7/15/2009 9:19	Turbidity		1.2	NTU	EPA180.1
7/16/2009 9:32	Turbidity		8.21	NTU	EPA180.1
7/17/2009 9:23	Turbidity		4.53	NTU	EPA180.1
7/18/2009 9:38	Turbidity		16.76	NTU	EPA180.1
7/19/2009 9:10	Turbidity		6.5	NTU	EPA180.1
7/20/2009 9:35	Turbidity		1.73	NTU	EPA180.1
7/21/2009 9:22	Turbidity		1.14	NTU	EPA180.1
7/22/2009 9:39	Turbidity		1.62	NTU	EPA180.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2009 9:20	Turbidity		1.53	NTU	EPA180.1
7/24/2009 9:24	Turbidity		4.74	NTU	EPA180.1
7/25/2009 8:55	Turbidity		0.9	NTU	EPA180.1
7/26/2009 8:54	Turbidity		8.01	NTU	EPA180.1
7/27/2009 9:14	Turbidity		16.45	NTU	EPA180.1
7/28/2009 9:39	Turbidity		3.45	NTU	EPA180.1
7/29/2009 9:09	Turbidity		2.25	NTU	EPA180.1
7/30/2009 9:19	Turbidity		1.89	NTU	EPA180.1
7/31/2009 9:33	Turbidity		2.5	NTU	EPA180.1
8/1/2009 8:36	Turbidity		1.58	NTU	EPA180.1
8/2/2009 8:45	Turbidity		1.86	NTU	EPA180.1
8/3/2009 9:21	Turbidity		3.61	NTU	EPA180.1
8/4/2009 9:43	Turbidity		3.45	NTU	EPA180.1
8/5/2009 10:11	Turbidity		5.98	NTU	EPA180.1
8/6/2009 9:37	Turbidity		1.77	NTU	EPA180.1
8/7/2009 9:38	Turbidity		2.04	NTU	EPA180.1
8/8/2009 7:56	Turbidity		0.77	NTU	EPA180.1
8/9/2009 8:09	Turbidity		6.24	NTU	EPA180.1
8/10/2009 9:22	Turbidity		4.43	NTU	EPA180.1
8/11/2009 9:33	Turbidity		1.8	NTU	EPA180.1
8/12/2009 9:19	Turbidity		8.44	NTU	EPA180.1
8/13/2009 9:45	Turbidity		1.42	NTU	EPA180.1
8/14/2009 9:46	Turbidity		1.3	NTU	EPA180.1
8/15/2009 8:15	Turbidity		1.1	NTU	EPA180.1
8/16/2009 7:58	Turbidity		0.99	NTU	EPA180.1
8/17/2009 9:08	Turbidity		2.3	NTU	EPA180.1
8/18/2009 9:59	Turbidity		7.34	NTU	EPA180.1
8/19/2009 9:30	Turbidity		2.1	NTU	EPA180.1
8/20/2009 9:16	Turbidity		1.81	NTU	EPA180.1
8/21/2009 9:49	Turbidity		20.47	NTU	EPA180.1
8/22/2009 9:05	Turbidity		4.1	NTU	EPA180.1
8/23/2009 8:33	Turbidity		3.6	NTU	EPA180.1
8/24/2009 9:23	Turbidity		1.4	NTU	EPA180.1
8/25/2009 9:34	Turbidity		1.33	NTU	EPA180.1
8/26/2009 9:28	Turbidity		4	NTU	EPA180.1
8/27/2009 9:42	Turbidity		2.8	NTU	EPA180.1
8/28/2009 9:52	Turbidity		1.9	NTU	EPA180.1
8/29/2009 8:34	Turbidity		13.99	NTU	EPA180.1
8/30/2009 8:23	Turbidity		39.84	NTU	EPA180.1
8/31/2009 9:26	Turbidity		7.18	NTU	EPA180.1
9/1/2009 9:46	Turbidity		1.95	NTU	EPA180.1
9/2/2009 9:43	Turbidity		3.5	NTU	EPA180.1
9/3/2009 9:40	Turbidity		2.4	NTU	EPA180.1
9/4/2009 9:05	Turbidity		1.9	NTU	EPA180.1
9/5/2009 8:05	Turbidity		1.2	NTU	EPA180.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
9/6/2009 7:10	Turbidity		1.46	NTU	EPA180.1
9/7/2009 7:49	Turbidity		2.2	NTU	EPA180.1
9/8/2009 9:13	Turbidity		3	NTU	EPA180.1
9/9/2009 9:40	Turbidity		3.3	NTU	EPA180.1
9/10/2009 10:10	Turbidity		2.1	NTU	EPA180.1
9/11/2009 9:44	Turbidity		1.8	NTU	EPA180.1
9/14/2009 10:11	Turbidity		3.8	NTU	EPA180.1
9/15/2009 10:35	Turbidity		16.8	NTU	EPA180.1
9/16/2009 10:25	Turbidity		9.3	NTU	EPA180.1
9/17/2009 10:10	Turbidity		3.1	NTU	EPA180.1
9/21/2009 10:15	Turbidity		2.66	NTU	EPA180.1
9/22/2009 10:45	Turbidity		3.3	NTU	EPA180.1
9/23/2009 10:05	Turbidity		3.3	NTU	EPA180.1
9/24/2009 9:40	Turbidity		3.9	NTU	EPA180.1
9/28/2009 10:40	Turbidity		68.4	NTU	EPA180.1
9/29/2009 10:50	Turbidity		157.2	NTU	EPA180.1
9/30/2009 11:00	Turbidity		92.6	NTU	EPA180.1
10/1/2009 10:10	Turbidity		30	NTU	EPA180.1
10/5/2009 10:07	Turbidity		34.95	NTU	EPA180.1
10/6/2009 10:28	Turbidity		5.1	NTU	EPA180.1
10/7/2009 10:27	Turbidity		77	NTU	EPA180.1
10/8/2009 10:07	Turbidity		57.1	NTU	EPA180.1
10/12/2009 9:48	Turbidity		7.05	NTU	EPA180.1
10/13/2009 10:10	Turbidity		26.6	NTU	EPA180.1
10/14/2009 10:10	Turbidity		14.9	NTU	EPA180.1
10/15/2009 10:15	Turbidity		14.25	NTU	EPA180.1
10/19/2009 10:25	Turbidity		10.4	NTU	EPA180.1
10/20/2009 10:30	Turbidity		16.9	NTU	EPA180.1
10/21/2009 10:10	Turbidity		3.05	NTU	EPA180.1
10/22/2009 10:13	Turbidity		5.05	NTU	EPA180.1
10/26/2009 10:01	Turbidity		7.5	NTU	EPA180.1
10/27/2009 10:10	Turbidity		5.85	NTU	EPA180.1
10/28/2009 10:25	Turbidity		24.3	NTU	EPA180.1
10/29/2009 10:05	Turbidity		4.85	NTU	EPA180.1
5/3/2010 10:28	Turbidity		9.19	NTU	EPA180.1
5/4/2010 9:35	Turbidity		9.06	NTU	EPA180.1
5/5/2010 9:42	Turbidity		3.28	NTU	EPA180.1
5/6/2010 10:15	Turbidity		9.42	NTU	EPA180.1
5/10/2010 9:50	Turbidity		14.46	NTU	EPA180.1
5/11/2010 9:58	Turbidity		8.89	NTU	EPA180.1
5/12/2010 10:10	Turbidity		6.7	NTU	EPA180.1
5/13/2010 9:50	Turbidity		4.72	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/4/2009 10:37	E. coli	<	2	cfu/100mL	EPA1603
5/5/2009 9:55	E. coli		24	cfu/100mL	EPA1603
5/6/2009 10:13	E. coli		4	cfu/100mL	EPA1603
5/7/2009 10:35	E. coli		37	cfu/100mL	EPA1603
5/11/2009 10:05	E. coli		5	cfu/100mL	EPA1603
5/12/2009 9:56	E. coli		3	cfu/100mL	EPA1603
5/13/2009 9:35	E. coli		17	cfu/100mL	EPA1603
5/14/2009 10:12	E. coli		130	cfu/100mL	EPA1603
5/18/2009 9:22	E. coli		10	cfu/100mL	EPA1603
5/19/2009 8:39	E. coli		6	cfu/100mL	EPA1603
5/20/2009 9:07	E. coli		4	cfu/100mL	EPA1603
5/21/2009 8:58	E. coli		6	cfu/100mL	EPA1603
5/22/2009 8:14	E. coli		10	cfu/100mL	EPA1603
5/23/2009 8:28	E. coli		6	cfu/100mL	EPA1603
5/24/2009 8:30	E. coli		600	cfu/100mL	EPA1603
5/25/2009 8:22	E. coli		880	cfu/100mL	EPA1603
5/26/2009 9:06	E. coli		400	cfu/100mL	EPA1603
5/27/2009 9:02	E. coli		20	cfu/100mL	EPA1603
5/28/2009 8:50	E. coli		760	cfu/100mL	EPA1603
5/29/2009 9:14	E. coli		5100	cfu/100mL	EPA1603
5/30/2009 8:50	E. coli		275	cfu/100mL	EPA1603
5/31/2009 9:10	E. coli		500	cfu/100mL	EPA1603
6/1/2009 9:20	E. coli		86	cfu/100mL	EPA1603
6/2/2009 10:05	E. coli		1450	cfu/100mL	EPA1603
6/3/2009 9:35	E. coli		260	cfu/100mL	EPA1603
6/4/2009 9:50	E. coli		60	cfu/100mL	EPA1603
6/5/2009 10:05	E. coli		106	cfu/100mL	EPA1603
6/6/2009 8:46	E. coli		40	cfu/100mL	EPA1603
6/7/2009 8:46	E. coli		110	cfu/100mL	EPA1603
6/8/2009 9:38	E. coli		6100	cfu/100mL	EPA1603
6/9/2009 9:45	E. coli		190	cfu/100mL	EPA1603
6/10/2009 9:31	E. coli		135	cfu/100mL	EPA1603
6/11/2009 9:40	E. coli		81	cfu/100mL	EPA1603
6/12/2009 9:23	E. coli		2600	cfu/100mL	EPA1603
6/13/2009 8:57	E. coli		40	cfu/100mL	EPA1603
6/14/2009 8:55	E. coli		35	cfu/100mL	EPA1603
6/15/2009 10:00	E. coli		71	cfu/100mL	EPA1603
6/16/2009 9:58	E. coli		360	cfu/100mL	EPA1603
6/17/2009 9:42	E. coli		59	cfu/100mL	EPA1603
6/18/2009 9:57	E. coli		4600	cfu/100mL	EPA1603
6/19/2009 11:26	E. coli		190	cfu/100mL	EPA1603
6/20/2009 11:19	E. coli		640	cfu/100mL	EPA1603
6/21/2009 8:20	E. coli		1060	cfu/100mL	EPA1603
6/22/2009 9:55	E. coli		105	cfu/100mL	EPA1603
6/23/2009 9:33	E. coli		27	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/24/2009 10:14	E. coli		46	cfu/100mL	EPA1603
6/25/2009 9:36	E. coli		125	cfu/100mL	EPA1603
6/26/2009 9:30	E. coli		760	cfu/100mL	EPA1603
6/27/2009 9:02	E. coli		190	cfu/100mL	EPA1603
6/28/2009 8:19	E. coli		140	cfu/100mL	EPA1603
6/29/2009 9:43	E. coli	EC	95	cfu/100mL	EPA1603
6/30/2009 12:48	E. coli		6900	cfu/100mL	EPA1603
7/1/2009 9:47	E. coli	EC	1800	cfu/100mL	EPA1603
7/2/2009 10:26	E. coli		6700	cfu/100mL	EPA1603
7/3/2009 9:09	E. coli		480	cfu/100mL	EPA1603
7/4/2009 8:55	E. coli	EC	26	cfu/100mL	EPA1603
7/5/2009 10:35	E. coli	EC	16	cfu/100mL	EPA1603
7/6/2009 9:31	E. coli		175	cfu/100mL	EPA1603
7/7/2009 9:35	E. coli	EC	148	cfu/100mL	EPA1603
7/8/2009 9:24	E. coli		51	cfu/100mL	EPA1603
7/9/2009 9:27	E. coli		35	cfu/100mL	EPA1603
7/10/2009 9:15	E. coli		25	cfu/100mL	EPA1603
7/11/2009 6:49	E. coli		840	cfu/100mL	EPA1603
7/12/2009 9:47	E. coli	EC	1633	cfu/100mL	EPA1603
7/13/2009 9:28	E. coli		800	cfu/100mL	EPA1603
7/14/2009 9:34	E. coli		400	cfu/100mL	EPA1603
7/15/2009 9:25	E. coli		10	cfu/100mL	EPA1603
7/16/2009 9:39	E. coli		800	cfu/100mL	EPA1603
7/17/2009 9:30	E. coli		400	cfu/100mL	EPA1603
7/18/2009 9:43	E. coli		1280	cfu/100mL	EPA1603
7/19/2009 9:20	E. coli		70	cfu/100mL	EPA1603
7/20/2009 9:42	E. coli		42	cfu/100mL	EPA1603
7/21/2009 9:26	E. coli		56	cfu/100mL	EPA1603
7/22/2009 9:47	E. coli		940	cfu/100mL	EPA1603
7/23/2009 9:28	E. coli		230	cfu/100mL	EPA1603
7/24/2009 9:33	E. coli		940	cfu/100mL	EPA1603
7/25/2009 9:00	E. coli		26	cfu/100mL	EPA1603
7/26/2009 9:00	E. coli		165	cfu/100mL	EPA1603
7/27/2009 9:21	E. coli		460	cfu/100mL	EPA1603
7/28/2009 9:44	E. coli		124	cfu/100mL	EPA1603
7/29/2009 9:16	E. coli	EC	21	cfu/100mL	EPA1603
7/30/2009 9:27	E. coli		32	cfu/100mL	EPA1603
7/31/2009 9:38	E. coli		1727	cfu/100mL	EPA1603
8/1/2009 8:41	E. coli		70	cfu/100mL	EPA1603
8/2/2009 8:50	E. coli		44	cfu/100mL	EPA1603
8/3/2009 9:26	E. coli	EC	12	cfu/100mL	EPA1603
8/4/2009 9:49	E. coli	EC	11	cfu/100mL	EPA1603
8/5/2009 10:18	E. coli		316	cfu/100mL	EPA1603
8/6/2009 9:44	E. coli	EC	16	cfu/100mL	EPA1603
8/7/2009 9:44	E. coli		54	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/8/2009 8:01	E. coli	EC	10	cfu/100mL	EPA1603
8/9/2009 8:13	E. coli		960	cfu/100mL	EPA1603
8/10/2009 9:29	E. coli	EC	115	cfu/100mL	EPA1603
8/11/2009 9:38	E. coli		54	cfu/100mL	EPA1603
8/12/2009 9:26	E. coli		2700	cfu/100mL	EPA1603
8/13/2009 9:50	E. coli	EC	36	cfu/100mL	EPA1603
8/14/2009 9:53	E. coli	EC	28	cfu/100mL	EPA1603
8/15/2009 8:20	E. coli		51	cfu/100mL	EPA1603
8/16/2009 8:03	E. coli		24	cfu/100mL	EPA1603
8/17/2009 9:14	E. coli		72	cfu/100mL	EPA1603
8/18/2009 10:04	E. coli		215	cfu/100mL	EPA1603
8/19/2009 9:36	E. coli		50	cfu/100mL	EPA1603
8/20/2009 9:24	E. coli		68	cfu/100mL	EPA1603
8/21/2009 9:54	E. coli	EC	27200	cfu/100mL	EPA1603
8/22/2009 9:15	E. coli	EC	476	cfu/100mL	EPA1603
8/23/2009 8:39	E. coli		82	cfu/100mL	EPA1603
8/24/2009 9:28	E. coli		20	cfu/100mL	EPA1603
8/25/2009 9:40	E. coli		34	cfu/100mL	EPA1603
8/26/2009 9:34	E. coli		367	cfu/100mL	EPA1603
8/27/2009 9:42	E. coli		66	cfu/100mL	EPA1603
8/28/2009 9:57	E. coli		78	cfu/100mL	EPA1603
8/29/2009 8:41	E. coli		480	cfu/100mL	EPA1603
8/30/2009 8:28	E. coli		385	cfu/100mL	EPA1603
8/31/2009 9:31	E. coli	EC	24	cfu/100mL	EPA1603
9/1/2009 9:51	E. coli	EC	4	cfu/100mL	EPA1603
9/2/2009 9:48	E. coli		2	cfu/100mL	EPA1603
9/3/2009 9:45	E. coli		27	cfu/100mL	EPA1603
9/4/2009 9:11	E. coli		72	cfu/100mL	EPA1603
9/5/2009 8:10	E. coli	EC	7	cfu/100mL	EPA1603
9/6/2009 7:15	E. coli	EC	5	cfu/100mL	EPA1603
9/7/2009 7:54	E. coli		185	cfu/100mL	EPA1603
9/8/2009 9:19	E. coli		303	cfu/100mL	EPA1603
9/9/2009 9:45	E. coli		108	cfu/100mL	EPA1603
9/10/2009 10:15	E. coli		77	cfu/100mL	EPA1603
9/11/2009 9:48	E. coli	EC	11	cfu/100mL	EPA1603
9/14/2009 10:16	E. coli		138	cfu/100mL	EPA1603
9/15/2009 10:40	E. coli		267	cfu/100mL	EPA1603
9/16/2009 10:32	E. coli		180	cfu/100mL	EPA1603
9/17/2009 10:15	E. coli	EC	13	cfu/100mL	EPA1603
9/21/2009 10:25	E. coli		25	cfu/100mL	EPA1603
9/22/2009 10:50	E. coli		48	cfu/100mL	EPA1603
9/23/2009 10:10	E. coli		74	cfu/100mL	EPA1603
9/24/2009 9:45	E. coli		790	cfu/100mL	EPA1603
9/28/2009 10:45	E. coli		1200	cfu/100mL	EPA1603
9/29/2009 10:55	E. coli		1160	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/30/2009 11:10	E. coli	EC	2033	cfu/100mL	EPA1603
10/1/2009 10:15	E. coli		270	cfu/100mL	EPA1603
10/5/2009 10:12	E. coli		560	cfu/100mL	EPA1603
10/6/2009 10:33	E. coli		54	cfu/100mL	EPA1603
10/7/2009 10:32	E. coli		317	cfu/100mL	EPA1603
10/8/2009 10:12	E. coli		64	cfu/100mL	EPA1603
10/12/2009 9:54	E. coli	EC	7	cfu/100mL	EPA1603
10/13/2009 10:14	E. coli		42	cfu/100mL	EPA1603
10/14/2009 10:20	E. coli		6	cfu/100mL	EPA1603
10/15/2009 10:20	E. coli	EC	4	cfu/100mL	EPA1603
10/19/2009 10:30	E. coli		15	cfu/100mL	EPA1603
10/20/2009 10:35	E. coli		3	cfu/100mL	EPA1603
10/21/2009 10:15	E. coli		2	cfu/100mL	EPA1603
10/22/2009 10:18	E. coli		25	cfu/100mL	EPA1603
10/26/2009 10:12	E. coli		22	cfu/100mL	EPA1603
10/27/2009 10:15	E. coli	EC	14	cfu/100mL	EPA1603
10/28/2009 10:30	E. coli	EC	2770	cfu/100mL	EPA1603
10/29/2009 10:10	E. coli		600	cfu/100mL	EPA1603
5/3/2010 10:35	E. coli		64	cfu/100mL	EPA1603
5/4/2010 9:41	E. coli		50	cfu/100mL	EPA1603
5/5/2010 9:51	E. coli	EC	4	cfu/100mL	EPA1603
5/6/2010 10:23	E. coli		245	cfu/100mL	EPA1603
5/10/2010 9:58	E. coli		72	cfu/100mL	EPA1603
5/11/2010 10:05	E. coli		30	cfu/100mL	EPA1603
5/12/2010 10:16	E. coli		990	cfu/100mL	EPA1603
5/13/2010 9:59	E. coli		114	cfu/100mL	EPA1603
5/20/2009 9:07	Field Cond		322	uS/cm	SM 2510A
5/21/2009 8:58	Field Cond		320	uS/cm	SM 2510A
5/22/2009 8:14	Field Cond		343	uS/cm	SM 2510A
5/23/2009 8:28	Field Cond		355	uS/cm	SM 2510A
5/24/2009 8:30	Field Cond		384	uS/cm	SM 2510A
5/25/2009 8:22	Field Cond		339	uS/cm	SM 2510A
5/26/2009 9:06	Field Cond		327	uS/cm	SM 2510A
5/27/2009 9:02	Field Cond		310	uS/cm	SM 2510A
5/28/2009 8:50	Field Cond		321	uS/cm	SM 2510A
5/29/2009 9:14	Field Cond		413	uS/cm	SM 2510A
5/30/2009 8:50	Field Cond		364	uS/cm	SM 2510A
5/31/2009 9:10	Field Cond		357	uS/cm	SM 2510A
6/1/2009 9:20	Field Cond		311	uS/cm	SM 2510A
6/2/2009 10:05	Field Cond		455	uS/cm	SM 2510A
6/3/2009 9:35	Field Cond		337	uS/cm	SM 2510A
6/4/2009 9:50	Field Cond		316	uS/cm	SM 2510A
6/5/2009 10:05	Field Cond		308	uS/cm	SM 2510A
6/6/2009 8:46	Field Cond		300	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/7/2009 8:46	Field Cond		306	uS/cm	SM 2510A
6/8/2009 9:38	Field Cond		314	uS/cm	SM 2510A
6/9/2009 9:45	Field Cond		346	uS/cm	SM 2510A
6/10/2009 9:31	Field Cond		302	uS/cm	SM 2510A
6/11/2009 9:40	Field Cond		330	uS/cm	SM 2510A
6/12/2009 9:23	Field Cond		378	uS/cm	SM 2510A
6/13/2009 8:57	Field Cond		330	uS/cm	SM 2510A
6/14/2009 8:55	Field Cond		376	uS/cm	SM 2510A
6/15/2009 10:00	Field Cond		298	uS/cm	SM 2510A
6/16/2009 9:58	Field Cond		336	uS/cm	SM 2510A
6/17/2009 9:42	Field Cond		302	uS/cm	SM 2510A
6/18/2009 9:57	Field Cond		306	uS/cm	SM 2510A
6/19/2009 11:26	Field Cond		304	uS/cm	SM 2510A
6/20/2009 11:19	Field Cond		450	uS/cm	SM 2510A
6/21/2009 8:20	Field Cond		338	uS/cm	SM 2510A
6/22/2009 9:55	Field Cond		315	uS/cm	SM 2510A
6/23/2009 9:33	Field Cond		329	uS/cm	SM 2510A
6/24/2009 10:14	Field Cond		295	uS/cm	SM 2510A
6/25/2009 9:36	Field Cond		300	uS/cm	SM 2510A
6/26/2009 9:30	Field Cond		299	uS/cm	SM 2510A
6/27/2009 9:02	Field Cond		313	uS/cm	SM 2510A
6/28/2009 8:19	Field Cond		305	uS/cm	SM 2510A
6/29/2009 9:43	Field Cond		321	uS/cm	SM 2510A
6/30/2009 12:48	Field Cond		317	uS/cm	SM 2510A
7/1/2009 9:47	Field Cond		316	uS/cm	SM 2510A
7/2/2009 10:26	Field Cond		290	uS/cm	SM 2510A
7/3/2009 9:09	Field Cond		315	uS/cm	SM 2510A
7/5/2009 10:35	Field Cond		304	uS/cm	SM 2510A
7/6/2009 9:31	Field Cond		291	uS/cm	SM 2510A
7/7/2009 9:35	Field Cond		289	uS/cm	SM 2510A
7/8/2009 9:24	Field Cond		300	uS/cm	SM 2510A
7/9/2009 9:27	Field Cond		281	uS/cm	SM 2510A
7/10/2009 9:15	Field Cond		271	uS/cm	SM 2510A
7/11/2009 6:49	Field Cond		279	uS/cm	SM 2510A
7/13/2009 9:28	Field Cond		327	uS/cm	SM 2510A
7/14/2009 9:34	Field Cond		305	uS/cm	SM 2510A
7/15/2009 9:25	Field Cond		255	uS/cm	SM 2510A
7/16/2009 9:39	Field Cond		286	uS/cm	SM 2510A
7/17/2009 9:30	Field Cond		294	uS/cm	SM 2510A
7/18/2009 9:43	Field Cond		303	uS/cm	SM 2510A
7/19/2009 9:20	Field Cond		311	uS/cm	SM 2510A
7/20/2009 9:42	Field Cond		338	uS/cm	SM 2510A
7/21/2009 9:26	Field Cond		303	uS/cm	SM 2510A
7/22/2009 9:47	Field Cond		301	uS/cm	SM 2510A
7/23/2009 9:28	Field Cond		303	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/24/2009 9:33	Field Cond		324	uS/cm	SM 2510A
7/27/2009 9:21	Field Cond		315	uS/cm	SM 2510A
7/28/2009 9:44	Field Cond		309	uS/cm	SM 2510A
7/29/2009 9:16	Field Cond		309	uS/cm	SM 2510A
7/30/2009 9:27	Field Cond		322	uS/cm	SM 2510A
7/31/2009 9:38	Field Cond		310	uS/cm	SM 2510A
8/1/2009 8:41	Field Cond		335	uS/cm	SM 2510A
8/2/2009 8:50	Field Cond		312	uS/cm	SM 2510A
8/3/2009 9:26	Field Cond		349	uS/cm	SM 2510A
8/4/2009 9:49	Field Cond		315	uS/cm	SM 2510A
8/5/2009 10:18	Field Cond		352	uS/cm	SM 2510A
8/6/2009 9:44	Field Cond		261	uS/cm	SM 2510A
8/7/2009 9:44	Field Cond		270	uS/cm	SM 2510A
8/8/2009 8:01	Field Cond		292	uS/cm	SM 2510A
8/9/2009 8:13	Field Cond		298	uS/cm	SM 2510A
8/10/2009 9:29	Field Cond		316	uS/cm	SM 2510A
8/11/2009 9:38	Field Cond		330	uS/cm	SM 2510A
8/12/2009 9:26	Field Cond		329	uS/cm	SM 2510A
8/13/2009 9:50	Field Cond		310	uS/cm	SM 2510A
8/14/2009 9:53	Field Cond		312	uS/cm	SM 2510A
8/15/2009 8:20	Field Cond		315	uS/cm	SM 2510A
8/16/2009 8:03	Field Cond		308	uS/cm	SM 2510A
8/17/2009 9:14	Field Cond		345	uS/cm	SM 2510A
8/18/2009 10:04	Field Cond		329	uS/cm	SM 2510A
8/19/2009 9:36	Field Cond		310	uS/cm	SM 2510A
8/20/2009 9:24	Field Cond		254	uS/cm	SM 2510A
8/21/2009 9:54	Field Cond		309	uS/cm	SM 2510A
8/22/2009 9:15	Field Cond		311	uS/cm	SM 2510A
8/23/2009 8:39	Field Cond		22.5	uS/cm	SM 2510A
8/24/2009 9:28	Field Cond		292	uS/cm	SM 2510A
8/25/2009 9:40	Field Cond		299	uS/cm	SM 2510A
8/26/2009 9:34	Field Cond		323	uS/cm	SM 2510A
8/27/2009 9:42	Field Cond		341	uS/cm	SM 2510A
8/28/2009 9:57	Field Cond		301	uS/cm	SM 2510A
8/29/2009 8:41	Field Cond		306	uS/cm	SM 2510A
8/30/2009 8:28	Field Cond		312	uS/cm	SM 2510A
8/31/2009 9:31	Field Cond		297	uS/cm	SM 2510A
9/1/2009 9:51	Field Cond		308	uS/cm	SM 2510A
9/2/2009 9:48	Field Cond		292	uS/cm	SM 2510A
9/3/2009 9:45	Field Cond		288	uS/cm	SM 2510A
9/4/2009 9:11	Field Cond		301	uS/cm	SM 2510A
9/5/2009 8:10	Field Cond		294	uS/cm	SM 2510A
9/6/2009 7:15	Field Cond		298	uS/cm	SM 2510A
9/7/2009 7:54	Field Cond		298	uS/cm	SM 2510A
9/8/2009 9:19	Field Cond		311	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/9/2009 9:45	Field Cond		313	uS/cm	SM 2510A
9/10/2009 10:15	Field Cond		305	uS/cm	SM 2510A
9/11/2009 9:48	Field Cond		308	uS/cm	SM 2510A
9/14/2009 10:16	Field Cond		323	uS/cm	SM 2510A
9/15/2009 10:40	Field Cond		337	uS/cm	SM 2510A
9/16/2009 10:32	Field Cond		323	uS/cm	SM 2510A
9/17/2009 10:15	Field Cond		310	uS/cm	SM 2510A
9/21/2009 10:25	Field Cond		298	uS/cm	SM 2510A
9/22/2009 10:50	Field Cond		302	uS/cm	SM 2510A
9/23/2009 10:10	Field Cond		302	uS/cm	SM 2510A
9/24/2009 9:45	Field Cond		325	uS/cm	SM 2510A
9/28/2009 10:45	Field Cond		301	uS/cm	SM 2510A
9/29/2009 10:55	Field Cond		317	uS/cm	SM 2510A
9/30/2009 11:10	Field Cond		378	uS/cm	SM 2510A
10/1/2009 10:15	Field Cond		311	uS/cm	SM 2510A
10/5/2009 10:12	Field Cond		312	uS/cm	SM 2510A
10/6/2009 10:33	Field Cond		281	uS/cm	SM 2510A
10/7/2009 10:32	Field Cond		309	uS/cm	SM 2510A
10/8/2009 10:12	Field Cond		305	uS/cm	SM 2510A
10/12/2009 9:54	Field Cond		307	uS/cm	SM 2510A
10/13/2009 10:14	Field Cond		319	uS/cm	SM 2510A
10/14/2009 10:20	Field Cond		299	uS/cm	SM 2510A
10/15/2009 10:20	Field Cond		303	uS/cm	SM 2510A
10/19/2009 10:30	Field Cond		290	uS/cm	SM 2510A
10/20/2009 10:35	Field Cond		291	uS/cm	SM 2510A
10/21/2009 10:15	Field Cond		288	uS/cm	SM 2510A
10/22/2009 10:18	Field Cond		323	uS/cm	SM 2510A
10/26/2009 10:12	Field Cond		296	uS/cm	SM 2510A
10/27/2009 10:15	Field Cond		301	uS/cm	SM 2510A
10/28/2009 10:30	Field Cond		341	uS/cm	SM 2510A
10/29/2009 10:10	Field Cond		307	uS/cm	SM 2510A
5/3/2010 10:35	Field Cond		425	uS/cm	SM 2510A
5/4/2010 9:41	Field Cond		361	uS/cm	SM 2510A
5/5/2010 9:51	Field Cond		354	uS/cm	SM 2510A
5/6/2010 10:23	Field Cond		370	uS/cm	SM 2510A
5/10/2010 9:58	Field Cond		334	uS/cm	SM 2510A
5/11/2010 10:05	Field Cond		410	uS/cm	SM 2510A
5/12/2010 10:16	Field Cond		441	uS/cm	SM 2510A
5/13/2010 9:59	Field Cond		332	uS/cm	SM 2510A
5/20/2009 9:07	Field Temp		14.6	C	EPA 170.1
5/21/2009 8:58	Field Temp		15.5	C	EPA 170.1
5/22/2009 8:14	Field Temp		16.4	C	EPA 170.1
5/23/2009 8:28	Field Temp		16.5	C	EPA 170.1
5/24/2009 8:30	Field Temp		16	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/25/2009 8:22	Field Temp		14.4	C	EPA 170.1
5/26/2009 9:06	Field Temp		15.1	C	EPA 170.1
5/27/2009 9:02	Field Temp		14.9	C	EPA 170.1
5/28/2009 8:50	Field Temp		15.9	C	EPA 170.1
5/29/2009 9:14	Field Temp		16.3	C	EPA 170.1
5/30/2009 8:50	Field Temp		17.4	C	EPA 170.1
5/31/2009 9:10	Field Temp		17.3	C	EPA 170.1
6/1/2009 9:20	Field Temp		16.8	C	EPA 170.1
6/2/2009 10:05	Field Temp		16.1	C	EPA 170.1
6/3/2009 9:35	Field Temp		16.3	C	EPA 170.1
6/4/2009 9:50	Field Temp		16.4	C	EPA 170.1
6/5/2009 10:05	Field Temp		16.7	C	EPA 170.1
6/6/2009 8:46	Field Temp		17.2	C	EPA 170.1
6/7/2009 8:46	Field Temp		17.8	C	EPA 170.1
6/8/2009 9:38	Field Temp		17.5	C	EPA 170.1
6/9/2009 9:45	Field Temp		18.2	C	EPA 170.1
6/10/2009 9:31	Field Temp		19.4	C	EPA 170.1
6/11/2009 9:40	Field Temp		18.9	C	EPA 170.1
6/12/2009 9:23	Field Temp		18.5	C	EPA 170.1
6/13/2009 8:57	Field Temp		19.3	C	EPA 170.1
6/14/2009 8:55	Field Temp		19	C	EPA 170.1
6/15/2009 10:00	Field Temp		19.5	C	EPA 170.1
6/16/2009 9:58	Field Temp		18.2	C	EPA 170.1
6/17/2009 9:42	Field Temp		17	C	EPA 170.1
6/18/2009 9:57	Field Temp		17.9	C	EPA 170.1
6/19/2009 11:26	Field Temp		19.3	C	EPA 170.1
6/20/2009 11:19	Field Temp		19.7	C	EPA 170.1
6/21/2009 8:20	Field Temp		19.7	C	EPA 170.1
6/22/2009 9:55	Field Temp		21.4	C	EPA 170.1
6/23/2009 9:33	Field Temp		7.2	C	EPA 170.1
6/24/2009 10:14	Field Temp		23.3	C	EPA 170.1
6/25/2009 9:36	Field Temp		24	C	EPA 170.1
6/26/2009 9:30	Field Temp		24	C	EPA 170.1
6/27/2009 9:02	Field Temp		23.9	C	EPA 170.1
6/28/2009 8:19	Field Temp		23.9	C	EPA 170.1
6/29/2009 9:43	Field Temp		23.4	C	EPA 170.1
6/30/2009 12:48	Field Temp		21.3	C	EPA 170.1
7/1/2009 9:47	Field Temp		21.2	C	EPA 170.1
7/2/2009 10:26	Field Temp		19.7	C	EPA 170.1
7/3/2009 9:09	Field Temp		19.8	C	EPA 170.1
7/5/2009 10:35	Field Temp		22.8	C	EPA 170.1
7/6/2009 9:31	Field Temp		22.6	C	EPA 170.1
7/7/2009 9:35	Field Temp		22.5	C	EPA 170.1
7/8/2009 9:24	Field Temp		22.1	C	EPA 170.1
7/9/2009 9:27	Field Temp		22.8	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/10/2009 9:15	Field Temp		23.2	C	EPA 170.1
7/11/2009 6:49	Field Temp		22.9	C	EPA 170.1
7/13/2009 9:28	Field Temp		22.4	C	EPA 170.1
7/14/2009 9:34	Field Temp		22.2	C	EPA 170.1
7/15/2009 9:25	Field Temp		22.2	C	EPA 170.1
7/16/2009 9:39	Field Temp		22.5	C	EPA 170.1
7/17/2009 9:30	Field Temp		22.1	C	EPA 170.1
7/18/2009 9:43	Field Temp		20.9	C	EPA 170.1
7/19/2009 9:20	Field Temp		20.8	C	EPA 170.1
7/20/2009 9:42	Field Temp		23.6	C	EPA 170.1
7/21/2009 9:26	Field Temp		23.2	C	EPA 170.1
7/22/2009 9:47	Field Temp		21.7	C	EPA 170.1
7/23/2009 9:28	Field Temp		21.6	C	EPA 170.1
7/24/2009 9:33	Field Temp		22.3	C	EPA 170.1
7/27/2009 9:21	Field Temp		22.3	C	EPA 170.1
7/28/2009 9:44	Field Temp		23.6	C	EPA 170.1
7/29/2009 9:16	Field Temp		22.5	C	EPA 170.1
7/30/2009 9:27	Field Temp		23.5	C	EPA 170.1
7/31/2009 9:38	Field Temp		23.2	C	EPA 170.1
8/1/2009 8:41	Field Temp		23.2	C	EPA 170.1
8/2/2009 8:50	Field Temp		22.6	C	EPA 170.1
8/3/2009 9:26	Field Temp		23.3	C	EPA 170.1
8/4/2009 9:49	Field Temp		23.6	C	EPA 170.1
8/5/2009 10:18	Field Temp		23.3	C	EPA 170.1
8/8/2009 8:01	Field Temp		22.8	C	EPA 170.1
8/9/2009 8:13	Field Temp		23.3	C	EPA 170.1
8/10/2009 9:29	Field Temp		24.4	C	EPA 170.1
8/11/2009 9:38	Field Temp		24.6	C	EPA 170.1
8/12/2009 9:26	Field Temp		24.6	C	EPA 170.1
8/13/2009 9:50	Field Temp		24.6	C	EPA 170.1
8/14/2009 9:53	Field Temp		24.7	C	EPA 170.1
8/15/2009 8:20	Field Temp		23.2	C	EPA 170.1
8/16/2009 8:03	Field Temp		24	C	EPA 170.1
8/17/2009 9:14	Field Temp		25.3	C	EPA 170.1
8/18/2009 10:04	Field Temp		25.7	C	EPA 170.1
8/19/2009 9:36	Field Temp		26	C	EPA 170.1
8/20/2009 9:24	Field Temp		25.3	C	EPA 170.1
8/21/2009 9:54	Field Temp		25.1	C	EPA 170.1
8/22/2009 9:15	Field Temp		24.4	C	EPA 170.1
8/23/2009 8:39	Field Temp		8.1	C	EPA 170.1
8/24/2009 9:28	Field Temp		23.8	C	EPA 170.1
8/25/2009 9:40	Field Temp		23.8	C	EPA 170.1
8/26/2009 9:34	Field Temp		24	C	EPA 170.1
8/27/2009 9:42	Field Temp		24	C	EPA 170.1
8/28/2009 9:57	Field Temp		23.1	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/29/2009 8:41	Field Temp		22.4	C	EPA 170.1
8/30/2009 8:28	Field Temp		21.4	C	EPA 170.1
8/31/2009 9:31	Field Temp		21.6	C	EPA 170.1
9/1/2009 9:51	Field Temp		21.5	C	EPA 170.1
9/2/2009 9:48	Field Temp		21.5	C	EPA 170.1
9/3/2009 9:45	Field Temp		21.8	C	EPA 170.1
9/4/2009 9:11	Field Temp		21.7	C	EPA 170.1
9/5/2009 8:10	Field Temp		21.6	C	EPA 170.1
9/6/2009 7:15	Field Temp		21.4	C	EPA 170.1
9/7/2009 7:54	Field Temp		22.2	C	EPA 170.1
9/8/2009 9:19	Field Temp		22.1	C	EPA 170.1
9/9/2009 9:45	Field Temp		22.4	C	EPA 170.1
9/10/2009 10:15	Field Temp		23	C	EPA 170.1
9/11/2009 9:48	Field Temp		21.8	C	EPA 170.1
9/14/2009 10:16	Field Temp		21.9	C	EPA 170.1
9/15/2009 10:40	Field Temp		22.9	C	EPA 170.1
9/16/2009 10:32	Field Temp		21.7	C	EPA 170.1
9/17/2009 10:15	Field Temp		21.4	C	EPA 170.1
9/21/2009 10:25	Field Temp		21.5	C	EPA 170.1
9/22/2009 10:50	Field Temp		22.3	C	EPA 170.1
9/23/2009 10:10	Field Temp		21.7	C	EPA 170.1
9/24/2009 9:45	Field Temp		21.9	C	EPA 170.1
9/28/2009 10:45	Field Temp		18.9	C	EPA 170.1
9/29/2009 10:55	Field Temp		17.2	C	EPA 170.1
9/30/2009 11:10	Field Temp		14.8	C	EPA 170.1
10/1/2009 10:15	Field Temp		16.4	C	EPA 170.1
10/5/2009 10:12	Field Temp		15.6	C	EPA 170.1
10/6/2009 10:33	Field Temp		16.6	C	EPA 170.1
10/7/2009 10:32	Field Temp		14.3	C	EPA 170.1
10/8/2009 10:12	Field Temp		15.5	C	EPA 170.1
10/12/2009 9:54	Field Temp		14.4	C	EPA 170.1
10/13/2009 10:14	Field Temp		14.4	C	EPA 170.1
10/14/2009 10:20	Field Temp		13.2	C	EPA 170.1
10/15/2009 10:20	Field Temp		13.2	C	EPA 170.1
10/19/2009 10:30	Field Temp		11.4	C	EPA 170.1
10/20/2009 10:35	Field Temp		12.2	C	EPA 170.1
10/21/2009 10:15	Field Temp		13.3	C	EPA 170.1
10/22/2009 10:18	Field Temp		13.4	C	EPA 170.1
10/26/2009 10:12	Field Temp		12.4	C	EPA 170.1
10/27/2009 10:15	Field Temp		12.7	C	EPA 170.1
10/28/2009 10:30	Field Temp		12.8	C	EPA 170.1
10/29/2009 10:10	Field Temp		12.7	C	EPA 170.1
5/3/2010 10:35	Field Temp		14.2	C	EPA 170.1
5/4/2010 9:41	Field Temp		14.4	C	EPA 170.1
5/5/2010 9:51	Field Temp		14.8	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/6/2010 10:23	Field Temp		14.6	C	EPA 170.1
5/10/2010 9:58	Field Temp		13.6	C	EPA 170.1
5/11/2010 10:05	Field Temp		12.3	C	EPA 170.1
5/12/2010 10:16	Field Temp		12.6	C	EPA 170.1
5/13/2010 9:59	Field Temp		13	C	EPA 170.1
5/20/2009 9:07	pH		7.9	S.U.	
5/21/2009 8:58	pH		8.5	S.U.	
5/22/2009 8:14	pH		8.8	S.U.	
5/23/2009 8:28	pH		8.6	S.U.	
5/24/2009 8:30	pH		7.7	S.U.	
5/25/2009 8:22	pH		7.6	S.U.	
5/26/2009 9:06	pH		7.4	S.U.	
5/27/2009 9:02	pH		7.1	S.U.	
5/28/2009 8:50	pH		7.9	S.U.	
5/29/2009 9:14	pH		7.3	S.U.	
5/30/2009 8:50	pH		8.1	S.U.	
5/31/2009 9:10	pH		8.2	S.U.	
6/1/2009 9:20	pH		7.3	S.U.	
6/2/2009 10:05	pH		7.9	S.U.	
6/3/2009 9:35	pH		7.4	S.U.	
6/4/2009 9:50	pH		7.5	S.U.	
6/5/2009 10:05	pH		7.2	S.U.	
6/6/2009 8:46	pH		7.5	S.U.	
6/7/2009 8:46	pH		7.4	S.U.	
6/8/2009 9:38	pH		7.9	S.U.	
6/9/2009 9:45	pH		7.95	S.U.	
6/10/2009 9:31	pH		8.4	S.U.	
6/11/2009 9:40	pH		7.7	S.U.	
6/12/2009 9:23	pH		7.31	S.U.	
6/13/2009 8:57	pH		8.1	S.U.	
6/14/2009 8:55	pH		8.2	S.U.	
6/15/2009 10:00	pH		7.45	S.U.	
6/16/2009 9:58	pH		7.7	S.U.	
6/17/2009 9:42	pH		7.54	S.U.	
6/18/2009 9:57	pH		7.1	S.U.	
6/19/2009 11:26	pH		6.9	S.U.	
6/20/2009 11:19	pH		8.3	S.U.	
6/21/2009 8:20	pH		8.4	S.U.	
6/22/2009 9:55	pH		8.07	S.U.	
6/23/2009 9:33	pH		22	S.U.	
6/24/2009 10:14	pH		8.2	S.U.	
6/25/2009 9:36	pH		7.9	S.U.	
6/26/2009 9:30	pH		8.5	S.U.	
6/27/2009 9:02	pH		8.3	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/28/2009 8:19	pH		8.3	S.U.	
6/29/2009 9:43	pH		7.4	S.U.	
6/30/2009 12:48	pH		6.7	S.U.	
7/1/2009 9:47	pH		7.9	S.U.	
7/2/2009 10:26	pH		8.1	S.U.	
7/3/2009 9:09	pH		8.3	S.U.	
7/5/2009 10:35	pH		8.2	S.U.	
7/6/2009 9:31	pH		7.4	S.U.	
7/7/2009 9:35	pH		7.7	S.U.	
7/8/2009 9:24	pH		8.8	S.U.	
7/9/2009 9:27	pH		7.43	S.U.	
7/10/2009 9:15	pH		8.2	S.U.	
7/11/2009 6:49	pH		7.5	S.U.	
7/13/2009 9:28	pH		7.5	S.U.	
7/14/2009 9:34	pH		7.3	S.U.	
7/15/2009 9:25	pH		7.8	S.U.	
7/16/2009 9:39	pH		8	S.U.	
7/17/2009 9:30	pH		7.9	S.U.	
7/18/2009 9:43	pH		8	S.U.	
7/19/2009 9:20	pH		8	S.U.	
7/20/2009 9:42	pH		8.3	S.U.	
7/21/2009 9:26	pH		8.2	S.U.	
7/22/2009 9:47	pH		7.9	S.U.	
7/23/2009 9:28	pH		7.6	S.U.	
7/24/2009 9:33	pH		7.9	S.U.	
7/27/2009 9:21	pH		8.2	S.U.	
7/28/2009 9:44	pH		8.3	S.U.	
7/29/2009 9:16	pH		7.6	S.U.	
7/30/2009 9:27	pH		8	S.U.	
7/31/2009 9:38	pH		8	S.U.	
8/1/2009 8:41	pH		7.6	S.U.	
8/2/2009 8:50	pH		7.6	S.U.	
8/3/2009 9:26	pH		8.1	S.U.	
8/4/2009 9:49	pH		8.2	S.U.	
8/5/2009 10:18	pH		7.7	S.U.	
8/6/2009 9:44	pH		8.1	S.U.	
8/7/2009 9:44	pH		8.1	S.U.	
8/8/2009 8:01	pH		8	S.U.	
8/9/2009 8:13	pH		8.1	S.U.	
8/10/2009 9:29	pH		8.1	S.U.	
8/11/2009 9:38	pH		8.1	S.U.	
8/12/2009 9:26	pH		8.1	S.U.	
8/13/2009 9:50	pH		8.1	S.U.	
8/14/2009 9:53	pH		8.4	S.U.	
8/15/2009 8:20	pH		8.4	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/16/2009 8:03	pH		8.3	S.U.	
8/17/2009 9:14	pH		8.4	S.U.	
8/18/2009 10:04	pH		8.4	S.U.	
8/19/2009 9:36	pH		8.39	S.U.	
8/20/2009 9:24	pH		8.4	S.U.	
8/21/2009 9:54	pH		8.29	S.U.	
8/22/2009 9:15	pH		8	S.U.	
8/23/2009 8:39	pH		305	S.U.	
8/24/2009 9:28	pH		8.2	S.U.	
8/25/2009 9:40	pH		8.28	S.U.	
8/26/2009 9:34	pH		8.2	S.U.	
8/27/2009 9:42	pH		8.15	S.U.	
8/28/2009 9:57	pH		8.2	S.U.	
8/29/2009 8:41	pH		8	S.U.	
8/30/2009 8:28	pH		8.06	S.U.	
8/31/2009 9:31	pH		8.12	S.U.	
9/1/2009 9:51	pH		8.3	S.U.	
9/2/2009 9:48	pH		8.3	S.U.	
9/3/2009 9:45	pH		8.2	S.U.	
9/4/2009 9:11	pH		8.23	S.U.	
9/5/2009 8:10	pH		8.2	S.U.	
9/6/2009 7:15	pH		7.9	S.U.	
9/7/2009 7:54	pH		8	S.U.	
9/8/2009 9:19	pH		8	S.U.	
9/9/2009 9:45	pH		7.9	S.U.	
9/10/2009 10:15	pH		7.99	S.U.	
9/11/2009 9:48	pH		8	S.U.	
9/14/2009 10:16	pH		7.9	S.U.	
9/15/2009 10:40	pH		8.3	S.U.	
9/16/2009 10:32	pH		8	S.U.	
9/17/2009 10:15	pH		8.1	S.U.	
9/21/2009 10:25	pH		7.8	S.U.	
9/22/2009 10:50	pH		7.9	S.U.	
9/23/2009 10:10	pH		8.1	S.U.	
9/24/2009 9:45	pH		7.9	S.U.	
9/28/2009 10:45	pH		7.4	S.U.	
9/29/2009 10:55	pH		7.3	S.U.	
9/30/2009 11:10	pH		7.4	S.U.	
10/1/2009 10:15	pH		7.7	S.U.	
10/5/2009 10:12	pH		7.4	S.U.	
10/6/2009 10:33	pH		7.6	S.U.	
10/7/2009 10:32	pH		7.5	S.U.	
10/8/2009 10:12	pH		7.5	S.U.	
10/12/2009 9:54	pH		7.2	S.U.	
10/13/2009 10:14	pH		7.5	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
10/14/2009 10:20	pH		7.6	S.U.	
10/15/2009 10:20	pH		7.5	S.U.	
10/19/2009 10:30	pH		7.4	S.U.	
10/20/2009 10:35	pH		7.5	S.U.	
10/21/2009 10:15	pH		7.5	S.U.	
10/22/2009 10:18	pH		7.4	S.U.	
10/26/2009 10:12	pH		7.4	S.U.	
10/27/2009 10:15	pH		7.4	S.U.	
10/28/2009 10:30	pH		7.4	S.U.	
10/29/2009 10:10	pH		7.4	S.U.	
5/3/2010 10:35	pH		7.38	S.U.	
5/4/2010 9:41	pH		7.25	S.U.	
5/5/2010 9:51	pH		7.4	S.U.	
5/6/2010 10:23	pH		7.69	S.U.	
5/10/2010 9:58	pH		7.9	S.U.	
5/11/2010 10:05	pH		7.36	S.U.	
5/12/2010 10:16	pH		7.4	S.U.	
5/13/2010 9:59	pH		7.3	S.U.	
5/4/2009 10:37	Turbidity		11.4	NTU	EPA180.1
5/5/2009 9:55	Turbidity		8.24	NTU	EPA180.1
5/6/2009 10:13	Turbidity		8.18	NTU	EPA180.1
5/7/2009 10:35	Turbidity	~	8.49	NTU	EPA180.1
5/11/2009 10:05	Turbidity		8.62	NTU	EPA180.1
5/12/2009 9:56	Turbidity		7.28	NTU	EPA180.1
5/13/2009 9:35	Turbidity		5.38	NTU	EPA180.1
5/14/2009 10:12	Turbidity		9.06	NTU	EPA180.1
5/18/2009 9:22	Turbidity		6.65	NTU	EPA180.1
5/19/2009 8:39	Turbidity		4.43	NTU	EPA180.1
5/20/2009 9:07	Turbidity		5.9	NTU	EPA180.1
5/21/2009 8:58	Turbidity		4.67	NTU	EPA180.1
5/22/2009 8:14	Turbidity		4.94	NTU	EPA180.1
5/23/2009 8:28	Turbidity		5.1	NTU	EPA180.1
5/24/2009 8:30	Turbidity		5.11	NTU	EPA180.1
5/25/2009 8:22	Turbidity		12.3	NTU	EPA180.1
5/26/2009 9:06	Turbidity		14.2	NTU	EPA180.1
5/27/2009 9:02	Turbidity		7.82	NTU	EPA180.1
5/28/2009 8:50	Turbidity		7.7	NTU	EPA180.1
5/29/2009 9:14	Turbidity		23.2	NTU	EPA180.1
5/30/2009 8:50	Turbidity		8.4	NTU	EPA180.1
5/31/2009 9:10	Turbidity		33	NTU	EPA180.1
6/1/2009 9:20	Turbidity		9	NTU	EPA180.1
6/2/2009 10:05	Turbidity		20.7	NTU	EPA180.1
6/3/2009 9:35	Turbidity		5.8	NTU	EPA180.1
6/4/2009 9:50	Turbidity		5.7	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/5/2009 10:05	Turbidity		5.4	NTU	EPA180.1
6/6/2009 8:46	Turbidity		2.2	NTU	EPA180.1
6/7/2009 8:46	Turbidity		2.42	NTU	EPA180.1
6/8/2009 9:38	Turbidity		3.62	NTU	EPA180.1
6/9/2009 9:45	Turbidity		2.82	NTU	EPA180.1
6/10/2009 9:31	Turbidity		2.14	NTU	EPA180.1
6/11/2009 9:40	Turbidity		2.1	NTU	EPA180.1
6/12/2009 9:23	Turbidity		6.75	NTU	EPA180.1
6/13/2009 8:57	Turbidity		2.07	NTU	EPA180.1
6/14/2009 8:55	Turbidity		1.71	NTU	EPA180.1
6/15/2009 10:00	Turbidity		2.51	NTU	EPA180.1
6/16/2009 9:58	Turbidity		2.5	NTU	EPA180.1
6/17/2009 9:42	Turbidity		2.8	NTU	EPA180.1
6/18/2009 9:57	Turbidity		10.2	NTU	EPA180.1
6/19/2009 11:26	Turbidity		2.9	NTU	EPA180.1
6/20/2009 11:19	Turbidity		3.4	NTU	EPA180.1
6/21/2009 8:20	Turbidity		8.7	NTU	EPA180.1
6/22/2009 9:55	Turbidity		1.89	NTU	EPA180.1
6/23/2009 9:33	Turbidity		1.5	NTU	EPA180.1
6/24/2009 10:14	Turbidity		1.84	NTU	EPA180.1
6/25/2009 9:36	Turbidity		1.22	NTU	EPA180.1
6/26/2009 9:30	Turbidity		4	NTU	EPA180.1
6/27/2009 9:02	Turbidity		5	NTU	EPA180.1
6/28/2009 8:19	Turbidity		2.44	NTU	EPA180.1
6/29/2009 9:43	Turbidity		7.71	NTU	EPA180.1
6/30/2009 12:48	Turbidity		12.1	NTU	EPA180.1
7/1/2009 9:47	Turbidity		7.12	NTU	EPA180.1
7/2/2009 10:26	Turbidity		24.2	NTU	EPA180.1
7/3/2009 9:09	Turbidity		25.05	NTU	EPA180.1
7/4/2009 8:55	Turbidity		7.83	NTU	EPA180.1
7/5/2009 10:35	Turbidity		3.85	NTU	EPA180.1
7/6/2009 9:31	Turbidity		2.64	NTU	EPA180.1
7/7/2009 9:35	Turbidity		3.36	NTU	EPA180.1
7/8/2009 9:24	Turbidity		2.17	NTU	EPA180.1
7/9/2009 9:27	Turbidity		1.45	NTU	EPA180.1
7/10/2009 9:15	Turbidity		1.29	NTU	EPA180.1
7/11/2009 6:49	Turbidity		1.9	NTU	EPA180.1
7/12/2009 9:47	Turbidity		2.77	NTU	EPA180.1
7/13/2009 9:28	Turbidity		6.32	NTU	EPA180.1
7/14/2009 9:34	Turbidity		8.83	NTU	EPA180.1
7/15/2009 9:25	Turbidity		1.18	NTU	EPA180.1
7/16/2009 9:39	Turbidity		5.95	NTU	EPA180.1
7/17/2009 9:30	Turbidity		6.5	NTU	EPA180.1
7/18/2009 9:43	Turbidity		16.48	NTU	EPA180.1
7/19/2009 9:20	Turbidity		7.5	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/20/2009 9:42	Turbidity		1.43	NTU	EPA180.1
7/21/2009 9:26	Turbidity		0.91	NTU	EPA180.1
7/22/2009 9:47	Turbidity		1.64	NTU	EPA180.1
7/23/2009 9:28	Turbidity		1.39	NTU	EPA180.1
7/24/2009 9:33	Turbidity		4.63	NTU	EPA180.1
7/25/2009 9:00	Turbidity		0.9	NTU	EPA180.1
7/26/2009 9:00	Turbidity		5.65	NTU	EPA180.1
7/27/2009 9:21	Turbidity		15.3	NTU	EPA180.1
7/28/2009 9:44	Turbidity		2.97	NTU	EPA180.1
7/29/2009 9:16	Turbidity		1.52	NTU	EPA180.1
7/30/2009 9:27	Turbidity		1.03	NTU	EPA180.1
7/31/2009 9:38	Turbidity		2.24	NTU	EPA180.1
8/1/2009 8:41	Turbidity		1.32	NTU	EPA180.1
8/2/2009 8:50	Turbidity		2.39	NTU	EPA180.1
8/3/2009 9:26	Turbidity		2.42	NTU	EPA180.1
8/4/2009 9:49	Turbidity		2.71	NTU	EPA180.1
8/5/2009 10:18	Turbidity		9.78	NTU	EPA180.1
8/6/2009 9:44	Turbidity		2.5	NTU	EPA180.1
8/7/2009 9:44	Turbidity		1.78	NTU	EPA180.1
8/8/2009 8:01	Turbidity		0.6	NTU	EPA180.1
8/9/2009 8:13	Turbidity		6.33	NTU	EPA180.1
8/10/2009 9:29	Turbidity		4.84	NTU	EPA180.1
8/11/2009 9:38	Turbidity		1.68	NTU	EPA180.1
8/12/2009 9:26	Turbidity		8.98	NTU	EPA180.1
8/13/2009 9:50	Turbidity		1.52	NTU	EPA180.1
8/14/2009 9:53	Turbidity		1.6	NTU	EPA180.1
8/15/2009 8:20	Turbidity		1.4	NTU	EPA180.1
8/16/2009 8:03	Turbidity		1.01	NTU	EPA180.1
8/17/2009 9:14	Turbidity		1.2	NTU	EPA180.1
8/18/2009 10:04	Turbidity		7.94	NTU	EPA180.1
8/19/2009 9:36	Turbidity		2.1	NTU	EPA180.1
8/20/2009 9:24	Turbidity		1.36	NTU	EPA180.1
8/21/2009 9:54	Turbidity		10	NTU	EPA180.1
8/22/2009 9:15	Turbidity		2.5	NTU	EPA180.1
8/23/2009 8:39	Turbidity		4.4	NTU	EPA180.1
8/24/2009 9:28	Turbidity		2.4	NTU	EPA180.1
8/25/2009 9:40	Turbidity		1.26	NTU	EPA180.1
8/26/2009 9:34	Turbidity		3	NTU	EPA180.1
8/27/2009 9:42	Turbidity		3.2	NTU	EPA180.1
8/28/2009 9:57	Turbidity		2.14	NTU	EPA180.1
8/29/2009 8:41	Turbidity		9	NTU	EPA180.1
8/30/2009 8:28	Turbidity		18.71	NTU	EPA180.1
8/31/2009 9:31	Turbidity		7.92	NTU	EPA180.1
9/1/2009 9:51	Turbidity		2.05	NTU	EPA180.1
9/2/2009 9:48	Turbidity		4.1	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/3/2009 9:45	Turbidity		2.5	NTU	EPA180.1
9/4/2009 9:11	Turbidity		1.8	NTU	EPA180.1
9/5/2009 8:10	Turbidity		1.1	NTU	EPA180.1
9/6/2009 7:15	Turbidity		1.29	NTU	EPA180.1
9/7/2009 7:54	Turbidity		2.3	NTU	EPA180.1
9/8/2009 9:19	Turbidity		3.1	NTU	EPA180.1
9/9/2009 9:45	Turbidity		2.4	NTU	EPA180.1
9/10/2009 10:15	Turbidity		2.4	NTU	EPA180.1
9/11/2009 9:48	Turbidity		2.7	NTU	EPA180.1
9/14/2009 10:16	Turbidity		4	NTU	EPA180.1
9/15/2009 10:40	Turbidity		13.3	NTU	EPA180.1
9/16/2009 10:32	Turbidity		12.87	NTU	EPA180.1
9/17/2009 10:15	Turbidity		4.8	NTU	EPA180.1
9/21/2009 10:25	Turbidity		2.71	NTU	EPA180.1
9/22/2009 10:50	Turbidity		2.5	NTU	EPA180.1
9/23/2009 10:10	Turbidity		2.5	NTU	EPA180.1
9/24/2009 9:45	Turbidity		5.1	NTU	EPA180.1
9/28/2009 10:45	Turbidity		28.9	NTU	EPA180.1
9/29/2009 10:55	Turbidity		160.8	NTU	EPA180.1
9/30/2009 11:10	Turbidity		95.6	NTU	EPA180.1
10/1/2009 10:15	Turbidity		29.7	NTU	EPA180.1
10/5/2009 10:12	Turbidity		34.7	NTU	EPA180.1
10/6/2009 10:33	Turbidity		5.7	NTU	EPA180.1
10/7/2009 10:32	Turbidity		76.4	NTU	EPA180.1
10/8/2009 10:12	Turbidity		43.2	NTU	EPA180.1
10/12/2009 9:54	Turbidity		6.3	NTU	EPA180.1
10/13/2009 10:14	Turbidity		26.5	NTU	EPA180.1
10/14/2009 10:20	Turbidity		12.6	NTU	EPA180.1
10/15/2009 10:20	Turbidity		18.7	NTU	EPA180.1
10/19/2009 10:30	Turbidity		6.9	NTU	EPA180.1
10/20/2009 10:35	Turbidity		10.7	NTU	EPA180.1
10/21/2009 10:15	Turbidity		2.6	NTU	EPA180.1
10/22/2009 10:18	Turbidity		4.4	NTU	EPA180.1
10/26/2009 10:12	Turbidity		6.74	NTU	EPA180.1
10/27/2009 10:15	Turbidity		4.7	NTU	EPA180.1
10/28/2009 10:30	Turbidity		25.9	NTU	EPA180.1
10/29/2009 10:10	Turbidity		4	NTU	EPA180.1
5/3/2010 10:35	Turbidity		6.4	NTU	EPA180.1
5/4/2010 9:41	Turbidity		8.5	NTU	EPA180.1
5/5/2010 9:51	Turbidity		3.54	NTU	EPA180.1
5/6/2010 10:23	Turbidity		7.32	NTU	EPA180.1
5/10/2010 9:58	Turbidity		17.45	NTU	EPA180.1
5/11/2010 10:05	Turbidity		7.55	NTU	EPA180.1
5/12/2010 10:16	Turbidity		6.91	NTU	EPA180.1
5/13/2010 9:59	Turbidity		11.74	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/1/2009 10:17	E. coli		295	cfu/100mL	EPA1603
6/2/2009 9:45	E. coli		6200	cfu/100mL	EPA1603
6/3/2009 9:12	E. coli		1060	cfu/100mL	EPA1603
6/4/2009 9:30	E. coli		344	cfu/100mL	EPA1603
6/5/2009 9:40	E. coli		345	cfu/100mL	EPA1603
6/8/2009 9:14	E. coli		820	cfu/100mL	EPA1603
6/9/2009 9:22	E. coli		700	cfu/100mL	EPA1603
6/10/2009 9:08	E. coli		275	cfu/100mL	EPA1603
6/11/2009 9:24	E. coli		480	cfu/100mL	EPA1603
6/12/2009 9:05	E. coli		412	cfu/100mL	EPA1603
6/15/2009 9:35	E. coli		440	cfu/100mL	EPA1603
6/16/2009 9:32	E. coli		3700	cfu/100mL	EPA1603
6/17/2009 9:17	E. coli		6200	cfu/100mL	EPA1603
6/18/2009 9:14	E. coli		5400	cfu/100mL	EPA1603
6/22/2009 9:33	E. coli		1060	cfu/100mL	EPA1603
6/23/2009 9:11	E. coli		404	cfu/100mL	EPA1603
6/24/2009 9:46	E. coli		560	cfu/100mL	EPA1603
6/25/2009 9:15	E. coli	EC	1667	cfu/100mL	EPA1603
6/26/2009 9:06	E. coli		1600	cfu/100mL	EPA1603
6/29/2009 9:14	E. coli		520	cfu/100mL	EPA1603
6/30/2009 1:17	E. coli		43000	cfu/100mL	EPA1603
7/1/2009 9:25	E. coli		10400	cfu/100mL	EPA1603
7/2/2009 9:25	E. coli		13800	cfu/100mL	EPA1603
7/6/2009 9:10	E. coli		640	cfu/100mL	EPA1603
7/7/2009 9:16	E. coli		520	cfu/100mL	EPA1603
7/8/2009 9:05	E. coli		560	cfu/100mL	EPA1603
7/9/2009 9:10	E. coli		620	cfu/100mL	EPA1603
7/10/2009 8:57	E. coli		580	cfu/100mL	EPA1603
7/13/2009 9:09	E. coli		1380	cfu/100mL	EPA1603
7/14/2009 9:14	E. coli		700	cfu/100mL	EPA1603
7/15/2009 9:05	E. coli		600	cfu/100mL	EPA1603
7/16/2009 9:20	E. coli		1080	cfu/100mL	EPA1603
7/17/2009 9:10	E. coli		800	cfu/100mL	EPA1603
7/20/2009 9:19	E. coli		500	cfu/100mL	EPA1603
7/21/2009 9:08	E. coli		185	cfu/100mL	EPA1603
7/22/2009 9:27	E. coli		4300	cfu/100mL	EPA1603
7/23/2009 9:06	E. coli	EC	17200	cfu/100mL	EPA1603
7/24/2009 9:12	E. coli		1140	cfu/100mL	EPA1603
7/27/2009 9:02	E. coli		1480	cfu/100mL	EPA1603
7/28/2009 9:23	E. coli		1020	cfu/100mL	EPA1603
7/29/2009 8:56	E. coli		680	cfu/100mL	EPA1603
7/30/2009 9:06	E. coli		460	cfu/100mL	EPA1603
7/31/2009 9:17	E. coli		14600	cfu/100mL	EPA1603
8/3/2009 9:08	E. coli		240	cfu/100mL	EPA1603

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/4/2009 9:30	E. coli		300	cfu/100mL	EPA1603
8/5/2009 9:58	E. coli		640	cfu/100mL	EPA1603
8/6/2009 9:26	E. coli		336	cfu/100mL	EPA1603
8/7/2009 9:24	E. coli		325	cfu/100mL	EPA1603
8/10/2009 9:10	E. coli		1180	cfu/100mL	EPA1603
8/11/2009 9:23	E. coli		3200	cfu/100mL	EPA1603
8/12/2009 9:08	E. coli		760	cfu/100mL	EPA1603
8/13/2009 9:34	E. coli		560	cfu/100mL	EPA1603
8/14/2009 9:30	E. coli		460	cfu/100mL	EPA1603
8/17/2009 8:58	E. coli		2500	cfu/100mL	EPA1603
8/18/2009 9:48	E. coli		547	cfu/100mL	EPA1603
8/19/2009 9:21	E. coli		1040	cfu/100mL	EPA1603
8/20/2009 9:09	E. coli		6600	cfu/100mL	EPA1603
8/21/2009 9:40	E. coli		6400	cfu/100mL	EPA1603
8/24/2009 9:13	E. coli	EC	2054	cfu/100mL	EPA1603
8/25/2009 9:17	E. coli		386	cfu/100mL	EPA1603
8/26/2009 9:13	E. coli		437	cfu/100mL	EPA1603
8/27/2009 9:23	E. coli		5200	cfu/100mL	EPA1603
8/28/2009 9:40	E. coli	EC	19500	cfu/100mL	EPA1603
8/31/2009 9:18	E. coli		520	cfu/100mL	EPA1603
9/1/2009 9:33	E. coli		300	cfu/100mL	EPA1603
9/2/2009 9:31	E. coli		203	cfu/100mL	EPA1603
9/3/2009 9:29	E. coli		327	cfu/100mL	EPA1603
9/4/2009 8:52	E. coli		740	cfu/100mL	EPA1603
9/8/2009 9:02	E. coli		7100	cfu/100mL	EPA1603
9/9/2009 9:30	E. coli		4000	cfu/100mL	EPA1603
9/10/2009 10:00	E. coli		1560	cfu/100mL	EPA1603
9/11/2009 9:34	E. coli		493	cfu/100mL	EPA1603
9/14/2009 9:59	E. coli		220	cfu/100mL	EPA1603
9/15/2009 10:23	E. coli		410	cfu/100mL	EPA1603
9/16/2009 10:17	E. coli		270	cfu/100mL	EPA1603
9/17/2009 10:00	E. coli		607	cfu/100mL	EPA1603
9/21/2009 10:10	E. coli	EC	12000	cfu/100mL	EPA1603
9/22/2009 11:20	E. coli		1533	cfu/100mL	EPA1603
9/23/2009 9:50	E. coli		1040	cfu/100mL	EPA1603
9/24/2009 9:35	E. coli		406	cfu/100mL	EPA1603
9/28/2009 10:20	E. coli		1020	cfu/100mL	EPA1603
9/29/2009 10:30	E. coli		9800	cfu/100mL	EPA1603
9/30/2009 10:45	E. coli		5400	cfu/100mL	EPA1603
10/1/2009 10:00	E. coli		687	cfu/100mL	EPA1603
10/5/2009 9:55	E. coli		2600	cfu/100mL	EPA1603
10/6/2009 10:15	E. coli		343	cfu/100mL	EPA1603
10/7/2009 10:16	E. coli		1120	cfu/100mL	EPA1603
10/8/2009 10:00	E. coli		727	cfu/100mL	EPA1603

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
10/12/2009 9:37	E. coli	EC	46	cfu/100mL	EPA1603
10/13/2009 9:56	E. coli		195	cfu/100mL	EPA1603
10/14/2009 10:05	E. coli		205	cfu/100mL	EPA1603
10/15/2009 10:05	E. coli		177	cfu/100mL	EPA1603
10/19/2009 10:15	E. coli		115	cfu/100mL	EPA1603
10/20/2009 10:20	E. coli		200	cfu/100mL	EPA1603
10/21/2009 10:00	E. coli		180	cfu/100mL	EPA1603
10/22/2009 10:03	E. coli		105	cfu/100mL	EPA1603
10/26/2009 9:55	E. coli		753	cfu/100mL	EPA1603
10/27/2009 10:00	E. coli		263	cfu/100mL	EPA1603
10/28/2009 10:15	E. coli	EC	11500	cfu/100mL	EPA1603
10/29/2009 9:55	E. coli		1280	cfu/100mL	EPA1603
6/1/2009 10:17	Field Cond		1170	uS/cm	SM 2510A
6/2/2009 9:45	Field Cond		884	uS/cm	SM 2510A
6/3/2009 9:12	Field Cond		900	uS/cm	SM 2510A
6/4/2009 9:30	Field Cond		1009	uS/cm	SM 2510A
6/5/2009 9:40	Field Cond		1039	uS/cm	SM 2510A
6/8/2009 9:14	Field Cond		1145	uS/cm	SM 2510A
6/9/2009 9:22	Field Cond		1168	uS/cm	SM 2510A
6/10/2009 9:08	Field Cond		1224	uS/cm	SM 2510A
6/11/2009 9:24	Field Cond		1298	uS/cm	SM 2510A
6/12/2009 9:05	Field Cond		1385	uS/cm	SM 2510A
6/15/2009 9:35	Field Cond		1115	uS/cm	SM 2510A
6/16/2009 9:32	Field Cond		1025	uS/cm	SM 2510A
6/17/2009 9:17	Field Cond		980	uS/cm	SM 2510A
6/18/2009 9:14	Field Cond		1149	uS/cm	SM 2510A
6/22/2009 9:33	Field Cond		912	uS/cm	SM 2510A
6/23/2009 9:11	Field Cond		1061	uS/cm	SM 2510A
6/24/2009 9:46	Field Cond		1075	uS/cm	SM 2510A
6/25/2009 9:15	Field Cond		597	uS/cm	SM 2510A
6/26/2009 9:06	Field Cond		1082	uS/cm	SM 2510A
6/29/2009 9:14	Field Cond		1301	uS/cm	SM 2510A
6/30/2009 1:17	Field Cond		278	uS/cm	SM 2510A
7/1/2009 9:25	Field Cond		551	uS/cm	SM 2510A
7/2/2009 9:25	Field Cond		447	uS/cm	SM 2510A
7/6/2009 9:10	Field Cond		1012	uS/cm	SM 2510A
7/7/2009 9:16	Field Cond		1068	uS/cm	SM 2510A
7/8/2009 9:05	Field Cond		1193	uS/cm	SM 2510A
7/9/2009 9:10	Field Cond		1170	uS/cm	SM 2510A
7/10/2009 8:57	Field Cond		1085	uS/cm	SM 2510A
7/13/2009 9:09	Field Cond		1071	uS/cm	SM 2510A
7/14/2009 9:14	Field Cond		1075	uS/cm	SM 2510A
7/15/2009 9:05	Field Cond		963	uS/cm	SM 2510A

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2009 9:20	Field Cond		1037	uS/cm	SM 2510A
7/17/2009 9:10	Field Cond		1068	uS/cm	SM 2510A
7/20/2009 9:19	Field Cond		1021	uS/cm	SM 2510A
7/21/2009 9:08	Field Cond		873	uS/cm	SM 2510A
7/22/2009 9:27	Field Cond		782	uS/cm	SM 2510A
7/23/2009 9:06	Field Cond		359	uS/cm	SM 2510A
7/24/2009 9:12	Field Cond		651	uS/cm	SM 2510A
7/27/2009 9:02	Field Cond		772	uS/cm	SM 2510A
7/28/2009 9:23	Field Cond		1321	uS/cm	SM 2510A
7/29/2009 8:56	Field Cond		1048	uS/cm	SM 2510A
7/30/2009 9:06	Field Cond		1143	uS/cm	SM 2510A
7/31/2009 9:17	Field Cond		404	uS/cm	SM 2510A
8/3/2009 9:08	Field Cond		1179	uS/cm	SM 2510A
8/4/2009 9:30	Field Cond		1001	uS/cm	SM 2510A
8/5/2009 9:58	Field Cond		868	uS/cm	SM 2510A
8/6/2009 9:26	Field Cond		816	uS/cm	SM 2510A
8/7/2009 9:24	Field Cond		866	uS/cm	SM 2510A
8/10/2009 9:10	Field Cond		862	uS/cm	SM 2510A
8/11/2009 9:23	Field Cond		716	uS/cm	SM 2510A
8/12/2009 9:08	Field Cond		769	uS/cm	SM 2510A
8/13/2009 9:34	Field Cond		814	uS/cm	SM 2510A
8/14/2009 9:30	Field Cond		893	uS/cm	SM 2510A
8/17/2009 8:58	Field Cond		954	uS/cm	SM 2510A
8/18/2009 9:48	Field Cond		1082	uS/cm	SM 2510A
8/19/2009 9:21	Field Cond		1048	uS/cm	SM 2510A
8/20/2009 9:09	Field Cond		903	uS/cm	SM 2510A
8/21/2009 9:40	Field Cond		650	uS/cm	SM 2510A
8/24/2009 9:13	Field Cond		852	uS/cm	SM 2510A
8/25/2009 9:17	Field Cond		965	uS/cm	SM 2510A
8/26/2009 9:13	Field Cond		959	uS/cm	SM 2510A
8/27/2009 9:23	Field Cond		1123	uS/cm	SM 2510A
8/28/2009 9:40	Field Cond		983	uS/cm	SM 2510A
8/31/2009 9:18	Field Cond		300	uS/cm	SM 2510A
9/1/2009 9:33	Field Cond		826	uS/cm	SM 2510A
9/2/2009 9:31	Field Cond		816	uS/cm	SM 2510A
9/3/2009 9:29	Field Cond		830	uS/cm	SM 2510A
9/4/2009 8:52	Field Cond		893	uS/cm	SM 2510A
9/8/2009 9:02	Field Cond		604	uS/cm	SM 2510A
9/9/2009 9:30	Field Cond		587	uS/cm	SM 2510A
9/10/2009 10:00	Field Cond		753	uS/cm	SM 2510A
9/11/2009 9:34	Field Cond		843	uS/cm	SM 2510A
9/14/2009 9:59	Field Cond		970	uS/cm	SM 2510A
9/15/2009 10:23	Field Cond		957	uS/cm	SM 2510A
9/16/2009 10:17	Field Cond		993	uS/cm	SM 2510A

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/17/2009 10:00	Field Cond		995	uS/cm	SM 2510A
9/21/2009 10:10	Field Cond		835	uS/cm	SM 2510A
9/22/2009 11:20	Field Cond		879	uS/cm	SM 2510A
9/23/2009 9:50	Field Cond		864	uS/cm	SM 2510A
9/24/2009 9:35	Field Cond		884	uS/cm	SM 2510A
9/28/2009 10:20	Field Cond		483	uS/cm	SM 2510A
9/29/2009 10:30	Field Cond		378	uS/cm	SM 2510A
9/30/2009 10:45	Field Cond		381	uS/cm	SM 2510A
10/1/2009 10:00	Field Cond		637	uS/cm	SM 2510A
10/5/2009 9:55	Field Cond		539	uS/cm	SM 2510A
10/6/2009 10:15	Field Cond		728	uS/cm	SM 2510A
10/7/2009 10:16	Field Cond		814	uS/cm	SM 2510A
10/8/2009 10:00	Field Cond		880	uS/cm	SM 2510A
10/12/2009 9:37	Field Cond		678	uS/cm	SM 2510A
10/13/2009 9:56	Field Cond		899	uS/cm	SM 2510A
10/14/2009 10:05	Field Cond		957	uS/cm	SM 2510A
10/15/2009 10:05	Field Cond		973	uS/cm	SM 2510A
10/19/2009 10:15	Field Cond		852	uS/cm	SM 2510A
10/20/2009 10:20	Field Cond		895	uS/cm	SM 2510A
10/21/2009 10:00	Field Cond		922	uS/cm	SM 2510A
10/22/2009 10:03	Field Cond		960	uS/cm	SM 2510A
10/26/2009 9:55	Field Cond		842	uS/cm	SM 2510A
10/27/2009 10:00	Field Cond		871	uS/cm	SM 2510A
10/28/2009 10:15	Field Cond		395	uS/cm	SM 2510A
10/29/2009 9:55	Field Cond		640	uS/cm	SM 2510A
6/1/2009 10:17	Field Temp		17.1	C	EPA 170.1
6/2/2009 9:45	Field Temp		15.8	C	EPA 170.1
6/3/2009 9:12	Field Temp		15.2	C	EPA 170.1
6/4/2009 9:30	Field Temp		14.5	C	EPA 170.1
6/5/2009 9:40	Field Temp		16.4	C	EPA 170.1
6/8/2009 9:14	Field Temp		20.7	C	EPA 170.1
6/9/2009 9:22	Field Temp		21.5	C	EPA 170.1
6/10/2009 9:08	Field Temp		20.2	C	EPA 170.1
6/11/2009 9:24	Field Temp		19.4	C	EPA 170.1
6/12/2009 9:05	Field Temp		18.7	C	EPA 170.1
6/15/2009 9:35	Field Temp		19.4	C	EPA 170.1
6/16/2009 9:32	Field Temp		18.3	C	EPA 170.1
6/17/2009 9:17	Field Temp		21	C	EPA 170.1
6/18/2009 9:14	Field Temp		19	C	EPA 170.1
6/22/2009 9:33	Field Temp		20.8	C	EPA 170.1
6/23/2009 9:11	Field Temp		22.7	C	EPA 170.1
6/24/2009 9:46	Field Temp		22.9	C	EPA 170.1
6/25/2009 9:15	Field Temp		21.8	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2009 9:06	Field Temp		23.4	C	EPA 170.1
6/29/2009 9:14	Field Temp		21.7	C	EPA 170.1
6/30/2009 1:17	Field Temp		19.7	C	EPA 170.1
7/1/2009 9:25	Field Temp		17.9	C	EPA 170.1
7/2/2009 9:25	Field Temp		17.4	C	EPA 170.1
7/6/2009 9:10	Field Temp		20	C	EPA 170.1
7/7/2009 9:16	Field Temp		20.3	C	EPA 170.1
7/8/2009 9:05	Field Temp		19.6	C	EPA 170.1
7/9/2009 9:10	Field Temp		19.7	C	EPA 170.1
7/10/2009 8:57	Field Temp		20.6	C	EPA 170.1
7/13/2009 9:09	Field Temp		20.1	C	EPA 170.1
7/14/2009 9:14	Field Temp		22.3	C	EPA 170.1
7/15/2009 9:05	Field Temp		19.2	C	EPA 170.1
7/16/2009 9:20	Field Temp		21.4	C	EPA 170.1
7/17/2009 9:10	Field Temp		21	C	EPA 170.1
7/20/2009 9:19	Field Temp		20	C	EPA 170.1
7/21/2009 9:08	Field Temp		21	C	EPA 170.1
7/22/2009 9:27	Field Temp		19.7	C	EPA 170.1
7/23/2009 9:06	Field Temp		19	C	EPA 170.1
7/24/2009 9:12	Field Temp		19.7	C	EPA 170.1
7/27/2009 9:02	Field Temp		20.5	C	EPA 170.1
7/28/2009 9:23	Field Temp		21.8	C	EPA 170.1
7/29/2009 8:56	Field Temp		21.5	C	EPA 170.1
7/30/2009 9:06	Field Temp		21.3	C	EPA 170.1
7/31/2009 9:17	Field Temp		20.2	C	EPA 170.1
8/3/2009 9:08	Field Temp		20	C	EPA 170.1
8/4/2009 9:30	Field Temp		21.8	C	EPA 170.1
8/5/2009 9:58	Field Temp		20.7	C	EPA 170.1
8/7/2009 9:24	Field Temp		18.8	C	EPA 170.1
8/10/2009 9:10	Field Temp		24.2	C	EPA 170.1
8/11/2009 9:23	Field Temp		23.9	C	EPA 170.1
8/12/2009 9:08	Field Temp		22.8	C	EPA 170.1
8/13/2009 9:34	Field Temp		22.4	C	EPA 170.1
8/14/2009 9:30	Field Temp		22.8	C	EPA 170.1
8/17/2009 8:58	Field Temp		24.1	C	EPA 170.1
8/18/2009 9:48	Field Temp		24.6	C	EPA 170.1
8/19/2009 9:21	Field Temp		24.6	C	EPA 170.1
8/20/2009 9:09	Field Temp		23.4	C	EPA 170.1
8/21/2009 9:40	Field Temp		23.2	C	EPA 170.1
8/24/2009 9:13	Field Temp		20.9	C	EPA 170.1
8/25/2009 9:17	Field Temp		20.5	C	EPA 170.1
8/26/2009 9:13	Field Temp		21.8	C	EPA 170.1
8/27/2009 9:23	Field Temp		21.5	C	EPA 170.1
8/28/2009 9:40	Field Temp		20.8	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/31/2009 9:18	Field Temp		21.5	C	EPA 170.1
9/1/2009 9:33	Field Temp		16	C	EPA 170.1
9/2/2009 9:31	Field Temp		17	C	EPA 170.1
9/3/2009 9:29	Field Temp		18	C	EPA 170.1
9/4/2009 8:52	Field Temp		18.1	C	EPA 170.1
9/8/2009 9:02	Field Temp		19.6	C	EPA 170.1
9/9/2009 9:30	Field Temp		19.9	C	EPA 170.1
9/10/2009 10:00	Field Temp		20.7	C	EPA 170.1
9/11/2009 9:34	Field Temp		18.9	C	EPA 170.1
9/14/2009 9:59	Field Temp		19.6	C	EPA 170.1
9/15/2009 10:23	Field Temp		21.5	C	EPA 170.1
9/16/2009 10:17	Field Temp		18.6	C	EPA 170.1
9/17/2009 10:00	Field Temp		17.9	C	EPA 170.1
9/21/2009 10:10	Field Temp		19.3	C	EPA 170.1
9/22/2009 11:20	Field Temp		21	C	EPA 170.1
9/23/2009 9:50	Field Temp		21.2	C	EPA 170.1
9/24/2009 9:35	Field Temp		20.8	C	EPA 170.1
9/28/2009 10:20	Field Temp		17.1	C	EPA 170.1
9/29/2009 10:30	Field Temp		14.2	C	EPA 170.1
9/30/2009 10:45	Field Temp		14.7	C	EPA 170.1
10/1/2009 10:00	Field Temp		12.5	C	EPA 170.1
10/5/2009 9:55	Field Temp		12.7	C	EPA 170.1
10/6/2009 10:15	Field Temp		12.6	C	EPA 170.1
10/7/2009 10:16	Field Temp		13.3	C	EPA 170.1
10/8/2009 10:00	Field Temp		13.3	C	EPA 170.1
10/12/2009 9:37	Field Temp		12	C	EPA 170.1
10/13/2009 9:56	Field Temp		11.4	C	EPA 170.1
10/14/2009 10:05	Field Temp		10	C	EPA 170.1
10/15/2009 10:05	Field Temp		9.6	C	EPA 170.1
10/19/2009 10:15	Field Temp		8.1	C	EPA 170.1
10/20/2009 10:20	Field Temp		9.8	C	EPA 170.1
10/21/2009 10:00	Field Temp		12	C	EPA 170.1
10/22/2009 10:03	Field Temp		12.4	C	EPA 170.1
10/26/2009 9:55	Field Temp		9.9	C	EPA 170.1
10/27/2009 10:00	Field Temp		12	C	EPA 170.1
10/28/2009 10:15	Field Temp		12.8	C	EPA 170.1
10/29/2009 9:55	Field Temp		11.7	C	EPA 170.1
6/1/2009 10:17	pH		7.9	S.U.	
6/2/2009 9:45	pH		7.8	S.U.	
6/3/2009 9:12	pH		7.2	S.U.	
6/4/2009 9:30	pH		7.3	S.U.	
6/5/2009 9:40	pH		8.1	S.U.	
6/8/2009 9:14	pH		7.75	S.U.	

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/9/2009 9:22	pH		7.79	S.U.	
6/10/2009 9:08	pH		7.9	S.U.	
6/11/2009 9:24	pH		7.2	S.U.	
6/12/2009 9:05	pH		6.91	S.U.	
6/15/2009 9:35	pH		7.15	S.U.	
6/16/2009 9:32	pH		8.13	S.U.	
6/17/2009 9:17	pH		7.8	S.U.	
6/18/2009 9:14	pH		7.1	S.U.	
6/22/2009 9:33	pH		8.01	S.U.	
6/23/2009 9:11	pH		6.88	S.U.	
6/24/2009 9:46	pH		7.6	S.U.	
6/25/2009 9:15	pH		6.8	S.U.	
6/26/2009 9:06	pH		7.9	S.U.	
6/29/2009 9:14	pH		6.8	S.U.	
6/30/2009 1:17	pH		7	S.U.	
7/1/2009 9:25	pH		7.8	S.U.	
7/2/2009 9:25	pH		7.7	S.U.	
7/6/2009 9:10	pH		6.7	S.U.	
7/7/2009 9:16	pH		7.28	S.U.	
7/8/2009 9:05	pH		7.7	S.U.	
7/9/2009 9:10	pH		6.63	S.U.	
7/10/2009 8:57	pH		7.9	S.U.	
7/13/2009 9:09	pH		6.9	S.U.	
7/14/2009 9:14	pH		6.3	S.U.	
7/15/2009 9:05	pH		7.7	S.U.	
7/16/2009 9:20	pH		7.7	S.U.	
7/17/2009 9:10	pH		7.6	S.U.	
7/20/2009 9:19	pH		8	S.U.	
7/21/2009 9:08	pH		7.9	S.U.	
7/22/2009 9:27	pH		7.1	S.U.	
7/23/2009 9:06	pH		7.3	S.U.	
7/24/2009 9:12	pH		8	S.U.	
7/27/2009 9:02	pH		7.9	S.U.	
7/28/2009 9:23	pH		8	S.U.	
7/29/2009 8:56	pH		7.4	S.U.	
7/30/2009 9:06	pH		7.9	S.U.	
7/31/2009 9:17	pH		7.7	S.U.	
8/3/2009 9:08	pH		7.9	S.U.	
8/4/2009 9:30	pH		8	S.U.	
8/5/2009 9:58	pH		7.6	S.U.	
8/6/2009 9:26	pH		8.1	S.U.	
8/7/2009 9:24	pH		8	S.U.	
8/10/2009 9:10	pH		7.8	S.U.	
8/11/2009 9:23	pH		8	S.U.	

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/12/2009 9:08	pH		7.8	S.U.	
8/13/2009 9:34	pH		7.9	S.U.	
8/14/2009 9:30	pH		7.9	S.U.	
8/17/2009 8:58	pH		7.73	S.U.	
8/18/2009 9:48	pH		7.93	S.U.	
8/19/2009 9:21	pH		7.77	S.U.	
8/20/2009 9:09	pH		7.98	S.U.	
8/21/2009 9:40	pH		7.96	S.U.	
8/24/2009 9:13	pH		7.9	S.U.	
8/25/2009 9:17	pH		7.92	S.U.	
8/26/2009 9:13	pH		7.85	S.U.	
8/27/2009 9:23	pH		7.7	S.U.	
8/28/2009 9:40	pH		7.5	S.U.	
8/31/2009 9:18	pH		8.2	S.U.	
9/1/2009 9:33	pH		7.8	S.U.	
9/2/2009 9:31	pH		7.83	S.U.	
9/3/2009 9:29	pH		7.8	S.U.	
9/4/2009 8:52	pH		7.67	S.U.	
9/8/2009 9:02	pH		7.5	S.U.	
9/9/2009 9:30	pH		7.4	S.U.	
9/10/2009 10:00	pH		7.64	S.U.	
9/11/2009 9:34	pH		7.7	S.U.	
9/14/2009 9:59	pH		7.7	S.U.	
9/15/2009 10:23	pH		8.1	S.U.	
9/16/2009 10:17	pH		7.77	S.U.	
9/17/2009 10:00	pH		7.7	S.U.	
9/21/2009 10:10	pH		7.5	S.U.	
9/22/2009 11:20	pH		7.9	S.U.	
9/23/2009 9:50	pH		7.6	S.U.	
9/24/2009 9:35	pH		7.5	S.U.	
9/28/2009 10:20	pH		7.3	S.U.	
9/29/2009 10:30	pH		7.7	S.U.	
9/30/2009 10:45	pH		7.4	S.U.	
10/1/2009 10:00	pH		7.7	S.U.	
10/5/2009 9:55	pH		7.3	S.U.	
10/6/2009 10:15	pH		7.5	S.U.	
10/7/2009 10:16	pH		7.5	S.U.	
10/8/2009 10:00	pH		7.4	S.U.	
10/12/2009 9:37	pH		7.3	S.U.	
10/13/2009 9:56	pH		7.5	S.U.	
10/14/2009 10:05	pH		7.6	S.U.	
10/15/2009 10:05	pH		7.6	S.U.	
10/19/2009 10:15	pH		7.5	S.U.	
10/20/2009 10:20	pH		7.5	S.U.	

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
10/21/2009 10:00	pH		7.5	S.U.	
10/22/2009 10:03	pH		7.5	S.U.	
10/26/2009 9:55	pH		7.4	S.U.	
10/27/2009 10:00	pH		7.4	S.U.	
10/28/2009 10:15	pH		7.4	S.U.	
10/29/2009 9:55	pH		7.5	S.U.	
6/1/2009 10:17	Turbidity		2.3	NTU	EPA180.1
6/2/2009 9:45	Turbidity		29.5	NTU	EPA180.1
6/3/2009 9:12	Turbidity		2.5	NTU	EPA180.1
6/4/2009 9:30	Turbidity		1.8	NTU	EPA180.1
6/5/2009 9:40	Turbidity		2.3	NTU	EPA180.1
6/8/2009 9:14	Turbidity		4.65	NTU	EPA180.1
6/9/2009 9:22	Turbidity		3.08	NTU	EPA180.1
6/10/2009 9:08	Turbidity		1.78	NTU	EPA180.1
6/11/2009 9:24	Turbidity		1.47	NTU	EPA180.1
6/12/2009 9:05	Turbidity		1.83	NTU	EPA180.1
6/15/2009 9:35	Turbidity		2.15	NTU	EPA180.1
6/16/2009 9:32	Turbidity		2.1	NTU	EPA180.1
6/17/2009 9:17	Turbidity		1.6	NTU	EPA180.1
6/18/2009 9:14	Turbidity		2.5	NTU	EPA180.1
6/22/2009 9:33	Turbidity		2.37	NTU	EPA180.1
6/23/2009 9:11	Turbidity		1.7	NTU	EPA180.1
6/24/2009 9:46	Turbidity		1.62	NTU	EPA180.1
6/26/2009 9:06	Turbidity		8.13	NTU	EPA180.1
6/29/2009 9:14	Turbidity		3.57	NTU	EPA180.1
6/30/2009 1:17	Turbidity		678	NTU	EPA180.1
7/1/2009 9:25	Turbidity		22.46	NTU	EPA180.1
7/2/2009 9:25	Turbidity		138.4	NTU	EPA180.1
7/6/2009 9:10	Turbidity		2.93	NTU	EPA180.1
7/7/2009 9:16	Turbidity		3.2	NTU	EPA180.1
7/8/2009 9:05	Turbidity		1.82	NTU	EPA180.1
7/9/2009 9:10	Turbidity		1.34	NTU	EPA180.1
7/10/2009 8:57	Turbidity		1.61	NTU	EPA180.1
7/13/2009 9:09	Turbidity		1.32	NTU	EPA180.1
7/14/2009 9:14	Turbidity		1.64	NTU	EPA180.1
7/15/2009 9:05	Turbidity		1.46	NTU	EPA180.1
7/16/2009 9:20	Turbidity		1.01	NTU	EPA180.1
7/17/2009 9:10	Turbidity		1.68	NTU	EPA180.1
7/20/2009 9:19	Turbidity		1.67	NTU	EPA180.1
7/21/2009 9:08	Turbidity		25.28	NTU	EPA180.1
7/22/2009 9:27	Turbidity		3.21	NTU	EPA180.1
7/23/2009 9:06	Turbidity		27.7	NTU	EPA180.1
7/24/2009 9:12	Turbidity		4.97	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/27/2009 9:02	Turbidity		4.56	NTU	EPA180.1
7/28/2009 9:23	Turbidity		1.76	NTU	EPA180.1
7/29/2009 8:56	Turbidity		1.63	NTU	EPA180.1
7/30/2009 9:06	Turbidity		1.56	NTU	EPA180.1
7/31/2009 9:17	Turbidity		22	NTU	EPA180.1
8/3/2009 9:08	Turbidity		1.53	NTU	EPA180.1
8/4/2009 9:30	Turbidity		1.55	NTU	EPA180.1
8/5/2009 9:58	Turbidity		1.98	NTU	EPA180.1
8/6/2009 9:26	Turbidity		1.57	NTU	EPA180.1
8/7/2009 9:24	Turbidity		2.39	NTU	EPA180.1
8/10/2009 9:10	Turbidity		1.64	NTU	EPA180.1
8/11/2009 9:23	Turbidity		5.19	NTU	EPA180.1
8/12/2009 9:08	Turbidity		5.37	NTU	EPA180.1
8/13/2009 9:34	Turbidity		3.88	NTU	EPA180.1
8/14/2009 9:30	Turbidity		2	NTU	EPA180.1
8/17/2009 8:58	Turbidity		2.1	NTU	EPA180.1
8/18/2009 9:48	Turbidity		1.87	NTU	EPA180.1
8/19/2009 9:21	Turbidity		2	NTU	EPA180.1
8/20/2009 9:09	Turbidity		1.96	NTU	EPA180.1
8/21/2009 9:40	Turbidity		6.13	NTU	EPA180.1
8/24/2009 9:13	Turbidity		1.8	NTU	EPA180.1
8/25/2009 9:17	Turbidity		1.81	NTU	EPA180.1
8/26/2009 9:13	Turbidity		1.6	NTU	EPA180.1
8/27/2009 9:23	Turbidity		2.1	NTU	EPA180.1
8/28/2009 9:40	Turbidity		4.59	NTU	EPA180.1
8/31/2009 9:18	Turbidity		1.41	NTU	EPA180.1
9/1/2009 9:33	Turbidity		1.09	NTU	EPA180.1
9/2/2009 9:31	Turbidity		1.4	NTU	EPA180.1
9/3/2009 9:29	Turbidity		1.6	NTU	EPA180.1
9/4/2009 8:52	Turbidity		3.2	NTU	EPA180.1
9/8/2009 9:02	Turbidity		11.6	NTU	EPA180.1
9/9/2009 9:30	Turbidity		8.7	NTU	EPA180.1
9/10/2009 10:00	Turbidity		2.3	NTU	EPA180.1
9/11/2009 9:34	Turbidity		1.9	NTU	EPA180.1
9/14/2009 9:59	Turbidity		1.5	NTU	EPA180.1
9/15/2009 10:23	Turbidity		1.3	NTU	EPA180.1
9/16/2009 10:17	Turbidity		1.6	NTU	EPA180.1
9/17/2009 10:00	Turbidity		1.9	NTU	EPA180.1
9/21/2009 10:10	Turbidity		8.57	NTU	EPA180.1
9/22/2009 11:20	Turbidity		3	NTU	EPA180.1
9/23/2009 9:50	Turbidity		1.6	NTU	EPA180.1
9/24/2009 9:35	Turbidity		1.3	NTU	EPA180.1
9/28/2009 10:20	Turbidity		44	NTU	EPA180.1
9/29/2009 10:30	Turbidity		107.2	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/30/2009 10:45	Turbidity		45.8	NTU	EPA180.1
10/1/2009 10:00	Turbidity		5	NTU	EPA180.1
10/5/2009 9:55	Turbidity		10.8	NTU	EPA180.1
10/6/2009 10:15	Turbidity		3.1	NTU	EPA180.1
10/7/2009 10:16	Turbidity		3.6	NTU	EPA180.1
10/8/2009 10:00	Turbidity		1.4	NTU	EPA180.1
10/12/2009 9:37	Turbidity		13.1	NTU	EPA180.1
10/13/2009 9:56	Turbidity		1.4	NTU	EPA180.1
10/14/2009 10:05	Turbidity		1.3	NTU	EPA180.1
10/15/2009 10:05	Turbidity		1.4	NTU	EPA180.1
10/19/2009 10:15	Turbidity		1.5	NTU	EPA180.1
10/20/2009 10:20	Turbidity		0.9	NTU	EPA180.1
10/21/2009 10:00	Turbidity		0.8	NTU	EPA180.1
10/22/2009 10:03	Turbidity		0.9	NTU	EPA180.1
10/26/2009 9:55	Turbidity		0.97	NTU	EPA180.1
10/27/2009 10:00	Turbidity		0.7	NTU	EPA180.1
10/28/2009 10:15	Turbidity		104.4	NTU	EPA180.1
10/29/2009 9:55	Turbidity		4.6	NTU	EPA180.1