

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/11/2010 9:18	E. coli		20	cfu/100mL	EPA1603
5/12/2010 9:15	E. coli		120	cfu/100mL	EPA1603
5/13/2010 9:05	E. coli	EC	44	cfu/100mL	EPA1603
5/17/2010 8:40	E. coli		80	cfu/100mL	EPA1603
5/18/2010 9:01	E. coli		1220	cfu/100mL	EPA1603
5/19/2010 8:38	E. coli		310	cfu/100mL	EPA1603
5/20/2010 8:53	E. coli		63	cfu/100mL	EPA1603
5/21/2010 8:38	E. coli	EC	35	cfu/100mL	EPA1603
5/22/2010 8:05	E. coli		72	cfu/100mL	EPA1603
5/23/2010 7:57	E. coli		194	cfu/100mL	EPA1603
5/24/2010 8:35	E. coli		58	cfu/100mL	EPA1603
5/25/2010 8:20	E. coli		74	cfu/100mL	EPA1603
5/26/2010 8:31	E. coli		175	cfu/100mL	EPA1603
5/27/2010 8:42	E. coli		107	cfu/100mL	EPA1603
5/28/2010 8:40	E. coli		585	cfu/100mL	EPA1603
5/29/2010 7:39	E. coli		1	cfu/100mL	EPA1603
5/30/2010 8:17	E. coli		18	cfu/100mL	EPA1603
5/31/2010 7:51	E. coli		25	cfu/100mL	EPA1603
6/1/2010 8:18	E. coli		59	cfu/100mL	EPA1603
6/2/2010 8:40	E. coli	EC	20	cfu/100mL	EPA1603
6/3/2010 8:35	E. coli		50	cfu/100mL	EPA1603
6/4/2010 8:47	E. coli		46	cfu/100mL	EPA1603
6/5/2010 8:13	E. coli	EC	20	cfu/100mL	EPA1603
6/6/2010 8:51	E. coli		3250	cfu/100mL	EPA1603
6/7/2010 8:40	E. coli		740	cfu/100mL	EPA1603
6/8/2010 8:37	E. coli		195	cfu/100mL	EPA1603
6/9/2010 8:20	E. coli		57	cfu/100mL	EPA1603
6/10/2010 8:24	E. coli		41	cfu/100mL	EPA1603
6/11/2010 8:41	E. coli		11	cfu/100mL	EPA1603
6/12/2010 8:07	E. coli		15	cfu/100mL	EPA1603
6/13/2010 8:10	E. coli		21	cfu/100mL	EPA1603
6/14/2010 8:29	E. coli	EC	85	cfu/100mL	EPA1603
6/15/2010 8:31	E. coli		27	cfu/100mL	EPA1603
6/16/2010 8:45	E. coli		25	cfu/100mL	EPA1603
6/17/2010 8:35	E. coli		104	cfu/100mL	EPA1603
6/18/2010 8:25	E. coli		17	cfu/100mL	EPA1603
6/19/2010 7:24	E. coli		57	cfu/100mL	EPA1603
6/20/2010 7:26	E. coli		20	cfu/100mL	EPA1603
6/21/2010 8:33	E. coli		22	cfu/100mL	EPA1603
6/22/2010 8:38	E. coli		22	cfu/100mL	EPA1603
6/23/2010 8:45	E. coli		8	cfu/100mL	EPA1603
6/24/2010 8:25	E. coli		125	cfu/100mL	EPA1603
6/25/2010 8:35	E. coli		32	cfu/100mL	EPA1603
6/26/2010 8:40	E. coli		8	cfu/100mL	EPA1603
6/27/2010 7:58	E. coli		13	cfu/100mL	EPA1603
6/28/2010 8:38	E. coli		255	cfu/100mL	EPA1603
6/29/2010 8:32	E. coli		240	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/30/2010 8:38	E. coli		125	cfu/100mL	EPA1603
7/1/2010 8:36	E. coli		11	cfu/100mL	EPA1603
7/2/2010 8:25	E. coli		34	cfu/100mL	EPA1603
7/3/2010 7:30	E. coli		12	cfu/100mL	EPA1603
7/4/2010 7:31	E. coli		44	cfu/100mL	EPA1603
7/5/2010 7:30	E. coli		14	cfu/100mL	EPA1603
7/6/2010 8:37	E. coli		24	cfu/100mL	EPA1603
7/7/2010 8:36	E. coli		23	cfu/100mL	EPA1603
7/8/2010 8:30	E. coli		8	cfu/100mL	EPA1603
7/9/2010 8:32	E. coli		170	cfu/100mL	EPA1603
7/10/2010 7:55	E. coli	EC	18	cfu/100mL	EPA1603
7/11/2010 8:20	E. coli		17	cfu/100mL	EPA1603
7/12/2010 8:43	E. coli		262	cfu/100mL	EPA1603
7/13/2010 8:24	E. coli		56	cfu/100mL	EPA1603
7/13/2010 12:25	E. coli		78	cfu/100mL	EPA1603
7/14/2010 8:37	E. coli		70	cfu/100mL	EPA1603
7/14/2010 13:52	E. coli		210	cfu/100mL	EPA1603
7/15/2010 8:41	E. coli		23	cfu/100mL	EPA1603
7/16/2010 8:32	E. coli		268	cfu/100mL	EPA1603
7/17/2010 8:09	E. coli		150	cfu/100mL	EPA1603
7/18/2010 8:11	E. coli		56	cfu/100mL	EPA1603
7/19/2010 8:30	E. coli		185	cfu/100mL	EPA1603
7/20/2010 8:26	E. coli		10	cfu/100mL	EPA1603
7/21/2010 8:17	E. coli		36	cfu/100mL	EPA1603
7/22/2010 8:26	E. coli		45	cfu/100mL	EPA1603
7/23/2010 8:22	E. coli		33	cfu/100mL	EPA1603
7/24/2010 7:28	E. coli	EC	81	cfu/100mL	EPA1603
7/25/2010 8:05	E. coli	EC	31	cfu/100mL	EPA1603
7/26/2010 8:33	E. coli		45	cfu/100mL	EPA1603
7/27/2010 8:43	E. coli		23	cfu/100mL	EPA1603
7/28/2010 8:40	E. coli		28	cfu/100mL	EPA1603
7/29/2010 8:38	E. coli		177	cfu/100mL	EPA1603
7/30/2010 8:23	E. coli		21	cfu/100mL	EPA1603
7/31/2010 7:50	E. coli	EC	14	cfu/100mL	EPA1603
8/1/2010 7:56	E. coli	EC	12	cfu/100mL	EPA1603
8/2/2010 8:36	E. coli		17	cfu/100mL	EPA1603
8/3/2010 8:25	E. coli		22	cfu/100mL	EPA1603
8/4/2010 8:45	E. coli		27	cfu/100mL	EPA1603
8/5/2010 8:35	E. coli		285	cfu/100mL	EPA1603
8/6/2010 8:35	E. coli		324	cfu/100mL	EPA1603
8/7/2010 8:01	E. coli		22	cfu/100mL	EPA1603
8/8/2010 7:50	E. coli	EC	22	cfu/100mL	EPA1603
8/9/2010 8:26	E. coli		44	cfu/100mL	EPA1603
8/10/2010 8:32	E. coli		34	cfu/100mL	EPA1603
8/11/2010 8:24	E. coli		12	cfu/100mL	EPA1603
8/12/2010 8:40	E. coli		165	cfu/100mL	EPA1603
8/13/2010 8:41	E. coli		288	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/14/2010 7:35	E. coli		40	cfu/100mL	EPA1603
8/15/2010 7:38	E. coli		116	cfu/100mL	EPA1603
8/16/2010 8:40	E. coli		2200	cfu/100mL	EPA1603
8/17/2010 8:32	E. coli		45	cfu/100mL	EPA1603
8/18/2010 8:35	E. coli		30	cfu/100mL	EPA1603
8/19/2010 8:31	E. coli		14	cfu/100mL	EPA1603
8/20/2010 8:20	E. coli		50	cfu/100mL	EPA1603
8/21/2010 8:16	E. coli		29	cfu/100mL	EPA1603
8/22/2010 8:10	E. coli		6700	cfu/100mL	EPA1603
8/23/2010 8:55	E. coli		215	cfu/100mL	EPA1603
8/24/2010 8:32	E. coli		84	cfu/100mL	EPA1603
8/25/2010 8:44	E. coli		40	cfu/100mL	EPA1603
8/26/2010 8:14	E. coli		142	cfu/100mL	EPA1603
8/27/2010 8:41	E. coli		34	cfu/100mL	EPA1603
8/28/2010 7:46	E. coli		5	cfu/100mL	EPA1603
8/29/2010 7:50	E. coli		19	cfu/100mL	EPA1603
8/30/2010 8:23	E. coli		33	cfu/100mL	EPA1603
8/31/2010 8:43	E. coli		26	cfu/100mL	EPA1603
9/1/2010 8:30	E. coli		28	cfu/100mL	EPA1603
9/2/2010 8:36	E. coli		35	cfu/100mL	EPA1603
9/3/2010 8:06	E. coli		21	cfu/100mL	EPA1603
9/4/2010 7:46	E. coli		275	cfu/100mL	EPA1603
9/5/2010 8:04	E. coli		170	cfu/100mL	EPA1603
9/6/2010 8:02	E. coli		46	cfu/100mL	EPA1603
9/7/2010 8:17	E. coli		45	cfu/100mL	EPA1603
9/8/2010 8:26	E. coli		240	cfu/100mL	EPA1603
9/9/2010 8:20	E. coli		115	cfu/100mL	EPA1603
9/10/2010 8:23	E. coli		90	cfu/100mL	EPA1603
9/13/2010 8:30	E. coli		105	cfu/100mL	EPA1603
9/14/2010 8:27	E. coli		175	cfu/100mL	EPA1603
9/15/2010 8:20	E. coli		52	cfu/100mL	EPA1603
9/16/2010 8:25	E. coli		33	cfu/100mL	EPA1603
9/20/2010 8:33	E. coli		25	cfu/100mL	EPA1603
9/21/2010 9:04	E. coli		30	cfu/100mL	EPA1603
9/22/2010 8:25	E. coli		110	cfu/100mL	EPA1603
9/23/2010 8:41	E. coli		67	cfu/100mL	EPA1603
9/27/2010 8:20	E. coli		39	cfu/100mL	EPA1603
9/28/2010 8:55	E. coli		480	cfu/100mL	EPA1603
9/29/2010 8:24	E. coli		400	cfu/100mL	EPA1603
9/30/2010 8:42	E. coli		105	cfu/100mL	EPA1603
10/4/2010 8:35	E. coli	EC	40	cfu/100mL	EPA1603
10/7/2010 8:39	E. coli		170	cfu/100mL	EPA1603
10/11/2010 8:37	E. coli		47	cfu/100mL	EPA1603
10/12/2010 8:30	E. coli		78	cfu/100mL	EPA1603
10/13/2010 8:53	E. coli		27	cfu/100mL	EPA1603
10/14/2010 8:35	E. coli		215	cfu/100mL	EPA1603
10/18/2010 9:01	E. coli		47	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/19/2010 10:02	E. coli		65	cfu/100mL	EPA1603
10/20/2010 8:53	E. coli		56	cfu/100mL	EPA1603
10/25/2010 8:55	E. coli		99	cfu/100mL	EPA1603
10/26/2010 8:30	E. coli		375	cfu/100mL	EPA1603
10/27/2010 8:38	E. coli		280	cfu/100mL	EPA1603
10/28/2010 8:32	E. coli		175	cfu/100mL	EPA1603
5/11/2010 9:18	Field Cond		340	uS/cm	SM 2510A
5/12/2010 9:15	Field Cond		362	uS/cm	SM 2510A
5/13/2010 9:05	Field Cond		390	uS/cm	SM 2510A
5/17/2010 8:40	Field Cond		398	uS/cm	SM 2510A
5/18/2010 9:01	Field Cond		327	uS/cm	SM 2510A
5/19/2010 8:38	Field Cond		325	uS/cm	SM 2510A
5/20/2010 8:53	Field Cond		390	uS/cm	SM 2510A
5/21/2010 8:38	Field Cond		4.68	uS/cm	SM 2510A
5/22/2010 8:05	Field Cond		320	uS/cm	SM 2510A
5/23/2010 7:57	Field Cond		307	uS/cm	SM 2510A
5/24/2010 8:35	Field Cond		301	uS/cm	SM 2510A
5/25/2010 8:20	Field Cond		280	uS/cm	SM 2510A
5/26/2010 8:31	Field Cond		321	uS/cm	SM 2510A
5/27/2010 8:42	Field Cond		370	uS/cm	SM 2510A
5/28/2010 8:40	Field Cond		367	uS/cm	SM 2510A
5/29/2010 7:39	Field Cond		330	uS/cm	SM 2510A
5/30/2010 8:17	Field Cond		321	uS/cm	SM 2510A
5/31/2010 7:51	Field Cond		294	uS/cm	SM 2510A
6/1/2010 8:18	Field Cond		290	uS/cm	SM 2510A
6/2/2010 8:40	Field Cond		289	uS/cm	SM 2510A
6/3/2010 8:35	Field Cond		285	uS/cm	SM 2510A
6/4/2010 8:47	Field Cond		299	uS/cm	SM 2510A
6/5/2010 8:13	Field Cond		305	uS/cm	SM 2510A
6/6/2010 8:51	Field Cond		296	uS/cm	SM 2510A
6/7/2010 8:40	Field Cond		315	uS/cm	SM 2510A
6/8/2010 8:37	Field Cond		322	uS/cm	SM 2510A
6/9/2010 8:20	Field Cond		316	uS/cm	SM 2510A
6/10/2010 8:24	Field Cond		293	uS/cm	SM 2510A
6/11/2010 8:41	Field Cond		227	uS/cm	SM 2510A
6/12/2010 8:07	Field Cond		269	uS/cm	SM 2510A
6/13/2010 8:10	Field Cond		273	uS/cm	SM 2510A
6/14/2010 8:29	Field Cond		286	uS/cm	SM 2510A
6/15/2010 8:31	Field Cond		257	uS/cm	SM 2510A
6/16/2010 8:45	Field Cond		288	uS/cm	SM 2510A
6/17/2010 8:35	Field Cond		261	uS/cm	SM 2510A
6/18/2010 8:25	Field Cond		318	uS/cm	SM 2510A
6/19/2010 7:24	Field Cond		271	uS/cm	SM 2510A
6/20/2010 7:26	Field Cond		292	uS/cm	SM 2510A
6/21/2010 8:33	Field Cond		296	uS/cm	SM 2510A
6/22/2010 8:38	Field Cond		299	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/23/2010 8:45	Field Cond		290	uS/cm	SM 2510A
6/24/2010 8:25	Field Cond		266	uS/cm	SM 2510A
6/25/2010 8:35	Field Cond		267	uS/cm	SM 2510A
6/26/2010 8:40	Field Cond		272	uS/cm	SM 2510A
6/27/2010 7:58	Field Cond		268	uS/cm	SM 2510A
6/28/2010 8:38	Field Cond		271	uS/cm	SM 2510A
6/29/2010 8:32	Field Cond		288	uS/cm	SM 2510A
6/30/2010 8:38	Field Cond		306	uS/cm	SM 2510A
7/1/2010 8:36	Field Cond		292	uS/cm	SM 2510A
7/2/2010 8:25	Field Cond		282	uS/cm	SM 2510A
7/3/2010 7:30	Field Cond		310	uS/cm	SM 2510A
7/4/2010 7:31	Field Cond		318	uS/cm	SM 2510A
7/6/2010 8:37	Field Cond		308	uS/cm	SM 2510A
7/7/2010 8:36	Field Cond		344	uS/cm	SM 2510A
7/8/2010 8:30	Field Cond		319	uS/cm	SM 2510A
7/9/2010 8:32	Field Cond		363	uS/cm	SM 2510A
7/10/2010 7:55	Field Cond		335	uS/cm	SM 2510A
7/11/2010 8:20	Field Cond		294	uS/cm	SM 2510A
7/12/2010 8:43	Field Cond		317	uS/cm	SM 2510A
7/13/2010 8:24	Field Cond		363	uS/cm	SM 2510A
7/14/2010 8:37	Field Cond		359	uS/cm	SM 2510A
7/15/2010 8:41	Field Cond		344	uS/cm	SM 2510A
7/16/2010 8:32	Field Cond		304	uS/cm	SM 2510A
7/17/2010 8:09	Field Cond		319	uS/cm	SM 2510A
7/18/2010 8:11	Field Cond		352	uS/cm	SM 2510A
7/19/2010 8:30	Field Cond		348	uS/cm	SM 2510A
7/20/2010 8:26	Field Cond		320	uS/cm	SM 2510A
7/21/2010 8:17	Field Cond		303	uS/cm	SM 2510A
7/22/2010 8:26	Field Cond		316	uS/cm	SM 2510A
7/23/2010 8:22	Field Cond		306	uS/cm	SM 2510A
7/24/2010 7:28	Field Cond		293	uS/cm	SM 2510A
7/25/2010 8:05	Field Cond		296	uS/cm	SM 2510A
7/26/2010 8:33	Field Cond		274	uS/cm	SM 2510A
7/27/2010 8:43	Field Cond		313	uS/cm	SM 2510A
7/28/2010 8:40	Field Cond		305	uS/cm	SM 2510A
7/29/2010 8:38	Field Cond		363	uS/cm	SM 2510A
7/30/2010 8:23	Field Cond		308	uS/cm	SM 2510A
7/31/2010 7:50	Field Cond		365	uS/cm	SM 2510A
8/1/2010 7:56	Field Cond		411	uS/cm	SM 2510A
8/2/2010 8:36	Field Cond		389	uS/cm	SM 2510A
8/3/2010 8:25	Field Cond		355	uS/cm	SM 2510A
8/5/2010 8:35	Field Cond		289	uS/cm	SM 2510A
8/6/2010 8:35	Field Cond		299	uS/cm	SM 2510A
8/7/2010 8:01	Field Cond		316	uS/cm	SM 2510A
8/8/2010 7:50	Field Cond		310	uS/cm	SM 2510A
8/9/2010 8:26	Field Cond		319	uS/cm	SM 2510A
8/10/2010 8:32	Field Cond		323	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/11/2010 8:24	Field Cond		326	uS/cm	SM 2510A
8/12/2010 8:40	Field Cond		354	uS/cm	SM 2510A
8/13/2010 8:41	Field Cond		344	uS/cm	SM 2510A
8/14/2010 7:35	Field Cond		300	uS/cm	SM 2510A
8/15/2010 7:38	Field Cond		301	uS/cm	SM 2510A
8/16/2010 8:40	Field Cond		288	uS/cm	SM 2510A
8/17/2010 8:32	Field Cond		379	uS/cm	SM 2510A
8/18/2010 8:35	Field Cond		342	uS/cm	SM 2510A
8/19/2010 8:31	Field Cond		332	uS/cm	SM 2510A
8/20/2010 8:20	Field Cond		272	uS/cm	SM 2510A
8/21/2010 8:16	Field Cond		282	uS/cm	SM 2510A
8/22/2010 8:10	Field Cond		362	uS/cm	SM 2510A
8/23/2010 8:55	Field Cond		312	uS/cm	SM 2510A
8/24/2010 8:32	Field Cond		436	uS/cm	SM 2510A
8/25/2010 8:44	Field Cond		290	uS/cm	SM 2510A
8/26/2010 8:14	Field Cond		300	uS/cm	SM 2510A
8/27/2010 8:41	Field Cond		285	uS/cm	SM 2510A
8/28/2010 7:46	Field Cond		290	uS/cm	SM 2510A
8/29/2010 7:50	Field Cond		317	uS/cm	SM 2510A
8/30/2010 8:23	Field Cond		319	uS/cm	SM 2510A
8/31/2010 8:43	Field Cond		308	uS/cm	SM 2510A
9/1/2010 8:30	Field Cond		340	uS/cm	SM 2510A
9/2/2010 8:36	Field Cond		338	uS/cm	SM 2510A
9/3/2010 8:06	Field Cond		315	uS/cm	SM 2510A
9/4/2010 7:46	Field Cond		311	uS/cm	SM 2510A
9/5/2010 8:04	Field Cond		266	uS/cm	SM 2510A
9/6/2010 8:02	Field Cond		295	uS/cm	SM 2510A
9/7/2010 8:17	Field Cond		298	uS/cm	SM 2510A
9/8/2010 8:26	Field Cond		301	uS/cm	SM 2510A
9/9/2010 8:20	Field Cond		289	uS/cm	SM 2510A
9/10/2010 8:23	Field Cond		318	uS/cm	SM 2510A
9/13/2010 8:30	Field Cond		291	uS/cm	SM 2510A
9/14/2010 8:27	Field Cond		288	uS/cm	SM 2510A
9/15/2010 8:20	Field Cond		293	uS/cm	SM 2510A
9/16/2010 8:25	Field Cond		358	uS/cm	SM 2510A
9/20/2010 8:33	Field Cond		401	uS/cm	SM 2510A
9/21/2010 9:04	Field Cond		449	uS/cm	SM 2510A
9/22/2010 8:25	Field Cond		364	uS/cm	SM 2510A
9/23/2010 8:41	Field Cond		347	uS/cm	SM 2510A
9/27/2010 8:20	Field Cond		285	uS/cm	SM 2510A
9/28/2010 8:55	Field Cond		319	uS/cm	SM 2510A
9/29/2010 8:24	Field Cond		288	uS/cm	SM 2510A
9/30/2010 8:42	Field Cond		300	uS/cm	SM 2510A
10/4/2010 8:35	Field Cond		291	uS/cm	SM 2510A
10/7/2010 8:39	Field Cond		301	uS/cm	SM 2510A
10/11/2010 8:37	Field Cond		296	uS/cm	SM 2510A
10/12/2010 8:30	Field Cond		333	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/13/2010 8:53	Field Cond		302	uS/cm	SM 2510A
10/14/2010 8:35	Field Cond		297	uS/cm	SM 2510A
10/18/2010 9:01	Field Cond		279	uS/cm	SM 2510A
10/19/2010 10:02	Field Cond		281	uS/cm	SM 2510A
10/20/2010 8:53	Field Cond		276	uS/cm	SM 2510A
10/25/2010 8:55	Field Cond		286	uS/cm	SM 2510A
10/26/2010 8:30	Field Cond		288	uS/cm	SM 2510A
10/27/2010 8:38	Field Cond		273	uS/cm	SM 2510A
10/28/2010 8:32	Field Cond		280	uS/cm	SM 2510A
5/11/2010 9:18	Field Temp		13.5	C	EPA 170.1
5/12/2010 9:15	Field Temp		12.4	C	EPA 170.1
5/13/2010 9:05	Field Temp		13.5	C	EPA 170.1
5/17/2010 8:40	Field Temp		14.5	C	EPA 170.1
5/18/2010 9:01	Field Temp		13.6	C	EPA 170.1
5/19/2010 8:38	Field Temp		13.4	C	EPA 170.1
5/20/2010 8:53	Field Temp		15	C	EPA 170.1
5/21/2010 8:38	Field Temp		15.4	C	EPA 170.1
5/22/2010 8:05	Field Temp		14	C	EPA 170.1
5/23/2010 7:57	Field Temp		15.3	C	EPA 170.1
5/24/2010 8:35	Field Temp		15.5	C	EPA 170.1
5/25/2010 8:20	Field Temp		15.1	C	EPA 170.1
5/26/2010 8:31	Field Temp		17.1	C	EPA 170.1
5/27/2010 8:42	Field Temp		21.3	C	EPA 170.1
5/28/2010 8:40	Field Temp		22.3	C	EPA 170.1
5/29/2010 7:39	Field Temp		22	C	EPA 170.1
5/30/2010 8:17	Field Temp		23.2	C	EPA 170.1
5/31/2010 7:51	Field Temp		20.8	C	EPA 170.1
6/1/2010 8:18	Field Temp		21.8	C	EPA 170.1
6/2/2010 8:40	Field Temp		21.5	C	EPA 170.1
6/3/2010 8:35	Field Temp		20.5	C	EPA 170.1
6/4/2010 8:47	Field Temp		21.8	C	EPA 170.1
6/5/2010 8:13	Field Temp		21.4	C	EPA 170.1
6/6/2010 8:51	Field Temp		20.7	C	EPA 170.1
6/7/2010 8:40	Field Temp		21.1	C	EPA 170.1
6/8/2010 8:37	Field Temp		20.1	C	EPA 170.1
6/9/2010 8:20	Field Temp		19.1	C	EPA 170.1
6/10/2010 8:24	Field Temp		20.5	C	EPA 170.1
6/11/2010 8:41	Field Temp		20.8	C	EPA 170.1
6/12/2010 8:07	Field Temp		20.5	C	EPA 170.1
6/13/2010 8:10	Field Temp		21.5	C	EPA 170.1
6/14/2010 8:29	Field Temp		21.7	C	EPA 170.1
6/15/2010 8:31	Field Temp		21.2	C	EPA 170.1
6/16/2010 8:45	Field Temp		19.8	C	EPA 170.1
6/17/2010 8:35	Field Temp		19.2	C	EPA 170.1
6/18/2010 8:25	Field Temp		19.6	C	EPA 170.1
6/19/2010 7:24	Field Temp		21.4	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/20/2010 7:26	Field Temp		22	C	EPA 170.1
6/21/2010 8:33	Field Temp		23.3	C	EPA 170.1
6/22/2010 8:38	Field Temp		22.6	C	EPA 170.1
6/23/2010 8:45	Field Temp		23.8	C	EPA 170.1
6/24/2010 8:25	Field Temp		22.6	C	EPA 170.1
6/25/2010 8:35	Field Temp		23.6	C	EPA 170.1
6/26/2010 8:40	Field Temp		23.6	C	EPA 170.1
6/27/2010 7:58	Field Temp		23.6	C	EPA 170.1
6/28/2010 8:38	Field Temp		24	C	EPA 170.1
6/29/2010 8:32	Field Temp		22.4	C	EPA 170.1
6/30/2010 8:38	Field Temp		21.3	C	EPA 170.1
7/1/2010 8:36	Field Temp		23	C	EPA 170.1
7/2/2010 8:25	Field Temp		22.8	C	EPA 170.1
7/3/2010 7:30	Field Temp		22.9	C	EPA 170.1
7/4/2010 7:31	Field Temp		23.3	C	EPA 170.1
7/5/2010 7:30	Field Temp		23.2	C	EPA 170.1
7/6/2010 8:37	Field Temp		23.5	C	EPA 170.1
7/7/2010 8:36	Field Temp		24.6	C	EPA 170.1
7/8/2010 8:30	Field Temp		25.5	C	EPA 170.1
7/9/2010 8:32	Field Temp		26.9	C	EPA 170.1
7/10/2010 7:55	Field Temp		25	C	EPA 170.1
7/11/2010 8:20	Field Temp		24.9	C	EPA 170.1
7/12/2010 8:43	Field Temp		25	C	EPA 170.1
7/13/2010 8:24	Field Temp		25.1	C	EPA 170.1
7/14/2010 8:37	Field Temp		25.1	C	EPA 170.1
7/15/2010 8:41	Field Temp		25.3	C	EPA 170.1
7/16/2010 8:32	Field Temp		25.6	C	EPA 170.1
7/17/2010 8:09	Field Temp		25.6	C	EPA 170.1
7/18/2010 8:11	Field Temp		26	C	EPA 170.1
7/19/2010 8:30	Field Temp		25.4	C	EPA 170.1
7/20/2010 8:26	Field Temp		25.5	C	EPA 170.1
7/21/2010 8:17	Field Temp		25.5	C	EPA 170.1
7/22/2010 8:26	Field Temp		25.2	C	EPA 170.1
7/23/2010 8:22	Field Temp		25.9	C	EPA 170.1
7/24/2010 7:28	Field Temp		25.6	C	EPA 170.1
7/25/2010 8:05	Field Temp		26.1	C	EPA 170.1
7/26/2010 8:33	Field Temp		24.8	C	EPA 170.1
7/27/2010 8:43	Field Temp		25.8	C	EPA 170.1
7/28/2010 8:40	Field Temp		25.7	C	EPA 170.1
7/29/2010 8:38	Field Temp		25	C	EPA 170.1
7/30/2010 8:23	Field Temp		24.8	C	EPA 170.1
7/31/2010 7:50	Field Temp		25.1	C	EPA 170.1
8/1/2010 7:56	Field Temp		25.4	C	EPA 170.1
8/2/2010 8:36	Field Temp		25.3	C	EPA 170.1
8/3/2010 8:25	Field Temp		25.7	C	EPA 170.1
8/4/2010 8:45	Field Temp		25.3	C	EPA 170.1
8/5/2010 8:35	Field Temp		25.9	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/6/2010 8:35	Field Temp		25	C	EPA 170.1
8/7/2010 8:01	Field Temp		25.2	C	EPA 170.1
8/8/2010 7:50	Field Temp		25.5	C	EPA 170.1
8/9/2010 8:26	Field Temp		25.2	C	EPA 170.1
8/10/2010 8:32	Field Temp		26.2	C	EPA 170.1
8/11/2010 8:24	Field Temp		26.8	C	EPA 170.1
8/12/2010 8:40	Field Temp		26.5	C	EPA 170.1
8/13/2010 8:41	Field Temp		26	C	EPA 170.1
8/14/2010 7:35	Field Temp		22	C	EPA 170.1
8/15/2010 7:38	Field Temp		24.5	C	EPA 170.1
8/16/2010 8:40	Field Temp		25.2	C	EPA 170.1
8/17/2010 8:32	Field Temp		24.6	C	EPA 170.1
8/18/2010 8:35	Field Temp		24.8	C	EPA 170.1
8/19/2010 8:31	Field Temp		24.5	C	EPA 170.1
8/20/2010 8:20	Field Temp		26	C	EPA 170.1
8/21/2010 8:16	Field Temp		25.8	C	EPA 170.1
8/22/2010 8:10	Field Temp		24.2	C	EPA 170.1
8/23/2010 8:55	Field Temp		24.2	C	EPA 170.1
8/24/2010 8:32	Field Temp		24.2	C	EPA 170.1
8/25/2010 8:44	Field Temp		23.7	C	EPA 170.1
8/26/2010 8:14	Field Temp		23.4	C	EPA 170.1
8/27/2010 8:41	Field Temp		23.5	C	EPA 170.1
8/28/2010 7:46	Field Temp		23.5	C	EPA 170.1
8/29/2010 7:50	Field Temp		23.3	C	EPA 170.1
8/30/2010 8:23	Field Temp		23.7	C	EPA 170.1
8/31/2010 8:43	Field Temp		24	C	EPA 170.1
9/1/2010 8:30	Field Temp		24.4	C	EPA 170.1
9/2/2010 8:36	Field Temp		24.3	C	EPA 170.1
9/3/2010 8:06	Field Temp		24.3	C	EPA 170.1
9/4/2010 7:46	Field Temp		21.9	C	EPA 170.1
9/5/2010 8:04	Field Temp		19.8	C	EPA 170.1
9/6/2010 8:02	Field Temp		21	C	EPA 170.1
9/7/2010 8:17	Field Temp		20.6	C	EPA 170.1
9/8/2010 8:26	Field Temp		19.7	C	EPA 170.1
9/9/2010 8:20	Field Temp		18.6	C	EPA 170.1
9/10/2010 8:23	Field Temp		19.2	C	EPA 170.1
9/13/2010 8:30	Field Temp		19.3	C	EPA 170.1
9/14/2010 8:27	Field Temp		19.9	C	EPA 170.1
9/15/2010 8:20	Field Temp		20	C	EPA 170.1
9/16/2010 8:25	Field Temp		19.2	C	EPA 170.1
9/20/2010 8:33	Field Temp		19.5	C	EPA 170.1
9/21/2010 9:04	Field Temp		18.5	C	EPA 170.1
9/22/2010 8:25	Field Temp		19.8	C	EPA 170.1
9/23/2010 8:41	Field Temp		20.5	C	EPA 170.1
9/27/2010 8:20	Field Temp		18.8	C	EPA 170.1
9/28/2010 8:55	Field Temp		17.3	C	EPA 170.1
9/29/2010 8:24	Field Temp		17.4	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/30/2010 8:42	Field Temp		17.7	C	EPA 170.1
10/4/2010 8:35	Field Temp		16.7	C	EPA 170.1
10/7/2010 8:39	Field Temp		15.3	C	EPA 170.1
10/11/2010 8:37	Field Temp		16.8	C	EPA 170.1
10/12/2010 8:30	Field Temp		16.4	C	EPA 170.1
10/13/2010 8:53	Field Temp		15	C	EPA 170.1
10/14/2010 8:35	Field Temp		16.3	C	EPA 170.1
10/18/2010 9:01	Field Temp		14.2	C	EPA 170.1
10/19/2010 10:02	Field Temp		13.1	C	EPA 170.1
10/20/2010 8:53	Field Temp		13.1	C	EPA 170.1
10/25/2010 8:55	Field Temp		13.5	C	EPA 170.1
10/26/2010 8:30	Field Temp		13.8	C	EPA 170.1
10/27/2010 8:38	Field Temp		12.7	C	EPA 170.1
10/28/2010 8:32	Field Temp		12.5	C	EPA 170.1
5/11/2010 9:18	pH		7.05	S.U.	
5/12/2010 9:15	pH		7.27	S.U.	
5/13/2010 9:05	pH		6.93	S.U.	
5/17/2010 8:40	pH		6.9	S.U.	
5/18/2010 9:01	pH		6.94	S.U.	
5/19/2010 8:38	pH		7.6	S.U.	
5/20/2010 8:53	pH		6.8	S.U.	
5/21/2010 8:38	pH		6.78	S.U.	
5/22/2010 8:05	pH		7.16	S.U.	
5/23/2010 7:57	pH		7.11	S.U.	
5/24/2010 8:35	pH		7.49	S.U.	
5/25/2010 8:20	pH		6.86	S.U.	
5/26/2010 8:31	pH		8.33	S.U.	
5/27/2010 8:42	pH		8.6	S.U.	
5/28/2010 8:40	pH		8.63	S.U.	
5/29/2010 7:39	pH		8.43	S.U.	
5/30/2010 8:17	pH		8.75	S.U.	
5/31/2010 7:51	pH		7.5	S.U.	
6/1/2010 8:18	pH		8.81	S.U.	
6/2/2010 8:40	pH		8.99	S.U.	
6/3/2010 8:35	pH		8.64	S.U.	
6/4/2010 8:47	pH		8.79	S.U.	
6/5/2010 8:13	pH		10.24	S.U.	
6/6/2010 8:51	pH		8.48	S.U.	
6/7/2010 8:40	pH		6.81	S.U.	
6/8/2010 8:37	pH		8.55	S.U.	
6/9/2010 8:20	pH		8.26	S.U.	
6/10/2010 8:24	pH		8.35	S.U.	
6/11/2010 8:41	pH		8.21	S.U.	
6/12/2010 8:07	pH		8.27	S.U.	
6/13/2010 8:10	pH		8.1	S.U.	
6/14/2010 8:29	pH		7.96	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/15/2010 8:31	pH		8.2	S.U.	
6/16/2010 8:45	pH		8.05	S.U.	
6/17/2010 8:35	pH		8.05	S.U.	
6/18/2010 8:25	pH		8.1	S.U.	
6/19/2010 7:24	pH		8.38	S.U.	
6/20/2010 7:26	pH		8.19	S.U.	
6/21/2010 8:33	pH		8.23	S.U.	
6/22/2010 8:38	pH		8.35	S.U.	
6/23/2010 8:45	pH		8.34	S.U.	
6/24/2010 8:25	pH		8.37	S.U.	
6/25/2010 8:35	pH		8.36	S.U.	
6/26/2010 8:40	pH		8.33	S.U.	
6/27/2010 7:58	pH		8.21	S.U.	
6/28/2010 8:38	pH		8.33	S.U.	
6/29/2010 8:32	pH		7.94	S.U.	
6/30/2010 8:38	pH		7.9	S.U.	
7/1/2010 8:36	pH		8.25	S.U.	
7/2/2010 8:25	pH		8.47	S.U.	
7/3/2010 7:30	pH		8.7	S.U.	
7/4/2010 7:31	pH		8.76	S.U.	
7/5/2010 7:30	pH		8.43	S.U.	
7/6/2010 8:37	pH		8.29	S.U.	
7/7/2010 8:36	pH		8.32	S.U.	
7/8/2010 8:30	pH		8.46	S.U.	
7/9/2010 8:32	pH		8.43	S.U.	
7/10/2010 7:55	pH		8.39	S.U.	
7/11/2010 8:20	pH		8.49	S.U.	
7/12/2010 8:43	pH		8.17	S.U.	
7/13/2010 8:24	pH		8.13	S.U.	
7/14/2010 8:37	pH		8.25	S.U.	
7/15/2010 8:41	pH		8.24	S.U.	
7/16/2010 8:32	pH		8.21	S.U.	
7/17/2010 8:09	pH		8.15	S.U.	
7/18/2010 8:11	pH		8.15	S.U.	
7/19/2010 8:30	pH		8.4	S.U.	
7/20/2010 8:26	pH		8.2	S.U.	
7/21/2010 8:17	pH		8.45	S.U.	
7/22/2010 8:26	pH		8.28	S.U.	
7/23/2010 8:22	pH		8.23	S.U.	
7/24/2010 7:28	pH		8.15	S.U.	
7/25/2010 8:05	pH		8.21	S.U.	
7/26/2010 8:33	pH		7.7	S.U.	
7/27/2010 8:43	pH		8.07	S.U.	
7/28/2010 8:40	pH		8.2	S.U.	
7/29/2010 8:38	pH		7.72	S.U.	
7/30/2010 8:23	pH		8.08	S.U.	
7/31/2010 7:50	pH		8.24	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/1/2010 7:56	pH		8	S.U.	
8/2/2010 8:36	pH		8.19	S.U.	
8/3/2010 8:25	pH		8.1	S.U.	
8/4/2010 8:45	pH		8.24	S.U.	
8/5/2010 8:35	pH		7.44	S.U.	
8/6/2010 8:35	pH		8.42	S.U.	
8/7/2010 8:01	pH		8.68	S.U.	
8/8/2010 7:50	pH		8.9	S.U.	
8/9/2010 8:26	pH		8.94	S.U.	
8/10/2010 8:32	pH		8.87	S.U.	
8/11/2010 8:24	pH		8.79	S.U.	
8/12/2010 8:40	pH		8.68	S.U.	
8/13/2010 8:41	pH		8.46	S.U.	
8/14/2010 7:35	pH		7.47	S.U.	
8/15/2010 7:38	pH		8.06	S.U.	
8/16/2010 8:40	pH		8.32	S.U.	
8/17/2010 8:32	pH		8.3	S.U.	
8/18/2010 8:35	pH		8.53	S.U.	
8/19/2010 8:31	pH		8.11	S.U.	
8/20/2010 8:20	pH		8.73	S.U.	
8/21/2010 8:16	pH		8.47	S.U.	
8/22/2010 8:10	pH		7.74	S.U.	
8/23/2010 8:55	pH		8.22	S.U.	
8/24/2010 8:32	pH		7.87	S.U.	
8/25/2010 8:44	pH		8.32	S.U.	
8/26/2010 8:14	pH		8.2	S.U.	
8/27/2010 8:41	pH		8.59	S.U.	
8/28/2010 7:46	pH		8.7	S.U.	
8/29/2010 7:50	pH		8.17	S.U.	
8/30/2010 8:23	pH		8.62	S.U.	
8/31/2010 8:43	pH		8.46	S.U.	
9/1/2010 8:30	pH		8.12	S.U.	
9/2/2010 8:36	pH		8.33	S.U.	
9/3/2010 8:06	pH		7.23	S.U.	
9/4/2010 7:46	pH		7.96	S.U.	
9/5/2010 8:04	pH		8.12	S.U.	
9/6/2010 8:02	pH		9	S.U.	
9/7/2010 8:17	pH		8.38	S.U.	
9/8/2010 8:26	pH		7.99	S.U.	
9/9/2010 8:20	pH		7.98	S.U.	
9/10/2010 8:23	pH		8.04	S.U.	
9/13/2010 8:30	pH		8.05	S.U.	
9/14/2010 8:27	pH		8.24	S.U.	
9/15/2010 8:20	pH		8.2	S.U.	
9/16/2010 8:25	pH		8	S.U.	
9/20/2010 8:33	pH		7.91	S.U.	
9/21/2010 9:04	pH		7.98	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/22/2010 8:25	pH		8.24	S.U.	
9/23/2010 8:41	pH		8.2	S.U.	
9/27/2010 8:20	pH		7.46	S.U.	
9/28/2010 8:55	pH		7.9	S.U.	
9/29/2010 8:24	pH		7.8	S.U.	
9/30/2010 8:42	pH		7.51	S.U.	
10/4/2010 8:35	pH		7.77	S.U.	
10/7/2010 8:39	pH		7.26	S.U.	
10/11/2010 8:37	pH		7.6	S.U.	
10/12/2010 8:30	pH		7.78	S.U.	
10/13/2010 8:53	pH		7.85	S.U.	
10/14/2010 8:35	pH		7.41	S.U.	
10/18/2010 9:01	pH		7.58	S.U.	
10/19/2010 10:02	pH		7.85	S.U.	
10/20/2010 8:53	pH		7.84	S.U.	
10/25/2010 8:55	pH		7.75	S.U.	
10/26/2010 8:30	pH		7.98	S.U.	
10/27/2010 8:38	pH		7.71	S.U.	
10/28/2010 8:32	pH		7.7	S.U.	
5/11/2010 9:18	Turbidity		13.045	NTU	EPA180.1
5/12/2010 9:15	Turbidity		22.91	NTU	EPA180.1
5/13/2010 9:05	Turbidity		6.07	NTU	EPA180.1
5/17/2010 8:40	Turbidity		15.7	NTU	EPA180.1
5/18/2010 9:01	Turbidity		37.1	NTU	EPA180.1
5/19/2010 8:38	Turbidity		20.5	NTU	EPA180.1
5/20/2010 8:53	Turbidity		5.82	NTU	EPA180.1
5/21/2010 8:38	Turbidity		4.32	NTU	EPA180.1
5/22/2010 8:05	Turbidity		3.11	NTU	EPA180.1
5/23/2010 7:57	Turbidity		1.78	NTU	EPA180.1
5/24/2010 8:35	Turbidity		2.72	NTU	EPA180.1
5/25/2010 8:20	Turbidity		3.62	NTU	EPA180.1
5/26/2010 8:31	Turbidity		4.22	NTU	EPA180.1
5/27/2010 8:42	Turbidity		3.21	NTU	EPA180.1
5/28/2010 8:40	Turbidity		17.7	NTU	EPA180.1
5/29/2010 7:39	Turbidity		2	NTU	EPA180.1
5/30/2010 8:17	Turbidity		6.09	NTU	EPA180.1
5/31/2010 7:51	Turbidity		5.22	NTU	EPA180.1
6/1/2010 8:18	Turbidity		7.45	NTU	EPA180.1
6/2/2010 8:40	Turbidity		3.49	NTU	EPA180.1
6/3/2010 8:35	Turbidity		5.205	NTU	EPA180.1
6/4/2010 8:47	Turbidity		3.09	NTU	EPA180.1
6/5/2010 8:13	Turbidity		4.34	NTU	EPA180.1
6/6/2010 8:51	Turbidity		26.8	NTU	EPA180.1
6/7/2010 8:40	Turbidity		26	NTU	EPA180.1
6/8/2010 8:37	Turbidity		12.7	NTU	EPA180.1
6/9/2010 8:20	Turbidity		8.6	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/10/2010 8:24	Turbidity		7.78	NTU	EPA180.1
6/11/2010 8:41	Turbidity		4.09	NTU	EPA180.1
6/12/2010 8:07	Turbidity		4.36	NTU	EPA180.1
6/13/2010 8:10	Turbidity		3.39	NTU	EPA180.1
6/14/2010 8:29	Turbidity		8.09	NTU	EPA180.1
6/15/2010 8:31	Turbidity		3.28	NTU	EPA180.1
6/16/2010 8:45	Turbidity		25.7	NTU	EPA180.1
6/17/2010 8:35	Turbidity		38	NTU	EPA180.1
6/18/2010 8:25	Turbidity		6.34	NTU	EPA180.1
6/19/2010 7:24	Turbidity		4.91	NTU	EPA180.1
6/20/2010 7:26	Turbidity		4.85	NTU	EPA180.1
6/21/2010 8:33	Turbidity		10.68	NTU	EPA180.1
6/22/2010 8:38	Turbidity		3.12	NTU	EPA180.1
6/23/2010 8:45	Turbidity		2.58	NTU	EPA180.1
6/24/2010 8:25	Turbidity		10.7	NTU	EPA180.1
6/25/2010 8:35	Turbidity		6.56	NTU	EPA180.1
6/26/2010 8:40	Turbidity		3.67	NTU	EPA180.1
6/27/2010 7:58	Turbidity		2.08	NTU	EPA180.1
6/28/2010 8:38	Turbidity		7.26	NTU	EPA180.1
6/29/2010 8:32	Turbidity		14.7	NTU	EPA180.1
6/30/2010 8:38	Turbidity		12.85	NTU	EPA180.1
7/1/2010 8:36	Turbidity		7.64	NTU	EPA180.1
7/2/2010 8:25	Turbidity		7.07	NTU	EPA180.1
7/3/2010 7:30	Turbidity		4.82	NTU	EPA180.1
7/4/2010 7:31	Turbidity		5.25	NTU	EPA180.1
7/5/2010 7:30	Turbidity		6.88	NTU	EPA180.1
7/6/2010 8:37	Turbidity		4.6	NTU	EPA180.1
7/7/2010 8:36	Turbidity		2.11	NTU	EPA180.1
7/8/2010 8:30	Turbidity		3.34	NTU	EPA180.1
7/9/2010 8:32	Turbidity		6	NTU	EPA180.1
7/10/2010 7:55	Turbidity		3	NTU	EPA180.1
7/11/2010 8:20	Turbidity		3.36	NTU	EPA180.1
7/12/2010 8:43	Turbidity		3.87	NTU	EPA180.1
7/13/2010 8:24	Turbidity		2.1	NTU	EPA180.1
7/14/2010 8:37	Turbidity		3.51	NTU	EPA180.1
7/15/2010 8:41	Turbidity		3.31	NTU	EPA180.1
7/16/2010 8:32	Turbidity		13.05	NTU	EPA180.1
7/17/2010 8:09	Turbidity		14	NTU	EPA180.1
7/18/2010 8:11	Turbidity		9.45	NTU	EPA180.1
7/19/2010 8:30	Turbidity		5.7	NTU	EPA180.1
7/20/2010 8:26	Turbidity		1.94	NTU	EPA180.1
7/21/2010 8:17	Turbidity		6.63	NTU	EPA180.1
7/22/2010 8:26	Turbidity		7.6	NTU	EPA180.1
7/23/2010 8:22	Turbidity		11.75	NTU	EPA180.1
7/24/2010 7:28	Turbidity		16.7	NTU	EPA180.1
7/25/2010 8:05	Turbidity		8.03	NTU	EPA180.1
7/26/2010 8:33	Turbidity		6.26	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/27/2010 8:43	Turbidity		2.74	NTU	EPA180.1
7/28/2010 8:40	Turbidity		2.87	NTU	EPA180.1
7/29/2010 8:38	Turbidity		38	NTU	EPA180.1
7/30/2010 8:23	Turbidity		5.77	NTU	EPA180.1
7/31/2010 7:50	Turbidity		3.45	NTU	EPA180.1
8/1/2010 7:56	Turbidity		3.6	NTU	EPA180.1
8/2/2010 8:36	Turbidity		5.94	NTU	EPA180.1
8/3/2010 8:25	Turbidity		5.42	NTU	EPA180.1
8/4/2010 8:45	Turbidity		3.17	NTU	EPA180.1
8/5/2010 8:35	Turbidity		7.76	NTU	EPA180.1
8/6/2010 8:35	Turbidity		29.2	NTU	EPA180.1
8/7/2010 8:01	Turbidity		8.84	NTU	EPA180.1
8/8/2010 7:50	Turbidity		3.56	NTU	EPA180.1
8/9/2010 8:26	Turbidity		4.27	NTU	EPA180.1
8/10/2010 8:32	Turbidity		3.63	NTU	EPA180.1
8/11/2010 8:24	Turbidity		2.92	NTU	EPA180.1
8/12/2010 8:40	Turbidity		4.21	NTU	EPA180.1
8/13/2010 8:41	Turbidity		5.92	NTU	EPA180.1
8/14/2010 7:35	Turbidity		4.61	NTU	EPA180.1
8/15/2010 7:38	Turbidity		3.64	NTU	EPA180.1
8/16/2010 8:40	Turbidity		39.6	NTU	EPA180.1
8/17/2010 8:32	Turbidity		13.9	NTU	EPA180.1
8/18/2010 8:35	Turbidity		4.92	NTU	EPA180.1
8/19/2010 8:31	Turbidity		3.34	NTU	EPA180.1
8/20/2010 8:20	Turbidity		2.64	NTU	EPA180.1
8/21/2010 8:16	Turbidity		5.14	NTU	EPA180.1
8/22/2010 8:10	Turbidity		20.8	NTU	EPA180.1
8/23/2010 8:55	Turbidity		31	NTU	EPA180.1
8/24/2010 8:32	Turbidity		4.18	NTU	EPA180.1
8/25/2010 8:44	Turbidity		2.49	NTU	EPA180.1
8/26/2010 8:14	Turbidity		19	NTU	EPA180.1
8/27/2010 8:41	Turbidity		7.43	NTU	EPA180.1
8/28/2010 7:46	Turbidity		3.75	NTU	EPA180.1
8/29/2010 7:50	Turbidity		4.49	NTU	EPA180.1
8/30/2010 8:23	Turbidity		4.34	NTU	EPA180.1
8/31/2010 8:43	Turbidity		3.79	NTU	EPA180.1
9/1/2010 8:30	Turbidity		3.12	NTU	EPA180.1
9/2/2010 8:36	Turbidity		3.48	NTU	EPA180.1
9/3/2010 8:06	Turbidity		2.57	NTU	EPA180.1
9/4/2010 7:46	Turbidity		40.1	NTU	EPA180.1
9/5/2010 8:04	Turbidity		39.1	NTU	EPA180.1
9/6/2010 8:02	Turbidity		7.91	NTU	EPA180.1
9/7/2010 8:17	Turbidity		5.36	NTU	EPA180.1
9/8/2010 8:26	Turbidity		28.55	NTU	EPA180.1
9/9/2010 8:20	Turbidity		29.6	NTU	EPA180.1
9/10/2010 8:23	Turbidity		27.9	NTU	EPA180.1
9/13/2010 8:30	Turbidity		10.4	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/14/2010 8:27	Turbidity		8.97	NTU	EPA180.1
9/15/2010 8:20	Turbidity		13.2	NTU	EPA180.1
9/16/2010 8:25	Turbidity		5.13	NTU	EPA180.1
9/20/2010 8:33	Turbidity		5.25	NTU	EPA180.1
9/21/2010 9:04	Turbidity		4.96	NTU	EPA180.1
9/22/2010 8:25	Turbidity		4.58	NTU	EPA180.1
9/23/2010 8:41	Turbidity		3.17	NTU	EPA180.1
9/27/2010 8:20	Turbidity		3.42	NTU	EPA180.1
9/28/2010 8:55	Turbidity		12.5	NTU	EPA180.1
9/29/2010 8:24	Turbidity		27	NTU	EPA180.1
9/30/2010 8:42	Turbidity		5.015	NTU	EPA180.1
10/4/2010 8:35	Turbidity		64.3	NTU	EPA180.1
10/7/2010 8:39	Turbidity		62.5	NTU	EPA180.1
10/11/2010 8:37	Turbidity		10.1	NTU	EPA180.1
10/12/2010 8:30	Turbidity		13.1	NTU	EPA180.1
10/13/2010 8:53	Turbidity		4.57	NTU	EPA180.1
10/14/2010 8:35	Turbidity		13.9	NTU	EPA180.1
10/18/2010 9:01	Turbidity		9.16	NTU	EPA180.1
10/19/2010 10:02	Turbidity		6.5	NTU	EPA180.1
10/20/2010 8:53	Turbidity		5.05	NTU	EPA180.1
10/25/2010 8:55	Turbidity		5.3	NTU	EPA180.1
10/26/2010 8:30	Turbidity		3.9	NTU	EPA180.1
10/27/2010 8:38	Turbidity		11.14	NTU	EPA180.1
10/28/2010 8:32	Turbidity		29.9	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/11/2010 9:24	E. coli		150	cfu/100mL	EPA1603
5/12/2010 9:24	E. coli		31	cfu/100mL	EPA1603
5/13/2010 9:16	E. coli		60	cfu/100mL	EPA1603
5/17/2010 8:48	E. coli		103	cfu/100mL	EPA1603
5/18/2010 9:07	E. coli		151	cfu/100mL	EPA1603
5/19/2010 8:47	E. coli		215	cfu/100mL	EPA1603
5/20/2010 9:01	E. coli		50	cfu/100mL	EPA1603
5/21/2010 8:50	E. coli		148	cfu/100mL	EPA1603
5/22/2010 8:17	E. coli		86	cfu/100mL	EPA1603
5/23/2010 8:05	E. coli	EC	12	cfu/100mL	EPA1603
5/24/2010 8:42	E. coli	EC	8	cfu/100mL	EPA1603
5/25/2010 8:27	E. coli	EC	18	cfu/100mL	EPA1603
5/26/2010 8:37	E. coli		74	cfu/100mL	EPA1603
5/27/2010 8:48	E. coli		257	cfu/100mL	EPA1603
5/28/2010 8:49	E. coli		480	cfu/100mL	EPA1603
5/29/2010 7:49	E. coli		30	cfu/100mL	EPA1603
5/30/2010 8:26	E. coli		27	cfu/100mL	EPA1603
5/31/2010 7:58	E. coli		11	cfu/100mL	EPA1603
6/1/2010 8:27	E. coli		44	cfu/100mL	EPA1603
6/2/2010 8:50	E. coli		16	cfu/100mL	EPA1603
6/3/2010 8:45	E. coli		27	cfu/100mL	EPA1603
6/4/2010 8:59	E. coli		52	cfu/100mL	EPA1603
6/5/2010 8:23	E. coli	EC	15	cfu/100mL	EPA1603
6/6/2010 9:02	E. coli		800	cfu/100mL	EPA1603
6/7/2010 8:50	E. coli		398	cfu/100mL	EPA1603
6/8/2010 8:46	E. coli		78	cfu/100mL	EPA1603
6/9/2010 8:30	E. coli		76	cfu/100mL	EPA1603
6/10/2010 8:31	E. coli		20	cfu/100mL	EPA1603
6/11/2010 8:50	E. coli		28	cfu/100mL	EPA1603
6/12/2010 8:14	E. coli		38	cfu/100mL	EPA1603
6/13/2010 8:18	E. coli		10	cfu/100mL	EPA1603
6/14/2010 8:37	E. coli		55	cfu/100mL	EPA1603
6/15/2010 8:39	E. coli		42	cfu/100mL	EPA1603
6/16/2010 8:59	E. coli		20	cfu/100mL	EPA1603
6/17/2010 8:47	E. coli		52	cfu/100mL	EPA1603
6/18/2010 8:38	E. coli		27	cfu/100mL	EPA1603
6/19/2010 7:29	E. coli		9	cfu/100mL	EPA1603
6/20/2010 7:32	E. coli		6	cfu/100mL	EPA1603
6/21/2010 8:41	E. coli		25	cfu/100mL	EPA1603
6/22/2010 8:46	E. coli		4	cfu/100mL	EPA1603
6/23/2010 8:53	E. coli		12	cfu/100mL	EPA1603
6/24/2010 8:37	E. coli		52	cfu/100mL	EPA1603
6/25/2010 8:45	E. coli		33	cfu/100mL	EPA1603
6/26/2010 8:46	E. coli		9	cfu/100mL	EPA1603
6/27/2010 8:04	E. coli		10	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/28/2010 8:47	E. coli		17	cfu/100mL	EPA1603
6/29/2010 8:47	E. coli		43	cfu/100mL	EPA1603
6/30/2010 8:51	E. coli		73	cfu/100mL	EPA1603
7/1/2010 8:43	E. coli		6	cfu/100mL	EPA1603
7/2/2010 8:33	E. coli		14	cfu/100mL	EPA1603
7/3/2010 7:36	E. coli		14	cfu/100mL	EPA1603
7/4/2010 7:36	E. coli		11	cfu/100mL	EPA1603
7/5/2010 7:36	E. coli		8	cfu/100mL	EPA1603
7/6/2010 8:43	E. coli		49	cfu/100mL	EPA1603
7/7/2010 8:45	E. coli		15	cfu/100mL	EPA1603
7/8/2010 8:38	E. coli		10	cfu/100mL	EPA1603
7/9/2010 8:39	E. coli		105	cfu/100mL	EPA1603
7/10/2010 8:05	E. coli	EC	20	cfu/100mL	EPA1603
7/11/2010 8:28	E. coli		19	cfu/100mL	EPA1603
7/12/2010 8:51	E. coli		24	cfu/100mL	EPA1603
7/13/2010 8:33	E. coli		71	cfu/100mL	EPA1603
7/13/2010 12:35	E. coli		38	cfu/100mL	EPA1603
7/14/2010 8:45	E. coli		460	cfu/100mL	EPA1603
7/14/2010 13:57	E. coli		720	cfu/100mL	EPA1603
7/15/2010 8:47	E. coli		23	cfu/100mL	EPA1603
7/16/2010 8:40	E. coli		275	cfu/100mL	EPA1603
7/17/2010 8:17	E. coli		20	cfu/100mL	EPA1603
7/18/2010 8:20	E. coli		21	cfu/100mL	EPA1603
7/19/2010 8:35	E. coli		32	cfu/100mL	EPA1603
7/20/2010 8:50	E. coli		19	cfu/100mL	EPA1603
7/21/2010 8:27	E. coli		16	cfu/100mL	EPA1603
7/22/2010 8:33	E. coli		28	cfu/100mL	EPA1603
7/23/2010 8:31	E. coli		35	cfu/100mL	EPA1603
7/24/2010 7:35	E. coli	EC	46	cfu/100mL	EPA1603
7/25/2010 8:12	E. coli	EC	22	cfu/100mL	EPA1603
7/26/2010 8:40	E. coli		51	cfu/100mL	EPA1603
7/27/2010 8:50	E. coli		34	cfu/100mL	EPA1603
7/28/2010 8:50	E. coli		8	cfu/100mL	EPA1603
7/29/2010 8:45	E. coli		144	cfu/100mL	EPA1603
7/30/2010 8:33	E. coli		25	cfu/100mL	EPA1603
7/31/2010 7:58	E. coli	EC	8	cfu/100mL	EPA1603
8/1/2010 8:03	E. coli	EC	14	cfu/100mL	EPA1603
8/2/2010 8:44	E. coli		17	cfu/100mL	EPA1603
8/3/2010 8:35	E. coli		37	cfu/100mL	EPA1603
8/4/2010 8:52	E. coli		77	cfu/100mL	EPA1603
8/5/2010 8:45	E. coli		335	cfu/100mL	EPA1603
8/6/2010 8:42	E. coli		185	cfu/100mL	EPA1603
8/7/2010 8:09	E. coli		32	cfu/100mL	EPA1603
8/8/2010 7:57	E. coli	EC	22	cfu/100mL	EPA1603
8/9/2010 8:33	E. coli		375	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/10/2010 8:43	E. coli		17	cfu/100mL	EPA1603
8/11/2010 8:33	E. coli		27	cfu/100mL	EPA1603
8/12/2010 8:49	E. coli		480	cfu/100mL	EPA1603
8/13/2010 8:50	E. coli		37	cfu/100mL	EPA1603
8/14/2010 7:40	E. coli		15	cfu/100mL	EPA1603
8/15/2010 7:44	E. coli		110	cfu/100mL	EPA1603
8/16/2010 8:50	E. coli		305	cfu/100mL	EPA1603
8/17/2010 8:42	E. coli		29	cfu/100mL	EPA1603
8/18/2010 8:42	E. coli		20	cfu/100mL	EPA1603
8/19/2010 8:36	E. coli		11	cfu/100mL	EPA1603
8/20/2010 8:27	E. coli		1020	cfu/100mL	EPA1603
8/21/2010 8:23	E. coli		9	cfu/100mL	EPA1603
8/22/2010 8:17	E. coli		3000	cfu/100mL	EPA1603
8/23/2010 9:00	E. coli		300	cfu/100mL	EPA1603
8/24/2010 8:43	E. coli		39	cfu/100mL	EPA1603
8/25/2010 8:54	E. coli		17	cfu/100mL	EPA1603
8/26/2010 8:20	E. coli		121	cfu/100mL	EPA1603
8/27/2010 8:47	E. coli		21	cfu/100mL	EPA1603
8/28/2010 7:56	E. coli	EC	3	cfu/100mL	EPA1603
8/29/2010 7:55	E. coli		22	cfu/100mL	EPA1603
8/30/2010 8:28	E. coli		22	cfu/100mL	EPA1603
8/31/2010 8:48	E. coli		34	cfu/100mL	EPA1603
9/1/2010 8:39	E. coli	EC	84	cfu/100mL	EPA1603
9/2/2010 8:42	E. coli		22	cfu/100mL	EPA1603
9/3/2010 8:14	E. coli	EC	12	cfu/100mL	EPA1603
9/4/2010 7:52	E. coli		250	cfu/100mL	EPA1603
9/5/2010 8:12	E. coli		165	cfu/100mL	EPA1603
9/6/2010 8:10	E. coli		40	cfu/100mL	EPA1603
9/7/2010 8:25	E. coli		37	cfu/100mL	EPA1603
9/8/2010 8:33	E. coli		275	cfu/100mL	EPA1603
9/9/2010 8:25	E. coli		63	cfu/100mL	EPA1603
9/10/2010 8:31	E. coli		27	cfu/100mL	EPA1603
9/13/2010 8:38	E. coli	EC	103	cfu/100mL	EPA1603
9/14/2010 8:34	E. coli		245	cfu/100mL	EPA1603
9/15/2010 8:28	E. coli		22	cfu/100mL	EPA1603
9/16/2010 8:31	E. coli		73	cfu/100mL	EPA1603
9/20/2010 8:40	E. coli		40	cfu/100mL	EPA1603
9/21/2010 9:10	E. coli		19	cfu/100mL	EPA1603
9/22/2010 8:32	E. coli		140	cfu/100mL	EPA1603
9/23/2010 8:50	E. coli	EC	98	cfu/100mL	EPA1603
9/27/2010 8:32	E. coli		55	cfu/100mL	EPA1603
9/28/2010 9:02	E. coli		640	cfu/100mL	EPA1603
9/29/2010 8:30	E. coli		330	cfu/100mL	EPA1603
9/30/2010 8:49	E. coli		61	cfu/100mL	EPA1603
10/4/2010 8:42	E. coli	EC	27	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
10/7/2010 8:44	E. coli		165	cfu/100mL	EPA1603
10/11/2010 8:44	E. coli		40	cfu/100mL	EPA1603
10/12/2010 8:36	E. coli		61	cfu/100mL	EPA1603
10/13/2010 9:03	E. coli		24	cfu/100mL	EPA1603
10/14/2010 8:41	E. coli		340	cfu/100mL	EPA1603
10/18/2010 9:09	E. coli		41	cfu/100mL	EPA1603
10/19/2010 10:09	E. coli		110	cfu/100mL	EPA1603
10/20/2010 9:02	E. coli		105	cfu/100mL	EPA1603
10/25/2010 9:04	E. coli		110	cfu/100mL	EPA1603
10/26/2010 8:39	E. coli		245	cfu/100mL	EPA1603
10/27/2010 8:50	E. coli		235	cfu/100mL	EPA1603
10/28/2010 8:40	E. coli		175	cfu/100mL	EPA1603
5/11/2010 9:24	Field Cond		362	uS/cm	SM 2510A
5/12/2010 9:24	Field Cond		357	uS/cm	SM 2510A
5/13/2010 9:16	Field Cond		395	uS/cm	SM 2510A
5/17/2010 8:48	Field Cond		395	uS/cm	SM 2510A
5/18/2010 9:07	Field Cond		314	uS/cm	SM 2510A
5/19/2010 8:47	Field Cond		312	uS/cm	SM 2510A
5/20/2010 9:01	Field Cond		390	uS/cm	SM 2510A
5/21/2010 8:50	Field Cond		340	uS/cm	SM 2510A
5/22/2010 8:17	Field Cond		320	uS/cm	SM 2510A
5/23/2010 8:05	Field Cond		305	uS/cm	SM 2510A
5/24/2010 8:42	Field Cond		307	uS/cm	SM 2510A
5/25/2010 8:27	Field Cond		280	uS/cm	SM 2510A
5/26/2010 8:37	Field Cond		322	uS/cm	SM 2510A
5/27/2010 8:48	Field Cond		366	uS/cm	SM 2510A
5/28/2010 8:49	Field Cond		364	uS/cm	SM 2510A
5/29/2010 7:49	Field Cond		330	uS/cm	SM 2510A
5/30/2010 8:26	Field Cond		320	uS/cm	SM 2510A
5/31/2010 7:58	Field Cond		295	uS/cm	SM 2510A
6/1/2010 8:27	Field Cond		292	uS/cm	SM 2510A
6/2/2010 8:50	Field Cond		289	uS/cm	SM 2510A
6/3/2010 8:45	Field Cond		283	uS/cm	SM 2510A
6/4/2010 8:59	Field Cond		299	uS/cm	SM 2510A
6/5/2010 8:23	Field Cond		304	uS/cm	SM 2510A
6/6/2010 9:02	Field Cond		297	uS/cm	SM 2510A
6/7/2010 8:50	Field Cond		320	uS/cm	SM 2510A
6/8/2010 8:46	Field Cond		305	uS/cm	SM 2510A
6/9/2010 8:30	Field Cond		319	uS/cm	SM 2510A
6/10/2010 8:31	Field Cond		288	uS/cm	SM 2510A
6/11/2010 8:50	Field Cond		230	uS/cm	SM 2510A
6/12/2010 8:14	Field Cond		270	uS/cm	SM 2510A
6/13/2010 8:18	Field Cond		273	uS/cm	SM 2510A
6/14/2010 8:37	Field Cond		280	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/15/2010 8:39	Field Cond		259	uS/cm	SM 2510A
6/16/2010 8:59	Field Cond		284	uS/cm	SM 2510A
6/17/2010 8:47	Field Cond		261	uS/cm	SM 2510A
6/18/2010 8:38	Field Cond		321	uS/cm	SM 2510A
6/19/2010 7:29	Field Cond		273	uS/cm	SM 2510A
6/20/2010 7:32	Field Cond		290	uS/cm	SM 2510A
6/21/2010 8:41	Field Cond		327	uS/cm	SM 2510A
6/22/2010 8:46	Field Cond		297	uS/cm	SM 2510A
6/23/2010 8:53	Field Cond		289	uS/cm	SM 2510A
6/24/2010 8:37	Field Cond		265	uS/cm	SM 2510A
6/25/2010 8:45	Field Cond		268	uS/cm	SM 2510A
6/26/2010 8:46	Field Cond		273	uS/cm	SM 2510A
6/27/2010 8:04	Field Cond		269	uS/cm	SM 2510A
6/28/2010 8:47	Field Cond		271	uS/cm	SM 2510A
6/29/2010 8:47	Field Cond		276	uS/cm	SM 2510A
6/30/2010 8:51	Field Cond		298	uS/cm	SM 2510A
7/1/2010 8:43	Field Cond		289	uS/cm	SM 2510A
7/2/2010 8:33	Field Cond		280	uS/cm	SM 2510A
7/3/2010 7:36	Field Cond		307	uS/cm	SM 2510A
7/4/2010 7:36	Field Cond		316	uS/cm	SM 2510A
7/6/2010 8:43	Field Cond		308	uS/cm	SM 2510A
7/7/2010 8:45	Field Cond		344	uS/cm	SM 2510A
7/8/2010 8:38	Field Cond		316	uS/cm	SM 2510A
7/9/2010 8:39	Field Cond		361	uS/cm	SM 2510A
7/10/2010 8:05	Field Cond		328	uS/cm	SM 2510A
7/11/2010 8:28	Field Cond		292	uS/cm	SM 2510A
7/12/2010 8:51	Field Cond		318	uS/cm	SM 2510A
7/13/2010 8:33	Field Cond		356	uS/cm	SM 2510A
7/14/2010 8:45	Field Cond		355	uS/cm	SM 2510A
7/15/2010 8:47	Field Cond		335	uS/cm	SM 2510A
7/16/2010 8:40	Field Cond		302	uS/cm	SM 2510A
7/17/2010 8:17	Field Cond		316	uS/cm	SM 2510A
7/18/2010 8:20	Field Cond		352	uS/cm	SM 2510A
7/19/2010 8:35	Field Cond		346	uS/cm	SM 2510A
7/20/2010 8:50	Field Cond		321	uS/cm	SM 2510A
7/21/2010 8:27	Field Cond		305	uS/cm	SM 2510A
7/22/2010 8:33	Field Cond		311	uS/cm	SM 2510A
7/23/2010 8:31	Field Cond		302	uS/cm	SM 2510A
7/24/2010 7:35	Field Cond		291	uS/cm	SM 2510A
7/25/2010 8:12	Field Cond		299	uS/cm	SM 2510A
7/26/2010 8:40	Field Cond		364	uS/cm	SM 2510A
7/27/2010 8:50	Field Cond		316	uS/cm	SM 2510A
7/28/2010 8:50	Field Cond		302	uS/cm	SM 2510A
7/29/2010 8:45	Field Cond		383	uS/cm	SM 2510A
7/30/2010 8:33	Field Cond		304	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/31/2010 7:58	Field Cond		361	uS/cm	SM 2510A
8/1/2010 8:03	Field Cond		402	uS/cm	SM 2510A
8/2/2010 8:44	Field Cond		327	uS/cm	SM 2510A
8/3/2010 8:35	Field Cond		364	uS/cm	SM 2510A
8/5/2010 8:45	Field Cond		277	uS/cm	SM 2510A
8/6/2010 8:42	Field Cond		300	uS/cm	SM 2510A
8/7/2010 8:09	Field Cond		319	uS/cm	SM 2510A
8/8/2010 7:57	Field Cond		309	uS/cm	SM 2510A
8/9/2010 8:33	Field Cond		320	uS/cm	SM 2510A
8/10/2010 8:43	Field Cond		321	uS/cm	SM 2510A
8/11/2010 8:33	Field Cond		326	uS/cm	SM 2510A
8/12/2010 8:49	Field Cond		349	uS/cm	SM 2510A
8/13/2010 8:50	Field Cond		339	uS/cm	SM 2510A
8/14/2010 7:40	Field Cond		292	uS/cm	SM 2510A
8/15/2010 7:44	Field Cond		302	uS/cm	SM 2510A
8/16/2010 8:50	Field Cond		285	uS/cm	SM 2510A
8/17/2010 8:42	Field Cond		366	uS/cm	SM 2510A
8/18/2010 8:42	Field Cond		341	uS/cm	SM 2510A
8/19/2010 8:36	Field Cond		328	uS/cm	SM 2510A
8/20/2010 8:27	Field Cond		273	uS/cm	SM 2510A
8/21/2010 8:23	Field Cond		275	uS/cm	SM 2510A
8/22/2010 8:17	Field Cond		320	uS/cm	SM 2510A
8/23/2010 9:00	Field Cond		289	uS/cm	SM 2510A
8/24/2010 8:43	Field Cond		436	uS/cm	SM 2510A
8/25/2010 8:54	Field Cond		288	uS/cm	SM 2510A
8/26/2010 8:20	Field Cond		298	uS/cm	SM 2510A
8/27/2010 8:47	Field Cond		285	uS/cm	SM 2510A
8/28/2010 7:56	Field Cond		291	uS/cm	SM 2510A
8/29/2010 7:55	Field Cond		336	uS/cm	SM 2510A
8/30/2010 8:28	Field Cond		318	uS/cm	SM 2510A
8/31/2010 8:48	Field Cond		309	uS/cm	SM 2510A
9/1/2010 8:39	Field Cond		332	uS/cm	SM 2510A
9/2/2010 8:42	Field Cond		339	uS/cm	SM 2510A
9/3/2010 8:14	Field Cond		313	uS/cm	SM 2510A
9/4/2010 7:52	Field Cond		313	uS/cm	SM 2510A
9/5/2010 8:12	Field Cond		260	uS/cm	SM 2510A
9/6/2010 8:10	Field Cond		295	uS/cm	SM 2510A
9/7/2010 8:25	Field Cond		298	uS/cm	SM 2510A
9/8/2010 8:33	Field Cond		293	uS/cm	SM 2510A
9/9/2010 8:25	Field Cond		288	uS/cm	SM 2510A
9/10/2010 8:31	Field Cond		314	uS/cm	SM 2510A
9/13/2010 8:38	Field Cond		289	uS/cm	SM 2510A
9/14/2010 8:34	Field Cond		286	uS/cm	SM 2510A
9/15/2010 8:28	Field Cond		293	uS/cm	SM 2510A
9/16/2010 8:31	Field Cond		358	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/20/2010 8:40	Field Cond		405	uS/cm	SM 2510A
9/21/2010 9:10	Field Cond		433	uS/cm	SM 2510A
9/22/2010 8:32	Field Cond		368	uS/cm	SM 2510A
9/23/2010 8:50	Field Cond		359	uS/cm	SM 2510A
9/27/2010 8:32	Field Cond		296	uS/cm	SM 2510A
9/28/2010 9:02	Field Cond		284	uS/cm	SM 2510A
9/29/2010 8:30	Field Cond		287	uS/cm	SM 2510A
9/30/2010 8:49	Field Cond		293	uS/cm	SM 2510A
10/4/2010 8:42	Field Cond		285	uS/cm	SM 2510A
10/7/2010 8:44	Field Cond		294	uS/cm	SM 2510A
10/11/2010 8:44	Field Cond		298	uS/cm	SM 2510A
10/12/2010 8:36	Field Cond		305	uS/cm	SM 2510A
10/13/2010 9:03	Field Cond		299	uS/cm	SM 2510A
10/14/2010 8:41	Field Cond		302	uS/cm	SM 2510A
10/18/2010 9:09	Field Cond		292	uS/cm	SM 2510A
10/19/2010 10:09	Field Cond		284	uS/cm	SM 2510A
10/20/2010 9:02	Field Cond		277	uS/cm	SM 2510A
10/25/2010 9:04	Field Cond		285	uS/cm	SM 2510A
10/26/2010 8:39	Field Cond		285	uS/cm	SM 2510A
10/27/2010 8:50	Field Cond		274	uS/cm	SM 2510A
10/28/2010 8:40	Field Cond		285	uS/cm	SM 2510A
5/11/2010 9:24	Field Temp		12.2	C	EPA 170.1
5/12/2010 9:24	Field Temp		12.3	C	EPA 170.1
5/13/2010 9:16	Field Temp		12.6	C	EPA 170.1
5/17/2010 8:48	Field Temp		14.2	C	EPA 170.1
5/18/2010 9:07	Field Temp		13.4	C	EPA 170.1
5/19/2010 8:47	Field Temp		13.4	C	EPA 170.1
5/20/2010 9:01	Field Temp		15	C	EPA 170.1
5/21/2010 8:50	Field Temp		15	C	EPA 170.1
5/22/2010 8:17	Field Temp		13.6	C	EPA 170.1
5/23/2010 8:05	Field Temp		14.9	C	EPA 170.1
5/24/2010 8:42	Field Temp		14.8	C	EPA 170.1
5/25/2010 8:27	Field Temp		14.5	C	EPA 170.1
5/26/2010 8:37	Field Temp		16.8	C	EPA 170.1
5/27/2010 8:48	Field Temp		21.6	C	EPA 170.1
5/28/2010 8:49	Field Temp		21.8	C	EPA 170.1
5/29/2010 7:49	Field Temp		21.8	C	EPA 170.1
5/30/2010 8:26	Field Temp		23	C	EPA 170.1
5/31/2010 7:58	Field Temp		19.4	C	EPA 170.1
6/1/2010 8:27	Field Temp		21.7	C	EPA 170.1
6/2/2010 8:50	Field Temp		21.4	C	EPA 170.1
6/3/2010 8:45	Field Temp		20.5	C	EPA 170.1
6/4/2010 8:59	Field Temp		21.9	C	EPA 170.1
6/5/2010 8:23	Field Temp		21.2	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/6/2010 9:02	Field Temp		20.6	C	EPA 170.1
6/7/2010 8:50	Field Temp		20.2	C	EPA 170.1
6/8/2010 8:46	Field Temp		19.8	C	EPA 170.1
6/9/2010 8:30	Field Temp		18.8	C	EPA 170.1
6/10/2010 8:31	Field Temp		20.1	C	EPA 170.1
6/11/2010 8:50	Field Temp		20.5	C	EPA 170.1
6/12/2010 8:14	Field Temp		20.5	C	EPA 170.1
6/13/2010 8:18	Field Temp		21.3	C	EPA 170.1
6/14/2010 8:37	Field Temp		20.5	C	EPA 170.1
6/15/2010 8:39	Field Temp		21.1	C	EPA 170.1
6/16/2010 8:59	Field Temp		19.7	C	EPA 170.1
6/17/2010 8:47	Field Temp		18.9	C	EPA 170.1
6/18/2010 8:38	Field Temp		19.7	C	EPA 170.1
6/19/2010 7:29	Field Temp		21.3	C	EPA 170.1
6/20/2010 7:32	Field Temp		21.9	C	EPA 170.1
6/21/2010 8:41	Field Temp		23.4	C	EPA 170.1
6/22/2010 8:46	Field Temp		22.3	C	EPA 170.1
6/23/2010 8:53	Field Temp		23.8	C	EPA 170.1
6/24/2010 8:37	Field Temp		22.5	C	EPA 170.1
6/25/2010 8:45	Field Temp		23.6	C	EPA 170.1
6/26/2010 8:46	Field Temp		23.3	C	EPA 170.1
6/27/2010 8:04	Field Temp		23.4	C	EPA 170.1
6/28/2010 8:47	Field Temp		24.2	C	EPA 170.1
6/29/2010 8:47	Field Temp		22.1	C	EPA 170.1
6/30/2010 8:51	Field Temp		21.6	C	EPA 170.1
7/1/2010 8:43	Field Temp		23	C	EPA 170.1
7/2/2010 8:33	Field Temp		23.5	C	EPA 170.1
7/3/2010 7:36	Field Temp		23	C	EPA 170.1
7/4/2010 7:36	Field Temp		23.4	C	EPA 170.1
7/5/2010 7:36	Field Temp		23.3	C	EPA 170.1
7/6/2010 8:43	Field Temp		23.2	C	EPA 170.1
7/7/2010 8:45	Field Temp		24.7	C	EPA 170.1
7/8/2010 8:38	Field Temp		25.1	C	EPA 170.1
7/9/2010 8:39	Field Temp		27.1	C	EPA 170.1
7/10/2010 8:05	Field Temp		25.5	C	EPA 170.1
7/11/2010 8:28	Field Temp		25.3	C	EPA 170.1
7/12/2010 8:51	Field Temp		24.7	C	EPA 170.1
7/13/2010 8:33	Field Temp		25.4	C	EPA 170.1
7/14/2010 8:45	Field Temp		25	C	EPA 170.1
7/15/2010 8:47	Field Temp		25.6	C	EPA 170.1
7/16/2010 8:40	Field Temp		25.4	C	EPA 170.1
7/17/2010 8:17	Field Temp		25.8	C	EPA 170.1
7/18/2010 8:20	Field Temp		26	C	EPA 170.1
7/19/2010 8:35	Field Temp		25.7	C	EPA 170.1
7/20/2010 8:50	Field Temp		25.5	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/21/2010 8:27	Field Temp		25.5	C	EPA 170.1
7/22/2010 8:33	Field Temp		25.1	C	EPA 170.1
7/23/2010 8:31	Field Temp		26	C	EPA 170.1
7/24/2010 7:35	Field Temp		25.6	C	EPA 170.1
7/25/2010 8:12	Field Temp		26.1	C	EPA 170.1
7/26/2010 8:40	Field Temp		25.1	C	EPA 170.1
7/27/2010 8:50	Field Temp		25.6	C	EPA 170.1
7/28/2010 8:50	Field Temp		25.7	C	EPA 170.1
7/29/2010 8:45	Field Temp		25	C	EPA 170.1
7/30/2010 8:33	Field Temp		25	C	EPA 170.1
7/31/2010 7:58	Field Temp		25.5	C	EPA 170.1
8/1/2010 8:03	Field Temp		24.7	C	EPA 170.1
8/2/2010 8:44	Field Temp		25.4	C	EPA 170.1
8/3/2010 8:35	Field Temp		25.7	C	EPA 170.1
8/4/2010 8:52	Field Temp		25.4	C	EPA 170.1
8/5/2010 8:45	Field Temp		25.7	C	EPA 170.1
8/6/2010 8:42	Field Temp		25	C	EPA 170.1
8/7/2010 8:09	Field Temp		25.4	C	EPA 170.1
8/8/2010 7:57	Field Temp		25.2	C	EPA 170.1
8/9/2010 8:33	Field Temp		25.4	C	EPA 170.1
8/10/2010 8:43	Field Temp		26.4	C	EPA 170.1
8/11/2010 8:33	Field Temp		26.8	C	EPA 170.1
8/12/2010 8:49	Field Temp		26.4	C	EPA 170.1
8/13/2010 8:50	Field Temp		26.4	C	EPA 170.1
8/14/2010 7:40	Field Temp		21	C	EPA 170.1
8/15/2010 7:44	Field Temp		24.5	C	EPA 170.1
8/16/2010 8:50	Field Temp		8.4	C	EPA 170.1
8/17/2010 8:42	Field Temp		24.8	C	EPA 170.1
8/18/2010 8:42	Field Temp		24.8	C	EPA 170.1
8/19/2010 8:36	Field Temp		24.4	C	EPA 170.1
8/20/2010 8:27	Field Temp		25.9	C	EPA 170.1
8/21/2010 8:23	Field Temp		25.4	C	EPA 170.1
8/22/2010 8:17	Field Temp		24.1	C	EPA 170.1
8/23/2010 9:00	Field Temp		24.2	C	EPA 170.1
8/24/2010 8:43	Field Temp		24.2	C	EPA 170.1
8/25/2010 8:54	Field Temp		23.8	C	EPA 170.1
8/26/2010 8:20	Field Temp		23.3	C	EPA 170.1
8/27/2010 8:47	Field Temp		23.4	C	EPA 170.1
8/28/2010 7:56	Field Temp		23.6	C	EPA 170.1
8/29/2010 7:55	Field Temp		23.6	C	EPA 170.1
8/30/2010 8:28	Field Temp		23.6	C	EPA 170.1
8/31/2010 8:48	Field Temp		24.1	C	EPA 170.1
9/1/2010 8:39	Field Temp		24.2	C	EPA 170.1
9/2/2010 8:42	Field Temp		24.3	C	EPA 170.1
9/3/2010 8:14	Field Temp		24.3	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/4/2010 7:52	Field Temp		21.8	C	EPA 170.1
9/5/2010 8:12	Field Temp		19.8	C	EPA 170.1
9/6/2010 8:10	Field Temp		20.9	C	EPA 170.1
9/7/2010 8:25	Field Temp		20.8	C	EPA 170.1
9/8/2010 8:33	Field Temp		19.7	C	EPA 170.1
9/9/2010 8:25	Field Temp		18.6	C	EPA 170.1
9/10/2010 8:31	Field Temp		19.8	C	EPA 170.1
9/13/2010 8:38	Field Temp		19.4	C	EPA 170.1
9/14/2010 8:34	Field Temp		19.9	C	EPA 170.1
9/15/2010 8:28	Field Temp		20	C	EPA 170.1
9/16/2010 8:31	Field Temp		19.2	C	EPA 170.1
9/20/2010 8:40	Field Temp		19.4	C	EPA 170.1
9/21/2010 9:10	Field Temp		19	C	EPA 170.1
9/22/2010 8:32	Field Temp		19.8	C	EPA 170.1
9/23/2010 8:50	Field Temp		20.5	C	EPA 170.1
9/27/2010 8:32	Field Temp		18.2	C	EPA 170.1
9/28/2010 9:02	Field Temp		18.2	C	EPA 170.1
9/29/2010 8:30	Field Temp		17.6	C	EPA 170.1
9/30/2010 8:49	Field Temp		18	C	EPA 170.1
10/4/2010 8:42	Field Temp		16.5	C	EPA 170.1
10/7/2010 8:44	Field Temp		15	C	EPA 170.1
10/11/2010 8:44	Field Temp		16.8	C	EPA 170.1
10/12/2010 8:36	Field Temp		16.4	C	EPA 170.1
10/13/2010 9:03	Field Temp		15	C	EPA 170.1
10/14/2010 8:41	Field Temp		15.7	C	EPA 170.1
10/18/2010 9:09	Field Temp		14.1	C	EPA 170.1
10/19/2010 10:09	Field Temp		13.2	C	EPA 170.1
10/20/2010 9:02	Field Temp		12.8	C	EPA 170.1
10/25/2010 9:04	Field Temp		13.5	C	EPA 170.1
10/26/2010 8:39	Field Temp		13.8	C	EPA 170.1
10/27/2010 8:50	Field Temp		12.7	C	EPA 170.1
10/28/2010 8:40	Field Temp		12.4	C	EPA 170.1
5/11/2010 9:24	pH		7.06	S.U.	
5/12/2010 9:24	pH		7.2	S.U.	
5/13/2010 9:16	pH		7.06	S.U.	
5/17/2010 8:48	pH		7	S.U.	
5/18/2010 9:07	pH		7.12	S.U.	
5/19/2010 8:47	pH		7.52	S.U.	
5/20/2010 9:01	pH		6.85	S.U.	
5/21/2010 8:50	pH		6.88	S.U.	
5/22/2010 8:17	pH		7.2	S.U.	
5/23/2010 8:05	pH		7.12	S.U.	
5/24/2010 8:42	pH		7.4	S.U.	
5/25/2010 8:27	pH		6.78	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/26/2010 8:37	pH		8.42	S.U.	
5/27/2010 8:48	pH		8.7	S.U.	
5/28/2010 8:49	pH		8.73	S.U.	
5/29/2010 7:49	pH		8.49	S.U.	
5/30/2010 8:26	pH		8.74	S.U.	
5/31/2010 7:58	pH		7.58	S.U.	
6/1/2010 8:27	pH		8.87	S.U.	
6/2/2010 8:50	pH		9.1	S.U.	
6/3/2010 8:45	pH		8.74	S.U.	
6/4/2010 8:59	pH		8.86	S.U.	
6/5/2010 8:23	pH		10.29	S.U.	
6/6/2010 9:02	pH		8.48	S.U.	
6/7/2010 8:50	pH		6.85	S.U.	
6/8/2010 8:46	pH		8.53	S.U.	
6/9/2010 8:30	pH		8.39	S.U.	
6/10/2010 8:31	pH		8.41	S.U.	
6/11/2010 8:50	pH		8.23	S.U.	
6/12/2010 8:14	pH		8.25	S.U.	
6/13/2010 8:18	pH		8.12	S.U.	
6/14/2010 8:37	pH		8.14	S.U.	
6/15/2010 8:39	pH		8.24	S.U.	
6/16/2010 8:59	pH		8.03	S.U.	
6/17/2010 8:47	pH		8.08	S.U.	
6/18/2010 8:38	pH		8.1	S.U.	
6/19/2010 7:29	pH		8.38	S.U.	
6/20/2010 7:32	pH		8.26	S.U.	
6/21/2010 8:41	pH		8.28	S.U.	
6/22/2010 8:46	pH		8.33	S.U.	
6/23/2010 8:53	pH		8.35	S.U.	
6/24/2010 8:37	pH		8.4	S.U.	
6/25/2010 8:45	pH		8.33	S.U.	
6/26/2010 8:46	pH		8.33	S.U.	
6/27/2010 8:04	pH		8.24	S.U.	
6/28/2010 8:47	pH		8.36	S.U.	
6/29/2010 8:47	pH		8.15	S.U.	
6/30/2010 8:51	pH		8.13	S.U.	
7/1/2010 8:43	pH		8.27	S.U.	
7/2/2010 8:33	pH		8.47	S.U.	
7/3/2010 7:36	pH		8.71	S.U.	
7/4/2010 7:36	pH		8.67	S.U.	
7/5/2010 7:36	pH		8.32	S.U.	
7/6/2010 8:43	pH		8.32	S.U.	
7/7/2010 8:45	pH		8.46	S.U.	
7/8/2010 8:38	pH		8.46	S.U.	
7/9/2010 8:39	pH		8.51	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/10/2010 8:05	pH		8.42	S.U.	
7/11/2010 8:28	pH		8.47	S.U.	
7/12/2010 8:51	pH		8.22	S.U.	
7/13/2010 8:33	pH		8.3	S.U.	
7/14/2010 8:45	pH		8.42	S.U.	
7/15/2010 8:47	pH		8.31	S.U.	
7/16/2010 8:40	pH		8.32	S.U.	
7/17/2010 8:17	pH		8.24	S.U.	
7/18/2010 8:20	pH		8.25	S.U.	
7/19/2010 8:35	pH		8.46	S.U.	
7/20/2010 8:50	pH		8.33	S.U.	
7/21/2010 8:27	pH		8.02	S.U.	
7/22/2010 8:33	pH		8.25	S.U.	
7/23/2010 8:31	pH		8.33	S.U.	
7/24/2010 7:35	pH		8.17	S.U.	
7/25/2010 8:12	pH		8.25	S.U.	
7/26/2010 8:40	pH		7.94	S.U.	
7/27/2010 8:50	pH		8.17	S.U.	
7/28/2010 8:50	pH		8.31	S.U.	
7/29/2010 8:45	pH		7.79	S.U.	
7/30/2010 8:33	pH		8.16	S.U.	
7/31/2010 7:58	pH		8.3	S.U.	
8/1/2010 8:03	pH		8.02	S.U.	
8/2/2010 8:44	pH		8.26	S.U.	
8/3/2010 8:35	pH		8.08	S.U.	
8/4/2010 8:52	pH		8.26	S.U.	
8/5/2010 8:45	pH		8.22	S.U.	
8/6/2010 8:42	pH		8.6	S.U.	
8/7/2010 8:09	pH		8.72	S.U.	
8/8/2010 7:57	pH		8.9	S.U.	
8/9/2010 8:33	pH		8.98	S.U.	
8/10/2010 8:43	pH		8.94	S.U.	
8/11/2010 8:33	pH		8.88	S.U.	
8/12/2010 8:49	pH		8.7	S.U.	
8/13/2010 8:50	pH		8.54	S.U.	
8/14/2010 7:40	pH		7.49	S.U.	
8/15/2010 7:44	pH		8.08	S.U.	
8/16/2010 8:50	pH		8.37	S.U.	
8/17/2010 8:42	pH		8.37	S.U.	
8/18/2010 8:42	pH		8.55	S.U.	
8/19/2010 8:36	pH		8.2	S.U.	
8/20/2010 8:27	pH		8.67	S.U.	
8/21/2010 8:23	pH		8.43	S.U.	
8/22/2010 8:17	pH		8.11	S.U.	
8/23/2010 9:00	pH		8.2	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/24/2010 8:43	pH		7.93	S.U.	
8/25/2010 8:54	pH		8.34	S.U.	
8/26/2010 8:20	pH		8.31	S.U.	
8/27/2010 8:47	pH		8.6	S.U.	
8/28/2010 7:56	pH		8.72	S.U.	
8/29/2010 7:55	pH		8.6	S.U.	
8/30/2010 8:28	pH		8.62	S.U.	
8/31/2010 8:48	pH		8.46	S.U.	
9/1/2010 8:39	pH		8.2	S.U.	
9/2/2010 8:42	pH		8.36	S.U.	
9/3/2010 8:14	pH		7.4	S.U.	
9/4/2010 7:52	pH		8.12	S.U.	
9/5/2010 8:12	pH		8.27	S.U.	
9/6/2010 8:10	pH		9.03	S.U.	
9/7/2010 8:25	pH		8.4	S.U.	
9/8/2010 8:33	pH		8.06	S.U.	
9/9/2010 8:25	pH		8.2	S.U.	
9/10/2010 8:31	pH		8.11	S.U.	
9/13/2010 8:38	pH		8.08	S.U.	
9/14/2010 8:34	pH		8.3	S.U.	
9/15/2010 8:28	pH		8.22	S.U.	
9/16/2010 8:31	pH		7.99	S.U.	
9/20/2010 8:40	pH		7.95	S.U.	
9/21/2010 9:10	pH		8.05	S.U.	
9/22/2010 8:32	pH		8.29	S.U.	
9/23/2010 8:50	pH		8.35	S.U.	
9/27/2010 8:32	pH		7.56	S.U.	
9/28/2010 9:02	pH		8.15	S.U.	
9/29/2010 8:30	pH		7.93	S.U.	
9/30/2010 8:49	pH		7.9	S.U.	
10/4/2010 8:42	pH		7.9	S.U.	
10/7/2010 8:44	pH		7.37	S.U.	
10/11/2010 8:44	pH		7.72	S.U.	
10/12/2010 8:36	pH		7.94	S.U.	
10/13/2010 9:03	pH		7.88	S.U.	
10/14/2010 8:41	pH		7.77	S.U.	
10/18/2010 9:09	pH		7.66	S.U.	
10/19/2010 10:09	pH		7.87	S.U.	
10/20/2010 9:02	pH		7.89	S.U.	
10/25/2010 9:04	pH		7.82	S.U.	
10/26/2010 8:39	pH		7.85	S.U.	
10/27/2010 8:50	pH		7.74	S.U.	
10/28/2010 8:40	pH		7.74	S.U.	
5/11/2010 9:24	Turbidity		14.89	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/12/2010 9:24	Turbidity		12.26	NTU	EPA180.1
5/13/2010 9:16	Turbidity		7.56	NTU	EPA180.1
5/17/2010 8:48	Turbidity		15.2	NTU	EPA180.1
5/18/2010 9:07	Turbidity		27.7	NTU	EPA180.1
5/19/2010 8:47	Turbidity		11.9	NTU	EPA180.1
5/20/2010 9:01	Turbidity		5.5	NTU	EPA180.1
5/21/2010 8:50	Turbidity		5.03	NTU	EPA180.1
5/22/2010 8:17	Turbidity		3.01	NTU	EPA180.1
5/23/2010 8:05	Turbidity		1.67	NTU	EPA180.1
5/24/2010 8:42	Turbidity		2.64	NTU	EPA180.1
5/25/2010 8:27	Turbidity		2.7	NTU	EPA180.1
5/26/2010 8:37	Turbidity		4.09	NTU	EPA180.1
5/27/2010 8:48	Turbidity		2.7	NTU	EPA180.1
5/28/2010 8:49	Turbidity		11.35	NTU	EPA180.1
5/29/2010 7:49	Turbidity		9.85	NTU	EPA180.1
5/30/2010 8:26	Turbidity		4.16	NTU	EPA180.1
5/31/2010 7:58	Turbidity		5.94	NTU	EPA180.1
6/1/2010 8:27	Turbidity		8.49	NTU	EPA180.1
6/2/2010 8:50	Turbidity		3.4	NTU	EPA180.1
6/3/2010 8:45	Turbidity		4.405	NTU	EPA180.1
6/4/2010 8:59	Turbidity		3.07	NTU	EPA180.1
6/5/2010 8:23	Turbidity		3.095	NTU	EPA180.1
6/6/2010 9:02	Turbidity		22.1	NTU	EPA180.1
6/7/2010 8:50	Turbidity		25.7	NTU	EPA180.1
6/8/2010 8:46	Turbidity		12.7	NTU	EPA180.1
6/9/2010 8:30	Turbidity		8.33	NTU	EPA180.1
6/10/2010 8:31	Turbidity		6.3	NTU	EPA180.1
6/11/2010 8:50	Turbidity		5.49	NTU	EPA180.1
6/12/2010 8:14	Turbidity		4.75	NTU	EPA180.1
6/13/2010 8:18	Turbidity		2.78	NTU	EPA180.1
6/14/2010 8:37	Turbidity		3.07	NTU	EPA180.1
6/15/2010 8:39	Turbidity		3.47	NTU	EPA180.1
6/16/2010 8:59	Turbidity		29.1	NTU	EPA180.1
6/17/2010 8:47	Turbidity		26.6	NTU	EPA180.1
6/18/2010 8:38	Turbidity		6.42	NTU	EPA180.1
6/19/2010 7:29	Turbidity		4.4	NTU	EPA180.1
6/20/2010 7:32	Turbidity		5.35	NTU	EPA180.1
6/21/2010 8:41	Turbidity		3.08	NTU	EPA180.1
6/22/2010 8:46	Turbidity		2.72	NTU	EPA180.1
6/23/2010 8:53	Turbidity		2.44	NTU	EPA180.1
6/24/2010 8:37	Turbidity		6.1	NTU	EPA180.1
6/25/2010 8:45	Turbidity		6.34	NTU	EPA180.1
6/26/2010 8:46	Turbidity		3.73	NTU	EPA180.1
6/27/2010 8:04	Turbidity		2.52	NTU	EPA180.1
6/28/2010 8:47	Turbidity		3.1	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/29/2010 8:47	Turbidity		13.35	NTU	EPA180.1
6/30/2010 8:51	Turbidity		13.1	NTU	EPA180.1
7/1/2010 8:43	Turbidity		6.59	NTU	EPA180.1
7/2/2010 8:33	Turbidity		8.25	NTU	EPA180.1
7/3/2010 7:36	Turbidity		4.42	NTU	EPA180.1
7/4/2010 7:36	Turbidity		6.45	NTU	EPA180.1
7/5/2010 7:36	Turbidity		7.76	NTU	EPA180.1
7/6/2010 8:43	Turbidity		3.61	NTU	EPA180.1
7/7/2010 8:45	Turbidity		2.59	NTU	EPA180.1
7/8/2010 8:38	Turbidity		2.72	NTU	EPA180.1
7/9/2010 8:39	Turbidity		4.9	NTU	EPA180.1
7/10/2010 8:05	Turbidity		3.51	NTU	EPA180.1
7/11/2010 8:28	Turbidity		3.43	NTU	EPA180.1
7/12/2010 8:51	Turbidity		4.42	NTU	EPA180.1
7/13/2010 8:33	Turbidity		2.1	NTU	EPA180.1
7/14/2010 8:45	Turbidity		6.89	NTU	EPA180.1
7/15/2010 8:47	Turbidity		3.14	NTU	EPA180.1
7/16/2010 8:40	Turbidity		15.95	NTU	EPA180.1
7/17/2010 8:17	Turbidity		5.98	NTU	EPA180.1
7/18/2010 8:20	Turbidity		8.08	NTU	EPA180.1
7/19/2010 8:35	Turbidity		3.35	NTU	EPA180.1
7/20/2010 8:50	Turbidity		4.96	NTU	EPA180.1
7/21/2010 8:27	Turbidity		4.66	NTU	EPA180.1
7/22/2010 8:33	Turbidity		7.58	NTU	EPA180.1
7/23/2010 8:31	Turbidity		9.44	NTU	EPA180.1
7/24/2010 7:35	Turbidity		5.66	NTU	EPA180.1
7/25/2010 8:12	Turbidity		7.67	NTU	EPA180.1
7/26/2010 8:40	Turbidity		5.34	NTU	EPA180.1
7/27/2010 8:50	Turbidity		3.08	NTU	EPA180.1
7/28/2010 8:50	Turbidity		2.41	NTU	EPA180.1
7/29/2010 8:45	Turbidity		33.7	NTU	EPA180.1
7/30/2010 8:33	Turbidity		11.6	NTU	EPA180.1
7/31/2010 7:58	Turbidity		3.93	NTU	EPA180.1
8/1/2010 8:03	Turbidity		3.67	NTU	EPA180.1
8/2/2010 8:44	Turbidity		5.47	NTU	EPA180.1
8/3/2010 8:35	Turbidity		5.63	NTU	EPA180.1
8/4/2010 8:52	Turbidity		3.23	NTU	EPA180.1
8/5/2010 8:45	Turbidity		6.55	NTU	EPA180.1
8/6/2010 8:42	Turbidity		20.2	NTU	EPA180.1
8/7/2010 8:09	Turbidity		9.47	NTU	EPA180.1
8/8/2010 7:57	Turbidity		4.54	NTU	EPA180.1
8/9/2010 8:33	Turbidity		3.88	NTU	EPA180.1
8/10/2010 8:43	Turbidity		2.97	NTU	EPA180.1
8/11/2010 8:33	Turbidity		3.03	NTU	EPA180.1
8/12/2010 8:49	Turbidity		7.04	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/13/2010 8:50	Turbidity		7.15	NTU	EPA180.1
8/14/2010 7:40	Turbidity		6.34	NTU	EPA180.1
8/15/2010 7:44	Turbidity		2.9	NTU	EPA180.1
8/16/2010 8:50	Turbidity		33	NTU	EPA180.1
8/17/2010 8:42	Turbidity		10.5	NTU	EPA180.1
8/18/2010 8:42	Turbidity		4.73	NTU	EPA180.1
8/19/2010 8:36	Turbidity		328	NTU	EPA180.1
8/20/2010 8:27	Turbidity		5.3	NTU	EPA180.1
8/21/2010 8:23	Turbidity		3.94	NTU	EPA180.1
8/22/2010 8:17	Turbidity		19.5	NTU	EPA180.1
8/23/2010 9:00	Turbidity		33.6	NTU	EPA180.1
8/24/2010 8:43	Turbidity		7.05	NTU	EPA180.1
8/25/2010 8:54	Turbidity		2.21	NTU	EPA180.1
8/26/2010 8:20	Turbidity		16.4	NTU	EPA180.1
8/27/2010 8:47	Turbidity		6.68	NTU	EPA180.1
8/28/2010 7:56	Turbidity		3.61	NTU	EPA180.1
8/29/2010 7:55	Turbidity		4.46	NTU	EPA180.1
8/30/2010 8:28	Turbidity		4.01	NTU	EPA180.1
8/31/2010 8:48	Turbidity		4.16	NTU	EPA180.1
9/1/2010 8:39	Turbidity		2.94	NTU	EPA180.1
9/2/2010 8:42	Turbidity		3.16	NTU	EPA180.1
9/3/2010 8:14	Turbidity		2.58	NTU	EPA180.1
9/4/2010 7:52	Turbidity		40.2	NTU	EPA180.1
9/5/2010 8:12	Turbidity		37.9	NTU	EPA180.1
9/6/2010 8:10	Turbidity		8.26	NTU	EPA180.1
9/7/2010 8:25	Turbidity		5.17	NTU	EPA180.1
9/8/2010 8:33	Turbidity		26.35	NTU	EPA180.1
9/9/2010 8:25	Turbidity		26.3	NTU	EPA180.1
9/10/2010 8:31	Turbidity		16.1	NTU	EPA180.1
9/13/2010 8:38	Turbidity		10.1	NTU	EPA180.1
9/14/2010 8:34	Turbidity		13.1	NTU	EPA180.1
9/15/2010 8:28	Turbidity		16.3	NTU	EPA180.1
9/16/2010 8:31	Turbidity		4.59	NTU	EPA180.1
9/20/2010 8:40	Turbidity		6.51	NTU	EPA180.1
9/21/2010 9:10	Turbidity		5.33	NTU	EPA180.1
9/22/2010 8:32	Turbidity		5.39	NTU	EPA180.1
9/23/2010 8:50	Turbidity		4.94	NTU	EPA180.1
9/27/2010 8:32	Turbidity		6.81	NTU	EPA180.1
9/28/2010 9:02	Turbidity		11.45	NTU	EPA180.1
9/29/2010 8:30	Turbidity		18.2	NTU	EPA180.1
9/30/2010 8:49	Turbidity		3	NTU	EPA180.1
10/4/2010 8:42	Turbidity		62.6	NTU	EPA180.1
10/7/2010 8:44	Turbidity		67.7	NTU	EPA180.1
10/11/2010 8:44	Turbidity		9.11	NTU	EPA180.1
10/12/2010 8:36	Turbidity		12.4	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
10/13/2010 9:03	Turbidity		5.8	NTU	EPA180.1
10/14/2010 8:41	Turbidity		15.6	NTU	EPA180.1
10/18/2010 9:09	Turbidity		11.15	NTU	EPA180.1
10/19/2010 10:09	Turbidity		8.62	NTU	EPA180.1
10/20/2010 9:02	Turbidity		7.65	NTU	EPA180.1
10/25/2010 9:04	Turbidity		5.56	NTU	EPA180.1
10/26/2010 8:39	Turbidity		3.92	NTU	EPA180.1
10/27/2010 8:50	Turbidity		9.05	NTU	EPA180.1
10/28/2010 8:40	Turbidity		30.3	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/17/2010 9:11	E. coli	EC	28	cfu/100mL	EPA1603
5/18/2010 9:33	E. coli		220	cfu/100mL	EPA1603
5/19/2010 9:33	E. coli	EC	24	cfu/100mL	EPA1603
5/20/2010 9:43	E. coli		335	cfu/100mL	EPA1603
5/21/2010 9:00	E. coli		48	cfu/100mL	EPA1603
5/22/2010 9:45	E. coli	EC	38	cfu/100mL	EPA1603
5/23/2010 9:23	E. coli		90	cfu/100mL	EPA1603
5/24/2010 9:15	E. coli		42	cfu/100mL	EPA1603
5/25/2010 9:36	E. coli	EC	7	cfu/100mL	EPA1603
5/26/2010 9:38	E. coli		6	cfu/100mL	EPA1603
5/27/2010 9:40	E. coli		40	cfu/100mL	EPA1603
5/28/2010 9:45	E. coli		790	cfu/100mL	EPA1603
5/29/2010 9:10	E. coli		30	cfu/100mL	EPA1603
5/30/2010 9:25	E. coli		23	cfu/100mL	EPA1603
5/31/2010 9:08	E. coli		76	cfu/100mL	EPA1603
6/1/2010 9:36	E. coli	EC	2500	cfu/100mL	EPA1603
6/2/2010 9:40	E. coli		305	cfu/100mL	EPA1603
6/3/2010 9:35	E. coli		133	cfu/100mL	EPA1603
6/4/2010 9:46	E. coli		49	cfu/100mL	EPA1603
6/5/2010 10:00	E. coli		1140	cfu/100mL	EPA1603
6/7/2010 10:09	E. coli		1060	cfu/100mL	EPA1603
6/8/2010 10:07	E. coli		37	cfu/100mL	EPA1603
6/9/2010 10:07	E. coli		62	cfu/100mL	EPA1603
6/10/2010 9:59	E. coli		36	cfu/100mL	EPA1603
6/11/2010 9:28	E. coli		50	cfu/100mL	EPA1603
6/12/2010 9:30	E. coli		660	cfu/100mL	EPA1603
6/13/2010 9:30	E. coli		305	cfu/100mL	EPA1603
6/14/2010 9:12	E. coli		188	cfu/100mL	EPA1603
6/15/2010 9:43	E. coli		660	cfu/100mL	EPA1603
6/16/2010 9:47	E. coli		2300	cfu/100mL	EPA1603
6/17/2010 9:25	E. coli		365	cfu/100mL	EPA1603
6/18/2010 9:39	E. coli		312	cfu/100mL	EPA1603
6/19/2010 8:27	E. coli		690	cfu/100mL	EPA1603
6/20/2010 8:27	E. coli		180	cfu/100mL	EPA1603
6/21/2010 9:34	E. coli		77	cfu/100mL	EPA1603
6/22/2010 9:40	E. coli		880	cfu/100mL	EPA1603
6/23/2010 9:41	E. coli		42	cfu/100mL	EPA1603
6/24/2010 9:40	E. coli		540	cfu/100mL	EPA1603
6/25/2010 9:36	E. coli		900	cfu/100mL	EPA1603
6/26/2010 9:45	E. coli		396	cfu/100mL	EPA1603
6/27/2010 9:02	E. coli		540	cfu/100mL	EPA1603
6/28/2010 9:45	E. coli		460	cfu/100mL	EPA1603
6/29/2010 9:55	E. coli		540	cfu/100mL	EPA1603
6/30/2010 9:46	E. coli		135	cfu/100mL	EPA1603
7/1/2010 9:36	E. coli		11	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/2/2010 9:46	E. coli		4	cfu/100mL	EPA1603
7/3/2010 8:33	E. coli		15	cfu/100mL	EPA1603
7/4/2010 8:40	E. coli		1220	cfu/100mL	EPA1603
7/5/2010 8:35	E. coli		460	cfu/100mL	EPA1603
7/6/2010 9:58	E. coli		250	cfu/100mL	EPA1603
7/7/2010 10:09	E. coli		640	cfu/100mL	EPA1603
7/8/2010 10:07	E. coli		150	cfu/100mL	EPA1603
7/9/2010 9:38	E. coli		316	cfu/100mL	EPA1603
7/10/2010 9:11	E. coli		80	cfu/100mL	EPA1603
7/11/2010 9:34	E. coli		43	cfu/100mL	EPA1603
7/12/2010 10:09	E. coli		424	cfu/100mL	EPA1603
7/13/2010 10:00	E. coli		155	cfu/100mL	EPA1603
7/14/2010 10:07	E. coli		540	cfu/100mL	EPA1603
7/15/2010 10:15	E. coli		1000	cfu/100mL	EPA1603
7/16/2010 10:03	E. coli		780	cfu/100mL	EPA1603
7/17/2010 9:40	E. coli		1280	cfu/100mL	EPA1603
7/18/2010 9:28	E. coli		54	cfu/100mL	EPA1603
7/19/2010 9:59	E. coli		150	cfu/100mL	EPA1603
7/20/2010 10:18	E. coli		49	cfu/100mL	EPA1603
7/21/2010 10:06	E. coli		2500	cfu/100mL	EPA1603
7/22/2010 10:18	E. coli		31	cfu/100mL	EPA1603
7/23/2010 10:22	E. coli		680	cfu/100mL	EPA1603
7/24/2010 8:50	E. coli		1600	cfu/100mL	EPA1603
7/25/2010 9:41	E. coli		580	cfu/100mL	EPA1603
7/26/2010 10:07	E. coli		28	cfu/100mL	EPA1603
7/27/2010 9:57	E. coli		10	cfu/100mL	EPA1603
7/28/2010 11:16	E. coli		930	cfu/100mL	EPA1603
7/29/2010 9:41	E. coli		1326	cfu/100mL	EPA1603
7/30/2010 9:49	E. coli		16	cfu/100mL	EPA1603
7/31/2010 8:54	E. coli		32	cfu/100mL	EPA1603
8/1/2010 9:02	E. coli	EC	7	cfu/100mL	EPA1603
8/2/2010 9:35	E. coli		34	cfu/100mL	EPA1603
8/3/2010 9:43	E. coli		6300	cfu/100mL	EPA1603
8/4/2010 9:49	E. coli		295	cfu/100mL	EPA1603
8/5/2010 10:41	E. coli		390	cfu/100mL	EPA1603
8/6/2010 9:48	E. coli		160	cfu/100mL	EPA1603
8/7/2010 9:21	E. coli		46	cfu/100mL	EPA1603
8/8/2010 9:18	E. coli	EC	860	cfu/100mL	EPA1603
8/9/2010 10:04	E. coli		290	cfu/100mL	EPA1603
8/10/2010 10:10	E. coli		18	cfu/100mL	EPA1603
8/11/2010 10:11	E. coli		17	cfu/100mL	EPA1603
8/12/2010 10:20	E. coli		1060	cfu/100mL	EPA1603
8/13/2010 9:59	E. coli		175	cfu/100mL	EPA1603
8/14/2010 8:38	E. coli		52	cfu/100mL	EPA1603
8/15/2010 8:42	E. coli		800	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/16/2010 10:37	E. coli		315	cfu/100mL	EPA1603
8/17/2010 9:54	E. coli		51	cfu/100mL	EPA1603
8/18/2010 10:12	E. coli		9	cfu/100mL	EPA1603
8/19/2010 10:40	E. coli		3	cfu/100mL	EPA1603
8/20/2010 10:16	E. coli		77	cfu/100mL	EPA1603
8/21/2010 9:25	E. coli		51	cfu/100mL	EPA1603
8/22/2010 9:29	E. coli		960	cfu/100mL	EPA1603
8/23/2010 10:18	E. coli		185	cfu/100mL	EPA1603
8/24/2010 10:21	E. coli		7	cfu/100mL	EPA1603
8/25/2010 10:07	E. coli		11	cfu/100mL	EPA1603
8/26/2010 10:25	E. coli		116	cfu/100mL	EPA1603
8/27/2010 10:04	E. coli		30	cfu/100mL	EPA1603
8/28/2010 8:53	E. coli		8	cfu/100mL	EPA1603
8/29/2010 8:52	E. coli		5	cfu/100mL	EPA1603
8/30/2010 10:16	E. coli		15	cfu/100mL	EPA1603
8/31/2010 10:00	E. coli		11	cfu/100mL	EPA1603
9/1/2010 10:37	E. coli		170	cfu/100mL	EPA1603
9/2/2010 10:12	E. coli		195	cfu/100mL	EPA1603
9/3/2010 9:54	E. coli		460	cfu/100mL	EPA1603
9/5/2010 9:20	E. coli		200	cfu/100mL	EPA1603
9/6/2010 9:19	E. coli		12	cfu/100mL	EPA1603
9/7/2010 10:30	E. coli		152	cfu/100mL	EPA1603
9/9/2010 9:55	E. coli		26	cfu/100mL	EPA1603
9/10/2010 10:52	E. coli		8	cfu/100mL	EPA1603
9/13/2010 10:08	E. coli		70	cfu/100mL	EPA1603
9/14/2010 10:28	E. coli		11	cfu/100mL	EPA1603
9/15/2010 9:51	E. coli		8	cfu/100mL	EPA1603
9/16/2010 10:46	E. coli		58	cfu/100mL	EPA1603
9/20/2010 9:52	E. coli		50	cfu/100mL	EPA1603
9/21/2010 10:22	E. coli		7	cfu/100mL	EPA1603
9/22/2010 10:20	E. coli		235	cfu/100mL	EPA1603
9/23/2010 10:13	E. coli		120	cfu/100mL	EPA1603
9/27/2010 9:20	E. coli		6	cfu/100mL	EPA1603
9/28/2010 9:55	E. coli		3500	cfu/100mL	EPA1603
9/29/2010 9:45	E. coli		2900	cfu/100mL	EPA1603
9/30/2010 9:48	E. coli		380	cfu/100mL	EPA1603
10/4/2010 9:49	E. coli		64	cfu/100mL	EPA1603
10/7/2010 9:41	E. coli		110	cfu/100mL	EPA1603
10/11/2010 10:08	E. coli		62	cfu/100mL	EPA1603
10/12/2010 9:43	E. coli		960	cfu/100mL	EPA1603
10/13/2010 10:30	E. coli	EC	2	cfu/100mL	EPA1603
10/14/2010 9:39	E. coli		4400	cfu/100mL	EPA1603
10/18/2010 10:20	E. coli		54	cfu/100mL	EPA1603
10/19/2010 11:02	E. coli		76	cfu/100mL	EPA1603
10/20/2010 10:22	E. coli		52	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/25/2010 9:56	E. coli		16	cfu/100mL	EPA1603
10/26/2010 9:36	E. coli		20	cfu/100mL	EPA1603
10/27/2010 9:50	E. coli		640	cfu/100mL	EPA1603
5/17/2010 9:11	Field Cond		345	uS/cm	SM 2510A
5/18/2010 9:33	Field Cond		285	uS/cm	SM 2510A
5/19/2010 9:33	Field Cond		288	uS/cm	SM 2510A
5/20/2010 9:43	Field Cond		307	uS/cm	SM 2510A
5/21/2010 9:00	Field Cond		311	uS/cm	SM 2510A
5/22/2010 9:45	Field Cond		335	uS/cm	SM 2510A
5/23/2010 9:23	Field Cond		318	uS/cm	SM 2510A
5/24/2010 9:15	Field Cond		337	uS/cm	SM 2510A
5/25/2010 9:36	Field Cond		318	uS/cm	SM 2510A
5/26/2010 9:38	Field Cond		285	uS/cm	SM 2510A
5/27/2010 9:40	Field Cond		307	uS/cm	SM 2510A
5/28/2010 9:45	Field Cond		345	uS/cm	SM 2510A
5/29/2010 9:10	Field Cond		342	uS/cm	SM 2510A
5/30/2010 9:25	Field Cond		339	uS/cm	SM 2510A
5/31/2010 9:08	Field Cond		325	uS/cm	SM 2510A
6/1/2010 9:36	Field Cond		349	uS/cm	SM 2510A
6/2/2010 9:40	Field Cond		289	uS/cm	SM 2510A
6/3/2010 9:35	Field Cond		315	uS/cm	SM 2510A
6/4/2010 9:46	Field Cond		316	uS/cm	SM 2510A
6/5/2010 10:00	Field Cond		312	uS/cm	SM 2510A
6/7/2010 10:09	Field Cond		337	uS/cm	SM 2510A
6/8/2010 10:07	Field Cond		288	uS/cm	SM 2510A
6/9/2010 10:07	Field Cond		300	uS/cm	SM 2510A
6/10/2010 9:59	Field Cond		298	uS/cm	SM 2510A
6/11/2010 9:28	Field Cond		264	uS/cm	SM 2510A
6/12/2010 9:30	Field Cond		293	uS/cm	SM 2510A
6/13/2010 9:30	Field Cond		303	uS/cm	SM 2510A
6/14/2010 9:12	Field Cond		335	uS/cm	SM 2510A
6/15/2010 9:43	Field Cond		286	uS/cm	SM 2510A
6/16/2010 9:47	Field Cond		296	uS/cm	SM 2510A
6/17/2010 9:25	Field Cond		333	uS/cm	SM 2510A
6/18/2010 9:39	Field Cond		308	uS/cm	SM 2510A
6/19/2010 8:27	Field Cond		288	uS/cm	SM 2510A
6/20/2010 8:27	Field Cond		324	uS/cm	SM 2510A
6/21/2010 9:34	Field Cond		313	uS/cm	SM 2510A
6/22/2010 9:40	Field Cond		335	uS/cm	SM 2510A
6/23/2010 9:41	Field Cond		303	uS/cm	SM 2510A
6/24/2010 9:40	Field Cond		297	uS/cm	SM 2510A
6/25/2010 9:36	Field Cond		283	uS/cm	SM 2510A
6/26/2010 9:45	Field Cond		288	uS/cm	SM 2510A
6/27/2010 9:02	Field Cond		290	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/28/2010 9:45	Field Cond		285	uS/cm	SM 2510A
6/29/2010 9:55	Field Cond		329	uS/cm	SM 2510A
6/30/2010 9:46	Field Cond		324	uS/cm	SM 2510A
7/1/2010 9:36	Field Cond		282	uS/cm	SM 2510A
7/2/2010 9:46	Field Cond		273	uS/cm	SM 2510A
7/3/2010 8:33	Field Cond		292	uS/cm	SM 2510A
7/4/2010 8:40	Field Cond		297	uS/cm	SM 2510A
7/5/2010 8:35	Field Cond		298	uS/cm	SM 2510A
7/6/2010 9:58	Field Cond		275	uS/cm	SM 2510A
7/7/2010 10:09	Field Cond		312	uS/cm	SM 2510A
7/8/2010 10:07	Field Cond		288	uS/cm	SM 2510A
7/9/2010 9:38	Field Cond		339	uS/cm	SM 2510A
7/10/2010 9:11	Field Cond		313	uS/cm	SM 2510A
7/11/2010 9:34	Field Cond		280	uS/cm	SM 2510A
7/12/2010 10:09	Field Cond		296	uS/cm	SM 2510A
7/13/2010 10:00	Field Cond		313	uS/cm	SM 2510A
7/14/2010 10:07	Field Cond		327	uS/cm	SM 2510A
7/15/2010 10:15	Field Cond		310	uS/cm	SM 2510A
7/16/2010 10:03	Field Cond		303	uS/cm	SM 2510A
7/17/2010 9:40	Field Cond		292	uS/cm	SM 2510A
7/18/2010 9:28	Field Cond		317	uS/cm	SM 2510A
7/19/2010 9:59	Field Cond		313	uS/cm	SM 2510A
7/20/2010 10:18	Field Cond		327	uS/cm	SM 2510A
7/21/2010 10:06	Field Cond		294	uS/cm	SM 2510A
7/22/2010 10:18	Field Cond		295	uS/cm	SM 2510A
7/23/2010 10:22	Field Cond		291	uS/cm	SM 2510A
7/24/2010 8:50	Field Cond		303	uS/cm	SM 2510A
7/25/2010 9:41	Field Cond		307	uS/cm	SM 2510A
7/26/2010 10:07	Field Cond		267	uS/cm	SM 2510A
7/27/2010 9:57	Field Cond		281	uS/cm	SM 2510A
7/28/2010 11:16	Field Cond		304	uS/cm	SM 2510A
7/29/2010 9:41	Field Cond		347	uS/cm	SM 2510A
7/30/2010 9:49	Field Cond		309	uS/cm	SM 2510A
7/31/2010 8:54	Field Cond		310	uS/cm	SM 2510A
8/1/2010 9:02	Field Cond		301	uS/cm	SM 2510A
8/2/2010 9:35	Field Cond		256	uS/cm	SM 2510A
8/3/2010 9:43	Field Cond		281	uS/cm	SM 2510A
8/4/2010 9:49	Field Cond		266	uS/cm	SM 2510A
8/5/2010 10:41	Field Cond		270	uS/cm	SM 2510A
8/6/2010 9:48	Field Cond		279	uS/cm	SM 2510A
8/7/2010 9:21	Field Cond		293	uS/cm	SM 2510A
8/8/2010 9:18	Field Cond		294	uS/cm	SM 2510A
8/9/2010 10:04	Field Cond		302	uS/cm	SM 2510A
8/10/2010 10:10	Field Cond		304	uS/cm	SM 2510A
8/11/2010 10:11	Field Cond		297	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/12/2010 10:20	Field Cond		292	uS/cm	SM 2510A
8/13/2010 9:59	Field Cond		307	uS/cm	SM 2510A
8/14/2010 8:38	Field Cond		292	uS/cm	SM 2510A
8/15/2010 8:42	Field Cond		288	uS/cm	SM 2510A
8/16/2010 10:37	Field Cond		257	uS/cm	SM 2510A
8/17/2010 9:54	Field Cond		310	uS/cm	SM 2510A
8/18/2010 10:12	Field Cond		266	uS/cm	SM 2510A
8/19/2010 10:40	Field Cond		282	uS/cm	SM 2510A
8/20/2010 10:16	Field Cond		294	uS/cm	SM 2510A
8/21/2010 9:25	Field Cond		277	uS/cm	SM 2510A
8/22/2010 9:29	Field Cond		297	uS/cm	SM 2510A
8/23/2010 10:18	Field Cond		266	uS/cm	SM 2510A
8/24/2010 10:21	Field Cond		297	uS/cm	SM 2510A
8/25/2010 10:07	Field Cond		281	uS/cm	SM 2510A
8/26/2010 10:25	Field Cond		305	uS/cm	SM 2510A
8/27/2010 10:04	Field Cond		263	uS/cm	SM 2510A
8/28/2010 8:53	Field Cond		301	uS/cm	SM 2510A
8/29/2010 8:52	Field Cond		297	uS/cm	SM 2510A
8/30/2010 10:16	Field Cond		297	uS/cm	SM 2510A
8/31/2010 10:00	Field Cond		264	uS/cm	SM 2510A
9/1/2010 10:37	Field Cond		282	uS/cm	SM 2510A
9/2/2010 10:12	Field Cond		286	uS/cm	SM 2510A
9/3/2010 9:54	Field Cond		293	uS/cm	SM 2510A
9/5/2010 9:20	Field Cond		292	uS/cm	SM 2510A
9/6/2010 9:19	Field Cond		313	uS/cm	SM 2510A
9/7/2010 10:30	Field Cond		309	uS/cm	SM 2510A
9/9/2010 9:55	Field Cond		331	uS/cm	SM 2510A
9/10/2010 10:52	Field Cond		321	uS/cm	SM 2510A
9/13/2010 10:08	Field Cond		308	uS/cm	SM 2510A
9/14/2010 10:28	Field Cond		308	uS/cm	SM 2510A
9/15/2010 9:51	Field Cond		318	uS/cm	SM 2510A
9/16/2010 10:46	Field Cond		313	uS/cm	SM 2510A
9/20/2010 9:52	Field Cond		304	uS/cm	SM 2510A
9/21/2010 10:22	Field Cond		297	uS/cm	SM 2510A
9/22/2010 10:20	Field Cond		282	uS/cm	SM 2510A
9/23/2010 10:13	Field Cond		317	uS/cm	SM 2510A
9/27/2010 9:20	Field Cond		334	uS/cm	SM 2510A
9/28/2010 9:55	Field Cond		386	uS/cm	SM 2510A
9/29/2010 9:45	Field Cond		352	uS/cm	SM 2510A
9/30/2010 9:48	Field Cond		335	uS/cm	SM 2510A
10/4/2010 9:49	Field Cond		332	uS/cm	SM 2510A
10/7/2010 9:41	Field Cond		345	uS/cm	SM 2510A
10/11/2010 10:08	Field Cond		315	uS/cm	SM 2510A
10/12/2010 9:43	Field Cond		371	uS/cm	SM 2510A
10/13/2010 10:30	Field Cond		310	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/14/2010 9:39	Field Cond		341	uS/cm	SM 2510A
10/18/2010 10:20	Field Cond		327	uS/cm	SM 2510A
10/19/2010 11:02	Field Cond		328	uS/cm	SM 2510A
10/20/2010 10:22	Field Cond		324	uS/cm	SM 2510A
10/25/2010 9:56	Field Cond		330	uS/cm	SM 2510A
10/26/2010 9:36	Field Cond		323	uS/cm	SM 2510A
10/27/2010 9:50	Field Cond		312	uS/cm	SM 2510A
5/17/2010 9:11	Field Temp		13	C	EPA 170.1
5/18/2010 9:33	Field Temp		12.2	C	EPA 170.1
5/19/2010 9:33	Field Temp		12.8	C	EPA 170.1
5/20/2010 9:43	Field Temp		13.8	C	EPA 170.1
5/21/2010 9:00	Field Temp		15.6	C	EPA 170.1
5/22/2010 9:45	Field Temp		15.4	C	EPA 170.1
5/23/2010 9:23	Field Temp		15.6	C	EPA 170.1
5/24/2010 9:15	Field Temp		16.7	C	EPA 170.1
5/25/2010 9:36	Field Temp		16	C	EPA 170.1
5/26/2010 9:38	Field Temp		17	C	EPA 170.1
5/27/2010 9:40	Field Temp		19.6	C	EPA 170.1
5/28/2010 9:45	Field Temp		20.4	C	EPA 170.1
5/29/2010 9:10	Field Temp		21.2	C	EPA 170.1
5/30/2010 9:25	Field Temp		22.2	C	EPA 170.1
5/31/2010 9:08	Field Temp		21.6	C	EPA 170.1
6/1/2010 9:36	Field Temp		21.8	C	EPA 170.1
6/2/2010 9:40	Field Temp		22.2	C	EPA 170.1
6/3/2010 9:35	Field Temp		22.2	C	EPA 170.1
6/4/2010 9:46	Field Temp		21.8	C	EPA 170.1
6/5/2010 10:00	Field Temp		21.3	C	EPA 170.1
6/7/2010 10:09	Field Temp		20.8	C	EPA 170.1
6/8/2010 10:07	Field Temp		21.4	C	EPA 170.1
6/9/2010 10:07	Field Temp		19.2	C	EPA 170.1
6/10/2010 9:59	Field Temp		20.7	C	EPA 170.1
6/11/2010 9:28	Field Temp		20.4	C	EPA 170.1
6/12/2010 9:30	Field Temp		21.5	C	EPA 170.1
6/13/2010 9:30	Field Temp		21.1	C	EPA 170.1
6/14/2010 9:12	Field Temp		22	C	EPA 170.1
6/15/2010 9:43	Field Temp		20.6	C	EPA 170.1
6/16/2010 9:47	Field Temp		20.8	C	EPA 170.1
6/17/2010 9:25	Field Temp		19.6	C	EPA 170.1
6/18/2010 9:39	Field Temp		20.9	C	EPA 170.1
6/19/2010 8:27	Field Temp		21.7	C	EPA 170.1
6/20/2010 8:27	Field Temp		21.7	C	EPA 170.1
6/21/2010 9:34	Field Temp		22.3	C	EPA 170.1
6/22/2010 9:40	Field Temp		21.5	C	EPA 170.1
6/23/2010 9:41	Field Temp		23.4	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/24/2010 9:40	Field Temp		22.6	C	EPA 170.1
6/25/2010 9:36	Field Temp		22.9	C	EPA 170.1
6/26/2010 9:45	Field Temp		23.4	C	EPA 170.1
6/27/2010 9:02	Field Temp		24	C	EPA 170.1
6/28/2010 9:45	Field Temp		23.7	C	EPA 170.1
6/29/2010 9:55	Field Temp		22.5	C	EPA 170.1
6/30/2010 9:46	Field Temp		22.5	C	EPA 170.1
7/1/2010 9:36	Field Temp		22.7	C	EPA 170.1
7/2/2010 9:46	Field Temp		22.8	C	EPA 170.1
7/3/2010 8:33	Field Temp		23.2	C	EPA 170.1
7/4/2010 8:40	Field Temp		23.7	C	EPA 170.1
7/5/2010 8:35	Field Temp		25	C	EPA 170.1
7/6/2010 9:58	Field Temp		26.1	C	EPA 170.1
7/7/2010 10:09	Field Temp		25.5	C	EPA 170.1
7/8/2010 10:07	Field Temp		26.5	C	EPA 170.1
7/9/2010 9:38	Field Temp		26.2	C	EPA 170.1
7/10/2010 9:11	Field Temp		25.2	C	EPA 170.1
7/11/2010 9:34	Field Temp		25.6	C	EPA 170.1
7/12/2010 10:09	Field Temp		24.9	C	EPA 170.1
7/13/2010 10:00	Field Temp		25.6	C	EPA 170.1
7/14/2010 10:07	Field Temp		24.9	C	EPA 170.1
7/15/2010 10:15	Field Temp		26.3	C	EPA 170.1
7/16/2010 10:03	Field Temp		25.9	C	EPA 170.1
7/17/2010 9:40	Field Temp		25.8	C	EPA 170.1
7/18/2010 9:28	Field Temp		26.1	C	EPA 170.1
7/19/2010 9:59	Field Temp		25.9	C	EPA 170.1
7/20/2010 10:18	Field Temp		25.7	C	EPA 170.1
7/21/2010 10:06	Field Temp		25.6	C	EPA 170.1
7/22/2010 10:18	Field Temp		26.1	C	EPA 170.1
7/23/2010 10:22	Field Temp		26.1	C	EPA 170.1
7/24/2010 8:50	Field Temp		26.2	C	EPA 170.1
7/25/2010 9:41	Field Temp		25.3	C	EPA 170.1
7/26/2010 10:07	Field Temp		25.9	C	EPA 170.1
7/27/2010 9:57	Field Temp		26.2	C	EPA 170.1
7/28/2010 11:16	Field Temp		26.7	C	EPA 170.1
7/29/2010 9:41	Field Temp		25.6	C	EPA 170.1
7/30/2010 9:49	Field Temp		25.8	C	EPA 170.1
7/31/2010 8:54	Field Temp		25.9	C	EPA 170.1
8/1/2010 9:02	Field Temp		25.2	C	EPA 170.1
8/2/2010 9:35	Field Temp		26	C	EPA 170.1
8/3/2010 9:43	Field Temp		25.7	C	EPA 170.1
8/4/2010 9:49	Field Temp		26.1	C	EPA 170.1
8/5/2010 10:41	Field Temp		26.2	C	EPA 170.1
8/6/2010 9:48	Field Temp		25.7	C	EPA 170.1
8/7/2010 9:21	Field Temp		25.6	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/8/2010 9:18	Field Temp		25.4	C	EPA 170.1
8/9/2010 10:04	Field Temp		25.5	C	EPA 170.1
8/10/2010 10:10	Field Temp		26.8	C	EPA 170.1
8/11/2010 10:11	Field Temp		27.2	C	EPA 170.1
8/12/2010 10:20	Field Temp		26.3	C	EPA 170.1
8/13/2010 9:59	Field Temp		25.9	C	EPA 170.1
8/14/2010 8:38	Field Temp		24.3	C	EPA 170.1
8/15/2010 8:42	Field Temp		24.9	C	EPA 170.1
8/16/2010 10:37	Field Temp		25.2	C	EPA 170.1
8/17/2010 9:54	Field Temp		25.1	C	EPA 170.1
8/18/2010 10:12	Field Temp		25.3	C	EPA 170.1
8/19/2010 10:40	Field Temp		25.8	C	EPA 170.1
8/20/2010 10:16	Field Temp		26	C	EPA 170.1
8/21/2010 9:25	Field Temp		25.2	C	EPA 170.1
8/22/2010 9:29	Field Temp		24.1	C	EPA 170.1
8/23/2010 10:18	Field Temp		23.8	C	EPA 170.1
8/24/2010 10:21	Field Temp		24.1	C	EPA 170.1
8/25/2010 10:07	Field Temp		24	C	EPA 170.1
8/26/2010 10:25	Field Temp		22.9	C	EPA 170.1
8/27/2010 10:04	Field Temp		24	C	EPA 170.1
8/28/2010 8:53	Field Temp		23.6	C	EPA 170.1
8/29/2010 8:52	Field Temp		23.4	C	EPA 170.1
8/30/2010 10:16	Field Temp		24.5	C	EPA 170.1
8/31/2010 10:00	Field Temp		24.3	C	EPA 170.1
9/1/2010 10:37	Field Temp		24.6	C	EPA 170.1
9/2/2010 10:12	Field Temp		25	C	EPA 170.1
9/3/2010 9:54	Field Temp		24.5	C	EPA 170.1
9/5/2010 9:20	Field Temp		20.1	C	EPA 170.1
9/6/2010 9:19	Field Temp		21.3	C	EPA 170.1
9/7/2010 10:30	Field Temp		22	C	EPA 170.1
9/9/2010 9:55	Field Temp		18.6	C	EPA 170.1
9/10/2010 10:52	Field Temp		19.6	C	EPA 170.1
9/13/2010 10:08	Field Temp		19.8	C	EPA 170.1
9/14/2010 10:28	Field Temp		20.5	C	EPA 170.1
9/15/2010 9:51	Field Temp		20	C	EPA 170.1
9/16/2010 10:46	Field Temp		19.8	C	EPA 170.1
9/20/2010 9:52	Field Temp		19.4	C	EPA 170.1
9/21/2010 10:22	Field Temp		19.4	C	EPA 170.1
9/22/2010 10:20	Field Temp		20.1	C	EPA 170.1
9/23/2010 10:13	Field Temp		20.5	C	EPA 170.1
9/27/2010 9:20	Field Temp		18.5	C	EPA 170.1
9/28/2010 9:55	Field Temp		16.6	C	EPA 170.1
9/29/2010 9:45	Field Temp		18.1	C	EPA 170.1
9/30/2010 9:48	Field Temp		18.7	C	EPA 170.1
10/4/2010 9:49	Field Temp		16.4	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/7/2010 9:41	Field Temp		14.9	C	EPA 170.1
10/11/2010 10:08	Field Temp		16.5	C	EPA 170.1
10/12/2010 9:43	Field Temp		16.2	C	EPA 170.1
10/13/2010 10:30	Field Temp		16.2	C	EPA 170.1
10/14/2010 9:39	Field Temp		14.9	C	EPA 170.1
10/18/2010 10:20	Field Temp		14.8	C	EPA 170.1
10/19/2010 11:02	Field Temp		14	C	EPA 170.1
10/20/2010 10:22	Field Temp		14	C	EPA 170.1
10/25/2010 9:56	Field Temp		13.8	C	EPA 170.1
10/26/2010 9:36	Field Temp		14.1	C	EPA 170.1
10/27/2010 9:50	Field Temp		13.3	C	EPA 170.1
5/18/2010 9:33	pH		7	S.U.	
5/19/2010 9:33	pH		7.79	S.U.	
5/20/2010 9:43	pH		6.69	S.U.	
5/21/2010 9:00	pH		8.18	S.U.	
5/22/2010 9:45	pH		7.35	S.U.	
5/23/2010 9:23	pH		7.66	S.U.	
5/24/2010 9:15	pH		8.43	S.U.	
5/25/2010 9:36	pH		8.31	S.U.	
5/26/2010 9:38	pH		7.55	S.U.	
5/27/2010 9:40	pH		7.45	S.U.	
5/28/2010 9:45	pH		7.45	S.U.	
5/29/2010 9:10	pH		8.61	S.U.	
5/30/2010 9:25	pH		8.75	S.U.	
5/31/2010 9:08	pH		7.65	S.U.	
6/1/2010 9:36	pH		7.55	S.U.	
6/2/2010 9:40	pH		7.84	S.U.	
6/3/2010 9:35	pH		7.6	S.U.	
6/4/2010 9:46	pH		7.82	S.U.	
6/5/2010 10:00	pH		10.04	S.U.	
6/7/2010 10:09	pH		8.55	S.U.	
6/8/2010 10:07	pH		7.7	S.U.	
6/9/2010 10:07	pH		7.33	S.U.	
6/10/2010 9:59	pH		7.3	S.U.	
6/11/2010 9:28	pH		8.4	S.U.	
6/12/2010 9:30	pH		8.38	S.U.	
6/13/2010 9:30	pH		8.11	S.U.	
6/14/2010 9:12	pH		8.27	S.U.	
6/15/2010 9:43	pH		8.16	S.U.	
6/16/2010 9:47	pH		8.37	S.U.	
6/17/2010 9:25	pH		8.3	S.U.	
6/18/2010 9:39	pH		8.18	S.U.	
6/19/2010 8:27	pH		8.3	S.U.	
6/20/2010 8:27	pH		8.31	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/21/2010 9:34	pH		8.51	S.U.	
6/22/2010 9:40	pH		8.05	S.U.	
6/23/2010 9:41	pH		8.33	S.U.	
6/24/2010 9:40	pH		8.34	S.U.	
6/25/2010 9:36	pH		8.21	S.U.	
6/26/2010 9:45	pH		8.15	S.U.	
6/27/2010 9:02	pH		8.23	S.U.	
6/28/2010 9:45	pH		8.23	S.U.	
6/29/2010 9:55	pH		8.22	S.U.	
6/30/2010 9:46	pH		8.24	S.U.	
7/1/2010 9:36	pH		8.38	S.U.	
7/2/2010 9:46	pH		8.37	S.U.	
7/3/2010 8:33	pH		8.48	S.U.	
7/4/2010 8:40	pH		8.47	S.U.	
7/5/2010 8:35	pH		8.26	S.U.	
7/6/2010 9:58	pH		8.34	S.U.	
7/7/2010 10:09	pH		8.31	S.U.	
7/8/2010 10:07	pH		8.37	S.U.	
7/9/2010 9:38	pH		8.2	S.U.	
7/10/2010 9:11	pH		8.28	S.U.	
7/11/2010 9:34	pH		8.32	S.U.	
7/12/2010 10:09	pH		8.4	S.U.	
7/13/2010 10:00	pH		8.43	S.U.	
7/14/2010 10:07	pH		8.21	S.U.	
7/15/2010 10:15	pH		8.6	S.U.	
7/16/2010 10:03	pH		8.4	S.U.	
7/17/2010 9:40	pH		8.4	S.U.	
7/18/2010 9:28	pH		8.28	S.U.	
7/19/2010 9:59	pH		8.29	S.U.	
7/20/2010 10:18	pH		8.21	S.U.	
7/21/2010 10:06	pH		8.24	S.U.	
7/22/2010 10:18	pH		8.25	S.U.	
7/23/2010 10:22	pH		8.08	S.U.	
7/24/2010 8:50	pH		8.38	S.U.	
7/25/2010 9:41	pH		8.32	S.U.	
7/26/2010 10:07	pH		8.23	S.U.	
7/27/2010 9:57	pH		8.37	S.U.	
7/28/2010 11:16	pH		8.21	S.U.	
7/29/2010 9:41	pH		8.2	S.U.	
7/30/2010 9:49	pH		8.42	S.U.	
7/31/2010 8:54	pH		8.52	S.U.	
8/1/2010 9:02	pH		8.36	S.U.	
8/2/2010 9:35	pH		8.19	S.U.	
8/3/2010 9:43	pH		8.34	S.U.	
8/4/2010 9:49	pH		8.52	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/5/2010 10:41	pH		8.42	S.U.	
8/6/2010 9:48	pH		8.2	S.U.	
8/7/2010 9:21	pH		8.75	S.U.	
8/8/2010 9:18	pH		8.8	S.U.	
8/9/2010 10:04	pH		8.88	S.U.	
8/10/2010 10:10	pH		8.8	S.U.	
8/11/2010 10:11	pH		8.77	S.U.	
8/12/2010 10:20	pH		8.62	S.U.	
8/13/2010 9:59	pH		8.47	S.U.	
8/14/2010 8:38	pH		7.98	S.U.	
8/15/2010 8:42	pH		8.23	S.U.	
8/16/2010 10:37	pH		8.6	S.U.	
8/17/2010 9:54	pH		8.34	S.U.	
8/18/2010 10:12	pH		8.47	S.U.	
8/19/2010 10:40	pH		8.66	S.U.	
8/20/2010 10:16	pH		8.46	S.U.	
8/21/2010 9:25	pH		8.28	S.U.	
8/22/2010 9:29	pH		8.29	S.U.	
8/23/2010 10:18	pH		8.32	S.U.	
8/24/2010 10:21	pH		8.08	S.U.	
8/25/2010 10:07	pH		8.32	S.U.	
8/26/2010 10:25	pH		8.33	S.U.	
8/27/2010 10:04	pH		8.59	S.U.	
8/28/2010 8:53	pH		8.49	S.U.	
8/29/2010 8:52	pH		8.4	S.U.	
8/30/2010 10:16	pH		8	S.U.	
8/31/2010 10:00	pH		8.11	S.U.	
9/1/2010 10:37	pH		8.47	S.U.	
9/2/2010 10:12	pH		8.42	S.U.	
9/3/2010 9:54	pH		8.21	S.U.	
9/5/2010 9:20	pH		8.32	S.U.	
9/6/2010 9:19	pH		8.02	S.U.	
9/7/2010 10:30	pH		7.6	S.U.	
9/9/2010 9:55	pH		7.76	S.U.	
9/10/2010 10:52	pH		8.18	S.U.	
9/13/2010 10:08	pH		7.69	S.U.	
9/14/2010 10:28	pH		8.28	S.U.	
9/15/2010 9:51	pH		8.26	S.U.	
9/16/2010 10:46	pH		8.25	S.U.	
9/20/2010 9:52	pH		8.2	S.U.	
9/21/2010 10:22	pH		8.35	S.U.	
9/22/2010 10:20	pH		8.26	S.U.	
9/23/2010 10:13	pH		8.16	S.U.	
9/27/2010 9:20	pH		7.69	S.U.	
9/28/2010 9:55	pH		7.84	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/29/2010 9:45	pH		7.85	S.U.	
9/30/2010 9:48	pH		7.95	S.U.	
10/4/2010 9:49	pH		8.03	S.U.	
10/7/2010 9:41	pH		7.51	S.U.	
10/11/2010 10:08	pH		8.02	S.U.	
10/12/2010 9:43	pH		8.08	S.U.	
10/13/2010 10:30	pH		7.77	S.U.	
10/14/2010 9:39	pH		7.99	S.U.	
10/18/2010 10:20	pH		8.05	S.U.	
10/19/2010 11:02	pH		8.04	S.U.	
10/20/2010 10:22	pH		8.04	S.U.	
10/25/2010 9:56	pH		7.94	S.U.	
10/26/2010 9:36	pH		7.65	S.U.	
10/27/2010 9:50	pH		7.77	S.U.	
9/10/2010 10:52	Turbidity		12	NTU	EPA 180.1
5/17/2010 9:11	Turbidity		2.13	NTU	EPA180.1
5/18/2010 9:33	Turbidity		2.61	NTU	EPA180.1
5/19/2010 9:33	Turbidity		5.4	NTU	EPA180.1
5/20/2010 9:43	Turbidity		2.69	NTU	EPA180.1
5/21/2010 9:00	Turbidity		1.66	NTU	EPA180.1
5/22/2010 9:45	Turbidity		1.7	NTU	EPA180.1
5/23/2010 9:23	Turbidity		2.28	NTU	EPA180.1
5/24/2010 9:15	Turbidity		2.77	NTU	EPA180.1
5/25/2010 9:36	Turbidity		1.68	NTU	EPA180.1
5/26/2010 9:38	Turbidity		1.22	NTU	EPA180.1
5/27/2010 9:40	Turbidity		1.57	NTU	EPA180.1
5/28/2010 9:45	Turbidity		15.77	NTU	EPA180.1
5/29/2010 9:10	Turbidity		3.48	NTU	EPA180.1
5/30/2010 9:25	Turbidity		3.65	NTU	EPA180.1
5/31/2010 9:08	Turbidity		3.68	NTU	EPA180.1
6/1/2010 9:36	Turbidity		11.73	NTU	EPA180.1
6/2/2010 9:40	Turbidity		2.32	NTU	EPA180.1
6/3/2010 9:35	Turbidity		5.68	NTU	EPA180.1
6/4/2010 9:46	Turbidity		2.24	NTU	EPA180.1
6/5/2010 10:00	Turbidity		3.09	NTU	EPA180.1
6/7/2010 10:09	Turbidity		18.45	NTU	EPA180.1
6/8/2010 10:07	Turbidity		2.69	NTU	EPA180.1
6/9/2010 10:07	Turbidity		11.34	NTU	EPA180.1
6/10/2010 9:59	Turbidity		4.72	NTU	EPA180.1
6/11/2010 9:28	Turbidity		1.98	NTU	EPA180.1
6/12/2010 9:30	Turbidity		1.56	NTU	EPA180.1
6/13/2010 9:30	Turbidity		1.71	NTU	EPA180.1
6/14/2010 9:12	Turbidity		2.81	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/15/2010 9:43	Turbidity		4.24	NTU	EPA180.1
6/16/2010 9:47	Turbidity		15.29	NTU	EPA180.1
6/17/2010 9:25	Turbidity		13.25	NTU	EPA180.1
6/18/2010 9:39	Turbidity		1.46	NTU	EPA180.1
6/19/2010 8:27	Turbidity		1.97	NTU	EPA180.1
6/20/2010 8:27	Turbidity		2	NTU	EPA180.1
6/21/2010 9:34	Turbidity		1.92	NTU	EPA180.1
6/22/2010 9:40	Turbidity		2.31	NTU	EPA180.1
6/23/2010 9:41	Turbidity		0.89	NTU	EPA180.1
6/24/2010 9:40	Turbidity		9.01	NTU	EPA180.1
6/25/2010 9:36	Turbidity		3.44	NTU	EPA180.1
6/26/2010 9:45	Turbidity		1.15	NTU	EPA180.1
6/27/2010 9:02	Turbidity		1.02	NTU	EPA180.1
6/28/2010 9:45	Turbidity		5.86	NTU	EPA180.1
6/29/2010 9:55	Turbidity		7.34	NTU	EPA180.1
6/30/2010 9:46	Turbidity		5.21	NTU	EPA180.1
7/1/2010 9:36	Turbidity		1.07	NTU	EPA180.1
7/2/2010 9:46	Turbidity		0.86	NTU	EPA180.1
7/3/2010 8:33	Turbidity		0.68	NTU	EPA180.1
7/4/2010 8:40	Turbidity		1.12	NTU	EPA180.1
7/5/2010 8:35	Turbidity		0.86	NTU	EPA180.1
7/6/2010 9:58	Turbidity		0.77	NTU	EPA180.1
7/7/2010 10:09	Turbidity	~	0.78	NTU	EPA180.1
7/8/2010 10:07	Turbidity		1.1	NTU	EPA180.1
7/9/2010 9:38	Turbidity		2.36	NTU	EPA180.1
7/10/2010 9:11	Turbidity		1.3	NTU	EPA180.1
7/11/2010 9:34	Turbidity		0.57	NTU	EPA180.1
7/12/2010 10:09	Turbidity		0.98	NTU	EPA180.1
7/13/2010 10:00	Turbidity		0.82	NTU	EPA180.1
7/14/2010 10:07	Turbidity		2.58	NTU	EPA180.1
7/15/2010 10:15	Turbidity		0.86	NTU	EPA180.1
7/16/2010 10:03	Turbidity		10.5	NTU	EPA180.1
7/17/2010 9:40	Turbidity		6.25	NTU	EPA180.1
7/18/2010 9:28	Turbidity		2.84	NTU	EPA180.1
7/19/2010 9:59	Turbidity		12.74	NTU	EPA180.1
7/20/2010 10:18	Turbidity		0.87	NTU	EPA180.1
7/21/2010 10:06	Turbidity		2.52	NTU	EPA180.1
7/22/2010 10:18	Turbidity		2.6	NTU	EPA180.1
7/23/2010 10:22	Turbidity		7.05	NTU	EPA180.1
7/24/2010 8:50	Turbidity		6.85	NTU	EPA180.1
7/25/2010 9:41	Turbidity		10.88	NTU	EPA180.1
7/26/2010 10:07	Turbidity		1.7	NTU	EPA180.1
7/27/2010 9:57	Turbidity		0.76	NTU	EPA180.1
7/28/2010 11:16	Turbidity		2.41	NTU	EPA180.1
7/29/2010 9:41	Turbidity		15.45	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/30/2010 9:49	Turbidity		2.11	NTU	EPA180.1
7/31/2010 8:54	Turbidity		1.46	NTU	EPA180.1
8/1/2010 9:02	Turbidity		0.92	NTU	EPA180.1
8/2/2010 9:35	Turbidity		1.14	NTU	EPA180.1
8/3/2010 9:43	Turbidity		2.41	NTU	EPA180.1
8/4/2010 9:49	Turbidity		0.84	NTU	EPA180.1
8/5/2010 10:41	Turbidity		9.69	NTU	EPA180.1
8/6/2010 9:48	Turbidity		11.42	NTU	EPA180.1
8/7/2010 9:21	Turbidity		3.47	NTU	EPA180.1
8/8/2010 9:18	Turbidity		3.79	NTU	EPA180.1
8/9/2010 10:04	Turbidity		2.25	NTU	EPA180.1
8/10/2010 10:10	Turbidity		1.11	NTU	EPA180.1
8/11/2010 10:11	Turbidity		2.47	NTU	EPA180.1
8/12/2010 10:20	Turbidity		2.21	NTU	EPA180.1
8/13/2010 9:59	Turbidity		2.4	NTU	EPA180.1
8/14/2010 8:38	Turbidity		3.39	NTU	EPA180.1
8/15/2010 8:42	Turbidity		4.58	NTU	EPA180.1
8/16/2010 10:37	Turbidity		19.8	NTU	EPA180.1
8/17/2010 9:54	Turbidity		4.89	NTU	EPA180.1
8/18/2010 10:12	Turbidity		2.55	NTU	EPA180.1
8/19/2010 10:40	Turbidity		1.62	NTU	EPA180.1
8/20/2010 10:16	Turbidity		2.54	NTU	EPA180.1
8/21/2010 9:25	Turbidity		2	NTU	EPA180.1
8/22/2010 9:29	Turbidity		11.2	NTU	EPA180.1
8/23/2010 10:18	Turbidity		10.22	NTU	EPA180.1
8/24/2010 10:21	Turbidity		3.16	NTU	EPA180.1
8/25/2010 10:07	Turbidity		1.6	NTU	EPA180.1
8/26/2010 10:25	Turbidity		23.85	NTU	EPA180.1
8/27/2010 10:04	Turbidity		2.59	NTU	EPA180.1
8/28/2010 8:53	Turbidity		2.09	NTU	EPA180.1
8/29/2010 8:52	Turbidity		1.67	NTU	EPA180.1
8/30/2010 10:16	Turbidity		2.19	NTU	EPA180.1
8/31/2010 10:00	Turbidity		1.82	NTU	EPA180.1
9/1/2010 10:37	Turbidity		1.94	NTU	EPA180.1
9/2/2010 10:12	Turbidity		3.22	NTU	EPA180.1
9/3/2010 9:54	Turbidity		5.06	NTU	EPA180.1
9/5/2010 9:20	Turbidity		28.3	NTU	EPA180.1
9/6/2010 9:19	Turbidity		8.95	NTU	EPA180.1
9/7/2010 10:30	Turbidity		15.3	NTU	EPA180.1
9/9/2010 9:55	Turbidity		47.1	NTU	EPA180.1
9/13/2010 10:08	Turbidity		11.75	NTU	EPA180.1
9/14/2010 10:28	Turbidity		6.2	NTU	EPA180.1
9/15/2010 9:51	Turbidity		9.61	NTU	EPA180.1
9/16/2010 10:46	Turbidity		2.24	NTU	EPA180.1
9/20/2010 9:52	Turbidity		5.32	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/21/2010 10:22	Turbidity		3.61	NTU	EPA180.1
9/22/2010 10:20	Turbidity		5.81	NTU	EPA180.1
9/23/2010 10:13	Turbidity		2.88	NTU	EPA180.1
9/27/2010 9:20	Turbidity		6.34	NTU	EPA180.1
9/28/2010 9:55	Turbidity		30.65	NTU	EPA180.1
9/29/2010 9:45	Turbidity		8.05	NTU	EPA180.1
9/30/2010 9:48	Turbidity		2.72	NTU	EPA180.1
10/4/2010 9:49	Turbidity		32.4	NTU	EPA180.1
10/7/2010 9:41	Turbidity		34.9	NTU	EPA180.1
10/11/2010 10:08	Turbidity		5.68	NTU	EPA180.1
10/12/2010 9:43	Turbidity		14.6	NTU	EPA180.1
10/13/2010 10:30	Turbidity		2.66	NTU	EPA180.1
10/14/2010 9:39	Turbidity		27.3	NTU	EPA180.1
10/18/2010 10:20	Turbidity		5.12	NTU	EPA180.1
10/19/2010 11:02	Turbidity		9.44	NTU	EPA180.1
10/20/2010 10:22	Turbidity		3.13	NTU	EPA180.1
10/25/2010 9:56	Turbidity		3.99	NTU	EPA180.1
10/26/2010 9:36	Turbidity		2.87	NTU	EPA180.1
10/27/2010 9:50	Turbidity		12.4	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/17/2010 9:16	E. coli		40	cfu/100mL	EPA1603
5/18/2010 9:40	E. coli		740	cfu/100mL	EPA1603
5/19/2010 9:40	E. coli	EC	26	cfu/100mL	EPA1603
5/20/2010 9:51	E. coli		245	cfu/100mL	EPA1603
5/21/2010 9:04	E. coli		56	cfu/100mL	EPA1603
5/22/2010 9:53	E. coli		110	cfu/100mL	EPA1603
5/23/2010 9:31	E. coli		134	cfu/100mL	EPA1603
5/24/2010 9:21	E. coli	EC	17	cfu/100mL	EPA1603
5/25/2010 9:41	E. coli	EC	8	cfu/100mL	EPA1603
5/26/2010 9:43	E. coli		44	cfu/100mL	EPA1603
5/27/2010 9:47	E. coli		23	cfu/100mL	EPA1603
5/28/2010 9:50	E. coli	EC	1260	cfu/100mL	EPA1603
5/29/2010 9:18	E. coli		50	cfu/100mL	EPA1603
5/30/2010 9:33	E. coli		75	cfu/100mL	EPA1603
5/31/2010 9:13	E. coli		25	cfu/100mL	EPA1603
6/1/2010 9:47	E. coli	EC	1800	cfu/100mL	EPA1603
6/2/2010 9:45	E. coli		54	cfu/100mL	EPA1603
6/3/2010 9:40	E. coli		215	cfu/100mL	EPA1603
6/4/2010 9:52	E. coli		45	cfu/100mL	EPA1603
6/5/2010 10:08	E. coli		980	cfu/100mL	EPA1603
6/6/2010 11:00	E. coli		4000	cfu/100mL	EPA1603
6/7/2010 10:15	E. coli		860	cfu/100mL	EPA1603
6/8/2010 10:12	E. coli		31	cfu/100mL	EPA1603
6/9/2010 10:11	E. coli		24	cfu/100mL	EPA1603
6/10/2010 10:04	E. coli		32	cfu/100mL	EPA1603
6/11/2010 9:34	E. coli		26	cfu/100mL	EPA1603
6/12/2010 9:40	E. coli		73	cfu/100mL	EPA1603
6/13/2010 9:40	E. coli		100	cfu/100mL	EPA1603
6/14/2010 9:16	E. coli		68	cfu/100mL	EPA1603
6/15/2010 9:51	E. coli	EC	8400	cfu/100mL	EPA1603
6/16/2010 9:53	E. coli		275	cfu/100mL	EPA1603
6/17/2010 9:31	E. coli		372	cfu/100mL	EPA1603
6/18/2010 9:45	E. coli		33	cfu/100mL	EPA1603
6/19/2010 8:31	E. coli		305	cfu/100mL	EPA1603
6/20/2010 8:32	E. coli		60	cfu/100mL	EPA1603
6/21/2010 9:39	E. coli		40	cfu/100mL	EPA1603
6/22/2010 9:45	E. coli		360	cfu/100mL	EPA1603
6/23/2010 9:44	E. coli		36	cfu/100mL	EPA1603
6/24/2010 9:45	E. coli		188	cfu/100mL	EPA1603
6/25/2010 9:41	E. coli		1100	cfu/100mL	EPA1603
6/26/2010 9:50	E. coli		54	cfu/100mL	EPA1603
6/27/2010 9:08	E. coli		275	cfu/100mL	EPA1603
6/28/2010 9:50	E. coli		600	cfu/100mL	EPA1603
6/29/2010 10:00	E. coli		560	cfu/100mL	EPA1603
6/30/2010 9:52	E. coli		368	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/1/2010 9:40	E. coli		9	cfu/100mL	EPA1603
7/2/2010 9:51	E. coli		29	cfu/100mL	EPA1603
7/3/2010 8:38	E. coli		68	cfu/100mL	EPA1603
7/4/2010 8:45	E. coli		38	cfu/100mL	EPA1603
7/5/2010 8:39	E. coli		180	cfu/100mL	EPA1603
7/6/2010 10:03	E. coli		70	cfu/100mL	EPA1603
7/7/2010 10:13	E. coli		57	cfu/100mL	EPA1603
7/8/2010 10:10	E. coli		115	cfu/100mL	EPA1603
7/9/2010 9:33	E. coli		175	cfu/100mL	EPA1603
7/10/2010 9:11	E. coli		106	cfu/100mL	EPA1603
7/11/2010 9:39	E. coli		31	cfu/100mL	EPA1603
7/12/2010 10:14	E. coli		58	cfu/100mL	EPA1603
7/13/2010 10:10	E. coli		160	cfu/100mL	EPA1603
7/14/2010 10:17	E. coli		4200	cfu/100mL	EPA1603
7/15/2010 10:25	E. coli		46	cfu/100mL	EPA1603
7/16/2010 10:08	E. coli		680	cfu/100mL	EPA1603
7/17/2010 9:46	E. coli		200	cfu/100mL	EPA1603
7/18/2010 9:39	E. coli		59	cfu/100mL	EPA1603
7/19/2010 10:45	E. coli		175	cfu/100mL	EPA1603
7/20/2010 10:22	E. coli		76	cfu/100mL	EPA1603
7/21/2010 10:17	E. coli		125	cfu/100mL	EPA1603
7/22/2010 10:24	E. coli		42	cfu/100mL	EPA1603
7/23/2010 10:27	E. coli		720	cfu/100mL	EPA1603
7/24/2010 8:55	E. coli		1080	cfu/100mL	EPA1603
7/25/2010 9:47	E. coli		880	cfu/100mL	EPA1603
7/26/2010 10:12	E. coli		34	cfu/100mL	EPA1603
7/27/2010 10:02	E. coli		13	cfu/100mL	EPA1603
7/28/2010 11:21	E. coli		115	cfu/100mL	EPA1603
7/29/2010 9:55	E. coli		4700	cfu/100mL	EPA1603
7/30/2010 9:54	E. coli		25	cfu/100mL	EPA1603
7/31/2010 9:00	E. coli		72	cfu/100mL	EPA1603
8/1/2010 9:05	E. coli		56	cfu/100mL	EPA1603
8/2/2010 9:38	E. coli		44	cfu/100mL	EPA1603
8/3/2010 9:48	E. coli		990	cfu/100mL	EPA1603
8/4/2010 9:53	E. coli		305	cfu/100mL	EPA1603
8/5/2010 10:47	E. coli		382	cfu/100mL	EPA1603
8/6/2010 9:53	E. coli		136	cfu/100mL	EPA1603
8/7/2010 9:30	E. coli	EC	36	cfu/100mL	EPA1603
8/8/2010 9:22	E. coli	EC	119	cfu/100mL	EPA1603
8/9/2010 10:09	E. coli		48	cfu/100mL	EPA1603
8/10/2010 10:20	E. coli		57	cfu/100mL	EPA1603
8/11/2010 10:17	E. coli		1080	cfu/100mL	EPA1603
8/12/2010 10:25	E. coli		6200	cfu/100mL	EPA1603
8/13/2010 10:06	E. coli		165	cfu/100mL	EPA1603
8/14/2010 8:43	E. coli	EC	39	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/15/2010 8:46	E. coli		567	cfu/100mL	EPA1603
8/16/2010 10:42	E. coli		360	cfu/100mL	EPA1603
8/17/2010 9:58	E. coli		73	cfu/100mL	EPA1603
8/18/2010 10:17	E. coli		18	cfu/100mL	EPA1603
8/19/2010 10:51	E. coli		7	cfu/100mL	EPA1603
8/20/2010 10:21	E. coli		74	cfu/100mL	EPA1603
8/21/2010 9:31	E. coli		35	cfu/100mL	EPA1603
8/22/2010 9:35	E. coli		740	cfu/100mL	EPA1603
8/23/2010 10:22	E. coli		195	cfu/100mL	EPA1603
8/24/2010 10:30	E. coli		18	cfu/100mL	EPA1603
8/25/2010 10:12	E. coli		20	cfu/100mL	EPA1603
8/26/2010 10:31	E. coli		147	cfu/100mL	EPA1603
8/27/2010 10:09	E. coli		2	cfu/100mL	EPA1603
8/28/2010 8:57	E. coli	EC	9	cfu/100mL	EPA1603
8/29/2010 8:57	E. coli		2	cfu/100mL	EPA1603
8/30/2010 10:21	E. coli		75	cfu/100mL	EPA1603
8/31/2010 10:05	E. coli		17	cfu/100mL	EPA1603
9/1/2010 10:43	E. coli		78	cfu/100mL	EPA1603
9/2/2010 10:17	E. coli		372	cfu/100mL	EPA1603
9/3/2010 10:00	E. coli		48	cfu/100mL	EPA1603
9/5/2010 9:26	E. coli		220	cfu/100mL	EPA1603
9/6/2010 9:28	E. coli		20	cfu/100mL	EPA1603
9/7/2010 10:36	E. coli		13	cfu/100mL	EPA1603
9/9/2010 10:02	E. coli		25	cfu/100mL	EPA1603
9/10/2010 10:58	E. coli		23	cfu/100mL	EPA1603
9/13/2010 10:20	E. coli		108	cfu/100mL	EPA1603
9/14/2010 10:36	E. coli		10	cfu/100mL	EPA1603
9/15/2010 9:56	E. coli		18	cfu/100mL	EPA1603
9/16/2010 10:55	E. coli		4	cfu/100mL	EPA1603
9/20/2010 9:56	E. coli		52	cfu/100mL	EPA1603
9/21/2010 10:26	E. coli		8	cfu/100mL	EPA1603
9/22/2010 10:27	E. coli		275	cfu/100mL	EPA1603
9/23/2010 10:18	E. coli		270	cfu/100mL	EPA1603
9/27/2010 9:25	E. coli		46	cfu/100mL	EPA1603
9/28/2010 10:00	E. coli		2700	cfu/100mL	EPA1603
9/29/2010 9:55	E. coli		5000	cfu/100mL	EPA1603
9/30/2010 9:52	E. coli		420	cfu/100mL	EPA1603
10/4/2010 9:55	E. coli		74	cfu/100mL	EPA1603
10/7/2010 9:45	E. coli		100	cfu/100mL	EPA1603
10/11/2010 10:13	E. coli		65	cfu/100mL	EPA1603
10/12/2010 9:50	E. coli		880	cfu/100mL	EPA1603
10/13/2010 10:40	E. coli	EC	4	cfu/100mL	EPA1603
10/14/2010 9:43	E. coli		3700	cfu/100mL	EPA1603
10/18/2010 10:36	E. coli		120	cfu/100mL	EPA1603
10/19/2010 11:06	E. coli		50	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/20/2010 10:30	E. coli		44	cfu/100mL	EPA1603
10/25/2010 10:02	E. coli		218	cfu/100mL	EPA1603
10/26/2010 9:41	E. coli	EC	16	cfu/100mL	EPA1603
10/27/2010 9:56	E. coli		600	cfu/100mL	EPA1603
5/17/2010 9:16	Field Cond		369	uS/cm	SM 2510A
5/18/2010 9:40	Field Cond		279	uS/cm	SM 2510A
5/19/2010 9:40	Field Cond		290	uS/cm	SM 2510A
5/20/2010 9:51	Field Cond		305	uS/cm	SM 2510A
5/21/2010 9:04	Field Cond		325	uS/cm	SM 2510A
5/22/2010 9:53	Field Cond		331	uS/cm	SM 2510A
5/23/2010 9:31	Field Cond		316	uS/cm	SM 2510A
5/24/2010 9:21	Field Cond		329	uS/cm	SM 2510A
5/25/2010 9:41	Field Cond		307	uS/cm	SM 2510A
5/26/2010 9:43	Field Cond		288	uS/cm	SM 2510A
5/27/2010 9:47	Field Cond		298	uS/cm	SM 2510A
5/28/2010 9:50	Field Cond		339	uS/cm	SM 2510A
5/29/2010 9:18	Field Cond		346	uS/cm	SM 2510A
5/30/2010 9:33	Field Cond		332	uS/cm	SM 2510A
5/31/2010 9:13	Field Cond		325	uS/cm	SM 2510A
6/1/2010 9:47	Field Cond		336	uS/cm	SM 2510A
6/2/2010 9:45	Field Cond		284	uS/cm	SM 2510A
6/3/2010 9:40	Field Cond		314	uS/cm	SM 2510A
6/4/2010 9:52	Field Cond		316	uS/cm	SM 2510A
6/5/2010 10:08	Field Cond		309	uS/cm	SM 2510A
6/7/2010 10:15	Field Cond		331	uS/cm	SM 2510A
6/8/2010 10:12	Field Cond		287	uS/cm	SM 2510A
6/9/2010 10:11	Field Cond		297	uS/cm	SM 2510A
6/10/2010 10:04	Field Cond		298	uS/cm	SM 2510A
6/11/2010 9:34	Field Cond		260	uS/cm	SM 2510A
6/12/2010 9:40	Field Cond		293	uS/cm	SM 2510A
6/13/2010 9:40	Field Cond		301	uS/cm	SM 2510A
6/14/2010 9:16	Field Cond		336	uS/cm	SM 2510A
6/15/2010 9:51	Field Cond		287	uS/cm	SM 2510A
6/16/2010 9:53	Field Cond		299	uS/cm	SM 2510A
6/17/2010 9:31	Field Cond		325	uS/cm	SM 2510A
6/18/2010 9:45	Field Cond		305	uS/cm	SM 2510A
6/19/2010 8:31	Field Cond		284	uS/cm	SM 2510A
6/20/2010 8:32	Field Cond		324	uS/cm	SM 2510A
6/21/2010 9:39	Field Cond		313	uS/cm	SM 2510A
6/22/2010 9:45	Field Cond		333	uS/cm	SM 2510A
6/23/2010 9:44	Field Cond		304	uS/cm	SM 2510A
6/24/2010 9:45	Field Cond		296	uS/cm	SM 2510A
6/25/2010 9:41	Field Cond		282	uS/cm	SM 2510A
6/26/2010 9:50	Field Cond		286	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/27/2010 9:08	Field Cond		289	uS/cm	SM 2510A
6/28/2010 9:50	Field Cond		285	uS/cm	SM 2510A
6/29/2010 10:00	Field Cond		325	uS/cm	SM 2510A
6/30/2010 9:52	Field Cond		307	uS/cm	SM 2510A
7/1/2010 9:40	Field Cond		281	uS/cm	SM 2510A
7/2/2010 9:51	Field Cond		274	uS/cm	SM 2510A
7/3/2010 8:38	Field Cond		293	uS/cm	SM 2510A
7/4/2010 8:45	Field Cond		297	uS/cm	SM 2510A
7/5/2010 8:39	Field Cond		297	uS/cm	SM 2510A
7/6/2010 10:03	Field Cond		274	uS/cm	SM 2510A
7/7/2010 10:13	Field Cond		312	uS/cm	SM 2510A
7/8/2010 10:10	Field Cond		289	uS/cm	SM 2510A
7/9/2010 9:33	Field Cond		339	uS/cm	SM 2510A
7/10/2010 9:11	Field Cond		314	uS/cm	SM 2510A
7/11/2010 9:39	Field Cond		280	uS/cm	SM 2510A
7/12/2010 10:14	Field Cond		294	uS/cm	SM 2510A
7/13/2010 10:10	Field Cond		311	uS/cm	SM 2510A
7/14/2010 10:17	Field Cond		325	uS/cm	SM 2510A
7/15/2010 10:25	Field Cond		852	uS/cm	SM 2510A
7/16/2010 10:08	Field Cond		304	uS/cm	SM 2510A
7/17/2010 9:46	Field Cond		291	uS/cm	SM 2510A
7/18/2010 9:39	Field Cond		312	uS/cm	SM 2510A
7/19/2010 10:45	Field Cond		313	uS/cm	SM 2510A
7/20/2010 10:22	Field Cond		323	uS/cm	SM 2510A
7/21/2010 10:17	Field Cond		294	uS/cm	SM 2510A
7/22/2010 10:24	Field Cond		296	uS/cm	SM 2510A
7/23/2010 10:27	Field Cond		291	uS/cm	SM 2510A
7/24/2010 8:55	Field Cond		301	uS/cm	SM 2510A
7/25/2010 9:47	Field Cond		307	uS/cm	SM 2510A
7/26/2010 10:12	Field Cond		267	uS/cm	SM 2510A
7/27/2010 10:02	Field Cond		281	uS/cm	SM 2510A
7/28/2010 11:21	Field Cond		303	uS/cm	SM 2510A
7/29/2010 9:55	Field Cond		344	uS/cm	SM 2510A
7/30/2010 9:54	Field Cond		309	uS/cm	SM 2510A
7/31/2010 9:00	Field Cond		311	uS/cm	SM 2510A
8/1/2010 9:05	Field Cond		302	uS/cm	SM 2510A
8/2/2010 9:38	Field Cond		258	uS/cm	SM 2510A
8/3/2010 9:48	Field Cond		281	uS/cm	SM 2510A
8/4/2010 9:53	Field Cond		265	uS/cm	SM 2510A
8/5/2010 10:47	Field Cond		270	uS/cm	SM 2510A
8/6/2010 9:53	Field Cond		273	uS/cm	SM 2510A
8/7/2010 9:30	Field Cond		289	uS/cm	SM 2510A
8/8/2010 9:22	Field Cond		293	uS/cm	SM 2510A
8/9/2010 10:09	Field Cond		300	uS/cm	SM 2510A
8/10/2010 10:20	Field Cond		304	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/11/2010 10:17	Field Cond		292	uS/cm	SM 2510A
8/12/2010 10:25	Field Cond		290	uS/cm	SM 2510A
8/13/2010 10:06	Field Cond		305	uS/cm	SM 2510A
8/14/2010 8:43	Field Cond		295	uS/cm	SM 2510A
8/15/2010 8:46	Field Cond		290	uS/cm	SM 2510A
8/16/2010 10:42	Field Cond		253	uS/cm	SM 2510A
8/17/2010 9:58	Field Cond		310	uS/cm	SM 2510A
8/18/2010 10:17	Field Cond		263	uS/cm	SM 2510A
8/19/2010 10:51	Field Cond		282	uS/cm	SM 2510A
8/20/2010 10:21	Field Cond		294	uS/cm	SM 2510A
8/21/2010 9:31	Field Cond		288	uS/cm	SM 2510A
8/22/2010 9:35	Field Cond		293	uS/cm	SM 2510A
8/23/2010 10:22	Field Cond		264	uS/cm	SM 2510A
8/24/2010 10:30	Field Cond		295	uS/cm	SM 2510A
8/25/2010 10:12	Field Cond		280	uS/cm	SM 2510A
8/26/2010 10:31	Field Cond		302	uS/cm	SM 2510A
8/27/2010 10:09	Field Cond		263	uS/cm	SM 2510A
8/28/2010 8:57	Field Cond		300	uS/cm	SM 2510A
8/29/2010 8:57	Field Cond		297	uS/cm	SM 2510A
8/30/2010 10:21	Field Cond		295	uS/cm	SM 2510A
8/31/2010 10:05	Field Cond		263	uS/cm	SM 2510A
9/1/2010 10:43	Field Cond		280	uS/cm	SM 2510A
9/2/2010 10:17	Field Cond		288	uS/cm	SM 2510A
9/3/2010 10:00	Field Cond		290	uS/cm	SM 2510A
9/5/2010 9:26	Field Cond		292	uS/cm	SM 2510A
9/6/2010 9:28	Field Cond		314	uS/cm	SM 2510A
9/7/2010 10:36	Field Cond		309	uS/cm	SM 2510A
9/9/2010 10:02	Field Cond		328	uS/cm	SM 2510A
9/10/2010 10:58	Field Cond		320	uS/cm	SM 2510A
9/13/2010 10:20	Field Cond		308	uS/cm	SM 2510A
9/14/2010 10:36	Field Cond		303	uS/cm	SM 2510A
9/15/2010 9:56	Field Cond		319	uS/cm	SM 2510A
9/16/2010 10:55	Field Cond		311	uS/cm	SM 2510A
9/20/2010 9:56	Field Cond		303	uS/cm	SM 2510A
9/21/2010 10:26	Field Cond		297	uS/cm	SM 2510A
9/22/2010 10:27	Field Cond		277	uS/cm	SM 2510A
9/23/2010 10:18	Field Cond		317	uS/cm	SM 2510A
9/27/2010 9:25	Field Cond		331	uS/cm	SM 2510A
9/28/2010 10:00	Field Cond		381	uS/cm	SM 2510A
9/29/2010 9:55	Field Cond		353	uS/cm	SM 2510A
9/30/2010 9:52	Field Cond		333	uS/cm	SM 2510A
10/4/2010 9:55	Field Cond		334	uS/cm	SM 2510A
10/7/2010 9:45	Field Cond		344	uS/cm	SM 2510A
10/11/2010 10:13	Field Cond		5.35	uS/cm	SM 2510A
10/12/2010 9:50	Field Cond		364	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/13/2010 10:40	Field Cond		309	uS/cm	SM 2510A
10/14/2010 9:43	Field Cond		346	uS/cm	SM 2510A
10/18/2010 10:36	Field Cond		335	uS/cm	SM 2510A
10/19/2010 11:06	Field Cond		327	uS/cm	SM 2510A
10/20/2010 10:30	Field Cond		320	uS/cm	SM 2510A
10/25/2010 10:02	Field Cond		329	uS/cm	SM 2510A
10/26/2010 9:41	Field Cond		318	uS/cm	SM 2510A
10/27/2010 9:56	Field Cond		307	uS/cm	SM 2510A
5/17/2010 9:16	Field Temp		12.7	C	EPA 170.1
5/18/2010 9:40	Field Temp		12.3	C	EPA 170.1
5/19/2010 9:40	Field Temp		12.6	C	EPA 170.1
5/20/2010 9:51	Field Temp		13.4	C	EPA 170.1
5/21/2010 9:04	Field Temp		15.2	C	EPA 170.1
5/22/2010 9:53	Field Temp		15.1	C	EPA 170.1
5/23/2010 9:31	Field Temp		16	C	EPA 170.1
5/24/2010 9:21	Field Temp		16.6	C	EPA 170.1
5/25/2010 9:41	Field Temp		15.6	C	EPA 170.1
5/26/2010 9:43	Field Temp		16.5	C	EPA 170.1
5/27/2010 9:47	Field Temp		19.6	C	EPA 170.1
5/28/2010 9:50	Field Temp		20.2	C	EPA 170.1
5/29/2010 9:18	Field Temp		21.7	C	EPA 170.1
5/30/2010 9:33	Field Temp		22.2	C	EPA 170.1
5/31/2010 9:13	Field Temp		21.2	C	EPA 170.1
6/1/2010 9:47	Field Temp		21.7	C	EPA 170.1
6/2/2010 9:45	Field Temp		22	C	EPA 170.1
6/3/2010 9:40	Field Temp		22	C	EPA 170.1
6/4/2010 9:52	Field Temp		21.9	C	EPA 170.1
6/5/2010 10:08	Field Temp		21.2	C	EPA 170.1
6/7/2010 10:15	Field Temp		21.5	C	EPA 170.1
6/8/2010 10:12	Field Temp		21.4	C	EPA 170.1
6/9/2010 10:11	Field Temp		19.4	C	EPA 170.1
6/10/2010 10:04	Field Temp		20.8	C	EPA 170.1
6/11/2010 9:34	Field Temp		20.2	C	EPA 170.1
6/12/2010 9:40	Field Temp		21.5	C	EPA 170.1
6/13/2010 9:40	Field Temp		20.9	C	EPA 170.1
6/14/2010 9:16	Field Temp		22.1	C	EPA 170.1
6/15/2010 9:51	Field Temp		20	C	EPA 170.1
6/16/2010 9:53	Field Temp		20.5	C	EPA 170.1
6/17/2010 9:31	Field Temp		19.9	C	EPA 170.1
6/18/2010 9:45	Field Temp		21	C	EPA 170.1
6/19/2010 8:31	Field Temp		21.6	C	EPA 170.1
6/20/2010 8:32	Field Temp		21.5	C	EPA 170.1
6/21/2010 9:39	Field Temp		22.5	C	EPA 170.1
6/22/2010 9:45	Field Temp		21.4	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/23/2010 9:44	Field Temp		23.4	C	EPA 170.1
6/24/2010 9:45	Field Temp		22.7	C	EPA 170.1
6/25/2010 9:41	Field Temp		22.9	C	EPA 170.1
6/26/2010 9:50	Field Temp		23.6	C	EPA 170.1
6/27/2010 9:08	Field Temp		23.8	C	EPA 170.1
6/28/2010 9:50	Field Temp		23.7	C	EPA 170.1
6/29/2010 10:00	Field Temp		22.5	C	EPA 170.1
6/30/2010 9:52	Field Temp		22.6	C	EPA 170.1
7/1/2010 9:40	Field Temp		22.5	C	EPA 170.1
7/2/2010 9:51	Field Temp		22.7	C	EPA 170.1
7/3/2010 8:38	Field Temp		23.2	C	EPA 170.1
7/4/2010 8:45	Field Temp		23.8	C	EPA 170.1
7/5/2010 8:39	Field Temp		24.7	C	EPA 170.1
7/6/2010 10:03	Field Temp		26.1	C	EPA 170.1
7/7/2010 10:13	Field Temp		25.6	C	EPA 170.1
7/8/2010 10:10	Field Temp		26.3	C	EPA 170.1
7/9/2010 9:33	Field Temp		26.3	C	EPA 170.1
7/10/2010 9:11	Field Temp		25.3	C	EPA 170.1
7/11/2010 9:39	Field Temp		25.3	C	EPA 170.1
7/12/2010 10:14	Field Temp		25	C	EPA 170.1
7/13/2010 10:10	Field Temp		25.6	C	EPA 170.1
7/14/2010 10:17	Field Temp		24.9	C	EPA 170.1
7/15/2010 10:25	Field Temp		26.2	C	EPA 170.1
7/16/2010 10:08	Field Temp		26	C	EPA 170.1
7/17/2010 9:46	Field Temp		26.1	C	EPA 170.1
7/18/2010 9:39	Field Temp		26.2	C	EPA 170.1
7/19/2010 10:45	Field Temp		25.9	C	EPA 170.1
7/20/2010 10:22	Field Temp		25.8	C	EPA 170.1
7/21/2010 10:17	Field Temp		25.6	C	EPA 170.1
7/22/2010 10:24	Field Temp		26.1	C	EPA 170.1
7/23/2010 10:27	Field Temp		26.2	C	EPA 170.1
7/24/2010 8:55	Field Temp		26.3	C	EPA 170.1
7/25/2010 9:47	Field Temp		25.2	C	EPA 170.1
7/26/2010 10:12	Field Temp		25.8	C	EPA 170.1
7/27/2010 10:02	Field Temp		26.1	C	EPA 170.1
7/28/2010 11:21	Field Temp		26.7	C	EPA 170.1
7/29/2010 9:55	Field Temp		25.2	C	EPA 170.1
7/30/2010 9:54	Field Temp		25.8	C	EPA 170.1
7/31/2010 9:00	Field Temp		25.3	C	EPA 170.1
8/1/2010 9:05	Field Temp		25.2	C	EPA 170.1
8/2/2010 9:38	Field Temp		25.6	C	EPA 170.1
8/3/2010 9:48	Field Temp		25.7	C	EPA 170.1
8/4/2010 9:53	Field Temp		26.3	C	EPA 170.1
8/5/2010 10:47	Field Temp		26.1	C	EPA 170.1
8/6/2010 9:53	Field Temp		25.7	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/7/2010 9:30	Field Temp		25.7	C	EPA 170.1
8/8/2010 9:22	Field Temp		25.3	C	EPA 170.1
8/9/2010 10:09	Field Temp		25.5	C	EPA 170.1
8/10/2010 10:20	Field Temp		27	C	EPA 170.1
8/11/2010 10:17	Field Temp		27.2	C	EPA 170.1
8/12/2010 10:25	Field Temp		26.3	C	EPA 170.1
8/13/2010 10:06	Field Temp		26	C	EPA 170.1
8/14/2010 8:43	Field Temp		24.3	C	EPA 170.1
8/15/2010 8:46	Field Temp		24.9	C	EPA 170.1
8/16/2010 10:42	Field Temp		25.1	C	EPA 170.1
8/17/2010 9:58	Field Temp		24.9	C	EPA 170.1
8/18/2010 10:17	Field Temp		25.3	C	EPA 170.1
8/19/2010 10:51	Field Temp		25.9	C	EPA 170.1
8/20/2010 10:21	Field Temp		26.1	C	EPA 170.1
8/21/2010 9:31	Field Temp		25.1	C	EPA 170.1
8/22/2010 9:35	Field Temp		24.2	C	EPA 170.1
8/23/2010 10:22	Field Temp		23.8	C	EPA 170.1
8/24/2010 10:30	Field Temp		24.1	C	EPA 170.1
8/25/2010 10:12	Field Temp		24	C	EPA 170.1
8/26/2010 10:31	Field Temp		23.2	C	EPA 170.1
8/27/2010 10:09	Field Temp		24	C	EPA 170.1
8/28/2010 8:57	Field Temp		23.5	C	EPA 170.1
8/29/2010 8:57	Field Temp		23.5	C	EPA 170.1
8/30/2010 10:21	Field Temp		24.3	C	EPA 170.1
8/31/2010 10:05	Field Temp		24.3	C	EPA 170.1
9/1/2010 10:43	Field Temp		24.6	C	EPA 170.1
9/2/2010 10:17	Field Temp		25	C	EPA 170.1
9/3/2010 10:00	Field Temp		24.2	C	EPA 170.1
9/5/2010 9:26	Field Temp		20	C	EPA 170.1
9/6/2010 9:28	Field Temp		21.3	C	EPA 170.1
9/7/2010 10:36	Field Temp		22	C	EPA 170.1
9/9/2010 10:02	Field Temp		18.8	C	EPA 170.1
9/10/2010 10:58	Field Temp		19.6	C	EPA 170.1
9/13/2010 10:20	Field Temp		19.9	C	EPA 170.1
9/14/2010 10:36	Field Temp		20.6	C	EPA 170.1
9/15/2010 9:56	Field Temp		20.1	C	EPA 170.1
9/16/2010 10:55	Field Temp		20	C	EPA 170.1
9/20/2010 9:56	Field Temp		19.5	C	EPA 170.1
9/21/2010 10:26	Field Temp		19.4	C	EPA 170.1
9/22/2010 10:27	Field Temp		20	C	EPA 170.1
9/23/2010 10:18	Field Temp		20.5	C	EPA 170.1
9/27/2010 9:25	Field Temp		18.1	C	EPA 170.1
9/28/2010 10:00	Field Temp		17.7	C	EPA 170.1
9/29/2010 9:55	Field Temp		18.1	C	EPA 170.1
9/30/2010 9:52	Field Temp		18.8	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/4/2010 9:55	Field Temp		16.3	C	EPA 170.1
10/7/2010 9:45	Field Temp		15.1	C	EPA 170.1
10/11/2010 10:13	Field Temp		16.9	C	EPA 170.1
10/12/2010 9:50	Field Temp		16.2	C	EPA 170.1
10/13/2010 10:40	Field Temp		16.1	C	EPA 170.1
10/14/2010 9:43	Field Temp		15.2	C	EPA 170.1
10/18/2010 10:36	Field Temp		15	C	EPA 170.1
10/19/2010 11:06	Field Temp		14.3	C	EPA 170.1
10/20/2010 10:30	Field Temp		14.1	C	EPA 170.1
10/25/2010 10:02	Field Temp		13.8	C	EPA 170.1
10/26/2010 9:41	Field Temp		14.2	C	EPA 170.1
10/27/2010 9:56	Field Temp		13.6	C	EPA 170.1
5/18/2010 9:40	pH		6.82	S.U.	
5/19/2010 9:40	pH		7.87	S.U.	
5/20/2010 9:51	pH		6.89	S.U.	
5/21/2010 9:04	pH		8.06	S.U.	
5/22/2010 9:53	pH		7.46	S.U.	
5/23/2010 9:31	pH		7.84	S.U.	
5/24/2010 9:21	pH		8.58	S.U.	
5/25/2010 9:41	pH		8.32	S.U.	
5/26/2010 9:43	pH		7.47	S.U.	
5/27/2010 9:47	pH		7.48	S.U.	
5/28/2010 9:50	pH		7.6	S.U.	
5/29/2010 9:18	pH		8.62	S.U.	
5/30/2010 9:33	pH		8.85	S.U.	
5/31/2010 9:13	pH		7.95	S.U.	
6/1/2010 9:47	pH		7.6	S.U.	
6/2/2010 9:45	pH		8.01	S.U.	
6/3/2010 9:40	pH		7.7	S.U.	
6/4/2010 9:52	pH		7.98	S.U.	
6/5/2010 10:08	pH		10.16	S.U.	
6/7/2010 10:15	pH		8.65	S.U.	
6/8/2010 10:12	pH		7.71	S.U.	
6/9/2010 10:11	pH		7.44	S.U.	
6/10/2010 10:04	pH		7.52	S.U.	
6/11/2010 9:34	pH		8.71	S.U.	
6/12/2010 9:40	pH		8.38	S.U.	
6/13/2010 9:40	pH		8.13	S.U.	
6/14/2010 9:16	pH		8.27	S.U.	
6/15/2010 9:51	pH		8.14	S.U.	
6/16/2010 9:53	pH		8.38	S.U.	
6/17/2010 9:31	pH		8.23	S.U.	
6/18/2010 9:45	pH		8.33	S.U.	
6/19/2010 8:31	pH		8.34	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/20/2010 8:32	pH		8.39	S.U.	
6/21/2010 9:39	pH		8.46	S.U.	
6/22/2010 9:45	pH		8.24	S.U.	
6/23/2010 9:44	pH		8.56	S.U.	
6/24/2010 9:45	pH		8.34	S.U.	
6/25/2010 9:41	pH		8.21	S.U.	
6/26/2010 9:50	pH		8.25	S.U.	
6/27/2010 9:08	pH		8.34	S.U.	
6/28/2010 9:50	pH		8.24	S.U.	
6/29/2010 10:00	pH		8.17	S.U.	
6/30/2010 9:52	pH		8.24	S.U.	
7/1/2010 9:40	pH		8.43	S.U.	
7/2/2010 9:51	pH		8.38	S.U.	
7/3/2010 8:38	pH		8.48	S.U.	
7/4/2010 8:45	pH		8.44	S.U.	
7/5/2010 8:39	pH		8.36	S.U.	
7/6/2010 10:03	pH		8.41	S.U.	
7/7/2010 10:13	pH		8.4	S.U.	
7/8/2010 10:10	pH		8.43	S.U.	
7/9/2010 9:33	pH		8.21	S.U.	
7/10/2010 9:11	pH		8.25	S.U.	
7/11/2010 9:39	pH		8.38	S.U.	
7/12/2010 10:14	pH		8.43	S.U.	
7/13/2010 10:10	pH		8.43	S.U.	
7/14/2010 10:17	pH		8.2	S.U.	
7/15/2010 10:25	pH		8.6	S.U.	
7/16/2010 10:08	pH		8.46	S.U.	
7/17/2010 9:46	pH		8.39	S.U.	
7/18/2010 9:39	pH		8.37	S.U.	
7/19/2010 10:45	pH		8.22	S.U.	
7/20/2010 10:22	pH		8.27	S.U.	
7/21/2010 10:17	pH		8.34	S.U.	
7/22/2010 10:24	pH		8.3	S.U.	
7/23/2010 10:27	pH		8.11	S.U.	
7/24/2010 8:55	pH		8.39	S.U.	
7/25/2010 9:47	pH		8.27	S.U.	
7/26/2010 10:12	pH		8.3	S.U.	
7/27/2010 10:02	pH		8.43	S.U.	
7/28/2010 11:21	pH		8.3	S.U.	
7/29/2010 9:55	pH		8.24	S.U.	
7/30/2010 9:54	pH		8.54	S.U.	
7/31/2010 9:00	pH		8.52	S.U.	
8/1/2010 9:05	pH		8.47	S.U.	
8/2/2010 9:38	pH		8.23	S.U.	
8/3/2010 9:48	pH		8.34	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/4/2010 9:53	pH		8.54	S.U.	
8/5/2010 10:47	pH		8.47	S.U.	
8/6/2010 9:53	pH		8.22	S.U.	
8/7/2010 9:30	pH		8.7	S.U.	
8/8/2010 9:22	pH		8.87	S.U.	
8/9/2010 10:09	pH		8.94	S.U.	
8/10/2010 10:20	pH		8.81	S.U.	
8/11/2010 10:17	pH		8.82	S.U.	
8/12/2010 10:25	pH		8.72	S.U.	
8/13/2010 10:06	pH		8.59	S.U.	
8/14/2010 8:43	pH		7.95	S.U.	
8/15/2010 8:46	pH		8.3	S.U.	
8/16/2010 10:42	pH		8.61	S.U.	
8/17/2010 9:58	pH		8.44	S.U.	
8/18/2010 10:17	pH		8.61	S.U.	
8/19/2010 10:51	pH		8.71	S.U.	
8/20/2010 10:21	pH		8.5	S.U.	
8/21/2010 9:31	pH		8.28	S.U.	
8/22/2010 9:35	pH		8.33	S.U.	
8/23/2010 10:22	pH		8.3	S.U.	
8/24/2010 10:30	pH		8.18	S.U.	
8/25/2010 10:12	pH		8.42	S.U.	
8/26/2010 10:31	pH		8.32	S.U.	
8/27/2010 10:09	pH		8.57	S.U.	
8/28/2010 8:57	pH		8.46	S.U.	
8/29/2010 8:57	pH		8.32	S.U.	
8/30/2010 10:21	pH		8.09	S.U.	
8/31/2010 10:05	pH		8.15	S.U.	
9/1/2010 10:43	pH		8.5	S.U.	
9/2/2010 10:17	pH		8.45	S.U.	
9/3/2010 10:00	pH		8.3	S.U.	
9/5/2010 9:26	pH		8.32	S.U.	
9/6/2010 9:28	pH		8.92	S.U.	
9/7/2010 10:36	pH		7.8	S.U.	
9/9/2010 10:02	pH		7.84	S.U.	
9/10/2010 10:58	pH		8.28	S.U.	
9/13/2010 10:20	pH		7.81	S.U.	
9/14/2010 10:36	pH		8.38	S.U.	
9/15/2010 9:56	pH		8.37	S.U.	
9/16/2010 10:55	pH		8.24	S.U.	
9/20/2010 9:56	pH		8.27	S.U.	
9/21/2010 10:26	pH		8.54	S.U.	
9/22/2010 10:27	pH		8.36	S.U.	
9/23/2010 10:18	pH		8.55	S.U.	
9/27/2010 9:25	pH		7.7	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/28/2010 10:00	pH		8.09	S.U.	
9/29/2010 9:55	pH		7.9	S.U.	
9/30/2010 9:52	pH		8.08	S.U.	
10/4/2010 9:55	pH		8.05	S.U.	
10/7/2010 9:45	pH		7.57	S.U.	
10/11/2010 10:13	pH		8.03	S.U.	
10/12/2010 9:50	pH		8.04	S.U.	
10/13/2010 10:40	pH		7.76	S.U.	
10/14/2010 9:43	pH		7.96	S.U.	
10/18/2010 10:36	pH		8.08	S.U.	
10/19/2010 11:06	pH		8.08	S.U.	
10/20/2010 10:30	pH		8.04	S.U.	
10/25/2010 10:02	pH		7.99	S.U.	
10/26/2010 9:41	pH		7.79	S.U.	
10/27/2010 9:56	pH		7.79	S.U.	
5/17/2010 9:16	Turbidity		2.31	NTU	EPA180.1
5/18/2010 9:40	Turbidity		2.3	NTU	EPA180.1
5/19/2010 9:40	Turbidity		5.3	NTU	EPA180.1
5/20/2010 9:51	Turbidity		2.44	NTU	EPA180.1
5/21/2010 9:04	Turbidity		1.8	NTU	EPA180.1
5/22/2010 9:53	Turbidity		1.63	NTU	EPA180.1
5/23/2010 9:31	Turbidity		1.97	NTU	EPA180.1
5/24/2010 9:21	Turbidity		2.8	NTU	EPA180.1
5/25/2010 9:41	Turbidity		1.4	NTU	EPA180.1
5/26/2010 9:43	Turbidity		1.13	NTU	EPA180.1
5/27/2010 9:47	Turbidity		2.26	NTU	EPA180.1
5/28/2010 9:50	Turbidity		10.6	NTU	EPA180.1
5/29/2010 9:18	Turbidity		4.32	NTU	EPA180.1
5/30/2010 9:33	Turbidity		4.58	NTU	EPA180.1
5/31/2010 9:13	Turbidity		1.79	NTU	EPA180.1
6/1/2010 9:47	Turbidity		10.47	NTU	EPA180.1
6/2/2010 9:45	Turbidity		2.3	NTU	EPA180.1
6/3/2010 9:40	Turbidity		5.12	NTU	EPA180.1
6/4/2010 9:52	Turbidity		2.91	NTU	EPA180.1
6/5/2010 10:08	Turbidity		2.8	NTU	EPA180.1
6/7/2010 10:15	Turbidity		19.41	NTU	EPA180.1
6/8/2010 10:12	Turbidity		2.69	NTU	EPA180.1
6/9/2010 10:11	Turbidity		5.92	NTU	EPA180.1
6/10/2010 10:04	Turbidity		3.38	NTU	EPA180.1
6/11/2010 9:34	Turbidity		2.28	NTU	EPA180.1
6/12/2010 9:40	Turbidity		1.52	NTU	EPA180.1
6/13/2010 9:40	Turbidity		1.1	NTU	EPA180.1
6/14/2010 9:16	Turbidity		1.9	NTU	EPA180.1
6/15/2010 9:51	Turbidity		5.28	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/16/2010 9:53	Turbidity		8.47	NTU	EPA180.1
6/17/2010 9:31	Turbidity		12.52	NTU	EPA180.1
6/18/2010 9:45	Turbidity		1.28	NTU	EPA180.1
6/19/2010 8:31	Turbidity		2.12	NTU	EPA180.1
6/20/2010 8:32	Turbidity		2.08	NTU	EPA180.1
6/21/2010 9:39	Turbidity		1.71	NTU	EPA180.1
6/22/2010 9:45	Turbidity		2.15	NTU	EPA180.1
6/23/2010 9:44	Turbidity		1.33	NTU	EPA180.1
6/24/2010 9:45	Turbidity		11.56	NTU	EPA180.1
6/25/2010 9:41	Turbidity		2.46	NTU	EPA180.1
6/26/2010 9:50	Turbidity		1.04	NTU	EPA180.1
6/27/2010 9:08	Turbidity		0.88	NTU	EPA180.1
6/28/2010 9:50	Turbidity		6	NTU	EPA180.1
6/29/2010 10:00	Turbidity		8.06	NTU	EPA180.1
6/30/2010 9:52	Turbidity		6.68	NTU	EPA180.1
7/1/2010 9:40	Turbidity		1.18	NTU	EPA180.1
7/2/2010 9:51	Turbidity		1.1	NTU	EPA180.1
7/3/2010 8:38	Turbidity		0.66	NTU	EPA180.1
7/4/2010 8:45	Turbidity		0.58	NTU	EPA180.1
7/5/2010 8:39	Turbidity		0.84	NTU	EPA180.1
7/6/2010 10:03	Turbidity		0.62	NTU	EPA180.1
7/7/2010 10:13	Turbidity	~	0.78	NTU	EPA180.1
7/8/2010 10:10	Turbidity		0.56	NTU	EPA180.1
7/9/2010 9:33	Turbidity		1.76	NTU	EPA180.1
7/10/2010 9:11	Turbidity		0.92	NTU	EPA180.1
7/11/2010 9:39	Turbidity		0.64	NTU	EPA180.1
7/12/2010 10:14	Turbidity		0.74	NTU	EPA180.1
7/13/2010 10:10	Turbidity		0.55	NTU	EPA180.1
7/14/2010 10:17	Turbidity		2.88	NTU	EPA180.1
7/15/2010 10:25	Turbidity		1.28	NTU	EPA180.1
7/16/2010 10:08	Turbidity		13.08	NTU	EPA180.1
7/17/2010 9:46	Turbidity		7.37	NTU	EPA180.1
7/18/2010 9:39	Turbidity		2.52	NTU	EPA180.1
7/19/2010 10:45	Turbidity		7.41	NTU	EPA180.1
7/20/2010 10:22	Turbidity		0.78	NTU	EPA180.1
7/21/2010 10:17	Turbidity		4.4	NTU	EPA180.1
7/22/2010 10:24	Turbidity		5.29	NTU	EPA180.1
7/23/2010 10:27	Turbidity		12.52	NTU	EPA180.1
7/24/2010 8:55	Turbidity		8.18	NTU	EPA180.1
7/25/2010 9:47	Turbidity		9.72	NTU	EPA180.1
7/26/2010 10:12	Turbidity		1.5	NTU	EPA180.1
7/27/2010 10:02	Turbidity		0.94	NTU	EPA180.1
7/28/2010 11:21	Turbidity		1.58	NTU	EPA180.1
7/29/2010 9:55	Turbidity		15.43	NTU	EPA180.1
7/30/2010 9:54	Turbidity		2.04	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/31/2010 9:00	Turbidity		0.89	NTU	EPA180.1
8/1/2010 9:05	Turbidity		0.98	NTU	EPA180.1
8/2/2010 9:38	Turbidity		1.94	NTU	EPA180.1
8/3/2010 9:48	Turbidity		2.71	NTU	EPA180.1
8/4/2010 9:53	Turbidity		0.96	NTU	EPA180.1
8/5/2010 10:47	Turbidity		10.66	NTU	EPA180.1
8/6/2010 9:53	Turbidity		6.85	NTU	EPA180.1
8/7/2010 9:30	Turbidity		3.68	NTU	EPA180.1
8/8/2010 9:22	Turbidity		3.85	NTU	EPA180.1
8/9/2010 10:09	Turbidity		1.295	NTU	EPA180.1
8/10/2010 10:20	Turbidity		1.055	NTU	EPA180.1
8/11/2010 10:17	Turbidity		2.35	NTU	EPA180.1
8/12/2010 10:25	Turbidity		2.95	NTU	EPA180.1
8/13/2010 10:06	Turbidity		2.39	NTU	EPA180.1
8/14/2010 8:43	Turbidity		1.55	NTU	EPA180.1
8/15/2010 8:46	Turbidity		3.8	NTU	EPA180.1
8/17/2010 9:58	Turbidity		13.3	NTU	EPA180.1
8/18/2010 10:17	Turbidity		2.01	NTU	EPA180.1
8/19/2010 10:51	Turbidity		1.73	NTU	EPA180.1
8/20/2010 10:21	Turbidity		1.98	NTU	EPA180.1
8/21/2010 9:31	Turbidity		2.5	NTU	EPA180.1
8/22/2010 9:35	Turbidity		14.7	NTU	EPA180.1
8/24/2010 10:30	Turbidity		3.23	NTU	EPA180.1
8/25/2010 10:12	Turbidity		1.58	NTU	EPA180.1
8/26/2010 10:31	Turbidity		23.55	NTU	EPA180.1
8/27/2010 10:09	Turbidity		1.48	NTU	EPA180.1
8/28/2010 8:57	Turbidity		1.95	NTU	EPA180.1
8/29/2010 8:57	Turbidity		1.59	NTU	EPA180.1
8/31/2010 10:05	Turbidity		1.37	NTU	EPA180.1
9/1/2010 10:43	Turbidity		3.01	NTU	EPA180.1
9/2/2010 10:17	Turbidity		7.01	NTU	EPA180.1
9/3/2010 10:00	Turbidity		8.3	NTU	EPA180.1
9/5/2010 9:26	Turbidity		26.2	NTU	EPA180.1
9/7/2010 10:36	Turbidity		11.31	NTU	EPA180.1
9/9/2010 10:02	Turbidity		36.7	NTU	EPA180.1
9/10/2010 10:58	Turbidity		13.5	NTU	EPA180.1
9/14/2010 10:36	Turbidity		5.6	NTU	EPA180.1
9/15/2010 9:56	Turbidity		9.01	NTU	EPA180.1
9/16/2010 10:55	Turbidity		2.4	NTU	EPA180.1
9/21/2010 10:26	Turbidity		5.61	NTU	EPA180.1
9/22/2010 10:27	Turbidity		3.38	NTU	EPA180.1
9/23/2010 10:18	Turbidity		7.01	NTU	EPA180.1
9/28/2010 10:00	Turbidity		28.55	NTU	EPA180.1
9/29/2010 9:55	Turbidity		7.72	NTU	EPA180.1
9/30/2010 9:52	Turbidity		3.04	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/7/2010 9:45	Turbidity		29.5	NTU	EPA180.1
10/11/2010 10:13	Turbidity		5.35	NTU	EPA180.1
10/12/2010 9:50	Turbidity		17.3	NTU	EPA180.1
10/13/2010 10:40	Turbidity		2.47	NTU	EPA180.1
10/14/2010 9:43	Turbidity		27.3	NTU	EPA180.1
10/18/2010 10:36	Turbidity		5.15	NTU	EPA180.1
10/19/2010 11:06	Turbidity		6.85	NTU	EPA180.1
10/20/2010 10:30	Turbidity		2	NTU	EPA180.1
10/26/2010 9:41	Turbidity		2.68	NTU	EPA180.1
10/27/2010 9:56	Turbidity		10.32	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/17/2010 8:46	E. coli		54	cfu/100mL	EPA1603
5/18/2010 9:10	E. coli		94	cfu/100mL	EPA1603
5/19/2010 9:18	E. coli		760	cfu/100mL	EPA1603
5/20/2010 9:28	E. coli		285	cfu/100mL	EPA1603
5/21/2010 8:43	E. coli		60	cfu/100mL	EPA1603
5/22/2010 9:20	E. coli		100	cfu/100mL	EPA1603
5/23/2010 9:08	E. coli		120	cfu/100mL	EPA1603
5/24/2010 8:55	E. coli		40	cfu/100mL	EPA1603
5/25/2010 9:16	E. coli	EC	16	cfu/100mL	EPA1603
5/26/2010 9:19	E. coli		61	cfu/100mL	EPA1603
5/27/2010 9:19	E. coli		112	cfu/100mL	EPA1603
5/28/2010 8:50	E. coli		700	cfu/100mL	EPA1603
5/29/2010 8:45	E. coli		57	cfu/100mL	EPA1603
5/30/2010 9:15	E. coli		57	cfu/100mL	EPA1603
5/31/2010 8:55	E. coli		395	cfu/100mL	EPA1603
6/1/2010 9:24	E. coli	EC	2060	cfu/100mL	EPA1603
6/2/2010 9:28	E. coli		128	cfu/100mL	EPA1603
6/3/2010 9:22	E. coli		235	cfu/100mL	EPA1603
6/4/2010 9:31	E. coli		120	cfu/100mL	EPA1603
6/5/2010 9:45	E. coli		3200	cfu/100mL	EPA1603
6/6/2010 10:15	E. coli		6533	cfu/100mL	EPA1603
6/7/2010 9:36	E. coli		660	cfu/100mL	EPA1603
6/8/2010 9:47	E. coli	EC	75	cfu/100mL	EPA1603
6/9/2010 9:52	E. coli		380	cfu/100mL	EPA1603
6/10/2010 9:43	E. coli		125	cfu/100mL	EPA1603
6/11/2010 9:12	E. coli		235	cfu/100mL	EPA1603
6/12/2010 9:20	E. coli		220	cfu/100mL	EPA1603
6/13/2010 9:15	E. coli		1480	cfu/100mL	EPA1603
6/14/2010 8:58	E. coli		120	cfu/100mL	EPA1603
6/15/2010 9:24	E. coli	EC	13400	cfu/100mL	EPA1603
6/16/2010 9:30	E. coli		1600	cfu/100mL	EPA1603
6/17/2010 9:07	E. coli		180	cfu/100mL	EPA1603
6/18/2010 9:22	E. coli		42	cfu/100mL	EPA1603
6/19/2010 8:14	E. coli		600	cfu/100mL	EPA1603
6/20/2010 8:15	E. coli		72	cfu/100mL	EPA1603
6/21/2010 9:22	E. coli		62	cfu/100mL	EPA1603
6/22/2010 9:25	E. coli		720	cfu/100mL	EPA1603
6/23/2010 9:26	E. coli		52	cfu/100mL	EPA1603
6/24/2010 9:24	E. coli		2400	cfu/100mL	EPA1603
6/25/2010 9:22	E. coli		70	cfu/100mL	EPA1603
6/26/2010 9:28	E. coli		352	cfu/100mL	EPA1603
6/27/2010 8:49	E. coli		145	cfu/100mL	EPA1603
6/28/2010 9:25	E. coli		546	cfu/100mL	EPA1603
6/29/2010 9:38	E. coli		160	cfu/100mL	EPA1603
6/30/2010 9:30	E. coli		132	cfu/100mL	EPA1603

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/1/2010 9:21	E. coli		6	cfu/100mL	EPA1603
7/2/2010 9:31	E. coli		36	cfu/100mL	EPA1603
7/3/2010 8:19	E. coli		182	cfu/100mL	EPA1603
7/4/2010 8:23	E. coli		600	cfu/100mL	EPA1603
7/5/2010 8:23	E. coli		125	cfu/100mL	EPA1603
7/6/2010 9:45	E. coli		316	cfu/100mL	EPA1603
7/7/2010 9:53	E. coli		100	cfu/100mL	EPA1603
7/8/2010 9:53	E. coli		47	cfu/100mL	EPA1603
7/9/2010 9:19	E. coli		540	cfu/100mL	EPA1603
7/10/2010 8:45	E. coli		2700	cfu/100mL	EPA1603
7/11/2010 9:15	E. coli		80	cfu/100mL	EPA1603
7/12/2010 9:52	E. coli		37	cfu/100mL	EPA1603
7/13/2010 9:40	E. coli		165	cfu/100mL	EPA1603
7/14/2010 9:49	E. coli		480	cfu/100mL	EPA1603
7/15/2010 9:55	E. coli		72	cfu/100mL	EPA1603
7/16/2010 9:42	E. coli		4400	cfu/100mL	EPA1603
7/17/2010 9:26	E. coli		1100	cfu/100mL	EPA1603
7/18/2010 9:12	E. coli		47	cfu/100mL	EPA1603
7/19/2010 9:42	E. coli		800	cfu/100mL	EPA1603
7/20/2010 9:52	E. coli		72	cfu/100mL	EPA1603
7/21/2010 9:51	E. coli		1380	cfu/100mL	EPA1603
7/22/2010 9:57	E. coli		38	cfu/100mL	EPA1603
7/23/2010 10:06	E. coli		1100	cfu/100mL	EPA1603
7/24/2010 8:35	E. coli		1533	cfu/100mL	EPA1603
7/25/2010 9:24	E. coli		520	cfu/100mL	EPA1603
7/26/2010 9:50	E. coli		31	cfu/100mL	EPA1603
7/27/2010 9:43	E. coli		195	cfu/100mL	EPA1603
7/28/2010 9:55	E. coli		1050	cfu/100mL	EPA1603
7/29/2010 9:33	E. coli		720	cfu/100mL	EPA1603
7/30/2010 9:35	E. coli		37	cfu/100mL	EPA1603
7/31/2010 8:40	E. coli		54	cfu/100mL	EPA1603
8/1/2010 8:47	E. coli		38	cfu/100mL	EPA1603
8/2/2010 9:22	E. coli		205	cfu/100mL	EPA1603
8/3/2010 9:34	E. coli		7700	cfu/100mL	EPA1603
8/4/2010 9:35	E. coli		26	cfu/100mL	EPA1603
8/5/2010 9:37	E. coli		400	cfu/100mL	EPA1603
8/6/2010 9:31	E. coli		171	cfu/100mL	EPA1603
8/7/2010 9:04	E. coli	EC	20	cfu/100mL	EPA1603
8/8/2010 9:04	E. coli	EC	760	cfu/100mL	EPA1603
8/9/2010 9:43	E. coli		48	cfu/100mL	EPA1603
8/10/2010 9:45	E. coli		8	cfu/100mL	EPA1603
8/11/2010 9:52	E. coli		12	cfu/100mL	EPA1603
8/12/2010 9:52	E. coli		363	cfu/100mL	EPA1603
8/13/2010 9:43	E. coli		268	cfu/100mL	EPA1603
8/14/2010 8:23	E. coli	EC	26	cfu/100mL	EPA1603

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/15/2010 8:27	E. coli		595	cfu/100mL	EPA1603
8/16/2010 10:15	E. coli		1600	cfu/100mL	EPA1603
8/17/2010 9:31	E. coli		85	cfu/100mL	EPA1603
8/18/2010 9:48	E. coli		9	cfu/100mL	EPA1603
8/19/2010 10:14	E. coli		8	cfu/100mL	EPA1603
8/20/2010 9:48	E. coli		125	cfu/100mL	EPA1603
8/21/2010 9:15	E. coli		15	cfu/100mL	EPA1603
8/22/2010 9:10	E. coli		620	cfu/100mL	EPA1603
8/23/2010 10:02	E. coli		120	cfu/100mL	EPA1603
8/24/2010 10:07	E. coli		16	cfu/100mL	EPA1603
8/25/2010 9:55	E. coli		12	cfu/100mL	EPA1603
8/26/2010 10:06	E. coli		102	cfu/100mL	EPA1603
8/27/2010 9:52	E. coli		7	cfu/100mL	EPA1603
8/28/2010 8:39	E. coli	EC	7	cfu/100mL	EPA1603
8/29/2010 8:40	E. coli	<	1	cfu/100mL	EPA1603
8/30/2010 9:52	E. coli		3	cfu/100mL	EPA1603
8/31/2010 9:45	E. coli		28	cfu/100mL	EPA1603
9/1/2010 10:18	E. coli		580	cfu/100mL	EPA1603
9/2/2010 9:50	E. coli		130	cfu/100mL	EPA1603
9/3/2010 9:36	E. coli		190	cfu/100mL	EPA1603
9/4/2010 8:50	E. coli		880	cfu/100mL	EPA1603
9/5/2010 9:03	E. coli		200	cfu/100mL	EPA1603
9/6/2010 9:04	E. coli		12	cfu/100mL	EPA1603
9/7/2010 10:10	E. coli		36	cfu/100mL	EPA1603
9/9/2010 9:31	E. coli		59	cfu/100mL	EPA1603
9/10/2010 10:31	E. coli		14	cfu/100mL	EPA1603
9/13/2010 9:44	E. coli		305	cfu/100mL	EPA1603
9/14/2010 9:58	E. coli		15	cfu/100mL	EPA1603
9/15/2010 9:22	E. coli		6	cfu/100mL	EPA1603
9/16/2010 10:00	E. coli		13	cfu/100mL	EPA1603
9/20/2010 9:40	E. coli		12	cfu/100mL	EPA1603
9/21/2010 9:54	E. coli		15	cfu/100mL	EPA1603
9/22/2010 9:47	E. coli		125	cfu/100mL	EPA1603
9/23/2010 9:55	E. coli		1080	cfu/100mL	EPA1603
9/27/2010 9:10	E. coli		9	cfu/100mL	EPA1603
9/28/2010 9:45	E. coli		3000	cfu/100mL	EPA1603
9/29/2010 9:25	E. coli		4900	cfu/100mL	EPA1603
9/30/2010 9:33	E. coli		500	cfu/100mL	EPA1603
10/4/2010 9:39	E. coli		64	cfu/100mL	EPA1603
10/7/2010 9:28	E. coli		150	cfu/100mL	EPA1603
10/11/2010 9:28	E. coli		540	cfu/100mL	EPA1603
10/12/2010 9:28	E. coli		53	cfu/100mL	EPA1603
10/13/2010 10:04	E. coli		49	cfu/100mL	EPA1603
10/14/2010 9:27	E. coli	EC	12100	cfu/100mL	EPA1603
10/18/2010 10:00	E. coli		22	cfu/100mL	EPA1603

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
10/19/2010 10:45	E. coli		44	cfu/100mL	EPA1603
10/20/2010 9:57	E. coli		8	cfu/100mL	EPA1603
10/25/2010 9:40	E. coli		5	cfu/100mL	EPA1603
10/26/2010 9:18	E. coli	EC	19	cfu/100mL	EPA1603
10/27/2010 9:32	E. coli		540	cfu/100mL	EPA1603
10/28/2010 9:35	E. coli		810	cfu/100mL	EPA1603
5/17/2010 8:46	Field Cond		349	uS/cm	SM 2510A
5/18/2010 9:10	Field Cond		277	uS/cm	SM 2510A
5/19/2010 9:18	Field Cond		296	uS/cm	SM 2510A
5/20/2010 9:28	Field Cond		306	uS/cm	SM 2510A
5/21/2010 8:43	Field Cond		310	uS/cm	SM 2510A
5/22/2010 9:20	Field Cond		340	uS/cm	SM 2510A
5/23/2010 9:08	Field Cond		320	uS/cm	SM 2510A
5/24/2010 8:55	Field Cond		330	uS/cm	SM 2510A
5/25/2010 9:16	Field Cond		306	uS/cm	SM 2510A
5/26/2010 9:19	Field Cond		283	uS/cm	SM 2510A
5/27/2010 9:19	Field Cond		308	uS/cm	SM 2510A
5/28/2010 8:50	Field Cond		373	uS/cm	SM 2510A
5/29/2010 8:45	Field Cond		340	uS/cm	SM 2510A
5/30/2010 9:15	Field Cond		340	uS/cm	SM 2510A
5/31/2010 8:55	Field Cond		320	uS/cm	SM 2510A
6/1/2010 9:24	Field Cond		326	uS/cm	SM 2510A
6/2/2010 9:28	Field Cond		297	uS/cm	SM 2510A
6/3/2010 9:22	Field Cond		326	uS/cm	SM 2510A
6/4/2010 9:31	Field Cond		367	uS/cm	SM 2510A
6/5/2010 9:45	Field Cond		315	uS/cm	SM 2510A
6/7/2010 9:36	Field Cond		336	uS/cm	SM 2510A
6/8/2010 9:47	Field Cond		283	uS/cm	SM 2510A
6/9/2010 9:52	Field Cond		307	uS/cm	SM 2510A
6/10/2010 9:43	Field Cond		293	uS/cm	SM 2510A
6/11/2010 9:12	Field Cond		253	uS/cm	SM 2510A
6/12/2010 9:20	Field Cond		290	uS/cm	SM 2510A
6/13/2010 9:15	Field Cond		303	uS/cm	SM 2510A
6/14/2010 8:58	Field Cond		341	uS/cm	SM 2510A
6/15/2010 9:24	Field Cond		285	uS/cm	SM 2510A
6/16/2010 9:30	Field Cond		305	uS/cm	SM 2510A
6/17/2010 9:07	Field Cond		319	uS/cm	SM 2510A
6/18/2010 9:22	Field Cond		308	uS/cm	SM 2510A
6/19/2010 8:14	Field Cond		283	uS/cm	SM 2510A
6/20/2010 8:15	Field Cond		319	uS/cm	SM 2510A
6/21/2010 9:22	Field Cond		308	uS/cm	SM 2510A
6/22/2010 9:25	Field Cond		337	uS/cm	SM 2510A
6/23/2010 9:26	Field Cond		305	uS/cm	SM 2510A
6/24/2010 9:24	Field Cond		296	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/25/2010 9:22	Field Cond		302	uS/cm	SM 2510A
6/26/2010 9:28	Field Cond		289	uS/cm	SM 2510A
6/27/2010 8:49	Field Cond		285	uS/cm	SM 2510A
6/28/2010 9:25	Field Cond		287	uS/cm	SM 2510A
6/29/2010 9:38	Field Cond		315	uS/cm	SM 2510A
6/30/2010 9:30	Field Cond		325	uS/cm	SM 2510A
7/1/2010 9:21	Field Cond		278	uS/cm	SM 2510A
7/2/2010 9:31	Field Cond		272	uS/cm	SM 2510A
7/3/2010 8:19	Field Cond		294	uS/cm	SM 2510A
7/4/2010 8:23	Field Cond		300	uS/cm	SM 2510A
7/5/2010 8:23	Field Cond		300	uS/cm	SM 2510A
7/6/2010 9:45	Field Cond		276	uS/cm	SM 2510A
7/7/2010 9:53	Field Cond		317	uS/cm	SM 2510A
7/8/2010 9:53	Field Cond		290	uS/cm	SM 2510A
7/9/2010 9:19	Field Cond		349	uS/cm	SM 2510A
7/10/2010 8:45	Field Cond		318	uS/cm	SM 2510A
7/11/2010 9:15	Field Cond		284	uS/cm	SM 2510A
7/12/2010 9:52	Field Cond		305	uS/cm	SM 2510A
7/13/2010 9:40	Field Cond		325	uS/cm	SM 2510A
7/14/2010 9:49	Field Cond		321	uS/cm	SM 2510A
7/15/2010 9:55	Field Cond		311	uS/cm	SM 2510A
7/16/2010 9:42	Field Cond		306	uS/cm	SM 2510A
7/17/2010 9:26	Field Cond		293	uS/cm	SM 2510A
7/18/2010 9:12	Field Cond		332	uS/cm	SM 2510A
7/19/2010 9:42	Field Cond		314	uS/cm	SM 2510A
7/20/2010 9:52	Field Cond		318	uS/cm	SM 2510A
7/21/2010 9:51	Field Cond		292	uS/cm	SM 2510A
7/22/2010 9:57	Field Cond		317	uS/cm	SM 2510A
7/23/2010 10:06	Field Cond		295	uS/cm	SM 2510A
7/24/2010 8:35	Field Cond		303	uS/cm	SM 2510A
7/25/2010 9:24	Field Cond		310	uS/cm	SM 2510A
7/26/2010 9:50	Field Cond		270	uS/cm	SM 2510A
7/27/2010 9:43	Field Cond		282	uS/cm	SM 2510A
7/28/2010 9:55	Field Cond		309	uS/cm	SM 2510A
7/29/2010 9:33	Field Cond		344	uS/cm	SM 2510A
7/30/2010 9:35	Field Cond		310	uS/cm	SM 2510A
7/31/2010 8:40	Field Cond		313	uS/cm	SM 2510A
8/1/2010 8:47	Field Cond		302	uS/cm	SM 2510A
8/2/2010 9:22	Field Cond		255	uS/cm	SM 2510A
8/3/2010 9:34	Field Cond		282	uS/cm	SM 2510A
8/4/2010 9:35	Field Cond		270	uS/cm	SM 2510A
8/5/2010 9:37	Field Cond		271	uS/cm	SM 2510A
8/6/2010 9:31	Field Cond		293	uS/cm	SM 2510A
8/7/2010 9:04	Field Cond		298	uS/cm	SM 2510A
8/8/2010 9:04	Field Cond		294	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/9/2010 9:43	Field Cond		298	uS/cm	SM 2510A
8/10/2010 9:45	Field Cond		303	uS/cm	SM 2510A
8/11/2010 9:52	Field Cond		303	uS/cm	SM 2510A
8/12/2010 9:52	Field Cond		298	uS/cm	SM 2510A
8/13/2010 9:43	Field Cond		324	uS/cm	SM 2510A
8/14/2010 8:23	Field Cond		295	uS/cm	SM 2510A
8/15/2010 8:27	Field Cond		286	uS/cm	SM 2510A
8/16/2010 10:15	Field Cond		258	uS/cm	SM 2510A
8/17/2010 9:31	Field Cond		317	uS/cm	SM 2510A
8/18/2010 9:48	Field Cond		262	uS/cm	SM 2510A
8/19/2010 10:14	Field Cond		283	uS/cm	SM 2510A
8/20/2010 9:48	Field Cond		296	uS/cm	SM 2510A
8/21/2010 9:15	Field Cond		285	uS/cm	SM 2510A
8/22/2010 9:10	Field Cond		297	uS/cm	SM 2510A
8/23/2010 10:02	Field Cond		264	uS/cm	SM 2510A
8/24/2010 10:07	Field Cond		295	uS/cm	SM 2510A
8/25/2010 9:55	Field Cond		282	uS/cm	SM 2510A
8/26/2010 10:06	Field Cond		323	uS/cm	SM 2510A
8/27/2010 9:52	Field Cond		264	uS/cm	SM 2510A
8/28/2010 8:39	Field Cond		300	uS/cm	SM 2510A
8/29/2010 8:40	Field Cond		295	uS/cm	SM 2510A
8/30/2010 9:52	Field Cond		297	uS/cm	SM 2510A
8/31/2010 9:45	Field Cond		280	uS/cm	SM 2510A
9/1/2010 10:18	Field Cond		283	uS/cm	SM 2510A
9/2/2010 9:50	Field Cond		286	uS/cm	SM 2510A
9/3/2010 9:36	Field Cond		291	uS/cm	SM 2510A
9/4/2010 8:50	Field Cond		286	uS/cm	SM 2510A
9/5/2010 9:03	Field Cond		297	uS/cm	SM 2510A
9/6/2010 9:04	Field Cond		315	uS/cm	SM 2510A
9/7/2010 10:10	Field Cond		309	uS/cm	SM 2510A
9/9/2010 9:31	Field Cond		344	uS/cm	SM 2510A
9/10/2010 10:31	Field Cond		320	uS/cm	SM 2510A
9/13/2010 9:44	Field Cond		305	uS/cm	SM 2510A
9/14/2010 9:58	Field Cond		318	uS/cm	SM 2510A
9/15/2010 9:22	Field Cond		330	uS/cm	SM 2510A
9/16/2010 10:00	Field Cond		315	uS/cm	SM 2510A
9/20/2010 9:40	Field Cond		301	uS/cm	SM 2510A
9/21/2010 9:54	Field Cond		298	uS/cm	SM 2510A
9/22/2010 9:47	Field Cond		276	uS/cm	SM 2510A
9/23/2010 9:55	Field Cond		310	uS/cm	SM 2510A
9/27/2010 9:10	Field Cond		333	uS/cm	SM 2510A
9/28/2010 9:45	Field Cond		372	uS/cm	SM 2510A
9/29/2010 9:25	Field Cond		353	uS/cm	SM 2510A
9/30/2010 9:33	Field Cond		333	uS/cm	SM 2510A
10/4/2010 9:39	Field Cond		329	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
10/7/2010 9:28	Field Cond		355	uS/cm	SM 2510A
10/11/2010 9:28	Field Cond		316	uS/cm	SM 2510A
10/12/2010 9:28	Field Cond		390	uS/cm	SM 2510A
10/13/2010 10:04	Field Cond		311	uS/cm	SM 2510A
10/14/2010 9:27	Field Cond		575	uS/cm	SM 2510A
10/18/2010 10:00	Field Cond		324	uS/cm	SM 2510A
10/19/2010 10:45	Field Cond		324	uS/cm	SM 2510A
10/20/2010 9:57	Field Cond		328	uS/cm	SM 2510A
10/25/2010 9:40	Field Cond		325	uS/cm	SM 2510A
10/26/2010 9:18	Field Cond		323	uS/cm	SM 2510A
10/27/2010 9:32	Field Cond		314	uS/cm	SM 2510A
10/28/2010 9:35	Field Cond		305	uS/cm	SM 2510A
5/17/2010 8:46	Field Temp		13	C	EPA 170.1
5/18/2010 9:10	Field Temp		12.7	C	EPA 170.1
5/19/2010 9:18	Field Temp		12.6	C	EPA 170.1
5/20/2010 9:28	Field Temp		14	C	EPA 170.1
5/21/2010 8:43	Field Temp		15.6	C	EPA 170.1
5/22/2010 9:20	Field Temp		15.6	C	EPA 170.1
5/23/2010 9:08	Field Temp		16	C	EPA 170.1
5/24/2010 8:55	Field Temp		16.1	C	EPA 170.1
5/25/2010 9:16	Field Temp		15.1	C	EPA 170.1
5/26/2010 9:19	Field Temp		16.4	C	EPA 170.1
5/27/2010 9:19	Field Temp		20	C	EPA 170.1
5/28/2010 8:50	Field Temp		20.4	C	EPA 170.1
5/29/2010 8:45	Field Temp		21.8	C	EPA 170.1
5/30/2010 9:15	Field Temp		23	C	EPA 170.1
5/31/2010 8:55	Field Temp		22.6	C	EPA 170.1
6/1/2010 9:24	Field Temp		22.8	C	EPA 170.1
6/2/2010 9:28	Field Temp		22	C	EPA 170.1
6/3/2010 9:22	Field Temp		22.2	C	EPA 170.1
6/4/2010 9:31	Field Temp		22.1	C	EPA 170.1
6/5/2010 9:45	Field Temp		21.3	C	EPA 170.1
6/7/2010 9:36	Field Temp		20.5	C	EPA 170.1
6/8/2010 9:47	Field Temp		21.5	C	EPA 170.1
6/9/2010 9:52	Field Temp		19.1	C	EPA 170.1
6/10/2010 9:43	Field Temp		21	C	EPA 170.1
6/11/2010 9:12	Field Temp		20.5	C	EPA 170.1
6/12/2010 9:20	Field Temp		21.6	C	EPA 170.1
6/13/2010 9:15	Field Temp		21.1	C	EPA 170.1
6/14/2010 8:58	Field Temp		22	C	EPA 170.1
6/15/2010 9:24	Field Temp		20.2	C	EPA 170.1
6/16/2010 9:30	Field Temp		21.5	C	EPA 170.1
6/17/2010 9:07	Field Temp		20.6	C	EPA 170.1
6/18/2010 9:22	Field Temp		21	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/19/2010 8:14	Field Temp		21.7	C	EPA 170.1
6/20/2010 8:15	Field Temp		21.4	C	EPA 170.1
6/21/2010 9:22	Field Temp		22.2	C	EPA 170.1
6/22/2010 9:25	Field Temp		21.6	C	EPA 170.1
6/23/2010 9:26	Field Temp		23.4	C	EPA 170.1
6/24/2010 9:24	Field Temp		22.7	C	EPA 170.1
6/25/2010 9:22	Field Temp		23.1	C	EPA 170.1
6/26/2010 9:28	Field Temp		23.2	C	EPA 170.1
6/27/2010 8:49	Field Temp		24	C	EPA 170.1
6/28/2010 9:25	Field Temp		23.8	C	EPA 170.1
6/29/2010 9:38	Field Temp		22.9	C	EPA 170.1
6/30/2010 9:30	Field Temp		22.6	C	EPA 170.1
7/1/2010 9:21	Field Temp		22.4	C	EPA 170.1
7/2/2010 9:31	Field Temp		22.7	C	EPA 170.1
7/3/2010 8:19	Field Temp		23.3	C	EPA 170.1
7/4/2010 8:23	Field Temp		23.4	C	EPA 170.1
7/5/2010 8:23	Field Temp		24.6	C	EPA 170.1
7/6/2010 9:45	Field Temp		26	C	EPA 170.1
7/7/2010 9:53	Field Temp		25.7	C	EPA 170.1
7/8/2010 9:53	Field Temp		26.1	C	EPA 170.1
7/9/2010 9:19	Field Temp		25.2	C	EPA 170.1
7/10/2010 8:45	Field Temp		25.2	C	EPA 170.1
7/11/2010 9:15	Field Temp		25.1	C	EPA 170.1
7/12/2010 9:52	Field Temp		24.8	C	EPA 170.1
7/13/2010 9:40	Field Temp		25.5	C	EPA 170.1
7/14/2010 9:49	Field Temp		25	C	EPA 170.1
7/15/2010 9:55	Field Temp		26.2	C	EPA 170.1
7/16/2010 9:42	Field Temp		25.4	C	EPA 170.1
7/17/2010 9:26	Field Temp		25.9	C	EPA 170.1
7/18/2010 9:12	Field Temp		26.1	C	EPA 170.1
7/19/2010 9:42	Field Temp		25.8	C	EPA 170.1
7/20/2010 9:52	Field Temp		25.3	C	EPA 170.1
7/21/2010 9:51	Field Temp		25.5	C	EPA 170.1
7/22/2010 9:57	Field Temp		26	C	EPA 170.1
7/23/2010 10:06	Field Temp		26.1	C	EPA 170.1
7/24/2010 8:35	Field Temp		25.8	C	EPA 170.1
7/25/2010 9:24	Field Temp		25.2	C	EPA 170.1
7/26/2010 9:50	Field Temp		25.6	C	EPA 170.1
7/27/2010 9:43	Field Temp		25.9	C	EPA 170.1
7/28/2010 9:55	Field Temp		26.3	C	EPA 170.1
7/29/2010 9:33	Field Temp		25.8	C	EPA 170.1
7/30/2010 9:35	Field Temp		25.4	C	EPA 170.1
7/31/2010 8:40	Field Temp		25	C	EPA 170.1
8/1/2010 8:47	Field Temp		25.4	C	EPA 170.1
8/2/2010 9:22	Field Temp		25.6	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/3/2010 9:34	Field Temp		25.8	C	EPA 170.1
8/4/2010 9:35	Field Temp		26.1	C	EPA 170.1
8/5/2010 9:37	Field Temp		26.3	C	EPA 170.1
8/6/2010 9:31	Field Temp		25.7	C	EPA 170.1
8/7/2010 9:04	Field Temp		25.7	C	EPA 170.1
8/8/2010 9:04	Field Temp		25.2	C	EPA 170.1
8/9/2010 9:43	Field Temp		25.2	C	EPA 170.1
8/10/2010 9:45	Field Temp		26.8	C	EPA 170.1
8/11/2010 9:52	Field Temp		26.9	C	EPA 170.1
8/12/2010 9:52	Field Temp		26.1	C	EPA 170.1
8/13/2010 9:43	Field Temp		25.8	C	EPA 170.1
8/14/2010 8:23	Field Temp		24.4	C	EPA 170.1
8/15/2010 8:27	Field Temp		24.9	C	EPA 170.1
8/16/2010 10:15	Field Temp		25.4	C	EPA 170.1
8/17/2010 9:31	Field Temp		24.7	C	EPA 170.1
8/18/2010 9:48	Field Temp		25.2	C	EPA 170.1
8/19/2010 10:14	Field Temp		25.6	C	EPA 170.1
8/20/2010 9:48	Field Temp		26	C	EPA 170.1
8/21/2010 9:15	Field Temp		25.2	C	EPA 170.1
8/22/2010 9:10	Field Temp		24.3	C	EPA 170.1
8/23/2010 10:02	Field Temp		24.1	C	EPA 170.1
8/24/2010 10:07	Field Temp		24.1	C	EPA 170.1
8/25/2010 9:55	Field Temp		24.1	C	EPA 170.1
8/26/2010 10:06	Field Temp		23.5	C	EPA 170.1
8/27/2010 9:52	Field Temp		24	C	EPA 170.1
8/28/2010 8:39	Field Temp		23.7	C	EPA 170.1
8/29/2010 8:40	Field Temp		23.6	C	EPA 170.1
8/30/2010 9:52	Field Temp		24.3	C	EPA 170.1
8/31/2010 9:45	Field Temp		24.3	C	EPA 170.1
9/1/2010 10:18	Field Temp		24.4	C	EPA 170.1
9/2/2010 9:50	Field Temp		25	C	EPA 170.1
9/3/2010 9:36	Field Temp		24.1	C	EPA 170.1
9/4/2010 8:50	Field Temp		22.1	C	EPA 170.1
9/5/2010 9:03	Field Temp		19.9	C	EPA 170.1
9/6/2010 9:04	Field Temp		21.1	C	EPA 170.1
9/7/2010 10:10	Field Temp		21.6	C	EPA 170.1
9/9/2010 9:31	Field Temp		19.2	C	EPA 170.1
9/10/2010 10:31	Field Temp		19.8	C	EPA 170.1
9/13/2010 9:44	Field Temp		19.8	C	EPA 170.1
9/14/2010 9:58	Field Temp		20.4	C	EPA 170.1
9/15/2010 9:22	Field Temp		19.1	C	EPA 170.1
9/16/2010 10:00	Field Temp		19.8	C	EPA 170.1
9/20/2010 9:40	Field Temp		19.6	C	EPA 170.1
9/21/2010 9:54	Field Temp		19.4	C	EPA 170.1
9/22/2010 9:47	Field Temp		20	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/23/2010 9:55	Field Temp		20.6	C	EPA 170.1
9/27/2010 9:10	Field Temp		18.2	C	EPA 170.1
9/28/2010 9:45	Field Temp		17.5	C	EPA 170.1
9/29/2010 9:25	Field Temp		18.1	C	EPA 170.1
9/30/2010 9:33	Field Temp		18.6	C	EPA 170.1
10/4/2010 9:39	Field Temp		16.1	C	EPA 170.1
10/7/2010 9:28	Field Temp		15.2	C	EPA 170.1
10/11/2010 9:28	Field Temp		16.5	C	EPA 170.1
10/12/2010 9:28	Field Temp		16.4	C	EPA 170.1
10/13/2010 10:04	Field Temp		15.8	C	EPA 170.1
10/14/2010 9:27	Field Temp		14.2	C	EPA 170.1
10/18/2010 10:00	Field Temp		14.6	C	EPA 170.1
10/19/2010 10:45	Field Temp		14.2	C	EPA 170.1
10/20/2010 9:57	Field Temp		13.6	C	EPA 170.1
10/25/2010 9:40	Field Temp		13.8	C	EPA 170.1
10/26/2010 9:18	Field Temp		14.1	C	EPA 170.1
10/27/2010 9:32	Field Temp		13.2	C	EPA 170.1
10/28/2010 9:35	Field Temp		12.8	C	EPA 170.1
5/18/2010 9:10	pH		6.45	S.U.	
5/19/2010 9:18	pH		7.5	S.U.	
5/20/2010 9:28	pH		6.8	S.U.	
5/21/2010 8:43	pH		8.08	S.U.	
5/22/2010 9:20	pH		7.4	S.U.	
5/23/2010 9:08	pH		7.4	S.U.	
5/24/2010 8:55	pH		8.51	S.U.	
5/25/2010 9:16	pH		8.62	S.U.	
5/26/2010 9:19	pH		7.57	S.U.	
5/27/2010 9:19	pH		7.44	S.U.	
5/28/2010 8:50	pH		7.45	S.U.	
5/29/2010 8:45	pH		8.59	S.U.	
5/30/2010 9:15	pH		8.78	S.U.	
5/31/2010 8:55	pH		7.78	S.U.	
6/1/2010 9:24	pH		7.23	S.U.	
6/2/2010 9:28	pH		7.66	S.U.	
6/3/2010 9:22	pH		7.52	S.U.	
6/4/2010 9:31	pH		7.55	S.U.	
6/5/2010 9:45	pH		9.88	S.U.	
6/7/2010 9:36	pH		8.64	S.U.	
6/8/2010 9:47	pH		7.65	S.U.	
6/9/2010 9:52	pH		7.23	S.U.	
6/10/2010 9:43	pH		7.08	S.U.	
6/11/2010 9:12	pH		8.48	S.U.	
6/12/2010 9:20	pH		8.34	S.U.	
6/13/2010 9:15	pH		8.2	S.U.	

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/14/2010 8:58	pH		8.28	S.U.	
6/15/2010 9:24	pH		8.17	S.U.	
6/16/2010 9:30	pH		8.35	S.U.	
6/17/2010 9:07	pH		8.27	S.U.	
6/18/2010 9:22	pH		8.13	S.U.	
6/19/2010 8:14	pH		8.28	S.U.	
6/20/2010 8:15	pH		8.36	S.U.	
6/21/2010 9:22	pH		8.51	S.U.	
6/22/2010 9:25	pH		8.1	S.U.	
6/23/2010 9:26	pH		8.26	S.U.	
6/24/2010 9:24	pH		8.34	S.U.	
6/25/2010 9:22	pH		8.18	S.U.	
6/26/2010 9:28	pH		8.1	S.U.	
6/27/2010 8:49	pH		8.27	S.U.	
6/28/2010 9:25	pH		8.18	S.U.	
6/29/2010 9:38	pH		8.17	S.U.	
6/30/2010 9:30	pH		8.18	S.U.	
7/1/2010 9:21	pH		8.4	S.U.	
7/2/2010 9:31	pH		8.29	S.U.	
7/3/2010 8:19	pH		8.45	S.U.	
7/4/2010 8:23	pH		8.47	S.U.	
7/5/2010 8:23	pH		8.31	S.U.	
7/6/2010 9:45	pH		8.32	S.U.	
7/7/2010 9:53	pH		8.35	S.U.	
7/8/2010 9:53	pH		8.39	S.U.	
7/9/2010 9:19	pH		8.2	S.U.	
7/10/2010 8:45	pH		8.31	S.U.	
7/11/2010 9:15	pH		8.37	S.U.	
7/12/2010 9:52	pH		8.39	S.U.	
7/13/2010 9:40	pH		8.35	S.U.	
7/14/2010 9:49	pH		8.23	S.U.	
7/15/2010 9:55	pH		8.42	S.U.	
7/16/2010 9:42	pH		8.36	S.U.	
7/17/2010 9:26	pH		8.22	S.U.	
7/18/2010 9:12	pH		8.09	S.U.	
7/19/2010 9:42	pH		8.24	S.U.	
7/20/2010 9:52	pH		8.25	S.U.	
7/21/2010 9:51	pH		8.12	S.U.	
7/22/2010 9:57	pH		8.12	S.U.	
7/23/2010 10:06	pH		7.94	S.U.	
7/24/2010 8:35	pH		8.3	S.U.	
7/25/2010 9:24	pH		8.26	S.U.	
7/26/2010 9:50	pH		8.19	S.U.	
7/27/2010 9:43	pH		8.31	S.U.	
7/28/2010 9:55	pH		8.31	S.U.	

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/29/2010 9:33	pH		8.19	S.U.	
7/30/2010 9:35	pH		8.4	S.U.	
7/31/2010 8:40	pH		8.45	S.U.	
8/1/2010 8:47	pH		8.33	S.U.	
8/2/2010 9:22	pH		8.15	S.U.	
8/3/2010 9:34	pH		8.32	S.U.	
8/4/2010 9:35	pH		8.41	S.U.	
8/5/2010 9:37	pH		7.53	S.U.	
8/6/2010 9:31	pH		8.14	S.U.	
8/7/2010 9:04	pH		8.75	S.U.	
8/8/2010 9:04	pH		8.78	S.U.	
8/9/2010 9:43	pH		8.78	S.U.	
8/10/2010 9:45	pH		8.85	S.U.	
8/11/2010 9:52	pH		8.78	S.U.	
8/12/2010 9:52	pH		8.61	S.U.	
8/13/2010 9:43	pH		8.16	S.U.	
8/14/2010 8:23	pH		8	S.U.	
8/15/2010 8:27	pH		8.3	S.U.	
8/16/2010 10:15	pH		8.55	S.U.	
8/17/2010 9:31	pH		8.32	S.U.	
8/18/2010 9:48	pH		8.6	S.U.	
8/19/2010 10:14	pH		8.58	S.U.	
8/20/2010 9:48	pH		8.44	S.U.	
8/21/2010 9:15	pH		8.16	S.U.	
8/22/2010 9:10	pH		8.3	S.U.	
8/23/2010 10:02	pH		8.24	S.U.	
8/24/2010 10:07	pH		8.15	S.U.	
8/25/2010 9:55	pH		8.25	S.U.	
8/26/2010 10:06	pH		8.28	S.U.	
8/27/2010 9:52	pH		8.62	S.U.	
8/28/2010 8:39	pH		8.45	S.U.	
8/29/2010 8:40	pH		8.34	S.U.	
8/30/2010 9:52	pH		7.96	S.U.	
8/31/2010 9:45	pH		7.96	S.U.	
9/1/2010 10:18	pH		8.39	S.U.	
9/2/2010 9:50	pH		8.38	S.U.	
9/3/2010 9:36	pH		8.12	S.U.	
9/4/2010 8:50	pH		8.1	S.U.	
9/5/2010 9:03	pH		8.36	S.U.	
9/6/2010 9:04	pH		8.9	S.U.	
9/7/2010 10:10	pH		7.45	S.U.	
9/9/2010 9:31	pH		7.81	S.U.	
9/10/2010 10:31	pH		8.13	S.U.	
9/13/2010 9:44	pH		7.45	S.U.	
9/14/2010 9:58	pH		8.24	S.U.	

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/15/2010 9:22	pH		8.22	S.U.	
9/16/2010 10:00	pH		8.15	S.U.	
9/20/2010 9:40	pH		8.22	S.U.	
9/21/2010 9:54	pH		8.22	S.U.	
9/22/2010 9:47	pH		8.19	S.U.	
9/23/2010 9:55	pH		8.18	S.U.	
9/27/2010 9:10	pH		7.72	S.U.	
9/28/2010 9:45	pH		8.12	S.U.	
9/29/2010 9:25	pH		7.84	S.U.	
9/30/2010 9:33	pH		7.8	S.U.	
10/4/2010 9:39	pH		7.97	S.U.	
10/7/2010 9:28	pH		7.4	S.U.	
10/11/2010 9:28	pH		7.89	S.U.	
10/12/2010 9:28	pH		7.9	S.U.	
10/13/2010 10:04	pH		7.78	S.U.	
10/14/2010 9:27	pH		7.75	S.U.	
10/18/2010 10:00	pH		8.01	S.U.	
10/19/2010 10:45	pH		7.94	S.U.	
10/20/2010 9:57	pH		7.95	S.U.	
10/25/2010 9:40	pH		7.87	S.U.	
10/26/2010 9:18	pH		7.69	S.U.	
10/27/2010 9:32	pH		7.85	S.U.	
10/28/2010 9:35	pH		7.97	S.U.	
5/17/2010 8:46	Turbidity		1.85	NTU	EPA180.1
5/18/2010 9:10	Turbidity		2.52	NTU	EPA180.1
5/19/2010 9:18	Turbidity		4.76	NTU	EPA180.1
5/20/2010 9:28	Turbidity		3.32	NTU	EPA180.1
5/21/2010 8:43	Turbidity		2.1	NTU	EPA180.1
5/22/2010 9:20	Turbidity		2.01	NTU	EPA180.1
5/23/2010 9:08	Turbidity		1.74	NTU	EPA180.1
5/24/2010 8:55	Turbidity		2.7	NTU	EPA180.1
5/25/2010 9:16	Turbidity		1.86	NTU	EPA180.1
5/26/2010 9:19	Turbidity		1.01	NTU	EPA180.1
5/27/2010 9:19	Turbidity		2.04	NTU	EPA180.1
5/28/2010 8:50	Turbidity		8.77	NTU	EPA180.1
5/29/2010 8:45	Turbidity		3.33	NTU	EPA180.1
5/30/2010 9:15	Turbidity		2.68	NTU	EPA180.1
5/31/2010 8:55	Turbidity		5.75	NTU	EPA180.1
6/1/2010 9:24	Turbidity		15.97	NTU	EPA180.1
6/2/2010 9:28	Turbidity		2.41	NTU	EPA180.1
6/3/2010 9:22	Turbidity		7.15	NTU	EPA180.1
6/4/2010 9:31	Turbidity		2.69	NTU	EPA180.1
6/5/2010 9:45	Turbidity		3.87	NTU	EPA180.1
6/7/2010 9:36	Turbidity		12.71	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/8/2010 9:47	Turbidity		2.28	NTU	EPA180.1
6/9/2010 9:52	Turbidity		7.14	NTU	EPA180.1
6/10/2010 9:43	Turbidity		5.9	NTU	EPA180.1
6/11/2010 9:12	Turbidity		1.38	NTU	EPA180.1
6/12/2010 9:20	Turbidity		1.41	NTU	EPA180.1
6/13/2010 9:15	Turbidity		1.36	NTU	EPA180.1
6/14/2010 8:58	Turbidity		2.42	NTU	EPA180.1
6/15/2010 9:24	Turbidity		3.52	NTU	EPA180.1
6/16/2010 9:30	Turbidity		14.68	NTU	EPA180.1
6/17/2010 9:07	Turbidity		11.19	NTU	EPA180.1
6/18/2010 9:22	Turbidity		1.07	NTU	EPA180.1
6/19/2010 8:14	Turbidity		2.15	NTU	EPA180.1
6/20/2010 8:15	Turbidity		2.28	NTU	EPA180.1
6/21/2010 9:22	Turbidity		1.23	NTU	EPA180.1
6/22/2010 9:25	Turbidity		2.86	NTU	EPA180.1
6/23/2010 9:26	Turbidity		1.02	NTU	EPA180.1
6/24/2010 9:24	Turbidity		16.53	NTU	EPA180.1
6/25/2010 9:22	Turbidity		4.74	NTU	EPA180.1
6/26/2010 9:28	Turbidity		1.29	NTU	EPA180.1
6/27/2010 8:49	Turbidity		1.26	NTU	EPA180.1
6/28/2010 9:25	Turbidity		8.51	NTU	EPA180.1
6/29/2010 9:38	Turbidity		6.3	NTU	EPA180.1
6/30/2010 9:30	Turbidity		3.42	NTU	EPA180.1
7/1/2010 9:21	Turbidity		1.43	NTU	EPA180.1
7/2/2010 9:31	Turbidity		1.1	NTU	EPA180.1
7/3/2010 8:19	Turbidity		0.73	NTU	EPA180.1
7/4/2010 8:23	Turbidity		0.84	NTU	EPA180.1
7/5/2010 8:23	Turbidity		0.95	NTU	EPA180.1
7/6/2010 9:45	Turbidity		0.72	NTU	EPA180.1
7/7/2010 9:53	Turbidity	~	0.68	NTU	EPA180.1
7/8/2010 9:53	Turbidity		2	NTU	EPA180.1
7/9/2010 9:19	Turbidity		3.9	NTU	EPA180.1
7/10/2010 8:45	Turbidity		1.44	NTU	EPA180.1
7/11/2010 9:15	Turbidity		0.79	NTU	EPA180.1
7/12/2010 9:52	Turbidity		0.72	NTU	EPA180.1
7/13/2010 9:40	Turbidity		1.53	NTU	EPA180.1
7/14/2010 9:49	Turbidity		0.99	NTU	EPA180.1
7/15/2010 9:55	Turbidity		0.58	NTU	EPA180.1
7/16/2010 9:42	Turbidity		21.1	NTU	EPA180.1
7/17/2010 9:26	Turbidity		9.72	NTU	EPA180.1
7/18/2010 9:12	Turbidity		2.32	NTU	EPA180.1
7/19/2010 9:42	Turbidity		17.88	NTU	EPA180.1
7/20/2010 9:52	Turbidity		0.74	NTU	EPA180.1
7/21/2010 9:51	Turbidity		3.61	NTU	EPA180.1
7/22/2010 9:57	Turbidity		2.54	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/23/2010 10:06	Turbidity		14.4	NTU	EPA180.1
7/24/2010 8:35	Turbidity		10.26	NTU	EPA180.1
7/25/2010 9:24	Turbidity		14.85	NTU	EPA180.1
7/26/2010 9:50	Turbidity		1.53	NTU	EPA180.1
7/27/2010 9:43	Turbidity		0.57	NTU	EPA180.1
7/28/2010 9:55	Turbidity		2.38	NTU	EPA180.1
7/29/2010 9:33	Turbidity		10.48	NTU	EPA180.1
7/30/2010 9:35	Turbidity		2.26	NTU	EPA180.1
7/31/2010 8:40	Turbidity		1.09	NTU	EPA180.1
8/1/2010 8:47	Turbidity		1.27	NTU	EPA180.1
8/2/2010 9:22	Turbidity		1.66	NTU	EPA180.1
8/3/2010 9:34	Turbidity		3.57	NTU	EPA180.1
8/4/2010 9:35	Turbidity		0.77	NTU	EPA180.1
8/5/2010 9:37	Turbidity		15.1	NTU	EPA180.1
8/6/2010 9:31	Turbidity		6.65	NTU	EPA180.1
8/7/2010 9:04	Turbidity		3.63	NTU	EPA180.1
8/8/2010 9:04	Turbidity		3.61	NTU	EPA180.1
8/9/2010 9:43	Turbidity		2.68	NTU	EPA180.1
8/10/2010 9:45	Turbidity		1.12	NTU	EPA180.1
8/11/2010 9:52	Turbidity		3.56	NTU	EPA180.1
8/12/2010 9:52	Turbidity		1.83	NTU	EPA180.1
8/13/2010 9:43	Turbidity		1.95	NTU	EPA180.1
8/14/2010 8:23	Turbidity		1.88	NTU	EPA180.1
8/15/2010 8:27	Turbidity		3.55	NTU	EPA180.1
8/16/2010 10:15	Turbidity		33.3	NTU	EPA180.1
8/20/2010 9:48	Turbidity		2.42	NTU	EPA180.1
8/21/2010 9:15	Turbidity		1.36	NTU	EPA180.1
8/22/2010 9:10	Turbidity		13.2	NTU	EPA180.1
8/23/2010 10:02	Turbidity		4.47	NTU	EPA180.1
8/26/2010 10:06	Turbidity		2.98	NTU	EPA180.1
8/27/2010 9:52	Turbidity		2.98	NTU	EPA180.1
8/28/2010 8:39	Turbidity		1.75	NTU	EPA180.1
8/29/2010 8:40	Turbidity		1.82	NTU	EPA180.1
8/30/2010 9:52	Turbidity		1.93	NTU	EPA180.1
9/1/2010 10:18	Turbidity		3.16	NTU	EPA180.1
9/3/2010 9:36	Turbidity		5.91	NTU	EPA180.1
9/5/2010 9:03	Turbidity		27.5	NTU	EPA180.1
9/6/2010 9:04	Turbidity		11.1	NTU	EPA180.1
9/10/2010 10:31	Turbidity		11.9	NTU	EPA180.1
9/13/2010 9:44	Turbidity		15.6	NTU	EPA180.1
9/14/2010 9:58	Turbidity		6.46	NTU	EPA180.1
9/15/2010 9:22	Turbidity		6.52	NTU	EPA180.1
9/16/2010 10:00	Turbidity		2.14	NTU	EPA180.1
9/20/2010 9:40	Turbidity		3.56	NTU	EPA180.1
9/23/2010 9:55	Turbidity		2.31	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/27/2010 9:10	Turbidity		6.33	NTU	EPA180.1
9/30/2010 9:33	Turbidity		3.24	NTU	EPA180.1
10/4/2010 9:39	Turbidity		37.6	NTU	EPA180.1
10/7/2010 9:28	Turbidity		29.7	NTU	EPA180.1
10/11/2010 9:28	Turbidity		5.13	NTU	EPA180.1
10/12/2010 9:28	Turbidity		10	NTU	EPA180.1
10/14/2010 9:27	Turbidity		34.3	NTU	EPA180.1
10/18/2010 10:00	Turbidity		9.17	NTU	EPA180.1
10/19/2010 10:45	Turbidity		10.83	NTU	EPA180.1
10/20/2010 9:57	Turbidity		3.87	NTU	EPA180.1
10/25/2010 9:40	Turbidity		3.822	NTU	EPA180.1
10/26/2010 9:18	Turbidity		2.28	NTU	EPA180.1
10/27/2010 9:32	Turbidity		16.7	NTU	EPA180.1
10/28/2010 9:35	Turbidity		50.8	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/17/2010 9:01	E. coli	EC	28	cfu/100mL	EPA1603
5/18/2010 9:18	E. coli		368	cfu/100mL	EPA1603
5/19/2010 9:26	E. coli	EC	40	cfu/100mL	EPA1603
5/20/2010 9:36	E. coli		245	cfu/100mL	EPA1603
5/21/2010 8:49	E. coli	EC	37	cfu/100mL	EPA1603
5/22/2010 9:30	E. coli		64	cfu/100mL	EPA1603
5/23/2010 9:15	E. coli		70	cfu/100mL	EPA1603
5/24/2010 9:02	E. coli		40	cfu/100mL	EPA1603
5/25/2010 9:22	E. coli	EC	24	cfu/100mL	EPA1603
5/26/2010 9:27	E. coli		4	cfu/100mL	EPA1603
5/27/2010 9:27	E. coli		31	cfu/100mL	EPA1603
5/28/2010 8:57	E. coli	EC	1130	cfu/100mL	EPA1603
5/29/2010 9:00	E. coli		31	cfu/100mL	EPA1603
5/30/2010 9:20	E. coli		40	cfu/100mL	EPA1603
5/31/2010 9:03	E. coli		8	cfu/100mL	EPA1603
6/1/2010 9:29	E. coli	EC	2220	cfu/100mL	EPA1603
6/2/2010 9:35	E. coli		88	cfu/100mL	EPA1603
6/3/2010 9:28	E. coli		200	cfu/100mL	EPA1603
6/4/2010 9:37	E. coli		65	cfu/100mL	EPA1603
6/5/2010 9:55	E. coli		1600	cfu/100mL	EPA1603
6/6/2010 10:43	E. coli		5066	cfu/100mL	EPA1603
6/7/2010 9:49	E. coli		840	cfu/100mL	EPA1603
6/8/2010 9:56	E. coli		37	cfu/100mL	EPA1603
6/9/2010 9:58	E. coli		59	cfu/100mL	EPA1603
6/10/2010 9:50	E. coli		83	cfu/100mL	EPA1603
6/11/2010 9:17	E. coli		25	cfu/100mL	EPA1603
6/12/2010 9:27	E. coli		67	cfu/100mL	EPA1603
6/13/2010 9:22	E. coli		1220	cfu/100mL	EPA1603
6/14/2010 9:04	E. coli		88	cfu/100mL	EPA1603
6/15/2010 9:34	E. coli		5400	cfu/100mL	EPA1603
6/16/2010 9:38	E. coli		4600	cfu/100mL	EPA1603
6/17/2010 9:13	E. coli		200	cfu/100mL	EPA1603
6/18/2010 9:28	E. coli		72	cfu/100mL	EPA1603
6/19/2010 8:17	E. coli		376	cfu/100mL	EPA1603
6/20/2010 8:20	E. coli	EC	109	cfu/100mL	EPA1603
6/21/2010 9:27	E. coli	EC	23	cfu/100mL	EPA1603
6/22/2010 9:30	E. coli		880	cfu/100mL	EPA1603
6/23/2010 9:31	E. coli		55	cfu/100mL	EPA1603
6/24/2010 9:31	E. coli		2000	cfu/100mL	EPA1603
6/25/2010 9:27	E. coli		58	cfu/100mL	EPA1603
6/26/2010 9:33	E. coli		47	cfu/100mL	EPA1603
6/27/2010 8:54	E. coli		205	cfu/100mL	EPA1603
6/28/2010 9:31	E. coli		310	cfu/100mL	EPA1603
6/29/2010 9:44	E. coli		140	cfu/100mL	EPA1603
6/30/2010 9:35	E. coli		83	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/1/2010 9:27	E. coli		4	cfu/100mL	EPA1603
7/2/2010 9:37	E. coli		5	cfu/100mL	EPA1603
7/3/2010 8:24	E. coli		120	cfu/100mL	EPA1603
7/4/2010 8:28	E. coli		120	cfu/100mL	EPA1603
7/5/2010 8:27	E. coli		72	cfu/100mL	EPA1603
7/6/2010 9:49	E. coli		175	cfu/100mL	EPA1603
7/7/2010 10:00	E. coli		62	cfu/100mL	EPA1603
7/8/2010 9:58	E. coli		26	cfu/100mL	EPA1603
7/9/2010 9:25	E. coli		170	cfu/100mL	EPA1603
7/10/2010 8:55	E. coli		118	cfu/100mL	EPA1603
7/11/2010 9:25	E. coli		22	cfu/100mL	EPA1603
7/12/2010 9:58	E. coli		74	cfu/100mL	EPA1603
7/13/2010 9:50	E. coli		58	cfu/100mL	EPA1603
7/14/2010 9:56	E. coli		210	cfu/100mL	EPA1603
7/15/2010 10:00	E. coli		42	cfu/100mL	EPA1603
7/16/2010 9:49	E. coli		1180	cfu/100mL	EPA1603
7/17/2010 9:32	E. coli		356	cfu/100mL	EPA1603
7/18/2010 9:20	E. coli		54	cfu/100mL	EPA1603
7/19/2010 9:49	E. coli		720	cfu/100mL	EPA1603
7/20/2010 9:58	E. coli		134	cfu/100mL	EPA1603
7/21/2010 9:57	E. coli		2800	cfu/100mL	EPA1603
7/22/2010 10:06	E. coli		328	cfu/100mL	EPA1603
7/23/2010 10:13	E. coli		1220	cfu/100mL	EPA1603
7/24/2010 8:40	E. coli		1560	cfu/100mL	EPA1603
7/25/2010 9:31	E. coli		520	cfu/100mL	EPA1603
7/26/2010 9:58	E. coli		87	cfu/100mL	EPA1603
7/27/2010 9:49	E. coli		28	cfu/100mL	EPA1603
7/28/2010 10:00	E. coli		600	cfu/100mL	EPA1603
7/29/2010 9:38	E. coli		1060	cfu/100mL	EPA1603
7/30/2010 9:40	E. coli		37	cfu/100mL	EPA1603
7/31/2010 8:48	E. coli		22	cfu/100mL	EPA1603
8/1/2010 8:53	E. coli	EC	81	cfu/100mL	EPA1603
8/2/2010 9:27	E. coli		560	cfu/100mL	EPA1603
8/3/2010 9:37	E. coli		260	cfu/100mL	EPA1603
8/4/2010 9:41	E. coli		275	cfu/100mL	EPA1603
8/5/2010 9:41	E. coli		480	cfu/100mL	EPA1603
8/6/2010 9:38	E. coli		147	cfu/100mL	EPA1603
8/7/2010 9:10	E. coli	EC	23	cfu/100mL	EPA1603
8/8/2010 9:10	E. coli	EC	125	cfu/100mL	EPA1603
8/9/2010 9:49	E. coli		69	cfu/100mL	EPA1603
8/10/2010 9:55	E. coli		13	cfu/100mL	EPA1603
8/11/2010 10:00	E. coli		27	cfu/100mL	EPA1603
8/12/2010 10:00	E. coli		77	cfu/100mL	EPA1603
8/13/2010 9:48	E. coli	EC	86	cfu/100mL	EPA1603
8/14/2010 8:27	E. coli		25	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/15/2010 8:32	E. coli		450	cfu/100mL	EPA1603
8/16/2010 10:24	E. coli		435	cfu/100mL	EPA1603
8/17/2010 9:40	E. coli		64	cfu/100mL	EPA1603
8/18/2010 9:55	E. coli		12	cfu/100mL	EPA1603
8/19/2010 10:22	E. coli		2	cfu/100mL	EPA1603
8/20/2010 9:54	E. coli		63	cfu/100mL	EPA1603
8/21/2010 9:19	E. coli		1000	cfu/100mL	EPA1603
8/22/2010 9:18	E. coli		580	cfu/100mL	EPA1603
8/23/2010 10:09	E. coli		130	cfu/100mL	EPA1603
8/24/2010 10:15	E. coli		12	cfu/100mL	EPA1603
8/25/2010 9:59	E. coli		14	cfu/100mL	EPA1603
8/26/2010 10:10	E. coli		100	cfu/100mL	EPA1603
8/27/2010 9:57	E. coli		8	cfu/100mL	EPA1603
8/28/2010 8:47	E. coli		8	cfu/100mL	EPA1603
8/29/2010 8:45	E. coli		4	cfu/100mL	EPA1603
8/30/2010 9:59	E. coli	<	1	cfu/100mL	EPA1603
8/31/2010 9:50	E. coli		21	cfu/100mL	EPA1603
9/1/2010 10:24	E. coli		205	cfu/100mL	EPA1603
9/2/2010 10:00	E. coli		40	cfu/100mL	EPA1603
9/3/2010 9:44	E. coli		68	cfu/100mL	EPA1603
9/5/2010 9:09	E. coli		230	cfu/100mL	EPA1603
9/6/2010 9:11	E. coli		9	cfu/100mL	EPA1603
9/7/2010 10:19	E. coli		25	cfu/100mL	EPA1603
9/9/2010 9:40	E. coli		42	cfu/100mL	EPA1603
9/10/2010 10:39	E. coli		1	cfu/100mL	EPA1603
9/13/2010 9:53	E. coli		180	cfu/100mL	EPA1603
9/14/2010 10:05	E. coli		12	cfu/100mL	EPA1603
9/15/2010 9:30	E. coli		7	cfu/100mL	EPA1603
9/16/2010 10:15	E. coli		3	cfu/100mL	EPA1603
9/20/2010 9:45	E. coli		24	cfu/100mL	EPA1603
9/21/2010 10:05	E. coli		4	cfu/100mL	EPA1603
9/22/2010 9:55	E. coli		200	cfu/100mL	EPA1603
9/23/2010 10:02	E. coli		265	cfu/100mL	EPA1603
9/27/2010 9:15	E. coli		28	cfu/100mL	EPA1603
9/28/2010 9:50	E. coli	EC	2125	cfu/100mL	EPA1603
9/29/2010 9:34	E. coli		3100	cfu/100mL	EPA1603
9/30/2010 9:39	E. coli		358	cfu/100mL	EPA1603
10/4/2010 9:45	E. coli		54	cfu/100mL	EPA1603
10/7/2010 9:33	E. coli		110	cfu/100mL	EPA1603
10/11/2010 9:57	E. coli		69	cfu/100mL	EPA1603
10/12/2010 9:35	E. coli		195	cfu/100mL	EPA1603
10/13/2010 10:15	E. coli		6	cfu/100mL	EPA1603
10/14/2010 9:34	E. coli		6400	cfu/100mL	EPA1603
10/18/2010 10:09	E. coli		43	cfu/100mL	EPA1603
10/19/2010 10:52	E. coli		88	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
10/20/2010 10:05	E. coli		25	cfu/100mL	EPA1603
10/25/2010 9:46	E. coli		6	cfu/100mL	EPA1603
10/26/2010 9:24	E. coli	EC	18	cfu/100mL	EPA1603
10/27/2010 9:40	E. coli		560	cfu/100mL	EPA1603
10/28/2010 9:40	E. coli		780	cfu/100mL	EPA1603
5/17/2010 9:01	Field Cond		360	uS/cm	SM 2510A
5/18/2010 9:18	Field Cond		275	uS/cm	SM 2510A
5/19/2010 9:26	Field Cond		287	uS/cm	SM 2510A
5/20/2010 9:36	Field Cond		307	uS/cm	SM 2510A
5/21/2010 8:49	Field Cond		315	uS/cm	SM 2510A
5/22/2010 9:30	Field Cond		335	uS/cm	SM 2510A
5/23/2010 9:15	Field Cond		320	uS/cm	SM 2510A
5/24/2010 9:02	Field Cond		327	uS/cm	SM 2510A
5/25/2010 9:22	Field Cond		312	uS/cm	SM 2510A
5/26/2010 9:27	Field Cond		285	uS/cm	SM 2510A
5/27/2010 9:27	Field Cond		311	uS/cm	SM 2510A
5/28/2010 8:57	Field Cond		360	uS/cm	SM 2510A
5/29/2010 9:00	Field Cond		345	uS/cm	SM 2510A
5/30/2010 9:20	Field Cond		345	uS/cm	SM 2510A
5/31/2010 9:03	Field Cond		320	uS/cm	SM 2510A
6/1/2010 9:29	Field Cond		335	uS/cm	SM 2510A
6/2/2010 9:35	Field Cond		292	uS/cm	SM 2510A
6/3/2010 9:28	Field Cond		317	uS/cm	SM 2510A
6/4/2010 9:37	Field Cond		326	uS/cm	SM 2510A
6/5/2010 9:55	Field Cond		311	uS/cm	SM 2510A
6/7/2010 9:49	Field Cond		336	uS/cm	SM 2510A
6/8/2010 9:56	Field Cond		284	uS/cm	SM 2510A
6/9/2010 9:58	Field Cond		302	uS/cm	SM 2510A
6/10/2010 9:50	Field Cond		298	uS/cm	SM 2510A
6/11/2010 9:17	Field Cond		254	uS/cm	SM 2510A
6/12/2010 9:27	Field Cond		297	uS/cm	SM 2510A
6/13/2010 9:22	Field Cond		303	uS/cm	SM 2510A
6/14/2010 9:04	Field Cond		335	uS/cm	SM 2510A
6/15/2010 9:34	Field Cond		286	uS/cm	SM 2510A
6/16/2010 9:38	Field Cond		306	uS/cm	SM 2510A
6/17/2010 9:13	Field Cond		312	uS/cm	SM 2510A
6/18/2010 9:28	Field Cond		307	uS/cm	SM 2510A
6/19/2010 8:17	Field Cond		283	uS/cm	SM 2510A
6/20/2010 8:20	Field Cond		320	uS/cm	SM 2510A
6/21/2010 9:27	Field Cond		310	uS/cm	SM 2510A
6/22/2010 9:30	Field Cond		336	uS/cm	SM 2510A
6/23/2010 9:31	Field Cond		305	uS/cm	SM 2510A
6/24/2010 9:31	Field Cond		297	uS/cm	SM 2510A
6/25/2010 9:27	Field Cond		304	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/26/2010 9:33	Field Cond		286	uS/cm	SM 2510A
6/27/2010 8:54	Field Cond		283	uS/cm	SM 2510A
6/28/2010 9:31	Field Cond		286	uS/cm	SM 2510A
6/29/2010 9:44	Field Cond		318	uS/cm	SM 2510A
6/30/2010 9:35	Field Cond		319	uS/cm	SM 2510A
7/1/2010 9:27	Field Cond		278	uS/cm	SM 2510A
7/2/2010 9:37	Field Cond		273	uS/cm	SM 2510A
7/3/2010 8:24	Field Cond		296	uS/cm	SM 2510A
7/4/2010 8:28	Field Cond		302	uS/cm	SM 2510A
7/5/2010 8:27	Field Cond		299	uS/cm	SM 2510A
7/6/2010 9:49	Field Cond		275	uS/cm	SM 2510A
7/7/2010 10:00	Field Cond		311	uS/cm	SM 2510A
7/8/2010 9:58	Field Cond		288	uS/cm	SM 2510A
7/9/2010 9:25	Field Cond		341	uS/cm	SM 2510A
7/10/2010 8:55	Field Cond		320	uS/cm	SM 2510A
7/11/2010 9:25	Field Cond		282	uS/cm	SM 2510A
7/12/2010 9:58	Field Cond		298	uS/cm	SM 2510A
7/13/2010 9:50	Field Cond		312	uS/cm	SM 2510A
7/14/2010 9:56	Field Cond		322	uS/cm	SM 2510A
7/15/2010 10:00	Field Cond		309	uS/cm	SM 2510A
7/16/2010 9:49	Field Cond		308	uS/cm	SM 2510A
7/17/2010 9:32	Field Cond		294	uS/cm	SM 2510A
7/18/2010 9:20	Field Cond		317	uS/cm	SM 2510A
7/19/2010 9:49	Field Cond		316	uS/cm	SM 2510A
7/20/2010 9:58	Field Cond		330	uS/cm	SM 2510A
7/21/2010 9:57	Field Cond		292	uS/cm	SM 2510A
7/22/2010 10:06	Field Cond		311	uS/cm	SM 2510A
7/23/2010 10:13	Field Cond		295	uS/cm	SM 2510A
7/24/2010 8:40	Field Cond		304	uS/cm	SM 2510A
7/25/2010 9:31	Field Cond		309	uS/cm	SM 2510A
7/26/2010 9:58	Field Cond		269	uS/cm	SM 2510A
7/27/2010 9:49	Field Cond		283	uS/cm	SM 2510A
7/28/2010 10:00	Field Cond		315	uS/cm	SM 2510A
7/29/2010 9:38	Field Cond		342	uS/cm	SM 2510A
7/30/2010 9:40	Field Cond		312	uS/cm	SM 2510A
7/31/2010 8:48	Field Cond		312	uS/cm	SM 2510A
8/1/2010 8:53	Field Cond		300	uS/cm	SM 2510A
8/2/2010 9:27	Field Cond		258	uS/cm	SM 2510A
8/3/2010 9:37	Field Cond		279	uS/cm	SM 2510A
8/4/2010 9:41	Field Cond		268	uS/cm	SM 2510A
8/5/2010 9:41	Field Cond		271	uS/cm	SM 2510A
8/6/2010 9:38	Field Cond		285	uS/cm	SM 2510A
8/7/2010 9:10	Field Cond		293	uS/cm	SM 2510A
8/8/2010 9:10	Field Cond		298	uS/cm	SM 2510A
8/9/2010 9:49	Field Cond		300	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/10/2010 9:55	Field Cond		304	uS/cm	SM 2510A
8/11/2010 10:00	Field Cond		299	uS/cm	SM 2510A
8/12/2010 10:00	Field Cond		298	uS/cm	SM 2510A
8/13/2010 9:48	Field Cond		305	uS/cm	SM 2510A
8/14/2010 8:27	Field Cond		292	uS/cm	SM 2510A
8/15/2010 8:32	Field Cond		287	uS/cm	SM 2510A
8/16/2010 10:24	Field Cond		255	uS/cm	SM 2510A
8/17/2010 9:40	Field Cond		312	uS/cm	SM 2510A
8/18/2010 9:55	Field Cond		262	uS/cm	SM 2510A
8/19/2010 10:22	Field Cond		283	uS/cm	SM 2510A
8/20/2010 9:54	Field Cond		293	uS/cm	SM 2510A
8/21/2010 9:19	Field Cond		290	uS/cm	SM 2510A
8/22/2010 9:18	Field Cond		295	uS/cm	SM 2510A
8/23/2010 10:09	Field Cond		264	uS/cm	SM 2510A
8/24/2010 10:15	Field Cond		297	uS/cm	SM 2510A
8/25/2010 9:59	Field Cond		280	uS/cm	SM 2510A
8/26/2010 10:10	Field Cond		325	uS/cm	SM 2510A
8/27/2010 9:57	Field Cond		262	uS/cm	SM 2510A
8/28/2010 8:47	Field Cond		305	uS/cm	SM 2510A
8/29/2010 8:45	Field Cond		297	uS/cm	SM 2510A
8/30/2010 9:59	Field Cond		298	uS/cm	SM 2510A
8/31/2010 9:50	Field Cond		264	uS/cm	SM 2510A
9/1/2010 10:24	Field Cond		282	uS/cm	SM 2510A
9/2/2010 10:00	Field Cond		286	uS/cm	SM 2510A
9/3/2010 9:44	Field Cond		289	uS/cm	SM 2510A
9/5/2010 9:09	Field Cond		296	uS/cm	SM 2510A
9/6/2010 9:11	Field Cond		313	uS/cm	SM 2510A
9/7/2010 10:19	Field Cond		313	uS/cm	SM 2510A
9/9/2010 9:40	Field Cond		337	uS/cm	SM 2510A
9/10/2010 10:39	Field Cond		319	uS/cm	SM 2510A
9/13/2010 9:53	Field Cond		308	uS/cm	SM 2510A
9/14/2010 10:05	Field Cond		313	uS/cm	SM 2510A
9/15/2010 9:30	Field Cond		326	uS/cm	SM 2510A
9/16/2010 10:15	Field Cond		312	uS/cm	SM 2510A
9/20/2010 9:45	Field Cond		303	uS/cm	SM 2510A
9/21/2010 10:05	Field Cond		298	uS/cm	SM 2510A
9/22/2010 9:55	Field Cond		283	uS/cm	SM 2510A
9/23/2010 10:02	Field Cond		311	uS/cm	SM 2510A
9/27/2010 9:15	Field Cond		331	uS/cm	SM 2510A
9/28/2010 9:50	Field Cond		355	uS/cm	SM 2510A
9/29/2010 9:34	Field Cond		356	uS/cm	SM 2510A
9/30/2010 9:39	Field Cond		333	uS/cm	SM 2510A
10/4/2010 9:45	Field Cond		332	uS/cm	SM 2510A
10/7/2010 9:33	Field Cond		336	uS/cm	SM 2510A
10/11/2010 9:57	Field Cond		313	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
10/12/2010 9:35	Field Cond		386	uS/cm	SM 2510A
10/13/2010 10:15	Field Cond		310	uS/cm	SM 2510A
10/14/2010 9:34	Field Cond		427	uS/cm	SM 2510A
10/18/2010 10:09	Field Cond		322	uS/cm	SM 2510A
10/19/2010 10:52	Field Cond		330	uS/cm	SM 2510A
10/20/2010 10:05	Field Cond		327	uS/cm	SM 2510A
10/25/2010 9:46	Field Cond		328	uS/cm	SM 2510A
10/26/2010 9:24	Field Cond		322	uS/cm	SM 2510A
10/27/2010 9:40	Field Cond		313	uS/cm	SM 2510A
10/28/2010 9:40	Field Cond		302	uS/cm	SM 2510A
5/17/2010 9:01	Field Temp		12.9	C	EPA 170.1
5/18/2010 9:18	Field Temp		12.7	C	EPA 170.1
5/19/2010 9:26	Field Temp		12.8	C	EPA 170.1
5/20/2010 9:36	Field Temp		13.8	C	EPA 170.1
5/21/2010 8:49	Field Temp		15.2	C	EPA 170.1
5/22/2010 9:30	Field Temp		15.3	C	EPA 170.1
5/23/2010 9:15	Field Temp		15.8	C	EPA 170.1
5/24/2010 9:02	Field Temp		15.7	C	EPA 170.1
5/25/2010 9:22	Field Temp		15.4	C	EPA 170.1
5/26/2010 9:27	Field Temp		16.1	C	EPA 170.1
5/27/2010 9:27	Field Temp		19.5	C	EPA 170.1
5/28/2010 8:57	Field Temp		20.2	C	EPA 170.1
5/29/2010 9:00	Field Temp		21.6	C	EPA 170.1
5/30/2010 9:20	Field Temp		22.5	C	EPA 170.1
5/31/2010 9:03	Field Temp		21.9	C	EPA 170.1
6/1/2010 9:29	Field Temp		21.9	C	EPA 170.1
6/2/2010 9:35	Field Temp		22.1	C	EPA 170.1
6/3/2010 9:28	Field Temp		22.1	C	EPA 170.1
6/4/2010 9:37	Field Temp		21.9	C	EPA 170.1
6/5/2010 9:55	Field Temp		21.1	C	EPA 170.1
6/7/2010 9:49	Field Temp		20.5	C	EPA 170.1
6/8/2010 9:56	Field Temp		21.4	C	EPA 170.1
6/9/2010 9:58	Field Temp		19.2	C	EPA 170.1
6/10/2010 9:50	Field Temp		20.5	C	EPA 170.1
6/11/2010 9:17	Field Temp		20.3	C	EPA 170.1
6/12/2010 9:27	Field Temp		21.5	C	EPA 170.1
6/13/2010 9:22	Field Temp		21	C	EPA 170.1
6/14/2010 9:04	Field Temp		22	C	EPA 170.1
6/15/2010 9:34	Field Temp		20.4	C	EPA 170.1
6/16/2010 9:38	Field Temp		20.9	C	EPA 170.1
6/17/2010 9:13	Field Temp		20.2	C	EPA 170.1
6/18/2010 9:28	Field Temp		20.9	C	EPA 170.1
6/19/2010 8:17	Field Temp		21.6	C	EPA 170.1
6/20/2010 8:20	Field Temp		21.6	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/21/2010 9:27	Field Temp		22.3	C	EPA 170.1
6/22/2010 9:30	Field Temp		21.5	C	EPA 170.1
6/23/2010 9:31	Field Temp		23.3	C	EPA 170.1
6/24/2010 9:31	Field Temp		22.5	C	EPA 170.1
6/25/2010 9:27	Field Temp		23.1	C	EPA 170.1
6/26/2010 9:33	Field Temp		23.6	C	EPA 170.1
6/27/2010 8:54	Field Temp		24	C	EPA 170.1
6/28/2010 9:31	Field Temp		23.7	C	EPA 170.1
6/29/2010 9:44	Field Temp		22.9	C	EPA 170.1
6/30/2010 9:35	Field Temp		22.6	C	EPA 170.1
7/1/2010 9:27	Field Temp		22.8	C	EPA 170.1
7/2/2010 9:37	Field Temp		22.7	C	EPA 170.1
7/3/2010 8:24	Field Temp		23	C	EPA 170.1
7/4/2010 8:28	Field Temp		23.1	C	EPA 170.1
7/5/2010 8:27	Field Temp		24.5	C	EPA 170.1
7/6/2010 9:49	Field Temp		25.9	C	EPA 170.1
7/7/2010 10:00	Field Temp		25.4	C	EPA 170.1
7/8/2010 9:58	Field Temp		26.3	C	EPA 170.1
7/9/2010 9:25	Field Temp		26	C	EPA 170.1
7/10/2010 8:55	Field Temp		25	C	EPA 170.1
7/11/2010 9:25	Field Temp		25.1	C	EPA 170.1
7/12/2010 9:58	Field Temp		24.8	C	EPA 170.1
7/13/2010 9:50	Field Temp		25.6	C	EPA 170.1
7/14/2010 9:56	Field Temp		25	C	EPA 170.1
7/15/2010 10:00	Field Temp		26.2	C	EPA 170.1
7/16/2010 9:49	Field Temp		25.7	C	EPA 170.1
7/17/2010 9:32	Field Temp		25.7	C	EPA 170.1
7/18/2010 9:20	Field Temp		26	C	EPA 170.1
7/19/2010 9:49	Field Temp		25.8	C	EPA 170.1
7/20/2010 9:58	Field Temp		25.5	C	EPA 170.1
7/21/2010 9:57	Field Temp		25.5	C	EPA 170.1
7/22/2010 10:06	Field Temp		26	C	EPA 170.1
7/23/2010 10:13	Field Temp		26.1	C	EPA 170.1
7/24/2010 8:40	Field Temp		25.9	C	EPA 170.1
7/25/2010 9:31	Field Temp		24.5	C	EPA 170.1
7/26/2010 9:58	Field Temp		25.7	C	EPA 170.1
7/27/2010 9:49	Field Temp		26	C	EPA 170.1
7/28/2010 10:00	Field Temp		26.3	C	EPA 170.1
7/29/2010 9:38	Field Temp		25.8	C	EPA 170.1
7/30/2010 9:40	Field Temp		25.5	C	EPA 170.1
7/31/2010 8:48	Field Temp		25.2	C	EPA 170.1
8/1/2010 8:53	Field Temp		25.7	C	EPA 170.1
8/2/2010 9:27	Field Temp		25.8	C	EPA 170.1
8/3/2010 9:37	Field Temp		25.9	C	EPA 170.1
8/4/2010 9:41	Field Temp		26.2	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/5/2010 9:41	Field Temp		26.2	C	EPA 170.1
8/6/2010 9:38	Field Temp		25.8	C	EPA 170.1
8/7/2010 9:10	Field Temp		25.6	C	EPA 170.1
8/8/2010 9:10	Field Temp		25.1	C	EPA 170.1
8/9/2010 9:49	Field Temp		25.2	C	EPA 170.1
8/10/2010 9:55	Field Temp		26.9	C	EPA 170.1
8/11/2010 10:00	Field Temp		27	C	EPA 170.1
8/12/2010 10:00	Field Temp		26	C	EPA 170.1
8/13/2010 9:48	Field Temp		25.9	C	EPA 170.1
8/14/2010 8:27	Field Temp		24.3	C	EPA 170.1
8/15/2010 8:32	Field Temp		24.9	C	EPA 170.1
8/16/2010 10:24	Field Temp		25.5	C	EPA 170.1
8/17/2010 9:40	Field Temp		24.8	C	EPA 170.1
8/18/2010 9:55	Field Temp		25.1	C	EPA 170.1
8/19/2010 10:22	Field Temp		25.6	C	EPA 170.1
8/20/2010 9:54	Field Temp		25.9	C	EPA 170.1
8/21/2010 9:19	Field Temp		25.1	C	EPA 170.1
8/22/2010 9:18	Field Temp		24.2	C	EPA 170.1
8/23/2010 10:09	Field Temp		24	C	EPA 170.1
8/24/2010 10:15	Field Temp		24.1	C	EPA 170.1
8/25/2010 9:59	Field Temp		24	C	EPA 170.1
8/26/2010 10:10	Field Temp		23.6	C	EPA 170.1
8/27/2010 9:57	Field Temp		24	C	EPA 170.1
8/28/2010 8:47	Field Temp		23.8	C	EPA 170.1
8/29/2010 8:45	Field Temp		23.6	C	EPA 170.1
8/30/2010 9:59	Field Temp		24.2	C	EPA 170.1
8/31/2010 9:50	Field Temp		24.5	C	EPA 170.1
9/1/2010 10:24	Field Temp		24.6	C	EPA 170.1
9/2/2010 10:00	Field Temp		24.8	C	EPA 170.1
9/3/2010 9:44	Field Temp		24.2	C	EPA 170.1
9/5/2010 9:09	Field Temp		19.6	C	EPA 170.1
9/6/2010 9:11	Field Temp		21.2	C	EPA 170.1
9/7/2010 10:19	Field Temp		21.3	C	EPA 170.1
9/9/2010 9:40	Field Temp		19	C	EPA 170.1
9/10/2010 10:39	Field Temp		19.9	C	EPA 170.1
9/13/2010 9:53	Field Temp		19.8	C	EPA 170.1
9/14/2010 10:05	Field Temp		20.4	C	EPA 170.1
9/15/2010 9:30	Field Temp		20	C	EPA 170.1
9/16/2010 10:15	Field Temp		19.9	C	EPA 170.1
9/20/2010 9:45	Field Temp		19.6	C	EPA 170.1
9/21/2010 10:05	Field Temp		19.4	C	EPA 170.1
9/22/2010 9:55	Field Temp		20	C	EPA 170.1
9/23/2010 10:02	Field Temp		20.6	C	EPA 170.1
9/27/2010 9:15	Field Temp		18.2	C	EPA 170.1
9/28/2010 9:50	Field Temp		17.5	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/29/2010 9:34	Field Temp		17.9	C	EPA 170.1
9/30/2010 9:39	Field Temp		18.7	C	EPA 170.1
10/4/2010 9:45	Field Temp		16.5	C	EPA 170.1
10/7/2010 9:33	Field Temp		15.1	C	EPA 170.1
10/11/2010 9:57	Field Temp		16.6	C	EPA 170.1
10/12/2010 9:35	Field Temp		16.3	C	EPA 170.1
10/13/2010 10:15	Field Temp		16.1	C	EPA 170.1
10/14/2010 9:34	Field Temp		14.8	C	EPA 170.1
10/18/2010 10:09	Field Temp		14.8	C	EPA 170.1
10/19/2010 10:52	Field Temp		14.4	C	EPA 170.1
10/20/2010 10:05	Field Temp		13.7	C	EPA 170.1
10/25/2010 9:46	Field Temp		13.8	C	EPA 170.1
10/26/2010 9:24	Field Temp		14.1	C	EPA 170.1
10/27/2010 9:40	Field Temp		13.3	C	EPA 170.1
10/28/2010 9:40	Field Temp		12.7	C	EPA 170.1
5/18/2010 9:18	pH		6.52	S.U.	
5/19/2010 9:26	pH		7.63	S.U.	
5/20/2010 9:36	pH		6.63	S.U.	
5/21/2010 8:49	pH		8.18	S.U.	
5/22/2010 9:30	pH		7.35	S.U.	
5/23/2010 9:15	pH		7.53	S.U.	
5/24/2010 9:02	pH		8.62	S.U.	
5/25/2010 9:22	pH		8.2	S.U.	
5/26/2010 9:27	pH		7.65	S.U.	
5/27/2010 9:27	pH		7.45	S.U.	
5/28/2010 8:57	pH		7.48	S.U.	
5/29/2010 9:00	pH		8.68	S.U.	
5/30/2010 9:20	pH		8.8	S.U.	
5/31/2010 9:03	pH		7.85	S.U.	
6/1/2010 9:29	pH		7.35	S.U.	
6/2/2010 9:35	pH		7.89	S.U.	
6/3/2010 9:28	pH		7.62	S.U.	
6/4/2010 9:37	pH		7.77	S.U.	
6/5/2010 9:55	pH		9.94	S.U.	
6/7/2010 9:49	pH		8.55	S.U.	
6/8/2010 9:56	pH		7.67	S.U.	
6/9/2010 9:58	pH		7.3	S.U.	
6/10/2010 9:50	pH		7.2	S.U.	
6/11/2010 9:17	pH		8.52	S.U.	
6/12/2010 9:27	pH		8.36	S.U.	
6/13/2010 9:22	pH		8.15	S.U.	
6/14/2010 9:04	pH		8.3	S.U.	
6/15/2010 9:34	pH		8.15	S.U.	
6/16/2010 9:38	pH		8.28	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/17/2010 9:13	pH		8.27	S.U.	
6/18/2010 9:28	pH		8.12	S.U.	
6/19/2010 8:17	pH		8.25	S.U.	
6/20/2010 8:20	pH		8.37	S.U.	
6/21/2010 9:27	pH		8.51	S.U.	
6/22/2010 9:30	pH		8.1	S.U.	
6/23/2010 9:31	pH		8.31	S.U.	
6/24/2010 9:31	pH		8.31	S.U.	
6/25/2010 9:27	pH		8.17	S.U.	
6/26/2010 9:33	pH		8.25	S.U.	
6/27/2010 8:54	pH		8.26	S.U.	
6/28/2010 9:31	pH		8.17	S.U.	
6/29/2010 9:44	pH		8.18	S.U.	
6/30/2010 9:35	pH		8.19	S.U.	
7/1/2010 9:27	pH		8.36	S.U.	
7/2/2010 9:37	pH		8.39	S.U.	
7/3/2010 8:24	pH		8.52	S.U.	
7/4/2010 8:28	pH		8.49	S.U.	
7/5/2010 8:27	pH		8.35	S.U.	
7/6/2010 9:49	pH		8.32	S.U.	
7/7/2010 10:00	pH		8.38	S.U.	
7/8/2010 9:58	pH		8.39	S.U.	
7/9/2010 9:25	pH		8.23	S.U.	
7/10/2010 8:55	pH		8.23	S.U.	
7/11/2010 9:25	pH		8.38	S.U.	
7/12/2010 9:58	pH		8.39	S.U.	
7/13/2010 9:50	pH		8.35	S.U.	
7/14/2010 9:56	pH		8.21	S.U.	
7/15/2010 10:00	pH		8.42	S.U.	
7/16/2010 9:49	pH		8.36	S.U.	
7/17/2010 9:32	pH		8.23	S.U.	
7/18/2010 9:20	pH		8.14	S.U.	
7/19/2010 9:49	pH		8.16	S.U.	
7/20/2010 9:58	pH		8.2	S.U.	
7/21/2010 9:57	pH		8.2	S.U.	
7/22/2010 10:06	pH		8.1	S.U.	
7/23/2010 10:13	pH		7.94	S.U.	
7/24/2010 8:40	pH		8.32	S.U.	
7/25/2010 9:31	pH		8.27	S.U.	
7/26/2010 9:58	pH		8.24	S.U.	
7/27/2010 9:49	pH		8.3	S.U.	
7/28/2010 10:00	pH		8.31	S.U.	
7/29/2010 9:38	pH		8.14	S.U.	
7/30/2010 9:40	pH		8.45	S.U.	
7/31/2010 8:48	pH		8.46	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/1/2010 8:53	pH		8.36	S.U.	
8/2/2010 9:27	pH		8.2	S.U.	
8/3/2010 9:37	pH		8.34	S.U.	
8/4/2010 9:41	pH		8.48	S.U.	
8/5/2010 9:41	pH		8.31	S.U.	
8/6/2010 9:38	pH		8.22	S.U.	
8/7/2010 9:10	pH		8.76	S.U.	
8/8/2010 9:10	pH		8.83	S.U.	
8/9/2010 9:49	pH		8.8	S.U.	
8/10/2010 9:55	pH		8.82	S.U.	
8/11/2010 10:00	pH		8.81	S.U.	
8/12/2010 10:00	pH		8.65	S.U.	
8/13/2010 9:48	pH		8.49	S.U.	
8/14/2010 8:27	pH		7.99	S.U.	
8/15/2010 8:32	pH		8.2	S.U.	
8/16/2010 10:24	pH		8.57	S.U.	
8/17/2010 9:40	pH		8.32	S.U.	
8/18/2010 9:55	pH		8.51	S.U.	
8/19/2010 10:22	pH		8.61	S.U.	
8/20/2010 9:54	pH		8.44	S.U.	
8/21/2010 9:19	pH		8.24	S.U.	
8/22/2010 9:18	pH		8.28	S.U.	
8/23/2010 10:09	pH		8.24	S.U.	
8/24/2010 10:15	pH		8.09	S.U.	
8/25/2010 9:59	pH		8.28	S.U.	
8/26/2010 10:10	pH		8.25	S.U.	
8/27/2010 9:57	pH		8.59	S.U.	
8/28/2010 8:47	pH		8.53	S.U.	
8/29/2010 8:45	pH		8.31	S.U.	
8/30/2010 9:59	pH		7.9	S.U.	
8/31/2010 9:50	pH		8	S.U.	
9/1/2010 10:24	pH		8.38	S.U.	
9/2/2010 10:00	pH		8.38	S.U.	
9/3/2010 9:44	pH		8.18	S.U.	
9/5/2010 9:09	pH		8.32	S.U.	
9/6/2010 9:11	pH		8.86	S.U.	
9/7/2010 10:19	pH		7.68	S.U.	
9/9/2010 9:40	pH		7.72	S.U.	
9/10/2010 10:39	pH		8.18	S.U.	
9/13/2010 9:53	pH		7.56	S.U.	
9/14/2010 10:05	pH		8.26	S.U.	
9/15/2010 9:30	pH		8.27	S.U.	
9/16/2010 10:15	pH		8.14	S.U.	
9/20/2010 9:45	pH		8.24	S.U.	
9/21/2010 10:05	pH		8.28	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/22/2010 9:55	pH		8.22	S.U.	
9/23/2010 10:02	pH		8.25	S.U.	
9/27/2010 9:15	pH		7.72	S.U.	
9/28/2010 9:50	pH		8.17	S.U.	
9/29/2010 9:34	pH		7.92	S.U.	
9/30/2010 9:39	pH		7.89	S.U.	
10/4/2010 9:45	pH		8	S.U.	
10/7/2010 9:33	pH		7.42	S.U.	
10/11/2010 9:57	pH		7.89	S.U.	
10/12/2010 9:35	pH		7.99	S.U.	
10/13/2010 10:15	pH		7.78	S.U.	
10/14/2010 9:34	pH		7.79	S.U.	
10/18/2010 10:09	pH		8	S.U.	
10/19/2010 10:52	pH		8.02	S.U.	
10/20/2010 10:05	pH		7.92	S.U.	
10/25/2010 9:46	pH		7.92	S.U.	
10/26/2010 9:24	pH		7.7	S.U.	
10/27/2010 9:40	pH		7.73	S.U.	
10/28/2010 9:40	pH		8	S.U.	
5/17/2010 9:01	Turbidity		2.23	NTU	EPA180.1
5/18/2010 9:18	Turbidity		2.22	NTU	EPA180.1
5/19/2010 9:26	Turbidity		4.08	NTU	EPA180.1
5/20/2010 9:36	Turbidity		3.31	NTU	EPA180.1
5/21/2010 8:49	Turbidity		1.54	NTU	EPA180.1
5/22/2010 9:30	Turbidity		1.65	NTU	EPA180.1
5/23/2010 9:15	Turbidity		2.19	NTU	EPA180.1
5/24/2010 9:02	Turbidity		2.85	NTU	EPA180.1
5/25/2010 9:22	Turbidity		1.59	NTU	EPA180.1
5/26/2010 9:27	Turbidity		1.68	NTU	EPA180.1
5/27/2010 9:27	Turbidity		1.92	NTU	EPA180.1
5/28/2010 8:57	Turbidity		14.06	NTU	EPA180.1
5/29/2010 9:00	Turbidity		2.44	NTU	EPA180.1
5/30/2010 9:20	Turbidity		2.24	NTU	EPA180.1
5/31/2010 9:03	Turbidity		1.57	NTU	EPA180.1
6/1/2010 9:29	Turbidity		13.5	NTU	EPA180.1
6/2/2010 9:35	Turbidity		2.42	NTU	EPA180.1
6/3/2010 9:28	Turbidity		4.76	NTU	EPA180.1
6/4/2010 9:37	Turbidity		2.24	NTU	EPA180.1
6/5/2010 9:55	Turbidity		3.51	NTU	EPA180.1
6/7/2010 9:49	Turbidity		15.79	NTU	EPA180.1
6/8/2010 9:56	Turbidity		3.17	NTU	EPA180.1
6/9/2010 9:58	Turbidity		4.72	NTU	EPA180.1
6/10/2010 9:50	Turbidity		3.68	NTU	EPA180.1
6/11/2010 9:17	Turbidity		1.62	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/12/2010 9:27	Turbidity		1.21	NTU	EPA180.1
6/13/2010 9:22	Turbidity		1.5	NTU	EPA180.1
6/14/2010 9:04	Turbidity		2.17	NTU	EPA180.1
6/15/2010 9:34	Turbidity		4.44	NTU	EPA180.1
6/16/2010 9:38	Turbidity		17.26	NTU	EPA180.1
6/17/2010 9:13	Turbidity		10.37	NTU	EPA180.1
6/18/2010 9:28	Turbidity		1.02	NTU	EPA180.1
6/19/2010 8:17	Turbidity		1.5	NTU	EPA180.1
6/20/2010 8:20	Turbidity		1.17	NTU	EPA180.1
6/21/2010 9:27	Turbidity		1.78	NTU	EPA180.1
6/22/2010 9:30	Turbidity		1.92	NTU	EPA180.1
6/23/2010 9:31	Turbidity		0.93	NTU	EPA180.1
6/24/2010 9:31	Turbidity		21.44	NTU	EPA180.1
6/25/2010 9:27	Turbidity		2.74	NTU	EPA180.1
6/26/2010 9:33	Turbidity		0.97	NTU	EPA180.1
6/27/2010 8:54	Turbidity		0.81	NTU	EPA180.1
6/28/2010 9:31	Turbidity		5.85	NTU	EPA180.1
6/29/2010 9:44	Turbidity		6.44	NTU	EPA180.1
6/30/2010 9:35	Turbidity		3.84	NTU	EPA180.1
7/1/2010 9:27	Turbidity		1.16	NTU	EPA180.1
7/2/2010 9:37	Turbidity		0.93	NTU	EPA180.1
7/3/2010 8:24	Turbidity		0.66	NTU	EPA180.1
7/4/2010 8:28	Turbidity		0.67	NTU	EPA180.1
7/5/2010 8:27	Turbidity		0.8	NTU	EPA180.1
7/6/2010 9:49	Turbidity		0.74	NTU	EPA180.1
7/7/2010 10:00	Turbidity		0.83	NTU	EPA180.1
7/8/2010 9:58	Turbidity		0.9	NTU	EPA180.1
7/9/2010 9:25	Turbidity		2.44	NTU	EPA180.1
7/10/2010 8:55	Turbidity		2.26	NTU	EPA180.1
7/11/2010 9:25	Turbidity		0.7	NTU	EPA180.1
7/12/2010 9:58	Turbidity		1.09	NTU	EPA180.1
7/13/2010 9:50	Turbidity		1.63	NTU	EPA180.1
7/14/2010 9:56	Turbidity		1.16	NTU	EPA180.1
7/15/2010 10:00	Turbidity		0.64	NTU	EPA180.1
7/16/2010 9:49	Turbidity		11.34	NTU	EPA180.1
7/17/2010 9:32	Turbidity		8.04	NTU	EPA180.1
7/18/2010 9:20	Turbidity		2.44	NTU	EPA180.1
7/19/2010 9:49	Turbidity		15.59	NTU	EPA180.1
7/20/2010 9:58	Turbidity		0.87	NTU	EPA180.1
7/21/2010 9:57	Turbidity		3.96	NTU	EPA180.1
7/22/2010 10:06	Turbidity		5.79	NTU	EPA180.1
7/23/2010 10:13	Turbidity		14.65	NTU	EPA180.1
7/24/2010 8:40	Turbidity		8.47	NTU	EPA180.1
7/25/2010 9:31	Turbidity		9.3	NTU	EPA180.1
7/26/2010 9:58	Turbidity		1.36	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/27/2010 9:49	Turbidity		0.7	NTU	EPA180.1
7/28/2010 10:00	Turbidity		1.03	NTU	EPA180.1
7/29/2010 9:38	Turbidity		13.51	NTU	EPA180.1
7/30/2010 9:40	Turbidity		2.54	NTU	EPA180.1
7/31/2010 8:48	Turbidity		1.39	NTU	EPA180.1
8/1/2010 8:53	Turbidity		5.26	NTU	EPA180.1
8/2/2010 9:27	Turbidity		1	NTU	EPA180.1
8/3/2010 9:37	Turbidity		3.06	NTU	EPA180.1
8/4/2010 9:41	Turbidity		0.87	NTU	EPA180.1
8/5/2010 9:41	Turbidity		15.29	NTU	EPA180.1
8/6/2010 9:38	Turbidity		6.61	NTU	EPA180.1
8/7/2010 9:10	Turbidity		3.8	NTU	EPA180.1
8/8/2010 9:10	Turbidity		3.18	NTU	EPA180.1
8/9/2010 9:49	Turbidity		2.515	NTU	EPA180.1
8/10/2010 9:55	Turbidity		0.905	NTU	EPA180.1
8/11/2010 10:00	Turbidity		3.96	NTU	EPA180.1
8/12/2010 10:00	Turbidity		1.66	NTU	EPA180.1
8/13/2010 9:48	Turbidity		1.87	NTU	EPA180.1
8/14/2010 8:27	Turbidity		1.99	NTU	EPA180.1
8/15/2010 8:32	Turbidity		2.54	NTU	EPA180.1
8/16/2010 10:24	Turbidity		30.7	NTU	EPA180.1
8/17/2010 9:40	Turbidity		13.6	NTU	EPA180.1
8/18/2010 9:55	Turbidity		1.89	NTU	EPA180.1
8/19/2010 10:22	Turbidity		1.42	NTU	EPA180.1
8/20/2010 9:54	Turbidity		1.61	NTU	EPA180.1
8/21/2010 9:19	Turbidity		1.86	NTU	EPA180.1
8/22/2010 9:18	Turbidity		7.5	NTU	EPA180.1
8/23/2010 10:09	Turbidity		7.78	NTU	EPA180.1
8/24/2010 10:15	Turbidity		2.69	NTU	EPA180.1
8/25/2010 9:59	Turbidity		1.35	NTU	EPA180.1
8/26/2010 10:10	Turbidity		15.6	NTU	EPA180.1
8/27/2010 9:57	Turbidity		2.46	NTU	EPA180.1
8/28/2010 8:47	Turbidity		2.16	NTU	EPA180.1
8/29/2010 8:45	Turbidity		1.69	NTU	EPA180.1
8/30/2010 9:59	Turbidity		1.36	NTU	EPA180.1
8/31/2010 9:50	Turbidity		1.53	NTU	EPA180.1
9/1/2010 10:24	Turbidity		3.1	NTU	EPA180.1
9/2/2010 10:00	Turbidity		2.16	NTU	EPA180.1
9/3/2010 9:44	Turbidity		5.52	NTU	EPA180.1
9/5/2010 9:09	Turbidity		32.2	NTU	EPA180.1
9/6/2010 9:11	Turbidity		10.1	NTU	EPA180.1
9/7/2010 10:19	Turbidity		12.3	NTU	EPA180.1
9/9/2010 9:40	Turbidity		36.1	NTU	EPA180.1
9/10/2010 10:39	Turbidity		9.83	NTU	EPA180.1
9/13/2010 9:53	Turbidity		17.3	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/14/2010 10:05	Turbidity		5.61	NTU	EPA180.1
9/15/2010 9:30	Turbidity		8.26	NTU	EPA180.1
9/16/2010 10:15	Turbidity		1.7	NTU	EPA180.1
9/20/2010 9:45	Turbidity		5.85	NTU	EPA180.1
9/21/2010 10:05	Turbidity		4.92	NTU	EPA180.1
9/22/2010 9:55	Turbidity		2.66	NTU	EPA180.1
9/23/2010 10:02	Turbidity		3.49	NTU	EPA180.1
9/27/2010 9:15	Turbidity		6.4	NTU	EPA180.1
9/28/2010 9:50	Turbidity		25.4	NTU	EPA180.1
9/29/2010 9:34	Turbidity		7.47	NTU	EPA180.1
9/30/2010 9:39	Turbidity		2.88	NTU	EPA180.1
10/4/2010 9:45	Turbidity		32.9	NTU	EPA180.1
10/7/2010 9:33	Turbidity		25.6	NTU	EPA180.1
10/11/2010 9:57	Turbidity		5.59	NTU	EPA180.1
10/12/2010 9:35	Turbidity		13	NTU	EPA180.1
10/13/2010 10:15	Turbidity		2.32	NTU	EPA180.1
10/14/2010 9:34	Turbidity		28.3	NTU	EPA180.1
10/18/2010 10:09	Turbidity		4.62	NTU	EPA180.1
10/19/2010 10:52	Turbidity		7.13	NTU	EPA180.1
10/20/2010 10:05	Turbidity		2.82	NTU	EPA180.1
10/25/2010 9:46	Turbidity		3.84	NTU	EPA180.1
10/26/2010 9:24	Turbidity		2.39	NTU	EPA180.1
10/27/2010 9:40	Turbidity		13.65	NTU	EPA180.1
10/28/2010 9:40	Turbidity		51.55	NTU	EPA180.1

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/1/2010 9:20	E. coli	EC	21600	cfu/100mL	EPA1603
6/2/2010 9:15	E. coli		1167	cfu/100mL	EPA1603
6/3/2010 9:05	E. coli		920	cfu/100mL	EPA1603
6/4/2010 9:20	E. coli		520	cfu/100mL	EPA1603
6/7/2010 9:17	E. coli		1900	cfu/100mL	EPA1603
6/8/2010 9:34	E. coli		920	cfu/100mL	EPA1603
6/9/2010 9:29	E. coli	EC	20800	cfu/100mL	EPA1603
6/10/2010 9:30	E. coli		820	cfu/100mL	EPA1603
6/11/2010 8:59	E. coli		620	cfu/100mL	EPA1603
6/14/2010 8:47	E. coli		325	cfu/100mL	EPA1603
6/15/2010 9:11	E. coli		1417	cfu/100mL	EPA1603
6/16/2010 9:20	E. coli	EC	439	cfu/100mL	EPA1603
6/17/2010 8:55	E. coli		660	cfu/100mL	EPA1603
6/21/2010 9:12	E. coli		540	cfu/100mL	EPA1603
6/22/2010 11:30	E. coli	EC	86500	cfu/100mL	EPA1603
6/23/2010 9:16	E. coli		2800	cfu/100mL	EPA1603
6/24/2010 9:10	E. coli		2400	cfu/100mL	EPA1603
6/25/2010 9:12	E. coli		640	cfu/100mL	EPA1603
6/28/2010 9:14	E. coli		8000	cfu/100mL	EPA1603
6/29/2010 9:25	E. coli		940	cfu/100mL	EPA1603
6/30/2010 9:18	E. coli		780	cfu/100mL	EPA1603
7/1/2010 9:12	E. coli		800	cfu/100mL	EPA1603
7/2/2010 9:23	E. coli		416	cfu/100mL	EPA1603
7/6/2010 9:32	E. coli		640	cfu/100mL	EPA1603
7/7/2010 9:39	E. coli		640	cfu/100mL	EPA1603
7/8/2010 9:41	E. coli		350	cfu/100mL	EPA1603
7/9/2010 9:08	E. coli		1000	cfu/100mL	EPA1603
7/12/2010 9:36	E. coli		7533	cfu/100mL	EPA1603
7/13/2010 9:19	E. coli		4300	cfu/100mL	EPA1603
7/14/2010 9:32	E. coli		2050	cfu/100mL	EPA1603
7/15/2010 9:25	E. coli		880	cfu/100mL	EPA1603
7/16/2010 9:30	E. coli		700	cfu/100mL	EPA1603
7/19/2010 9:23	E. coli		840	cfu/100mL	EPA1603
7/20/2010 9:37	E. coli		1200	cfu/100mL	EPA1603
7/21/2010 9:29	E. coli		720	cfu/100mL	EPA1603
7/22/2010 9:40	E. coli		820	cfu/100mL	EPA1603
7/23/2010 9:53	E. coli		820	cfu/100mL	EPA1603
7/26/2010 9:36	E. coli		980	cfu/100mL	EPA1603
7/27/2010 9:29	E. coli		720	cfu/100mL	EPA1603
7/28/2010 9:33	E. coli		348	cfu/100mL	EPA1603
7/29/2010 9:17	E. coli		900	cfu/100mL	EPA1603
7/30/2010 9:23	E. coli		860	cfu/100mL	EPA1603
8/2/2010 9:09	E. coli		660	cfu/100mL	EPA1603
8/3/2010 9:17	E. coli		720	cfu/100mL	EPA1603

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/4/2010 9:22	E. coli		800	cfu/100mL	EPA1603
8/5/2010 9:27	E. coli	EC	9364	cfu/100mL	EPA1603
8/6/2010 9:18	E. coli	EC	1617	cfu/100mL	EPA1603
8/9/2010 9:26	E. coli		640	cfu/100mL	EPA1603
8/10/2010 9:30	E. coli	EC	1617	cfu/100mL	EPA1603
8/11/2010 10:17	E. coli		1600	cfu/100mL	EPA1603
8/12/2010 9:35	E. coli	EC	11500	cfu/100mL	EPA1603
8/13/2010 9:27	E. coli		1583	cfu/100mL	EPA1603
8/16/2010 10:00	E. coli		880	cfu/100mL	EPA1603
8/17/2010 9:20	E. coli		600	cfu/100mL	EPA1603
8/18/2010 9:32	E. coli		500	cfu/100mL	EPA1603
8/19/2010 9:43	E. coli		440	cfu/100mL	EPA1603
8/20/2010 9:33	E. coli		348	cfu/100mL	EPA1603
8/23/2010 9:52	E. coli		4400	cfu/100mL	EPA1603
8/24/2010 9:40	E. coli		372	cfu/100mL	EPA1603
8/25/2010 9:39	E. coli		368	cfu/100mL	EPA1603
8/26/2010 9:42	E. coli		380	cfu/100mL	EPA1603
8/27/2010 9:39	E. coli		660	cfu/100mL	EPA1603
8/30/2010 9:36	E. coli	EC	424	cfu/100mL	EPA1603
8/31/2010 9:50	E. coli		520	cfu/100mL	EPA1603
9/1/2010 10:03	E. coli		108	cfu/100mL	EPA1603
9/2/2010 9:35	E. coli		840	cfu/100mL	EPA1603
9/3/2010 9:25	E. coli		372	cfu/100mL	EPA1603
9/7/2010 9:53	E. coli		640	cfu/100mL	EPA1603
9/8/2010 9:41	E. coli		880	cfu/100mL	EPA1603
9/9/2010 9:13	E. coli		3800	cfu/100mL	EPA1603
9/10/2010 10:00	E. coli		384	cfu/100mL	EPA1603
6/1/2010 9:20	Field Cond		542	uS/cm	SM 2510A
6/2/2010 9:15	Field Cond		802	uS/cm	SM 2510A
6/3/2010 9:05	Field Cond		1080	uS/cm	SM 2510A
6/4/2010 9:20	Field Cond		1071	uS/cm	SM 2510A
6/7/2010 9:17	Field Cond		739	uS/cm	SM 2510A
6/8/2010 9:34	Field Cond		787	uS/cm	SM 2510A
6/9/2010 9:29	Field Cond		945	uS/cm	SM 2510A
6/10/2010 9:30	Field Cond		825	uS/cm	SM 2510A
6/11/2010 8:59	Field Cond		827	uS/cm	SM 2510A
6/14/2010 8:47	Field Cond		1318	uS/cm	SM 2510A
6/15/2010 9:11	Field Cond		1239	uS/cm	SM 2510A
6/16/2010 9:20	Field Cond		1349	uS/cm	SM 2510A
6/17/2010 8:55	Field Cond		1162	uS/cm	SM 2510A
6/21/2010 9:12	Field Cond		1378	uS/cm	SM 2510A
6/22/2010 11:30	Field Cond		1302	uS/cm	SM 2510A
6/23/2010 9:16	Field Cond		1093	uS/cm	SM 2510A

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/24/2010 9:10	Field Cond		1124	uS/cm	SM 2510A
6/25/2010 9:12	Field Cond		1035	uS/cm	SM 2510A
6/28/2010 9:14	Field Cond		716	uS/cm	SM 2510A
6/29/2010 9:25	Field Cond		881	uS/cm	SM 2510A
6/30/2010 9:18	Field Cond		969	uS/cm	SM 2510A
7/1/2010 9:12	Field Cond		962	uS/cm	SM 2510A
7/2/2010 9:23	Field Cond		752	uS/cm	SM 2510A
7/6/2010 9:32	Field Cond		916	uS/cm	SM 2510A
7/7/2010 9:39	Field Cond		1097	uS/cm	SM 2510A
7/8/2010 9:41	Field Cond		990	uS/cm	SM 2510A
7/9/2010 9:08	Field Cond		1091	uS/cm	SM 2510A
7/12/2010 9:36	Field Cond		1072	uS/cm	SM 2510A
7/13/2010 9:19	Field Cond		626	uS/cm	SM 2510A
7/14/2010 9:32	Field Cond		847	uS/cm	SM 2510A
7/15/2010 9:25	Field Cond		852	uS/cm	SM 2510A
7/16/2010 9:30	Field Cond		894	uS/cm	SM 2510A
7/19/2010 9:23	Field Cond		1183	uS/cm	SM 2510A
7/20/2010 9:37	Field Cond		1009	uS/cm	SM 2510A
7/21/2010 9:29	Field Cond		1154	uS/cm	SM 2510A
7/22/2010 9:40	Field Cond		995	uS/cm	SM 2510A
7/23/2010 9:53	Field Cond		840	uS/cm	SM 2510A
7/26/2010 9:36	Field Cond		690	uS/cm	SM 2510A
7/27/2010 9:29	Field Cond		751	uS/cm	SM 2510A
7/28/2010 9:33	Field Cond		832	uS/cm	SM 2510A
7/29/2010 9:17	Field Cond		790	uS/cm	SM 2510A
7/30/2010 9:23	Field Cond		757	uS/cm	SM 2510A
8/2/2010 9:09	Field Cond		730	uS/cm	SM 2510A
8/3/2010 9:17	Field Cond		850	uS/cm	SM 2510A
8/4/2010 9:22	Field Cond		867	uS/cm	SM 2510A
8/5/2010 9:27	Field Cond		744	uS/cm	SM 2510A
8/6/2010 9:18	Field Cond		755	uS/cm	SM 2510A
8/9/2010 9:26	Field Cond		783	uS/cm	SM 2510A
8/10/2010 9:30	Field Cond		869	uS/cm	SM 2510A
8/11/2010 10:17	Field Cond		292	uS/cm	SM 2510A
8/12/2010 9:35	Field Cond		645	uS/cm	SM 2510A
8/13/2010 9:27	Field Cond		781	uS/cm	SM 2510A
8/16/2010 10:00	Field Cond		664	uS/cm	SM 2510A
8/17/2010 9:20	Field Cond		823	uS/cm	SM 2510A
8/18/2010 9:32	Field Cond		729	uS/cm	SM 2510A
8/19/2010 9:43	Field Cond		824	uS/cm	SM 2510A
8/20/2010 9:33	Field Cond		846	uS/cm	SM 2510A
8/23/2010 9:52	Field Cond		658	uS/cm	SM 2510A
8/24/2010 9:40	Field Cond		865	uS/cm	SM 2510A
8/25/2010 9:39	Field Cond		894	uS/cm	SM 2510A

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/26/2010 9:42	Field Cond		886	uS/cm	SM 2510A
8/27/2010 9:39	Field Cond		820	uS/cm	SM 2510A
8/30/2010 9:36	Field Cond		922	uS/cm	SM 2510A
8/31/2010 9:50	Field Cond		826	uS/cm	SM 2510A
9/1/2010 10:03	Field Cond		874	uS/cm	SM 2510A
9/2/2010 9:35	Field Cond		869	uS/cm	SM 2510A
9/3/2010 9:25	Field Cond		893	uS/cm	SM 2510A
9/7/2010 9:53	Field Cond		790	uS/cm	SM 2510A
9/8/2010 9:41	Field Cond		1011	uS/cm	SM 2510A
9/9/2010 9:13	Field Cond		955	uS/cm	SM 2510A
9/10/2010 10:00	Field Cond		919	uS/cm	SM 2510A
6/22/2010 11:30	Field DO		9.2	mg/L	SM 4500-0 G
6/1/2010 9:20	Field Temp		20	C	EPA 170.1
6/2/2010 9:15	Field Temp		19.2	C	EPA 170.1
6/3/2010 9:05	Field Temp		20.2	C	EPA 170.1
6/4/2010 9:20	Field Temp		20.2	C	EPA 170.1
6/7/2010 9:17	Field Temp		17.6	C	EPA 170.1
6/8/2010 9:34	Field Temp		17.5	C	EPA 170.1
6/9/2010 9:29	Field Temp		17	C	EPA 170.1
6/10/2010 9:30	Field Temp		19	C	EPA 170.1
6/11/2010 8:59	Field Temp		19.4	C	EPA 170.1
6/14/2010 8:47	Field Temp		21.2	C	EPA 170.1
6/15/2010 9:11	Field Temp		20.6	C	EPA 170.1
6/16/2010 9:20	Field Temp		22.8	C	EPA 170.1
6/17/2010 8:55	Field Temp		20.6	C	EPA 170.1
6/21/2010 9:12	Field Temp		24.6	C	EPA 170.1
6/22/2010 11:30	Field Temp		22.2	C	EPA 170.1
6/23/2010 9:16	Field Temp		23	C	EPA 170.1
6/24/2010 9:10	Field Temp		21.9	C	EPA 170.1
6/25/2010 9:12	Field Temp		21.4	C	EPA 170.1
6/28/2010 9:14	Field Temp		22.6	C	EPA 170.1
6/29/2010 9:25	Field Temp		23.1	C	EPA 170.1
6/30/2010 9:18	Field Temp		19.2	C	EPA 170.1
7/1/2010 9:12	Field Temp		18.9	C	EPA 170.1
7/2/2010 9:23	Field Temp		18.8	C	EPA 170.1
7/6/2010 9:32	Field Temp		25.2	C	EPA 170.1
7/7/2010 9:39	Field Temp		25	C	EPA 170.1
7/8/2010 9:41	Field Temp		25.2	C	EPA 170.1
7/9/2010 9:08	Field Temp		24.9	C	EPA 170.1
7/12/2010 9:36	Field Temp		22.5	C	EPA 170.1
7/13/2010 9:19	Field Temp		22.5	C	EPA 170.1
7/14/2010 9:32	Field Temp		7.9	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/15/2010 9:25	Field Temp		23.8	C	EPA 170.1
7/16/2010 9:30	Field Temp		24.3	C	EPA 170.1
7/19/2010 9:23	Field Temp		24.2	C	EPA 170.1
7/20/2010 9:37	Field Temp		22.5	C	EPA 170.1
7/21/2010 9:29	Field Temp		23.6	C	EPA 170.1
7/22/2010 9:40	Field Temp		24.1	C	EPA 170.1
7/23/2010 9:53	Field Temp		25	C	EPA 170.1
7/26/2010 9:36	Field Temp		21.6	C	EPA 170.1
7/27/2010 9:29	Field Temp		22.2	C	EPA 170.1
7/28/2010 9:33	Field Temp		23.4	C	EPA 170.1
7/29/2010 9:17	Field Temp		23.1	C	EPA 170.1
7/30/2010 9:23	Field Temp		22.1	C	EPA 170.1
8/2/2010 9:09	Field Temp		22.8	C	EPA 170.1
8/3/2010 9:17	Field Temp		24.3	C	EPA 170.1
8/4/2010 9:22	Field Temp		23.5	C	EPA 170.1
8/5/2010 9:27	Field Temp		23.2	C	EPA 170.1
8/6/2010 9:18	Field Temp		23.3	C	EPA 170.1
8/9/2010 9:26	Field Temp		24	C	EPA 170.1
8/10/2010 9:30	Field Temp		24.8	C	EPA 170.1
8/11/2010 10:17	Field Temp		27.2	C	EPA 170.1
8/12/2010 9:35	Field Temp		23.8	C	EPA 170.1
8/13/2010 9:27	Field Temp		23.5	C	EPA 170.1
8/16/2010 10:00	Field Temp		23.6	C	EPA 170.1
8/17/2010 9:20	Field Temp		21.9	C	EPA 170.1
8/18/2010 9:32	Field Temp		24.1	C	EPA 170.1
8/19/2010 9:43	Field Temp		22.2	C	EPA 170.1
8/20/2010 9:33	Field Temp		23.1	C	EPA 170.1
8/23/2010 9:52	Field Temp		21.8	C	EPA 170.1
8/24/2010 9:40	Field Temp		20.8	C	EPA 170.1
8/25/2010 9:39	Field Temp		21.5	C	EPA 170.1
8/26/2010 9:42	Field Temp		20.8	C	EPA 170.1
8/27/2010 9:39	Field Temp		19.1	C	EPA 170.1
8/30/2010 9:36	Field Temp		21.9	C	EPA 170.1
8/31/2010 9:50	Field Temp		23	C	EPA 170.1
9/1/2010 10:03	Field Temp		23.3	C	EPA 170.1
9/2/2010 9:35	Field Temp		23.6	C	EPA 170.1
9/3/2010 9:25	Field Temp		25	C	EPA 170.1
9/7/2010 9:53	Field Temp		21.1	C	EPA 170.1
9/8/2010 9:41	Field Temp		18.4	C	EPA 170.1
9/9/2010 9:13	Field Temp		16.3	C	EPA 170.1
9/10/2010 10:00	Field Temp		16.7	C	EPA 170.1
6/1/2010 9:20	pH		7.13	S.U.	
6/2/2010 9:15	pH		7.37	S.U.	

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/3/2010 9:05	pH		7.45	S.U.	
6/4/2010 9:20	pH		7.37	S.U.	
6/7/2010 9:17	pH		8.05	S.U.	
6/8/2010 9:34	pH		7.31	S.U.	
6/9/2010 9:29	pH		7.12	S.U.	
6/10/2010 9:30	pH		7.04	S.U.	
6/11/2010 8:59	pH		8	S.U.	
6/14/2010 8:47	pH		7.89	S.U.	
6/15/2010 9:11	pH		8	S.U.	
6/16/2010 9:20	pH		8.13	S.U.	
6/17/2010 8:55	pH		7.99	S.U.	
6/21/2010 9:12	pH		7.87	S.U.	
6/22/2010 11:30	pH		7.8	S.U.	
6/23/2010 9:16	pH		7.93	S.U.	
6/24/2010 9:10	pH		7.84	S.U.	
6/25/2010 9:12	pH		7.93	S.U.	
6/28/2010 9:14	pH		7.98	S.U.	
6/29/2010 9:25	pH		7.81	S.U.	
6/30/2010 9:18	pH		7.9	S.U.	
7/1/2010 9:12	pH		7.87	S.U.	
7/6/2010 9:32	pH		7.84	S.U.	
7/7/2010 9:39	pH		7.88	S.U.	
7/8/2010 9:41	pH		7.88	S.U.	
7/9/2010 9:08	pH		7.66	S.U.	
7/12/2010 9:36	pH		7.76	S.U.	
7/13/2010 9:19	pH		7.84	S.U.	
7/14/2010 9:32	pH		22.5	S.U.	
7/15/2010 9:25	pH		8.08	S.U.	
7/16/2010 9:30	pH		8.01	S.U.	
7/19/2010 9:23	pH		7.69	S.U.	
7/20/2010 9:37	pH		7.99	S.U.	
7/21/2010 9:29	pH		7.92	S.U.	
7/22/2010 9:40	pH		7.77	S.U.	
7/23/2010 9:53	pH		7.74	S.U.	
7/26/2010 9:36	pH		7.88	S.U.	
7/27/2010 9:29	pH		7.79	S.U.	
7/28/2010 9:33	pH		8	S.U.	
7/29/2010 9:17	pH		7.79	S.U.	
7/30/2010 9:23	pH		7.83	S.U.	
8/2/2010 9:09	pH		7.69	S.U.	
8/3/2010 9:17	pH		7.5	S.U.	
8/4/2010 9:22	pH		7.72	S.U.	
8/5/2010 9:27	pH		7.17	S.U.	
8/6/2010 9:18	pH		7.6	S.U.	

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/9/2010 9:26	pH		8.08	S.U.	
8/10/2010 9:30	pH		8.01	S.U.	
8/11/2010 10:17	pH		8.82	S.U.	
8/12/2010 9:35	pH		7.97	S.U.	
8/13/2010 9:27	pH		7.91	S.U.	
8/16/2010 10:00	pH		8.23	S.U.	
8/17/2010 9:20	pH		7.96	S.U.	
8/18/2010 9:32	pH		8.05	S.U.	
8/19/2010 9:43	pH		8.04	S.U.	
8/20/2010 9:33	pH		8.02	S.U.	
8/23/2010 9:52	pH		8.15	S.U.	
8/24/2010 9:40	pH		8.1	S.U.	
8/25/2010 9:39	pH		8.02	S.U.	
8/26/2010 9:42	pH		8.15	S.U.	
8/27/2010 9:39	pH		8.21	S.U.	
8/30/2010 9:36	pH		7.58	S.U.	
8/31/2010 9:50	pH		7.72	S.U.	
9/1/2010 10:03	pH		8.05	S.U.	
9/2/2010 9:35	pH		7.87	S.U.	
9/3/2010 9:25	pH		7.48	S.U.	
9/7/2010 9:53	pH		7.1	S.U.	
9/8/2010 9:41	pH		8.1	S.U.	
9/9/2010 9:13	pH		7.75	S.U.	
9/10/2010 10:00	pH		7.95	S.U.	
6/1/2010 9:20	Turbidity		37.8	NTU	EPA180.1
6/2/2010 9:15	Turbidity		5.87	NTU	EPA180.1
6/3/2010 9:05	Turbidity		2.75	NTU	EPA180.1
6/4/2010 9:20	Turbidity		2.64	NTU	EPA180.1
6/7/2010 9:17	Turbidity		11.16	NTU	EPA180.1
6/8/2010 9:34	Turbidity		3.46	NTU	EPA180.1
6/9/2010 9:29	Turbidity		10.09	NTU	EPA180.1
6/10/2010 9:30	Turbidity		4.16	NTU	EPA180.1
6/11/2010 8:59	Turbidity		3.68	NTU	EPA180.1
6/14/2010 8:47	Turbidity		2.32	NTU	EPA180.1
6/15/2010 9:11	Turbidity		1.78	NTU	EPA180.1
6/16/2010 9:20	Turbidity		1.96	NTU	EPA180.1
6/17/2010 8:55	Turbidity		2.48	NTU	EPA180.1
6/21/2010 9:12	Turbidity		1.24	NTU	EPA180.1
6/22/2010 11:30	Turbidity		35.21	NTU	EPA180.1
6/23/2010 9:16	Turbidity		1.18	NTU	EPA180.1
6/24/2010 9:10	Turbidity		2.18	NTU	EPA180.1
6/25/2010 9:12	Turbidity		5.26	NTU	EPA180.1
6/28/2010 9:14	Turbidity		5.4	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/29/2010 9:25	Turbidity		5.18	NTU	EPA180.1
6/30/2010 9:18	Turbidity		0.77	NTU	EPA180.1
7/1/2010 9:12	Turbidity		0.84	NTU	EPA180.1
7/2/2010 9:23	Turbidity		1.64	NTU	EPA180.1
7/6/2010 9:32	Turbidity		1.16	NTU	EPA180.1
7/7/2010 9:39	Turbidity	~	1.18	NTU	EPA180.1
7/8/2010 9:41	Turbidity		8.88	NTU	EPA180.1
7/9/2010 9:08	Turbidity		1.92	NTU	EPA180.1
7/12/2010 9:36	Turbidity		7.58	NTU	EPA180.1
7/13/2010 9:19	Turbidity		25.2	NTU	EPA180.1
7/14/2010 9:32	Turbidity		3.51	NTU	EPA180.1
7/15/2010 9:25	Turbidity		1.92	NTU	EPA180.1
7/16/2010 9:30	Turbidity		2.21	NTU	EPA180.1
7/19/2010 9:23	Turbidity		1.28	NTU	EPA180.1
7/20/2010 9:37	Turbidity		1.82	NTU	EPA180.1
7/21/2010 9:29	Turbidity		1.61	NTU	EPA180.1
7/22/2010 9:40	Turbidity		1.29	NTU	EPA180.1
7/23/2010 9:53	Turbidity		2.04	NTU	EPA180.1
7/26/2010 9:36	Turbidity		1.15	NTU	EPA180.1
7/27/2010 9:29	Turbidity		0.96	NTU	EPA180.1
7/28/2010 9:33	Turbidity		1.7	NTU	EPA180.1
7/29/2010 9:17	Turbidity		4	NTU	EPA180.1
7/30/2010 9:23	Turbidity		1.33	NTU	EPA180.1
8/2/2010 9:09	Turbidity		2.28	NTU	EPA180.1
8/3/2010 9:17	Turbidity		1.32	NTU	EPA180.1
8/4/2010 9:22	Turbidity		1.38	NTU	EPA180.1
8/5/2010 9:27	Turbidity		15.22	NTU	EPA180.1
8/6/2010 9:18	Turbidity		3.06	NTU	EPA180.1
8/9/2010 9:26	Turbidity		1.94	NTU	EPA180.1
8/10/2010 9:30	Turbidity		1.465	NTU	EPA180.1
8/11/2010 10:17	Turbidity		2.35	NTU	EPA180.1
8/12/2010 9:35	Turbidity		14.5	NTU	EPA180.1
8/13/2010 9:27	Turbidity		2.7	NTU	EPA180.1
8/16/2010 10:00	Turbidity		3.53	NTU	EPA180.1
8/17/2010 9:20	Turbidity		3.86	NTU	EPA180.1
8/18/2010 9:32	Turbidity		8.34	NTU	EPA180.1
8/19/2010 9:43	Turbidity		3.12	NTU	EPA180.1
8/20/2010 9:33	Turbidity		2.11	NTU	EPA180.1
8/23/2010 9:52	Turbidity		3.67	NTU	EPA180.1
8/24/2010 9:40	Turbidity		2.52	NTU	EPA180.1
8/25/2010 9:39	Turbidity		1.67	NTU	EPA180.1
8/26/2010 9:42	Turbidity		1.54	NTU	EPA180.1
8/27/2010 9:39	Turbidity		1.82	NTU	EPA180.1
8/30/2010 9:36	Turbidity		1.62	NTU	EPA180.1

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/31/2010 9:50	Turbidity		1.26	NTU	EPA180.1
9/1/2010 10:03	Turbidity		2.25	NTU	EPA180.1
9/2/2010 9:35	Turbidity		1.56	NTU	EPA180.1
9/3/2010 9:25	Turbidity		8.86	NTU	EPA180.1
9/7/2010 9:53	Turbidity		1.76	NTU	EPA180.1
9/8/2010 9:41	Turbidity		1.31	NTU	EPA180.1
9/9/2010 9:13	Turbidity		1.08	NTU	EPA180.1
9/10/2010 10:00	Turbidity		1.48	NTU	EPA180.1