

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:10	E. coli		22	cfu/100mL	EPA1603
5/3/2011 9:16	E. coli		352	cfu/100mL	EPA1603
5/4/2011 9:15	E. coli		205	cfu/100mL	EPA1603
5/5/2011 9:10	E. coli		285	cfu/100mL	EPA1603
5/9/2011 9:13	E. coli		84	cfu/100mL	EPA1603
5/10/2011 9:15	E. coli		19	cfu/100mL	EPA1603
5/11/2011 9:40	E. coli		63	cfu/100mL	EPA1603
5/12/2011 9:10	E. coli		54	cfu/100mL	EPA1603
5/18/2011 8:50	E. coli		344	cfu/100mL	EPA1603
5/19/2011 8:32	E. coli		98	cfu/100mL	EPA1603
5/20/2011 8:54	E. coli		61	cfu/100mL	EPA1603
5/21/2011 8:00	E. coli		17	cfu/100mL	EPA1603
5/22/2011 7:15	E. coli		135	cfu/100mL	EPA1603
5/23/2011 9:06	E. coli		21	cfu/100mL	EPA1603
5/24/2011 9:05	E. coli		71	cfu/100mL	EPA1603
5/25/2011 8:43	E. coli		24	cfu/100mL	EPA1603
5/26/2011 8:50	E. coli	EC	121	cfu/100mL	EPA1603
5/27/2011 8:47	E. coli		295	cfu/100mL	EPA1603
5/28/2011 7:40	E. coli		392	cfu/100mL	EPA1603
5/29/2011 8:11	E. coli		480	cfu/100mL	EPA1603
5/30/2011 7:46	E. coli		560	cfu/100mL	EPA1603
5/31/2011 8:22	E. coli		127	cfu/100mL	EPA1603
6/1/2011 8:36	E. coli	EC	1820	cfu/100mL	EPA1603
6/2/2011 8:36	E. coli		152	cfu/100mL	EPA1603
6/3/2011 8:24	E. coli		31	cfu/100mL	EPA1603
6/4/2011 8:38	E. coli		15	cfu/100mL	EPA1603
6/5/2011 7:50	E. coli		53	cfu/100mL	EPA1603
6/6/2011 9:03	E. coli		53	cfu/100mL	EPA1603
6/7/2011 9:59	E. coli		285	cfu/100mL	EPA1603
6/8/2011 8:22	E. coli		465	cfu/100mL	EPA1603
6/9/2011 8:16	E. coli		740	cfu/100mL	EPA1603
6/10/2011 8:38	E. coli	EC	88	cfu/100mL	EPA1603
6/11/2011 7:23	E. coli		77	cfu/100mL	EPA1603
6/12/2011 7:09	E. coli		376	cfu/100mL	EPA1603
6/13/2011 8:40	E. coli		30	cfu/100mL	EPA1603
6/14/2011 8:22	E. coli		40	cfu/100mL	EPA1603
6/15/2011 9:00	E. coli		8	cfu/100mL	EPA1603
6/16/2011 8:30	E. coli		19	cfu/100mL	EPA1603
6/17/2011 8:29	E. coli		20	cfu/100mL	EPA1603
6/18/2011 7:11	E. coli		19	cfu/100mL	EPA1603
6/19/2011 7:01	E. coli		18	cfu/100mL	EPA1603
6/20/2011 8:21	E. coli		180	cfu/100mL	EPA1603
6/21/2011 8:23	E. coli		122	cfu/100mL	EPA1603
6/22/2011 8:40	E. coli		275	cfu/100mL	EPA1603
6/23/2011 8:50	E. coli		66	cfu/100mL	EPA1603
6/24/2011 8:24	E. coli		56.5	cfu/100mL	EPA1603
6/25/2011 7:33	E. coli		210	cfu/100mL	EPA1603

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/26/2011 7:22	E. coli		77	cfu/100mL	EPA1603
6/27/2011 8:31	E. coli		21	cfu/100mL	EPA1603
6/28/2011 8:55	E. coli		11	cfu/100mL	EPA1603
6/29/2011 8:30	E. coli		220	cfu/100mL	EPA1603
6/30/2011 8:39	E. coli		50	cfu/100mL	EPA1603
7/1/2011 8:20	E. coli		39	cfu/100mL	EPA1603
7/2/2011 7:05	E. coli		13	cfu/100mL	EPA1603
7/3/2011 7:06	E. coli		54	cfu/100mL	EPA1603
7/4/2011 6:55	E. coli		69	cfu/100mL	EPA1603
7/5/2011 8:08	E. coli		75	cfu/100mL	EPA1603
7/6/2011 8:30	E. coli		74	cfu/100mL	EPA1603
7/7/2011 9:07	E. coli		47	cfu/100mL	EPA1603
7/8/2011 8:34	E. coli		32	cfu/100mL	EPA1603
7/9/2011 7:15	E. coli		11	cfu/100mL	EPA1603
7/10/2011 7:12	E. coli		13	cfu/100mL	EPA1603
7/11/2011 8:29	E. coli		12	cfu/100mL	EPA1603
7/12/2011 8:20	E. coli		92	cfu/100mL	EPA1603
7/13/2011 8:50	E. coli		230	cfu/100mL	EPA1603
7/14/2011 8:23	E. coli		38	cfu/100mL	EPA1603
7/15/2011 8:55	E. coli		22	cfu/100mL	EPA1603
7/16/2011 7:07	E. coli		31	cfu/100mL	EPA1603
7/17/2011 7:34	E. coli		11	cfu/100mL	EPA1603
7/18/2011 8:30	E. coli		8	cfu/100mL	EPA1603
7/19/2011 7:50	E. coli		6100	cfu/100mL	EPA1603
7/19/2011 8:33	E. coli		2900	cfu/100mL	EPA1603
7/19/2011 13:35	E. coli		500	cfu/100mL	EPA1603
7/20/2011 8:46	E. coli		770	cfu/100mL	EPA1603
7/20/2011 13:46	E. coli		77	cfu/100mL	EPA1603
7/21/2011 8:19	E. coli		140	cfu/100mL	EPA1603
7/22/2011 8:19	E. coli		378	cfu/100mL	EPA1603
7/23/2011 7:13	E. coli		290	cfu/100mL	EPA1603
7/24/2011 7:20	E. coli		260	cfu/100mL	EPA1603
7/25/2011 8:09	E. coli		74	cfu/100mL	EPA1603
7/26/2011 8:00	E. coli		142	cfu/100mL	EPA1603
7/27/2011 7:49	E. coli		87	cfu/100mL	EPA1603
7/28/2011 7:53	E. coli		24	cfu/100mL	EPA1603
7/29/2011 7:56	E. coli	EC	4390	cfu/100mL	EPA1603
7/30/2011 7:06	E. coli		57	cfu/100mL	EPA1603
7/31/2011 7:03	E. coli		16	cfu/100mL	EPA1603
8/1/2011 8:18	E. coli		2	cfu/100mL	EPA1603
8/2/2011 8:30	E. coli		16	cfu/100mL	EPA1603
8/3/2011 8:21	E. coli		41	cfu/100mL	EPA1603
8/4/2011 8:30	E. coli		114	cfu/100mL	EPA1603
8/5/2011 8:22	E. coli		52	cfu/100mL	EPA1603
8/6/2011 7:13	E. coli		21	cfu/100mL	EPA1603
8/7/2011 7:06	E. coli		72	cfu/100mL	EPA1603
8/8/2011 8:25	E. coli		40	cfu/100mL	EPA1603

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/9/2011 8:31	E. coli		31	cfu/100mL	EPA1603
8/10/2011 7:43	E. coli		67	cfu/100mL	EPA1603
8/11/2011 7:50	E. coli		175.5	cfu/100mL	EPA1603
8/12/2011 7:45	E. coli		14	cfu/100mL	EPA1603
8/13/2011 7:03	E. coli		100	cfu/100mL	EPA1603
8/14/2011 7:19	E. coli		1183	cfu/100mL	EPA1603
8/15/2011 8:19	E. coli		4300	cfu/100mL	EPA1603
8/15/2011 14:40	E. coli		700	cfu/100mL	EPA1603
8/16/2011 7:53	E. coli		388	cfu/100mL	EPA1603
8/17/2011 7:58	E. coli		24	cfu/100mL	EPA1603
8/17/2011 13:39	E. coli		23	cfu/100mL	EPA1603
8/18/2011 7:55	E. coli		22	cfu/100mL	EPA1603
8/19/2011 7:49	E. coli		40	cfu/100mL	EPA1603
8/20/2011 7:19	E. coli		31	cfu/100mL	EPA1603
8/21/2011 7:04	E. coli		1317	cfu/100mL	EPA1603
8/22/2011 7:43	E. coli		560	cfu/100mL	EPA1603
8/23/2011 7:51	E. coli		51	cfu/100mL	EPA1603
8/24/2011 8:03	E. coli		24	cfu/100mL	EPA1603
8/25/2011 7:48	E. coli		160	cfu/100mL	EPA1603
8/26/2011 7:43	E. coli		32	cfu/100mL	EPA1603
8/27/2011 7:10	E. coli	EC	112	cfu/100mL	EPA1603
8/28/2011 7:00	E. coli		170	cfu/100mL	EPA1603
8/29/2011 7:53	E. coli		28	cfu/100mL	EPA1603
8/30/2011 7:42	E. coli		15	cfu/100mL	EPA1603
8/31/2011 7:46	E. coli		24	cfu/100mL	EPA1603
9/1/2011 8:07	E. coli		130	cfu/100mL	EPA1603
9/2/2011 7:49	E. coli		12	cfu/100mL	EPA1603
9/3/2011 7:03	E. coli	EC	88	cfu/100mL	EPA1603
9/4/2011 6:59	E. coli		185	cfu/100mL	EPA1603
9/5/2011 7:03	E. coli		1340	cfu/100mL	EPA1603
9/6/2011 7:43	E. coli		750	cfu/100mL	EPA1603
9/7/2011 7:42	E. coli		645	cfu/100mL	EPA1603
9/8/2011 7:42	E. coli		25	cfu/100mL	EPA1603
9/9/2011 8:07	E. coli		384	cfu/100mL	EPA1603
9/12/2011 7:48	E. coli		190	cfu/100mL	EPA1603
9/13/2011 7:40	E. coli	EC	88	cfu/100mL	EPA1603
9/14/2011 7:43	E. coli		305	cfu/100mL	EPA1603
9/15/2011 7:59	E. coli		376	cfu/100mL	EPA1603
9/19/2011 8:44	E. coli		51	cfu/100mL	EPA1603
9/20/2011 8:11	E. coli		240	cfu/100mL	EPA1603
9/21/2011 8:07	E. coli		77	cfu/100mL	EPA1603
9/22/2011 7:00	E. coli		270	cfu/100mL	EPA1603
9/26/2011 9:21	E. coli	EC	78	cfu/100mL	EPA1603
9/27/2011 9:00	E. coli		200	cfu/100mL	EPA1603
9/28/2011 9:07	E. coli		960	cfu/100mL	EPA1603
9/29/2011 8:50	E. coli		540	cfu/100mL	EPA1603
10/3/2011 9:12	E. coli		147	cfu/100mL	EPA1603

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/4/2011 10:40	E. coli		396	cfu/100mL	EPA1603
10/5/2011 9:30	E. coli		155	cfu/100mL	EPA1603
10/6/2011 9:57	E. coli		51	cfu/100mL	EPA1603
10/10/2011 10:07	E. coli		325	cfu/100mL	EPA1603
10/11/2011 10:01	E. coli		175	cfu/100mL	EPA1603
10/12/2011 10:10	E. coli		71	cfu/100mL	EPA1603
10/13/2011 10:08	E. coli		240	cfu/100mL	EPA1603
10/17/2011 9:21	E. coli		175	cfu/100mL	EPA1603
10/18/2011 9:37	E. coli		119	cfu/100mL	EPA1603
10/19/2011 9:37	E. coli		352	cfu/100mL	EPA1603
10/20/2011 9:54	E. coli		680	cfu/100mL	EPA1603
10/25/2011 9:12	E. coli		240	cfu/100mL	EPA1603
10/26/2011 9:19	E. coli		205	cfu/100mL	EPA1603
10/27/2011 9:36	E. coli		222.5	cfu/100mL	EPA1603
5/2/2011 9:10	Field Cond		219	uS/cm	SM 2510A
5/3/2011 9:16	Field Cond		211	uS/cm	SM 2510A
5/4/2011 9:15	Field Cond		206	uS/cm	SM 2510A
5/5/2011 9:10	Field Cond		205	uS/cm	SM 2510A
5/9/2011 9:13	Field Cond		247	uS/cm	SM 2510A
5/10/2011 9:15	Field Cond		349	uS/cm	SM 2510A
5/11/2011 9:40	Field Cond		332	uS/cm	SM 2510A
5/12/2011 9:10	Field Cond		350	uS/cm	SM 2510A
5/18/2011 8:50	Field Cond		347	uS/cm	SM 2510A
5/19/2011 8:32	Field Cond		393	uS/cm	SM 2510A
5/20/2011 8:54	Field Cond		248	uS/cm	SM 2510A
5/21/2011 8:00	Field Cond		351	uS/cm	SM 2510A
5/23/2011 9:06	Field Cond		291	uS/cm	SM 2510A
5/25/2011 8:43	Field Cond		296	uS/cm	SM 2510A
5/26/2011 8:50	Field Cond		332	uS/cm	SM 2510A
5/28/2011 7:40	Field Cond		331	uS/cm	SM 2510A
5/29/2011 8:11	Field Cond		287	uS/cm	SM 2510A
5/30/2011 7:46	Field Cond		278	uS/cm	SM 2510A
5/31/2011 8:22	Field Cond		302	uS/cm	SM 2510A
6/1/2011 8:36	Field Cond		305	uS/cm	SM 2510A
6/2/2011 8:36	Field Cond		129.8	uS/cm	SM 2510A
6/3/2011 8:24	Field Cond		316	uS/cm	SM 2510A
6/4/2011 8:38	Field Cond		302	uS/cm	SM 2510A
6/5/2011 7:50	Field Cond		296	uS/cm	SM 2510A
6/7/2011 9:59	Field Cond		310	uS/cm	SM 2510A
6/8/2011 8:22	Field Cond		325	uS/cm	SM 2510A
6/9/2011 8:16	Field Cond		363	uS/cm	SM 2510A
6/10/2011 8:38	Field Cond		363	uS/cm	SM 2510A
6/11/2011 7:23	Field Cond		324	uS/cm	SM 2510A
6/12/2011 7:09	Field Cond		357	uS/cm	SM 2510A
6/13/2011 8:40	Field Cond		372	uS/cm	SM 2510A
6/14/2011 8:22	Field Cond		375	uS/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/15/2011 9:00	Field Cond		432	uS/cm	SM 2510A
6/16/2011 8:30	Field Cond		329	uS/cm	SM 2510A
6/17/2011 8:29	Field Cond		390	uS/cm	SM 2510A
6/18/2011 7:11	Field Cond		371	uS/cm	SM 2510A
6/19/2011 7:01	Field Cond		341	uS/cm	SM 2510A
6/20/2011 8:21	Field Cond		394	uS/cm	SM 2510A
6/21/2011 8:23	Field Cond		334	uS/cm	SM 2510A
6/22/2011 8:40	Field Cond		342	uS/cm	SM 2510A
6/23/2011 8:50	Field Cond		346	uS/cm	SM 2510A
6/24/2011 8:24	Field Cond		338	uS/cm	SM 2510A
6/25/2011 7:33	Field Cond		325	uS/cm	SM 2510A
6/26/2011 7:22	Field Cond		392	uS/cm	SM 2510A
6/27/2011 8:31	Field Cond		322	uS/cm	SM 2510A
6/28/2011 8:55	Field Cond		334	uS/cm	SM 2510A
6/29/2011 8:30	Field Cond		396	uS/cm	SM 2510A
6/30/2011 8:39	Field Cond		338	uS/cm	SM 2510A
7/1/2011 8:20	Field Cond		311	uS/cm	SM 2510A
7/2/2011 7:05	Field Cond		311	uS/cm	SM 2510A
7/3/2011 7:06	Field Cond		316	uS/cm	SM 2510A
7/4/2011 6:55	Field Cond		306	uS/cm	SM 2510A
7/5/2011 8:08	Field Cond		403	uS/cm	SM 2510A
7/6/2011 8:30	Field Cond		393	uS/cm	SM 2510A
7/7/2011 9:07	Field Cond		338	uS/cm	SM 2510A
7/8/2011 8:34	Field Cond		387	uS/cm	SM 2510A
7/9/2011 7:15	Field Cond		344	uS/cm	SM 2510A
7/10/2011 7:12	Field Cond		360	uS/cm	SM 2510A
7/11/2011 8:29	Field Cond		325	uS/cm	SM 2510A
7/12/2011 8:20	Field Cond		345	uS/cm	SM 2510A
7/13/2011 8:50	Field Cond		347	uS/cm	SM 2510A
7/14/2011 8:23	Field Cond		320	uS/cm	SM 2510A
7/15/2011 8:55	Field Cond		348	uS/cm	SM 2510A
7/16/2011 7:07	Field Cond		358	uS/cm	SM 2510A
7/17/2011 7:34	Field Cond		345	uS/cm	SM 2510A
7/18/2011 8:30	Field Cond		311	uS/cm	SM 2510A
7/19/2011 8:33	Field Cond		314	uS/cm	SM 2510A
7/20/2011 8:46	Field Cond		334	uS/cm	SM 2510A
7/21/2011 8:19	Field Cond		356	uS/cm	SM 2510A
7/22/2011 8:19	Field Cond		333	uS/cm	SM 2510A
7/23/2011 7:13	Field Cond		264	uS/cm	SM 2510A
7/24/2011 7:20	Field Cond		325	uS/cm	SM 2510A
7/25/2011 8:09	Field Cond		315	uS/cm	SM 2510A
7/26/2011 8:00	Field Cond		324	uS/cm	SM 2510A
7/27/2011 7:49	Field Cond		356	uS/cm	SM 2510A
7/28/2011 7:53	Field Cond		362	uS/cm	SM 2510A
7/29/2011 7:56	Field Cond		302	uS/cm	SM 2510A
7/30/2011 7:06	Field Cond		351	uS/cm	SM 2510A
7/31/2011 7:03	Field Cond		378	uS/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/1/2011 8:18	Field Cond		282	uS/cm	SM 2510A
8/2/2011 8:30	Field Cond		320	uS/cm	SM 2510A
8/3/2011 8:21	Field Cond		286	uS/cm	SM 2510A
8/4/2011 8:30	Field Cond		297	uS/cm	SM 2510A
8/5/2011 8:22	Field Cond		379	uS/cm	SM 2510A
8/6/2011 7:13	Field Cond		432	uS/cm	SM 2510A
8/7/2011 7:06	Field Cond		334	uS/cm	SM 2510A
8/8/2011 8:25	Field Cond		323	uS/cm	SM 2510A
8/9/2011 8:31	Field Cond		354	uS/cm	SM 2510A
8/10/2011 7:43	Field Cond		363	uS/cm	SM 2510A
8/11/2011 7:50	Field Cond		317	uS/cm	SM 2510A
8/12/2011 7:45	Field Cond		303	uS/cm	SM 2510A
8/13/2011 7:03	Field Cond		332	uS/cm	SM 2510A
8/14/2011 7:19	Field Cond		366	uS/cm	SM 2510A
8/15/2011 8:19	Field Cond		382	uS/cm	SM 2510A
8/16/2011 7:53	Field Cond		341	uS/cm	SM 2510A
8/17/2011 7:58	Field Cond		330	uS/cm	SM 2510A
8/18/2011 7:55	Field Cond		333	uS/cm	SM 2510A
8/19/2011 7:49	Field Cond		371	uS/cm	SM 2510A
8/20/2011 7:19	Field Cond		363	uS/cm	SM 2510A
8/21/2011 7:04	Field Cond		368	uS/cm	SM 2510A
8/22/2011 7:43	Field Cond		343	uS/cm	SM 2510A
8/23/2011 7:51	Field Cond		317	uS/cm	SM 2510A
8/24/2011 8:03	Field Cond		354	uS/cm	SM 2510A
8/26/2011 7:43	Field Cond		323	uS/cm	SM 2510A
8/27/2011 7:10	Field Cond		465	uS/cm	SM 2510A
8/28/2011 7:00	Field Cond		286	uS/cm	SM 2510A
8/29/2011 7:53	Field Cond		390	uS/cm	SM 2510A
8/30/2011 7:42	Field Cond		316	uS/cm	SM 2510A
8/31/2011 7:46	Field Cond		337	uS/cm	SM 2510A
9/1/2011 8:07	Field Cond		336	uS/cm	SM 2510A
9/2/2011 7:49	Field Cond		327	uS/cm	SM 2510A
9/3/2011 7:03	Field Cond		327	uS/cm	SM 2510A
9/4/2011 6:59	Field Cond		338	uS/cm	SM 2510A
9/5/2011 7:03	Field Cond		335	uS/cm	SM 2510A
9/6/2011 7:43	Field Cond		456	uS/cm	SM 2510A
9/7/2011 7:42	Field Cond		327	uS/cm	SM 2510A
9/8/2011 7:42	Field Cond		317	uS/cm	SM 2510A
9/9/2011 8:07	Field Cond		280	uS/cm	SM 2510A
9/12/2011 7:48	Field Cond		352	uS/cm	SM 2510A
9/13/2011 7:40	Field Cond		338	uS/cm	SM 2510A
9/14/2011 7:43	Field Cond		387	uS/cm	SM 2510A
9/15/2011 7:59	Field Cond		410	uS/cm	SM 2510A
9/19/2011 8:44	Field Cond		344	uS/cm	SM 2510A
9/20/2011 8:11	Field Cond		362	uS/cm	SM 2510A
9/21/2011 8:07	Field Cond		346	uS/cm	SM 2510A
9/22/2011 7:00	Field Cond		325	uS/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/26/2011 9:21	Field Cond		359	uS/cm	SM 2510A
9/27/2011 9:00	Field Cond		348	uS/cm	SM 2510A
9/28/2011 9:07	Field Cond		383	uS/cm	SM 2510A
9/29/2011 8:50	Field Cond		391	uS/cm	SM 2510A
10/3/2011 9:12	Field Cond		367	uS/cm	SM 2510A
10/4/2011 10:40	Field Cond		343	uS/cm	SM 2510A
10/5/2011 9:30	Field Cond		361	uS/cm	SM 2510A
10/6/2011 9:57	Field Cond		314	uS/cm	SM 2510A
10/10/2011 10:07	Field Cond		300	uS/cm	SM 2510A
10/11/2011 10:01	Field Cond		304	uS/cm	SM 2510A
10/12/2011 10:10	Field Cond		313	uS/cm	SM 2510A
10/13/2011 10:08	Field Cond		366	uS/cm	SM 2510A
10/17/2011 9:21	Field Cond		361	uS/cm	SM 2510A
10/18/2011 9:37	Field Cond		354	uS/cm	SM 2510A
10/19/2011 9:37	Field Cond		353	uS/cm	SM 2510A
10/20/2011 9:54	Field Cond		351	uS/cm	SM 2510A
10/25/2011 9:12	Field Cond		394	uS/cm	SM 2510A
10/26/2011 9:19	Field Cond		346	uS/cm	SM 2510A
10/27/2011 9:36	Field Cond		434	uS/cm	SM 2510A
5/2/2011 9:10	Field Temp		10	C	EPA 170.1
5/3/2011 9:16	Field Temp		10.3	C	EPA 170.1
5/4/2011 9:15	Field Temp		9.1	C	EPA 170.1
5/5/2011 9:10	Field Temp		9.5	C	EPA 170.1
5/9/2011 9:13	Field Temp		11.8	C	EPA 170.1
5/10/2011 9:15	Field Temp		11.3	C	EPA 170.1
5/11/2011 9:40	Field Temp		11.9	C	EPA 170.1
5/12/2011 9:10	Field Temp		11.6	C	EPA 170.1
5/18/2011 8:50	Field Temp		12.7	C	EPA 170.1
5/19/2011 8:32	Field Temp		13.1	C	EPA 170.1
5/20/2011 8:54	Field Temp		13	C	EPA 170.1
5/21/2011 8:00	Field Temp		15.2	C	EPA 170.1
5/22/2011 7:15	Field Temp		13.3	C	EPA 170.1
5/23/2011 9:06	Field Temp		12.1	C	EPA 170.1
5/24/2011 9:05	Field Temp		13.4	C	EPA 170.1
5/25/2011 8:43	Field Temp		14.3	C	EPA 170.1
5/26/2011 8:50	Field Temp		12.8	C	EPA 170.1
5/27/2011 8:47	Field Temp		11.7	C	EPA 170.1
5/28/2011 7:40	Field Temp		15.6	C	EPA 170.1
5/29/2011 8:11	Field Temp		16.1	C	EPA 170.1
5/30/2011 7:46	Field Temp		18	C	EPA 170.1
5/31/2011 8:22	Field Temp		18.1	C	EPA 170.1
6/1/2011 8:36	Field Temp		25	C	EPA 170.1
6/2/2011 8:36	Field Temp		25	C	EPA 170.1
6/3/2011 8:24	Field Temp		19.6	C	EPA 170.1
6/4/2011 8:38	Field Temp		18.3	C	EPA 170.1
6/5/2011 7:50	Field Temp		19.8	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/6/2011 9:03	Field Temp		20.5	C	EPA 170.1
6/7/2011 9:59	Field Temp		18.6	C	EPA 170.1
6/8/2011 8:22	Field Temp		19.6	C	EPA 170.1
6/9/2011 8:16	Field Temp		20.9	C	EPA 170.1
6/10/2011 8:38	Field Temp		20.2	C	EPA 170.1
6/11/2011 7:23	Field Temp		20.2	C	EPA 170.1
6/12/2011 7:09	Field Temp		21.7	C	EPA 170.1
6/13/2011 8:40	Field Temp		19.7	C	EPA 170.1
6/14/2011 8:22	Field Temp		20.5	C	EPA 170.1
6/15/2011 9:00	Field Temp		19.7	C	EPA 170.1
6/16/2011 8:30	Field Temp		18.8	C	EPA 170.1
6/17/2011 8:29	Field Temp		19.5	C	EPA 170.1
6/18/2011 7:11	Field Temp		20.5	C	EPA 170.1
6/19/2011 7:01	Field Temp		20.8	C	EPA 170.1
6/20/2011 8:21	Field Temp		20	C	EPA 170.1
6/21/2011 8:23	Field Temp		21.5	C	EPA 170.1
6/22/2011 8:40	Field Temp		21.1	C	EPA 170.1
6/23/2011 8:50	Field Temp		20.8	C	EPA 170.1
6/24/2011 8:24	Field Temp		20.9	C	EPA 170.1
6/25/2011 7:33	Field Temp		20.2	C	EPA 170.1
6/26/2011 7:22	Field Temp		19.7	C	EPA 170.1
6/27/2011 8:31	Field Temp		20.1	C	EPA 170.1
6/28/2011 8:55	Field Temp		21	C	EPA 170.1
6/29/2011 8:30	Field Temp		20.4	C	EPA 170.1
6/30/2011 8:39	Field Temp		21.2	C	EPA 170.1
7/1/2011 8:20	Field Temp		21.4	C	EPA 170.1
7/2/2011 7:05	Field Temp		21.2	C	EPA 170.1
7/3/2011 7:06	Field Temp		21.8	C	EPA 170.1
7/4/2011 6:55	Field Temp		22.7	C	EPA 170.1
7/5/2011 8:08	Field Temp		22	C	EPA 170.1
7/6/2011 8:30	Field Temp		22	C	EPA 170.1
7/7/2011 9:07	Field Temp		23.6	C	EPA 170.1
7/8/2011 8:34	Field Temp		7.7	C	EPA 170.1
7/9/2011 7:15	Field Temp		21.5	C	EPA 170.1
7/10/2011 7:12	Field Temp		20.7	C	EPA 170.1
7/11/2011 8:29	Field Temp		21.6	C	EPA 170.1
7/12/2011 8:20	Field Temp		22.5	C	EPA 170.1
7/13/2011 8:50	Field Temp		23.5	C	EPA 170.1
7/14/2011 8:23	Field Temp		22.1	C	EPA 170.1
7/15/2011 8:55	Field Temp		23.1	C	EPA 170.1
7/16/2011 7:07	Field Temp		22.3	C	EPA 170.1
7/17/2011 7:34	Field Temp		22.6	C	EPA 170.1
7/18/2011 8:30	Field Temp		23.5	C	EPA 170.1
7/19/2011 8:33	Field Temp		24.5	C	EPA 170.1
7/20/2011 8:46	Field Temp		24.5	C	EPA 170.1
7/21/2011 8:19	Field Temp		25	C	EPA 170.1
7/22/2011 8:19	Field Temp		26.6	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/23/2011 7:13	Field Temp		24.6	C	EPA 170.1
7/24/2011 7:20	Field Temp		26.5	C	EPA 170.1
7/25/2011 8:09	Field Temp		26.7	C	EPA 170.1
7/26/2011 8:00	Field Temp		24.9	C	EPA 170.1
7/27/2011 7:49	Field Temp		25.7	C	EPA 170.1
7/28/2011 7:53	Field Temp		25.5	C	EPA 170.1
7/29/2011 7:56	Field Temp		24.3	C	EPA 170.1
7/30/2011 7:06	Field Temp		24.4	C	EPA 170.1
7/31/2011 7:03	Field Temp		24.4	C	EPA 170.1
8/1/2011 8:18	Field Temp		25.9	C	EPA 170.1
8/2/2011 8:30	Field Temp		25	C	EPA 170.1
8/3/2011 8:21	Field Temp		25.9	C	EPA 170.1
8/4/2011 8:30	Field Temp		25.6	C	EPA 170.1
8/5/2011 8:22	Field Temp		25.2	C	EPA 170.1
8/6/2011 7:13	Field Temp		26.6	C	EPA 170.1
8/7/2011 7:06	Field Temp		26.3	C	EPA 170.1
8/8/2011 8:25	Field Temp		26.5	C	EPA 170.1
8/9/2011 8:31	Field Temp		26.6	C	EPA 170.1
8/10/2011 7:43	Field Temp		24.3	C	EPA 170.1
8/11/2011 7:50	Field Temp		24.2	C	EPA 170.1
8/12/2011 7:45	Field Temp		24.6	C	EPA 170.1
8/13/2011 7:03	Field Temp		25.1	C	EPA 170.1
8/14/2011 7:19	Field Temp		25.2	C	EPA 170.1
8/15/2011 8:19	Field Temp		23.7	C	EPA 170.1
8/16/2011 7:53	Field Temp		23.5	C	EPA 170.1
8/17/2011 7:58	Field Temp		24.2	C	EPA 170.1
8/18/2011 7:55	Field Temp		24.5	C	EPA 170.1
8/19/2011 7:49	Field Temp		25	C	EPA 170.1
8/20/2011 7:19	Field Temp		24.9	C	EPA 170.1
8/21/2011 7:04	Field Temp		25.6	C	EPA 170.1
8/22/2011 7:43	Field Temp		23.1	C	EPA 170.1
8/23/2011 7:51	Field Temp		23.2	C	EPA 170.1
8/24/2011 8:03	Field Temp		23.9	C	EPA 170.1
8/25/2011 7:48	Field Temp		24.3	C	EPA 170.1
8/26/2011 7:43	Field Temp		24.2	C	EPA 170.1
8/27/2011 7:10	Field Temp		23.4	C	EPA 170.1
8/28/2011 7:00	Field Temp		23.9	C	EPA 170.1
8/29/2011 7:53	Field Temp		23.2	C	EPA 170.1
8/30/2011 7:42	Field Temp		23.2	C	EPA 170.1
8/31/2011 7:46	Field Temp		23.6	C	EPA 170.1
9/1/2011 8:07	Field Temp		23.5	C	EPA 170.1
9/2/2011 7:49	Field Temp		24.3	C	EPA 170.1
9/3/2011 7:03	Field Temp		24.3	C	EPA 170.1
9/4/2011 6:59	Field Temp		25.1	C	EPA 170.1
9/5/2011 7:03	Field Temp		22.9	C	EPA 170.1
9/6/2011 7:43	Field Temp		22.4	C	EPA 170.1
9/7/2011 7:42	Field Temp		21.9	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 7:42	Field Temp		21.9	C	EPA 170.1
9/9/2011 8:07	Field Temp		21.7	C	EPA 170.1
9/12/2011 7:48	Field Temp		21.4	C	EPA 170.1
9/13/2011 7:40	Field Temp		21.6	C	EPA 170.1
9/14/2011 7:43	Field Temp		21.7	C	EPA 170.1
9/15/2011 7:59	Field Temp		20.3	C	EPA 170.1
9/19/2011 8:44	Field Temp		19.1	C	EPA 170.1
9/20/2011 8:11	Field Temp		19	C	EPA 170.1
9/21/2011 8:07	Field Temp		19.5	C	EPA 170.1
9/22/2011 7:00	Field Temp		19.4	C	EPA 170.1
9/26/2011 9:21	Field Temp		19.5	C	EPA 170.1
9/27/2011 9:00	Field Temp		18.2	C	EPA 170.1
9/28/2011 9:07	Field Temp		18.9	C	EPA 170.1
9/29/2011 8:50	Field Temp		17.6	C	EPA 170.1
10/3/2011 9:12	Field Temp		15.2	C	EPA 170.1
10/4/2011 10:40	Field Temp		15.3	C	EPA 170.1
10/5/2011 9:30	Field Temp		14.6	C	EPA 170.1
10/6/2011 9:57	Field Temp		16.2	C	EPA 170.1
10/10/2011 10:07	Field Temp		16.7	C	EPA 170.1
10/11/2011 10:01	Field Temp		15.8	C	EPA 170.1
10/12/2011 10:10	Field Temp		15.9	C	EPA 170.1
10/13/2011 10:08	Field Temp		16	C	EPA 170.1
10/17/2011 9:21	Field Temp		13	C	EPA 170.1
10/18/2011 9:37	Field Temp		13.6	C	EPA 170.1
10/19/2011 9:37	Field Temp		13.8	C	EPA 170.1
10/20/2011 9:54	Field Temp		13.6	C	EPA 170.1
10/25/2011 9:12	Field Temp		12.2	C	EPA 170.1
10/26/2011 9:19	Field Temp		12.6	C	EPA 170.1
10/27/2011 9:36	Field Temp		12.5	C	EPA 170.1
5/2/2011 9:10	pH		8.07	S.U.	
5/3/2011 9:16	pH		7.91	S.U.	
5/4/2011 9:15	pH		8.06	S.U.	
5/5/2011 9:10	pH		8.1	S.U.	
5/9/2011 9:13	pH		7.85	S.U.	
5/10/2011 9:15	pH		8.19	S.U.	
5/11/2011 9:40	pH		8.19	S.U.	
5/12/2011 9:10	pH		8.25	S.U.	
5/18/2011 8:50	pH		8.49	S.U.	
5/19/2011 8:32	pH		7.98	S.U.	
5/20/2011 8:54	pH		8.02	S.U.	
5/21/2011 8:00	pH		8.14	S.U.	
5/22/2011 7:15	pH		8.05	S.U.	
5/23/2011 9:06	pH		8.23	S.U.	
5/24/2011 9:05	pH		7.74	S.U.	
5/25/2011 8:43	pH		8.09	S.U.	
5/26/2011 8:50	pH		7.37	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/27/2011 8:47	pH		7.78	S.U.	
5/28/2011 7:40	pH		8.25	S.U.	
5/29/2011 8:11	pH		8.17	S.U.	
5/30/2011 7:46	pH		8.1	S.U.	
5/31/2011 8:22	pH		8.67	S.U.	
6/1/2011 8:36	pH		8.72	S.U.	
6/3/2011 8:24	pH		7.65	S.U.	
6/4/2011 8:38	pH		7.96	S.U.	
6/5/2011 7:50	pH		8.28	S.U.	
6/6/2011 9:03	pH		6.92	S.U.	
6/7/2011 9:59	pH		7.93	S.U.	
6/8/2011 8:22	pH		7.87	S.U.	
6/9/2011 8:16	pH		8.02	S.U.	
6/10/2011 8:38	pH		7.8	S.U.	
6/11/2011 7:23	pH		7.79	S.U.	
6/12/2011 7:09	pH		7.59	S.U.	
6/13/2011 8:40	pH		8.38	S.U.	
6/14/2011 8:22	pH		7.89	S.U.	
6/15/2011 9:00	pH		7.68	S.U.	
6/16/2011 8:30	pH		7.81	S.U.	
6/17/2011 8:29	pH		7.96	S.U.	
6/18/2011 7:11	pH		7.73	S.U.	
6/19/2011 7:01	pH		7.86	S.U.	
6/20/2011 8:21	pH		7.84	S.U.	
6/21/2011 8:23	pH		7.84	S.U.	
6/22/2011 8:40	pH		7.98	S.U.	
6/23/2011 8:50	pH		8.07	S.U.	
6/24/2011 8:24	pH		8.17	S.U.	
6/25/2011 7:33	pH		7.85	S.U.	
6/26/2011 7:22	pH		7.64	S.U.	
6/27/2011 8:31	pH		8.16	S.U.	
6/28/2011 8:55	pH		7.7	S.U.	
6/29/2011 8:30	pH		7.97	S.U.	
6/30/2011 8:39	pH		8.11	S.U.	
7/1/2011 8:20	pH		7.88	S.U.	
7/2/2011 7:05	pH		7.79	S.U.	
7/3/2011 7:06	pH		8.07	S.U.	
7/4/2011 6:55	pH		7.89	S.U.	
7/5/2011 8:08	pH		7.69	S.U.	
7/6/2011 8:30	pH		7.41	S.U.	
7/7/2011 9:07	pH		8.04	S.U.	
7/8/2011 8:34	pH		7.69	S.U.	
7/9/2011 7:15	pH		7.72	S.U.	
7/10/2011 7:12	pH		7.77	S.U.	
7/11/2011 8:29	pH		7.94	S.U.	
7/12/2011 8:20	pH		8.09	S.U.	
7/13/2011 8:50	pH		7.89	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/14/2011 8:23	pH		8.3	S.U.	
7/15/2011 8:55	pH		8.05	S.U.	
7/16/2011 7:07	pH		7.76	S.U.	
7/17/2011 7:34	pH		7.86	S.U.	
7/18/2011 8:30	pH		8.23	S.U.	
7/19/2011 8:33	pH		8.06	S.U.	
7/20/2011 8:46	pH		7.96	S.U.	
7/21/2011 8:19	pH		8.27	S.U.	
7/22/2011 8:19	pH		8.36	S.U.	
7/23/2011 7:13	pH		8.37	S.U.	
7/24/2011 7:20	pH		7.7	S.U.	
7/25/2011 8:09	pH		8.21	S.U.	
7/26/2011 8:00	pH		8.42	S.U.	
7/27/2011 7:49	pH		8.03	S.U.	
7/28/2011 7:53	pH		8.01	S.U.	
7/29/2011 7:56	pH		8.4	S.U.	
7/30/2011 7:06	pH		8.12	S.U.	
7/31/2011 7:03	pH		8.17	S.U.	
8/1/2011 8:18	pH		8.14	S.U.	
8/2/2011 8:30	pH		8.32	S.U.	
8/3/2011 8:21	pH		8.17	S.U.	
8/4/2011 8:30	pH		8.17	S.U.	
8/5/2011 8:22	pH		7.78	S.U.	
8/6/2011 7:13	pH		8.15	S.U.	
8/7/2011 7:06	pH		8.14	S.U.	
8/8/2011 8:25	pH		8.37	S.U.	
8/9/2011 8:31	pH		8.67	S.U.	
8/10/2011 7:43	pH		8.37	S.U.	
8/11/2011 7:50	pH		8.29	S.U.	
8/12/2011 7:45	pH		8.52	S.U.	
8/13/2011 7:03	pH		8.5	S.U.	
8/14/2011 7:19	pH		8.41	S.U.	
8/15/2011 8:19	pH		8.23	S.U.	
8/16/2011 7:53	pH		8.36	S.U.	
8/17/2011 7:58	pH		8.49	S.U.	
8/18/2011 7:55	pH		8.6	S.U.	
8/19/2011 7:49	pH		8.55	S.U.	
8/20/2011 7:19	pH		8.52	S.U.	
8/21/2011 7:04	pH		8.38	S.U.	
8/22/2011 7:43	pH		8.43	S.U.	
8/23/2011 7:51	pH		8.52	S.U.	
8/24/2011 8:03	pH		8.67	S.U.	
8/25/2011 7:48	pH		8.3	S.U.	
8/26/2011 7:43	pH		8.33	S.U.	
8/27/2011 7:10	pH		8	S.U.	
8/28/2011 7:00	pH		8.31	S.U.	
8/29/2011 7:53	pH		8.18	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/30/2011 7:42	pH		8.54	S.U.	
8/31/2011 7:46	pH		8.36	S.U.	
9/1/2011 8:07	pH		8.24	S.U.	
9/2/2011 7:49	pH		8.48	S.U.	
9/3/2011 7:03	pH		8.48	S.U.	
9/4/2011 6:59	pH		8.44	S.U.	
9/5/2011 7:03	pH		8.31	S.U.	
9/6/2011 7:43	pH		8.16	S.U.	
9/7/2011 7:42	pH		8.23	S.U.	
9/8/2011 7:42	pH		8.3	S.U.	
9/9/2011 8:07	pH		8.11	S.U.	
9/12/2011 7:48	pH		8.3	S.U.	
9/13/2011 7:40	pH		8.41	S.U.	
9/14/2011 7:43	pH		8.18	S.U.	
9/15/2011 7:59	pH		8.12	S.U.	
9/19/2011 8:44	pH		8.11	S.U.	
9/20/2011 8:11	pH		8.14	S.U.	
9/21/2011 8:07	pH		8.27	S.U.	
9/22/2011 7:00	pH		8.19	S.U.	
9/26/2011 9:21	pH		8.19	S.U.	
9/27/2011 9:00	pH		8.18	S.U.	
9/28/2011 9:07	pH		7.89	S.U.	
9/29/2011 8:50	pH		8.25	S.U.	
10/3/2011 9:12	pH		8.15	S.U.	
10/4/2011 10:40	pH		8.24	S.U.	
10/5/2011 9:30	pH		8.16	S.U.	
10/6/2011 9:57	pH		8.15	S.U.	
10/10/2011 10:07	pH		8.39	S.U.	
10/11/2011 10:01	pH		8.21	S.U.	
10/12/2011 10:10	pH		7.85	S.U.	
10/13/2011 10:08	pH		7.98	S.U.	
10/17/2011 9:21	pH		7.97	S.U.	
10/18/2011 9:37	pH		8.01	S.U.	
10/19/2011 9:37	pH		7.85	S.U.	
10/20/2011 9:54	pH		7.89	S.U.	
10/25/2011 9:12	pH		7.74	S.U.	
10/26/2011 9:19	pH		7.64	S.U.	
10/27/2011 9:36	pH		7.65	S.U.	
5/2/2011 9:10	Turbidity		18.7	NTU	EPA180.1
5/3/2011 9:16	Turbidity		14.03	NTU	EPA180.1
5/4/2011 9:15	Turbidity		44.35	NTU	EPA180.1
5/5/2011 9:10	Turbidity		31.3	NTU	EPA180.1
5/9/2011 9:13	Turbidity		8.81	NTU	EPA180.1
5/10/2011 9:15	Turbidity		7.5	NTU	EPA180.1
5/11/2011 9:40	Turbidity		29.5	NTU	EPA180.1
5/12/2011 9:10	Turbidity		21.78	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/18/2011 8:50	Turbidity		42.4	NTU	EPA180.1
5/19/2011 8:32	Turbidity		18.35	NTU	EPA180.1
5/20/2011 8:54	Turbidity		14.7	NTU	EPA180.1
5/21/2011 8:00	Turbidity		8.16	NTU	EPA180.1
5/22/2011 7:15	Turbidity		15.69	NTU	EPA180.1
5/23/2011 9:06	Turbidity		10.35	NTU	EPA180.1
5/24/2011 9:05	Turbidity		14.75	NTU	EPA180.1
5/25/2011 8:43	Turbidity		8.94	NTU	EPA180.1
5/26/2011 8:50	Turbidity		35.5	NTU	EPA180.1
5/27/2011 8:47	Turbidity		26.2	NTU	EPA180.1
5/28/2011 7:40	Turbidity		24.6	NTU	EPA180.1
5/29/2011 8:11	Turbidity		30	NTU	EPA180.1
5/30/2011 7:46	Turbidity		22	NTU	EPA180.1
5/31/2011 8:22	Turbidity		12.4	NTU	EPA180.1
6/1/2011 8:36	Turbidity		37.2	NTU	EPA180.1
6/2/2011 8:36	Turbidity		28.45	NTU	EPA180.1
6/3/2011 8:24	Turbidity		10.6	NTU	EPA180.1
6/4/2011 8:38	Turbidity		5.79	NTU	EPA180.1
6/5/2011 7:50	Turbidity		11.6	NTU	EPA180.1
6/6/2011 9:03	Turbidity		7.71	NTU	EPA180.1
6/7/2011 9:59	Turbidity		18.85	NTU	EPA180.1
6/8/2011 8:22	Turbidity		8.53	NTU	EPA180.1
6/9/2011 8:16	Turbidity		21.6	NTU	EPA180.1
6/10/2011 8:38	Turbidity		20.15	NTU	EPA180.1
6/11/2011 7:23	Turbidity		9.49	NTU	EPA180.1
6/12/2011 7:09	Turbidity		16.95	NTU	EPA180.1
6/13/2011 8:40	Turbidity		12.6	NTU	EPA180.1
6/14/2011 8:22	Turbidity		25.25	NTU	EPA180.1
6/15/2011 9:00	Turbidity		7.83	NTU	EPA180.1
6/16/2011 8:30	Turbidity		6.4	NTU	EPA180.1
6/17/2011 8:29	Turbidity		7	NTU	EPA180.1
6/18/2011 7:11	Turbidity		4.4	NTU	EPA180.1
6/19/2011 7:01	Turbidity		6.4	NTU	EPA180.1
6/20/2011 8:21	Turbidity		18.6	NTU	EPA180.1
6/21/2011 8:23	Turbidity		8.96	NTU	EPA180.1
6/22/2011 8:40	Turbidity		10	NTU	EPA180.1
6/23/2011 8:50	Turbidity		9.5	NTU	EPA180.1
6/24/2011 8:24	Turbidity		10.3	NTU	EPA180.1
6/25/2011 7:33	Turbidity		35.45	NTU	EPA180.1
6/26/2011 7:22	Turbidity		18.3	NTU	EPA180.1
6/27/2011 8:31	Turbidity		7.2	NTU	EPA180.1
6/28/2011 8:55	Turbidity		8.61	NTU	EPA180.1
6/29/2011 8:30	Turbidity		60.3	NTU	EPA180.1
6/30/2011 8:39	Turbidity		15.8	NTU	EPA180.1
7/1/2011 8:20	Turbidity		6.06	NTU	EPA180.1
7/2/2011 7:05	Turbidity		13.1	NTU	EPA180.1
7/3/2011 7:06	Turbidity		14.5	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/4/2011 6:55	Turbidity		10.45	NTU	EPA180.1
7/5/2011 8:08	Turbidity		7.54	NTU	EPA180.1
7/6/2011 8:30	Turbidity		7.78	NTU	EPA180.1
7/7/2011 9:07	Turbidity		11.1	NTU	EPA180.1
7/8/2011 8:34	Turbidity		12.7	NTU	EPA180.1
7/9/2011 7:15	Turbidity		4.75	NTU	EPA180.1
7/10/2011 7:12	Turbidity		6.32	NTU	EPA180.1
7/11/2011 8:29	Turbidity		4.38	NTU	EPA180.1
7/12/2011 8:20	Turbidity		8.46	NTU	EPA180.1
7/13/2011 8:50	Turbidity		27.3	NTU	EPA180.1
7/14/2011 8:23	Turbidity		15	NTU	EPA180.1
7/15/2011 8:55	Turbidity		4.46	NTU	EPA180.1
7/16/2011 7:07	Turbidity		5.42	NTU	EPA180.1
7/17/2011 7:34	Turbidity		3.8	NTU	EPA180.1
7/18/2011 8:30	Turbidity		5.69	NTU	EPA180.1
7/19/2011 8:33	Turbidity		15	NTU	EPA180.1
7/20/2011 8:46	Turbidity		5.3	NTU	EPA180.1
7/21/2011 8:19	Turbidity		6.68	NTU	EPA180.1
7/22/2011 8:19	Turbidity		12.2	NTU	EPA180.1
7/23/2011 7:13	Turbidity		7.93	NTU	EPA180.1
7/24/2011 7:20	Turbidity		9.28	NTU	EPA180.1
7/25/2011 8:09	Turbidity		6.84	NTU	EPA180.1
7/26/2011 8:00	Turbidity		6.53	NTU	EPA180.1
7/27/2011 7:49	Turbidity		8.87	NTU	EPA180.1
7/28/2011 7:53	Turbidity		4.5	NTU	EPA180.1
7/29/2011 7:56	Turbidity		8.05	NTU	EPA180.1
7/30/2011 7:06	Turbidity		8.44	NTU	EPA180.1
7/31/2011 7:03	Turbidity		5.8	NTU	EPA180.1
8/1/2011 8:18	Turbidity		4.01	NTU	EPA180.1
8/2/2011 8:30	Turbidity		4.45	NTU	EPA180.1
8/3/2011 8:21	Turbidity		3.97	NTU	EPA180.1
8/4/2011 8:30	Turbidity		19.5	NTU	EPA180.1
8/5/2011 8:22	Turbidity		5.67	NTU	EPA180.1
8/6/2011 7:13	Turbidity		8.72	NTU	EPA180.1
8/7/2011 7:06	Turbidity		11.5	NTU	EPA180.1
8/8/2011 8:25	Turbidity		8.71	NTU	EPA180.1
8/9/2011 8:31	Turbidity		3.7	NTU	EPA180.1
8/10/2011 7:43	Turbidity		21.5	NTU	EPA180.1
8/11/2011 7:50	Turbidity		56.8	NTU	EPA180.1
8/12/2011 7:45	Turbidity		4.99	NTU	EPA180.1
8/13/2011 7:03	Turbidity		3.89	NTU	EPA180.1
8/14/2011 7:19	Turbidity		17	NTU	EPA180.1
8/15/2011 8:19	Turbidity		30.5	NTU	EPA180.1
8/16/2011 7:53	Turbidity		21.7	NTU	EPA180.1
8/17/2011 7:58	Turbidity		6.33	NTU	EPA180.1
8/18/2011 7:55	Turbidity		3.92	NTU	EPA180.1
8/19/2011 7:49	Turbidity		4	NTU	EPA180.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/20/2011 7:19	Turbidity		3.65	NTU	EPA180.1
8/21/2011 7:04	Turbidity		4.96	NTU	EPA180.1
8/22/2011 7:43	Turbidity		29.25	NTU	EPA180.1
8/23/2011 7:51	Turbidity		7.53	NTU	EPA180.1
8/24/2011 8:03	Turbidity		4.16	NTU	EPA180.1
8/25/2011 7:48	Turbidity		12.35	NTU	EPA180.1
8/26/2011 7:43	Turbidity		3.33	NTU	EPA180.1
8/27/2011 7:10	Turbidity		6.98	NTU	EPA180.1
8/28/2011 7:00	Turbidity		24.95	NTU	EPA180.1
8/29/2011 7:53	Turbidity		20	NTU	EPA180.1
8/30/2011 7:42	Turbidity		5.9	NTU	EPA180.1
8/31/2011 7:46	Turbidity		5.46	NTU	EPA180.1
9/1/2011 8:07	Turbidity		8.61	NTU	EPA180.1
9/2/2011 7:49	Turbidity		3.08	NTU	EPA180.1
9/3/2011 7:03	Turbidity		3.08	NTU	EPA180.1
9/4/2011 6:59	Turbidity		4.02	NTU	EPA180.1
9/5/2011 7:03	Turbidity		37.5	NTU	EPA180.1
9/6/2011 7:43	Turbidity		22.4	NTU	EPA180.1
9/7/2011 7:42	Turbidity		24.15	NTU	EPA180.1
9/8/2011 7:42	Turbidity		21.15	NTU	EPA180.1
9/9/2011 8:07	Turbidity		5.8	NTU	EPA180.1
9/12/2011 7:48	Turbidity		4.42	NTU	EPA180.1
9/13/2011 7:40	Turbidity		4	NTU	EPA180.1
9/14/2011 7:43	Turbidity		12.5	NTU	EPA180.1
9/15/2011 7:59	Turbidity		17.6	NTU	EPA180.1
9/19/2011 8:44	Turbidity		6.27	NTU	EPA180.1
9/20/2011 8:11	Turbidity		9.82	NTU	EPA180.1
9/21/2011 8:07	Turbidity		4.9	NTU	EPA180.1
9/22/2011 7:00	Turbidity		6.23	NTU	EPA180.1
9/26/2011 9:21	Turbidity		8.32	NTU	EPA180.1
9/27/2011 9:00	Turbidity		7.1	NTU	EPA180.1
9/28/2011 9:07	Turbidity		4.44	NTU	EPA180.1
9/29/2011 8:50	Turbidity		8.73	NTU	EPA180.1
10/3/2011 9:12	Turbidity		72.75	NTU	EPA180.1
10/4/2011 10:40	Turbidity		48.9	NTU	EPA180.1
10/5/2011 9:30	Turbidity		34.75	NTU	EPA180.1
10/6/2011 9:57	Turbidity		27.45	NTU	EPA180.1
10/10/2011 10:07	Turbidity		8.2	NTU	EPA180.1
10/11/2011 10:01	Turbidity		6.4	NTU	EPA180.1
10/12/2011 10:10	Turbidity		7.555	NTU	EPA180.1
10/13/2011 10:08	Turbidity		11	NTU	EPA180.1
10/17/2011 9:21	Turbidity		80.55	NTU	EPA180.1
10/18/2011 9:37	Turbidity		72	NTU	EPA180.1
10/19/2011 9:37	Turbidity		49.1	NTU	EPA180.1
10/20/2011 9:54	Turbidity		68	NTU	EPA180.1
10/25/2011 9:12	Turbidity		51.8	NTU	EPA180.1
10/26/2011 9:19	Turbidity		28.5	NTU	EPA180.1

Edgewater East Site					
Sample Date	Parameter	Code	Result	Units	Method
10/27/2011 9:36	Turbidity		23.55	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:20	E. coli	EC	91	cfu/100mL	EPA1603
5/3/2011 9:30	E. coli		155	cfu/100mL	EPA1603
5/4/2011 9:25	E. coli		205	cfu/100mL	EPA1603
5/5/2011 9:25	E. coli		195	cfu/100mL	EPA1603
5/9/2011 9:33	E. coli		54	cfu/100mL	EPA1603
5/10/2011 9:30	E. coli		30	cfu/100mL	EPA1603
5/11/2011 9:55	E. coli		27	cfu/100mL	EPA1603
5/12/2011 9:26	E. coli		41	cfu/100mL	EPA1603
5/18/2011 9:07	E. coli		210	cfu/100mL	EPA1603
5/19/2011 8:45	E. coli		102	cfu/100mL	EPA1603
5/20/2011 9:08	E. coli		51	cfu/100mL	EPA1603
5/21/2011 8:08	E. coli		18	cfu/100mL	EPA1603
5/22/2011 7:25	E. coli		26	cfu/100mL	EPA1603
5/23/2011 9:17	E. coli		20	cfu/100mL	EPA1603
5/24/2011 9:21	E. coli		46	cfu/100mL	EPA1603
5/25/2011 8:53	E. coli		21	cfu/100mL	EPA1603
5/26/2011 9:09	E. coli	EC	45	cfu/100mL	EPA1603
5/27/2011 9:02	E. coli		325	cfu/100mL	EPA1603
5/28/2011 7:47	E. coli		580	cfu/100mL	EPA1603
5/29/2011 8:18	E. coli		460	cfu/100mL	EPA1603
5/30/2011 7:51	E. coli		305	cfu/100mL	EPA1603
5/31/2011 8:36	E. coli		111	cfu/100mL	EPA1603
6/1/2011 8:54	E. coli		134	cfu/100mL	EPA1603
6/2/2011 8:47	E. coli		330	cfu/100mL	EPA1603
6/3/2011 8:36	E. coli		25	cfu/100mL	EPA1603
6/4/2011 8:54	E. coli		41.5	cfu/100mL	EPA1603
6/5/2011 8:02	E. coli		103	cfu/100mL	EPA1603
6/6/2011 9:17	E. coli		30	cfu/100mL	EPA1603
6/7/2011 10:14	E. coli		2200	cfu/100mL	EPA1603
6/8/2011 8:39	E. coli		356	cfu/100mL	EPA1603
6/9/2011 8:33	E. coli		320	cfu/100mL	EPA1603
6/10/2011 8:52	E. coli		120	cfu/100mL	EPA1603
6/11/2011 7:30	E. coli		63	cfu/100mL	EPA1603
6/12/2011 7:17	E. coli		200	cfu/100mL	EPA1603
6/13/2011 8:52	E. coli		140	cfu/100mL	EPA1603
6/14/2011 8:38	E. coli		800	cfu/100mL	EPA1603
6/15/2011 9:11	E. coli		12	cfu/100mL	EPA1603
6/16/2011 8:42	E. coli		15	cfu/100mL	EPA1603
6/17/2011 8:43	E. coli		10	cfu/100mL	EPA1603
6/18/2011 7:20	E. coli		13	cfu/100mL	EPA1603
6/19/2011 7:10	E. coli		570	cfu/100mL	EPA1603
6/20/2011 8:31	E. coli		245	cfu/100mL	EPA1603
6/21/2011 8:36	E. coli		315	cfu/100mL	EPA1603
6/22/2011 8:52	E. coli		440	cfu/100mL	EPA1603
6/23/2011 9:03	E. coli	EC	18	cfu/100mL	EPA1603

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/24/2011 8:35	E. coli		25	cfu/100mL	EPA1603
6/25/2011 7:40	E. coli		190	cfu/100mL	EPA1603
6/26/2011 7:30	E. coli		51	cfu/100mL	EPA1603
6/27/2011 8:43	E. coli		11	cfu/100mL	EPA1603
6/28/2011 9:00	E. coli		18	cfu/100mL	EPA1603
6/29/2011 8:45	E. coli		230	cfu/100mL	EPA1603
6/30/2011 8:53	E. coli		23	cfu/100mL	EPA1603
7/1/2011 8:32	E. coli		12	cfu/100mL	EPA1603
7/2/2011 7:12	E. coli		26	cfu/100mL	EPA1603
7/3/2011 7:12	E. coli		71	cfu/100mL	EPA1603
7/4/2011 7:03	E. coli		59	cfu/100mL	EPA1603
7/5/2011 8:18	E. coli		63	cfu/100mL	EPA1603
7/6/2011 8:43	E. coli		61	cfu/100mL	EPA1603
7/7/2011 9:15	E. coli		30	cfu/100mL	EPA1603
7/8/2011 8:46	E. coli		16	cfu/100mL	EPA1603
7/9/2011 7:20	E. coli		34	cfu/100mL	EPA1603
7/10/2011 7:18	E. coli		5	cfu/100mL	EPA1603
7/11/2011 8:39	E. coli		5	cfu/100mL	EPA1603
7/12/2011 8:32	E. coli		67	cfu/100mL	EPA1603
7/13/2011 9:00	E. coli		64	cfu/100mL	EPA1603
7/14/2011 8:31	E. coli		15	cfu/100mL	EPA1603
7/15/2011 9:04	E. coli		21	cfu/100mL	EPA1603
7/16/2011 7:13	E. coli	ec	20	cfu/100mL	EPA1603
7/17/2011 7:44	E. coli		3	cfu/100mL	EPA1603
7/18/2011 8:39	E. coli		23	cfu/100mL	EPA1603
7/19/2011 8:00	E. coli		7000	cfu/100mL	EPA1603
7/19/2011 8:41	E. coli		4800	cfu/100mL	EPA1603
7/19/2011 13:38	E. coli	EC	408	cfu/100mL	EPA1603
7/20/2011 8:55	E. coli		860	cfu/100mL	EPA1603
7/20/2011 13:57	E. coli	EC	95	cfu/100mL	EPA1603
7/21/2011 8:27	E. coli		195	cfu/100mL	EPA1603
7/22/2011 8:31	E. coli		160	cfu/100mL	EPA1603
7/23/2011 7:19	E. coli		880	cfu/100mL	EPA1603
7/24/2011 7:27	E. coli		620	cfu/100mL	EPA1603
7/25/2011 8:16	E. coli		71	cfu/100mL	EPA1603
7/26/2011 8:08	E. coli		130	cfu/100mL	EPA1603
7/27/2011 7:59	E. coli		106	cfu/100mL	EPA1603
7/28/2011 8:03	E. coli		28	cfu/100mL	EPA1603
7/29/2011 8:01	E. coli		360	cfu/100mL	EPA1603
7/30/2011 7:20	E. coli		118	cfu/100mL	EPA1603
7/31/2011 7:10	E. coli		16	cfu/100mL	EPA1603
8/1/2011 8:26	E. coli		8	cfu/100mL	EPA1603
8/2/2011 8:43	E. coli		6	cfu/100mL	EPA1603
8/3/2011 8:32	E. coli		30	cfu/100mL	EPA1603
8/4/2011 8:39	E. coli		72	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/5/2011 8:30	E. coli		40	cfu/100mL	EPA1603
8/6/2011 7:20	E. coli		22	cfu/100mL	EPA1603
8/7/2011 7:12	E. coli		44	cfu/100mL	EPA1603
8/8/2011 8:33	E. coli		61	cfu/100mL	EPA1603
8/9/2011 8:37	E. coli		30	cfu/100mL	EPA1603
8/10/2011 7:55	E. coli		30	cfu/100mL	EPA1603
8/11/2011 7:57	E. coli		150	cfu/100mL	EPA1603
8/12/2011 7:52	E. coli		10	cfu/100mL	EPA1603
8/13/2011 7:11	E. coli		31	cfu/100mL	EPA1603
8/14/2011 7:27	E. coli		195	cfu/100mL	EPA1603
8/15/2011 8:27	E. coli		5400	cfu/100mL	EPA1603
8/15/2011 14:45	E. coli		630	cfu/100mL	EPA1603
8/16/2011 8:04	E. coli		580	cfu/100mL	EPA1603
8/17/2011 8:04	E. coli		41	cfu/100mL	EPA1603
8/17/2011 13:58	E. coli	EC	7	cfu/100mL	EPA1603
8/18/2011 8:00	E. coli		600	cfu/100mL	EPA1603
8/19/2011 7:55	E. coli		220	cfu/100mL	EPA1603
8/20/2011 7:25	E. coli		71	cfu/100mL	EPA1603
8/21/2011 7:11	E. coli		1060	cfu/100mL	EPA1603
8/22/2011 7:51	E. coli		420	cfu/100mL	EPA1603
8/23/2011 7:57	E. coli		61	cfu/100mL	EPA1603
8/24/2011 8:09	E. coli		220	cfu/100mL	EPA1603
8/25/2011 7:51	E. coli		680	cfu/100mL	EPA1603
8/26/2011 7:49	E. coli		26	cfu/100mL	EPA1603
8/27/2011 7:15	E. coli		170	cfu/100mL	EPA1603
8/28/2011 7:06	E. coli		540	cfu/100mL	EPA1603
8/29/2011 8:00	E. coli		42	cfu/100mL	EPA1603
8/30/2011 7:48	E. coli		27	cfu/100mL	EPA1603
8/31/2011 7:50	E. coli		31	cfu/100mL	EPA1603
9/1/2011 8:11	E. coli		41	cfu/100mL	EPA1603
9/2/2011 7:55	E. coli		41	cfu/100mL	EPA1603
9/3/2011 7:10	E. coli		140	cfu/100mL	EPA1603
9/4/2011 7:05	E. coli		285	cfu/100mL	EPA1603
9/5/2011 7:08	E. coli		2200	cfu/100mL	EPA1603
9/6/2011 7:49	E. coli		780	cfu/100mL	EPA1603
9/7/2011 7:49	E. coli		255	cfu/100mL	EPA1603
9/8/2011 7:49	E. coli		15	cfu/100mL	EPA1603
9/9/2011 8:13	E. coli		295	cfu/100mL	EPA1603
9/12/2011 7:56	E. coli		262	cfu/100mL	EPA1603
9/13/2011 7:45	E. coli		76	cfu/100mL	EPA1603
9/14/2011 7:47	E. coli		270	cfu/100mL	EPA1603
9/15/2011 8:06	E. coli		245	cfu/100mL	EPA1603
9/19/2011 8:53	E. coli		43	cfu/100mL	EPA1603
9/20/2011 8:18	E. coli		255	cfu/100mL	EPA1603
9/21/2011 8:14	E. coli		41	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/22/2011 7:08	E. coli		265	cfu/100mL	EPA1603
9/26/2011 9:27	E. coli		150	cfu/100mL	EPA1603
9/27/2011 9:06	E. coli		160	cfu/100mL	EPA1603
9/28/2011 9:13	E. coli		1080	cfu/100mL	EPA1603
9/29/2011 8:55	E. coli		255	cfu/100mL	EPA1603
10/3/2011 9:16	E. coli		245	cfu/100mL	EPA1603
10/4/2011 10:46	E. coli	EC	420	cfu/100mL	EPA1603
10/5/2011 9:37	E. coli		72	cfu/100mL	EPA1603
10/6/2011 10:04	E. coli	EC	89	cfu/100mL	EPA1603
10/10/2011 10:13	E. coli		205	cfu/100mL	EPA1603
10/11/2011 10:09	E. coli	EC	400	cfu/100mL	EPA1603
10/12/2011 10:15	E. coli		200	cfu/100mL	EPA1603
10/13/2011 10:15	E. coli		180	cfu/100mL	EPA1603
10/17/2011 9:30	E. coli	EC	88	cfu/100mL	EPA1603
10/18/2011 9:44	E. coli		66	cfu/100mL	EPA1603
10/19/2011 9:44	E. coli		620	cfu/100mL	EPA1603
10/20/2011 10:01	E. coli		560	cfu/100mL	EPA1603
10/25/2011 9:21	E. coli		202	cfu/100mL	EPA1603
10/26/2011 9:25	E. coli		145	cfu/100mL	EPA1603
10/27/2011 9:41	E. coli		190	cfu/100mL	EPA1603
5/2/2011 9:20	Field Cond		218	uS/cm	SM 2510A
5/3/2011 9:30	Field Cond		213	uS/cm	SM 2510A
5/4/2011 9:25	Field Cond		201	uS/cm	SM 2510A
5/5/2011 9:25	Field Cond		214	uS/cm	SM 2510A
5/9/2011 9:33	Field Cond		252	uS/cm	SM 2510A
5/10/2011 9:30	Field Cond		344	uS/cm	SM 2510A
5/11/2011 9:55	Field Cond		330	uS/cm	SM 2510A
5/12/2011 9:26	Field Cond		355	uS/cm	SM 2510A
5/18/2011 9:07	Field Cond		334	uS/cm	SM 2510A
5/19/2011 8:45	Field Cond		388	uS/cm	SM 2510A
5/20/2011 9:08	Field Cond		244	uS/cm	SM 2510A
5/21/2011 8:08	Field Cond		346	uS/cm	SM 2510A
5/23/2011 9:17	Field Cond		296	uS/cm	SM 2510A
5/25/2011 8:53	Field Cond		294	uS/cm	SM 2510A
5/26/2011 9:09	Field Cond		331	uS/cm	SM 2510A
5/28/2011 7:47	Field Cond		333	uS/cm	SM 2510A
5/29/2011 8:18	Field Cond		285	uS/cm	SM 2510A
5/30/2011 7:51	Field Cond		275	uS/cm	SM 2510A
5/31/2011 8:36	Field Cond		310	uS/cm	SM 2510A
6/1/2011 8:54	Field Cond		312	uS/cm	SM 2510A
6/2/2011 8:47	Field Cond		126	uS/cm	SM 2510A
6/3/2011 8:36	Field Cond		320	uS/cm	SM 2510A
6/4/2011 8:54	Field Cond		305	uS/cm	SM 2510A
6/5/2011 8:02	Field Cond		307	uS/cm	SM 2510A

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/7/2011 10:14	Field Cond		307	uS/cm	SM 2510A
6/8/2011 8:39	Field Cond		329	uS/cm	SM 2510A
6/9/2011 8:33	Field Cond		358	uS/cm	SM 2510A
6/10/2011 8:52	Field Cond		361	uS/cm	SM 2510A
6/11/2011 7:30	Field Cond		328	uS/cm	SM 2510A
6/12/2011 7:17	Field Cond		324	uS/cm	SM 2510A
6/13/2011 8:52	Field Cond		377	uS/cm	SM 2510A
6/15/2011 9:11	Field Cond		443	uS/cm	SM 2510A
6/16/2011 8:42	Field Cond		337	uS/cm	SM 2510A
6/17/2011 8:43	Field Cond		391	uS/cm	SM 2510A
6/18/2011 7:20	Field Cond		369	uS/cm	SM 2510A
6/19/2011 7:10	Field Cond		341	uS/cm	SM 2510A
6/20/2011 8:31	Field Cond		391	uS/cm	SM 2510A
6/21/2011 8:36	Field Cond		337	uS/cm	SM 2510A
6/22/2011 8:52	Field Cond		340	uS/cm	SM 2510A
6/23/2011 9:03	Field Cond		346	uS/cm	SM 2510A
6/24/2011 8:35	Field Cond		336	uS/cm	SM 2510A
6/25/2011 7:40	Field Cond		325	uS/cm	SM 2510A
6/26/2011 7:30	Field Cond		386	uS/cm	SM 2510A
6/27/2011 8:43	Field Cond		320	uS/cm	SM 2510A
6/28/2011 9:00	Field Cond		337	uS/cm	SM 2510A
6/29/2011 8:45	Field Cond		343	uS/cm	SM 2510A
6/30/2011 8:53	Field Cond		331	uS/cm	SM 2510A
7/1/2011 8:32	Field Cond		308	uS/cm	SM 2510A
7/2/2011 7:12	Field Cond		313	uS/cm	SM 2510A
7/3/2011 7:12	Field Cond		318	uS/cm	SM 2510A
7/4/2011 7:03	Field Cond		305	uS/cm	SM 2510A
7/5/2011 8:18	Field Cond		405	uS/cm	SM 2510A
7/6/2011 8:43	Field Cond		378	uS/cm	SM 2510A
7/7/2011 9:15	Field Cond		332	uS/cm	SM 2510A
7/8/2011 8:46	Field Cond		387	uS/cm	SM 2510A
7/9/2011 7:20	Field Cond		341	uS/cm	SM 2510A
7/10/2011 7:18	Field Cond		354	uS/cm	SM 2510A
7/11/2011 8:39	Field Cond		333	uS/cm	SM 2510A
7/12/2011 8:32	Field Cond		334	uS/cm	SM 2510A
7/13/2011 9:00	Field Cond		364	uS/cm	SM 2510A
7/14/2011 8:31	Field Cond		319	uS/cm	SM 2510A
7/15/2011 9:04	Field Cond		336	uS/cm	SM 2510A
7/16/2011 7:13	Field Cond		348	uS/cm	SM 2510A
7/17/2011 7:44	Field Cond		340	uS/cm	SM 2510A
7/18/2011 8:39	Field Cond		313	uS/cm	SM 2510A
7/19/2011 8:41	Field Cond		307	uS/cm	SM 2510A
7/20/2011 8:55	Field Cond		341	uS/cm	SM 2510A
7/21/2011 8:27	Field Cond		356	uS/cm	SM 2510A
7/22/2011 8:31	Field Cond		334	uS/cm	SM 2510A



Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/23/2011 7:19	Field Cond		260	uS/cm	SM 2510A
7/24/2011 7:27	Field Cond		321	uS/cm	SM 2510A
7/25/2011 8:16	Field Cond		314	uS/cm	SM 2510A
7/26/2011 8:08	Field Cond		324	uS/cm	SM 2510A
7/27/2011 7:59	Field Cond		353	uS/cm	SM 2510A
7/28/2011 8:03	Field Cond		355	uS/cm	SM 2510A
7/29/2011 8:01	Field Cond		299	uS/cm	SM 2510A
7/30/2011 7:20	Field Cond		352	uS/cm	SM 2510A
7/31/2011 7:10	Field Cond		358	uS/cm	SM 2510A
8/1/2011 8:26	Field Cond		281	uS/cm	SM 2510A
8/2/2011 8:43	Field Cond		320	uS/cm	SM 2510A
8/3/2011 8:32	Field Cond		287	uS/cm	SM 2510A
8/4/2011 8:39	Field Cond		300	uS/cm	SM 2510A
8/5/2011 8:30	Field Cond		391	uS/cm	SM 2510A
8/6/2011 7:20	Field Cond		431	uS/cm	SM 2510A
8/7/2011 7:12	Field Cond		334	uS/cm	SM 2510A
8/8/2011 8:33	Field Cond		330	uS/cm	SM 2510A
8/9/2011 8:37	Field Cond		351	uS/cm	SM 2510A
8/10/2011 7:55	Field Cond		366	uS/cm	SM 2510A
8/11/2011 7:57	Field Cond		323	uS/cm	SM 2510A
8/12/2011 7:52	Field Cond		302	uS/cm	SM 2510A
8/13/2011 7:11	Field Cond		330	uS/cm	SM 2510A
8/14/2011 7:27	Field Cond		366	uS/cm	SM 2510A
8/15/2011 8:27	Field Cond		391	uS/cm	SM 2510A
8/16/2011 8:04	Field Cond		343	uS/cm	SM 2510A
8/17/2011 8:04	Field Cond		331	uS/cm	SM 2510A
8/18/2011 8:00	Field Cond		340	uS/cm	SM 2510A
8/19/2011 7:55	Field Cond		373	uS/cm	SM 2510A
8/20/2011 7:25	Field Cond		366	uS/cm	SM 2510A
8/21/2011 7:11	Field Cond		362	uS/cm	SM 2510A
8/22/2011 7:51	Field Cond		340	uS/cm	SM 2510A
8/23/2011 7:57	Field Cond		320	uS/cm	SM 2510A
8/24/2011 8:09	Field Cond		247	uS/cm	SM 2510A
8/25/2011 7:51	Field Cond		335	uS/cm	SM 2510A
8/26/2011 7:49	Field Cond		322	uS/cm	SM 2510A
8/27/2011 7:15	Field Cond		467	uS/cm	SM 2510A
8/28/2011 7:06	Field Cond		288	uS/cm	SM 2510A
8/29/2011 8:00	Field Cond		389	uS/cm	SM 2510A
8/30/2011 7:48	Field Cond		316	uS/cm	SM 2510A
8/31/2011 7:50	Field Cond		324	uS/cm	SM 2510A
9/1/2011 8:11	Field Cond		331	uS/cm	SM 2510A
9/2/2011 7:55	Field Cond		331	uS/cm	SM 2510A
9/3/2011 7:10	Field Cond		331	uS/cm	SM 2510A
9/4/2011 7:05	Field Cond		338	uS/cm	SM 2510A
9/5/2011 7:08	Field Cond		334	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/6/2011 7:49	Field Cond		452	uS/cm	SM 2510A
9/7/2011 7:49	Field Cond		335	uS/cm	SM 2510A
9/8/2011 7:49	Field Cond		315	uS/cm	SM 2510A
9/9/2011 8:13	Field Cond		281	uS/cm	SM 2510A
9/12/2011 7:56	Field Cond		355	uS/cm	SM 2510A
9/13/2011 7:45	Field Cond		336	uS/cm	SM 2510A
9/14/2011 7:47	Field Cond		389	uS/cm	SM 2510A
9/15/2011 8:06	Field Cond		412	uS/cm	SM 2510A
9/19/2011 8:53	Field Cond		350	uS/cm	SM 2510A
9/20/2011 8:18	Field Cond		364	uS/cm	SM 2510A
9/21/2011 8:14	Field Cond		331	uS/cm	SM 2510A
9/22/2011 7:08	Field Cond		323	uS/cm	SM 2510A
9/26/2011 9:27	Field Cond		370	uS/cm	SM 2510A
9/27/2011 9:06	Field Cond		345	uS/cm	SM 2510A
9/28/2011 9:13	Field Cond		382	uS/cm	SM 2510A
9/29/2011 8:55	Field Cond		376	uS/cm	SM 2510A
10/3/2011 9:16	Field Cond		368	uS/cm	SM 2510A
10/4/2011 10:46	Field Cond		338	uS/cm	SM 2510A
10/5/2011 9:37	Field Cond		357	uS/cm	SM 2510A
10/6/2011 10:04	Field Cond		317	uS/cm	SM 2510A
10/10/2011 10:13	Field Cond		299	uS/cm	SM 2510A
10/11/2011 10:09	Field Cond		304	uS/cm	SM 2510A
10/12/2011 10:15	Field Cond		312	uS/cm	SM 2510A
10/13/2011 10:15	Field Cond		367	uS/cm	SM 2510A
10/17/2011 9:30	Field Cond		367	uS/cm	SM 2510A
10/18/2011 9:44	Field Cond		352	uS/cm	SM 2510A
10/19/2011 9:44	Field Cond		351	uS/cm	SM 2510A
10/20/2011 10:01	Field Cond		366	uS/cm	SM 2510A
10/25/2011 9:21	Field Cond		399	uS/cm	SM 2510A
10/26/2011 9:25	Field Cond		340	uS/cm	SM 2510A
10/27/2011 9:41	Field Cond		450	uS/cm	SM 2510A
5/2/2011 9:20	Field Temp		10	C	EPA 170.1
5/3/2011 9:30	Field Temp		10.3	C	EPA 170.1
5/4/2011 9:25	Field Temp		9.4	C	EPA 170.1
5/5/2011 9:25	Field Temp		9.6	C	EPA 170.1
5/9/2011 9:33	Field Temp		12	C	EPA 170.1
5/10/2011 9:30	Field Temp		11.1	C	EPA 170.1
5/11/2011 9:55	Field Temp		12.1	C	EPA 170.1
5/12/2011 9:26	Field Temp		12	C	EPA 170.1
5/18/2011 9:07	Field Temp		11.7	C	EPA 170.1
5/19/2011 8:45	Field Temp		13	C	EPA 170.1
5/20/2011 9:08	Field Temp		12.9	C	EPA 170.1
5/21/2011 8:08	Field Temp		15.2	C	EPA 170.1
5/22/2011 7:25	Field Temp		12.6	C	EPA 170.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/23/2011 9:17	Field Temp		11.4	C	EPA 170.1
5/24/2011 9:21	Field Temp		13.6	C	EPA 170.1
5/25/2011 8:53	Field Temp		14.4	C	EPA 170.1
5/26/2011 9:09	Field Temp		12.7	C	EPA 170.1
5/27/2011 9:02	Field Temp		11.5	C	EPA 170.1
5/28/2011 7:47	Field Temp		15.4	C	EPA 170.1
5/29/2011 8:18	Field Temp		16.1	C	EPA 170.1
5/30/2011 7:51	Field Temp		18.2	C	EPA 170.1
5/31/2011 8:36	Field Temp		18.5	C	EPA 170.1
6/2/2011 8:47	Field Temp		25	C	EPA 170.1
6/3/2011 8:36	Field Temp		19.6	C	EPA 170.1
6/4/2011 8:54	Field Temp		18.4	C	EPA 170.1
6/5/2011 8:02	Field Temp		20	C	EPA 170.1
6/6/2011 9:17	Field Temp		20.1	C	EPA 170.1
6/7/2011 10:14	Field Temp		18.6	C	EPA 170.1
6/8/2011 8:39	Field Temp		19.5	C	EPA 170.1
6/9/2011 8:33	Field Temp		20.9	C	EPA 170.1
6/10/2011 8:52	Field Temp		19.9	C	EPA 170.1
6/11/2011 7:30	Field Temp		20.1	C	EPA 170.1
6/12/2011 7:17	Field Temp		20.4	C	EPA 170.1
6/13/2011 8:52	Field Temp		19.5	C	EPA 170.1
6/15/2011 9:11	Field Temp		19.3	C	EPA 170.1
6/16/2011 8:42	Field Temp		18.5	C	EPA 170.1
6/17/2011 8:43	Field Temp		19.6	C	EPA 170.1
6/18/2011 7:20	Field Temp		20.4	C	EPA 170.1
6/19/2011 7:10	Field Temp		20.6	C	EPA 170.1
6/20/2011 8:31	Field Temp		19.8	C	EPA 170.1
6/21/2011 8:36	Field Temp		20	C	EPA 170.1
6/22/2011 8:52	Field Temp		20.8	C	EPA 170.1
6/23/2011 9:03	Field Temp		21	C	EPA 170.1
6/24/2011 8:35	Field Temp		21.1	C	EPA 170.1
6/25/2011 7:40	Field Temp		19.9	C	EPA 170.1
6/26/2011 7:30	Field Temp		19.7	C	EPA 170.1
6/27/2011 8:43	Field Temp		20.3	C	EPA 170.1
6/28/2011 9:00	Field Temp		20.9	C	EPA 170.1
6/29/2011 8:45	Field Temp		20.3	C	EPA 170.1
6/30/2011 8:53	Field Temp		21.5	C	EPA 170.1
7/1/2011 8:32	Field Temp		21.5	C	EPA 170.1
7/2/2011 7:12	Field Temp		21.1	C	EPA 170.1
7/3/2011 7:12	Field Temp		21.6	C	EPA 170.1
7/4/2011 7:03	Field Temp		22.5	C	EPA 170.1
7/5/2011 8:18	Field Temp		22.2	C	EPA 170.1
7/6/2011 8:43	Field Temp		21.9	C	EPA 170.1
7/7/2011 9:15	Field Temp		23.9	C	EPA 170.1
7/8/2011 8:46	Field Temp		22	C	EPA 170.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/9/2011 7:20	Field Temp		21.8	C	EPA 170.1
7/10/2011 7:18	Field Temp		20.4	C	EPA 170.1
7/11/2011 8:39	Field Temp		21.3	C	EPA 170.1
7/12/2011 8:32	Field Temp		22.6	C	EPA 170.1
7/13/2011 9:00	Field Temp		23.2	C	EPA 170.1
7/14/2011 8:31	Field Temp		23.2	C	EPA 170.1
7/15/2011 9:04	Field Temp		23	C	EPA 170.1
7/16/2011 7:13	Field Temp		21.8	C	EPA 170.1
7/17/2011 7:44	Field Temp		22.6	C	EPA 170.1
7/18/2011 8:39	Field Temp		23.6	C	EPA 170.1
7/19/2011 8:41	Field Temp		24.4	C	EPA 170.1
7/20/2011 8:55	Field Temp		24.7	C	EPA 170.1
7/21/2011 8:27	Field Temp		25.1	C	EPA 170.1
7/22/2011 8:31	Field Temp		26.8	C	EPA 170.1
7/23/2011 7:19	Field Temp		24.5	C	EPA 170.1
7/24/2011 7:27	Field Temp		26.5	C	EPA 170.1
7/25/2011 8:16	Field Temp		26.9	C	EPA 170.1
7/26/2011 8:08	Field Temp		25.1	C	EPA 170.1
7/27/2011 7:59	Field Temp		26	C	EPA 170.1
7/28/2011 8:03	Field Temp		25.4	C	EPA 170.1
7/29/2011 8:01	Field Temp		24.5	C	EPA 170.1
7/30/2011 7:20	Field Temp		24.4	C	EPA 170.1
7/31/2011 7:10	Field Temp		24.6	C	EPA 170.1
8/1/2011 8:26	Field Temp		25.8	C	EPA 170.1
8/2/2011 8:43	Field Temp		25	C	EPA 170.1
8/3/2011 8:32	Field Temp		26.1	C	EPA 170.1
8/4/2011 8:39	Field Temp		25.8	C	EPA 170.1
8/5/2011 8:30	Field Temp		25.6	C	EPA 170.1
8/6/2011 7:20	Field Temp		26.6	C	EPA 170.1
8/7/2011 7:12	Field Temp		26.3	C	EPA 170.1
8/8/2011 8:33	Field Temp		26.3	C	EPA 170.1
8/9/2011 8:37	Field Temp		26.7	C	EPA 170.1
8/10/2011 7:55	Field Temp		24.5	C	EPA 170.1
8/11/2011 7:57	Field Temp		24.3	C	EPA 170.1
8/12/2011 7:52	Field Temp		24.9	C	EPA 170.1
8/13/2011 7:11	Field Temp		25.3	C	EPA 170.1
8/14/2011 7:27	Field Temp		25.1	C	EPA 170.1
8/15/2011 8:27	Field Temp		24.1	C	EPA 170.1
8/16/2011 8:04	Field Temp		23.5	C	EPA 170.1
8/17/2011 8:04	Field Temp		24.3	C	EPA 170.1
8/18/2011 8:00	Field Temp		24.3	C	EPA 170.1
8/19/2011 7:55	Field Temp		25	C	EPA 170.1
8/20/2011 7:25	Field Temp		25.2	C	EPA 170.1
8/21/2011 7:11	Field Temp		25.8	C	EPA 170.1
8/22/2011 7:51	Field Temp		23.2	C	EPA 170.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/23/2011 7:57	Field Temp		23.4	C	EPA 170.1
8/24/2011 8:09	Field Temp		23.6	C	EPA 170.1
8/25/2011 7:51	Field Temp		24.3	C	EPA 170.1
8/26/2011 7:49	Field Temp		24.3	C	EPA 170.1
8/27/2011 7:15	Field Temp		23.9	C	EPA 170.1
8/28/2011 7:06	Field Temp		23.6	C	EPA 170.1
8/29/2011 8:00	Field Temp		23.2	C	EPA 170.1
8/30/2011 7:48	Field Temp		23.3	C	EPA 170.1
8/31/2011 7:50	Field Temp		23.4	C	EPA 170.1
9/1/2011 8:11	Field Temp		23.5	C	EPA 170.1
9/2/2011 7:55	Field Temp		24.1	C	EPA 170.1
9/3/2011 7:10	Field Temp		24.1	C	EPA 170.1
9/4/2011 7:05	Field Temp		25	C	EPA 170.1
9/5/2011 7:08	Field Temp		22.8	C	EPA 170.1
9/6/2011 7:49	Field Temp		22.4	C	EPA 170.1
9/7/2011 7:49	Field Temp		21.8	C	EPA 170.1
9/8/2011 7:49	Field Temp		22.1	C	EPA 170.1
9/9/2011 8:13	Field Temp		21.6	C	EPA 170.1
9/12/2011 7:56	Field Temp		21.2	C	EPA 170.1
9/13/2011 7:45	Field Temp		21.8	C	EPA 170.1
9/14/2011 7:47	Field Temp		21.9	C	EPA 170.1
9/15/2011 8:06	Field Temp		8.1	C	EPA 170.1
9/19/2011 8:53	Field Temp		18.8	C	EPA 170.1
9/20/2011 8:18	Field Temp		18.9	C	EPA 170.1
9/21/2011 8:14	Field Temp		19.7	C	EPA 170.1
9/22/2011 7:08	Field Temp		19.3	C	EPA 170.1
9/26/2011 9:27	Field Temp		19.3	C	EPA 170.1
9/27/2011 9:06	Field Temp		18.3	C	EPA 170.1
9/28/2011 9:13	Field Temp		18.7	C	EPA 170.1
9/29/2011 8:55	Field Temp		18.1	C	EPA 170.1
10/3/2011 9:16	Field Temp		14.9	C	EPA 170.1
10/4/2011 10:46	Field Temp		15.3	C	EPA 170.1
10/5/2011 9:37	Field Temp		15.2	C	EPA 170.1
10/6/2011 10:04	Field Temp		16.3	C	EPA 170.1
10/10/2011 10:13	Field Temp		16.6	C	EPA 170.1
10/11/2011 10:09	Field Temp		15.7	C	EPA 170.1
10/12/2011 10:15	Field Temp		15.9	C	EPA 170.1
10/13/2011 10:15	Field Temp		16.1	C	EPA 170.1
10/17/2011 9:30	Field Temp		13.3	C	EPA 170.1
10/18/2011 9:44	Field Temp		13.4	C	EPA 170.1
10/19/2011 9:44	Field Temp		14.2	C	EPA 170.1
10/20/2011 10:01	Field Temp		13.5	C	EPA 170.1
10/25/2011 9:21	Field Temp		12.2	C	EPA 170.1
10/26/2011 9:25	Field Temp		12.6	C	EPA 170.1
10/27/2011 9:41	Field Temp		12.4	C	EPA 170.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:20	pH		8.07	S.U.	
5/3/2011 9:30	pH		7.88	S.U.	
5/4/2011 9:25	pH		8.03	S.U.	
5/5/2011 9:25	pH		8.13	S.U.	
5/9/2011 9:33	pH		8.03	S.U.	
5/10/2011 9:30	pH		8.18	S.U.	
5/11/2011 9:55	pH		8.11	S.U.	
5/12/2011 9:26	pH		8.08	S.U.	
5/18/2011 9:07	pH		8.9	S.U.	
5/19/2011 8:45	pH		7.71	S.U.	
5/20/2011 9:08	pH		8.06	S.U.	
5/21/2011 8:08	pH		8.16	S.U.	
5/22/2011 7:25	pH		7.98	S.U.	
5/23/2011 9:17	pH		8.07	S.U.	
5/24/2011 9:21	pH		7.8	S.U.	
5/25/2011 8:53	pH		7.98	S.U.	
5/26/2011 9:09	pH		7.61	S.U.	
5/27/2011 9:02	pH		7.9	S.U.	
5/28/2011 7:47	pH		8.15	S.U.	
5/29/2011 8:18	pH		8.12	S.U.	
5/30/2011 7:51	pH		8.01	S.U.	
5/31/2011 8:36	pH		8.58	S.U.	
6/1/2011 8:54	pH		8.21	S.U.	
6/3/2011 8:36	pH		8	S.U.	
6/4/2011 8:54	pH		8.32	S.U.	
6/5/2011 8:02	pH		8.11	S.U.	
6/6/2011 9:17	pH		6.82	S.U.	
6/7/2011 10:14	pH		7.97	S.U.	
6/8/2011 8:39	pH		7.96	S.U.	
6/9/2011 8:33	pH		8.3	S.U.	
6/10/2011 8:52	pH		7.91	S.U.	
6/11/2011 7:30	pH		7.82	S.U.	
6/12/2011 7:17	pH		7.7	S.U.	
6/13/2011 8:52	pH		8.59	S.U.	
6/15/2011 9:11	pH		7.83	S.U.	
6/16/2011 8:42	pH		7.85	S.U.	
6/17/2011 8:43	pH		8.06	S.U.	
6/18/2011 7:20	pH		7.71	S.U.	
6/19/2011 7:10	pH		7.88	S.U.	
6/20/2011 8:31	pH		7.76	S.U.	
6/21/2011 8:36	pH		7.94	S.U.	
6/22/2011 8:52	pH		8.12	S.U.	
6/23/2011 9:03	pH		8.26	S.U.	
6/24/2011 8:35	pH		8.32	S.U.	

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/25/2011 7:40	pH		8.1	S.U.	
6/26/2011 7:30	pH		7.76	S.U.	
6/27/2011 8:43	pH		8.16	S.U.	
6/28/2011 9:00	pH		7.81	S.U.	
6/29/2011 8:45	pH		8.11	S.U.	
6/30/2011 8:53	pH		8.2	S.U.	
7/1/2011 8:32	pH		8.22	S.U.	
7/2/2011 7:12	pH		7.84	S.U.	
7/3/2011 7:12	pH		8.08	S.U.	
7/4/2011 7:03	pH		7.98	S.U.	
7/5/2011 8:18	pH		7.7	S.U.	
7/6/2011 8:43	pH		7.68	S.U.	
7/7/2011 9:15	pH		7.99	S.U.	
7/8/2011 8:46	pH		7.67	S.U.	
7/9/2011 7:20	pH		7.74	S.U.	
7/10/2011 7:18	pH		7.65	S.U.	
7/11/2011 8:39	pH		7.8	S.U.	
7/12/2011 8:32	pH		8.13	S.U.	
7/13/2011 9:00	pH		7.83	S.U.	
7/14/2011 8:31	pH		8.44	S.U.	
7/15/2011 9:04	pH		8.06	S.U.	
7/16/2011 7:13	pH		7.5	S.U.	
7/17/2011 7:44	pH		7.95	S.U.	
7/18/2011 8:39	pH		8.21	S.U.	
7/19/2011 8:41	pH		8.07	S.U.	
7/20/2011 8:55	pH		8.03	S.U.	
7/21/2011 8:27	pH		8.3	S.U.	
7/22/2011 8:31	pH		8.42	S.U.	
7/23/2011 7:19	pH		8.3	S.U.	
7/24/2011 7:27	pH		7.81	S.U.	
7/25/2011 8:16	pH		8.28	S.U.	
7/26/2011 8:08	pH		8.4	S.U.	
7/27/2011 7:59	pH		8.07	S.U.	
7/28/2011 8:03	pH		7.99	S.U.	
7/29/2011 8:01	pH		8.34	S.U.	
7/30/2011 7:20	pH		8.23	S.U.	
7/31/2011 7:10	pH		8.2	S.U.	
8/1/2011 8:26	pH		8.15	S.U.	
8/2/2011 8:43	pH		8.3	S.U.	
8/3/2011 8:32	pH		8.19	S.U.	
8/4/2011 8:39	pH		8.23	S.U.	
8/5/2011 8:30	pH		7.82	S.U.	
8/6/2011 7:20	pH		8.12	S.U.	
8/7/2011 7:12	pH		8.13	S.U.	
8/8/2011 8:33	pH		8.36	S.U.	



## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/9/2011 8:37	pH		8.67	S.U.	
8/10/2011 7:55	pH		8.34	S.U.	
8/11/2011 7:57	pH		8.32	S.U.	
8/12/2011 7:52	pH		8.52	S.U.	
8/13/2011 7:11	pH		8.71	S.U.	
8/14/2011 7:27	pH		8.41	S.U.	
8/15/2011 8:27	pH		8.36	S.U.	
8/16/2011 8:04	pH		8.29	S.U.	
8/17/2011 8:04	pH		8.51	S.U.	
8/18/2011 8:00	pH		8.58	S.U.	
8/19/2011 7:55	pH		8.5	S.U.	
8/20/2011 7:25	pH		8.5	S.U.	
8/21/2011 7:11	pH		8.45	S.U.	
8/22/2011 7:51	pH		8.44	S.U.	
8/23/2011 7:57	pH		8.53	S.U.	
8/24/2011 8:09	pH		8.67	S.U.	
8/25/2011 7:51	pH		8.3	S.U.	
8/26/2011 7:49	pH		8.47	S.U.	
8/27/2011 7:15	pH		8.29	S.U.	
8/28/2011 7:06	pH		8.3	S.U.	
8/29/2011 8:00	pH		8.2	S.U.	
8/30/2011 7:48	pH		8.54	S.U.	
8/31/2011 7:50	pH		8.59	S.U.	
9/1/2011 8:11	pH		8.23	S.U.	
9/2/2011 7:55	pH		8.34	S.U.	
9/3/2011 7:10	pH		8.34	S.U.	
9/4/2011 7:05	pH		8.42	S.U.	
9/5/2011 7:08	pH		8.35	S.U.	
9/6/2011 7:49	pH		8.18	S.U.	
9/7/2011 7:49	pH		8.27	S.U.	
9/8/2011 7:49	pH		8.31	S.U.	
9/9/2011 8:13	pH		8.19	S.U.	
9/12/2011 7:56	pH		8.32	S.U.	
9/13/2011 7:45	pH		8.43	S.U.	
9/14/2011 7:47	pH		8.16	S.U.	
9/15/2011 8:06	pH		8.14	S.U.	
9/19/2011 8:53	pH		8.12	S.U.	
9/20/2011 8:18	pH		8.19	S.U.	
9/21/2011 8:14	pH		8.3	S.U.	
9/22/2011 7:08	pH		8.23	S.U.	
9/26/2011 9:27	pH		8	S.U.	
9/27/2011 9:06	pH		8.19	S.U.	
9/28/2011 9:13	pH		8	S.U.	
9/29/2011 8:55	pH		8.31	S.U.	
10/3/2011 9:16	pH		8.18	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
10/4/2011 10:46	pH		8.28	S.U.	
10/5/2011 9:37	pH		8.17	S.U.	
10/6/2011 10:04	pH		8.19	S.U.	
10/10/2011 10:13	pH		8.39	S.U.	
10/11/2011 10:09	pH		8.34	S.U.	
10/12/2011 10:15	pH		7.9	S.U.	
10/13/2011 10:15	pH		8.02	S.U.	
10/17/2011 9:30	pH		7.96	S.U.	
10/18/2011 9:44	pH		7.89	S.U.	
10/19/2011 9:44	pH		7.92	S.U.	
10/20/2011 10:01	pH		7.94	S.U.	
10/25/2011 9:21	pH		7.76	S.U.	
10/26/2011 9:25	pH		7.63	S.U.	
10/27/2011 9:41	pH		7.88	S.U.	
5/2/2011 9:20	Turbidity		17.7	NTU	EPA180.1
5/3/2011 9:30	Turbidity		17.69	NTU	EPA180.1
5/4/2011 9:25	Turbidity		49.18	NTU	EPA180.1
5/5/2011 9:25	Turbidity		32.56	NTU	EPA180.1
5/9/2011 9:33	Turbidity		9.35	NTU	EPA180.1
5/10/2011 9:30	Turbidity		7.54	NTU	EPA180.1
5/11/2011 9:55	Turbidity		22.5	NTU	EPA180.1
5/12/2011 9:26	Turbidity		25.27	NTU	EPA180.1
5/18/2011 9:07	Turbidity		29.45	NTU	EPA180.1
5/19/2011 8:45	Turbidity		20.95	NTU	EPA180.1
5/20/2011 9:08	Turbidity		15.25	NTU	EPA180.1
5/21/2011 8:08	Turbidity		8.3	NTU	EPA180.1
5/22/2011 7:25	Turbidity		9.79	NTU	EPA180.1
5/23/2011 9:17	Turbidity		12.6	NTU	EPA180.1
5/24/2011 9:21	Turbidity		13.35	NTU	EPA180.1
5/25/2011 8:53	Turbidity		9.71	NTU	EPA180.1
5/26/2011 9:09	Turbidity		26.8	NTU	EPA180.1
5/27/2011 9:02	Turbidity		25.6	NTU	EPA180.1
5/28/2011 7:47	Turbidity		30	NTU	EPA180.1
5/29/2011 8:18	Turbidity		29.1	NTU	EPA180.1
5/30/2011 7:51	Turbidity		23.8	NTU	EPA180.1
5/31/2011 8:36	Turbidity		12.5	NTU	EPA180.1
6/1/2011 8:54	Turbidity		23.1	NTU	EPA180.1
6/2/2011 8:47	Turbidity		37.1	NTU	EPA180.1
6/3/2011 8:36	Turbidity		10.5	NTU	EPA180.1
6/4/2011 8:54	Turbidity		11.75	NTU	EPA180.1
6/5/2011 8:02	Turbidity		13.15	NTU	EPA180.1
6/6/2011 9:17	Turbidity		9.7	NTU	EPA180.1
6/7/2011 10:14	Turbidity		27.8	NTU	EPA180.1
6/8/2011 8:39	Turbidity		8	NTU	EPA180.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/9/2011 8:33	Turbidity		11.7	NTU	EPA180.1
6/10/2011 8:52	Turbidity		20	NTU	EPA180.1
6/11/2011 7:30	Turbidity		12.65	NTU	EPA180.1
6/12/2011 7:17	Turbidity		14.5	NTU	EPA180.1
6/13/2011 8:52	Turbidity		40.8	NTU	EPA180.1
6/14/2011 8:38	Turbidity		24.8	NTU	EPA180.1
6/15/2011 9:11	Turbidity		10.06	NTU	EPA180.1
6/16/2011 8:42	Turbidity		10.6	NTU	EPA180.1
6/17/2011 8:43	Turbidity		5.7	NTU	EPA180.1
6/18/2011 7:20	Turbidity		4.9	NTU	EPA180.1
6/19/2011 7:10	Turbidity		11.6	NTU	EPA180.1
6/20/2011 8:31	Turbidity		20.3	NTU	EPA180.1
6/21/2011 8:36	Turbidity		10.55	NTU	EPA180.1
6/22/2011 8:52	Turbidity		12.3	NTU	EPA180.1
6/23/2011 9:03	Turbidity		5	NTU	EPA180.1
6/24/2011 8:35	Turbidity		7.31	NTU	EPA180.1
6/25/2011 7:40	Turbidity		35.15	NTU	EPA180.1
6/26/2011 7:30	Turbidity		13.8	NTU	EPA180.1
6/27/2011 8:43	Turbidity		8.5	NTU	EPA180.1
6/28/2011 9:00	Turbidity		6.75	NTU	EPA180.1
6/29/2011 8:45	Turbidity		58.2	NTU	EPA180.1
6/30/2011 8:53	Turbidity		13	NTU	EPA180.1
7/1/2011 8:32	Turbidity		7.71	NTU	EPA180.1
7/2/2011 7:12	Turbidity		14.7	NTU	EPA180.1
7/3/2011 7:12	Turbidity		23.4	NTU	EPA180.1
7/4/2011 7:03	Turbidity		12.3	NTU	EPA180.1
7/5/2011 8:18	Turbidity		7.21	NTU	EPA180.1
7/6/2011 8:43	Turbidity		8.55	NTU	EPA180.1
7/7/2011 9:15	Turbidity		8.5	NTU	EPA180.1
7/8/2011 8:46	Turbidity		15.3	NTU	EPA180.1
7/9/2011 7:20	Turbidity		5.82	NTU	EPA180.1
7/10/2011 7:18	Turbidity		6.79	NTU	EPA180.1
7/11/2011 8:39	Turbidity		3.07	NTU	EPA180.1
7/12/2011 8:32	Turbidity		7.81	NTU	EPA180.1
7/13/2011 9:00	Turbidity		23.3	NTU	EPA180.1
7/14/2011 8:31	Turbidity		12.6	NTU	EPA180.1
7/15/2011 9:04	Turbidity		5.7	NTU	EPA180.1
7/16/2011 7:13	Turbidity		5.95	NTU	EPA180.1
7/17/2011 7:44	Turbidity		3.7	NTU	EPA180.1
7/18/2011 8:39	Turbidity		4.04	NTU	EPA180.1
7/19/2011 8:41	Turbidity		23.4	NTU	EPA180.1
7/20/2011 8:55	Turbidity		6.49	NTU	EPA180.1
7/21/2011 8:27	Turbidity		7.27	NTU	EPA180.1
7/22/2011 8:31	Turbidity		8.8	NTU	EPA180.1
7/23/2011 7:19	Turbidity		11.8	NTU	EPA180.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/24/2011 7:27	Turbidity		7.86	NTU	EPA180.1
7/25/2011 8:16	Turbidity		6.06	NTU	EPA180.1
7/26/2011 8:08	Turbidity		8.8	NTU	EPA180.1
7/27/2011 7:59	Turbidity		10.3	NTU	EPA180.1
7/28/2011 8:03	Turbidity		5.22	NTU	EPA180.1
7/29/2011 8:01	Turbidity		8.32	NTU	EPA180.1
7/30/2011 7:20	Turbidity		11.15	NTU	EPA180.1
7/31/2011 7:10	Turbidity		5.09	NTU	EPA180.1
8/1/2011 8:26	Turbidity		4.13	NTU	EPA180.1
8/2/2011 8:43	Turbidity		4.3	NTU	EPA180.1
8/3/2011 8:32	Turbidity		4.26	NTU	EPA180.1
8/4/2011 8:39	Turbidity		16.4	NTU	EPA180.1
8/5/2011 8:30	Turbidity		6.72	NTU	EPA180.1
8/6/2011 7:20	Turbidity		9.52	NTU	EPA180.1
8/7/2011 7:12	Turbidity		10.4	NTU	EPA180.1
8/8/2011 8:33	Turbidity		16	NTU	EPA180.1
8/9/2011 8:37	Turbidity		3.23	NTU	EPA180.1
8/10/2011 7:55	Turbidity		23.7	NTU	EPA180.1
8/11/2011 7:57	Turbidity		51.5	NTU	EPA180.1
8/12/2011 7:52	Turbidity		4.15	NTU	EPA180.1
8/13/2011 7:11	Turbidity		3.66	NTU	EPA180.1
8/14/2011 7:27	Turbidity		16.7	NTU	EPA180.1
8/15/2011 8:27	Turbidity		20.65	NTU	EPA180.1
8/16/2011 8:04	Turbidity		20	NTU	EPA180.1
8/17/2011 8:04	Turbidity		6.89	NTU	EPA180.1
8/18/2011 8:00	Turbidity		6.59	NTU	EPA180.1
8/19/2011 7:55	Turbidity		4.64	NTU	EPA180.1
8/20/2011 7:25	Turbidity		2.85	NTU	EPA180.1
8/21/2011 7:11	Turbidity		5.65	NTU	EPA180.1
8/22/2011 7:51	Turbidity		31.2	NTU	EPA180.1
8/23/2011 7:57	Turbidity		8.29	NTU	EPA180.1
8/24/2011 8:09	Turbidity		4.08	NTU	EPA180.1
8/25/2011 7:51	Turbidity		65.1	NTU	EPA180.1
8/26/2011 7:49	Turbidity		6.32	NTU	EPA180.1
8/27/2011 7:15	Turbidity		5.52	NTU	EPA180.1
8/28/2011 7:06	Turbidity		27.9	NTU	EPA180.1
8/29/2011 8:00	Turbidity		22.85	NTU	EPA180.1
8/30/2011 7:48	Turbidity		6.61	NTU	EPA180.1
8/31/2011 7:50	Turbidity		4.58	NTU	EPA180.1
9/1/2011 8:11	Turbidity		6.43	NTU	EPA180.1
9/2/2011 7:55	Turbidity		3.29	NTU	EPA180.1
9/3/2011 7:10	Turbidity		3.29	NTU	EPA180.1
9/4/2011 7:05	Turbidity		3.95	NTU	EPA180.1
9/5/2011 7:08	Turbidity		38.1	NTU	EPA180.1
9/6/2011 7:49	Turbidity		22.65	NTU	EPA180.1

## Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/7/2011 7:49	Turbidity		25.55	NTU	EPA180.1
9/8/2011 7:49	Turbidity		20.95	NTU	EPA180.1
9/9/2011 8:13	Turbidity		7.14	NTU	EPA180.1
9/12/2011 7:56	Turbidity		5.08	NTU	EPA180.1
9/13/2011 7:45	Turbidity		4.24	NTU	EPA180.1
9/14/2011 7:47	Turbidity		16.8	NTU	EPA180.1
9/15/2011 8:06	Turbidity		19.15	NTU	EPA180.1
9/19/2011 8:53	Turbidity		6	NTU	EPA180.1
9/20/2011 8:18	Turbidity		10.35	NTU	EPA180.1
9/21/2011 8:14	Turbidity		4.41	NTU	EPA180.1
9/22/2011 7:08	Turbidity		6.21	NTU	EPA180.1
9/26/2011 9:27	Turbidity		6.78	NTU	EPA180.1
9/27/2011 9:06	Turbidity		6.37	NTU	EPA180.1
9/28/2011 9:13	Turbidity		5.58	NTU	EPA180.1
9/29/2011 8:55	Turbidity		5.93	NTU	EPA180.1
10/3/2011 9:16	Turbidity		76.9	NTU	EPA180.1
10/4/2011 10:46	Turbidity		50.2	NTU	EPA180.1
10/5/2011 9:37	Turbidity		34	NTU	EPA180.1
10/6/2011 10:04	Turbidity		33.9	NTU	EPA180.1
10/10/2011 10:13	Turbidity		10.25	NTU	EPA180.1
10/11/2011 10:09	Turbidity		6.91	NTU	EPA180.1
10/12/2011 10:15	Turbidity		8.95	NTU	EPA180.1
10/13/2011 10:15	Turbidity		12.4	NTU	EPA180.1
10/17/2011 9:30	Turbidity		76.35	NTU	EPA180.1
10/18/2011 9:44	Turbidity		68.5	NTU	EPA180.1
10/19/2011 9:44	Turbidity		47.7	NTU	EPA180.1
10/20/2011 10:01	Turbidity		58.3	NTU	EPA180.1
10/25/2011 9:21	Turbidity		50.8	NTU	EPA180.1
10/26/2011 9:25	Turbidity		27.8	NTU	EPA180.1
10/27/2011 9:41	Turbidity		22.9	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:36	E. coli		900	cfu/100mL	EPA1603
5/3/2011 10:24	E. coli		155	cfu/100mL	EPA1603
5/4/2011 9:38	E. coli		620	cfu/100mL	EPA1603
5/5/2011 10:00	E. coli		170	cfu/100mL	EPA1603
5/9/2011 10:03	E. coli		2	cfu/100mL	EPA1603
5/10/2011 9:56	E. coli		4	cfu/100mL	EPA1603
5/11/2011 10:21	E. coli		10.5	cfu/100mL	EPA1603
5/12/2011 10:10	E. coli		10	cfu/100mL	EPA1603
5/17/2011 10:04	E. coli		640	cfu/100mL	EPA1603
5/18/2011 9:55	E. coli		750	cfu/100mL	EPA1603
5/19/2011 9:58	E. coli		488	cfu/100mL	EPA1603
5/20/2011 10:12	E. coli		98	cfu/100mL	EPA1603
5/21/2011 9:45	E. coli		13	cfu/100mL	EPA1603
5/22/2011 8:42	E. coli		38	cfu/100mL	EPA1603
5/23/2011 9:37	E. coli		116	cfu/100mL	EPA1603
5/24/2011 10:20	E. coli		1060	cfu/100mL	EPA1603
5/25/2011 9:55	E. coli		47	cfu/100mL	EPA1603
5/26/2011 9:52	E. coli		400	cfu/100mL	EPA1603
5/27/2011 9:36	E. coli		1593.5	cfu/100mL	EPA1603
5/28/2011 9:13	E. coli		240	cfu/100mL	EPA1603
5/29/2011 9:20	E. coli		180	cfu/100mL	EPA1603
5/30/2011 9:14	E. coli		700	cfu/100mL	EPA1603
5/31/2011 9:55	E. coli		147	cfu/100mL	EPA1603
6/1/2011 9:37	E. coli		393	cfu/100mL	EPA1603
6/2/2011 10:12	E. coli		133.5	cfu/100mL	EPA1603
6/3/2011 9:36	E. coli		25	cfu/100mL	EPA1603
6/4/2011 10:43	E. coli		27	cfu/100mL	EPA1603
6/5/2011 9:42	E. coli		6	cfu/100mL	EPA1603
6/6/2011 10:05	E. coli		20	cfu/100mL	EPA1603
6/7/2011 10:22	E. coli		1040	cfu/100mL	EPA1603
6/8/2011 9:34	E. coli		620	cfu/100mL	EPA1603
6/9/2011 9:40	E. coli		760	cfu/100mL	EPA1603
6/10/2011 9:45	E. coli		200	cfu/100mL	EPA1603
6/11/2011 9:05	E. coli		170	cfu/100mL	EPA1603
6/12/2011 8:39	E. coli		660	cfu/100mL	EPA1603
6/13/2011 9:49	E. coli		205	cfu/100mL	EPA1603
6/15/2011 9:40	E. coli		14	cfu/100mL	EPA1603
6/16/2011 9:32	E. coli		36	cfu/100mL	EPA1603
6/17/2011 9:50	E. coli		880	cfu/100mL	EPA1603
6/18/2011 8:44	E. coli		860	cfu/100mL	EPA1603
6/19/2011 8:38	E. coli		78	cfu/100mL	EPA1603
6/20/2011 9:24	E. coli		2100	cfu/100mL	EPA1603
6/21/2011 9:18	E. coli		144	cfu/100mL	EPA1603
6/22/2011 9:32	E. coli		295	cfu/100mL	EPA1603
6/23/2011 10:03	E. coli		1260	cfu/100mL	EPA1603

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/24/2011 9:32	E. coli		1320	cfu/100mL	EPA1603
6/25/2011 9:05	E. coli		640	cfu/100mL	EPA1603
6/27/2011 9:28	E. coli		20.5	cfu/100mL	EPA1603
6/28/2011 10:19	E. coli	EC	590	cfu/100mL	EPA1603
6/29/2011 9:34	E. coli		76	cfu/100mL	EPA1603
6/30/2011 9:28	E. coli		28	cfu/100mL	EPA1603
7/1/2011 9:41	E. coli		21	cfu/100mL	EPA1603
7/2/2011 8:35	E. coli		54	cfu/100mL	EPA1603
7/3/2011 8:40	E. coli		322	cfu/100mL	EPA1603
7/4/2011 8:33	E. coli		245	cfu/100mL	EPA1603
7/5/2011 9:13	E. coli		66	cfu/100mL	EPA1603
7/6/2011 9:22	E. coli	EC	1660	cfu/100mL	EPA1603
7/7/2011 9:44	E. coli		620	cfu/100mL	EPA1603
7/8/2011 9:19	E. coli		100	cfu/100mL	EPA1603
7/9/2011 8:30	E. coli		9	cfu/100mL	EPA1603
7/10/2011 8:20	E. coli		31	cfu/100mL	EPA1603
7/11/2011 9:50	E. coli		79	cfu/100mL	EPA1603
7/12/2011 9:32	E. coli	EC	111	cfu/100mL	EPA1603
7/13/2011 10:17	E. coli		470	cfu/100mL	EPA1603
7/14/2011 9:27	E. coli		130	cfu/100mL	EPA1603
7/15/2011 9:04	E. coli		30	cfu/100mL	EPA1603
7/16/2011 8:17	E. coli		74	cfu/100mL	EPA1603
7/17/2011 9:11	E. coli		42	cfu/100mL	EPA1603
7/18/2011 10:11	E. coli	EC	3920	cfu/100mL	EPA1603
7/19/2011 9:36	E. coli		116	cfu/100mL	EPA1603
7/20/2011 9:33	E. coli		53	cfu/100mL	EPA1603
7/20/2011 14:22	E. coli		60	cfu/100mL	EPA1603
7/21/2011 9:15	E. coli		1000	cfu/100mL	EPA1603
7/22/2011 9:00	E. coli		46	cfu/100mL	EPA1603
7/23/2011 8:54	E. coli		3500	cfu/100mL	EPA1603
7/24/2011 8:59	E. coli		620	cfu/100mL	EPA1603
7/25/2011 10:06	E. coli		390	cfu/100mL	EPA1603
7/26/2011 9:51	E. coli		150	cfu/100mL	EPA1603
7/27/2011 9:39	E. coli		12	cfu/100mL	EPA1603
7/28/2011 10:27	E. coli		600	cfu/100mL	EPA1603
7/29/2011 9:42	E. coli		1260	cfu/100mL	EPA1603
7/30/2011 9:06	E. coli		35	cfu/100mL	EPA1603
7/31/2011 8:44	E. coli		66	cfu/100mL	EPA1603
8/1/2011 9:34	E. coli		200	cfu/100mL	EPA1603
8/2/2011 10:49	E. coli		55	cfu/100mL	EPA1603
8/3/2011 9:46	E. coli		700	cfu/100mL	EPA1603
8/4/2011 9:38	E. coli		112.5	cfu/100mL	EPA1603
8/5/2011 9:19	E. coli		5	cfu/100mL	EPA1603
8/6/2011 8:25	E. coli		14	cfu/100mL	EPA1603
8/7/2011 8:40	E. coli		640	cfu/100mL	EPA1603



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/8/2011 9:10	E. coli		212	cfu/100mL	EPA1603
8/9/2011 9:21	E. coli		655	cfu/100mL	EPA1603
8/10/2011 9:15	E. coli		3550	cfu/100mL	EPA1603
8/11/2011 9:42	E. coli		175	cfu/100mL	EPA1603
8/12/2011 9:50	E. coli		86	cfu/100mL	EPA1603
8/13/2011 8:26	E. coli		54	cfu/100mL	EPA1603
8/14/2011 8:57	E. coli		660	cfu/100mL	EPA1603
8/15/2011 10:32	E. coli		315	cfu/100mL	EPA1603
8/16/2011 10:00	E. coli		125	cfu/100mL	EPA1603
8/17/2011 10:08	E. coli		15	cfu/100mL	EPA1603
8/18/2011 10:14	E. coli		760	cfu/100mL	EPA1603
8/19/2011 9:30	E. coli		10	cfu/100mL	EPA1603
8/20/2011 8:42	E. coli		13	cfu/100mL	EPA1603
8/21/2011 8:31	E. coli		2100	cfu/100mL	EPA1603
8/22/2011 9:24	E. coli	EC	464	cfu/100mL	EPA1603
8/23/2011 9:51	E. coli		24	cfu/100mL	EPA1603
8/24/2011 9:50	E. coli		135	cfu/100mL	EPA1603
8/25/2011 10:07	E. coli		3000	cfu/100mL	EPA1603
8/26/2011 9:45	E. coli		305	cfu/100mL	EPA1603
8/27/2011 8:45	E. coli		51	cfu/100mL	EPA1603
8/28/2011 8:30	E. coli		350	cfu/100mL	EPA1603
8/29/2011 10:00	E. coli		20	cfu/100mL	EPA1603
8/30/2011 9:53	E. coli		6	cfu/100mL	EPA1603
8/31/2011 9:21	E. coli		8	cfu/100mL	EPA1603
9/1/2011 9:31	E. coli		480	cfu/100mL	EPA1603
9/2/2011 9:56	E. coli		66	cfu/100mL	EPA1603
9/3/2011 8:23	E. coli		5200	cfu/100mL	EPA1603
9/4/2011 8:22	E. coli		720	cfu/100mL	EPA1603
9/5/2011 8:38	E. coli		2700	cfu/100mL	EPA1603
9/6/2011 9:35	E. coli		438	cfu/100mL	EPA1603
9/7/2011 9:02	E. coli	EC	85	cfu/100mL	EPA1603
9/8/2011 9:08	E. coli		105	cfu/100mL	EPA1603
9/9/2011 10:18	E. coli		880	cfu/100mL	EPA1603
9/12/2011 9:10	E. coli		700	cfu/100mL	EPA1603
9/13/2011 8:45	E. coli		1140	cfu/100mL	EPA1603
9/14/2011 8:40	E. coli		225	cfu/100mL	EPA1603
9/15/2011 9:08	E. coli		374	cfu/100mL	EPA1603
9/19/2011 9:58	E. coli		19	cfu/100mL	EPA1603
9/20/2011 9:56	E. coli		35	cfu/100mL	EPA1603
9/21/2011 10:09	E. coli		21	cfu/100mL	EPA1603
9/22/2011 11:15	E. coli		49	cfu/100mL	EPA1603
9/26/2011 8:30	E. coli		20	cfu/100mL	EPA1603
9/27/2011 8:25	E. coli		680	cfu/100mL	EPA1603
9/28/2011 8:31	E. coli		71	cfu/100mL	EPA1603
9/29/2011 8:18	E. coli		290	cfu/100mL	EPA1603

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/3/2011 8:36	E. coli		500	cfu/100mL	EPA1603
10/4/2011 9:08	E. coli		187.5	cfu/100mL	EPA1603
10/5/2011 8:45	E. coli	EC	78	cfu/100mL	EPA1603
10/6/2011 9:14	E. coli		43	cfu/100mL	EPA1603
10/10/2011 9:14	E. coli		8	cfu/100mL	EPA1603
10/11/2011 9:00	E. coli		13	cfu/100mL	EPA1603
10/12/2011 9:03	E. coli		23	cfu/100mL	EPA1603
10/13/2011 9:01	E. coli		600	cfu/100mL	EPA1603
10/17/2011 8:45	E. coli		255	cfu/100mL	EPA1603
10/18/2011 8:58	E. coli		137	cfu/100mL	EPA1603
10/19/2011 8:54	E. coli		64	cfu/100mL	EPA1603
10/20/2011 9:12	E. coli		3000	cfu/100mL	EPA1603
10/25/2011 8:24	E. coli		260	cfu/100mL	EPA1603
10/26/2011 8:41	E. coli		260	cfu/100mL	EPA1603
10/27/2011 8:58	E. coli		407.5	cfu/100mL	EPA1603
6/10/2014 7:00	E. coli		105	MPN/100 mL	SM9223 Colilert
5/2/2011 9:36	Field Cond		218	uS/cm	SM 2510A
5/3/2011 10:24	Field Cond		267	uS/cm	SM 2510A
5/4/2011 9:38	Field Cond		238	uS/cm	SM 2510A
5/5/2011 10:00	Field Cond		251	uS/cm	SM 2510A
5/9/2011 10:03	Field Cond		236	uS/cm	SM 2510A
5/10/2011 9:56	Field Cond		321	uS/cm	SM 2510A
5/11/2011 10:21	Field Cond		318	uS/cm	SM 2510A
5/12/2011 10:10	Field Cond		325	uS/cm	SM 2510A
5/17/2011 10:04	Field Cond		336	uS/cm	SM 2510A
5/18/2011 9:55	Field Cond		326	uS/cm	SM 2510A
5/19/2011 9:58	Field Cond		328	uS/cm	SM 2510A
5/20/2011 10:12	Field Cond		260	uS/cm	SM 2510A
5/21/2011 9:45	Field Cond		404	uS/cm	SM 2510A
5/23/2011 9:37	Field Cond		396	uS/cm	SM 2510A
5/25/2011 9:55	Field Cond		256	uS/cm	SM 2510A
5/26/2011 9:52	Field Cond		322	uS/cm	SM 2510A
5/27/2011 9:36	Field Cond		361	uS/cm	SM 2510A
5/28/2011 9:13	Field Cond		368	uS/cm	SM 2510A
5/29/2011 9:20	Field Cond		326	uS/cm	SM 2510A
5/30/2011 9:14	Field Cond		319	uS/cm	SM 2510A
5/31/2011 9:55	Field Cond		233	uS/cm	SM 2510A
6/1/2011 9:37	Field Cond		356	uS/cm	SM 2510A
6/2/2011 10:12	Field Cond		366	uS/cm	SM 2510A
6/3/2011 9:36	Field Cond		324	uS/cm	SM 2510A
6/4/2011 10:43	Field Cond		309	uS/cm	SM 2510A
6/5/2011 9:42	Field Cond		307	uS/cm	SM 2510A
6/8/2011 9:34	Field Cond		337	uS/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/9/2011 9:40	Field Cond		341	uS/cm	SM 2510A
6/10/2011 9:45	Field Cond		344	uS/cm	SM 2510A
6/11/2011 9:05	Field Cond		352	uS/cm	SM 2510A
6/12/2011 8:39	Field Cond		367	uS/cm	SM 2510A
6/13/2011 9:49	Field Cond		376	uS/cm	SM 2510A
6/15/2011 9:40	Field Cond		328	uS/cm	SM 2510A
6/16/2011 9:32	Field Cond		367	uS/cm	SM 2510A
6/17/2011 9:50	Field Cond		362	uS/cm	SM 2510A
6/18/2011 8:44	Field Cond		364	uS/cm	SM 2510A
6/19/2011 8:38	Field Cond		317	uS/cm	SM 2510A
6/20/2011 9:24	Field Cond		338	uS/cm	SM 2510A
6/21/2011 9:18	Field Cond		352	uS/cm	SM 2510A
6/22/2011 9:32	Field Cond		362	uS/cm	SM 2510A
6/23/2011 10:03	Field Cond		338	uS/cm	SM 2510A
6/24/2011 9:32	Field Cond		367	uS/cm	SM 2510A
6/25/2011 9:05	Field Cond		402	uS/cm	SM 2510A
6/27/2011 9:28	Field Cond		358	uS/cm	SM 2510A
6/28/2011 10:19	Field Cond		335	uS/cm	SM 2510A
6/29/2011 9:34	Field Cond		344	uS/cm	SM 2510A
6/30/2011 9:28	Field Cond		309	uS/cm	SM 2510A
7/1/2011 9:41	Field Cond		339	uS/cm	SM 2510A
7/2/2011 8:35	Field Cond		318	uS/cm	SM 2510A
7/3/2011 8:40	Field Cond		318	uS/cm	SM 2510A
7/4/2011 8:33	Field Cond		312	uS/cm	SM 2510A
7/5/2011 9:13	Field Cond		339	uS/cm	SM 2510A
7/6/2011 9:22	Field Cond		334	uS/cm	SM 2510A
7/7/2011 9:44	Field Cond		346	uS/cm	SM 2510A
7/8/2011 9:19	Field Cond		344	uS/cm	SM 2510A
7/9/2011 8:30	Field Cond		325	uS/cm	SM 2510A
7/10/2011 8:20	Field Cond		371	uS/cm	SM 2510A
7/11/2011 9:50	Field Cond		297	uS/cm	SM 2510A
7/12/2011 9:32	Field Cond		302	uS/cm	SM 2510A
7/13/2011 10:17	Field Cond		311	uS/cm	SM 2510A
7/14/2011 9:27	Field Cond		306	uS/cm	SM 2510A
7/15/2011 9:04	Field Cond		335	uS/cm	SM 2510A
7/16/2011 8:17	Field Cond		356	uS/cm	SM 2510A
7/17/2011 9:11	Field Cond		325	uS/cm	SM 2510A
7/18/2011 10:11	Field Cond		325	uS/cm	SM 2510A
7/19/2011 9:36	Field Cond		301	uS/cm	SM 2510A
7/20/2011 9:33	Field Cond		331	uS/cm	SM 2510A
7/21/2011 9:15	Field Cond		304	uS/cm	SM 2510A
7/22/2011 9:00	Field Cond		311	uS/cm	SM 2510A
7/23/2011 8:54	Field Cond		262	uS/cm	SM 2510A
7/24/2011 8:59	Field Cond		313	uS/cm	SM 2510A
7/25/2011 10:06	Field Cond		309	uS/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/26/2011 9:51	Field Cond		307	uS/cm	SM 2510A
7/27/2011 9:39	Field Cond		347	uS/cm	SM 2510A
7/28/2011 10:27	Field Cond		344	uS/cm	SM 2510A
7/29/2011 9:42	Field Cond		304	uS/cm	SM 2510A
7/30/2011 9:06	Field Cond		356	uS/cm	SM 2510A
7/31/2011 8:44	Field Cond		323	uS/cm	SM 2510A
8/1/2011 9:34	Field Cond		290	uS/cm	SM 2510A
8/3/2011 9:46	Field Cond		297	uS/cm	SM 2510A
8/4/2011 9:38	Field Cond		313	uS/cm	SM 2510A
8/5/2011 9:19	Field Cond		296	uS/cm	SM 2510A
8/6/2011 8:25	Field Cond		318	uS/cm	SM 2510A
8/7/2011 8:40	Field Cond		275	uS/cm	SM 2510A
8/8/2011 9:10	Field Cond		360	uS/cm	SM 2510A
8/9/2011 9:21	Field Cond		300	uS/cm	SM 2510A
8/10/2011 9:15	Field Cond		367	uS/cm	SM 2510A
8/11/2011 9:42	Field Cond		324	uS/cm	SM 2510A
8/12/2011 9:50	Field Cond		319	uS/cm	SM 2510A
8/13/2011 8:26	Field Cond		344	uS/cm	SM 2510A
8/14/2011 8:57	Field Cond		378	uS/cm	SM 2510A
8/15/2011 10:32	Field Cond		324	uS/cm	SM 2510A
8/16/2011 10:00	Field Cond		308	uS/cm	SM 2510A
8/17/2011 10:08	Field Cond		290	uS/cm	SM 2510A
8/18/2011 10:14	Field Cond		300	uS/cm	SM 2510A
8/19/2011 9:30	Field Cond		331	uS/cm	SM 2510A
8/20/2011 8:42	Field Cond		335	uS/cm	SM 2510A
8/21/2011 8:31	Field Cond		341	uS/cm	SM 2510A
8/22/2011 9:24	Field Cond		333	uS/cm	SM 2510A
8/23/2011 9:51	Field Cond		290	uS/cm	SM 2510A
8/24/2011 9:50	Field Cond		334	uS/cm	SM 2510A
8/25/2011 10:07	Field Cond		300	uS/cm	SM 2510A
8/26/2011 9:45	Field Cond		312	uS/cm	SM 2510A
8/27/2011 8:45	Field Cond		360	uS/cm	SM 2510A
8/28/2011 8:30	Field Cond		248	uS/cm	SM 2510A
8/29/2011 10:00	Field Cond		319	uS/cm	SM 2510A
8/30/2011 9:53	Field Cond		288	uS/cm	SM 2510A
8/31/2011 9:21	Field Cond		292	uS/cm	SM 2510A
9/1/2011 9:31	Field Cond		314	uS/cm	SM 2510A
9/2/2011 9:56	Field Cond		302	uS/cm	SM 2510A
9/3/2011 8:23	Field Cond		302	uS/cm	SM 2510A
9/4/2011 8:22	Field Cond		313	uS/cm	SM 2510A
9/5/2011 8:38	Field Cond		306	uS/cm	SM 2510A
9/6/2011 9:35	Field Cond		332	uS/cm	SM 2510A
9/7/2011 9:02	Field Cond		312	uS/cm	SM 2510A
9/8/2011 9:08	Field Cond		317	uS/cm	SM 2510A
9/9/2011 10:18	Field Cond		304	uS/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/12/2011 9:10	Field Cond		338	uS/cm	SM 2510A
9/13/2011 8:45	Field Cond		324	uS/cm	SM 2510A
9/14/2011 8:40	Field Cond		346	uS/cm	SM 2510A
9/15/2011 9:08	Field Cond		355	uS/cm	SM 2510A
9/19/2011 9:58	Field Cond		322	uS/cm	SM 2510A
9/20/2011 9:56	Field Cond		340	uS/cm	SM 2510A
9/21/2011 10:09	Field Cond		321	uS/cm	SM 2510A
9/22/2011 11:15	Field Cond		316	uS/cm	SM 2510A
9/26/2011 8:30	Field Cond		304	uS/cm	SM 2510A
9/27/2011 8:25	Field Cond		301	uS/cm	SM 2510A
9/28/2011 8:31	Field Cond		304	uS/cm	SM 2510A
9/29/2011 8:18	Field Cond		307	uS/cm	SM 2510A
10/3/2011 8:36	Field Cond		350	uS/cm	SM 2510A
10/4/2011 9:08	Field Cond		303	uS/cm	SM 2510A
10/5/2011 8:45	Field Cond		338	uS/cm	SM 2510A
10/6/2011 9:14	Field Cond		343	uS/cm	SM 2510A
10/10/2011 9:14	Field Cond		330	uS/cm	SM 2510A
10/11/2011 9:00	Field Cond		322	uS/cm	SM 2510A
10/12/2011 9:03	Field Cond		314	uS/cm	SM 2510A
10/13/2011 9:01	Field Cond		368	uS/cm	SM 2510A
10/17/2011 8:45	Field Cond		438	uS/cm	SM 2510A
10/18/2011 8:58	Field Cond		358	uS/cm	SM 2510A
10/19/2011 8:54	Field Cond		302	uS/cm	SM 2510A
10/20/2011 9:12	Field Cond		361	uS/cm	SM 2510A
10/25/2011 8:24	Field Cond		438	uS/cm	SM 2510A
10/26/2011 8:41	Field Cond		340	uS/cm	SM 2510A
10/27/2011 8:58	Field Cond		421	uS/cm	SM 2510A
5/2/2011 9:36	Field Temp		9.8	C	EPA 170.1
5/3/2011 10:24	Field Temp		10	C	EPA 170.1
5/4/2011 9:38	Field Temp		8.9	C	EPA 170.1
5/5/2011 10:00	Field Temp		10	C	EPA 170.1
5/9/2011 10:03	Field Temp		10.2	C	EPA 170.1
5/10/2011 9:56	Field Temp		11.1	C	EPA 170.1
5/11/2011 10:21	Field Temp		11.4	C	EPA 170.1
5/12/2011 10:10	Field Temp		10.5	C	EPA 170.1
5/17/2011 10:04	Field Temp		11.1	C	EPA 170.1
5/18/2011 9:55	Field Temp		10.8	C	EPA 170.1
5/19/2011 9:58	Field Temp		12.4	C	EPA 170.1
5/20/2011 10:12	Field Temp		13.6	C	EPA 170.1
5/21/2011 9:45	Field Temp		15	C	EPA 170.1
5/22/2011 8:42	Field Temp		12	C	EPA 170.1
5/23/2011 9:37	Field Temp		15.3	C	EPA 170.1
5/24/2011 10:20	Field Temp		14.7	C	EPA 170.1
5/25/2011 9:55	Field Temp		14	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/26/2011 9:52	Field Temp		13.2	C	EPA 170.1
5/27/2011 9:36	Field Temp		14.1	C	EPA 170.1
5/28/2011 9:13	Field Temp		15.4	C	EPA 170.1
5/29/2011 9:20	Field Temp		16.6	C	EPA 170.1
5/30/2011 9:14	Field Temp		18.5	C	EPA 170.1
6/1/2011 9:37	Field Temp		20.9	C	EPA 170.1
6/3/2011 9:36	Field Temp		18.3	C	EPA 170.1
6/4/2011 10:43	Field Temp		18.5	C	EPA 170.1
6/5/2011 9:42	Field Temp		19.4	C	EPA 170.1
6/6/2011 10:05	Field Temp		20.1	C	EPA 170.1
6/8/2011 9:34	Field Temp		20.7	C	EPA 170.1
6/9/2011 9:40	Field Temp		21.8	C	EPA 170.1
6/10/2011 9:45	Field Temp		20.9	C	EPA 170.1
6/11/2011 9:05	Field Temp		20.9	C	EPA 170.1
6/12/2011 8:39	Field Temp		19.3	C	EPA 170.1
6/13/2011 9:49	Field Temp		19.7	C	EPA 170.1
6/15/2011 9:40	Field Temp		19.4	C	EPA 170.1
6/16/2011 9:32	Field Temp		20	C	EPA 170.1
6/17/2011 9:50	Field Temp		20.3	C	EPA 170.1
6/18/2011 8:44	Field Temp		20.4	C	EPA 170.1
6/19/2011 8:38	Field Temp		20.4	C	EPA 170.1
6/20/2011 9:24	Field Temp		20.2	C	EPA 170.1
6/21/2011 9:18	Field Temp		21.6	C	EPA 170.1
6/22/2011 9:32	Field Temp		21.3	C	EPA 170.1
6/23/2011 10:03	Field Temp		21.7	C	EPA 170.1
6/24/2011 9:32	Field Temp		19.8	C	EPA 170.1
6/25/2011 9:05	Field Temp		19.7	C	EPA 170.1
6/27/2011 9:28	Field Temp		20.8	C	EPA 170.1
6/28/2011 10:19	Field Temp		21.4	C	EPA 170.1
6/29/2011 9:34	Field Temp		20.9	C	EPA 170.1
6/30/2011 9:28	Field Temp		21.3	C	EPA 170.1
7/1/2011 9:41	Field Temp		22.3	C	EPA 170.1
7/2/2011 8:35	Field Temp		21.4	C	EPA 170.1
7/3/2011 8:40	Field Temp		22.2	C	EPA 170.1
7/4/2011 8:33	Field Temp		22.8	C	EPA 170.1
7/5/2011 9:13	Field Temp		22.1	C	EPA 170.1
7/6/2011 9:22	Field Temp		23.4	C	EPA 170.1
7/7/2011 9:44	Field Temp		23.4	C	EPA 170.1
7/8/2011 9:19	Field Temp		21.1	C	EPA 170.1
7/9/2011 8:30	Field Temp		21	C	EPA 170.1
7/10/2011 8:20	Field Temp		21.2	C	EPA 170.1
7/11/2011 9:50	Field Temp		23	C	EPA 170.1
7/12/2011 9:32	Field Temp		23.2	C	EPA 170.1
7/13/2011 10:17	Field Temp		23.7	C	EPA 170.1
7/14/2011 9:27	Field Temp		22.4	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/15/2011 9:04	Field Temp		22.5	C	EPA 170.1
7/16/2011 8:17	Field Temp		21.6	C	EPA 170.1
7/17/2011 9:11	Field Temp		22.6	C	EPA 170.1
7/18/2011 10:11	Field Temp		24	C	EPA 170.1
7/19/2011 9:36	Field Temp		25	C	EPA 170.1
7/20/2011 9:33	Field Temp		24.5	C	EPA 170.1
7/21/2011 9:15	Field Temp		24.9	C	EPA 170.1
7/22/2011 9:00	Field Temp		25.6	C	EPA 170.1
7/23/2011 8:54	Field Temp		24.6	C	EPA 170.1
7/24/2011 8:59	Field Temp		26.3	C	EPA 170.1
7/25/2011 10:06	Field Temp		26.4	C	EPA 170.1
7/26/2011 9:51	Field Temp		24.7	C	EPA 170.1
7/27/2011 9:39	Field Temp		25.9	C	EPA 170.1
7/28/2011 10:27	Field Temp		25.7	C	EPA 170.1
7/29/2011 9:42	Field Temp		24.5	C	EPA 170.1
7/30/2011 9:06	Field Temp		25.1	C	EPA 170.1
7/31/2011 8:44	Field Temp		24.2	C	EPA 170.1
8/1/2011 9:34	Field Temp		24.8	C	EPA 170.1
8/3/2011 9:46	Field Temp		26.5	C	EPA 170.1
8/4/2011 9:38	Field Temp		26.2	C	EPA 170.1
8/5/2011 9:19	Field Temp		26.4	C	EPA 170.1
8/6/2011 8:25	Field Temp		26.4	C	EPA 170.1
8/7/2011 8:40	Field Temp		26.6	C	EPA 170.1
8/8/2011 9:10	Field Temp		26.3	C	EPA 170.1
8/9/2011 9:21	Field Temp		26.3	C	EPA 170.1
8/10/2011 9:15	Field Temp		25.4	C	EPA 170.1
8/11/2011 9:42	Field Temp		24.4	C	EPA 170.1
8/12/2011 9:50	Field Temp		25.4	C	EPA 170.1
8/13/2011 8:26	Field Temp		25	C	EPA 170.1
8/14/2011 8:57	Field Temp		25	C	EPA 170.1
8/15/2011 10:32	Field Temp		23.9	C	EPA 170.1
8/16/2011 10:00	Field Temp		23.8	C	EPA 170.1
8/17/2011 10:08	Field Temp		24.9	C	EPA 170.1
8/18/2011 10:14	Field Temp		25.2	C	EPA 170.1
8/19/2011 9:30	Field Temp		25.3	C	EPA 170.1
8/20/2011 8:42	Field Temp		25.1	C	EPA 170.1
8/21/2011 8:31	Field Temp		24.9	C	EPA 170.1
8/22/2011 9:24	Field Temp		23	C	EPA 170.1
8/23/2011 9:51	Field Temp		24.2	C	EPA 170.1
8/24/2011 9:50	Field Temp		23.7	C	EPA 170.1
8/25/2011 10:07	Field Temp		24.3	C	EPA 170.1
8/26/2011 9:45	Field Temp		23.9	C	EPA 170.1
8/27/2011 8:45	Field Temp		23.6	C	EPA 170.1
8/28/2011 8:30	Field Temp		23.3	C	EPA 170.1
8/29/2011 10:00	Field Temp		23.3	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/30/2011 9:53	Field Temp		23.6	C	EPA 170.1
8/31/2011 9:21	Field Temp		23.2	C	EPA 170.1
9/1/2011 9:31	Field Temp		23.4	C	EPA 170.1
9/2/2011 9:56	Field Temp		24.3	C	EPA 170.1
9/3/2011 8:23	Field Temp		24.3	C	EPA 170.1
9/4/2011 8:22	Field Temp		24.8	C	EPA 170.1
9/5/2011 8:38	Field Temp		22.6	C	EPA 170.1
9/6/2011 9:35	Field Temp		21.2	C	EPA 170.1
9/7/2011 9:02	Field Temp		21.5	C	EPA 170.1
9/8/2011 9:08	Field Temp		21.7	C	EPA 170.1
9/9/2011 10:18	Field Temp		21.9	C	EPA 170.1
9/12/2011 9:10	Field Temp		21.5	C	EPA 170.1
9/13/2011 8:45	Field Temp		22.2	C	EPA 170.1
9/14/2011 8:40	Field Temp		22.2	C	EPA 170.1
9/15/2011 9:08	Field Temp		18.9	C	EPA 170.1
9/19/2011 9:58	Field Temp		19.4	C	EPA 170.1
9/20/2011 9:56	Field Temp		19.6	C	EPA 170.1
9/21/2011 10:09	Field Temp		20	C	EPA 170.1
9/22/2011 11:15	Field Temp		19.6	C	EPA 170.1
9/26/2011 8:30	Field Temp		19.8	C	EPA 170.1
9/27/2011 8:25	Field Temp		18.7	C	EPA 170.1
9/28/2011 8:31	Field Temp		19.3	C	EPA 170.1
9/29/2011 8:18	Field Temp		19	C	EPA 170.1
10/3/2011 8:36	Field Temp		14.2	C	EPA 170.1
10/4/2011 9:08	Field Temp		14.7	C	EPA 170.1
10/5/2011 8:45	Field Temp		15.6	C	EPA 170.1
10/6/2011 9:14	Field Temp		16.2	C	EPA 170.1
10/10/2011 9:14	Field Temp		16.2	C	EPA 170.1
10/11/2011 9:00	Field Temp		15.7	C	EPA 170.1
10/12/2011 9:03	Field Temp		15.9	C	EPA 170.1
10/13/2011 9:01	Field Temp		16	C	EPA 170.1
10/17/2011 8:45	Field Temp		13	C	EPA 170.1
10/18/2011 8:58	Field Temp		14	C	EPA 170.1
10/19/2011 8:54	Field Temp		14.1	C	EPA 170.1
10/20/2011 9:12	Field Temp		13.4	C	EPA 170.1
10/25/2011 8:24	Field Temp		13.2	C	EPA 170.1
10/26/2011 8:41	Field Temp		13.5	C	EPA 170.1
10/27/2011 8:58	Field Temp		12.5	C	EPA 170.1
5/2/2011 9:36	pH		7.94	S.U.	
5/3/2011 10:24	pH		8.09	S.U.	
5/4/2011 9:38	pH		8.14	S.U.	
5/5/2011 10:00	pH		8.01	S.U.	
5/9/2011 10:03	pH		8.06	S.U.	
5/10/2011 9:56	pH		8.15	S.U.	



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/11/2011 10:21	pH		8.2	S.U.	
5/12/2011 10:10	pH		7.89	S.U.	
5/17/2011 10:04	pH		8.04	S.U.	
5/18/2011 9:55	pH		8.03	S.U.	
5/19/2011 9:58	pH		8.26	S.U.	
5/20/2011 10:12	pH		8.08	S.U.	
5/21/2011 9:45	pH		8.03	S.U.	
5/22/2011 8:42	pH		7.92	S.U.	
5/23/2011 9:37	pH		8.15	S.U.	
5/24/2011 10:20	pH		8.08	S.U.	
5/25/2011 9:55	pH		8.22	S.U.	
5/26/2011 9:52	pH		7.99	S.U.	
5/27/2011 9:36	pH		8.03	S.U.	
5/28/2011 9:13	pH		8.06	S.U.	
5/29/2011 9:20	pH		7.96	S.U.	
5/30/2011 9:14	pH		8.25	S.U.	
5/31/2011 9:55	pH		8.55	S.U.	
6/1/2011 9:37	pH		8.59	S.U.	
6/2/2011 10:12	pH		8.13	S.U.	
6/3/2011 9:36	pH		8.59	S.U.	
6/4/2011 10:43	pH		8.1	S.U.	
6/5/2011 9:42	pH		8.28	S.U.	
6/6/2011 10:05	pH		8.22	S.U.	
6/8/2011 9:34	pH		8.68	S.U.	
6/9/2011 9:40	pH		8.38	S.U.	
6/10/2011 9:45	pH		8.44	S.U.	
6/11/2011 9:05	pH		7.8	S.U.	
6/12/2011 8:39	pH		8.15	S.U.	
6/13/2011 9:49	pH		7.99	S.U.	
6/15/2011 9:40	pH		7.95	S.U.	
6/16/2011 9:32	pH		7.79	S.U.	
6/17/2011 9:50	pH		8.17	S.U.	
6/18/2011 8:44	pH		7.57	S.U.	
6/19/2011 8:38	pH		7.8	S.U.	
6/20/2011 9:24	pH		7.92	S.U.	
6/21/2011 9:18	pH		8.33	S.U.	
6/22/2011 9:32	pH		8.22	S.U.	
6/23/2011 10:03	pH		8.1	S.U.	
6/24/2011 9:32	pH		7.98	S.U.	
6/25/2011 9:05	pH		7.88	S.U.	
6/27/2011 9:28	pH		8.14	S.U.	
6/28/2011 10:19	pH		7.73	S.U.	
6/29/2011 9:34	pH		8.36	S.U.	
6/30/2011 9:28	pH		8.22	S.U.	
7/1/2011 9:41	pH		8.34	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/2/2011 8:35	pH		7.91	S.U.	
7/3/2011 8:40	pH		8.05	S.U.	
7/4/2011 8:33	pH		8.12	S.U.	
7/5/2011 9:13	pH		7.93	S.U.	
7/6/2011 9:22	pH		8.03	S.U.	
7/7/2011 9:44	pH		8.21	S.U.	
7/8/2011 9:19	pH		7.46	S.U.	
7/9/2011 8:30	pH		7.74	S.U.	
7/10/2011 8:20	pH		7.7	S.U.	
7/11/2011 9:50	pH		8.16	S.U.	
7/12/2011 9:32	pH		7.66	S.U.	
7/13/2011 10:17	pH		8.16	S.U.	
7/14/2011 9:27	pH		7.85	S.U.	
7/15/2011 9:04	pH		7.68	S.U.	
7/16/2011 8:17	pH		7.65	S.U.	
7/17/2011 9:11	pH		8.17	S.U.	
7/18/2011 10:11	pH		8.08	S.U.	
7/19/2011 9:36	pH		7.91	S.U.	
7/20/2011 9:33	pH		8.68	S.U.	
7/21/2011 9:15	pH		8.29	S.U.	
7/22/2011 9:00	pH		8.29	S.U.	
7/23/2011 8:54	pH		8.01	S.U.	
7/24/2011 8:59	pH		7.87	S.U.	
7/25/2011 10:06	pH		8.24	S.U.	
7/26/2011 9:51	pH		8.49	S.U.	
7/27/2011 9:39	pH		8.25	S.U.	
7/28/2011 10:27	pH		8.12	S.U.	
7/29/2011 9:42	pH		8.37	S.U.	
7/30/2011 9:06	pH		8.38	S.U.	
7/31/2011 8:44	pH		8.45	S.U.	
8/1/2011 9:34	pH		8.37	S.U.	
8/3/2011 9:46	pH		8.41	S.U.	
8/4/2011 9:38	pH		8.31	S.U.	
8/5/2011 9:19	pH		8.34	S.U.	
8/6/2011 8:25	pH		8.37	S.U.	
8/7/2011 8:40	pH		8.42	S.U.	
8/8/2011 9:10	pH		8.65	S.U.	
8/9/2011 9:21	pH		8.38	S.U.	
8/10/2011 9:15	pH		8.4	S.U.	
8/11/2011 9:42	pH		8.36	S.U.	
8/12/2011 9:50	pH		8.55	S.U.	
8/13/2011 8:26	pH		8.57	S.U.	
8/14/2011 8:57	pH		8.42	S.U.	
8/15/2011 10:32	pH		8.55	S.U.	
8/16/2011 10:00	pH		8.37	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/17/2011 10:08	pH		8.51	S.U.	
8/18/2011 10:14	pH		8.61	S.U.	
8/19/2011 9:30	pH		8.59	S.U.	
8/20/2011 8:42	pH		8.65	S.U.	
8/21/2011 8:31	pH		8.39	S.U.	
8/22/2011 9:24	pH		8.46	S.U.	
8/23/2011 9:51	pH		8.52	S.U.	
8/24/2011 9:50	pH		8.51	S.U.	
8/25/2011 10:07	pH		8.41	S.U.	
8/26/2011 9:45	pH		8.51	S.U.	
8/27/2011 8:45	pH		8.32	S.U.	
8/28/2011 8:30	pH		8.31	S.U.	
8/29/2011 10:00	pH		8.26	S.U.	
8/30/2011 9:53	pH		8.25	S.U.	
8/31/2011 9:21	pH		8.08	S.U.	
9/1/2011 9:31	pH		8.04	S.U.	
9/2/2011 9:56	pH		8.3	S.U.	
9/3/2011 8:23	pH		8.3	S.U.	
9/4/2011 8:22	pH		8.56	S.U.	
9/5/2011 8:38	pH		8.48	S.U.	
9/6/2011 9:35	pH		8.39	S.U.	
9/7/2011 9:02	pH		8.3	S.U.	
9/8/2011 9:08	pH		8.29	S.U.	
9/9/2011 10:18	pH		8.22	S.U.	
9/12/2011 9:10	pH		8.28	S.U.	
9/13/2011 8:45	pH		8.4	S.U.	
9/14/2011 8:40	pH		8.32	S.U.	
9/15/2011 9:08	pH		8.35	S.U.	
9/19/2011 9:58	pH		8.43	S.U.	
9/20/2011 9:56	pH		8.25	S.U.	
9/21/2011 10:09	pH		8.35	S.U.	
9/22/2011 11:15	pH		8.4	S.U.	
9/26/2011 8:30	pH		8.16	S.U.	
9/27/2011 8:25	pH		8.19	S.U.	
9/28/2011 8:31	pH		8.25	S.U.	
9/29/2011 8:18	pH		8.26	S.U.	
10/3/2011 8:36	pH		8.15	S.U.	
10/4/2011 9:08	pH		8.28	S.U.	
10/5/2011 8:45	pH		8.7	S.U.	
10/6/2011 9:14	pH		7.91	S.U.	
10/10/2011 9:14	pH		8.23	S.U.	
10/11/2011 9:00	pH		8.1	S.U.	
10/12/2011 9:03	pH		8.04	S.U.	
10/13/2011 9:01	pH		7.78	S.U.	
10/17/2011 8:45	pH		7.99	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/18/2011 8:58	pH		8	S.U.	
10/19/2011 8:54	pH		8.03	S.U.	
10/20/2011 9:12	pH		7.84	S.U.	
10/25/2011 8:24	pH		7.72	S.U.	
10/26/2011 8:41	pH		7.61	S.U.	
10/27/2011 8:58	pH		7.65	S.U.	
6/10/2014 7:00	Turbidity		3	NTU	EPA 180.1
5/2/2011 9:36	Turbidity		11	NTU	EPA180.1
5/3/2011 10:24	Turbidity		10.6	NTU	EPA180.1
5/4/2011 9:38	Turbidity		27.75	NTU	EPA180.1
5/5/2011 10:00	Turbidity		13.5	NTU	EPA180.1
5/9/2011 10:03	Turbidity		5.66	NTU	EPA180.1
5/10/2011 9:56	Turbidity		5.98	NTU	EPA180.1
5/11/2011 10:21	Turbidity		8.19	NTU	EPA180.1
5/12/2011 10:10	Turbidity		9.62	NTU	EPA180.1
5/17/2011 10:04	Turbidity		71.39	NTU	EPA180.1
5/18/2011 9:55	Turbidity		54.78	NTU	EPA180.1
5/19/2011 9:58	Turbidity		19.63	NTU	EPA180.1
5/20/2011 10:12	Turbidity		10.58	NTU	EPA180.1
5/21/2011 9:45	Turbidity		6.76	NTU	EPA180.1
5/22/2011 8:42	Turbidity		8	NTU	EPA180.1
5/23/2011 9:37	Turbidity		6.45	NTU	EPA180.1
5/24/2011 10:20	Turbidity		20.78	NTU	EPA180.1
5/25/2011 9:55	Turbidity		6.27	NTU	EPA180.1
5/26/2011 9:52	Turbidity		8.84	NTU	EPA180.1
5/27/2011 9:36	Turbidity		15.04	NTU	EPA180.1
5/28/2011 9:13	Turbidity		5.66	NTU	EPA180.1
5/29/2011 9:20	Turbidity		21.4	NTU	EPA180.1
5/30/2011 9:14	Turbidity		20.3	NTU	EPA180.1
5/31/2011 9:55	Turbidity		10.51	NTU	EPA180.1
6/1/2011 9:37	Turbidity		16.22	NTU	EPA180.1
6/2/2011 10:12	Turbidity		18.38	NTU	EPA180.1
6/3/2011 9:36	Turbidity		7.29	NTU	EPA180.1
6/4/2011 10:43	Turbidity		9.15	NTU	EPA180.1
6/5/2011 9:42	Turbidity		7.27	NTU	EPA180.1
6/6/2011 10:05	Turbidity		3.33	NTU	EPA180.1
6/7/2011 10:22	Turbidity		8.52	NTU	EPA180.1
6/8/2011 9:34	Turbidity		4.41	NTU	EPA180.1
6/9/2011 9:40	Turbidity		7.2	NTU	EPA180.1
6/10/2011 9:45	Turbidity		12.2	NTU	EPA180.1
6/11/2011 9:05	Turbidity		8.7	NTU	EPA180.1
6/12/2011 8:39	Turbidity		23.2	NTU	EPA180.1
6/13/2011 9:49	Turbidity		17.7	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/15/2011 9:40	Turbidity		9.6	NTU	EPA180.1
6/16/2011 9:32	Turbidity		3.88	NTU	EPA180.1
6/17/2011 9:50	Turbidity		6.04	NTU	EPA180.1
6/18/2011 8:44	Turbidity		7.27	NTU	EPA180.1
6/19/2011 8:38	Turbidity		6	NTU	EPA180.1
6/20/2011 9:24	Turbidity		7.4	NTU	EPA180.1
6/21/2011 9:18	Turbidity		4.3	NTU	EPA180.1
6/22/2011 9:32	Turbidity		5.7	NTU	EPA180.1
6/23/2011 10:03	Turbidity		6.84	NTU	EPA180.1
6/24/2011 9:32	Turbidity		18.65	NTU	EPA180.1
6/25/2011 9:05	Turbidity		33.25	NTU	EPA180.1
6/27/2011 9:28	Turbidity		3.22	NTU	EPA180.1
6/28/2011 10:19	Turbidity		7.85	NTU	EPA180.1
6/29/2011 9:34	Turbidity		13.9	NTU	EPA180.1
6/30/2011 9:28	Turbidity		4.3	NTU	EPA180.1
7/1/2011 9:41	Turbidity		3.1	NTU	EPA180.1
7/2/2011 8:35	Turbidity		8.01	NTU	EPA180.1
7/3/2011 8:40	Turbidity		8.74	NTU	EPA180.1
7/4/2011 8:33	Turbidity		6.33	NTU	EPA180.1
7/5/2011 9:13	Turbidity		2.4	NTU	EPA180.1
7/6/2011 9:22	Turbidity		6.31	NTU	EPA180.1
7/7/2011 9:44	Turbidity		5.64	NTU	EPA180.1
7/8/2011 9:19	Turbidity		0.89	NTU	EPA180.1
7/9/2011 8:30	Turbidity		3.52	NTU	EPA180.1
7/10/2011 8:20	Turbidity		3.24	NTU	EPA180.1
7/11/2011 9:50	Turbidity		0.7	NTU	EPA180.1
7/12/2011 9:32	Turbidity		4.1	NTU	EPA180.1
7/13/2011 10:17	Turbidity		9.3	NTU	EPA180.1
7/14/2011 9:27	Turbidity		10.62	NTU	EPA180.1
7/15/2011 9:04	Turbidity		2.82	NTU	EPA180.1
7/16/2011 8:17	Turbidity		2.18	NTU	EPA180.1
7/17/2011 9:11	Turbidity		1.84	NTU	EPA180.1
7/18/2011 10:11	Turbidity		2.24	NTU	EPA180.1
7/19/2011 9:36	Turbidity		3.6	NTU	EPA180.1
7/20/2011 9:33	Turbidity		2	NTU	EPA180.1
7/21/2011 9:15	Turbidity		3.53	NTU	EPA180.1
7/22/2011 9:00	Turbidity		2.36	NTU	EPA180.1
7/23/2011 8:54	Turbidity		12.4	NTU	EPA180.1
7/24/2011 8:59	Turbidity		5.24	NTU	EPA180.1
7/25/2011 10:06	Turbidity		4.05	NTU	EPA180.1
7/26/2011 9:51	Turbidity		4.41	NTU	EPA180.1
7/27/2011 9:39	Turbidity		2.55	NTU	EPA180.1
7/28/2011 10:27	Turbidity		2.44	NTU	EPA180.1
7/29/2011 9:42	Turbidity		19.8	NTU	EPA180.1
7/30/2011 9:06	Turbidity		4.92	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/31/2011 8:44	Turbidity		4.41	NTU	EPA180.1
8/1/2011 9:34	Turbidity		2.3	NTU	EPA180.1
8/2/2011 10:49	Turbidity		2.9	NTU	EPA180.1
8/3/2011 9:46	Turbidity		5.21	NTU	EPA180.1
8/4/2011 9:38	Turbidity		5.61	NTU	EPA180.1
8/5/2011 9:19	Turbidity		1.95	NTU	EPA180.1
8/6/2011 8:25	Turbidity		1.51	NTU	EPA180.1
8/7/2011 8:40	Turbidity		12.7	NTU	EPA180.1
8/8/2011 9:10	Turbidity		4.07	NTU	EPA180.1
8/9/2011 9:21	Turbidity		2.38	NTU	EPA180.1
8/10/2011 9:15	Turbidity		33.5	NTU	EPA180.1
8/11/2011 9:42	Turbidity		34.5	NTU	EPA180.1
8/12/2011 9:50	Turbidity		4.07	NTU	EPA180.1
8/13/2011 8:26	Turbidity		2.2	NTU	EPA180.1
8/14/2011 8:57	Turbidity		20.4	NTU	EPA180.1
8/15/2011 10:32	Turbidity		16.4	NTU	EPA180.1
8/16/2011 10:00	Turbidity		17.25	NTU	EPA180.1
8/17/2011 10:08	Turbidity		2.21	NTU	EPA180.1
8/18/2011 10:14	Turbidity		3.67	NTU	EPA180.1
8/19/2011 9:30	Turbidity		3.07	NTU	EPA180.1
8/20/2011 8:42	Turbidity		2.22	NTU	EPA180.1
8/21/2011 8:31	Turbidity		3.78	NTU	EPA180.1
8/22/2011 9:24	Turbidity		27.45	NTU	EPA180.1
8/23/2011 9:51	Turbidity		2.57	NTU	EPA180.1
8/24/2011 9:50	Turbidity		3.47	NTU	EPA180.1
8/25/2011 10:07	Turbidity		17.95	NTU	EPA180.1
8/26/2011 9:45	Turbidity		4.17	NTU	EPA180.1
8/27/2011 8:45	Turbidity		1.62	NTU	EPA180.1
8/28/2011 8:30	Turbidity		35.9	NTU	EPA180.1
8/29/2011 10:00	Turbidity		12.25	NTU	EPA180.1
8/30/2011 9:53	Turbidity		4.75	NTU	EPA180.1
8/31/2011 9:21	Turbidity		2.82	NTU	EPA180.1
9/1/2011 9:31	Turbidity		2.68	NTU	EPA180.1
9/2/2011 9:56	Turbidity		2.49	NTU	EPA180.1
9/3/2011 8:23	Turbidity		2.49	NTU	EPA180.1
9/4/2011 8:22	Turbidity		13.4	NTU	EPA180.1
9/5/2011 8:38	Turbidity		64.2	NTU	EPA180.1
9/6/2011 9:35	Turbidity		39.15	NTU	EPA180.1
9/7/2011 9:02	Turbidity		28.5	NTU	EPA180.1
9/8/2011 9:08	Turbidity		19.15	NTU	EPA180.1
9/9/2011 10:18	Turbidity		7.99	NTU	EPA180.1
9/12/2011 9:10	Turbidity		12.75	NTU	EPA180.1
9/13/2011 8:45	Turbidity		22.55	NTU	EPA180.1
9/14/2011 8:40	Turbidity		10.73	NTU	EPA180.1
9/15/2011 9:08	Turbidity		33.7	NTU	EPA180.1

**Euclid Beach - East**

Sample Date	Parameter	Code	Result	Units	Method
9/19/2011 9:58	Turbidity		2.47	NTU	EPA180.1
9/20/2011 9:56	Turbidity		8.9	NTU	EPA180.1
9/21/2011 10:09	Turbidity		2.43	NTU	EPA180.1
9/22/2011 11:15	Turbidity		4.22	NTU	EPA180.1
9/26/2011 8:30	Turbidity		6.21	NTU	EPA180.1
9/27/2011 8:25	Turbidity		12.9	NTU	EPA180.1
9/28/2011 8:31	Turbidity		4.04	NTU	EPA180.1
9/29/2011 8:18	Turbidity		11.3	NTU	EPA180.1
10/3/2011 8:36	Turbidity		120.2	NTU	EPA180.1
10/4/2011 9:08	Turbidity		76.2	NTU	EPA180.1
10/5/2011 8:45	Turbidity		39.25	NTU	EPA180.1
10/6/2011 9:14	Turbidity		24.35	NTU	EPA180.1
10/10/2011 9:14	Turbidity		8.38	NTU	EPA180.1
10/11/2011 9:00	Turbidity		6.67	NTU	EPA180.1
10/12/2011 9:03	Turbidity		7.09	NTU	EPA180.1
10/13/2011 9:01	Turbidity		7.185	NTU	EPA180.1
10/17/2011 8:45	Turbidity		100.4	NTU	EPA180.1
10/18/2011 8:58	Turbidity		78	NTU	EPA180.1
10/19/2011 8:54	Turbidity		58.4	NTU	EPA180.1
10/20/2011 9:12	Turbidity		47.5	NTU	EPA180.1
10/25/2011 8:24	Turbidity		26.6	NTU	EPA180.1
10/26/2011 8:41	Turbidity		17.4	NTU	EPA180.1
10/27/2011 8:58	Turbidity		16.1	NTU	EPA180.1

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:46	E. coli		880	cfu/100mL	EPA1603
5/3/2011 10:32	E. coli		155	cfu/100mL	EPA1603
5/4/2011 9:41	E. coli		310	cfu/100mL	EPA1603
5/5/2011 10:05	E. coli		165	cfu/100mL	EPA1603
5/9/2011 10:07	E. coli		10	cfu/100mL	EPA1603
5/10/2011 10:05	E. coli		3	cfu/100mL	EPA1603
5/11/2011	E. coli		10	cfu/100mL	EPA1603
5/12/2011 10:17	E. coli		118	cfu/100mL	EPA1603
5/17/2011 10:10	E. coli		500	cfu/100mL	EPA1603
5/18/2011 10:06	E. coli		740	cfu/100mL	EPA1603
5/19/2011 10:15	E. coli		780	cfu/100mL	EPA1603
5/20/2011 10:23	E. coli		68	cfu/100mL	EPA1603
5/21/2011 9:55	E. coli		31	cfu/100mL	EPA1603
5/22/2011 8:45	E. coli		44	cfu/100mL	EPA1603
5/23/2011 9:44	E. coli		111	cfu/100mL	EPA1603
5/24/2011 10:30	E. coli		550	cfu/100mL	EPA1603
5/25/2011 10:08	E. coli		68	cfu/100mL	EPA1603
5/26/2011 10:00	E. coli		650	cfu/100mL	EPA1603
5/27/2011 9:45	E. coli		1030	cfu/100mL	EPA1603
5/28/2011 9:17	E. coli		265	cfu/100mL	EPA1603
5/29/2011 9:24	E. coli		190	cfu/100mL	EPA1603
5/30/2011 9:16	E. coli		760	cfu/100mL	EPA1603
5/31/2011 10:06	E. coli		127	cfu/100mL	EPA1603
6/1/2011 9:55	E. coli		300	cfu/100mL	EPA1603
6/2/2011 10:28	E. coli		146	cfu/100mL	EPA1603
6/3/2011 9:46	E. coli		25	cfu/100mL	EPA1603
6/4/2011 10:50	E. coli		15	cfu/100mL	EPA1603
6/5/2011 9:51	E. coli		16	cfu/100mL	EPA1603
6/6/2011 10:14	E. coli		9	cfu/100mL	EPA1603
6/7/2011 10:35	E. coli		1120	cfu/100mL	EPA1603
6/8/2011 9:45	E. coli		265	cfu/100mL	EPA1603
6/9/2011 10:04	E. coli		620	cfu/100mL	EPA1603
6/10/2011 9:53	E. coli		175	cfu/100mL	EPA1603
6/11/2011 9:10	E. coli		290	cfu/100mL	EPA1603
6/12/2011 8:45	E. coli		2100	cfu/100mL	EPA1603
6/13/2011 9:53	E. coli		150	cfu/100mL	EPA1603
6/15/2011 9:48	E. coli		21	cfu/100mL	EPA1603
6/16/2011 9:52	E. coli		12	cfu/100mL	EPA1603
6/17/2011 9:59	E. coli		520	cfu/100mL	EPA1603
6/18/2011 8:50	E. coli		620	cfu/100mL	EPA1603
6/19/2011 8:46	E. coli	EC	1633	cfu/100mL	EPA1603
6/20/2011 9:34	E. coli		1383	cfu/100mL	EPA1603
6/21/2011 9:26	E. coli		210	cfu/100mL	EPA1603
6/22/2011 9:40	E. coli		153	cfu/100mL	EPA1603
6/23/2011 10:14	E. coli		980	cfu/100mL	EPA1603



## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/24/2011 9:43	E. coli		1000	cfu/100mL	EPA1603
6/25/2011 9:10	E. coli		600	cfu/100mL	EPA1603
6/26/2011 9:17	E. coli		36	cfu/100mL	EPA1603
6/27/2011 9:36	E. coli		9	cfu/100mL	EPA1603
6/28/2011 10:27	E. coli		37	cfu/100mL	EPA1603
6/29/2011 9:46	E. coli		85	cfu/100mL	EPA1603
6/30/2011 9:35	E. coli		4	cfu/100mL	EPA1603
7/1/2011 9:53	E. coli		29	cfu/100mL	EPA1603
7/2/2011 8:43	E. coli		34	cfu/100mL	EPA1603
7/3/2011 8:50	E. coli		220	cfu/100mL	EPA1603
7/4/2011 8:42	E. coli		278	cfu/100mL	EPA1603
7/5/2011 9:19	E. coli		98	cfu/100mL	EPA1603
7/6/2011 9:27	E. coli		62	cfu/100mL	EPA1603
7/7/2011 9:51	E. coli		830	cfu/100mL	EPA1603
7/8/2011 9:26	E. coli		65	cfu/100mL	EPA1603
7/9/2011 8:33	E. coli		12	cfu/100mL	EPA1603
7/10/2011 8:31	E. coli	EC	1680	cfu/100mL	EPA1603
7/11/2011 9:55	E. coli		7	cfu/100mL	EPA1603
7/12/2011 9:39	E. coli		205	cfu/100mL	EPA1603
7/13/2011 10:29	E. coli		308	cfu/100mL	EPA1603
7/14/2011 9:35	E. coli		125	cfu/100mL	EPA1603
7/15/2011 9:12	E. coli		47	cfu/100mL	EPA1603
7/16/2011 8:21	E. coli		245	cfu/100mL	EPA1603
7/17/2011 9:16	E. coli		21	cfu/100mL	EPA1603
7/18/2011 10:19	E. coli		740	cfu/100mL	EPA1603
7/19/2011 9:47	E. coli		1950	cfu/100mL	EPA1603
7/20/2011 9:39	E. coli		37	cfu/100mL	EPA1603
7/20/2011 14:25	E. coli		40	cfu/100mL	EPA1603
7/21/2011 9:20	E. coli		600	cfu/100mL	EPA1603
7/22/2011 9:05	E. coli		63	cfu/100mL	EPA1603
7/23/2011 8:59	E. coli		3700	cfu/100mL	EPA1603
7/24/2011 9:04	E. coli		820	cfu/100mL	EPA1603
7/25/2011 10:11	E. coli		295	cfu/100mL	EPA1603
7/26/2011 9:58	E. coli		64	cfu/100mL	EPA1603
7/27/2011 9:45	E. coli		29	cfu/100mL	EPA1603
7/28/2011 10:36	E. coli		74	cfu/100mL	EPA1603
7/29/2011 9:47	E. coli		1200	cfu/100mL	EPA1603
7/30/2011 9:12	E. coli		31	cfu/100mL	EPA1603
7/31/2011 8:49	E. coli		448	cfu/100mL	EPA1603
8/1/2011 9:41	E. coli		121	cfu/100mL	EPA1603
8/2/2011 10:53	E. coli		34	cfu/100mL	EPA1603
8/3/2011 9:52	E. coli		620	cfu/100mL	EPA1603
8/4/2011 9:49	E. coli		124	cfu/100mL	EPA1603
8/5/2011 9:25	E. coli		4	cfu/100mL	EPA1603
8/6/2011 8:30	E. coli		10	cfu/100mL	EPA1603

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/7/2011 8:45	E. coli		300	cfu/100mL	EPA1603
8/8/2011 9:20	E. coli		190	cfu/100mL	EPA1603
8/9/2011 9:29	E. coli		21	cfu/100mL	EPA1603
8/10/2011 9:22	E. coli		4900	cfu/100mL	EPA1603
8/11/2011 9:46	E. coli		165	cfu/100mL	EPA1603
8/12/2011 9:54	E. coli		21	cfu/100mL	EPA1603
8/13/2011 8:31	E. coli		14	cfu/100mL	EPA1603
8/14/2011 9:02	E. coli		550	cfu/100mL	EPA1603
8/15/2011 10:36	E. coli		348	cfu/100mL	EPA1603
8/16/2011 10:06	E. coli		115	cfu/100mL	EPA1603
8/17/2011 10:13	E. coli		9	cfu/100mL	EPA1603
8/18/2011 10:17	E. coli	EC	3530	cfu/100mL	EPA1603
8/19/2011 9:33	E. coli		24	cfu/100mL	EPA1603
8/20/2011 8:47	E. coli	EC	105	cfu/100mL	EPA1603
8/21/2011 8:36	E. coli		690	cfu/100mL	EPA1603
8/22/2011 9:28	E. coli		520	cfu/100mL	EPA1603
8/23/2011 9:56	E. coli		40	cfu/100mL	EPA1603
8/24/2011 9:55	E. coli		76	cfu/100mL	EPA1603
8/25/2011 10:12	E. coli		3100	cfu/100mL	EPA1603
8/26/2011 9:50	E. coli		270	cfu/100mL	EPA1603
8/27/2011 8:50	E. coli		55	cfu/100mL	EPA1603
8/28/2011 8:40	E. coli		240	cfu/100mL	EPA1603
8/29/2011 10:09	E. coli		25	cfu/100mL	EPA1603
8/30/2011 9:57	E. coli		10	cfu/100mL	EPA1603
8/31/2011 9:25	E. coli		48	cfu/100mL	EPA1603
9/1/2011 9:36	E. coli		3100	cfu/100mL	EPA1603
9/2/2011 10:01	E. coli		150	cfu/100mL	EPA1603
9/3/2011 8:29	E. coli		560	cfu/100mL	EPA1603
9/4/2011 8:26	E. coli		960	cfu/100mL	EPA1603
9/5/2011 8:44	E. coli		3600	cfu/100mL	EPA1603
9/6/2011 9:38	E. coli		328	cfu/100mL	EPA1603
9/7/2011 9:06	E. coli	EC	83	cfu/100mL	EPA1603
9/8/2011 9:13	E. coli		110	cfu/100mL	EPA1603
9/9/2011 10:24	E. coli		860	cfu/100mL	EPA1603
9/12/2011 9:16	E. coli		324	cfu/100mL	EPA1603
9/13/2011 8:50	E. coli		250	cfu/100mL	EPA1603
9/14/2011 8:44	E. coli		245	cfu/100mL	EPA1603
9/15/2011 9:12	E. coli		760	cfu/100mL	EPA1603
9/19/2011 10:05	E. coli		11	cfu/100mL	EPA1603
9/20/2011 10:03	E. coli		44	cfu/100mL	EPA1603
9/21/2011 10:14	E. coli		70	cfu/100mL	EPA1603
9/22/2011 11:20	E. coli		61	cfu/100mL	EPA1603
9/26/2011 8:35	E. coli		28	cfu/100mL	EPA1603
9/27/2011 8:31	E. coli		610	cfu/100mL	EPA1603
9/28/2011 8:36	E. coli		76	cfu/100mL	EPA1603

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/29/2011 8:22	E. coli		178	cfu/100mL	EPA1603
10/3/2011 8:41	E. coli		408	cfu/100mL	EPA1603
10/4/2011 9:17	E. coli		1560	cfu/100mL	EPA1603
10/5/2011 8:59	E. coli		79	cfu/100mL	EPA1603
10/6/2011 9:26	E. coli		50	cfu/100mL	EPA1603
10/10/2011 9:28	E. coli		20	cfu/100mL	EPA1603
10/11/2011 9:15	E. coli	EC	78	cfu/100mL	EPA1603
10/12/2011 9:16	E. coli		23	cfu/100mL	EPA1603
10/13/2011 9:05	E. coli		355	cfu/100mL	EPA1603
10/17/2011 8:51	E. coli		325	cfu/100mL	EPA1603
10/18/2011 9:04	E. coli		88	cfu/100mL	EPA1603
10/20/2011 9:17	E. coli		2200	cfu/100mL	EPA1603
10/25/2011 8:29	E. coli		270	cfu/100mL	EPA1603
10/26/2011 8:48	E. coli		416	cfu/100mL	EPA1603
10/27/2011 9:04	E. coli		424	cfu/100mL	EPA1603
5/2/2011 9:46	Field Cond		215	uS/cm	SM 2510A
5/3/2011 10:32	Field Cond		270	uS/cm	SM 2510A
5/4/2011 9:41	Field Cond		237	uS/cm	SM 2510A
5/5/2011 10:05	Field Cond		253	uS/cm	SM 2510A
5/9/2011 10:07	Field Cond		244	uS/cm	SM 2510A
5/10/2011 10:05	Field Cond		320	uS/cm	SM 2510A
5/11/2011	Field Cond		319	uS/cm	SM 2510A
5/12/2011 10:17	Field Cond		331	uS/cm	SM 2510A
5/17/2011 10:10	Field Cond		334	uS/cm	SM 2510A
5/18/2011 10:06	Field Cond		319	uS/cm	SM 2510A
5/19/2011 10:15	Field Cond		325	uS/cm	SM 2510A
5/20/2011 10:23	Field Cond		267	uS/cm	SM 2510A
5/21/2011 9:55	Field Cond		434	uS/cm	SM 2510A
5/23/2011 9:44	Field Cond		389	uS/cm	SM 2510A
5/25/2011 10:08	Field Cond		330	uS/cm	SM 2510A
5/26/2011 10:00	Field Cond		320	uS/cm	SM 2510A
5/27/2011 9:45	Field Cond		349	uS/cm	SM 2510A
5/28/2011 9:17	Field Cond		363	uS/cm	SM 2510A
5/29/2011 9:24	Field Cond		320	uS/cm	SM 2510A
5/30/2011 9:16	Field Cond		313	uS/cm	SM 2510A
5/31/2011 10:06	Field Cond		202	uS/cm	SM 2510A
6/1/2011 9:55	Field Cond		368	uS/cm	SM 2510A
6/2/2011 10:28	Field Cond		414	uS/cm	SM 2510A
6/3/2011 9:46	Field Cond		326	uS/cm	SM 2510A
6/4/2011 10:50	Field Cond		309	uS/cm	SM 2510A
6/5/2011 9:51	Field Cond		308	uS/cm	SM 2510A
6/8/2011 9:45	Field Cond		340	uS/cm	SM 2510A
6/9/2011 10:04	Field Cond		337	uS/cm	SM 2510A
6/10/2011 9:53	Field Cond		338	uS/cm	SM 2510A

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/11/2011 9:10	Field Cond		345	uS/cm	SM 2510A
6/13/2011 9:53	Field Cond		363	uS/cm	SM 2510A
6/15/2011 9:48	Field Cond		321	uS/cm	SM 2510A
6/16/2011 9:52	Field Cond		362	uS/cm	SM 2510A
6/17/2011 9:59	Field Cond		359	uS/cm	SM 2510A
6/18/2011 8:50	Field Cond		365	uS/cm	SM 2510A
6/19/2011 8:46	Field Cond		322	uS/cm	SM 2510A
6/20/2011 9:34	Field Cond		340	uS/cm	SM 2510A
6/21/2011 9:26	Field Cond		350	uS/cm	SM 2510A
6/22/2011 9:40	Field Cond		364	uS/cm	SM 2510A
6/23/2011 10:14	Field Cond		337	uS/cm	SM 2510A
6/24/2011 9:43	Field Cond		365	uS/cm	SM 2510A
6/25/2011 9:10	Field Cond		406	uS/cm	SM 2510A
6/26/2011 9:17	Field Cond		422	uS/cm	SM 2510A
6/27/2011 9:36	Field Cond		354	uS/cm	SM 2510A
6/28/2011 10:27	Field Cond		334	uS/cm	SM 2510A
6/29/2011 9:46	Field Cond		344	uS/cm	SM 2510A
6/30/2011 9:35	Field Cond		309	uS/cm	SM 2510A
7/1/2011 9:53	Field Cond		336	uS/cm	SM 2510A
7/2/2011 8:43	Field Cond		319	uS/cm	SM 2510A
7/3/2011 8:50	Field Cond		318	uS/cm	SM 2510A
7/4/2011 8:42	Field Cond		313	uS/cm	SM 2510A
7/5/2011 9:19	Field Cond		340	uS/cm	SM 2510A
7/6/2011 9:27	Field Cond		327	uS/cm	SM 2510A
7/7/2011 9:51	Field Cond		345	uS/cm	SM 2510A
7/8/2011 9:26	Field Cond		341	uS/cm	SM 2510A
7/9/2011 8:33	Field Cond		325	uS/cm	SM 2510A
7/10/2011 8:31	Field Cond		373	uS/cm	SM 2510A
7/11/2011 9:55	Field Cond		297	uS/cm	SM 2510A
7/12/2011 9:39	Field Cond		303	uS/cm	SM 2510A
7/13/2011 10:29	Field Cond		310	uS/cm	SM 2510A
7/14/2011 9:35	Field Cond		305	uS/cm	SM 2510A
7/15/2011 9:12	Field Cond		352	uS/cm	SM 2510A
7/16/2011 8:21	Field Cond		371	uS/cm	SM 2510A
7/17/2011 9:16	Field Cond		323	uS/cm	SM 2510A
7/18/2011 10:19	Field Cond		325	uS/cm	SM 2510A
7/19/2011 9:47	Field Cond		302	uS/cm	SM 2510A
7/20/2011 9:39	Field Cond		334	uS/cm	SM 2510A
7/21/2011 9:20	Field Cond		308	uS/cm	SM 2510A
7/22/2011 9:05	Field Cond		259	uS/cm	SM 2510A
7/23/2011 8:59	Field Cond		262	uS/cm	SM 2510A
7/24/2011 9:04	Field Cond		315	uS/cm	SM 2510A
7/25/2011 10:11	Field Cond		303	uS/cm	SM 2510A
7/26/2011 9:58	Field Cond		306	uS/cm	SM 2510A
7/27/2011 9:45	Field Cond		349	uS/cm	SM 2510A

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/28/2011 10:36	Field Cond		342	uS/cm	SM 2510A
7/29/2011 9:47	Field Cond		303	uS/cm	SM 2510A
7/30/2011 9:12	Field Cond		357	uS/cm	SM 2510A
7/31/2011 8:49	Field Cond		321	uS/cm	SM 2510A
8/1/2011 9:41	Field Cond		289	uS/cm	SM 2510A
8/3/2011 9:52	Field Cond		295	uS/cm	SM 2510A
8/4/2011 9:49	Field Cond		313	uS/cm	SM 2510A
8/5/2011 9:25	Field Cond		296	uS/cm	SM 2510A
8/6/2011 8:30	Field Cond		319	uS/cm	SM 2510A
8/7/2011 8:45	Field Cond		274	uS/cm	SM 2510A
8/8/2011 9:20	Field Cond		366	uS/cm	SM 2510A
8/9/2011 9:29	Field Cond		303	uS/cm	SM 2510A
8/10/2011 9:22	Field Cond		371	uS/cm	SM 2510A
8/11/2011 9:46	Field Cond		328	uS/cm	SM 2510A
8/12/2011 9:54	Field Cond		317	uS/cm	SM 2510A
8/13/2011 8:31	Field Cond		343	uS/cm	SM 2510A
8/14/2011 9:02	Field Cond		378	uS/cm	SM 2510A
8/15/2011 10:36	Field Cond		327	uS/cm	SM 2510A
8/16/2011 10:06	Field Cond		298	uS/cm	SM 2510A
8/17/2011 10:13	Field Cond		289	uS/cm	SM 2510A
8/18/2011 10:17	Field Cond		298	uS/cm	SM 2510A
8/19/2011 9:33	Field Cond		331	uS/cm	SM 2510A
8/20/2011 8:47	Field Cond		330	uS/cm	SM 2510A
8/21/2011 8:36	Field Cond		344	uS/cm	SM 2510A
8/22/2011 9:28	Field Cond		333	uS/cm	SM 2510A
8/23/2011 9:56	Field Cond		292	uS/cm	SM 2510A
8/24/2011 9:55	Field Cond		336	uS/cm	SM 2510A
8/25/2011 10:12	Field Cond		301	uS/cm	SM 2510A
8/26/2011 9:50	Field Cond		313	uS/cm	SM 2510A
8/27/2011 8:50	Field Cond		364	uS/cm	SM 2510A
8/28/2011 8:40	Field Cond		251	uS/cm	SM 2510A
8/29/2011 10:09	Field Cond		317	uS/cm	SM 2510A
8/30/2011 9:57	Field Cond		294	uS/cm	SM 2510A
8/31/2011 9:25	Field Cond		293	uS/cm	SM 2510A
9/1/2011 9:36	Field Cond		314	uS/cm	SM 2510A
9/2/2011 10:01	Field Cond		303	uS/cm	SM 2510A
9/3/2011 8:29	Field Cond		303	uS/cm	SM 2510A
9/4/2011 8:26	Field Cond		317	uS/cm	SM 2510A
9/5/2011 8:44	Field Cond		305	uS/cm	SM 2510A
9/6/2011 9:38	Field Cond		331	uS/cm	SM 2510A
9/7/2011 9:06	Field Cond		310	uS/cm	SM 2510A
9/8/2011 9:13	Field Cond		319	uS/cm	SM 2510A
9/9/2011 10:24	Field Cond		304	uS/cm	SM 2510A
9/12/2011 9:16	Field Cond		333	uS/cm	SM 2510A
9/13/2011 8:50	Field Cond		322	uS/cm	SM 2510A

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/14/2011 8:44	Field Cond		347	uS/cm	SM 2510A
9/15/2011 9:12	Field Cond		357	uS/cm	SM 2510A
9/19/2011 10:05	Field Cond		319	uS/cm	SM 2510A
9/20/2011 10:03	Field Cond		338	uS/cm	SM 2510A
9/21/2011 10:14	Field Cond		321	uS/cm	SM 2510A
9/22/2011 11:20	Field Cond		316	uS/cm	SM 2510A
9/26/2011 8:35	Field Cond		303	uS/cm	SM 2510A
9/27/2011 8:31	Field Cond		297	uS/cm	SM 2510A
9/28/2011 8:36	Field Cond		304	uS/cm	SM 2510A
9/29/2011 8:22	Field Cond		307	uS/cm	SM 2510A
10/3/2011 8:41	Field Cond		350	uS/cm	SM 2510A
10/4/2011 9:17	Field Cond		300	uS/cm	SM 2510A
10/5/2011 8:59	Field Cond		321	uS/cm	SM 2510A
10/6/2011 9:26	Field Cond		342	uS/cm	SM 2510A
10/10/2011 9:28	Field Cond		331	uS/cm	SM 2510A
10/11/2011 9:15	Field Cond		322	uS/cm	SM 2510A
10/12/2011 9:16	Field Cond		314	uS/cm	SM 2510A
10/13/2011 9:05	Field Cond		368	uS/cm	SM 2510A
10/17/2011 8:51	Field Cond		438	uS/cm	SM 2510A
10/18/2011 9:04	Field Cond		335	uS/cm	SM 2510A
10/20/2011 9:17	Field Cond		359	uS/cm	SM 2510A
10/25/2011 8:29	Field Cond		442	uS/cm	SM 2510A
10/26/2011 8:48	Field Cond		338	uS/cm	SM 2510A
10/27/2011 9:04	Field Cond		417	uS/cm	SM 2510A
5/2/2011 9:46	Field Temp		9.9	C	EPA 170.1
5/3/2011 10:32	Field Temp		10.1	C	EPA 170.1
5/4/2011 9:41	Field Temp		9	C	EPA 170.1
5/5/2011 10:05	Field Temp		9.9	C	EPA 170.1
5/9/2011 10:07	Field Temp		10.8	C	EPA 170.1
5/10/2011 10:05	Field Temp		10.9	C	EPA 170.1
5/11/2011	Field Temp		11.4	C	EPA 170.1
5/12/2011 10:17	Field Temp		10.5	C	EPA 170.1
5/17/2011 10:10	Field Temp		11.2	C	EPA 170.1
5/18/2011 10:06	Field Temp		10.9	C	EPA 170.1
5/19/2011 10:15	Field Temp		12.9	C	EPA 170.1
5/20/2011 10:23	Field Temp		13.4	C	EPA 170.1
5/21/2011 9:55	Field Temp		15	C	EPA 170.1
5/22/2011 8:45	Field Temp		12	C	EPA 170.1
5/23/2011 9:44	Field Temp		15.4	C	EPA 170.1
5/24/2011 10:30	Field Temp		14.8	C	EPA 170.1
5/25/2011 10:08	Field Temp		14.3	C	EPA 170.1
5/26/2011 10:00	Field Temp		13.2	C	EPA 170.1
5/27/2011 9:45	Field Temp		14.1	C	EPA 170.1
5/28/2011 9:17	Field Temp		15.4	C	EPA 170.1

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/29/2011 9:24	Field Temp		16	C	EPA 170.1
5/30/2011 9:16	Field Temp		18.2	C	EPA 170.1
6/1/2011 9:55	Field Temp		19.8	C	EPA 170.1
6/3/2011 9:46	Field Temp		18.3	C	EPA 170.1
6/4/2011 10:50	Field Temp		18.5	C	EPA 170.1
6/5/2011 9:51	Field Temp		19.2	C	EPA 170.1
6/6/2011 10:14	Field Temp		20.4	C	EPA 170.1
6/8/2011 9:45	Field Temp		20.5	C	EPA 170.1
6/9/2011 10:04	Field Temp		21.8	C	EPA 170.1
6/10/2011 9:53	Field Temp		21	C	EPA 170.1
6/11/2011 9:10	Field Temp		20.6	C	EPA 170.1
6/13/2011 9:53	Field Temp		19.5	C	EPA 170.1
6/15/2011 9:48	Field Temp		19.3	C	EPA 170.1
6/16/2011 9:52	Field Temp		20	C	EPA 170.1
6/17/2011 9:59	Field Temp		20.2	C	EPA 170.1
6/18/2011 8:50	Field Temp		20.5	C	EPA 170.1
6/19/2011 8:46	Field Temp		20.1	C	EPA 170.1
6/20/2011 9:34	Field Temp		20.1	C	EPA 170.1
6/21/2011 9:26	Field Temp		21.5	C	EPA 170.1
6/22/2011 9:40	Field Temp		21	C	EPA 170.1
6/23/2011 10:14	Field Temp		21.7	C	EPA 170.1
6/24/2011 9:43	Field Temp		19.9	C	EPA 170.1
6/25/2011 9:10	Field Temp		19.5	C	EPA 170.1
6/26/2011 9:17	Field Temp		21.2	C	EPA 170.1
6/27/2011 9:36	Field Temp		20.9	C	EPA 170.1
6/28/2011 10:27	Field Temp		21.4	C	EPA 170.1
6/29/2011 9:46	Field Temp		20.9	C	EPA 170.1
6/30/2011 9:35	Field Temp		21.3	C	EPA 170.1
7/1/2011 9:53	Field Temp		22.3	C	EPA 170.1
7/2/2011 8:43	Field Temp		21.5	C	EPA 170.1
7/3/2011 8:50	Field Temp		22.2	C	EPA 170.1
7/4/2011 8:42	Field Temp		22.8	C	EPA 170.1
7/5/2011 9:19	Field Temp		22	C	EPA 170.1
7/6/2011 9:27	Field Temp		23.1	C	EPA 170.1
7/7/2011 9:51	Field Temp		23.6	C	EPA 170.1
7/8/2011 9:26	Field Temp		21	C	EPA 170.1
7/9/2011 8:33	Field Temp		20.9	C	EPA 170.1
7/10/2011 8:31	Field Temp		21.5	C	EPA 170.1
7/11/2011 9:55	Field Temp		22.7	C	EPA 170.1
7/12/2011 9:39	Field Temp		23.3	C	EPA 170.1
7/13/2011 10:29	Field Temp		23.5	C	EPA 170.1
7/14/2011 9:35	Field Temp		22.4	C	EPA 170.1
7/15/2011 9:12	Field Temp		21.9	C	EPA 170.1
7/16/2011 8:21	Field Temp		21.6	C	EPA 170.1
7/17/2011 9:16	Field Temp		22.7	C	EPA 170.1



## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/18/2011 10:19	Field Temp		24.1	C	EPA 170.1
7/19/2011 9:47	Field Temp		25.1	C	EPA 170.1
7/20/2011 9:39	Field Temp		24.5	C	EPA 170.1
7/21/2011 9:20	Field Temp		24.9	C	EPA 170.1
7/22/2011 9:05	Field Temp		25.7	C	EPA 170.1
7/23/2011 8:59	Field Temp		24.8	C	EPA 170.1
7/24/2011 9:04	Field Temp		26.3	C	EPA 170.1
7/25/2011 10:11	Field Temp		26.2	C	EPA 170.1
7/26/2011 9:58	Field Temp		24.9	C	EPA 170.1
7/27/2011 9:45	Field Temp		25.9	C	EPA 170.1
7/28/2011 10:36	Field Temp		25.7	C	EPA 170.1
7/29/2011 9:47	Field Temp		24.6	C	EPA 170.1
7/30/2011 9:12	Field Temp		25.1	C	EPA 170.1
7/31/2011 8:49	Field Temp		24.2	C	EPA 170.1
8/1/2011 9:41	Field Temp		24.8	C	EPA 170.1
8/3/2011 9:52	Field Temp		26.5	C	EPA 170.1
8/4/2011 9:49	Field Temp		26.1	C	EPA 170.1
8/5/2011 9:25	Field Temp		26.5	C	EPA 170.1
8/6/2011 8:30	Field Temp		26.3	C	EPA 170.1
8/7/2011 8:45	Field Temp		26.6	C	EPA 170.1
8/8/2011 9:20	Field Temp		26.2	C	EPA 170.1
8/9/2011 9:29	Field Temp		26.2	C	EPA 170.1
8/10/2011 9:22	Field Temp		25.6	C	EPA 170.1
8/11/2011 9:46	Field Temp		24.5	C	EPA 170.1
8/12/2011 9:54	Field Temp		25.4	C	EPA 170.1
8/13/2011 8:31	Field Temp		25.2	C	EPA 170.1
8/14/2011 9:02	Field Temp		24.4	C	EPA 170.1
8/15/2011 10:36	Field Temp		24.1	C	EPA 170.1
8/16/2011 10:06	Field Temp		24	C	EPA 170.1
8/17/2011 10:13	Field Temp		24.9	C	EPA 170.1
8/18/2011 10:17	Field Temp		25.2	C	EPA 170.1
8/19/2011 9:33	Field Temp		25.4	C	EPA 170.1
8/20/2011 8:47	Field Temp		25.2	C	EPA 170.1
8/21/2011 8:36	Field Temp		25	C	EPA 170.1
8/22/2011 9:28	Field Temp		23.3	C	EPA 170.1
8/23/2011 9:56	Field Temp		24.1	C	EPA 170.1
8/24/2011 9:55	Field Temp		23.8	C	EPA 170.1
8/25/2011 10:12	Field Temp		24.3	C	EPA 170.1
8/26/2011 9:50	Field Temp		24	C	EPA 170.1
8/27/2011 8:50	Field Temp		23.7	C	EPA 170.1
8/28/2011 8:40	Field Temp		23.4	C	EPA 170.1
8/29/2011 10:09	Field Temp		23.4	C	EPA 170.1
8/30/2011 9:57	Field Temp		23.7	C	EPA 170.1
8/31/2011 9:25	Field Temp		23.2	C	EPA 170.1
9/1/2011 9:36	Field Temp		23.5	C	EPA 170.1



## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/2/2011 10:01	Field Temp		24.3	C	EPA 170.1
9/3/2011 8:29	Field Temp		24.3	C	EPA 170.1
9/4/2011 8:26	Field Temp		24.6	C	EPA 170.1
9/5/2011 8:44	Field Temp		22.9	C	EPA 170.1
9/6/2011 9:38	Field Temp		21.5	C	EPA 170.1
9/7/2011 9:06	Field Temp		21.4	C	EPA 170.1
9/8/2011 9:13	Field Temp		21.7	C	EPA 170.1
9/9/2011 10:24	Field Temp		22	C	EPA 170.1
9/12/2011 9:16	Field Temp		21.7	C	EPA 170.1
9/13/2011 8:50	Field Temp		22.3	C	EPA 170.1
9/14/2011 8:44	Field Temp		22.2	C	EPA 170.1
9/15/2011 9:12	Field Temp		19.1	C	EPA 170.1
9/19/2011 10:05	Field Temp		19.5	C	EPA 170.1
9/20/2011 10:03	Field Temp		19.7	C	EPA 170.1
9/21/2011 10:14	Field Temp		19.9	C	EPA 170.1
9/22/2011 11:20	Field Temp		20.1	C	EPA 170.1
9/26/2011 8:35	Field Temp		19.6	C	EPA 170.1
9/27/2011 8:31	Field Temp		18.9	C	EPA 170.1
9/28/2011 8:36	Field Temp		19.4	C	EPA 170.1
9/29/2011 8:22	Field Temp		19.1	C	EPA 170.1
10/3/2011 8:41	Field Temp		14.1	C	EPA 170.1
10/4/2011 9:17	Field Temp		14.8	C	EPA 170.1
10/5/2011 8:59	Field Temp		15.6	C	EPA 170.1
10/6/2011 9:26	Field Temp		16.2	C	EPA 170.1
10/10/2011 9:28	Field Temp		16.2	C	EPA 170.1
10/11/2011 9:15	Field Temp		15.9	C	EPA 170.1
10/12/2011 9:16	Field Temp		15.9	C	EPA 170.1
10/13/2011 9:05	Field Temp		16	C	EPA 170.1
10/17/2011 8:51	Field Temp		12.7	C	EPA 170.1
10/18/2011 9:04	Field Temp		13.9	C	EPA 170.1
10/20/2011 9:17	Field Temp		13.6	C	EPA 170.1
10/25/2011 8:29	Field Temp		13.1	C	EPA 170.1
10/26/2011 8:48	Field Temp		13.5	C	EPA 170.1
10/27/2011 9:04	Field Temp		12.6	C	EPA 170.1
5/2/2011 9:46	pH		7.99	S.U.	
5/3/2011 10:32	pH		8.09	S.U.	
5/4/2011 9:41	pH		8.11	S.U.	
5/5/2011 10:05	pH		7.99	S.U.	
5/9/2011 10:07	pH		8.05	S.U.	
5/10/2011 10:05	pH		8.32	S.U.	
5/11/2011	pH		8.29	S.U.	
5/12/2011 10:17	pH		7.98	S.U.	
5/17/2011 10:10	pH		8.08	S.U.	
5/18/2011 10:06	pH		8.02	S.U.	

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/19/2011 10:15	pH		8.19	S.U.	
5/20/2011 10:23	pH		8.11	S.U.	
5/21/2011 9:55	pH		8.11	S.U.	
5/22/2011 8:45	pH		7.93	S.U.	
5/23/2011 9:44	pH		8.13	S.U.	
5/24/2011 10:30	pH		8.1	S.U.	
5/25/2011 10:08	pH		8.15	S.U.	
5/26/2011 10:00	pH		7.92	S.U.	
5/27/2011 9:45	pH		8.14	S.U.	
5/28/2011 9:17	pH		8.12	S.U.	
5/29/2011 9:24	pH		8.03	S.U.	
5/30/2011 9:16	pH		8.22	S.U.	
6/1/2011 9:55	pH		8.61	S.U.	
6/2/2011 10:28	pH		8.28	S.U.	
6/3/2011 9:46	pH		8.67	S.U.	
6/4/2011 10:50	pH		8.16	S.U.	
6/5/2011 9:51	pH		8.26	S.U.	
6/6/2011 10:14	pH		8.29	S.U.	
6/9/2011 10:04	pH		8.46	S.U.	
6/10/2011 9:53	pH		8.41	S.U.	
6/11/2011 9:10	pH		7.84	S.U.	
6/13/2011 9:53	pH		8.08	S.U.	
6/15/2011 9:48	pH		7.87	S.U.	
6/16/2011 9:52	pH		7.67	S.U.	
6/17/2011 9:59	pH		8.22	S.U.	
6/18/2011 8:50	pH		7.46	S.U.	
6/19/2011 8:46	pH		7.79	S.U.	
6/20/2011 9:34	pH		7.91	S.U.	
6/21/2011 9:26	pH		8.28	S.U.	
6/22/2011 9:40	pH		8.24	S.U.	
6/23/2011 10:14	pH		8.15	S.U.	
6/24/2011 9:43	pH		8.05	S.U.	
6/25/2011 9:10	pH		7.9	S.U.	
6/26/2011 9:17	pH		7.71	S.U.	
6/27/2011 9:36	pH		8.17	S.U.	
6/28/2011 10:27	pH		7.91	S.U.	
6/29/2011 9:46	pH		8.39	S.U.	
6/30/2011 9:35	pH		8.22	S.U.	
7/1/2011 9:53	pH		8.22	S.U.	
7/2/2011 8:43	pH		7.9	S.U.	
7/3/2011 8:50	pH		8.07	S.U.	
7/4/2011 8:42	pH		8.19	S.U.	
7/5/2011 9:19	pH		7.94	S.U.	
7/6/2011 9:27	pH		8.04	S.U.	
7/7/2011 9:51	pH		8.34	S.U.	

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/8/2011 9:26	pH		7.58	S.U.	
7/9/2011 8:33	pH		7.78	S.U.	
7/10/2011 8:31	pH		7.61	S.U.	
7/11/2011 9:55	pH		8.24	S.U.	
7/12/2011 9:39	pH		7.85	S.U.	
7/13/2011 10:29	pH		8.02	S.U.	
7/14/2011 9:35	pH		7.86	S.U.	
7/15/2011 9:12	pH		7.73	S.U.	
7/16/2011 8:21	pH		7.63	S.U.	
7/17/2011 9:16	pH		8.16	S.U.	
7/18/2011 10:19	pH		8.16	S.U.	
7/19/2011 9:47	pH		7.91	S.U.	
7/20/2011 9:39	pH		8.68	S.U.	
7/21/2011 9:20	pH		8.35	S.U.	
7/22/2011 9:05	pH		8.14	S.U.	
7/23/2011 8:59	pH		8.1	S.U.	
7/24/2011 9:04	pH		7.94	S.U.	
7/25/2011 10:11	pH		8.33	S.U.	
7/26/2011 9:58	pH		8.54	S.U.	
7/27/2011 9:45	pH		8.25	S.U.	
7/28/2011 10:36	pH		8.15	S.U.	
7/29/2011 9:47	pH		8.4	S.U.	
7/30/2011 9:12	pH		8.42	S.U.	
7/31/2011 8:49	pH		8.47	S.U.	
8/1/2011 9:41	pH		8.38	S.U.	
8/3/2011 9:52	pH		8.4	S.U.	
8/4/2011 9:49	pH		8.33	S.U.	
8/5/2011 9:25	pH		8.34	S.U.	
8/6/2011 8:30	pH		8.37	S.U.	
8/7/2011 8:45	pH		8.44	S.U.	
8/8/2011 9:20	pH		8.66	S.U.	
8/9/2011 9:29	pH		8.4	S.U.	
8/10/2011 9:22	pH		8.41	S.U.	
8/11/2011 9:46	pH		8.34	S.U.	
8/12/2011 9:54	pH		8.56	S.U.	
8/13/2011 8:31	pH		8.55	S.U.	
8/14/2011 9:02	pH		8.47	S.U.	
8/15/2011 10:36	pH		8.53	S.U.	
8/16/2011 10:06	pH		8.37	S.U.	
8/17/2011 10:13	pH		8.51	S.U.	
8/18/2011 10:17	pH		8.6	S.U.	
8/19/2011 9:33	pH		8.59	S.U.	
8/20/2011 8:47	pH		8.64	S.U.	
8/21/2011 8:36	pH		8.45	S.U.	
8/22/2011 9:28	pH		8.46	S.U.	

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/23/2011 9:56	pH		8.54	S.U.	
8/24/2011 9:55	pH		8.48	S.U.	
8/25/2011 10:12	pH		8.43	S.U.	
8/26/2011 9:50	pH		8.49	S.U.	
8/27/2011 8:50	pH		8.31	S.U.	
8/28/2011 8:40	pH		8.28	S.U.	
8/29/2011 10:09	pH		8.25	S.U.	
8/30/2011 9:57	pH		8.27	S.U.	
8/31/2011 9:25	pH		8.08	S.U.	
9/1/2011 9:36	pH		8.14	S.U.	
9/2/2011 10:01	pH		8.33	S.U.	
9/3/2011 8:29	pH		8.33	S.U.	
9/4/2011 8:26	pH		8.53	S.U.	
9/5/2011 8:44	pH		8.44	S.U.	
9/6/2011 9:38	pH		8.39	S.U.	
9/7/2011 9:06	pH		8.29	S.U.	
9/8/2011 9:13	pH		8.3	S.U.	
9/9/2011 10:24	pH		8.24	S.U.	
9/12/2011 9:16	pH		8.31	S.U.	
9/13/2011 8:50	pH		8.43	S.U.	
9/14/2011 8:44	pH		8.38	S.U.	
9/15/2011 9:12	pH		8.29	S.U.	
9/19/2011 10:05	pH		8.4	S.U.	
9/20/2011 10:03	pH		8.25	S.U.	
9/21/2011 10:14	pH		8.35	S.U.	
9/22/2011 11:20	pH		8.42	S.U.	
9/26/2011 8:35	pH		8.18	S.U.	
9/27/2011 8:31	pH		8.16	S.U.	
9/28/2011 8:36	pH		8.24	S.U.	
9/29/2011 8:22	pH		8.24	S.U.	
10/3/2011 8:41	pH		8.12	S.U.	
10/4/2011 9:17	pH		8.16	S.U.	
10/5/2011 8:59	pH		8.06	S.U.	
10/6/2011 9:26	pH		7.95	S.U.	
10/10/2011 9:28	pH		8.09	S.U.	
10/11/2011 9:15	pH		7.98	S.U.	
10/12/2011 9:16	pH		7.98	S.U.	
10/13/2011 9:05	pH		7.77	S.U.	
10/17/2011 8:51	pH		7.98	S.U.	
10/18/2011 9:04	pH		8.07	S.U.	
10/20/2011 9:17	pH		7.84	S.U.	
10/25/2011 8:29	pH		7.85	S.U.	
10/26/2011 8:48	pH		7.69	S.U.	
10/27/2011 9:04	pH		7.75	S.U.	

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:46	Turbidity		14.3	NTU	EPA180.1
5/3/2011 10:32	Turbidity		10.6	NTU	EPA180.1
5/4/2011 9:41	Turbidity		25.2	NTU	EPA180.1
5/5/2011 10:05	Turbidity		11.25	NTU	EPA180.1
5/9/2011 10:07	Turbidity		6	NTU	EPA180.1
5/10/2011 10:05	Turbidity		5.53	NTU	EPA180.1
5/11/2011	Turbidity		7.86	NTU	EPA180.1
5/12/2011 10:17	Turbidity		10.75	NTU	EPA180.1
5/17/2011 10:10	Turbidity		77.11	NTU	EPA180.1
5/18/2011 10:06	Turbidity		50.54	NTU	EPA180.1
5/19/2011 10:15	Turbidity		17.42	NTU	EPA180.1
5/20/2011 10:23	Turbidity		11.14	NTU	EPA180.1
5/21/2011 9:55	Turbidity		6.58	NTU	EPA180.1
5/22/2011 8:45	Turbidity		6.75	NTU	EPA180.1
5/23/2011 9:44	Turbidity		6.7	NTU	EPA180.1
5/24/2011 10:30	Turbidity		16.74	NTU	EPA180.1
5/25/2011 10:08	Turbidity		8.23	NTU	EPA180.1
5/26/2011 10:00	Turbidity		8.51	NTU	EPA180.1
5/27/2011 9:45	Turbidity		13.16	NTU	EPA180.1
5/28/2011 9:17	Turbidity		6.55	NTU	EPA180.1
5/29/2011 9:24	Turbidity		21.8	NTU	EPA180.1
5/30/2011 9:16	Turbidity		14.3	NTU	EPA180.1
5/31/2011 10:06	Turbidity		8.21	NTU	EPA180.1
6/1/2011 9:55	Turbidity		15.55	NTU	EPA180.1
6/2/2011 10:28	Turbidity		17.03	NTU	EPA180.1
6/3/2011 9:46	Turbidity		7.28	NTU	EPA180.1
6/4/2011 10:50	Turbidity		6.57	NTU	EPA180.1
6/5/2011 9:51	Turbidity		5.41	NTU	EPA180.1
6/6/2011 10:14	Turbidity		4.74	NTU	EPA180.1
6/7/2011 10:35	Turbidity		6.91	NTU	EPA180.1
6/8/2011 9:45	Turbidity		3.71	NTU	EPA180.1
6/9/2011 10:04	Turbidity		5.9	NTU	EPA180.1
6/10/2011 9:53	Turbidity		8.9	NTU	EPA180.1
6/11/2011 9:10	Turbidity		7.79	NTU	EPA180.1
6/12/2011 8:45	Turbidity		33.25	NTU	EPA180.1
6/13/2011 9:53	Turbidity		19.9	NTU	EPA180.1
6/15/2011 9:48	Turbidity		9.8	NTU	EPA180.1
6/16/2011 9:52	Turbidity		4.8	NTU	EPA180.1
6/17/2011 9:59	Turbidity		5.26	NTU	EPA180.1
6/18/2011 8:50	Turbidity		6.5	NTU	EPA180.1
6/19/2011 8:46	Turbidity		6.8	NTU	EPA180.1
6/20/2011 9:34	Turbidity		6.31	NTU	EPA180.1
6/21/2011 9:26	Turbidity		4.02	NTU	EPA180.1
6/22/2011 9:40	Turbidity		4.97	NTU	EPA180.1
6/23/2011 10:14	Turbidity		6.31	NTU	EPA180.1

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/24/2011 9:43	Turbidity		14	NTU	EPA180.1
6/25/2011 9:10	Turbidity		33.4	NTU	EPA180.1
6/26/2011 9:17	Turbidity		6.16	NTU	EPA180.1
6/27/2011 9:36	Turbidity		3.94	NTU	EPA180.1
6/28/2011 10:27	Turbidity		12.8	NTU	EPA180.1
6/29/2011 9:46	Turbidity		26	NTU	EPA180.1
6/30/2011 9:35	Turbidity		4.7	NTU	EPA180.1
7/1/2011 9:53	Turbidity		3	NTU	EPA180.1
7/2/2011 8:43	Turbidity		6.26	NTU	EPA180.1
7/3/2011 8:50	Turbidity		6.59	NTU	EPA180.1
7/4/2011 8:42	Turbidity		6.56	NTU	EPA180.1
7/5/2011 9:19	Turbidity		2.4	NTU	EPA180.1
7/6/2011 9:27	Turbidity		7.15	NTU	EPA180.1
7/7/2011 9:51	Turbidity		4.03	NTU	EPA180.1
7/8/2011 9:26	Turbidity		1.12	NTU	EPA180.1
7/9/2011 8:33	Turbidity		3.08	NTU	EPA180.1
7/10/2011 8:31	Turbidity		3.56	NTU	EPA180.1
7/11/2011 9:55	Turbidity		0.23	NTU	EPA180.1
7/12/2011 9:39	Turbidity		3.7	NTU	EPA180.1
7/13/2011 10:29	Turbidity		10.89	NTU	EPA180.1
7/14/2011 9:35	Turbidity		9.71	NTU	EPA180.1
7/15/2011 9:12	Turbidity		3.47	NTU	EPA180.1
7/16/2011 8:21	Turbidity		2.49	NTU	EPA180.1
7/17/2011 9:16	Turbidity		1.58	NTU	EPA180.1
7/18/2011 10:19	Turbidity		2.5	NTU	EPA180.1
7/19/2011 9:47	Turbidity		3.95	NTU	EPA180.1
7/20/2011 9:39	Turbidity		1.74	NTU	EPA180.1
7/21/2011 9:20	Turbidity		3.24	NTU	EPA180.1
7/22/2011 9:05	Turbidity		1.3	NTU	EPA180.1
7/23/2011 8:59	Turbidity		9.4	NTU	EPA180.1
7/24/2011 9:04	Turbidity		5.35	NTU	EPA180.1
7/25/2011 10:11	Turbidity		2.28	NTU	EPA180.1
7/26/2011 9:58	Turbidity		2.78	NTU	EPA180.1
7/27/2011 9:45	Turbidity		2.97	NTU	EPA180.1
7/28/2011 10:36	Turbidity		1.58	NTU	EPA180.1
7/29/2011 9:47	Turbidity		15.3	NTU	EPA180.1
7/30/2011 9:12	Turbidity		3.15	NTU	EPA180.1
7/31/2011 8:49	Turbidity		1.92	NTU	EPA180.1
8/1/2011 9:41	Turbidity		1.66	NTU	EPA180.1
8/2/2011 10:53	Turbidity		1.56	NTU	EPA180.1
8/3/2011 9:52	Turbidity		3.67	NTU	EPA180.1
8/4/2011 9:49	Turbidity		5.91	NTU	EPA180.1
8/5/2011 9:25	Turbidity		2.13	NTU	EPA180.1
8/6/2011 8:30	Turbidity		1.45	NTU	EPA180.1
8/7/2011 8:45	Turbidity		7.97	NTU	EPA180.1

## Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/8/2011 9:20	Turbidity		5.75	NTU	EPA180.1
8/9/2011 9:29	Turbidity		1.92	NTU	EPA180.1
8/10/2011 9:22	Turbidity		36.5	NTU	EPA180.1
8/11/2011 9:46	Turbidity		29.5	NTU	EPA180.1
8/12/2011 9:54	Turbidity		3.34	NTU	EPA180.1
8/13/2011 8:31	Turbidity		2.34	NTU	EPA180.1
8/14/2011 9:02	Turbidity		20.35	NTU	EPA180.1
8/15/2011 10:36	Turbidity		20.5	NTU	EPA180.1
8/16/2011 10:06	Turbidity		14.6	NTU	EPA180.1
8/17/2011 10:13	Turbidity		2.47	NTU	EPA180.1
8/18/2011 10:17	Turbidity		3.78	NTU	EPA180.1
8/19/2011 9:33	Turbidity		2	NTU	EPA180.1
8/20/2011 8:47	Turbidity		2.12	NTU	EPA180.1
8/21/2011 8:36	Turbidity		2.87	NTU	EPA180.1
8/22/2011 9:28	Turbidity		33.1	NTU	EPA180.1
8/23/2011 9:56	Turbidity		2.27	NTU	EPA180.1
8/24/2011 9:55	Turbidity		4.15	NTU	EPA180.1
8/25/2011 10:12	Turbidity		14.45	NTU	EPA180.1
8/26/2011 9:50	Turbidity		3.98	NTU	EPA180.1
8/27/2011 8:50	Turbidity		2.47	NTU	EPA180.1
8/28/2011 8:40	Turbidity		34.45	NTU	EPA180.1
8/29/2011 10:09	Turbidity		10.2	NTU	EPA180.1
8/30/2011 9:57	Turbidity		4.51	NTU	EPA180.1
8/31/2011 9:25	Turbidity		2.31	NTU	EPA180.1
9/1/2011 9:36	Turbidity		3.9	NTU	EPA180.1
9/2/2011 10:01	Turbidity		2.16	NTU	EPA180.1
9/3/2011 8:29	Turbidity		2.16	NTU	EPA180.1
9/4/2011 8:26	Turbidity		14.6	NTU	EPA180.1
9/5/2011 8:44	Turbidity		44	NTU	EPA180.1
9/6/2011 9:38	Turbidity		33.8	NTU	EPA180.1
9/7/2011 9:06	Turbidity		46.7	NTU	EPA180.1
9/8/2011 9:13	Turbidity		17.45	NTU	EPA180.1
9/9/2011 10:24	Turbidity		9.38	NTU	EPA180.1
9/12/2011 9:16	Turbidity		6.98	NTU	EPA180.1
9/13/2011 8:50	Turbidity		11.05	NTU	EPA180.1
9/14/2011 8:44	Turbidity		13.55	NTU	EPA180.1
9/15/2011 9:12	Turbidity		27.25	NTU	EPA180.1
9/19/2011 10:05	Turbidity		3.65	NTU	EPA180.1
9/20/2011 10:03	Turbidity		5.49	NTU	EPA180.1
9/21/2011 10:14	Turbidity		2.43	NTU	EPA180.1
9/22/2011 11:20	Turbidity		8.26	NTU	EPA180.1
9/26/2011 8:35	Turbidity		7.02	NTU	EPA180.1
9/27/2011 8:31	Turbidity		10.6	NTU	EPA180.1
9/28/2011 8:36	Turbidity		3.86	NTU	EPA180.1
9/29/2011 8:22	Turbidity		7.73	NTU	EPA180.1

**Euclid Beach - West**

Sample Date	Parameter	Code	Result	Units	Method
10/3/2011 8:41	Turbidity		119.4	NTU	EPA180.1
10/4/2011 9:17	Turbidity		75.7	NTU	EPA180.1
10/5/2011 8:59	Turbidity		37	NTU	EPA180.1
10/6/2011 9:26	Turbidity		20.15	NTU	EPA180.1
10/10/2011 9:28	Turbidity		8.22	NTU	EPA180.1
10/11/2011 9:15	Turbidity		6.99	NTU	EPA180.1
10/12/2011 9:16	Turbidity		6.82	NTU	EPA180.1
10/13/2011 9:05	Turbidity		6.96	NTU	EPA180.1
10/17/2011 8:51	Turbidity		102	NTU	EPA180.1
10/18/2011 9:04	Turbidity		79.2	NTU	EPA180.1
10/20/2011 9:17	Turbidity		44.4	NTU	EPA180.1
10/25/2011 8:29	Turbidity		32.2	NTU	EPA180.1
10/26/2011 8:48	Turbidity		15.9	NTU	EPA180.1
10/27/2011 9:04	Turbidity		16.9	NTU	EPA180.1



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:15	E. coli		385	cfu/100mL	EPA1603
5/3/2011 9:57	E. coli		680	cfu/100mL	EPA1603
5/4/2011 9:18	E. coli		400	cfu/100mL	EPA1603
5/5/2011 9:40	E. coli		125	cfu/100mL	EPA1603
5/9/2011 9:40	E. coli		4	cfu/100mL	EPA1603
5/10/2011 9:38	E. coli		7	cfu/100mL	EPA1603
5/11/2011 10:00	E. coli		193	cfu/100mL	EPA1603
5/12/2011 9:50	E. coli		39	cfu/100mL	EPA1603
5/17/2011 9:45	E. coli		707	cfu/100mL	EPA1603
5/18/2011 9:35	E. coli		580	cfu/100mL	EPA1603
5/19/2011 9:23	E. coli		253.5	cfu/100mL	EPA1603
5/20/2011 9:37	E. coli		540	cfu/100mL	EPA1603
5/21/2011 9:21	E. coli		35	cfu/100mL	EPA1603
5/22/2011 8:29	E. coli		54	cfu/100mL	EPA1603
5/23/2011 9:20	E. coli		103	cfu/100mL	EPA1603
5/24/2011 9:50	E. coli		640	cfu/100mL	EPA1603
5/25/2011 9:33	E. coli		106.5	cfu/100mL	EPA1603
5/26/2011 9:32	E. coli		600	cfu/100mL	EPA1603
5/27/2011 9:17	E. coli		2000	cfu/100mL	EPA1603
5/28/2011 8:59	E. coli		720	cfu/100mL	EPA1603
5/29/2011 9:06	E. coli		190	cfu/100mL	EPA1603
5/30/2011 8:56	E. coli		1270	cfu/100mL	EPA1603
5/31/2011 9:30	E. coli		75	cfu/100mL	EPA1603
6/1/2011 9:05	E. coli	EC	1130	cfu/100mL	EPA1603
6/2/2011 9:40	E. coli		208	cfu/100mL	EPA1603
6/3/2011 9:06	E. coli		29	cfu/100mL	EPA1603
6/4/2011 10:20	E. coli		22	cfu/100mL	EPA1603
6/5/2011 9:19	E. coli		32	cfu/100mL	EPA1603
6/6/2011 9:41	E. coli		45	cfu/100mL	EPA1603
6/7/2011 10:05	E. coli		540	cfu/100mL	EPA1603
6/8/2011 9:00	E. coli		392	cfu/100mL	EPA1603
6/9/2011 9:04	E. coli		1140	cfu/100mL	EPA1603
6/10/2011 9:14	E. coli		305	cfu/100mL	EPA1603
6/11/2011 8:40	E. coli		295	cfu/100mL	EPA1603
6/12/2011 9:25	E. coli		1100	cfu/100mL	EPA1603
6/13/2011 9:11	E. coli		440	cfu/100mL	EPA1603
6/15/2011 9:06	E. coli		40	cfu/100mL	EPA1603
6/16/2011 9:04	E. coli		11	cfu/100mL	EPA1603
6/17/2011 9:24	E. coli		700	cfu/100mL	EPA1603
6/18/2011 8:26	E. coli		540	cfu/100mL	EPA1603
6/19/2011 8:17	E. coli		230	cfu/100mL	EPA1603
6/20/2011 8:57	E. coli		2900	cfu/100mL	EPA1603
6/21/2011 9:02	E. coli		620	cfu/100mL	EPA1603
6/22/2011 9:10	E. coli		190	cfu/100mL	EPA1603
6/23/2011 9:21	E. coli		136	cfu/100mL	EPA1603

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/24/2011 9:10	E. coli		2200	cfu/100mL	EPA1603
6/25/2011 8:46	E. coli		720	cfu/100mL	EPA1603
6/26/2011 8:44	E. coli		39	cfu/100mL	EPA1603
6/27/2011 9:12	E. coli		21	cfu/100mL	EPA1603
6/28/2011 9:36	E. coli		245	cfu/100mL	EPA1603
6/29/2011 9:16	E. coli		67	cfu/100mL	EPA1603
6/30/2011 9:00	E. coli		6	cfu/100mL	EPA1603
7/1/2011 9:08	E. coli		77	cfu/100mL	EPA1603
7/2/2011 8:25	E. coli		78	cfu/100mL	EPA1603
7/3/2011 8:26	E. coli		700	cfu/100mL	EPA1603
7/4/2011 8:20	E. coli		270	cfu/100mL	EPA1603
7/5/2011 8:48	E. coli		75	cfu/100mL	EPA1603
7/6/2011 8:54	E. coli		380	cfu/100mL	EPA1603
7/7/2011 9:16	E. coli		4200	cfu/100mL	EPA1603
7/8/2011 8:55	E. coli		49.5	cfu/100mL	EPA1603
7/9/2011 8:20	E. coli		22	cfu/100mL	EPA1603
7/10/2011 8:05	E. coli		39	cfu/100mL	EPA1603
7/11/2011 9:14	E. coli		215	cfu/100mL	EPA1603
7/12/2011 9:04	E. coli		300	cfu/100mL	EPA1603
7/13/2011 9:46	E. coli		142	cfu/100mL	EPA1603
7/14/2011 9:06	E. coli		74	cfu/100mL	EPA1603
7/15/2011 8:40	E. coli		41	cfu/100mL	EPA1603
7/16/2011 8:00	E. coli		76	cfu/100mL	EPA1603
7/17/2011 8:45	E. coli		178	cfu/100mL	EPA1603
7/18/2011 9:36	E. coli	EC	1920	cfu/100mL	EPA1603
7/19/2011 9:07	E. coli		230	cfu/100mL	EPA1603
7/20/2011 9:04	E. coli		55	cfu/100mL	EPA1603
7/20/2011 14:17	E. coli		40	cfu/100mL	EPA1603
7/21/2011 8:53	E. coli		720	cfu/100mL	EPA1603
7/22/2011 8:46	E. coli		105	cfu/100mL	EPA1603
7/23/2011 8:31	E. coli		920	cfu/100mL	EPA1603
7/24/2011 8:31	E. coli		600	cfu/100mL	EPA1603
7/25/2011 9:45	E. coli		640	cfu/100mL	EPA1603
7/26/2011 9:27	E. coli		67	cfu/100mL	EPA1603
7/27/2011 9:16	E. coli		25	cfu/100mL	EPA1603
7/28/2011 9:56	E. coli		320	cfu/100mL	EPA1603
7/29/2011 9:31	E. coli	EC	1940	cfu/100mL	EPA1603
7/30/2011 8:46	E. coli		114	cfu/100mL	EPA1603
7/31/2011 8:19	E. coli		112	cfu/100mL	EPA1603
8/1/2011 9:14	E. coli		250	cfu/100mL	EPA1603
8/2/2011 10:25	E. coli		47	cfu/100mL	EPA1603
8/3/2011 9:24	E. coli		225	cfu/100mL	EPA1603
8/4/2011 9:08	E. coli		126	cfu/100mL	EPA1603
8/5/2011 8:50	E. coli		790	cfu/100mL	EPA1603
8/6/2011 8:15	E. coli		22	cfu/100mL	EPA1603

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/7/2011 8:23	E. coli		1380	cfu/100mL	EPA1603
8/8/2011 8:50	E. coli		395	cfu/100mL	EPA1603
8/9/2011 8:58	E. coli		880	cfu/100mL	EPA1603
8/10/2011 8:56	E. coli		800	cfu/100mL	EPA1603
8/11/2011 9:27	E. coli		160	cfu/100mL	EPA1603
8/12/2011 9:34	E. coli		27	cfu/100mL	EPA1603
8/13/2011 8:09	E. coli		21	cfu/100mL	EPA1603
8/14/2011 8:38	E. coli		210	cfu/100mL	EPA1603
8/15/2011 10:11	E. coli		420	cfu/100mL	EPA1603
8/16/2011 9:39	E. coli	EC	99	cfu/100mL	EPA1603
8/17/2011 9:42	E. coli		19	cfu/100mL	EPA1603
8/18/2011 9:59	E. coli		48	cfu/100mL	EPA1603
8/19/2011 9:08	E. coli		10	cfu/100mL	EPA1603
8/20/2011 8:26	E. coli		14	cfu/100mL	EPA1603
8/21/2011 8:14	E. coli		300	cfu/100mL	EPA1603
8/22/2011 9:09	E. coli		400	cfu/100mL	EPA1603
8/23/2011 9:22	E. coli		26	cfu/100mL	EPA1603
8/24/2011 9:21	E. coli	EC	142	cfu/100mL	EPA1603
8/25/2011 9:47	E. coli		3250	cfu/100mL	EPA1603
8/26/2011 9:28	E. coli		348	cfu/100mL	EPA1603
8/27/2011 8:23	E. coli		76	cfu/100mL	EPA1603
8/28/2011 8:15	E. coli		295	cfu/100mL	EPA1603
8/29/2011 9:33	E. coli		27	cfu/100mL	EPA1603
8/30/2011 9:39	E. coli		342.5	cfu/100mL	EPA1603
8/31/2011 9:01	E. coli		20	cfu/100mL	EPA1603
9/1/2011 9:16	E. coli		560	cfu/100mL	EPA1603
9/2/2011 9:40	E. coli		380	cfu/100mL	EPA1603
9/3/2011 8:00	E. coli		940	cfu/100mL	EPA1603
9/4/2011 8:07	E. coli		1380	cfu/100mL	EPA1603
9/5/2011 8:23	E. coli	EC	10000	cfu/100mL	EPA1603
9/6/2011 9:24	E. coli		275	cfu/100mL	EPA1603
9/7/2011 8:49	E. coli		75	cfu/100mL	EPA1603
9/8/2011 8:52	E. coli		82	cfu/100mL	EPA1603
9/9/2011 10:03	E. coli		460	cfu/100mL	EPA1603
9/12/2011 8:50	E. coli		310	cfu/100mL	EPA1603
9/13/2011 8:30	E. coli		580	cfu/100mL	EPA1603
9/14/2011 8:24	E. coli		250	cfu/100mL	EPA1603
9/15/2011 8:53	E. coli		540	cfu/100mL	EPA1603
9/19/2011 9:34	E. coli		18	cfu/100mL	EPA1603
9/20/2011 9:31	E. coli		70	cfu/100mL	EPA1603
9/21/2011 9:41	E. coli		21.5	cfu/100mL	EPA1603
9/22/2011 8:34	E. coli		190	cfu/100mL	EPA1603
9/26/2011 8:14	E. coli		20	cfu/100mL	EPA1603
9/27/2011 8:05	E. coli		460	cfu/100mL	EPA1603
9/28/2011 8:09	E. coli		145	cfu/100mL	EPA1603

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/29/2011 7:59	E. coli		200	cfu/100mL	EPA1603
10/3/2011 8:21	E. coli		566	cfu/100mL	EPA1603
10/4/2011 8:41	E. coli		198	cfu/100mL	EPA1603
10/5/2011 8:21	E. coli		66	cfu/100mL	EPA1603
10/6/2011 8:36	E. coli		48	cfu/100mL	EPA1603
10/10/2011 8:49	E. coli		79	cfu/100mL	EPA1603
10/11/2011 8:35	E. coli		14	cfu/100mL	EPA1603
10/12/2011 8:32	E. coli		560	cfu/100mL	EPA1603
10/13/2011 8:35	E. coli		330	cfu/100mL	EPA1603
10/17/2011 8:15	E. coli		240	cfu/100mL	EPA1603
10/18/2011 8:26	E. coli		103	cfu/100mL	EPA1603
10/19/2011 8:27	E. coli		44	cfu/100mL	EPA1603
10/20/2011 8:33	E. coli		1333	cfu/100mL	EPA1603
10/25/2011 8:02	E. coli		180	cfu/100mL	EPA1603
10/26/2011 8:20	E. coli		117.5	cfu/100mL	EPA1603
10/27/2011 8:40	E. coli		660	cfu/100mL	EPA1603
5/2/2011 9:15	Field Cond		207	uS/cm	SM 2510A
5/3/2011 9:57	Field Cond		284	uS/cm	SM 2510A
5/4/2011 9:18	Field Cond		247	uS/cm	SM 2510A
5/5/2011 9:40	Field Cond		244	uS/cm	SM 2510A
5/9/2011 9:40	Field Cond		241	uS/cm	SM 2510A
5/10/2011 9:38	Field Cond		325	uS/cm	SM 2510A
5/11/2011 10:00	Field Cond		313	uS/cm	SM 2510A
5/12/2011 9:50	Field Cond		325	uS/cm	SM 2510A
5/17/2011 9:45	Field Cond		353	uS/cm	SM 2510A
5/18/2011 9:35	Field Cond		311	uS/cm	SM 2510A
5/19/2011 9:23	Field Cond		329	uS/cm	SM 2510A
5/20/2011 9:37	Field Cond		264	uS/cm	SM 2510A
5/21/2011 9:21	Field Cond		380	uS/cm	SM 2510A
5/23/2011 9:20	Field Cond		401	uS/cm	SM 2510A
5/25/2011 9:33	Field Cond		301	uS/cm	SM 2510A
5/26/2011 9:32	Field Cond		324	uS/cm	SM 2510A
5/27/2011 9:17	Field Cond		361	uS/cm	SM 2510A
5/28/2011 8:59	Field Cond		374	uS/cm	SM 2510A
5/29/2011 9:06	Field Cond		331	uS/cm	SM 2510A
5/30/2011 8:56	Field Cond		324	uS/cm	SM 2510A
5/31/2011 9:30	Field Cond		280	uS/cm	SM 2510A
6/1/2011 9:05	Field Cond		354	uS/cm	SM 2510A
6/2/2011 9:40	Field Cond		399	uS/cm	SM 2510A
6/3/2011 9:06	Field Cond		313	uS/cm	SM 2510A
6/4/2011 10:20	Field Cond		311	uS/cm	SM 2510A
6/5/2011 9:19	Field Cond		410	uS/cm	SM 2510A
6/8/2011 9:00	Field Cond		339	uS/cm	SM 2510A
6/9/2011 9:04	Field Cond		341	uS/cm	SM 2510A

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/10/2011 9:14	Field Cond		338	uS/cm	SM 2510A
6/11/2011 8:40	Field Cond		360	uS/cm	SM 2510A
6/12/2011 9:25	Field Cond		460	uS/cm	SM 2510A
6/13/2011 9:11	Field Cond		384	uS/cm	SM 2510A
6/15/2011 9:06	Field Cond		324	uS/cm	SM 2510A
6/16/2011 9:04	Field Cond		368	uS/cm	SM 2510A
6/17/2011 9:24	Field Cond		357	uS/cm	SM 2510A
6/18/2011 8:26	Field Cond		365	uS/cm	SM 2510A
6/19/2011 8:17	Field Cond		325	uS/cm	SM 2510A
6/20/2011 8:57	Field Cond		356	uS/cm	SM 2510A
6/21/2011 9:02	Field Cond		357	uS/cm	SM 2510A
6/22/2011 9:10	Field Cond		359	uS/cm	SM 2510A
6/23/2011 9:21	Field Cond		339	uS/cm	SM 2510A
6/24/2011 9:10	Field Cond		366	uS/cm	SM 2510A
6/25/2011 8:46	Field Cond		400	uS/cm	SM 2510A
6/26/2011 8:44	Field Cond		425	uS/cm	SM 2510A
6/27/2011 9:12	Field Cond		371	uS/cm	SM 2510A
6/28/2011 9:36	Field Cond		335	uS/cm	SM 2510A
6/29/2011 9:16	Field Cond		343	uS/cm	SM 2510A
6/30/2011 9:00	Field Cond		312	uS/cm	SM 2510A
7/1/2011 9:08	Field Cond		372	uS/cm	SM 2510A
7/2/2011 8:25	Field Cond		320	uS/cm	SM 2510A
7/3/2011 8:26	Field Cond		322	uS/cm	SM 2510A
7/4/2011 8:20	Field Cond		322	uS/cm	SM 2510A
7/5/2011 8:48	Field Cond		339	uS/cm	SM 2510A
7/6/2011 8:54	Field Cond		336	uS/cm	SM 2510A
7/7/2011 9:16	Field Cond		344	uS/cm	SM 2510A
7/8/2011 8:55	Field Cond		342	uS/cm	SM 2510A
7/9/2011 8:20	Field Cond		323	uS/cm	SM 2510A
7/10/2011 8:05	Field Cond		374	uS/cm	SM 2510A
7/11/2011 9:14	Field Cond		297	uS/cm	SM 2510A
7/12/2011 9:04	Field Cond		303	uS/cm	SM 2510A
7/13/2011 9:46	Field Cond		324	uS/cm	SM 2510A
7/14/2011 9:06	Field Cond		312	uS/cm	SM 2510A
7/15/2011 8:40	Field Cond		358	uS/cm	SM 2510A
7/16/2011 8:00	Field Cond		350	uS/cm	SM 2510A
7/17/2011 8:45	Field Cond		333	uS/cm	SM 2510A
7/18/2011 9:36	Field Cond		326	uS/cm	SM 2510A
7/19/2011 9:07	Field Cond		302	uS/cm	SM 2510A
7/20/2011 9:04	Field Cond		331	uS/cm	SM 2510A
7/21/2011 8:53	Field Cond		311	uS/cm	SM 2510A
7/22/2011 8:46	Field Cond		335	uS/cm	SM 2510A
7/23/2011 8:31	Field Cond		265	uS/cm	SM 2510A
7/24/2011 8:31	Field Cond		315	uS/cm	SM 2510A
7/25/2011 9:45	Field Cond		299	uS/cm	SM 2510A

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/26/2011 9:27	Field Cond		305	uS/cm	SM 2510A
7/27/2011 9:16	Field Cond		354	uS/cm	SM 2510A
7/28/2011 9:56	Field Cond		347	uS/cm	SM 2510A
7/29/2011 9:31	Field Cond		308	uS/cm	SM 2510A
7/30/2011 8:46	Field Cond		362	uS/cm	SM 2510A
7/31/2011 8:19	Field Cond		331	uS/cm	SM 2510A
8/1/2011 9:14	Field Cond		292	uS/cm	SM 2510A
8/2/2011 10:25	Field Cond		325	uS/cm	SM 2510A
8/3/2011 9:24	Field Cond		297	uS/cm	SM 2510A
8/4/2011 9:08	Field Cond		313	uS/cm	SM 2510A
8/5/2011 8:50	Field Cond		296	uS/cm	SM 2510A
8/6/2011 8:15	Field Cond		317	uS/cm	SM 2510A
8/7/2011 8:23	Field Cond		272	uS/cm	SM 2510A
8/8/2011 8:50	Field Cond		329	uS/cm	SM 2510A
8/9/2011 8:58	Field Cond		298	uS/cm	SM 2510A
8/10/2011 8:56	Field Cond		365	uS/cm	SM 2510A
8/11/2011 9:27	Field Cond		327	uS/cm	SM 2510A
8/12/2011 9:34	Field Cond		318	uS/cm	SM 2510A
8/13/2011 8:09	Field Cond		341	uS/cm	SM 2510A
8/14/2011 8:38	Field Cond		398	uS/cm	SM 2510A
8/15/2011 10:11	Field Cond		348	uS/cm	SM 2510A
8/16/2011 9:39	Field Cond		302	uS/cm	SM 2510A
8/17/2011 9:42	Field Cond		297	uS/cm	SM 2510A
8/18/2011 9:59	Field Cond		256	uS/cm	SM 2510A
8/19/2011 9:08	Field Cond		337	uS/cm	SM 2510A
8/20/2011 8:26	Field Cond		337	uS/cm	SM 2510A
8/21/2011 8:14	Field Cond		360	uS/cm	SM 2510A
8/22/2011 9:09	Field Cond		338	uS/cm	SM 2510A
8/23/2011 9:22	Field Cond		291	uS/cm	SM 2510A
8/24/2011 9:21	Field Cond		341	uS/cm	SM 2510A
8/25/2011 9:47	Field Cond		295	uS/cm	SM 2510A
8/26/2011 9:28	Field Cond		314	uS/cm	SM 2510A
8/27/2011 8:23	Field Cond		365	uS/cm	SM 2510A
8/28/2011 8:15	Field Cond		256	uS/cm	SM 2510A
8/29/2011 9:33	Field Cond		322	uS/cm	SM 2510A
8/30/2011 9:39	Field Cond		292	uS/cm	SM 2510A
8/31/2011 9:01	Field Cond		292	uS/cm	SM 2510A
9/1/2011 9:16	Field Cond		311	uS/cm	SM 2510A
9/2/2011 9:40	Field Cond		302	uS/cm	SM 2510A
9/3/2011 8:00	Field Cond		302	uS/cm	SM 2510A
9/4/2011 8:07	Field Cond		318	uS/cm	SM 2510A
9/5/2011 8:23	Field Cond		318	uS/cm	SM 2510A
9/6/2011 9:24	Field Cond		333	uS/cm	SM 2510A
9/7/2011 8:49	Field Cond		312	uS/cm	SM 2510A
9/8/2011 8:52	Field Cond		317	uS/cm	SM 2510A

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/9/2011 10:03	Field Cond		302	uS/cm	SM 2510A
9/12/2011 8:50	Field Cond		333	uS/cm	SM 2510A
9/13/2011 8:30	Field Cond		323	uS/cm	SM 2510A
9/14/2011 8:24	Field Cond		350	uS/cm	SM 2510A
9/15/2011 8:53	Field Cond		378	uS/cm	SM 2510A
9/19/2011 9:34	Field Cond		319	uS/cm	SM 2510A
9/20/2011 9:31	Field Cond		359	uS/cm	SM 2510A
9/21/2011 9:41	Field Cond		323	uS/cm	SM 2510A
9/22/2011 8:34	Field Cond		316	uS/cm	SM 2510A
9/26/2011 8:14	Field Cond		303	uS/cm	SM 2510A
9/27/2011 8:05	Field Cond		299	uS/cm	SM 2510A
9/28/2011 8:09	Field Cond		302	uS/cm	SM 2510A
9/29/2011 7:59	Field Cond		307	uS/cm	SM 2510A
10/3/2011 8:21	Field Cond		358	uS/cm	SM 2510A
10/4/2011 8:41	Field Cond		338	uS/cm	SM 2510A
10/5/2011 8:21	Field Cond		358	uS/cm	SM 2510A
10/6/2011 8:36	Field Cond		356	uS/cm	SM 2510A
10/10/2011 8:49	Field Cond		342	uS/cm	SM 2510A
10/11/2011 8:35	Field Cond		341	uS/cm	SM 2510A
10/12/2011 8:32	Field Cond		333	uS/cm	SM 2510A
10/13/2011 8:35	Field Cond		363	uS/cm	SM 2510A
10/17/2011 8:15	Field Cond		464	uS/cm	SM 2510A
10/18/2011 8:26	Field Cond		363	uS/cm	SM 2510A
10/19/2011 8:27	Field Cond		304	uS/cm	SM 2510A
10/20/2011 8:33	Field Cond		359	uS/cm	SM 2510A
10/25/2011 8:02	Field Cond		458	uS/cm	SM 2510A
10/26/2011 8:20	Field Cond		358	uS/cm	SM 2510A
10/27/2011 8:40	Field Cond		414	uS/cm	SM 2510A
5/2/2011 9:15	Field Temp		9.7	C	EPA 170.1
5/3/2011 9:57	Field Temp		10.2	C	EPA 170.1
5/4/2011 9:18	Field Temp		9.1	C	EPA 170.1
5/5/2011 9:40	Field Temp		9.9	C	EPA 170.1
5/9/2011 9:40	Field Temp		10.3	C	EPA 170.1
5/10/2011 9:38	Field Temp		11.5	C	EPA 170.1
5/11/2011 10:00	Field Temp		11.5	C	EPA 170.1
5/12/2011 9:50	Field Temp		11.5	C	EPA 170.1
5/17/2011 9:45	Field Temp		10.7	C	EPA 170.1
5/18/2011 9:35	Field Temp		10.8	C	EPA 170.1
5/19/2011 9:23	Field Temp		11.5	C	EPA 170.1
5/20/2011 9:37	Field Temp		13	C	EPA 170.1
5/21/2011 9:21	Field Temp		15.5	C	EPA 170.1
5/22/2011 8:29	Field Temp		12.3	C	EPA 170.1
5/23/2011 9:20	Field Temp		16.3	C	EPA 170.1
5/24/2011 9:50	Field Temp		14.7	C	EPA 170.1



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/25/2011 9:33	Field Temp		14.7	C	EPA 170.1
5/26/2011 9:32	Field Temp		13.5	C	EPA 170.1
5/27/2011 9:17	Field Temp		14.4	C	EPA 170.1
5/28/2011 8:59	Field Temp		15.5	C	EPA 170.1
5/29/2011 9:06	Field Temp		16.3	C	EPA 170.1
5/30/2011 8:56	Field Temp		18.2	C	EPA 170.1
6/1/2011 9:05	Field Temp		20.9	C	EPA 170.1
6/3/2011 9:06	Field Temp		18.3	C	EPA 170.1
6/4/2011 10:20	Field Temp		18.4	C	EPA 170.1
6/5/2011 9:19	Field Temp		19.5	C	EPA 170.1
6/6/2011 9:41	Field Temp		19.7	C	EPA 170.1
6/8/2011 9:00	Field Temp		20.8	C	EPA 170.1
6/9/2011 9:04	Field Temp		21.6	C	EPA 170.1
6/10/2011 9:14	Field Temp		21.2	C	EPA 170.1
6/11/2011 8:40	Field Temp		20.4	C	EPA 170.1
6/12/2011 9:25	Field Temp		19.8	C	EPA 170.1
6/13/2011 9:11	Field Temp		19.8	C	EPA 170.1
6/15/2011 9:06	Field Temp		19.1	C	EPA 170.1
6/16/2011 9:04	Field Temp		20.1	C	EPA 170.1
6/17/2011 9:24	Field Temp		20.2	C	EPA 170.1
6/18/2011 8:26	Field Temp		20.3	C	EPA 170.1
6/19/2011 8:17	Field Temp		20	C	EPA 170.1
6/20/2011 8:57	Field Temp		20.1	C	EPA 170.1
6/21/2011 9:02	Field Temp		21.5	C	EPA 170.1
6/22/2011 9:10	Field Temp		21.6	C	EPA 170.1
6/23/2011 9:21	Field Temp		21.7	C	EPA 170.1
6/24/2011 9:10	Field Temp		20.9	C	EPA 170.1
6/25/2011 8:46	Field Temp		19.7	C	EPA 170.1
6/26/2011 8:44	Field Temp		20.7	C	EPA 170.1
6/27/2011 9:12	Field Temp		20.6	C	EPA 170.1
6/28/2011 9:36	Field Temp		21.6	C	EPA 170.1
6/29/2011 9:16	Field Temp		20.9	C	EPA 170.1
6/30/2011 9:00	Field Temp		21.4	C	EPA 170.1
7/1/2011 9:08	Field Temp		22.1	C	EPA 170.1
7/2/2011 8:25	Field Temp		21.4	C	EPA 170.1
7/3/2011 8:26	Field Temp		22.1	C	EPA 170.1
7/4/2011 8:20	Field Temp		22.6	C	EPA 170.1
7/5/2011 8:48	Field Temp		21.8	C	EPA 170.1
7/6/2011 8:54	Field Temp		23.1	C	EPA 170.1
7/7/2011 9:16	Field Temp		23.2	C	EPA 170.1
7/8/2011 8:55	Field Temp		20.7	C	EPA 170.1
7/9/2011 8:20	Field Temp		20.9	C	EPA 170.1
7/10/2011 8:05	Field Temp		22	C	EPA 170.1
7/11/2011 9:14	Field Temp		22.8	C	EPA 170.1
7/12/2011 9:04	Field Temp		23.1	C	EPA 170.1



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/13/2011 9:46	Field Temp		23.8	C	EPA 170.1
7/14/2011 9:06	Field Temp		22.3	C	EPA 170.1
7/15/2011 8:40	Field Temp		21.8	C	EPA 170.1
7/16/2011 8:00	Field Temp		21.6	C	EPA 170.1
7/17/2011 8:45	Field Temp		22.3	C	EPA 170.1
7/18/2011 9:36	Field Temp		24.1	C	EPA 170.1
7/19/2011 9:07	Field Temp		25	C	EPA 170.1
7/20/2011 9:04	Field Temp		24.3	C	EPA 170.1
7/21/2011 8:53	Field Temp		24.7	C	EPA 170.1
7/22/2011 8:46	Field Temp		25.9	C	EPA 170.1
7/23/2011 8:31	Field Temp		24.8	C	EPA 170.1
7/24/2011 8:31	Field Temp		26.1	C	EPA 170.1
7/25/2011 9:45	Field Temp		25.9	C	EPA 170.1
7/26/2011 9:27	Field Temp		24.7	C	EPA 170.1
7/27/2011 9:16	Field Temp		25.8	C	EPA 170.1
7/28/2011 9:56	Field Temp		25.5	C	EPA 170.1
7/29/2011 9:31	Field Temp		24.3	C	EPA 170.1
7/30/2011 8:46	Field Temp		25	C	EPA 170.1
7/31/2011 8:19	Field Temp		24	C	EPA 170.1
8/1/2011 9:14	Field Temp		24.7	C	EPA 170.1
8/2/2011 10:25	Field Temp		25.7	C	EPA 170.1
8/3/2011 9:24	Field Temp		26.4	C	EPA 170.1
8/4/2011 9:08	Field Temp		26.1	C	EPA 170.1
8/5/2011 8:50	Field Temp		26.4	C	EPA 170.1
8/6/2011 8:15	Field Temp		25.9	C	EPA 170.1
8/7/2011 8:23	Field Temp		26.5	C	EPA 170.1
8/8/2011 8:50	Field Temp		26.2	C	EPA 170.1
8/9/2011 8:58	Field Temp		26.4	C	EPA 170.1
8/10/2011 8:56	Field Temp		25.3	C	EPA 170.1
8/11/2011 9:27	Field Temp		24.6	C	EPA 170.1
8/12/2011 9:34	Field Temp		25.1	C	EPA 170.1
8/13/2011 8:09	Field Temp		24.9	C	EPA 170.1
8/14/2011 8:38	Field Temp		24.2	C	EPA 170.1
8/15/2011 10:11	Field Temp		24.3	C	EPA 170.1
8/16/2011 9:39	Field Temp		24.1	C	EPA 170.1
8/17/2011 9:42	Field Temp		24.8	C	EPA 170.1
8/18/2011 9:59	Field Temp		25	C	EPA 170.1
8/19/2011 9:08	Field Temp		25.4	C	EPA 170.1
8/20/2011 8:26	Field Temp		25.2	C	EPA 170.1
8/21/2011 8:14	Field Temp		24.8	C	EPA 170.1
8/22/2011 9:09	Field Temp		23.3	C	EPA 170.1
8/23/2011 9:22	Field Temp		24.1	C	EPA 170.1
8/24/2011 9:21	Field Temp		23.5	C	EPA 170.1
8/25/2011 9:47	Field Temp		24.9	C	EPA 170.1
8/26/2011 9:28	Field Temp		24	C	EPA 170.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/27/2011 8:23	Field Temp		23.5	C	EPA 170.1
8/28/2011 8:15	Field Temp		23.3	C	EPA 170.1
8/29/2011 9:33	Field Temp		23	C	EPA 170.1
8/30/2011 9:39	Field Temp		23.5	C	EPA 170.1
8/31/2011 9:01	Field Temp		23.1	C	EPA 170.1
9/1/2011 9:16	Field Temp		23.4	C	EPA 170.1
9/2/2011 9:40	Field Temp		24.2	C	EPA 170.1
9/3/2011 8:00	Field Temp		24.2	C	EPA 170.1
9/4/2011 8:07	Field Temp		24.7	C	EPA 170.1
9/5/2011 8:23	Field Temp		21.8	C	EPA 170.1
9/6/2011 9:24	Field Temp		21.3	C	EPA 170.1
9/7/2011 8:49	Field Temp		21.6	C	EPA 170.1
9/8/2011 8:52	Field Temp		21.7	C	EPA 170.1
9/9/2011 10:03	Field Temp		21.8	C	EPA 170.1
9/12/2011 8:50	Field Temp		21.5	C	EPA 170.1
9/13/2011 8:30	Field Temp		22.1	C	EPA 170.1
9/14/2011 8:24	Field Temp		22.1	C	EPA 170.1
9/15/2011 8:53	Field Temp		19.4	C	EPA 170.1
9/19/2011 9:34	Field Temp		19.3	C	EPA 170.1
9/20/2011 9:31	Field Temp		19.4	C	EPA 170.1
9/21/2011 9:41	Field Temp		20	C	EPA 170.1
9/22/2011 8:34	Field Temp		19.4	C	EPA 170.1
9/26/2011 8:14	Field Temp		19.5	C	EPA 170.1
9/27/2011 8:05	Field Temp		18.7	C	EPA 170.1
9/28/2011 8:09	Field Temp		19.4	C	EPA 170.1
9/29/2011 7:59	Field Temp		18.7	C	EPA 170.1
10/3/2011 8:21	Field Temp		11.6	C	EPA 170.1
10/4/2011 8:41	Field Temp		14.8	C	EPA 170.1
10/5/2011 8:21	Field Temp		15.4	C	EPA 170.1
10/6/2011 8:36	Field Temp		16.2	C	EPA 170.1
10/10/2011 8:49	Field Temp		16.3	C	EPA 170.1
10/11/2011 8:35	Field Temp		16	C	EPA 170.1
10/12/2011 8:32	Field Temp		15.9	C	EPA 170.1
10/13/2011 8:35	Field Temp		15.9	C	EPA 170.1
10/17/2011 8:15	Field Temp		13.5	C	EPA 170.1
10/18/2011 8:26	Field Temp		13.7	C	EPA 170.1
10/19/2011 8:27	Field Temp		14.1	C	EPA 170.1
10/20/2011 8:33	Field Temp		13.2	C	EPA 170.1
10/25/2011 8:02	Field Temp		12.8	C	EPA 170.1
10/26/2011 8:20	Field Temp		13.9	C	EPA 170.1
10/27/2011 8:40	Field Temp		12.7	C	EPA 170.1
5/2/2011 9:15	pH		7.9	S.U.	
5/3/2011 9:57	pH		8.03	S.U.	
5/4/2011 9:18	pH		8.07	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/5/2011 9:40	pH		7.99	S.U.	
5/9/2011 9:40	pH		8.09	S.U.	
5/10/2011 9:38	pH		8.2	S.U.	
5/11/2011 10:00	pH		8.15	S.U.	
5/12/2011 9:50	pH		8.23	S.U.	
5/17/2011 9:45	pH		8.1	S.U.	
5/18/2011 9:35	pH		8.02	S.U.	
5/19/2011 9:23	pH		8.31	S.U.	
5/20/2011 9:37	pH		8.14	S.U.	
5/21/2011 9:21	pH		8.17	S.U.	
5/22/2011 8:29	pH		7.97	S.U.	
5/23/2011 9:20	pH		8.03	S.U.	
5/24/2011 9:50	pH		8.09	S.U.	
5/25/2011 9:33	pH		8.24	S.U.	
5/26/2011 9:32	pH		7.97	S.U.	
5/27/2011 9:17	pH		8.06	S.U.	
5/28/2011 8:59	pH		8.07	S.U.	
5/29/2011 9:06	pH		8.05	S.U.	
5/30/2011 8:56	pH		8.12	S.U.	
6/1/2011 9:05	pH		8.56	S.U.	
6/2/2011 9:40	pH		8.06	S.U.	
6/3/2011 9:06	pH		8.56	S.U.	
6/4/2011 10:20	pH		8.17	S.U.	
6/5/2011 9:19	pH		8.11	S.U.	
6/6/2011 9:41	pH		8.25	S.U.	
6/8/2011 9:00	pH		8.59	S.U.	
6/9/2011 9:04	pH		8.28	S.U.	
6/10/2011 9:14	pH		8.42	S.U.	
6/11/2011 8:40	pH		7.89	S.U.	
6/12/2011 9:25	pH		7.89	S.U.	
6/13/2011 9:11	pH		7.94	S.U.	
6/15/2011 9:06	pH		7.91	S.U.	
6/16/2011 9:04	pH		7.75	S.U.	
6/17/2011 9:24	pH		8.13	S.U.	
6/18/2011 8:26	pH		7.46	S.U.	
6/19/2011 8:17	pH		7.79	S.U.	
6/20/2011 8:57	pH		7.83	S.U.	
6/21/2011 9:02	pH		8.22	S.U.	
6/22/2011 9:10	pH		8.16	S.U.	
6/23/2011 9:21	pH		8.11	S.U.	
6/24/2011 9:10	pH		7.71	S.U.	
6/25/2011 8:46	pH		7.92	S.U.	
6/26/2011 8:44	pH		7.65	S.U.	
6/27/2011 9:12	pH		8.02	S.U.	
6/28/2011 9:36	pH		7.23	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/29/2011 9:16	pH		8.19	S.U.	
6/30/2011 9:00	pH		8.17	S.U.	
7/1/2011 9:08	pH		8.24	S.U.	
7/2/2011 8:25	pH		7.97	S.U.	
7/3/2011 8:26	pH		8.07	S.U.	
7/4/2011 8:20	pH		8.06	S.U.	
7/5/2011 8:48	pH		7.69	S.U.	
7/6/2011 8:54	pH		8.03	S.U.	
7/7/2011 9:16	pH		8.15	S.U.	
7/8/2011 8:55	pH		7.43	S.U.	
7/9/2011 8:20	pH		7.79	S.U.	
7/10/2011 8:05	pH		7.71	S.U.	
7/11/2011 9:14	pH		8.16	S.U.	
7/12/2011 9:04	pH		7.58	S.U.	
7/13/2011 9:46	pH		8.08	S.U.	
7/14/2011 9:06	pH		7.84	S.U.	
7/15/2011 8:40	pH		7.82	S.U.	
7/16/2011 8:00	pH		7.82	S.U.	
7/17/2011 8:45	pH		8.19	S.U.	
7/18/2011 9:36	pH		7.63	S.U.	
7/19/2011 9:07	pH		7.71	S.U.	
7/20/2011 9:04	pH		8.59	S.U.	
7/21/2011 8:53	pH		8.2	S.U.	
7/22/2011 8:46	pH		8.32	S.U.	
7/23/2011 8:31	pH		8.27	S.U.	
7/24/2011 8:31	pH		7.55	S.U.	
7/25/2011 9:45	pH		8.17	S.U.	
7/26/2011 9:27	pH		8.43	S.U.	
7/27/2011 9:16	pH		8.18	S.U.	
7/28/2011 9:56	pH		8.04	S.U.	
7/29/2011 9:31	pH		8.36	S.U.	
7/30/2011 8:46	pH		8.44	S.U.	
7/31/2011 8:19	pH		8.4	S.U.	
8/1/2011 9:14	pH		8.33	S.U.	
8/2/2011 10:25	pH		8.48	S.U.	
8/3/2011 9:24	pH		8.38	S.U.	
8/4/2011 9:08	pH		8.28	S.U.	
8/5/2011 8:50	pH		8.31	S.U.	
8/6/2011 8:15	pH		8.28	S.U.	
8/7/2011 8:23	pH		8.42	S.U.	
8/8/2011 8:50	pH		8.61	S.U.	
8/9/2011 8:58	pH		8.42	S.U.	
8/10/2011 8:56	pH		8.38	S.U.	
8/11/2011 9:27	pH		8.32	S.U.	
8/12/2011 9:34	pH		8.48	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/13/2011 8:09	pH		8.58	S.U.	
8/14/2011 8:38	pH		8.48	S.U.	
8/15/2011 10:11	pH		8.52	S.U.	
8/16/2011 9:39	pH		8.34	S.U.	
8/17/2011 9:42	pH		8.54	S.U.	
8/18/2011 9:59	pH		8.52	S.U.	
8/19/2011 9:08	pH		8.66	S.U.	
8/20/2011 8:26	pH		8.64	S.U.	
8/21/2011 8:14	pH		8.38	S.U.	
8/22/2011 9:09	pH		8.48	S.U.	
8/23/2011 9:22	pH		8.52	S.U.	
8/24/2011 9:21	pH		8.41	S.U.	
8/25/2011 9:47	pH		8.39	S.U.	
8/26/2011 9:28	pH		8.62	S.U.	
8/27/2011 8:23	pH		8.34	S.U.	
8/28/2011 8:15	pH		8.28	S.U.	
8/29/2011 9:33	pH		8.25	S.U.	
8/30/2011 9:39	pH		8.28	S.U.	
8/31/2011 9:01	pH		8.14	S.U.	
9/1/2011 9:16	pH		8.14	S.U.	
9/2/2011 9:40	pH		8.33	S.U.	
9/3/2011 8:00	pH		8.33	S.U.	
9/4/2011 8:07	pH		8.47	S.U.	
9/5/2011 8:23	pH		8.3	S.U.	
9/6/2011 9:24	pH		8.41	S.U.	
9/7/2011 8:49	pH		8.23	S.U.	
9/8/2011 8:52	pH		8.23	S.U.	
9/9/2011 10:03	pH		8.23	S.U.	
9/12/2011 8:50	pH		8.25	S.U.	
9/13/2011 8:30	pH		8.39	S.U.	
9/14/2011 8:24	pH		8.37	S.U.	
9/15/2011 8:53	pH		8.31	S.U.	
9/19/2011 9:34	pH		8.4	S.U.	
9/20/2011 9:31	pH		8.22	S.U.	
9/21/2011 9:41	pH		8.34	S.U.	
9/22/2011 8:34	pH		8.16	S.U.	
9/26/2011 8:14	pH		8.15	S.U.	
9/27/2011 8:05	pH		8.1	S.U.	
9/28/2011 8:09	pH		8.28	S.U.	
9/29/2011 7:59	pH		8.2	S.U.	
10/3/2011 8:21	pH		8.2	S.U.	
10/4/2011 8:41	pH		8.1	S.U.	
10/5/2011 8:21	pH		8.02	S.U.	
10/6/2011 8:36	pH		7.97	S.U.	
10/10/2011 8:49	pH		8.02	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
10/11/2011 8:35	pH		7.74	S.U.	
10/12/2011 8:32	pH		7.8	S.U.	
10/13/2011 8:35	pH		7.8	S.U.	
10/17/2011 8:15	pH		8.01	S.U.	
10/18/2011 8:26	pH		8.06	S.U.	
10/19/2011 8:27	pH		7.88	S.U.	
10/20/2011 8:33	pH		7.71	S.U.	
10/25/2011 8:02	pH		7.59	S.U.	
10/26/2011 8:20	pH		7.79	S.U.	
10/27/2011 8:40	pH		7.61	S.U.	
5/2/2011 9:15	Turbidity		10.6	NTU	EPA180.1
5/3/2011 9:57	Turbidity		7.95	NTU	EPA180.1
5/4/2011 9:18	Turbidity		22.05	NTU	EPA180.1
5/5/2011 9:40	Turbidity		12.55	NTU	EPA180.1
5/9/2011 9:40	Turbidity		5.87	NTU	EPA180.1
5/10/2011 9:38	Turbidity		5.71	NTU	EPA180.1
5/11/2011 10:00	Turbidity		7.91	NTU	EPA180.1
5/12/2011 9:50	Turbidity		9.97	NTU	EPA180.1
5/17/2011 9:45	Turbidity		72.8	NTU	EPA180.1
5/18/2011 9:35	Turbidity		43.54	NTU	EPA180.1
5/19/2011 9:23	Turbidity		18.04	NTU	EPA180.1
5/20/2011 9:37	Turbidity		12.71	NTU	EPA180.1
5/21/2011 9:21	Turbidity		10.59	NTU	EPA180.1
5/22/2011 8:29	Turbidity		7.05	NTU	EPA180.1
5/23/2011 9:20	Turbidity		5.91	NTU	EPA180.1
5/24/2011 9:50	Turbidity		24.92	NTU	EPA180.1
5/25/2011 9:33	Turbidity		5.2	NTU	EPA180.1
5/26/2011 9:32	Turbidity		8.31	NTU	EPA180.1
5/27/2011 9:17	Turbidity		17.07	NTU	EPA180.1
5/28/2011 8:59	Turbidity		7.64	NTU	EPA180.1
5/29/2011 9:06	Turbidity		23.5	NTU	EPA180.1
5/30/2011 8:56	Turbidity		23.3	NTU	EPA180.1
5/31/2011 9:30	Turbidity		9.27	NTU	EPA180.1
6/1/2011 9:05	Turbidity		16.73	NTU	EPA180.1
6/2/2011 9:40	Turbidity		19.8	NTU	EPA180.1
6/3/2011 9:06	Turbidity		7.7	NTU	EPA180.1
6/4/2011 10:20	Turbidity		6.14	NTU	EPA180.1
6/5/2011 9:19	Turbidity		4.84	NTU	EPA180.1
6/6/2011 9:41	Turbidity		4.14	NTU	EPA180.1
6/7/2011 10:05	Turbidity		5.88	NTU	EPA180.1
6/8/2011 9:00	Turbidity		3.89	NTU	EPA180.1
6/9/2011 9:04	Turbidity		13.8	NTU	EPA180.1
6/10/2011 9:14	Turbidity		12.3	NTU	EPA180.1
6/11/2011 8:40	Turbidity		7.26	NTU	EPA180.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/12/2011 9:25	Turbidity		18.05	NTU	EPA180.1
6/13/2011 9:11	Turbidity		28.3	NTU	EPA180.1
6/15/2011 9:06	Turbidity		10.1	NTU	EPA180.1
6/16/2011 9:04	Turbidity		4.49	NTU	EPA180.1
6/17/2011 9:24	Turbidity		8.36	NTU	EPA180.1
6/18/2011 8:26	Turbidity		5.5	NTU	EPA180.1
6/19/2011 8:17	Turbidity		7.2	NTU	EPA180.1
6/20/2011 8:57	Turbidity		7.1	NTU	EPA180.1
6/21/2011 9:02	Turbidity		5	NTU	EPA180.1
6/22/2011 9:10	Turbidity		6.82	NTU	EPA180.1
6/23/2011 9:21	Turbidity		6.28	NTU	EPA180.1
6/24/2011 9:10	Turbidity		22.7	NTU	EPA180.1
6/25/2011 8:46	Turbidity		33.15	NTU	EPA180.1
6/26/2011 8:44	Turbidity		5.57	NTU	EPA180.1
6/27/2011 9:12	Turbidity		3.68	NTU	EPA180.1
6/28/2011 9:36	Turbidity		7.34	NTU	EPA180.1
6/29/2011 9:16	Turbidity		22.8	NTU	EPA180.1
6/30/2011 9:00	Turbidity		4.3	NTU	EPA180.1
7/1/2011 9:08	Turbidity		3.4	NTU	EPA180.1
7/2/2011 8:25	Turbidity		5.41	NTU	EPA180.1
7/3/2011 8:26	Turbidity		13.1	NTU	EPA180.1
7/4/2011 8:20	Turbidity		5.74	NTU	EPA180.1
7/5/2011 8:48	Turbidity		2.3	NTU	EPA180.1
7/6/2011 8:54	Turbidity		3.13	NTU	EPA180.1
7/7/2011 9:16	Turbidity		3.02	NTU	EPA180.1
7/8/2011 8:55	Turbidity		0.72	NTU	EPA180.1
7/9/2011 8:20	Turbidity		3.62	NTU	EPA180.1
7/10/2011 8:05	Turbidity		3.23	NTU	EPA180.1
7/11/2011 9:14	Turbidity		0.7	NTU	EPA180.1
7/12/2011 9:04	Turbidity		4.8	NTU	EPA180.1
7/13/2011 9:46	Turbidity		9.02	NTU	EPA180.1
7/14/2011 9:06	Turbidity		9.11	NTU	EPA180.1
7/15/2011 8:40	Turbidity		2.66	NTU	EPA180.1
7/16/2011 8:00	Turbidity		3.02	NTU	EPA180.1
7/17/2011 8:45	Turbidity		3.27	NTU	EPA180.1
7/18/2011 9:36	Turbidity		2.68	NTU	EPA180.1
7/19/2011 9:07	Turbidity		3.02	NTU	EPA180.1
7/20/2011 9:04	Turbidity		2.34	NTU	EPA180.1
7/21/2011 8:53	Turbidity		3.71	NTU	EPA180.1
7/22/2011 8:46	Turbidity		2.62	NTU	EPA180.1
7/23/2011 8:31	Turbidity		14.6	NTU	EPA180.1
7/24/2011 8:31	Turbidity		5.97	NTU	EPA180.1
7/25/2011 9:45	Turbidity		4.49	NTU	EPA180.1
7/26/2011 9:27	Turbidity		5.68	NTU	EPA180.1
7/27/2011 9:16	Turbidity		2.87	NTU	EPA180.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/28/2011 9:56	Turbidity		1.82	NTU	EPA180.1
7/29/2011 9:31	Turbidity		20.8	NTU	EPA180.1
7/30/2011 8:46	Turbidity		4.26	NTU	EPA180.1
7/31/2011 8:19	Turbidity		4.49	NTU	EPA180.1
8/1/2011 9:14	Turbidity		2.64	NTU	EPA180.1
8/2/2011 10:25	Turbidity		4.36	NTU	EPA180.1
8/3/2011 9:24	Turbidity		3.97	NTU	EPA180.1
8/4/2011 9:08	Turbidity		4.48	NTU	EPA180.1
8/5/2011 8:50	Turbidity		2.06	NTU	EPA180.1
8/6/2011 8:15	Turbidity		3.01	NTU	EPA180.1
8/7/2011 8:23	Turbidity		14.95	NTU	EPA180.1
8/8/2011 8:50	Turbidity		4.89	NTU	EPA180.1
8/9/2011 8:58	Turbidity		2.7	NTU	EPA180.1
8/10/2011 8:56	Turbidity		32.4	NTU	EPA180.1
8/11/2011 9:27	Turbidity		22.3	NTU	EPA180.1
8/12/2011 9:34	Turbidity		4.02	NTU	EPA180.1
8/13/2011 8:09	Turbidity		1.96	NTU	EPA180.1
8/14/2011 8:38	Turbidity		15	NTU	EPA180.1
8/15/2011 10:11	Turbidity		20	NTU	EPA180.1
8/16/2011 9:39	Turbidity		14.2	NTU	EPA180.1
8/17/2011 9:42	Turbidity		2.61	NTU	EPA180.1
8/18/2011 9:59	Turbidity		3.45	NTU	EPA180.1
8/19/2011 9:08	Turbidity		2.77	NTU	EPA180.1
8/20/2011 8:26	Turbidity		2.33	NTU	EPA180.1
8/21/2011 8:14	Turbidity		3.73	NTU	EPA180.1
8/22/2011 9:09	Turbidity		16	NTU	EPA180.1
8/23/2011 9:22	Turbidity		2.75	NTU	EPA180.1
8/24/2011 9:21	Turbidity		5.325	NTU	EPA180.1
8/25/2011 9:47	Turbidity		20.35	NTU	EPA180.1
8/26/2011 9:28	Turbidity		4.74	NTU	EPA180.1
8/27/2011 8:23	Turbidity		1.8	NTU	EPA180.1
8/28/2011 8:15	Turbidity		30.7	NTU	EPA180.1
8/29/2011 9:33	Turbidity		14.55	NTU	EPA180.1
8/30/2011 9:39	Turbidity		4.665	NTU	EPA180.1
8/31/2011 9:01	Turbidity		2.74	NTU	EPA180.1
9/1/2011 9:16	Turbidity		4.43	NTU	EPA180.1
9/2/2011 9:40	Turbidity		3.05	NTU	EPA180.1
9/3/2011 8:00	Turbidity		3.05	NTU	EPA180.1
9/4/2011 8:07	Turbidity		22.15	NTU	EPA180.1
9/5/2011 8:23	Turbidity		73.3	NTU	EPA180.1
9/6/2011 9:24	Turbidity		32.45	NTU	EPA180.1
9/7/2011 8:49	Turbidity		25.05	NTU	EPA180.1
9/8/2011 8:52	Turbidity		13.4	NTU	EPA180.1
9/9/2011 10:03	Turbidity		6.96	NTU	EPA180.1
9/12/2011 8:50	Turbidity		11.37	NTU	EPA180.1



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/13/2011 8:30	Turbidity		19.7	NTU	EPA180.1
9/14/2011 8:24	Turbidity		11.3	NTU	EPA180.1
9/15/2011 8:53	Turbidity		34.85	NTU	EPA180.1
9/19/2011 9:34	Turbidity		4.44	NTU	EPA180.1
9/20/2011 9:31	Turbidity		6.48	NTU	EPA180.1
9/21/2011 9:41	Turbidity		2.98	NTU	EPA180.1
9/22/2011 8:34	Turbidity		7.84	NTU	EPA180.1
9/26/2011 8:14	Turbidity		8.48	NTU	EPA180.1
9/27/2011 8:05	Turbidity		8.54	NTU	EPA180.1
9/28/2011 8:09	Turbidity		4.87	NTU	EPA180.1
9/29/2011 7:59	Turbidity		10.13	NTU	EPA180.1
10/3/2011 8:21	Turbidity		130	NTU	EPA180.1
10/4/2011 8:41	Turbidity		74.2	NTU	EPA180.1
10/5/2011 8:21	Turbidity		34.325	NTU	EPA180.1
10/6/2011 8:36	Turbidity		25.25	NTU	EPA180.1
10/10/2011 8:49	Turbidity		9.42	NTU	EPA180.1
10/11/2011 8:35	Turbidity		11.8	NTU	EPA180.1
10/12/2011 8:32	Turbidity		8.57	NTU	EPA180.1
10/13/2011 8:35	Turbidity		7.14	NTU	EPA180.1
10/17/2011 8:15	Turbidity		101.1	NTU	EPA180.1
10/18/2011 8:26	Turbidity		89.6	NTU	EPA180.1
10/19/2011 8:27	Turbidity		38.95	NTU	EPA180.1
10/20/2011 8:33	Turbidity		54.4	NTU	EPA180.1
10/25/2011 8:02	Turbidity		33.2	NTU	EPA180.1
10/26/2011 8:20	Turbidity		24.65	NTU	EPA180.1
10/27/2011 8:40	Turbidity		15.7	NTU	EPA180.1

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 9:25	E. coli		420	cfu/100mL	EPA1603
5/3/2011 10:10	E. coli		360	cfu/100mL	EPA1603
5/4/2011 9:20	E. coli		300	cfu/100mL	EPA1603
5/5/2011 9:50	E. coli		120	cfu/100mL	EPA1603
5/9/2011 9:52	E. coli		5	cfu/100mL	EPA1603
5/10/2011 9:48	E. coli		5	cfu/100mL	EPA1603
5/11/2011 10:11	E. coli		53	cfu/100mL	EPA1603
5/12/2011 10:00	E. coli		14	cfu/100mL	EPA1603
5/17/2011 9:55	E. coli		560	cfu/100mL	EPA1603
5/18/2011 9:43	E. coli		460	cfu/100mL	EPA1603
5/19/2011 9:40	E. coli		260	cfu/100mL	EPA1603
5/20/2011 10:00	E. coli		157	cfu/100mL	EPA1603
5/21/2011 9:30	E. coli		11	cfu/100mL	EPA1603
5/22/2011 8:36	E. coli		30	cfu/100mL	EPA1603
5/23/2011 9:27	E. coli		94	cfu/100mL	EPA1603
5/24/2011 10:00	E. coli		840	cfu/100mL	EPA1603
5/25/2011 9:46	E. coli		106	cfu/100mL	EPA1603
5/26/2011 9:43	E. coli		680	cfu/100mL	EPA1603
5/27/2011 9:26	E. coli		3000	cfu/100mL	EPA1603
5/28/2011 9:05	E. coli		308	cfu/100mL	EPA1603
5/29/2011 9:12	E. coli		230	cfu/100mL	EPA1603
5/30/2011 9:05	E. coli		1500	cfu/100mL	EPA1603
5/31/2011 9:42	E. coli		107	cfu/100mL	EPA1603
6/1/2011 9:25	E. coli		390	cfu/100mL	EPA1603
6/2/2011 9:58	E. coli		140	cfu/100mL	EPA1603
6/3/2011 9:29	E. coli		21	cfu/100mL	EPA1603
6/4/2011 10:31	E. coli		11	cfu/100mL	EPA1603
6/5/2011 9:27	E. coli		6	cfu/100mL	EPA1603
6/6/2011 9:55	E. coli		32	cfu/100mL	EPA1603
6/7/2011 10:15	E. coli		3250	cfu/100mL	EPA1603
6/8/2011 9:17	E. coli		504	cfu/100mL	EPA1603
6/9/2011 9:32	E. coli		498	cfu/100mL	EPA1603
6/10/2011 9:31	E. coli		190	cfu/100mL	EPA1603
6/11/2011 8:55	E. coli		255	cfu/100mL	EPA1603
6/12/2011 8:33	E. coli		2700	cfu/100mL	EPA1603
6/13/2011 9:36	E. coli		720	cfu/100mL	EPA1603
6/14/2011 9:27	E. coli		428	cfu/100mL	EPA1603
6/15/2011 9:24	E. coli		13	cfu/100mL	EPA1603
6/16/2011 9:21	E. coli		11	cfu/100mL	EPA1603
6/17/2011 9:41	E. coli		520	cfu/100mL	EPA1603
6/18/2011 8:34	E. coli		880	cfu/100mL	EPA1603
6/19/2011 8:27	E. coli		460	cfu/100mL	EPA1603
6/20/2011 9:14	E. coli		1160	cfu/100mL	EPA1603
6/21/2011 9:15	E. coli		460	cfu/100mL	EPA1603
6/22/2011 9:22	E. coli		136	cfu/100mL	EPA1603

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/23/2011 9:47	E. coli		680	cfu/100mL	EPA1603
6/24/2011 9:25	E. coli		1560	cfu/100mL	EPA1603
6/25/2011 8:53	E. coli		600	cfu/100mL	EPA1603
6/26/2011 8:57	E. coli		39	cfu/100mL	EPA1603
6/27/2011 9:21	E. coli		12	cfu/100mL	EPA1603
6/28/2011 9:55	E. coli		121	cfu/100mL	EPA1603
6/29/2011 9:27	E. coli	EC	105	cfu/100mL	EPA1603
6/30/2011 9:15	E. coli		8	cfu/100mL	EPA1603
7/1/2011 9:14	E. coli		29	cfu/100mL	EPA1603
7/2/2011 8:33	E. coli		16	cfu/100mL	EPA1603
7/3/2011 8:35	E. coli		400	cfu/100mL	EPA1603
7/4/2011 8:27	E. coli		190	cfu/100mL	EPA1603
7/5/2011 9:03	E. coli		58	cfu/100mL	EPA1603
7/6/2011 9:06	E. coli		47	cfu/100mL	EPA1603
7/7/2011 9:28	E. coli		1080	cfu/100mL	EPA1603
7/8/2011 9:09	E. coli		41	cfu/100mL	EPA1603
7/9/2011 8:25	E. coli		19	cfu/100mL	EPA1603
7/10/2011 8:15	E. coli		46	cfu/100mL	EPA1603
7/11/2011 9:29	E. coli		16	cfu/100mL	EPA1603
7/12/2011 9:16	E. coli		235	cfu/100mL	EPA1603
7/13/2011 10:02	E. coli		195	cfu/100mL	EPA1603
7/14/2011 9:19	E. coli		94	cfu/100mL	EPA1603
7/15/2011 8:50	E. coli		25	cfu/100mL	EPA1603
7/16/2011 8:07	E. coli	ec	11	cfu/100mL	EPA1603
7/17/2011 9:00	E. coli		8	cfu/100mL	EPA1603
7/18/2011 9:58	E. coli		860	cfu/100mL	EPA1603
7/19/2011 9:20	E. coli		225	cfu/100mL	EPA1603
7/20/2011 9:13	E. coli		30	cfu/100mL	EPA1603
7/20/2011 14:19	E. coli		53	cfu/100mL	EPA1603
7/21/2011 9:03	E. coli		1470	cfu/100mL	EPA1603
7/22/2011 8:53	E. coli		70	cfu/100mL	EPA1603
7/23/2011 8:43	E. coli		1130	cfu/100mL	EPA1603
7/24/2011 8:45	E. coli		494	cfu/100mL	EPA1603
7/25/2011 9:55	E. coli		135	cfu/100mL	EPA1603
7/26/2011 9:40	E. coli		55	cfu/100mL	EPA1603
7/27/2011 9:27	E. coli		25	cfu/100mL	EPA1603
7/28/2011 10:09	E. coli		24	cfu/100mL	EPA1603
7/29/2011 9:36	E. coli	EC	2400	cfu/100mL	EPA1603
7/30/2011 8:58	E. coli		58	cfu/100mL	EPA1603
7/31/2011 8:35	E. coli		20	cfu/100mL	EPA1603
8/1/2011 9:23	E. coli		150	cfu/100mL	EPA1603
8/2/2011 10:36	E. coli		47	cfu/100mL	EPA1603
8/3/2011 9:36	E. coli		370	cfu/100mL	EPA1603
8/4/2011 9:18	E. coli		133	cfu/100mL	EPA1603
8/5/2011 9:02	E. coli		7	cfu/100mL	EPA1603

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/6/2011 8:20	E. coli		10	cfu/100mL	EPA1603
8/7/2011 8:30	E. coli		1600	cfu/100mL	EPA1603
8/8/2011 9:00	E. coli		220	cfu/100mL	EPA1603
8/9/2011 9:09	E. coli		38	cfu/100mL	EPA1603
8/10/2011 9:04	E. coli		760	cfu/100mL	EPA1603
8/11/2011 9:32	E. coli		165	cfu/100mL	EPA1603
8/12/2011 9:43	E. coli		23	cfu/100mL	EPA1603
8/13/2011 8:17	E. coli		7	cfu/100mL	EPA1603
8/14/2011 8:45	E. coli		408	cfu/100mL	EPA1603
8/15/2011 10:21	E. coli		385	cfu/100mL	EPA1603
8/16/2011 9:50	E. coli		78	cfu/100mL	EPA1603
8/17/2011 9:50	E. coli		10	cfu/100mL	EPA1603
8/18/2011 10:05	E. coli		52	cfu/100mL	EPA1603
8/19/2011 9:18	E. coli		13	cfu/100mL	EPA1603
8/20/2011 8:33	E. coli		9	cfu/100mL	EPA1603
8/21/2011 8:22	E. coli		325	cfu/100mL	EPA1603
8/22/2011 9:14	E. coli		404	cfu/100mL	EPA1603
8/23/2011 9:38	E. coli		14	cfu/100mL	EPA1603
8/24/2011 9:36	E. coli		195	cfu/100mL	EPA1603
8/25/2011 9:57	E. coli		2600	cfu/100mL	EPA1603
8/26/2011 9:37	E. coli		210	cfu/100mL	EPA1603
8/27/2011 8:33	E. coli		47	cfu/100mL	EPA1603
8/28/2011 8:25	E. coli		185	cfu/100mL	EPA1603
8/29/2011 9:43	E. coli		26	cfu/100mL	EPA1603
8/30/2011 9:46	E. coli		10	cfu/100mL	EPA1603
8/31/2011 9:09	E. coli		10	cfu/100mL	EPA1603
9/1/2011 9:22	E. coli		188	cfu/100mL	EPA1603
9/2/2011 9:51	E. coli	EC	110	cfu/100mL	EPA1603
9/3/2011 8:13	E. coli		2200	cfu/100mL	EPA1603
9/4/2011 8:13	E. coli		1210	cfu/100mL	EPA1603
9/5/2011 8:30	E. coli	EC	8091	cfu/100mL	EPA1603
9/6/2011 9:29	E. coli		368	cfu/100mL	EPA1603
9/7/2011 8:54	E. coli		115	cfu/100mL	EPA1603
9/8/2011 8:57	E. coli		100	cfu/100mL	EPA1603
9/9/2011 10:10	E. coli		480	cfu/100mL	EPA1603
9/12/2011 8:59	E. coli		400	cfu/100mL	EPA1603
9/13/2011 8:35	E. coli		500	cfu/100mL	EPA1603
9/14/2011 8:29	E. coli		195	cfu/100mL	EPA1603
9/15/2011 8:58	E. coli		700	cfu/100mL	EPA1603
9/19/2011 9:47	E. coli		16	cfu/100mL	EPA1603
9/20/2011 9:39	E. coli		33	cfu/100mL	EPA1603
9/21/2011 9:55	E. coli		49	cfu/100mL	EPA1603
9/22/2011 8:49	E. coli		120	cfu/100mL	EPA1603
9/26/2011 8:23	E. coli		20	cfu/100mL	EPA1603
9/27/2011 8:15	E. coli		330	cfu/100mL	EPA1603

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/28/2011 8:19	E. coli		110	cfu/100mL	EPA1603
9/29/2011 8:07	E. coli		275	cfu/100mL	EPA1603
10/3/2011 8:26	E. coli		392	cfu/100mL	EPA1603
10/4/2011 8:53	E. coli		170	cfu/100mL	EPA1603
10/5/2011 8:32	E. coli		77	cfu/100mL	EPA1603
10/6/2011 8:46	E. coli		42	cfu/100mL	EPA1603
10/10/2011 8:58	E. coli		21	cfu/100mL	EPA1603
10/11/2011 8:44	E. coli		21	cfu/100mL	EPA1603
10/12/2011 8:41	E. coli		29	cfu/100mL	EPA1603
10/13/2011 8:46	E. coli		248	cfu/100mL	EPA1603
10/17/2011 8:25	E. coli		260	cfu/100mL	EPA1603
10/18/2011 8:42	E. coli		97	cfu/100mL	EPA1603
10/19/2011 8:39	E. coli		33	cfu/100mL	EPA1603
10/20/2011 8:50	E. coli		1583	cfu/100mL	EPA1603
10/25/2011 8:13	E. coli		330	cfu/100mL	EPA1603
10/26/2011 8:29	E. coli		125	cfu/100mL	EPA1603
10/27/2011 8:48	E. coli		720	cfu/100mL	EPA1603
5/2/2011 9:25	Field Cond		208	uS/cm	SM 2510A
5/3/2011 10:10	Field Cond		280	uS/cm	SM 2510A
5/4/2011 9:20	Field Cond		245	uS/cm	SM 2510A
5/5/2011 9:50	Field Cond		244	uS/cm	SM 2510A
5/9/2011 9:52	Field Cond		238	uS/cm	SM 2510A
5/10/2011 9:48	Field Cond		330	uS/cm	SM 2510A
5/11/2011 10:11	Field Cond		316	uS/cm	SM 2510A
5/12/2011 10:00	Field Cond		325	uS/cm	SM 2510A
5/17/2011 9:55	Field Cond		343	uS/cm	SM 2510A
5/18/2011 9:43	Field Cond		318	uS/cm	SM 2510A
5/19/2011 9:40	Field Cond		329	uS/cm	SM 2510A
5/20/2011 10:00	Field Cond		258	uS/cm	SM 2510A
5/21/2011 9:30	Field Cond		397	uS/cm	SM 2510A
5/23/2011 9:27	Field Cond		397	uS/cm	SM 2510A
5/25/2011 9:46	Field Cond		307	uS/cm	SM 2510A
5/26/2011 9:43	Field Cond		326	uS/cm	SM 2510A
5/27/2011 9:26	Field Cond		367	uS/cm	SM 2510A
5/28/2011 9:05	Field Cond		367	uS/cm	SM 2510A
5/29/2011 9:12	Field Cond		325	uS/cm	SM 2510A
5/30/2011 9:05	Field Cond		320	uS/cm	SM 2510A
5/31/2011 9:42	Field Cond		300	uS/cm	SM 2510A
6/1/2011 9:25	Field Cond		353	uS/cm	SM 2510A
6/2/2011 9:58	Field Cond		393	uS/cm	SM 2510A
6/3/2011 9:29	Field Cond		317	uS/cm	SM 2510A
6/4/2011 10:31	Field Cond		308	uS/cm	SM 2510A
6/5/2011 9:27	Field Cond		314	uS/cm	SM 2510A
6/8/2011 9:17	Field Cond		336	uS/cm	SM 2510A

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/9/2011 9:32	Field Cond		338	uS/cm	SM 2510A
6/10/2011 9:31	Field Cond		340	uS/cm	SM 2510A
6/11/2011 8:55	Field Cond		357	uS/cm	SM 2510A
6/12/2011 8:33	Field Cond		460	uS/cm	SM 2510A
6/13/2011 9:36	Field Cond		374	uS/cm	SM 2510A
6/14/2011 9:27	Field Cond		339	uS/cm	SM 2510A
6/15/2011 9:24	Field Cond		321	uS/cm	SM 2510A
6/16/2011 9:21	Field Cond		365	uS/cm	SM 2510A
6/17/2011 9:41	Field Cond		359	uS/cm	SM 2510A
6/18/2011 8:34	Field Cond		366	uS/cm	SM 2510A
6/19/2011 8:27	Field Cond		320	uS/cm	SM 2510A
6/20/2011 9:14	Field Cond		337	uS/cm	SM 2510A
6/21/2011 9:15	Field Cond		359	uS/cm	SM 2510A
6/22/2011 9:22	Field Cond		361	uS/cm	SM 2510A
6/23/2011 9:47	Field Cond		335	uS/cm	SM 2510A
6/24/2011 9:25	Field Cond		366	uS/cm	SM 2510A
6/25/2011 8:53	Field Cond		405	uS/cm	SM 2510A
6/26/2011 8:57	Field Cond		417	uS/cm	SM 2510A
6/27/2011 9:21	Field Cond		354	uS/cm	SM 2510A
6/28/2011 9:55	Field Cond		334	uS/cm	SM 2510A
6/29/2011 9:27	Field Cond		343	uS/cm	SM 2510A
6/30/2011 9:15	Field Cond		325	uS/cm	SM 2510A
7/1/2011 9:14	Field Cond		348	uS/cm	SM 2510A
7/2/2011 8:33	Field Cond		318	uS/cm	SM 2510A
7/3/2011 8:35	Field Cond		321	uS/cm	SM 2510A
7/4/2011 8:27	Field Cond		316	uS/cm	SM 2510A
7/5/2011 9:03	Field Cond		339	uS/cm	SM 2510A
7/6/2011 9:06	Field Cond		343	uS/cm	SM 2510A
7/7/2011 9:28	Field Cond		344	uS/cm	SM 2510A
7/8/2011 9:09	Field Cond		346	uS/cm	SM 2510A
7/9/2011 8:25	Field Cond		324	uS/cm	SM 2510A
7/10/2011 8:15	Field Cond		373	uS/cm	SM 2510A
7/11/2011 9:29	Field Cond		294	uS/cm	SM 2510A
7/12/2011 9:16	Field Cond		302	uS/cm	SM 2510A
7/13/2011 10:02	Field Cond		315	uS/cm	SM 2510A
7/14/2011 9:19	Field Cond		311	uS/cm	SM 2510A
7/15/2011 8:50	Field Cond		355	uS/cm	SM 2510A
7/16/2011 8:07	Field Cond		350	uS/cm	SM 2510A
7/17/2011 9:00	Field Cond		331	uS/cm	SM 2510A
7/18/2011 9:58	Field Cond		325	uS/cm	SM 2510A
7/19/2011 9:20	Field Cond		301	uS/cm	SM 2510A
7/20/2011 9:13	Field Cond		332	uS/cm	SM 2510A
7/21/2011 9:03	Field Cond		309	uS/cm	SM 2510A
7/22/2011 8:53	Field Cond		308	uS/cm	SM 2510A
7/23/2011 8:43	Field Cond		263	uS/cm	SM 2510A

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/24/2011 8:45	Field Cond		313	uS/cm	SM 2510A
7/25/2011 9:55	Field Cond		301	uS/cm	SM 2510A
7/26/2011 9:40	Field Cond		308	uS/cm	SM 2510A
7/27/2011 9:27	Field Cond		352	uS/cm	SM 2510A
7/28/2011 10:09	Field Cond		342	uS/cm	SM 2510A
7/29/2011 9:36	Field Cond		308	uS/cm	SM 2510A
7/30/2011 8:58	Field Cond		359	uS/cm	SM 2510A
7/31/2011 8:35	Field Cond		325	uS/cm	SM 2510A
8/1/2011 9:23	Field Cond		290	uS/cm	SM 2510A
8/3/2011 9:36	Field Cond		298	uS/cm	SM 2510A
8/4/2011 9:18	Field Cond		314	uS/cm	SM 2510A
8/5/2011 9:02	Field Cond		296	uS/cm	SM 2510A
8/6/2011 8:20	Field Cond		320	uS/cm	SM 2510A
8/7/2011 8:30	Field Cond		274	uS/cm	SM 2510A
8/8/2011 9:00	Field Cond		346	uS/cm	SM 2510A
8/9/2011 9:09	Field Cond		397	uS/cm	SM 2510A
8/10/2011 9:04	Field Cond		362	uS/cm	SM 2510A
8/11/2011 9:32	Field Cond		322	uS/cm	SM 2510A
8/12/2011 9:43	Field Cond		319	uS/cm	SM 2510A
8/13/2011 8:17	Field Cond		342	uS/cm	SM 2510A
8/14/2011 8:45	Field Cond		392	uS/cm	SM 2510A
8/15/2011 10:21	Field Cond		325	uS/cm	SM 2510A
8/16/2011 9:50	Field Cond		398	uS/cm	SM 2510A
8/17/2011 9:50	Field Cond		292	uS/cm	SM 2510A
8/18/2011 10:05	Field Cond		297	uS/cm	SM 2510A
8/19/2011 9:18	Field Cond		333	uS/cm	SM 2510A
8/20/2011 8:33	Field Cond		335	uS/cm	SM 2510A
8/21/2011 8:22	Field Cond		347	uS/cm	SM 2510A
8/22/2011 9:14	Field Cond		330	uS/cm	SM 2510A
8/23/2011 9:38	Field Cond		289	uS/cm	SM 2510A
8/24/2011 9:36	Field Cond		341	uS/cm	SM 2510A
8/25/2011 9:57	Field Cond		297	uS/cm	SM 2510A
8/26/2011 9:37	Field Cond		312	uS/cm	SM 2510A
8/27/2011 8:33	Field Cond		337	uS/cm	SM 2510A
8/28/2011 8:25	Field Cond		244	uS/cm	SM 2510A
8/29/2011 9:43	Field Cond		319	uS/cm	SM 2510A
8/30/2011 9:46	Field Cond		290	uS/cm	SM 2510A
8/31/2011 9:09	Field Cond		292	uS/cm	SM 2510A
9/1/2011 9:22	Field Cond		311	uS/cm	SM 2510A
9/2/2011 9:51	Field Cond		302	uS/cm	SM 2510A
9/3/2011 8:13	Field Cond		306	uS/cm	SM 2510A
9/4/2011 8:13	Field Cond		317	uS/cm	SM 2510A
9/5/2011 8:30	Field Cond		318	uS/cm	SM 2510A
9/6/2011 9:29	Field Cond		330	uS/cm	SM 2510A
9/7/2011 8:54	Field Cond		311	uS/cm	SM 2510A



## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 8:57	Field Cond		318	uS/cm	SM 2510A
9/9/2011 10:10	Field Cond		302	uS/cm	SM 2510A
9/12/2011 8:59	Field Cond		333	uS/cm	SM 2510A
9/13/2011 8:35	Field Cond		334	uS/cm	SM 2510A
9/14/2011 8:29	Field Cond		353	uS/cm	SM 2510A
9/15/2011 8:58	Field Cond		369	uS/cm	SM 2510A
9/19/2011 9:47	Field Cond		321	uS/cm	SM 2510A
9/20/2011 9:39	Field Cond		346	uS/cm	SM 2510A
9/21/2011 9:55	Field Cond		321	uS/cm	SM 2510A
9/22/2011 8:49	Field Cond		319	uS/cm	SM 2510A
9/26/2011 8:23	Field Cond		302	uS/cm	SM 2510A
9/27/2011 8:15	Field Cond		298	uS/cm	SM 2510A
9/28/2011 8:19	Field Cond		301	uS/cm	SM 2510A
9/29/2011 8:07	Field Cond		309	uS/cm	SM 2510A
10/3/2011 8:26	Field Cond		350	uS/cm	SM 2510A
10/4/2011 8:53	Field Cond		334	uS/cm	SM 2510A
10/5/2011 8:32	Field Cond		357	uS/cm	SM 2510A
10/6/2011 8:46	Field Cond		356	uS/cm	SM 2510A
10/10/2011 8:58	Field Cond		340	uS/cm	SM 2510A
10/11/2011 8:44	Field Cond		342	uS/cm	SM 2510A
10/12/2011 8:41	Field Cond		337	uS/cm	SM 2510A
10/13/2011 8:46	Field Cond		362	uS/cm	SM 2510A
10/17/2011 8:25	Field Cond		449	uS/cm	SM 2510A
10/18/2011 8:42	Field Cond		362	uS/cm	SM 2510A
10/19/2011 8:39	Field Cond		300	uS/cm	SM 2510A
10/20/2011 8:50	Field Cond		357	uS/cm	SM 2510A
10/25/2011 8:13	Field Cond		433	uS/cm	SM 2510A
10/26/2011 8:29	Field Cond		346	uS/cm	SM 2510A
10/27/2011 8:48	Field Cond		415	uS/cm	SM 2510A
5/2/2011 9:25	Field Temp		9.7	C	EPA 170.1
5/3/2011 10:10	Field Temp		10.1	C	EPA 170.1
5/4/2011 9:20	Field Temp		9.1	C	EPA 170.1
5/5/2011 9:50	Field Temp		9.8	C	EPA 170.1
5/9/2011 9:52	Field Temp		10.2	C	EPA 170.1
5/10/2011 9:48	Field Temp		11.3	C	EPA 170.1
5/11/2011 10:11	Field Temp		11.8	C	EPA 170.1
5/12/2011 10:00	Field Temp		10.6	C	EPA 170.1
5/17/2011 9:55	Field Temp		10.8	C	EPA 170.1
5/18/2011 9:43	Field Temp		10.8	C	EPA 170.1
5/19/2011 9:40	Field Temp		11.4	C	EPA 170.1
5/20/2011 10:00	Field Temp		13.1	C	EPA 170.1
5/21/2011 9:30	Field Temp		14.4	C	EPA 170.1
5/22/2011 8:36	Field Temp		12.1	C	EPA 170.1
5/23/2011 9:27	Field Temp		15.3	C	EPA 170.1



## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/24/2011 10:00	Field Temp		14.6	C	EPA 170.1
5/25/2011 9:46	Field Temp		14.4	C	EPA 170.1
5/26/2011 9:43	Field Temp		13.3	C	EPA 170.1
5/27/2011 9:26	Field Temp		14.3	C	EPA 170.1
5/28/2011 9:05	Field Temp		15.5	C	EPA 170.1
5/29/2011 9:12	Field Temp		16.5	C	EPA 170.1
5/30/2011 9:05	Field Temp		18.5	C	EPA 170.1
6/1/2011 9:25	Field Temp		21	C	EPA 170.1
6/3/2011 9:29	Field Temp		18.4	C	EPA 170.1
6/4/2011 10:31	Field Temp		18.4	C	EPA 170.1
6/5/2011 9:27	Field Temp		19.5	C	EPA 170.1
6/6/2011 9:55	Field Temp		19.8	C	EPA 170.1
6/8/2011 9:17	Field Temp		20.6	C	EPA 170.1
6/9/2011 9:32	Field Temp		21.7	C	EPA 170.1
6/10/2011 9:31	Field Temp		21	C	EPA 170.1
6/11/2011 8:55	Field Temp		20.6	C	EPA 170.1
6/12/2011 8:33	Field Temp		19.8	C	EPA 170.1
6/13/2011 9:36	Field Temp		20.1	C	EPA 170.1
6/14/2011 9:27	Field Temp		19.6	C	EPA 170.1
6/15/2011 9:24	Field Temp		19	C	EPA 170.1
6/16/2011 9:21	Field Temp		20.1	C	EPA 170.1
6/17/2011 9:41	Field Temp		20.1	C	EPA 170.1
6/18/2011 8:34	Field Temp		20.4	C	EPA 170.1
6/19/2011 8:27	Field Temp		20.1	C	EPA 170.1
6/20/2011 9:14	Field Temp		20.2	C	EPA 170.1
6/21/2011 9:15	Field Temp		21.5	C	EPA 170.1
6/22/2011 9:22	Field Temp		21.3	C	EPA 170.1
6/23/2011 9:47	Field Temp		21.8	C	EPA 170.1
6/24/2011 9:25	Field Temp		20.3	C	EPA 170.1
6/25/2011 8:53	Field Temp		19.6	C	EPA 170.1
6/26/2011 8:57	Field Temp		20.7	C	EPA 170.1
6/27/2011 9:21	Field Temp		20.5	C	EPA 170.1
6/28/2011 9:55	Field Temp		21.4	C	EPA 170.1
6/29/2011 9:27	Field Temp		20.9	C	EPA 170.1
6/30/2011 9:15	Field Temp		21.2	C	EPA 170.1
7/1/2011 9:14	Field Temp		22.1	C	EPA 170.1
7/2/2011 8:33	Field Temp		21.4	C	EPA 170.1
7/3/2011 8:35	Field Temp		22.1	C	EPA 170.1
7/4/2011 8:27	Field Temp		22.7	C	EPA 170.1
7/5/2011 9:03	Field Temp		21.8	C	EPA 170.1
7/6/2011 9:06	Field Temp		22.9	C	EPA 170.1
7/7/2011 9:28	Field Temp		23.4	C	EPA 170.1
7/8/2011 9:09	Field Temp		21.3	C	EPA 170.1
7/9/2011 8:25	Field Temp		20.9	C	EPA 170.1
7/10/2011 8:15	Field Temp		21.2	C	EPA 170.1

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/11/2011 9:29	Field Temp		22.4	C	EPA 170.1
7/12/2011 9:16	Field Temp		23.1	C	EPA 170.1
7/13/2011 10:02	Field Temp		23.8	C	EPA 170.1
7/14/2011 9:19	Field Temp		22.4	C	EPA 170.1
7/15/2011 8:50	Field Temp		21.8	C	EPA 170.1
7/16/2011 8:07	Field Temp		21.6	C	EPA 170.1
7/17/2011 9:00	Field Temp		22.4	C	EPA 170.1
7/18/2011 9:58	Field Temp		24	C	EPA 170.1
7/19/2011 9:20	Field Temp		24.9	C	EPA 170.1
7/20/2011 9:13	Field Temp		24.2	C	EPA 170.1
7/21/2011 9:03	Field Temp		24.9	C	EPA 170.1
7/22/2011 8:53	Field Temp		26	C	EPA 170.1
7/23/2011 8:43	Field Temp		24.7	C	EPA 170.1
7/24/2011 8:45	Field Temp		26.1	C	EPA 170.1
7/25/2011 9:55	Field Temp		26.3	C	EPA 170.1
7/26/2011 9:40	Field Temp		24.7	C	EPA 170.1
7/27/2011 9:27	Field Temp		25.8	C	EPA 170.1
7/28/2011 10:09	Field Temp		25.4	C	EPA 170.1
7/29/2011 9:36	Field Temp		24.4	C	EPA 170.1
7/30/2011 8:58	Field Temp		25.2	C	EPA 170.1
7/31/2011 8:35	Field Temp		24.1	C	EPA 170.1
8/1/2011 9:23	Field Temp		24.7	C	EPA 170.1
8/3/2011 9:36	Field Temp		26.5	C	EPA 170.1
8/4/2011 9:18	Field Temp		26.1	C	EPA 170.1
8/5/2011 9:02	Field Temp		26.4	C	EPA 170.1
8/6/2011 8:20	Field Temp		25.9	C	EPA 170.1
8/7/2011 8:30	Field Temp		26.5	C	EPA 170.1
8/8/2011 9:00	Field Temp		26.3	C	EPA 170.1
8/9/2011 9:09	Field Temp		26.4	C	EPA 170.1
8/10/2011 9:04	Field Temp		25.2	C	EPA 170.1
8/11/2011 9:32	Field Temp		24.5	C	EPA 170.1
8/12/2011 9:43	Field Temp		25.1	C	EPA 170.1
8/13/2011 8:17	Field Temp		25.1	C	EPA 170.1
8/14/2011 8:45	Field Temp		24.8	C	EPA 170.1
8/15/2011 10:21	Field Temp		24.2	C	EPA 170.1
8/16/2011 9:50	Field Temp		24.1	C	EPA 170.1
8/17/2011 9:50	Field Temp		24.7	C	EPA 170.1
8/18/2011 10:05	Field Temp		25	C	EPA 170.1
8/19/2011 9:18	Field Temp		25.3	C	EPA 170.1
8/20/2011 8:33	Field Temp		25.2	C	EPA 170.1
8/21/2011 8:22	Field Temp		24.9	C	EPA 170.1
8/22/2011 9:14	Field Temp		23.4	C	EPA 170.1
8/23/2011 9:38	Field Temp		24.2	C	EPA 170.1
8/24/2011 9:36	Field Temp		23.6	C	EPA 170.1
8/25/2011 9:57	Field Temp		24.2	C	EPA 170.1

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/26/2011 9:37	Field Temp		24	C	EPA 170.1
8/27/2011 8:33	Field Temp		23.7	C	EPA 170.1
8/28/2011 8:25	Field Temp		23.3	C	EPA 170.1
8/29/2011 9:43	Field Temp		23.1	C	EPA 170.1
8/30/2011 9:46	Field Temp		23.7	C	EPA 170.1
8/31/2011 9:09	Field Temp		23.2	C	EPA 170.1
9/1/2011 9:22	Field Temp		23.4	C	EPA 170.1
9/2/2011 9:51	Field Temp		24.4	C	EPA 170.1
9/3/2011 8:13	Field Temp		24.2	C	EPA 170.1
9/4/2011 8:13	Field Temp		24.1	C	EPA 170.1
9/5/2011 8:30	Field Temp		22	C	EPA 170.1
9/6/2011 9:29	Field Temp		22	C	EPA 170.1
9/7/2011 8:54	Field Temp		21.5	C	EPA 170.1
9/8/2011 8:57	Field Temp		21.6	C	EPA 170.1
9/9/2011 10:10	Field Temp		21.8	C	EPA 170.1
9/12/2011 8:59	Field Temp		21.5	C	EPA 170.1
9/13/2011 8:35	Field Temp		22	C	EPA 170.1
9/14/2011 8:29	Field Temp		22	C	EPA 170.1
9/15/2011 8:58	Field Temp		19.7	C	EPA 170.1
9/19/2011 9:47	Field Temp		19.4	C	EPA 170.1
9/20/2011 9:39	Field Temp		19.6	C	EPA 170.1
9/21/2011 9:55	Field Temp		20	C	EPA 170.1
9/22/2011 8:49	Field Temp		19.6	C	EPA 170.1
9/26/2011 8:23	Field Temp		19.5	C	EPA 170.1
9/27/2011 8:15	Field Temp		18.8	C	EPA 170.1
9/28/2011 8:19	Field Temp		19.5	C	EPA 170.1
9/29/2011 8:07	Field Temp		18.8	C	EPA 170.1
10/3/2011 8:26	Field Temp		14.2	C	EPA 170.1
10/4/2011 8:53	Field Temp		14.9	C	EPA 170.1
10/5/2011 8:32	Field Temp		15.5	C	EPA 170.1
10/6/2011 8:46	Field Temp		16.1	C	EPA 170.1
10/10/2011 8:58	Field Temp		16.2	C	EPA 170.1
10/11/2011 8:44	Field Temp		16	C	EPA 170.1
10/12/2011 8:41	Field Temp		15.9	C	EPA 170.1
10/13/2011 8:46	Field Temp		16	C	EPA 170.1
10/17/2011 8:25	Field Temp		13	C	EPA 170.1
10/18/2011 8:42	Field Temp		13.5	C	EPA 170.1
10/19/2011 8:39	Field Temp		14	C	EPA 170.1
10/20/2011 8:50	Field Temp		13.5	C	EPA 170.1
10/25/2011 8:13	Field Temp		13	C	EPA 170.1
10/26/2011 8:29	Field Temp		13.5	C	EPA 170.1
10/27/2011 8:48	Field Temp		12.6	C	EPA 170.1
5/2/2011 9:25	pH		7.96	S.U.	
5/3/2011 10:10	pH		8.06	S.U.	

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/4/2011 9:20	pH		8.08	S.U.	
5/5/2011 9:50	pH		7.97	S.U.	
5/9/2011 9:52	pH		8.08	S.U.	
5/10/2011 9:48	pH		8.2	S.U.	
5/11/2011 10:11	pH		8.26	S.U.	
5/12/2011 10:00	pH		7.91	S.U.	
5/17/2011 9:55	pH		8.11	S.U.	
5/18/2011 9:43	pH		8.21	S.U.	
5/19/2011 9:40	pH		8.28	S.U.	
5/20/2011 10:00	pH		8.08	S.U.	
5/21/2011 9:30	pH		8.2	S.U.	
5/22/2011 8:36	pH		7.87	S.U.	
5/23/2011 9:27	pH		7.98	S.U.	
5/24/2011 10:00	pH		8.04	S.U.	
5/25/2011 9:46	pH		8.24	S.U.	
5/26/2011 9:43	pH		7.93	S.U.	
5/27/2011 9:26	pH		8.18	S.U.	
5/28/2011 9:05	pH		8.11	S.U.	
5/29/2011 9:12	pH		8.1	S.U.	
5/30/2011 9:05	pH		8.15	S.U.	
6/1/2011 9:25	pH		8.64	S.U.	
6/2/2011 9:58	pH		8.12	S.U.	
6/3/2011 9:29	pH		8.59	S.U.	
6/4/2011 10:31	pH		8.08	S.U.	
6/5/2011 9:27	pH		8.3	S.U.	
6/6/2011 9:55	pH		8.28	S.U.	
6/8/2011 9:17	pH		8.66	S.U.	
6/9/2011 9:32	pH		8.34	S.U.	
6/10/2011 9:31	pH		8.4	S.U.	
6/11/2011 8:55	pH		7.85	S.U.	
6/12/2011 8:33	pH		8	S.U.	
6/13/2011 9:36	pH		8	S.U.	
6/14/2011 9:27	pH		7.84	S.U.	
6/15/2011 9:24	pH		7.89	S.U.	
6/16/2011 9:21	pH		7.74	S.U.	
6/17/2011 9:41	pH		8.14	S.U.	
6/18/2011 8:34	pH		7.56	S.U.	
6/19/2011 8:27	pH		7.72	S.U.	
6/20/2011 9:14	pH		7.86	S.U.	
6/21/2011 9:15	pH		8.16	S.U.	
6/22/2011 9:22	pH		8.19	S.U.	
6/23/2011 9:47	pH		8.04	S.U.	
6/24/2011 9:25	pH		7.87	S.U.	
6/25/2011 8:53	pH		8.02	S.U.	
6/26/2011 8:57	pH		7.64	S.U.	

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/27/2011 9:21	pH		7.99	S.U.	
6/28/2011 9:55	pH		7.6	S.U.	
6/29/2011 9:27	pH		8.34	S.U.	
6/30/2011 9:15	pH		8.13	S.U.	
7/1/2011 9:14	pH		8.33	S.U.	
7/2/2011 8:33	pH		7.92	S.U.	
7/3/2011 8:35	pH		7.96	S.U.	
7/4/2011 8:27	pH		8.22	S.U.	
7/5/2011 9:03	pH		7.89	S.U.	
7/6/2011 9:06	pH		8.08	S.U.	
7/7/2011 9:28	pH		8.19	S.U.	
7/8/2011 9:09	pH		7.44	S.U.	
7/9/2011 8:25	pH		7.75	S.U.	
7/10/2011 8:15	pH		7.7	S.U.	
7/11/2011 9:29	pH		8.21	S.U.	
7/12/2011 9:16	pH		7.49	S.U.	
7/13/2011 10:02	pH		8.1	S.U.	
7/14/2011 9:19	pH		7.86	S.U.	
7/15/2011 8:50	pH		7.14	S.U.	
7/16/2011 8:07	pH		7.71	S.U.	
7/17/2011 9:00	pH		8.16	S.U.	
7/18/2011 9:58	pH		8.28	S.U.	
7/19/2011 9:20	pH		7.75	S.U.	
7/20/2011 9:13	pH		8.6	S.U.	
7/21/2011 9:03	pH		8.25	S.U.	
7/22/2011 8:53	pH		8.36	S.U.	
7/23/2011 8:43	pH		8.1	S.U.	
7/24/2011 8:45	pH		7.77	S.U.	
7/25/2011 9:55	pH		8.2	S.U.	
7/26/2011 9:40	pH		8.49	S.U.	
7/27/2011 9:27	pH		8.21	S.U.	
7/28/2011 10:09	pH		8.08	S.U.	
7/29/2011 9:36	pH		8.34	S.U.	
7/30/2011 8:58	pH		8.31	S.U.	
7/31/2011 8:35	pH		8.4	S.U.	
8/1/2011 9:23	pH		8.3	S.U.	
8/3/2011 9:36	pH		8.37	S.U.	
8/4/2011 9:18	pH		8.31	S.U.	
8/5/2011 9:02	pH		8.31	S.U.	
8/6/2011 8:20	pH		8.31	S.U.	
8/7/2011 8:30	pH		8.41	S.U.	
8/8/2011 9:00	pH		8.65	S.U.	
8/9/2011 9:09	pH		8.43	S.U.	
8/10/2011 9:04	pH		8.4	S.U.	
8/11/2011 9:32	pH		8.34	S.U.	

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/12/2011 9:43	pH		8.48	S.U.	
8/13/2011 8:17	pH		8.57	S.U.	
8/14/2011 8:45	pH		8.48	S.U.	
8/15/2011 10:21	pH		8.5	S.U.	
8/16/2011 9:50	pH		8.36	S.U.	
8/17/2011 9:50	pH		8.52	S.U.	
8/18/2011 10:05	pH		8.59	S.U.	
8/19/2011 9:18	pH		8.63	S.U.	
8/20/2011 8:33	pH		8.61	S.U.	
8/21/2011 8:22	pH		8.41	S.U.	
8/22/2011 9:14	pH		8.48	S.U.	
8/23/2011 9:38	pH		8.56	S.U.	
8/24/2011 9:36	pH		8.44	S.U.	
8/25/2011 9:57	pH		8.41	S.U.	
8/26/2011 9:37	pH		8.53	S.U.	
8/27/2011 8:33	pH		8.3	S.U.	
8/28/2011 8:25	pH		8.31	S.U.	
8/29/2011 9:43	pH		8.23	S.U.	
8/30/2011 9:46	pH		8.29	S.U.	
8/31/2011 9:09	pH		8.13	S.U.	
9/1/2011 9:22	pH		8.09	S.U.	
9/2/2011 9:51	pH		8.32	S.U.	
9/3/2011 8:13	pH		8.53	S.U.	
9/4/2011 8:13	pH		8.5	S.U.	
9/5/2011 8:30	pH		8.34	S.U.	
9/6/2011 9:29	pH		8.4	S.U.	
9/7/2011 8:54	pH		8.28	S.U.	
9/8/2011 8:57	pH		8.28	S.U.	
9/9/2011 10:10	pH		8.22	S.U.	
9/12/2011 8:59	pH		8.26	S.U.	
9/13/2011 8:35	pH		8.39	S.U.	
9/14/2011 8:29	pH		8.32	S.U.	
9/15/2011 8:58	pH		8.33	S.U.	
9/19/2011 9:47	pH		8.42	S.U.	
9/20/2011 9:39	pH		8.25	S.U.	
9/21/2011 9:55	pH		8.3	S.U.	
9/22/2011 8:49	pH		8.23	S.U.	
9/26/2011 8:23	pH		8.2	S.U.	
9/27/2011 8:15	pH		8.05	S.U.	
9/28/2011 8:19	pH		8.26	S.U.	
9/29/2011 8:07	pH		8.23	S.U.	
10/3/2011 8:26	pH		8.22	S.U.	
10/4/2011 8:53	pH		8.12	S.U.	
10/5/2011 8:32	pH		7.99	S.U.	
10/6/2011 8:46	pH		7.98	S.U.	

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
10/10/2011 8:58	pH		8.02	S.U.	
10/11/2011 8:44	pH		7.75	S.U.	
10/12/2011 8:41	pH		7.81	S.U.	
10/13/2011 8:46	pH		7.8	S.U.	
10/17/2011 8:25	pH		7.99	S.U.	
10/18/2011 8:42	pH		8.06	S.U.	
10/19/2011 8:39	pH		7.97	S.U.	
10/20/2011 8:50	pH		7.75	S.U.	
10/25/2011 8:13	pH		7.69	S.U.	
10/26/2011 8:29	pH		7.6	S.U.	
10/27/2011 8:48	pH		7.68	S.U.	
5/2/2011 9:25	Turbidity		13.4	NTU	EPA180.1
5/3/2011 10:10	Turbidity		9.57	NTU	EPA180.1
5/4/2011 9:20	Turbidity		23.55	NTU	EPA180.1
5/5/2011 9:50	Turbidity		12.2	NTU	EPA180.1
5/9/2011 9:52	Turbidity		6.16	NTU	EPA180.1
5/10/2011 9:48	Turbidity		5.42	NTU	EPA180.1
5/11/2011 10:11	Turbidity		7.6	NTU	EPA180.1
5/12/2011 10:00	Turbidity		11.85	NTU	EPA180.1
5/17/2011 9:55	Turbidity		82.3	NTU	EPA180.1
5/18/2011 9:43	Turbidity		34.54	NTU	EPA180.1
5/19/2011 9:40	Turbidity		18.78	NTU	EPA180.1
5/20/2011 10:00	Turbidity		15.68	NTU	EPA180.1
5/21/2011 9:30	Turbidity		6.43	NTU	EPA180.1
5/22/2011 8:36	Turbidity		6.04	NTU	EPA180.1
5/23/2011 9:27	Turbidity		6.6	NTU	EPA180.1
5/24/2011 10:00	Turbidity		24.51	NTU	EPA180.1
5/25/2011 9:46	Turbidity		6.47	NTU	EPA180.1
5/26/2011 9:43	Turbidity		8.96	NTU	EPA180.1
5/27/2011 9:26	Turbidity		17.12	NTU	EPA180.1
5/28/2011 9:05	Turbidity		5.93	NTU	EPA180.1
5/29/2011 9:12	Turbidity		21.8	NTU	EPA180.1
5/30/2011 9:05	Turbidity		18.6	NTU	EPA180.1
5/31/2011 9:42	Turbidity		9.21	NTU	EPA180.1
6/1/2011 9:25	Turbidity		14.05	NTU	EPA180.1
6/2/2011 9:58	Turbidity		19.01	NTU	EPA180.1
6/3/2011 9:29	Turbidity		6.9	NTU	EPA180.1
6/4/2011 10:31	Turbidity		6.66	NTU	EPA180.1
6/5/2011 9:27	Turbidity		4.5	NTU	EPA180.1
6/6/2011 9:55	Turbidity		3.85	NTU	EPA180.1
6/7/2011 10:15	Turbidity		5.44	NTU	EPA180.1
6/8/2011 9:17	Turbidity		4.54	NTU	EPA180.1
6/9/2011 9:32	Turbidity		5.6	NTU	EPA180.1
6/10/2011 9:31	Turbidity		10.1	NTU	EPA180.1

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/11/2011 8:55	Turbidity		8.19	NTU	EPA180.1
6/12/2011 8:33	Turbidity		24.35	NTU	EPA180.1
6/13/2011 9:36	Turbidity		26.7	NTU	EPA180.1
6/14/2011 9:27	Turbidity		35.1	NTU	EPA180.1
6/15/2011 9:24	Turbidity		7.5	NTU	EPA180.1
6/16/2011 9:21	Turbidity		3.91	NTU	EPA180.1
6/17/2011 9:41	Turbidity		15.57	NTU	EPA180.1
6/18/2011 8:34	Turbidity		6	NTU	EPA180.1
6/19/2011 8:27	Turbidity		4.8	NTU	EPA180.1
6/20/2011 9:14	Turbidity		7.2	NTU	EPA180.1
6/21/2011 9:15	Turbidity		5.2	NTU	EPA180.1
6/22/2011 9:22	Turbidity		4.5	NTU	EPA180.1
6/23/2011 9:47	Turbidity		7.84	NTU	EPA180.1
6/24/2011 9:25	Turbidity		25.2	NTU	EPA180.1
6/25/2011 8:53	Turbidity		39.7	NTU	EPA180.1
6/26/2011 8:57	Turbidity		5.8	NTU	EPA180.1
6/27/2011 9:21	Turbidity		3.4	NTU	EPA180.1
6/28/2011 9:55	Turbidity		7.07	NTU	EPA180.1
6/29/2011 9:27	Turbidity		33.7	NTU	EPA180.1
6/30/2011 9:15	Turbidity		4.3	NTU	EPA180.1
7/1/2011 9:14	Turbidity		3.5	NTU	EPA180.1
7/2/2011 8:33	Turbidity		8.18	NTU	EPA180.1
7/3/2011 8:35	Turbidity		8.78	NTU	EPA180.1
7/4/2011 8:27	Turbidity		5.76	NTU	EPA180.1
7/5/2011 9:03	Turbidity		2.4	NTU	EPA180.1
7/6/2011 9:06	Turbidity		4.94	NTU	EPA180.1
7/7/2011 9:28	Turbidity		4.74	NTU	EPA180.1
7/8/2011 9:09	Turbidity		1.59	NTU	EPA180.1
7/9/2011 8:25	Turbidity		2.69	NTU	EPA180.1
7/10/2011 8:15	Turbidity		3.22	NTU	EPA180.1
7/11/2011 9:29	Turbidity		1.4	NTU	EPA180.1
7/12/2011 9:16	Turbidity		3.9	NTU	EPA180.1
7/13/2011 10:02	Turbidity		15.68	NTU	EPA180.1
7/14/2011 9:19	Turbidity		12.2	NTU	EPA180.1
7/15/2011 8:50	Turbidity		2.88	NTU	EPA180.1
7/16/2011 8:07	Turbidity		1.88	NTU	EPA180.1
7/17/2011 9:00	Turbidity		1.61	NTU	EPA180.1
7/18/2011 9:58	Turbidity		2.4	NTU	EPA180.1
7/19/2011 9:20	Turbidity		3.56	NTU	EPA180.1
7/20/2011 9:13	Turbidity		1.54	NTU	EPA180.1
7/21/2011 9:03	Turbidity		3.9	NTU	EPA180.1
7/22/2011 8:53	Turbidity		1.87	NTU	EPA180.1
7/23/2011 8:43	Turbidity		7.09	NTU	EPA180.1
7/24/2011 8:45	Turbidity		6.49	NTU	EPA180.1
7/25/2011 9:55	Turbidity		3.94	NTU	EPA180.1



## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/26/2011 9:40	Turbidity		3.47	NTU	EPA180.1
7/27/2011 9:27	Turbidity		3.05	NTU	EPA180.1
7/28/2011 10:09	Turbidity		1.66	NTU	EPA180.1
7/29/2011 9:36	Turbidity		18.7	NTU	EPA180.1
7/30/2011 8:58	Turbidity		5.83	NTU	EPA180.1
7/31/2011 8:35	Turbidity		3.29	NTU	EPA180.1
8/1/2011 9:23	Turbidity		2.21	NTU	EPA180.1
8/2/2011 10:36	Turbidity		2.86	NTU	EPA180.1
8/3/2011 9:36	Turbidity		3.83	NTU	EPA180.1
8/4/2011 9:18	Turbidity		6.05	NTU	EPA180.1
8/5/2011 9:02	Turbidity		1.74	NTU	EPA180.1
8/6/2011 8:20	Turbidity		1.48	NTU	EPA180.1
8/7/2011 8:30	Turbidity		10.35	NTU	EPA180.1
8/8/2011 9:00	Turbidity		3.94	NTU	EPA180.1
8/9/2011 9:09	Turbidity		1.78	NTU	EPA180.1
8/10/2011 9:04	Turbidity		48.8	NTU	EPA180.1
8/11/2011 9:32	Turbidity		22.15	NTU	EPA180.1
8/12/2011 9:43	Turbidity		2.58	NTU	EPA180.1
8/13/2011 8:17	Turbidity		2.03	NTU	EPA180.1
8/14/2011 8:45	Turbidity		21.35	NTU	EPA180.1
8/15/2011 10:21	Turbidity		15.2	NTU	EPA180.1
8/16/2011 9:50	Turbidity		13.9	NTU	EPA180.1
8/17/2011 9:50	Turbidity		2.38	NTU	EPA180.1
8/18/2011 10:05	Turbidity		3.06	NTU	EPA180.1
8/19/2011 9:18	Turbidity		2.48	NTU	EPA180.1
8/20/2011 8:33	Turbidity		2.77	NTU	EPA180.1
8/21/2011 8:22	Turbidity		3.09	NTU	EPA180.1
8/22/2011 9:14	Turbidity		16.95	NTU	EPA180.1
8/23/2011 9:38	Turbidity		2.46	NTU	EPA180.1
8/24/2011 9:36	Turbidity		3.31	NTU	EPA180.1
8/25/2011 9:57	Turbidity		15.55	NTU	EPA180.1
8/26/2011 9:37	Turbidity		3.91	NTU	EPA180.1
8/27/2011 8:33	Turbidity		2.03	NTU	EPA180.1
8/28/2011 8:25	Turbidity		27.2	NTU	EPA180.1
8/29/2011 9:43	Turbidity		13.2	NTU	EPA180.1
8/30/2011 9:46	Turbidity		4.35	NTU	EPA180.1
8/31/2011 9:09	Turbidity		2.79	NTU	EPA180.1
9/1/2011 9:22	Turbidity		2.66	NTU	EPA180.1
9/2/2011 9:51	Turbidity		2.98	NTU	EPA180.1
9/3/2011 8:13	Turbidity		3.64	NTU	EPA180.1
9/4/2011 8:13	Turbidity		13.25	NTU	EPA180.1
9/5/2011 8:30	Turbidity		68.6	NTU	EPA180.1
9/6/2011 9:29	Turbidity		33.3	NTU	EPA180.1
9/7/2011 8:54	Turbidity		21.55	NTU	EPA180.1
9/8/2011 8:57	Turbidity		17.7	NTU	EPA180.1

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/9/2011 10:10	Turbidity		7.05	NTU	EPA180.1
9/12/2011 8:59	Turbidity		8.53	NTU	EPA180.1
9/13/2011 8:35	Turbidity		18.2	NTU	EPA180.1
9/14/2011 8:29	Turbidity		12.4	NTU	EPA180.1
9/15/2011 8:58	Turbidity		33.8	NTU	EPA180.1
9/19/2011 9:47	Turbidity		2.76	NTU	EPA180.1
9/20/2011 9:39	Turbidity		6.83	NTU	EPA180.1
9/21/2011 9:55	Turbidity		2	NTU	EPA180.1
9/22/2011 8:49	Turbidity		6.16	NTU	EPA180.1
9/26/2011 8:23	Turbidity		7.22	NTU	EPA180.1
9/27/2011 8:15	Turbidity		6.91	NTU	EPA180.1
9/28/2011 8:19	Turbidity		4.07	NTU	EPA180.1
9/29/2011 8:07	Turbidity		10.2	NTU	EPA180.1
10/3/2011 8:26	Turbidity		121.6	NTU	EPA180.1
10/4/2011 8:53	Turbidity		75.1	NTU	EPA180.1
10/5/2011 8:32	Turbidity		33.1	NTU	EPA180.1
10/6/2011 8:46	Turbidity		23.8	NTU	EPA180.1
10/10/2011 8:58	Turbidity		8.73	NTU	EPA180.1
10/11/2011 8:44	Turbidity		6.5	NTU	EPA180.1
10/12/2011 8:41	Turbidity		8.42	NTU	EPA180.1
10/13/2011 8:46	Turbidity		3.4	NTU	EPA180.1
10/17/2011 8:25	Turbidity		101.1	NTU	EPA180.1
10/18/2011 8:42	Turbidity		92	NTU	EPA180.1
10/19/2011 8:39	Turbidity		41.2	NTU	EPA180.1
10/20/2011 8:50	Turbidity		51.6	NTU	EPA180.1
10/25/2011 8:13	Turbidity		57.6	NTU	EPA180.1
10/26/2011 8:29	Turbidity		25.3	NTU	EPA180.1
10/27/2011 8:48	Turbidity		19.2	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
5/2/2011 10:21	E. coli		1520	cfu/100mL	EPA1603
5/3/2011 9:20	E. coli		9400	cfu/100mL	EPA1603
5/4/2011 9:00	E. coli		1260	cfu/100mL	EPA1603
5/5/2011 9:10	E. coli		245	cfu/100mL	EPA1603
5/9/2011	E. coli		100	cfu/100mL	EPA1603
5/10/2011 9:21	E. coli		200	cfu/100mL	EPA1603
5/11/2011 9:30	E. coli		880	cfu/100mL	EPA1603
5/12/2011	E. coli		620	cfu/100mL	EPA1603
5/17/2011 9:14	E. coli		405	cfu/100mL	EPA1603
5/18/2011	E. coli		587	cfu/100mL	EPA1603
5/19/2011 8:54	E. coli		727	cfu/100mL	EPA1603
5/20/2011 9:02	E. coli		318.5	cfu/100mL	EPA1603
5/21/2011 9:08	E. coli		211	cfu/100mL	EPA1603
5/22/2011 8:13	E. coli	EC	34200	cfu/100mL	EPA1603
5/23/2011 8:55	E. coli	EC	1273	cfu/100mL	EPA1603
5/24/2011 9:24	E. coli		1360	cfu/100mL	EPA1603
5/25/2011 9:16	E. coli		480	cfu/100mL	EPA1603
5/26/2011 9:07	E. coli		21500	cfu/100mL	EPA1603
5/27/2011 8:58	E. coli		3467	cfu/100mL	EPA1603
5/28/2011 8:47	E. coli		1140	cfu/100mL	EPA1603
5/29/2011 8:55	E. coli		2800	cfu/100mL	EPA1603
5/30/2011 8:43	E. coli		3100	cfu/100mL	EPA1603
5/31/2011 9:03	E. coli		900	cfu/100mL	EPA1603
6/1/2011 8:40	E. coli		580	cfu/100mL	EPA1603
6/2/2011 9:14	E. coli		400	cfu/100mL	EPA1603
6/3/2011 8:36	E. coli		356	cfu/100mL	EPA1603
6/4/2011 10:00	E. coli		360	cfu/100mL	EPA1603
6/5/2011 9:03	E. coli		500	cfu/100mL	EPA1603
6/6/2011 9:20	E. coli	EC	420	cfu/100mL	EPA1603
6/7/2011 9:47	E. coli		41000	cfu/100mL	EPA1603
6/8/2011 8:44	E. coli		3600	cfu/100mL	EPA1603
6/9/2011 8:39	E. coli		1280	cfu/100mL	EPA1603
6/10/2011 8:51	E. coli		610	cfu/100mL	EPA1603
6/11/2011 8:35	E. coli		2000	cfu/100mL	EPA1603
6/12/2011 8:11	E. coli		4100	cfu/100mL	EPA1603
6/13/2011 8:46	E. coli		800	cfu/100mL	EPA1603
6/14/2011 8:32	E. coli		1300	cfu/100mL	EPA1603
6/15/2011 8:42	E. coli		840	cfu/100mL	EPA1603
6/16/2011 8:44	E. coli		400	cfu/100mL	EPA1603
6/17/2011 9:02	E. coli		16600	cfu/100mL	EPA1603
6/18/2011 8:11	E. coli		1567	cfu/100mL	EPA1603
6/19/2011 7:59	E. coli		1000	cfu/100mL	EPA1603
6/20/2011 8:38	E. coli		3450	cfu/100mL	EPA1603
6/21/2011 8:41	E. coli		3850	cfu/100mL	EPA1603

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/22/2011 8:35	E. coli		2250	cfu/100mL	EPA1603
6/23/2011 8:49	E. coli	EC	5591	cfu/100mL	EPA1603
6/24/2011 8:53	E. coli		3520	cfu/100mL	EPA1603
6/25/2011 8:33	E. coli		2000	cfu/100mL	EPA1603
6/26/2011 8:26	E. coli		1080	cfu/100mL	EPA1603
6/27/2011 8:52	E. coli		500	cfu/100mL	EPA1603
6/28/2011 9:04	E. coli		700	cfu/100mL	EPA1603
6/29/2011 8:32	E. coli		475	cfu/100mL	EPA1603
6/30/2011 8:37	E. coli		490	cfu/100mL	EPA1603
7/1/2011 8:55	E. coli		577	cfu/100mL	EPA1603
7/2/2011 8:10	E. coli		2533	cfu/100mL	EPA1603
7/3/2011 8:15	E. coli		15200	cfu/100mL	EPA1603
7/4/2011 8:07	E. coli		1750	cfu/100mL	EPA1603
7/5/2011 8:28	E. coli		6200	cfu/100mL	EPA1603
7/6/2011 8:33	E. coli		530	cfu/100mL	EPA1603
7/7/2011 8:58	E. coli		665	cfu/100mL	EPA1603
7/8/2011 8:35	E. coli		1150	cfu/100mL	EPA1603
7/9/2011 8:07	E. coli		540	cfu/100mL	EPA1603
7/10/2011 8:00	E. coli		660	cfu/100mL	EPA1603
7/11/2011 8:58	E. coli		770	cfu/100mL	EPA1603
7/12/2011 8:47	E. coli		1900	cfu/100mL	EPA1603
7/13/2011 9:01	E. coli		600	cfu/100mL	EPA1603
7/14/2011 8:49	E. coli		400	cfu/100mL	EPA1603
7/15/2011 8:23	E. coli		680	cfu/100mL	EPA1603
7/16/2011 7:48	E. coli		610	cfu/100mL	EPA1603
7/17/2011 8:28	E. coli		610	cfu/100mL	EPA1603
7/18/2011 9:15	E. coli		550	cfu/100mL	EPA1603
7/19/2011 8:46	E. coli		16600	cfu/100mL	EPA1603
7/20/2011 8:41	E. coli		2250	cfu/100mL	EPA1603
7/21/2011 8:38	E. coli		1200	cfu/100mL	EPA1603
7/22/2011 8:35	E. coli		630	cfu/100mL	EPA1603
7/23/2011 8:17	E. coli		7600	cfu/100mL	EPA1603
7/24/2011 8:16	E. coli	EC	1282	cfu/100mL	EPA1603
7/25/2011 9:28	E. coli		3925	cfu/100mL	EPA1603
7/26/2011 9:13	E. coli		680	cfu/100mL	EPA1603
7/27/2011 9:00	E. coli		370	cfu/100mL	EPA1603
7/28/2011 9:38	E. coli		9600	cfu/100mL	EPA1603
7/29/2011 9:16	E. coli		75000	cfu/100mL	EPA1603
7/30/2011 8:25	E. coli		720	cfu/100mL	EPA1603
7/31/2011 7:56	E. coli		407	cfu/100mL	EPA1603
8/1/2011 8:58	E. coli		540	cfu/100mL	EPA1603
8/2/2011 10:00	E. coli		3280	cfu/100mL	EPA1603
8/3/2011 8:55	E. coli		5000	cfu/100mL	EPA1603
8/4/2011 8:48	E. coli		560	cfu/100mL	EPA1603

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/5/2011 8:22	E. coli		530	cfu/100mL	EPA1603
8/6/2011 8:07	E. coli		610	cfu/100mL	EPA1603
8/7/2011 8:10	E. coli		320	cfu/100mL	EPA1603
8/8/2011 8:32	E. coli		15500	cfu/100mL	EPA1603
8/9/2011 8:34	E. coli		1600	cfu/100mL	EPA1603
8/10/2011 8:45	E. coli		3600	cfu/100mL	EPA1603
8/11/2011 9:06	E. coli		550	cfu/100mL	EPA1603
8/12/2011 9:10	E. coli		460	cfu/100mL	EPA1603
8/13/2011 7:56	E. coli		294	cfu/100mL	EPA1603
8/14/2011 8:23	E. coli		9600	cfu/100mL	EPA1603
8/15/2011 9:50	E. coli		9800	cfu/100mL	EPA1603
8/16/2011 9:22	E. coli		1400	cfu/100mL	EPA1603
8/17/2011 9:29	E. coli		440	cfu/100mL	EPA1603
8/18/2011 9:47	E. coli		497.5	cfu/100mL	EPA1603
8/19/2011 8:56	E. coli		2850	cfu/100mL	EPA1603
8/20/2011 8:10	E. coli		230	cfu/100mL	EPA1603
8/21/2011 7:59	E. coli		4500	cfu/100mL	EPA1603
8/22/2011 8:57	E. coli		1900	cfu/100mL	EPA1603
8/23/2011 9:09	E. coli		710	cfu/100mL	EPA1603
8/24/2011 9:04	E. coli		10200	cfu/100mL	EPA1603
8/25/2011 9:21	E. coli		12100	cfu/100mL	EPA1603
8/26/2011 9:06	E. coli		630	cfu/100mL	EPA1603
8/27/2011 8:05	E. coli		300	cfu/100mL	EPA1603
8/28/2011 8:00	E. coli		310	cfu/100mL	EPA1603
8/29/2011 9:16	E. coli		263	cfu/100mL	EPA1603
8/30/2011 9:29	E. coli		730	cfu/100mL	EPA1603
8/31/2011 8:48	E. coli		318.5	cfu/100mL	EPA1603
9/1/2011 9:05	E. coli		25000	cfu/100mL	EPA1603
9/2/2011 9:28	E. coli		1650	cfu/100mL	EPA1603
9/3/2011 7:50	E. coli		1700	cfu/100mL	EPA1603
9/4/2011 7:56	E. coli		3600	cfu/100mL	EPA1603
9/5/2011 8:13	E. coli		23000	cfu/100mL	EPA1603
9/6/2011 9:09	E. coli		6400	cfu/100mL	EPA1603
9/7/2011 8:39	E. coli		7000	cfu/100mL	EPA1603
9/8/2011 8:34	E. coli		1400	cfu/100mL	EPA1603
9/9/2011 9:45	E. coli		1600	cfu/100mL	EPA1603
9/12/2011 8:37	E. coli		1600	cfu/100mL	EPA1603
9/13/2011 8:17	E. coli		710	cfu/100mL	EPA1603
9/14/2011 8:15	E. coli		573	cfu/100mL	EPA1603
9/15/2011 8:42	E. coli		6300	cfu/100mL	EPA1603
9/19/2011 9:21	E. coli		480	cfu/100mL	EPA1603
9/20/2011 8:52	E. coli	EC	2541.5	cfu/100mL	EPA1603
9/21/2011 9:11	E. coli		347	cfu/100mL	EPA1603
9/22/2011 7:58	E. coli		1250	cfu/100mL	EPA1603

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/26/2011 7:59	E. coli		1400	cfu/100mL	EPA1603
9/27/2011 7:51	E. coli		6800	cfu/100mL	EPA1603
9/28/2011 7:54	E. coli		3050	cfu/100mL	EPA1603
9/29/2011 7:48	E. coli		1050	cfu/100mL	EPA1603
10/3/2011 8:06	E. coli		6400	cfu/100mL	EPA1603
10/4/2011 8:27	E. coli		790	cfu/100mL	EPA1603
10/5/2011 8:07	E. coli		270	cfu/100mL	EPA1603
10/6/2011 8:19	E. coli	EC	193	cfu/100mL	EPA1603
10/10/2011 8:17	E. coli		1250	cfu/100mL	EPA1603
10/11/2011 8:10	E. coli		792	cfu/100mL	EPA1603
10/12/2011 8:04	E. coli		1900	cfu/100mL	EPA1603
10/13/2011 8:08	E. coli		1550	cfu/100mL	EPA1603
10/17/2011 8:00	E. coli	EC	900	cfu/100mL	EPA1603
10/18/2011 8:07	E. coli		212	cfu/100mL	EPA1603
10/19/2011 8:03	E. coli		2400	cfu/100mL	EPA1603
10/20/2011 8:09	E. coli		4300	cfu/100mL	EPA1603
10/25/2011 7:48	E. coli		250	cfu/100mL	EPA1603
10/26/2011 8:05	E. coli		2400	cfu/100mL	EPA1603
10/27/2011 8:26	E. coli		1100	cfu/100mL	EPA1603
5/2/2011 10:21	Field Cond		731	uS/cm	SM 2510A
5/3/2011 9:20	Field Cond		549	uS/cm	SM 2510A
5/4/2011 9:00	Field Cond		439	uS/cm	SM 2510A
5/5/2011 9:10	Field Cond		557	uS/cm	SM 2510A
5/9/2011	Field Cond		878	uS/cm	SM 2510A
5/10/2011 9:21	Field Cond		1203	uS/cm	SM 2510A
5/11/2011 9:30	Field Cond		1124	uS/cm	SM 2510A
5/12/2011	Field Cond		1176	uS/cm	SM 2510A
5/17/2011 9:14	Field Cond		745	uS/cm	SM 2510A
5/18/2011	Field Cond		678	uS/cm	SM 2510A
5/19/2011 8:54	Field Cond		720	uS/cm	SM 2510A
5/20/2011 9:02	Field Cond		703	uS/cm	SM 2510A
5/21/2011 9:08	Field Cond		1114	uS/cm	SM 2510A
5/23/2011 8:55	Field Cond		1263	uS/cm	SM 2510A
5/25/2011 9:16	Field Cond		1026	uS/cm	SM 2510A
5/26/2011 9:07	Field Cond		450	uS/cm	SM 2510A
5/27/2011 8:58	Field Cond		582	uS/cm	SM 2510A
5/28/2011 8:47	Field Cond		801	uS/cm	SM 2510A
5/29/2011 8:55	Field Cond		793	uS/cm	SM 2510A
5/30/2011 8:43	Field Cond	<	555	uS/cm	SM 2510A
5/31/2011 9:03	Field Cond		757	uS/cm	SM 2510A
6/1/2011 8:40	Field Cond		904	uS/cm	SM 2510A
6/2/2011 9:14	Field Cond		1130	uS/cm	SM 2510A
6/3/2011 8:36	Field Cond		1089	uS/cm	SM 2510A

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
6/4/2011 10:00	Field Cond		1071	uS/cm	SM 2510A
6/5/2011 9:03	Field Cond		1104	uS/cm	SM 2510A
6/8/2011 8:44	Field Cond		779	uS/cm	SM 2510A
6/9/2011 8:39	Field Cond		914	uS/cm	SM 2510A
6/10/2011 8:51	Field Cond		1025	uS/cm	SM 2510A
6/11/2011 8:35	Field Cond		770	uS/cm	SM 2510A
6/12/2011 8:11	Field Cond		867	uS/cm	SM 2510A
6/13/2011 8:46	Field Cond		1113	uS/cm	SM 2510A
6/14/2011 8:32	Field Cond		1026	uS/cm	SM 2510A
6/15/2011 8:42	Field Cond		1006	uS/cm	SM 2510A
6/16/2011 8:44	Field Cond		1178	uS/cm	SM 2510A
6/17/2011 9:02	Field Cond		777	uS/cm	SM 2510A
6/18/2011 8:11	Field Cond		908	uS/cm	SM 2510A
6/19/2011 7:59	Field Cond		876	uS/cm	SM 2510A
6/20/2011 8:38	Field Cond		743	uS/cm	SM 2510A
6/21/2011 8:41	Field Cond		387	uS/cm	SM 2510A
6/22/2011 8:35	Field Cond		997	uS/cm	SM 2510A
6/23/2011 8:49	Field Cond		542	uS/cm	SM 2510A
6/24/2011 8:53	Field Cond		539	uS/cm	SM 2510A
6/25/2011 8:33	Field Cond		536	uS/cm	SM 2510A
6/26/2011 8:26	Field Cond		806	uS/cm	SM 2510A
6/27/2011 8:52	Field Cond		868	uS/cm	SM 2510A
6/28/2011 9:04	Field Cond		847	uS/cm	SM 2510A
6/29/2011 8:46	Field Cond		981	uS/cm	SM 2510A
6/30/2011 8:37	Field Cond		1016	uS/cm	SM 2510A
7/1/2011 8:55	Field Cond		1102	uS/cm	SM 2510A
7/2/2011 8:10	Field Cond		1072	uS/cm	SM 2510A
7/3/2011 8:15	Field Cond		499	uS/cm	SM 2510A
7/4/2011 8:07	Field Cond		702	uS/cm	SM 2510A
7/5/2011 8:28	Field Cond		809	uS/cm	SM 2510A
7/6/2011 8:33	Field Cond		944	uS/cm	SM 2510A
7/7/2011 8:58	Field Cond		1063	uS/cm	SM 2510A
7/8/2011 8:35	Field Cond		1016	uS/cm	SM 2510A
7/9/2011 8:07	Field Cond		1013	uS/cm	SM 2510A
7/10/2011 8:00	Field Cond		1224	uS/cm	SM 2510A
7/11/2011 8:58	Field Cond		990	uS/cm	SM 2510A
7/12/2011 8:47	Field Cond		1099	uS/cm	SM 2510A
7/13/2011 9:01	Field Cond		1166	uS/cm	SM 2510A
7/14/2011 8:49	Field Cond		1060	uS/cm	SM 2510A
7/15/2011 8:23	Field Cond		1063	uS/cm	SM 2510A
7/16/2011 7:48	Field Cond		1051	uS/cm	SM 2510A
7/17/2011 8:28	Field Cond		982	uS/cm	SM 2510A
7/18/2011 9:15	Field Cond		986	uS/cm	SM 2510A
7/19/2011 8:46	Field Cond		440	uS/cm	SM 2510A

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2011 8:41	Field Cond		716	uS/cm	SM 2510A
7/21/2011 8:38	Field Cond		762	uS/cm	SM 2510A
7/22/2011 8:35	Field Cond		866	uS/cm	SM 2510A
7/23/2011 8:17	Field Cond		333	uS/cm	SM 2510A
7/24/2011 8:16	Field Cond		670	uS/cm	SM 2510A
7/25/2011 9:28	Field Cond		692	uS/cm	SM 2510A
7/26/2011 9:13	Field Cond		737	uS/cm	SM 2510A
7/27/2011 9:00	Field Cond		952	uS/cm	SM 2510A
7/28/2011 9:38	Field Cond		585	uS/cm	SM 2510A
7/29/2011 9:16	Field Cond		559	uS/cm	SM 2510A
7/30/2011 8:25	Field Cond		953	uS/cm	SM 2510A
7/31/2011 7:56	Field Cond		920	uS/cm	SM 2510A
8/1/2011 8:58	Field Cond		844	uS/cm	SM 2510A
8/2/2011 10:00	Field Cond		615	uS/cm	SM 2510A
8/3/2011 8:55	Field Cond		450	uS/cm	SM 2510A
8/4/2011 8:48	Field Cond		720	uS/cm	SM 2510A
8/5/2011 8:22	Field Cond		755	uS/cm	SM 2510A
8/6/2011 8:07	Field Cond		906	uS/cm	SM 2510A
8/7/2011 8:10	Field Cond		844	uS/cm	SM 2510A
8/8/2011 8:32	Field Cond		473	uS/cm	SM 2510A
8/9/2011 8:34	Field Cond		633	uS/cm	SM 2510A
8/10/2011 8:45	Field Cond		706	uS/cm	SM 2510A
8/11/2011 9:06	Field Cond		617	uS/cm	SM 2510A
8/12/2011 9:10	Field Cond		734	uS/cm	SM 2510A
8/13/2011 7:56	Field Cond		888	uS/cm	SM 2510A
8/14/2011 8:23	Field Cond		1055	uS/cm	SM 2510A
8/15/2011 9:50	Field Cond		370	uS/cm	SM 2510A
8/16/2011 9:22	Field Cond		604	uS/cm	SM 2510A
8/17/2011 9:29	Field Cond		740	uS/cm	SM 2510A
8/18/2011 9:47	Field Cond		860	uS/cm	SM 2510A
8/19/2011 8:56	Field Cond		1244	uS/cm	SM 2510A
8/20/2011 8:10	Field Cond		513	uS/cm	SM 2510A
8/21/2011 7:59	Field Cond		708	uS/cm	SM 2510A
8/22/2011 8:57	Field Cond		595	uS/cm	SM 2510A
8/23/2011 9:09	Field Cond		676	uS/cm	SM 2510A
8/24/2011 9:04	Field Cond		688	uS/cm	SM 2510A
8/25/2011 9:21	Field Cond		216	uS/cm	SM 2510A
8/26/2011 9:06	Field Cond		616	uS/cm	SM 2510A
8/27/2011 8:05	Field Cond		900	uS/cm	SM 2510A
8/28/2011 8:00	Field Cond		644	uS/cm	SM 2510A
8/29/2011 9:16	Field Cond		977	uS/cm	SM 2510A
8/30/2011 9:29	Field Cond		952	uS/cm	SM 2510A
8/31/2011 8:48	Field Cond		962	uS/cm	SM 2510A
9/1/2011 9:05	Field Cond		441	uS/cm	SM 2510A



Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/2/2011 9:28	Field Cond		638	uS/cm	SM 2510A
9/3/2011 7:50	Field Cond		638	uS/cm	SM 2510A
9/4/2011 7:56	Field Cond		918	uS/cm	SM 2510A
9/5/2011 8:13	Field Cond		361	uS/cm	SM 2510A
9/6/2011 9:09	Field Cond		664	uS/cm	SM 2510A
9/7/2011 8:39	Field Cond		698	uS/cm	SM 2510A
9/8/2011 8:34	Field Cond		839	uS/cm	SM 2510A
9/9/2011 9:45	Field Cond		571	uS/cm	SM 2510A
9/12/2011 8:37	Field Cond		658	uS/cm	SM 2510A
9/13/2011 8:17	Field Cond		798	uS/cm	SM 2510A
9/14/2011 8:15	Field Cond		947	uS/cm	SM 2510A
9/15/2011 8:42	Field Cond		705	uS/cm	SM 2510A
9/19/2011 9:21	Field Cond		950	uS/cm	SM 2510A
9/20/2011 8:52	Field Cond		699	uS/cm	SM 2510A
9/21/2011 9:11	Field Cond		773	uS/cm	SM 2510A
9/22/2011 7:58	Field Cond		839	uS/cm	SM 2510A
9/26/2011 7:59	Field Cond		911	uS/cm	SM 2510A
9/27/2011 7:51	Field Cond		426	uS/cm	SM 2510A
9/28/2011 7:54	Field Cond		644	uS/cm	SM 2510A
9/29/2011 7:48	Field Cond		774	uS/cm	SM 2510A
10/3/2011 8:06	Field Cond		579	uS/cm	SM 2510A
10/4/2011 8:27	Field Cond		626	uS/cm	SM 2510A
10/5/2011 8:07	Field Cond		757	uS/cm	SM 2510A
10/6/2011 8:19	Field Cond		861	uS/cm	SM 2510A
10/10/2011 8:17	Field Cond		1017	uS/cm	SM 2510A
10/11/2011 8:10	Field Cond		1041	uS/cm	SM 2510A
10/12/2011 8:04	Field Cond		1065	uS/cm	SM 2510A
10/13/2011 8:08	Field Cond		1281	uS/cm	SM 2510A
10/17/2011 8:00	Field Cond		620	uS/cm	SM 2510A
10/18/2011 8:07	Field Cond		700	uS/cm	SM 2510A
10/19/2011 8:03	Field Cond		656	uS/cm	SM 2510A
10/20/2011 8:09	Field Cond		372	uS/cm	SM 2510A
10/25/2011 7:48	Field Cond		933	uS/cm	SM 2510A
10/26/2011 8:05	Field Cond		716	uS/cm	SM 2510A
10/27/2011 8:26	Field Cond		507	uS/cm	SM 2510A
5/2/2011 10:21	Field Temp		12.7	C	EPA 170.1
5/3/2011 9:20	Field Temp		10.2	C	EPA 170.1
5/4/2011 9:00	Field Temp		8.4	C	EPA 170.1
5/5/2011 9:10	Field Temp		8.8	C	EPA 170.1
5/9/2011	Field Temp		12.9	C	EPA 170.1
5/10/2011 9:21	Field Temp		13.9	C	EPA 170.1
5/11/2011 9:30	Field Temp		15.7	C	EPA 170.1
5/12/2011	Field Temp		16.6	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
5/17/2011 9:14	Field Temp		10.2	C	EPA 170.1
5/18/2011	Field Temp		11	C	EPA 170.1
5/19/2011 8:54	Field Temp		13.1	C	EPA 170.1
5/20/2011 9:02	Field Temp		13.7	C	EPA 170.1
5/21/2011 9:08	Field Temp		15.5	C	EPA 170.1
5/22/2011 8:13	Field Temp		16.8	C	EPA 170.1
5/23/2011 8:55	Field Temp		18.3	C	EPA 170.1
5/24/2011 9:24	Field Temp		18.1	C	EPA 170.1
5/25/2011 9:16	Field Temp		18.6	C	EPA 170.1
5/26/2011 9:07	Field Temp		16.6	C	EPA 170.1
5/27/2011 8:58	Field Temp		15.8	C	EPA 170.1
5/28/2011 8:47	Field Temp		15.6	C	EPA 170.1
5/29/2011 8:55	Field Temp		17.4	C	EPA 170.1
5/30/2011 8:43	Field Temp	<	19.5	C	EPA 170.1
5/31/2011 9:03	Field Temp		21.4	C	EPA 170.1
6/1/2011 8:40	Field Temp		22.7	C	EPA 170.1
6/2/2011 9:14	Field Temp		18.3	C	EPA 170.1
6/3/2011 8:36	Field Temp		16.5	C	EPA 170.1
6/4/2011 10:00	Field Temp		17.6	C	EPA 170.1
6/5/2011 9:03	Field Temp		20.2	C	EPA 170.1
6/6/2011 9:20	Field Temp		19.9	C	EPA 170.1
6/8/2011 8:44	Field Temp		21.9	C	EPA 170.1
6/9/2011 8:39	Field Temp		23.4	C	EPA 170.1
6/10/2011 8:51	Field Temp		20.5	C	EPA 170.1
6/11/2011 8:35	Field Temp		19	C	EPA 170.1
6/12/2011 8:11	Field Temp		19.6	C	EPA 170.1
6/13/2011 8:46	Field Temp		17.3	C	EPA 170.1
6/14/2011 8:32	Field Temp		17.7	C	EPA 170.1
6/15/2011 8:42	Field Temp		16.7	C	EPA 170.1
6/16/2011 8:44	Field Temp		18.6	C	EPA 170.1
6/17/2011 9:02	Field Temp		18.8	C	EPA 170.1
6/18/2011 8:11	Field Temp		19.4	C	EPA 170.1
6/19/2011 7:59	Field Temp		19.9	C	EPA 170.1
6/20/2011 8:38	Field Temp		20	C	EPA 170.1
6/21/2011 8:41	Field Temp		20.5	C	EPA 170.1
6/22/2011 8:35	Field Temp		22.4	C	EPA 170.1
6/23/2011 8:49	Field Temp		20.7	C	EPA 170.1
6/24/2011 8:53	Field Temp		20.5	C	EPA 170.1
6/25/2011 8:33	Field Temp		18.1	C	EPA 170.1
6/26/2011 8:26	Field Temp		17.5	C	EPA 170.1
6/27/2011 8:52	Field Temp		18.4	C	EPA 170.1
6/28/2011 9:04	Field Temp		21.1	C	EPA 170.1
6/29/2011 8:46	Field Temp		22.6	C	EPA 170.1
6/30/2011 8:37	Field Temp		19.4	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/1/2011 8:55	Field Temp		19.9	C	EPA 170.1
7/2/2011 8:10	Field Temp		21.7	C	EPA 170.1
7/3/2011 8:15	Field Temp		20.9	C	EPA 170.1
7/4/2011 8:07	Field Temp		21.4	C	EPA 170.1
7/5/2011 8:28	Field Temp		20.5	C	EPA 170.1
7/6/2011 8:33	Field Temp		21.8	C	EPA 170.1
7/7/2011 8:58	Field Temp		22.4	C	EPA 170.1
7/8/2011 8:35	Field Temp		22.1	C	EPA 170.1
7/9/2011 8:07	Field Temp		20.9	C	EPA 170.1
7/10/2011 8:00	Field Temp		22	C	EPA 170.1
7/11/2011 8:58	Field Temp		23.8	C	EPA 170.1
7/12/2011 8:47	Field Temp		22.5	C	EPA 170.1
7/13/2011 9:01	Field Temp		22.8	C	EPA 170.1
7/14/2011 8:49	Field Temp		21.4	C	EPA 170.1
7/15/2011 8:23	Field Temp		21.5	C	EPA 170.1
7/16/2011 7:48	Field Temp		21.7	C	EPA 170.1
7/17/2011 8:28	Field Temp		22.8	C	EPA 170.1
7/18/2011 9:15	Field Temp		24.5	C	EPA 170.1
7/19/2011 8:46	Field Temp		23.5	C	EPA 170.1
7/20/2011 8:41	Field Temp		22.8	C	EPA 170.1
7/21/2011 8:38	Field Temp		24.2	C	EPA 170.1
7/22/2011 8:35	Field Temp		25.6	C	EPA 170.1
7/23/2011 8:17	Field Temp		22.6	C	EPA 170.1
7/24/2011 8:16	Field Temp		23.5	C	EPA 170.1
7/25/2011 9:28	Field Temp		24.9	C	EPA 170.1
7/26/2011 9:13	Field Temp		24.7	C	EPA 170.1
7/27/2011 9:00	Field Temp		22	C	EPA 170.1
7/28/2011 9:38	Field Temp		21.9	C	EPA 170.1
7/29/2011 9:16	Field Temp		21.7	C	EPA 170.1
7/30/2011 8:25	Field Temp		22.1	C	EPA 170.1
7/31/2011 7:56	Field Temp		21.4	C	EPA 170.1
8/1/2011 8:58	Field Temp		22.7	C	EPA 170.1
8/2/2011 10:00	Field Temp		22.2	C	EPA 170.1
8/3/2011 8:55	Field Temp		23.1	C	EPA 170.1
8/4/2011 8:48	Field Temp		22.8	C	EPA 170.1
8/5/2011 8:22	Field Temp		22.8	C	EPA 170.1
8/6/2011 8:07	Field Temp		23.9	C	EPA 170.1
8/7/2011 8:10	Field Temp		24.8	C	EPA 170.1
8/8/2011 8:32	Field Temp		22.8	C	EPA 170.1
8/9/2011 8:34	Field Temp		22.6	C	EPA 170.1
8/10/2011 8:45	Field Temp		21.3	C	EPA 170.1
8/11/2011 9:06	Field Temp		20.3	C	EPA 170.1
8/12/2011 9:10	Field Temp		19.8	C	EPA 170.1
8/13/2011 7:56	Field Temp		20.6	C	EPA 170.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/14/2011 8:23	Field Temp		21.3	C	EPA 170.1
8/15/2011 9:50	Field Temp		20.1	C	EPA 170.1
8/16/2011 9:22	Field Temp		20.3	C	EPA 170.1
8/17/2011 9:29	Field Temp		19.6	C	EPA 170.1
8/18/2011 9:47	Field Temp		20.8	C	EPA 170.1
8/19/2011 8:56	Field Temp		21.3	C	EPA 170.1
8/20/2011 8:10	Field Temp		21.4	C	EPA 170.1
8/21/2011 7:59	Field Temp		21.4	C	EPA 170.1
8/22/2011 8:57	Field Temp		19.5	C	EPA 170.1
8/23/2011 9:09	Field Temp		18.3	C	EPA 170.1
8/24/2011 9:04	Field Temp		19.7	C	EPA 170.1
8/25/2011 9:21	Field Temp		21.8	C	EPA 170.1
8/26/2011 9:06	Field Temp		20.7	C	EPA 170.1
8/27/2011 8:05	Field Temp		19.7	C	EPA 170.1
8/28/2011 8:00	Field Temp		20.8	C	EPA 170.1
8/29/2011 9:16	Field Temp		19	C	EPA 170.1
8/30/2011 9:29	Field Temp		18.5	C	EPA 170.1
8/31/2011 8:48	Field Temp		19.5	C	EPA 170.1
9/1/2011 9:05	Field Temp		21.1	C	EPA 170.1
9/2/2011 9:28	Field Temp		22.3	C	EPA 170.1
9/3/2011 7:50	Field Temp		22.3	C	EPA 170.1
9/4/2011 7:56	Field Temp		22.9	C	EPA 170.1
9/5/2011 8:13	Field Temp		20.5	C	EPA 170.1
9/6/2011 9:09	Field Temp		17.5	C	EPA 170.1
9/7/2011 8:39	Field Temp		17.5	C	EPA 170.1
9/8/2011 8:34	Field Temp		18	C	EPA 170.1
9/9/2011 9:45	Field Temp		19.1	C	EPA 170.1
9/12/2011 8:37	Field Temp		18.7	C	EPA 170.1
9/13/2011 8:17	Field Temp		19.3	C	EPA 170.1
9/14/2011 8:15	Field Temp		19.6	C	EPA 170.1
9/15/2011 8:42	Field Temp		16.5	C	EPA 170.1
9/19/2011 9:21	Field Temp		15.3	C	EPA 170.1
9/20/2011 8:52	Field Temp		17.1	C	EPA 170.1
9/21/2011 9:11	Field Temp		17.5	C	EPA 170.1
9/22/2011 7:58	Field Temp		17.7	C	EPA 170.1
9/26/2011 7:59	Field Temp		17.7	C	EPA 170.1
9/27/2011 7:51	Field Temp		17	C	EPA 170.1
9/28/2011 7:54	Field Temp		16.5	C	EPA 170.1
9/29/2011 7:48	Field Temp		15.9	C	EPA 170.1
10/3/2011 8:06	Field Temp		12	C	EPA 170.1
10/4/2011 8:27	Field Temp		13.4	C	EPA 170.1
10/5/2011 8:07	Field Temp		12.6	C	EPA 170.1
10/6/2011 8:19	Field Temp		13.2	C	EPA 170.1
10/10/2011 8:17	Field Temp		15	C	EPA 170.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
10/11/2011 8:10	Field Temp		15	C	EPA 170.1
10/12/2011 8:04	Field Temp		15.8	C	EPA 170.1
10/13/2011 8:08	Field Temp		15.3	C	EPA 170.1
10/17/2011 8:00	Field Temp		11	C	EPA 170.1
10/18/2011 8:07	Field Temp		11	C	EPA 170.1
10/19/2011 8:03	Field Temp		11.8	C	EPA 170.1
10/20/2011 8:09	Field Temp		12.3	C	EPA 170.1
10/25/2011 7:48	Field Temp		10.1	C	EPA 170.1
10/26/2011 8:05	Field Temp		11.9	C	EPA 170.1
10/27/2011 8:26	Field Temp		11.5	C	EPA 170.1
5/2/2011 10:21	pH		8.03	S.U.	
5/3/2011 9:20	pH		7.85	S.U.	
5/4/2011 9:00	pH		8.1	S.U.	
5/5/2011 9:10	pH		7.84	S.U.	
5/9/2011	pH		7.97	S.U.	
5/10/2011 9:21	pH		8.18	S.U.	
5/11/2011 9:30	pH		8.26	S.U.	
5/12/2011	pH		8.11	S.U.	
5/17/2011 9:14	pH		7.91	S.U.	
5/18/2011	pH		8.2	S.U.	
5/19/2011 8:54	pH		8.23	S.U.	
5/20/2011 9:02	pH		8.07	S.U.	
5/21/2011 9:08	pH		8.09	S.U.	
5/22/2011 8:13	pH		7.86	S.U.	
5/23/2011 8:55	pH		8.15	S.U.	
5/24/2011 9:24	pH		8.14	S.U.	
5/25/2011 9:16	pH		8.44	S.U.	
5/26/2011 9:07	pH		7.77	S.U.	
5/27/2011 8:58	pH		8.16	S.U.	
5/28/2011 8:47	pH		8.15	S.U.	
5/29/2011 8:55	pH		8.23	S.U.	
5/30/2011 8:43	pH		8.22	S.U.	
5/31/2011 9:03	pH		8.16	S.U.	
6/1/2011 8:40	pH		8.04	S.U.	
6/2/2011 9:14	pH		7.81	S.U.	
6/3/2011 8:36	pH		7.15	S.U.	
6/4/2011 10:00	pH		7.95	S.U.	
6/5/2011 9:03	pH		7.92	S.U.	
6/6/2011 9:20	pH		8	S.U.	
6/8/2011 8:44	pH		8.11	S.U.	
6/9/2011 8:39	pH		7.86	S.U.	
6/10/2011 8:51	pH		7.97	S.U.	
6/11/2011 8:35	pH		7.65	S.U.	

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/12/2011 8:11	pH		7.63	S.U.	
6/13/2011 8:46	pH		7.87	S.U.	
6/14/2011 8:32	pH		7.83	S.U.	
6/15/2011 8:42	pH		7.89	S.U.	
6/16/2011 8:44	pH		7.57	S.U.	
6/17/2011 9:02	pH		7.87	S.U.	
6/18/2011 8:11	pH		7.23	S.U.	
6/19/2011 7:59	pH		7.56	S.U.	
6/20/2011 8:38	pH		7.77	S.U.	
6/21/2011 8:41	pH		7.79	S.U.	
6/22/2011 8:35	pH		7.93	S.U.	
6/23/2011 8:49	pH		7.64	S.U.	
6/24/2011 8:53	pH		7.78	S.U.	
6/25/2011 8:33	pH		7.84	S.U.	
6/26/2011 8:26	pH		7.72	S.U.	
6/27/2011 8:52	pH		7.76	S.U.	
6/28/2011 9:04	pH		7.96	S.U.	
6/29/2011 8:46	pH		7.69	S.U.	
6/30/2011 8:37	pH		7.73	S.U.	
7/1/2011 8:55	pH		7.91	S.U.	
7/2/2011 8:10	pH		7.58	S.U.	
7/3/2011 8:15	pH		7.69	S.U.	
7/4/2011 8:07	pH		7.68	S.U.	
7/5/2011 8:28	pH		7.83	S.U.	
7/6/2011 8:33	pH		7.57	S.U.	
7/7/2011 8:58	pH		7.75	S.U.	
7/8/2011 8:35	pH		7.59	S.U.	
7/9/2011 8:07	pH		7.56	S.U.	
7/10/2011 8:00	pH		7.47	S.U.	
7/11/2011 8:58	pH		7.72	S.U.	
7/12/2011 8:47	pH		7.44	S.U.	
7/13/2011 9:01	pH		7.88	S.U.	
7/14/2011 8:49	pH		7.65	S.U.	
7/15/2011 8:23	pH		7.58	S.U.	
7/16/2011 7:48	pH		7.31	S.U.	
7/17/2011 8:28	pH		7.21	S.U.	
7/18/2011 9:15	pH		7.54	S.U.	
7/19/2011 8:46	pH		6.6	S.U.	
7/20/2011 8:41	pH		7.92	S.U.	
7/21/2011 8:38	pH		7.57	S.U.	
7/22/2011 8:35	pH		7.84	S.U.	
7/23/2011 8:17	pH		7.95	S.U.	
7/24/2011 8:16	pH		23.5	S.U.	
7/25/2011 9:28	pH		7.93	S.U.	

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/26/2011 9:13	pH		8.11	S.U.	
7/27/2011 9:00	pH		7.89	S.U.	
7/28/2011 9:38	pH		7.55	S.U.	
7/29/2011 9:16	pH		7.82	S.U.	
7/30/2011 8:25	pH		7.92	S.U.	
7/31/2011 7:56	pH		7.83	S.U.	
8/1/2011 8:58	pH		7.8	S.U.	
8/2/2011 10:00	pH		7.96	S.U.	
8/3/2011 8:55	pH		7.94	S.U.	
8/4/2011 8:48	pH		8	S.U.	
8/5/2011 8:22	pH		7.89	S.U.	
8/6/2011 8:07	pH		7.94	S.U.	
8/7/2011 8:10	pH		7.84	S.U.	
8/8/2011 8:32	pH		8.08	S.U.	
8/9/2011 8:34	pH		7.84	S.U.	
8/10/2011 8:45	pH		8.03	S.U.	
8/11/2011 9:06	pH		8.04	S.U.	
8/12/2011 9:10	pH		8.03	S.U.	
8/13/2011 7:56	pH		7.91	S.U.	
8/14/2011 8:23	pH		8.04	S.U.	
8/15/2011 9:50	pH		8.16	S.U.	
8/16/2011 9:22	pH		8.14	S.U.	
8/17/2011 9:29	pH		8.05	S.U.	
8/18/2011 9:47	pH		8.14	S.U.	
8/19/2011 8:56	pH		8.03	S.U.	
8/20/2011 8:10	pH		7.93	S.U.	
8/21/2011 7:59	pH		7.91	S.U.	
8/22/2011 8:57	pH		8.14	S.U.	
8/23/2011 9:09	pH		7.98	S.U.	
8/24/2011 9:04	pH		7.98	S.U.	
8/25/2011 9:21	pH		7.98	S.U.	
8/26/2011 9:06	pH		8.21	S.U.	
8/27/2011 8:05	pH		8.05	S.U.	
8/28/2011 8:00	pH		7.98	S.U.	
8/29/2011 9:16	pH		8.13	S.U.	
8/30/2011 9:29	pH		8.02	S.U.	
8/31/2011 8:48	pH		7.94	S.U.	
9/1/2011 9:05	pH		7.86	S.U.	
9/2/2011 9:28	pH		8.04	S.U.	
9/3/2011 7:50	pH		8.04	S.U.	
9/4/2011 7:56	pH		8.01	S.U.	
9/5/2011 8:13	pH		7.99	S.U.	
9/6/2011 9:09	pH		8.09	S.U.	
9/7/2011 8:39	pH		8.08	S.U.	

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/8/2011 8:34	pH		8.12	S.U.	
9/9/2011 9:45	pH		8.08	S.U.	
9/12/2011 8:37	pH		7.96	S.U.	
9/13/2011 8:17	pH		7.98	S.U.	
9/14/2011 8:15	pH		7.98	S.U.	
9/15/2011 8:42	pH		8.06	S.U.	
9/19/2011 9:21	pH		7.97	S.U.	
9/20/2011 8:52	pH		7.97	S.U.	
9/21/2011 9:11	pH		8.01	S.U.	
9/22/2011 7:58	pH		7.97	S.U.	
9/26/2011 7:59	pH		7.96	S.U.	
9/27/2011 7:51	pH		7.92	S.U.	
9/28/2011 7:54	pH		7.91	S.U.	
9/29/2011 7:48	pH		7.95	S.U.	
10/3/2011 8:06	pH		7.93	S.U.	
10/4/2011 8:27	pH		8.01	S.U.	
10/5/2011 8:07	pH		7.79	S.U.	
10/6/2011 8:19	pH		7.97	S.U.	
10/10/2011 8:17	pH		7.85	S.U.	
10/11/2011 8:10	pH		7.79	S.U.	
10/12/2011 8:04	pH		7.76	S.U.	
10/13/2011 8:08	pH		7.89	S.U.	
10/17/2011 8:00	pH		7.78	S.U.	
10/18/2011 8:07	pH		7.82	S.U.	
10/19/2011 8:03	pH		7.77	S.U.	
10/20/2011 8:09	pH		7.51	S.U.	
10/25/2011 7:48	pH		7.6	S.U.	
10/26/2011 8:05	pH		7.65	S.U.	
10/27/2011 8:26	pH		7.49	S.U.	
5/2/2011 10:21	Turbidity		6.64	NTU	EPA180.1
5/3/2011 9:20	Turbidity		16.7	NTU	EPA180.1
5/4/2011 9:00	Turbidity		19.45	NTU	EPA180.1
5/5/2011 9:10	Turbidity		5.72	NTU	EPA180.1
5/9/2011	Turbidity		1.63	NTU	EPA180.1
5/10/2011 9:21	Turbidity		1.84	NTU	EPA180.1
5/11/2011 9:30	Turbidity		2.44	NTU	EPA180.1
5/12/2011	Turbidity		2.39	NTU	EPA180.1
5/17/2011 9:14	Turbidity		8.57	NTU	EPA180.1
5/18/2011	Turbidity		10.58	NTU	EPA180.1
5/19/2011 8:54	Turbidity		21.02	NTU	EPA180.1
5/20/2011 9:02	Turbidity		5.08	NTU	EPA180.1
5/21/2011 9:08	Turbidity		2.5	NTU	EPA180.1
5/22/2011 8:13	Turbidity		24.55	NTU	EPA180.1



Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
5/23/2011 8:55	Turbidity		2.36	NTU	EPA180.1
5/24/2011 9:24	Turbidity		2.74	NTU	EPA180.1
5/25/2011 9:16	Turbidity		2.23	NTU	EPA180.1
5/26/2011 9:07	Turbidity		42.855	NTU	EPA180.1
5/27/2011 8:58	Turbidity		18.08	NTU	EPA180.1
5/28/2011 8:47	Turbidity		5.85	NTU	EPA180.1
5/29/2011 8:55	Turbidity		10.32	NTU	EPA180.1
5/30/2011 8:43	Turbidity	<	24.6	NTU	EPA180.1
5/31/2011 9:03	Turbidity		3.21	NTU	EPA180.1
6/1/2011 8:40	Turbidity		2.24	NTU	EPA180.1
6/2/2011 9:14	Turbidity		3.59	NTU	EPA180.1
6/3/2011 8:36	Turbidity		1.87	NTU	EPA180.1
6/4/2011 10:00	Turbidity		2.22	NTU	EPA180.1
6/5/2011 9:03	Turbidity		3.79	NTU	EPA180.1
6/6/2011 9:20	Turbidity		3.01	NTU	EPA180.1
6/7/2011 9:47	Turbidity		108.5	NTU	EPA180.1
6/8/2011 8:44	Turbidity		5.03	NTU	EPA180.1
6/9/2011 8:39	Turbidity		1.6	NTU	EPA180.1
6/10/2011 8:51	Turbidity		1.8	NTU	EPA180.1
6/11/2011 8:35	Turbidity		4.42	NTU	EPA180.1
6/12/2011 8:11	Turbidity		4.71	NTU	EPA180.1
6/13/2011 8:46	Turbidity		2.97	NTU	EPA180.1
6/14/2011 8:32	Turbidity		3.4	NTU	EPA180.1
6/15/2011 8:42	Turbidity		1.8	NTU	EPA180.1
6/16/2011 8:44	Turbidity		1.31	NTU	EPA180.1
6/17/2011 9:02	Turbidity		5.26	NTU	EPA180.1
6/18/2011 8:11	Turbidity		2.7	NTU	EPA180.1
6/19/2011 7:59	Turbidity		2.5	NTU	EPA180.1
6/20/2011 8:38	Turbidity		9.1	NTU	EPA180.1
6/21/2011 8:41	Turbidity		7.6	NTU	EPA180.1
6/22/2011 8:35	Turbidity		3.66	NTU	EPA180.1
6/23/2011 8:49	Turbidity		20.8	NTU	EPA180.1
6/24/2011 8:53	Turbidity		10.35	NTU	EPA180.1
6/25/2011 8:33	Turbidity		11.16	NTU	EPA180.1
6/26/2011 8:26	Turbidity		3.12	NTU	EPA180.1
6/27/2011 8:52	Turbidity		1.33	NTU	EPA180.1
6/28/2011 9:04	Turbidity		2.78	NTU	EPA180.1
6/29/2011 8:46	Turbidity		14.5	NTU	EPA180.1
6/30/2011 8:37	Turbidity		1.4	NTU	EPA180.1
7/1/2011 8:55	Turbidity		0.6	NTU	EPA180.1
7/2/2011 8:10	Turbidity		5.15	NTU	EPA180.1
7/3/2011 8:15	Turbidity		41.7	NTU	EPA180.1
7/4/2011 8:07	Turbidity		4.91	NTU	EPA180.1
7/5/2011 8:28	Turbidity		10.9	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2011 8:33	Turbidity		3.39	NTU	EPA180.1
7/7/2011 8:58	Turbidity		2.54	NTU	EPA180.1
7/8/2011 8:35	Turbidity		0.35	NTU	EPA180.1
7/9/2011 8:07	Turbidity		1.9	NTU	EPA180.1
7/10/2011 8:00	Turbidity		1.9	NTU	EPA180.1
7/11/2011 8:58	Turbidity		0.9	NTU	EPA180.1
7/12/2011 8:47	Turbidity		0.7	NTU	EPA180.1
7/13/2011 9:01	Turbidity		2.68	NTU	EPA180.1
7/14/2011 8:49	Turbidity		1.54	NTU	EPA180.1
7/15/2011 8:23	Turbidity		1.38	NTU	EPA180.1
7/16/2011 7:48	Turbidity		1.36	NTU	EPA180.1
7/17/2011 8:28	Turbidity		3.49	NTU	EPA180.1
7/18/2011 9:15	Turbidity		1.5	NTU	EPA180.1
7/19/2011 8:46	Turbidity		72.02	NTU	EPA180.1
7/20/2011 8:41	Turbidity		2.62	NTU	EPA180.1
7/21/2011 8:38	Turbidity		1.8	NTU	EPA180.1
7/22/2011 8:35	Turbidity		2.03	NTU	EPA180.1
7/23/2011 8:17	Turbidity		60	NTU	EPA180.1
7/24/2011 8:16	Turbidity		9.97	NTU	EPA180.1
7/25/2011 9:28	Turbidity		2.33	NTU	EPA180.1
7/26/2011 9:13	Turbidity		10.18	NTU	EPA180.1
7/27/2011 9:00	Turbidity		1.89	NTU	EPA180.1
7/28/2011 9:38	Turbidity		57.6	NTU	EPA180.1
7/29/2011 9:16	Turbidity		20.6	NTU	EPA180.1
7/30/2011 8:25	Turbidity		5.58	NTU	EPA180.1
7/31/2011 7:56	Turbidity		3.39	NTU	EPA180.1
8/1/2011 8:58	Turbidity		2.46	NTU	EPA180.1
8/2/2011 10:00	Turbidity		15.75	NTU	EPA180.1
8/3/2011 8:55	Turbidity		32.88	NTU	EPA180.1
8/4/2011 8:48	Turbidity		5.14	NTU	EPA180.1
8/5/2011 8:22	Turbidity		2.17	NTU	EPA180.1
8/6/2011 8:07	Turbidity		2.2	NTU	EPA180.1
8/7/2011 8:10	Turbidity		2.51	NTU	EPA180.1
8/8/2011 8:32	Turbidity		90.8	NTU	EPA180.1
8/9/2011 8:34	Turbidity		5.93	NTU	EPA180.1
8/10/2011 8:45	Turbidity		15.3	NTU	EPA180.1
8/11/2011 9:06	Turbidity		3.35	NTU	EPA180.1
8/12/2011 9:10	Turbidity		3.98	NTU	EPA180.1
8/13/2011 7:56	Turbidity		1.88	NTU	EPA180.1
8/14/2011 8:23	Turbidity		15.8	NTU	EPA180.1
8/15/2011 9:50	Turbidity		81.4	NTU	EPA180.1
8/16/2011 9:22	Turbidity		4.92	NTU	EPA180.1
8/17/2011 9:29	Turbidity		1.87	NTU	EPA180.1
8/18/2011 9:47	Turbidity		1.17	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/19/2011 8:56	Turbidity		3.97	NTU	EPA180.1
8/20/2011 8:10	Turbidity		1.87	NTU	EPA180.1
8/21/2011 7:59	Turbidity		10.02	NTU	EPA180.1
8/22/2011 8:57	Turbidity		7.77	NTU	EPA180.1
8/23/2011 9:09	Turbidity		2.16	NTU	EPA180.1
8/24/2011 9:04	Turbidity		24.85	NTU	EPA180.1
8/25/2011 9:21	Turbidity		114	NTU	EPA180.1
8/26/2011 9:06	Turbidity		5.36	NTU	EPA180.1
8/27/2011 8:05	Turbidity		2.17	NTU	EPA180.1
8/28/2011 8:00	Turbidity		1.7	NTU	EPA180.1
8/29/2011 9:16	Turbidity		1.9	NTU	EPA180.1
8/30/2011 9:29	Turbidity		3.36	NTU	EPA180.1
8/31/2011 8:48	Turbidity		1.34	NTU	EPA180.1
9/1/2011 9:05	Turbidity		57.45	NTU	EPA180.1
9/2/2011 9:28	Turbidity		3.45	NTU	EPA180.1
9/3/2011 7:50	Turbidity		3.45	NTU	EPA180.1
9/4/2011 7:56	Turbidity		5.56	NTU	EPA180.1
9/5/2011 8:13	Turbidity		68.8	NTU	EPA180.1
9/6/2011 9:09	Turbidity		7.05	NTU	EPA180.1
9/7/2011 8:39	Turbidity		7.99	NTU	EPA180.1
9/8/2011 8:34	Turbidity		6.84	NTU	EPA180.1
9/9/2011 9:45	Turbidity		6.63	NTU	EPA180.1
9/12/2011 8:37	Turbidity		10.42	NTU	EPA180.1
9/13/2011 8:17	Turbidity		3.87	NTU	EPA180.1
9/14/2011 8:15	Turbidity		3.91	NTU	EPA180.1
9/15/2011 8:42	Turbidity		31.8	NTU	EPA180.1
9/19/2011 9:21	Turbidity		2.32	NTU	EPA180.1
9/20/2011 8:52	Turbidity		11.5	NTU	EPA180.1
9/21/2011 9:11	Turbidity		2.16	NTU	EPA180.1
9/22/2011 7:58	Turbidity		3.38	NTU	EPA180.1
9/26/2011 7:59	Turbidity		1.97	NTU	EPA180.1
9/27/2011 7:51	Turbidity		45.4	NTU	EPA180.1
9/28/2011 7:54	Turbidity		8.61	NTU	EPA180.1
9/29/2011 7:48	Turbidity		3.31	NTU	EPA180.1
10/3/2011 8:06	Turbidity		13.95	NTU	EPA180.1
10/4/2011 8:27	Turbidity		9.73	NTU	EPA180.1
10/5/2011 8:07	Turbidity		3.87	NTU	EPA180.1
10/6/2011 8:19	Turbidity		2.87	NTU	EPA180.1
10/10/2011 8:17	Turbidity		2.26	NTU	EPA180.1
10/11/2011 8:10	Turbidity		3.81	NTU	EPA180.1
10/12/2011 8:04	Turbidity		2.46	NTU	EPA180.1
10/13/2011 8:08	Turbidity		1.88	NTU	EPA180.1
10/17/2011 8:00	Turbidity		6.29	NTU	EPA180.1
10/18/2011 8:07	Turbidity		2.89	NTU	EPA180.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
10/19/2011 8:03	Turbidity		21.6	NTU	EPA180.1
10/20/2011 8:09	Turbidity		70.05	NTU	EPA180.1
10/25/2011 7:48	Turbidity		3.39	NTU	EPA180.1
10/26/2011 8:05	Turbidity		52.8	NTU	EPA180.1
10/27/2011 8:26	Turbidity		19.4	NTU	EPA180.1