

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
3/8/2012 9:15	E. coli		6	cfu/100mL	EPA1603
3/13/2012 8:27	E. coli		22	cfu/100mL	EPA1603
3/15/2012 9:03	E. coli		10	cfu/100mL	EPA1603
3/20/2012 8:19	E. coli		22	cfu/100mL	EPA1603
3/23/2012 9:38	E. coli		2	cfu/100mL	EPA1603
3/27/2012 9:15	E. coli		140	cfu/100mL	EPA1603
3/29/2012 9:15	E. coli		18	cfu/100mL	EPA1603
4/3/2012 9:38	E. coli		30	cfu/100mL	EPA1603
4/5/2012 9:24	E. coli		18	cfu/100mL	EPA1603
4/10/2012 9:38	E. coli		21	cfu/100mL	EPA1603
4/12/2012 8:56	E. coli		25	cfu/100mL	EPA1603
4/17/2012 10:18	E. coli		22	cfu/100mL	EPA1603
4/19/2012 8:27	E. coli		16	cfu/100mL	EPA1603
4/26/2012 9:50	E. coli		11	cfu/100mL	EPA1603
5/1/2012 9:15	E. coli		36	cfu/100mL	EPA1603
5/2/2012 9:21	E. coli		21	cfu/100mL	EPA1603
5/3/2012 9:48	E. coli		18.5	cfu/100mL	EPA1603
5/7/2012 10:13	E. coli		35	cfu/100mL	EPA1603
5/8/2012 9:10	E. coli		120	cfu/100mL	EPA1603
5/9/2012 9:26	E. coli		5	cfu/100mL	EPA1603
5/10/2012 8:54	E. coli		65	cfu/100mL	EPA1603
5/14/2012 8:59	E. coli		30	cfu/100mL	EPA1603
5/15/2012 8:05	E. coli		33	cfu/100mL	EPA1603
5/16/2012 8:28	E. coli		13	cfu/100mL	EPA1603
5/17/2012 8:03	E. coli		55	cfu/100mL	EPA1603
5/18/2012 7:51	E. coli		13	cfu/100mL	EPA1603
5/21/2012 8:05	E. coli		24	cfu/100mL	EPA1603
5/22/2012 7:55	E. coli		53	cfu/100mL	EPA1603
5/23/2012 8:20	E. coli		35	cfu/100mL	EPA1603
5/24/2012 8:04	E. coli		79	cfu/100mL	EPA1603
5/29/2012 8:07	E. coli		20	cfu/100mL	EPA1603
5/30/2012 7:53	E. coli		48	cfu/100mL	EPA1603
5/31/2012 8:04	E. coli		560	cfu/100mL	EPA1603
6/4/2012 7:46	E. coli		62	cfu/100mL	EPA1603
6/5/2012 7:48	E. coli		34	cfu/100mL	EPA1603
6/6/2012 7:35	E. coli		26	cfu/100mL	EPA1603
6/7/2012 7:50	E. coli		71	cfu/100mL	EPA1603
6/11/2012 7:53	E. coli		33	cfu/100mL	EPA1603
6/12/2012 7:56	E. coli		14	cfu/100mL	EPA1603
6/13/2012 8:02	E. coli		125	cfu/100mL	EPA1603
6/14/2012 8:01	E. coli		43	cfu/100mL	EPA1603
6/18/2012 7:45	E. coli		20.5	cfu/100mL	EPA1603
6/19/2012 8:00	E. coli		48	cfu/100mL	EPA1603
6/20/2012 7:56	E. coli		22	cfu/100mL	EPA1603
6/21/2012 8:01	E. coli		11	cfu/100mL	EPA1603
6/25/2012 7:31	E. coli		388	cfu/100mL	EPA1603
6/26/2012 7:46	E. coli		27	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/27/2012 7:59	E. coli		10	cfu/100mL	EPA1603
6/28/2012 7:43	E. coli		15	cfu/100mL	EPA1603
7/2/2012 7:34	E. coli		120	cfu/100mL	EPA1603
7/5/2012 8:59	E. coli	EC	348	cfu/100mL	EPA1603
7/9/2012 7:57	E. coli		42	cfu/100mL	EPA1603
7/10/2012 8:23	E. coli		8	cfu/100mL	EPA1603
7/11/2012 7:54	E. coli		12	cfu/100mL	EPA1603
7/12/2012 8:07	E. coli		51.5	cfu/100mL	EPA1603
7/16/2012 7:58	E. coli		44	cfu/100mL	EPA1603
7/17/2012 8:01	E. coli		58	cfu/100mL	EPA1603
7/18/2012 8:05	E. coli		232.5	cfu/100mL	EPA1603
7/19/2012 7:51	E. coli		110	cfu/100mL	EPA1603
7/23/2012 7:35	E. coli		26	cfu/100mL	EPA1603
7/24/2012 7:41	E. coli		1080	cfu/100mL	EPA1603
7/25/2012 7:42	E. coli		26	cfu/100mL	EPA1603
7/26/2012 7:29	E. coli		375	cfu/100mL	EPA1603
7/30/2012 7:39	E. coli		55	cfu/100mL	EPA1603
7/31/2012 7:35	E. coli		36	cfu/100mL	EPA1603
8/1/2012 7:38	E. coli	EC	86	cfu/100mL	EPA1603
8/2/2012 7:50	E. coli		81	cfu/100mL	EPA1603
8/6/2012 7:56	E. coli		66	cfu/100mL	EPA1603
8/7/2012 8:19	E. coli		22.5	cfu/100mL	EPA1603
8/8/2012 8:16	E. coli		76	cfu/100mL	EPA1603
8/9/2012 8:57	E. coli		45	cfu/100mL	EPA1603
8/13/2012 7:52	E. coli		74	cfu/100mL	EPA1603
8/14/2012 7:54	E. coli		8	cfu/100mL	EPA1603
8/15/2012 7:56	E. coli		250	cfu/100mL	EPA1603
8/16/2012 8:11	E. coli		53	cfu/100mL	EPA1603
8/20/2012 8:02	E. coli		21	cfu/100mL	EPA1603
8/21/2012 7:41	E. coli		69	cfu/100mL	EPA1603
8/22/2012 7:30	E. coli		52	cfu/100mL	EPA1603
8/23/2012 7:48	E. coli		66	cfu/100mL	EPA1603
8/27/2012 7:28	E. coli		36.5	cfu/100mL	EPA1603
8/28/2012 8:16	E. coli		245	cfu/100mL	EPA1603
8/29/2012 7:41	E. coli		265	cfu/100mL	EPA1603
8/30/2012 7:46	E. coli		25	cfu/100mL	EPA1603
9/4/2012 7:44	E. coli		71	cfu/100mL	EPA1603
9/5/2012 9:07	E. coli		46	cfu/100mL	EPA1603
9/6/2012 8:56	E. coli		131	cfu/100mL	EPA1603
9/10/2012 8:54	E. coli		155	cfu/100mL	EPA1603
9/11/2012 9:08	E. coli		7	cfu/100mL	EPA1603
9/12/2012 9:08	E. coli		14	cfu/100mL	EPA1603
9/13/2012 9:12	E. coli		36	cfu/100mL	EPA1603
9/17/2012 9:09	E. coli		21	cfu/100mL	EPA1603
9/18/2012 9:00	E. coli		55	cfu/100mL	EPA1603
9/19/2012 9:01	E. coli		315	cfu/100mL	EPA1603
9/20/2012 9:09	E. coli		32	cfu/100mL	EPA1603

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/24/2012 8:44	E. coli		298.5	cfu/100mL	EPA1603
9/25/2012 8:58	E. coli		24	cfu/100mL	EPA1603
9/26/2012 9:12	E. coli		74	cfu/100mL	EPA1603
9/27/2012 9:11	E. coli		102	cfu/100mL	EPA1603
10/1/2012 8:57	E. coli		17	cfu/100mL	EPA1603
10/2/2012 9:12	E. coli	EC	10	cfu/100mL	EPA1603
10/3/2012 9:08	E. coli		39	cfu/100mL	EPA1603
10/4/2012 9:12	E. coli		13	cfu/100mL	EPA1603
10/8/2012 8:45	E. coli		50	cfu/100mL	EPA1603
10/9/2012 9:02	E. coli		17	cfu/100mL	EPA1603
10/10/2012 9:04	E. coli		41.5	cfu/100mL	EPA1603
10/15/2012 9:03	E. coli		101	cfu/100mL	EPA1603
10/16/2012 8:55	E. coli		53	cfu/100mL	EPA1603
10/17/2012 9:03	E. coli		8	cfu/100mL	EPA1603
10/18/2012 8:59	E. coli		10	cfu/100mL	EPA1603
10/22/2012 8:55	E. coli		4	cfu/100mL	EPA1603
10/23/2012 8:49	E. coli		4	cfu/100mL	EPA1603
10/24/2012 8:58	E. coli		16	cfu/100mL	EPA1603
10/25/2012 9:01	E. coli		25	cfu/100mL	EPA1603
5/7/2012 10:13	E. coli		29	MPN/100 mL	SM9223 Colilert
5/8/2012 9:10	E. coli		84	MPN/100 mL	SM9223 Colilert
5/9/2012 9:26	E. coli		1	MPN/100 mL	SM9223 Colilert
5/10/2012 8:54	E. coli		43	MPN/100 mL	SM9223 Colilert
5/14/2012 8:59	E. coli		35	MPN/100 mL	SM9223 Colilert
5/15/2012 8:05	E. coli		29	MPN/100 mL	SM9223 Colilert
5/16/2012 8:28	E. coli		15	MPN/100 mL	SM9223 Colilert
5/17/2012 8:03	E. coli		44	MPN/100 mL	SM9223 Colilert
5/25/2012 8:13	E. coli		4	MPN/100 mL	SM9223 Colilert
5/26/2012 7:34	E. coli		72	MPN/100 mL	SM9223 Colilert
5/27/2012 7:40	E. coli		13	MPN/100 mL	SM9223 Colilert
5/28/2012 7:43	E. coli		88	MPN/100 mL	SM9223 Colilert
6/1/2012 8:32	E. coli		600	MPN/100 mL	SM9223 Colilert
6/2/2012 8:00	E. coli		285	MPN/100 mL	SM9223 Colilert
6/3/2012 8:00	E. coli		18	MPN/100 mL	SM9223 Colilert
6/8/2012 7:50	E. coli		71	MPN/100 mL	SM9223 Colilert
6/9/2012 7:40	E. coli		28	MPN/100 mL	SM9223 Colilert
6/10/2012 7:40	E. coli		6	MPN/100 mL	SM9223 Colilert
6/15/2012 7:54	E. coli	EC	9	MPN/100 mL	SM9223 Colilert
6/16/2012 7:38	E. coli		4	MPN/100 mL	SM9223 Colilert
6/17/2012 7:25	E. coli		1	MPN/100 mL	SM9223 Colilert
6/22/2012 7:48	E. coli		410	MPN/100 mL	SM9223 Colilert
6/23/2012 7:37	E. coli		24	MPN/100 mL	SM9223 Colilert
6/24/2012 7:46	E. coli		5	MPN/100 mL	SM9223 Colilert
6/29/2012 7:49	E. coli		49	MPN/100 mL	SM9223 Colilert
6/30/2012 7:42	E. coli		14	MPN/100 mL	SM9223 Colilert
7/1/2012 7:44	E. coli		30	MPN/100 mL	SM9223 Colilert

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/3/2012 7:47	E. coli		31	MPN/100 mL	SM9223 Colilert
7/4/2012 7:55	E. coli		225	MPN/100 mL	SM9223 Colilert
7/6/2012 7:32	E. coli		22	MPN/100 mL	SM9223 Colilert
7/7/2012 7:40	E. coli		6	MPN/100 mL	SM9223 Colilert
7/8/2012 7:34	E. coli		44	MPN/100 mL	SM9223 Colilert
7/13/2012 8:15	E. coli		4	MPN/100 mL	SM9223 Colilert
7/14/2012 7:49	E. coli		4	MPN/100 mL	SM9223 Colilert
7/15/2012 7:37	E. coli		7	MPN/100 mL	SM9223 Colilert
7/20/2012 7:57	E. coli		155	MPN/100 mL	SM9223 Colilert
7/21/2012 7:55	E. coli		26	MPN/100 mL	SM9223 Colilert
7/22/2012 7:45	E. coli		36	MPN/100 mL	SM9223 Colilert
7/27/2012 7:32	E. coli		336	MPN/100 mL	SM9223 Colilert
7/28/2012 8:00	E. coli		778	MPN/100 mL	SM9223 Colilert
7/29/2012 7:57	E. coli		321	MPN/100 mL	SM9223 Colilert
8/3/2012 7:54	E. coli		123	MPN/100 mL	SM9223 Colilert
8/4/2012 7:48	E. coli		80	MPN/100 mL	SM9223 Colilert
8/5/2012 7:30	E. coli		76	MPN/100 mL	SM9223 Colilert
8/10/2012 7:58	E. coli		996	MPN/100 mL	SM9223 Colilert
8/11/2012 7:50	E. coli		182	MPN/100 mL	SM9223 Colilert
8/12/2012 8:01	E. coli		54	MPN/100 mL	SM9223 Colilert
8/18/2012 7:30	E. coli		26	MPN/100 mL	SM9223 Colilert
8/19/2012 7:46	E. coli		11	MPN/100 mL	SM9223 Colilert
8/24/2012 7:39	E. coli		161	MPN/100 mL	SM9223 Colilert
8/25/2012 7:40	E. coli		53	MPN/100 mL	SM9223 Colilert
8/26/2012 7:38	E. coli		72	MPN/100 mL	SM9223 Colilert
8/31/2012 8:17	E. coli		84	MPN/100 mL	SM9223 Colilert
9/1/2012 7:42	E. coli		43	MPN/100 mL	SM9223 Colilert
9/2/2012 8:01	E. coli		33	MPN/100 mL	SM9223 Colilert
9/3/2012 7:35	E. coli		32	MPN/100 mL	SM9223 Colilert
3/8/2012 9:15	Field Cond		298	uS/cm	SM 2510A
3/13/2012 8:27	Field Cond		323	uS/cm	SM 2510A
3/15/2012 9:03	Field Cond		314	uS/cm	SM 2510A
3/20/2012 8:19	Field Cond		300	uS/cm	SM 2510A
3/23/2012 9:38	Field Cond		339	uS/cm	SM 2510A
3/27/2012 9:15	Field Cond		403	uS/cm	SM 2510A
3/29/2012 9:15	Field Cond		351	uS/cm	SM 2510A
4/3/2012 9:38	Field Cond		461	uS/cm	SM 2510A
4/5/2012 9:24	Field Cond		464	uS/cm	SM 2510A
4/10/2012 9:38	Field Cond		359	uS/cm	SM 2510A
4/12/2012 8:56	Field Cond		336	uS/cm	SM 2510A
4/17/2012 10:18	Field Cond		337	uS/cm	SM 2510A
4/19/2012 8:27	Field Cond		365	uS/cm	SM 2510A
4/26/2012 9:50	Field Cond		288	uS/cm	SM 2510A
5/1/2012 9:15	Field Cond		365	uS/cm	SM 2510A
5/2/2012 9:21	Field Cond		352	uS/cm	SM 2510A
5/3/2012 9:48	Field Cond		293	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/7/2012 10:13	Field Cond		369	uS/cm	SM 2510A
5/8/2012 9:10	Field Cond		338	uS/cm	SM 2510A
5/9/2012 9:26	Field Cond		345	uS/cm	SM 2510A
5/10/2012 8:54	Field Cond		343	uS/cm	SM 2510A
5/14/2012 8:59	Field Cond		306	uS/cm	SM 2510A
5/15/2012 8:05	Field Cond		308	uS/cm	SM 2510A
5/16/2012 8:28	Field Cond		311	uS/cm	SM 2510A
5/17/2012 8:03	Field Cond		355	uS/cm	SM 2510A
5/18/2012 7:51	Field Cond		370	uS/cm	SM 2510A
5/19/2012 6:29	Field Cond		337	uS/cm	SM 2510A
5/20/2012 7:15	Field Cond		328	uS/cm	SM 2510A
5/21/2012 8:05	Field Cond		297	uS/cm	SM 2510A
5/22/2012 7:55	Field Cond		322	uS/cm	SM 2510A
5/23/2012 8:20	Field Cond		319	uS/cm	SM 2510A
5/24/2012 8:04	Field Cond		323	uS/cm	SM 2510A
5/25/2012 8:13	Field Cond		317	uS/cm	SM 2510A
5/26/2012 7:34	Field Cond		312	uS/cm	SM 2510A
5/27/2012 7:40	Field Cond		340	uS/cm	SM 2510A
5/28/2012 7:43	Field Cond		344	uS/cm	SM 2510A
5/29/2012 8:07	Field Cond		295	uS/cm	SM 2510A
5/30/2012 7:53	Field Cond		301	uS/cm	SM 2510A
5/31/2012 8:04	Field Cond		457	uS/cm	SM 2510A
6/1/2012 8:32	Field Cond		313	uS/cm	SM 2510A
6/2/2012 8:00	Field Cond		300	uS/cm	SM 2510A
6/3/2012 8:00	Field Cond		307	uS/cm	SM 2510A
6/4/2012 7:46	Field Cond		320	uS/cm	SM 2510A
6/5/2012 7:48	Field Cond		328	uS/cm	SM 2510A
6/6/2012 7:35	Field Cond		425	uS/cm	SM 2510A
6/7/2012 7:50	Field Cond		381	uS/cm	SM 2510A
6/8/2012 7:50	Field Cond		333	uS/cm	SM 2510A
6/9/2012 7:40	Field Cond		317	uS/cm	SM 2510A
6/10/2012 7:40	Field Cond		310	uS/cm	SM 2510A
6/11/2012 7:53	Field Cond		301	uS/cm	SM 2510A
6/12/2012 7:56	Field Cond		318	uS/cm	SM 2510A
6/13/2012 8:02	Field Cond		319	uS/cm	SM 2510A
6/14/2012 8:01	Field Cond		394	uS/cm	SM 2510A
6/15/2012 7:54	Field Cond		418	uS/cm	SM 2510A
6/16/2012 7:38	Field Cond		311	uS/cm	SM 2510A
6/17/2012 7:25	Field Cond		301	uS/cm	SM 2510A
6/18/2012 7:45	Field Cond		319	uS/cm	SM 2510A
6/19/2012 8:00	Field Cond		319	uS/cm	SM 2510A
6/20/2012 7:56	Field Cond		305	uS/cm	SM 2510A
6/21/2012 8:01	Field Cond		315	uS/cm	SM 2510A
6/22/2012 7:48	Field Cond		330	uS/cm	SM 2510A
6/23/2012 7:37	Field Cond		312	uS/cm	SM 2510A
6/24/2012 7:46	Field Cond		303	uS/cm	SM 2510A
6/25/2012 7:31	Field Cond		326	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/26/2012 7:46	Field Cond		337	uS/cm	SM 2510A
6/27/2012 7:59	Field Cond		310	uS/cm	SM 2510A
6/28/2012 7:43	Field Cond		322	uS/cm	SM 2510A
6/29/2012 7:49	Field Cond		300	uS/cm	SM 2510A
6/30/2012 7:42	Field Cond		325	uS/cm	SM 2510A
7/1/2012 7:44	Field Cond		304	uS/cm	SM 2510A
7/2/2012 7:34	Field Cond		307	uS/cm	SM 2510A
7/3/2012 7:47	Field Cond		313	uS/cm	SM 2510A
7/4/2012 7:55	Field Cond		299	uS/cm	SM 2510A
7/5/2012 8:59	Field Cond		285	uS/cm	SM 2510A
7/6/2012 7:32	Field Cond		294	uS/cm	SM 2510A
7/7/2012 7:40	Field Cond		288	uS/cm	SM 2510A
7/8/2012 7:34	Field Cond		321	uS/cm	SM 2510A
7/9/2012 7:57	Field Cond		341	uS/cm	SM 2510A
7/10/2012 8:23	Field Cond		331	uS/cm	SM 2510A
7/11/2012 7:54	Field Cond		311	uS/cm	SM 2510A
7/12/2012 8:07	Field Cond		424	uS/cm	SM 2510A
7/13/2012 8:15	Field Cond		330	uS/cm	SM 2510A
7/14/2012 7:49	Field Cond		318	uS/cm	SM 2510A
7/15/2012 7:37	Field Cond		320	uS/cm	SM 2510A
7/16/2012 7:58	Field Cond		311	uS/cm	SM 2510A
7/17/2012 8:01	Field Cond		301	uS/cm	SM 2510A
7/18/2012 8:05	Field Cond		301	uS/cm	SM 2510A
7/19/2012 7:51	Field Cond		298	uS/cm	SM 2510A
7/20/2012 7:57	Field Cond		330	uS/cm	SM 2510A
7/21/2012 7:55	Field Cond		474	uS/cm	SM 2510A
7/22/2012 7:45	Field Cond		368	uS/cm	SM 2510A
7/23/2012 7:35	Field Cond		311	uS/cm	SM 2510A
7/24/2012 7:41	Field Cond		301	uS/cm	SM 2510A
7/25/2012 7:42	Field Cond		297	uS/cm	SM 2510A
7/26/2012 7:29	Field Cond		291	uS/cm	SM 2510A
7/27/2012 7:32	Field Cond		298	uS/cm	SM 2510A
7/28/2012 8:00	Field Cond		300	uS/cm	SM 2510A
7/29/2012 7:57	Field Cond		318	uS/cm	SM 2510A
7/30/2012 7:39	Field Cond		294	uS/cm	SM 2510A
7/31/2012 7:35	Field Cond		299	uS/cm	SM 2510A
8/1/2012 7:38	Field Cond		301	uS/cm	SM 2510A
8/2/2012 7:50	Field Cond		325	uS/cm	SM 2510A
8/3/2012 7:54	Field Cond		330	uS/cm	SM 2510A
8/4/2012 7:48	Field Cond		357	uS/cm	SM 2510A
8/5/2012 7:30	Field Cond		318	uS/cm	SM 2510A
8/6/2012 7:56	Field Cond		326	uS/cm	SM 2510A
8/7/2012 8:19	Field Cond		360	uS/cm	SM 2510A
8/8/2012 8:16	Field Cond		376	uS/cm	SM 2510A
8/9/2012 8:57	Field Cond		383	uS/cm	SM 2510A
8/10/2012 7:58	Field Cond		388	uS/cm	SM 2510A
8/11/2012 7:50	Field Cond		367	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/12/2012 8:01	Field Cond		355	uS/cm	SM 2510A
8/13/2012 7:52	Field Cond		305	uS/cm	SM 2510A
8/14/2012 7:54	Field Cond		296	uS/cm	SM 2510A
8/15/2012 7:56	Field Cond		307	uS/cm	SM 2510A
8/16/2012 8:11	Field Cond		312	uS/cm	SM 2510A
8/17/2012 8:02	Field Cond		306	uS/cm	SM 2510A
8/18/2012 7:30	Field Cond		313	uS/cm	SM 2510A
8/19/2012 7:46	Field Cond		328	uS/cm	SM 2510A
8/20/2012 8:02	Field Cond		371	uS/cm	SM 2510A
8/21/2012 7:41	Field Cond		324	uS/cm	SM 2510A
8/22/2012 7:30	Field Cond		304	uS/cm	SM 2510A
8/23/2012 7:48	Field Cond		365	uS/cm	SM 2510A
8/24/2012 7:39	Field Cond		328	uS/cm	SM 2510A
8/25/2012 7:40	Field Cond		363	uS/cm	SM 2510A
8/26/2012 7:38	Field Cond		370	uS/cm	SM 2510A
8/27/2012 7:28	Field Cond		344	uS/cm	SM 2510A
8/28/2012 8:16	Field Cond		342	uS/cm	SM 2510A
8/29/2012 7:41	Field Cond		368	uS/cm	SM 2510A
8/30/2012 7:46	Field Cond		374	uS/cm	SM 2510A
8/31/2012 8:17	Field Cond		359	uS/cm	SM 2510A
9/1/2012 7:42	Field Cond		363	uS/cm	SM 2510A
9/2/2012 8:01	Field Cond		360	uS/cm	SM 2510A
9/3/2012 7:35	Field Cond		420	uS/cm	SM 2510A
9/4/2012 7:44	Field Cond		320	uS/cm	SM 2510A
9/5/2012 9:07	Field Cond		341	uS/cm	SM 2510A
9/6/2012 8:56	Field Cond		340	uS/cm	SM 2510A
9/7/2012 8:55	Field Cond		322	uS/cm	SM 2510A
9/10/2012 8:54	Field Cond		325	uS/cm	SM 2510A
9/11/2012 9:08	Field Cond		312	uS/cm	SM 2510A
9/12/2012 9:08	Field Cond		304	uS/cm	SM 2510A
9/13/2012 9:12	Field Cond		321	uS/cm	SM 2510A
9/17/2012 9:09	Field Cond		330	uS/cm	SM 2510A
9/18/2012 9:00	Field Cond		320	uS/cm	SM 2510A
9/19/2012 9:01	Field Cond		364	uS/cm	SM 2510A
9/20/2012 9:09	Field Cond		331	uS/cm	SM 2510A
9/24/2012 8:44	Field Cond		281	uS/cm	SM 2510A
9/25/2012 8:58	Field Cond		324	uS/cm	SM 2510A
9/26/2012 9:12	Field Cond		331	uS/cm	SM 2510A
9/27/2012 9:11	Field Cond		360	uS/cm	SM 2510A
10/1/2012 8:57	Field Cond		393	uS/cm	SM 2510A
10/2/2012 9:12	Field Cond		418	uS/cm	SM 2510A
10/3/2012 9:08	Field Cond		368	uS/cm	SM 2510A
10/4/2012 9:12	Field Cond		345	uS/cm	SM 2510A
10/8/2012 8:45	Field Cond		316	uS/cm	SM 2510A
10/9/2012 9:02	Field Cond		320	uS/cm	SM 2510A
10/10/2012 9:04	Field Cond		386	uS/cm	SM 2510A
10/15/2012 9:03	Field Cond		347	uS/cm	SM 2510A

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/16/2012 8:55	Field Cond		338	uS/cm	SM 2510A
10/17/2012 9:03	Field Cond		360	uS/cm	SM 2510A
10/18/2012 8:59	Field Cond		330	uS/cm	SM 2510A
10/22/2012 8:55	Field Cond		346	uS/cm	SM 2510A
10/23/2012 8:49	Field Cond		366	uS/cm	SM 2510A
10/24/2012 8:58	Field Cond		334	uS/cm	SM 2510A
10/25/2012 9:01	Field Cond		328	uS/cm	SM 2510A
3/8/2012 9:15	Field Temp		4	C	EPA 170.1
3/13/2012 8:27	Field Temp		5.3	C	EPA 170.1
3/15/2012 9:03	Field Temp		64	C	EPA 170.1
3/20/2012 8:19	Field Temp		7.1	C	EPA 170.1
3/23/2012 9:38	Field Temp		10.7	C	EPA 170.1
3/27/2012 9:15	Field Temp		7.8	C	EPA 170.1
3/29/2012 9:15	Field Temp		8.8	C	EPA 170.1
4/3/2012 9:38	Field Temp		8.4	C	EPA 170.1
4/5/2012 9:24	Field Temp		9.3	C	EPA 170.1
4/10/2012 9:38	Field Temp		9.6	C	EPA 170.1
4/12/2012 8:56	Field Temp		8.2	C	EPA 170.1
4/17/2012 10:18	Field Temp		11.4	C	EPA 170.1
4/19/2012 8:27	Field Temp		11.5	C	EPA 170.1
4/26/2012 9:50	Field Temp		10.8	C	EPA 170.1
5/1/2012 9:15	Field Temp		11	C	EPA 170.1
5/2/2012 9:21	Field Temp		11.7	C	EPA 170.1
5/3/2012 9:48	Field Temp		12.7	C	EPA 170.1
5/7/2012 10:13	Field Temp		14	C	EPA 170.1
5/8/2012 9:10	Field Temp		14.7	C	EPA 170.1
5/9/2012 9:26	Field Temp		14.7	C	EPA 170.1
5/10/2012 8:54	Field Temp		12.1	C	EPA 170.1
5/14/2012 8:59	Field Temp		15.9	C	EPA 170.1
5/15/2012 8:05	Field Temp		16.1	C	EPA 170.1
5/16/2012 8:28	Field Temp		16	C	EPA 170.1
5/17/2012 8:03	Field Temp		15.1	C	EPA 170.1
5/18/2012 7:51	Field Temp		15	C	EPA 170.1
5/19/2012 6:29	Field Temp		14.9	C	EPA 170.1
5/20/2012 7:15	Field Temp		15.2	C	EPA 170.1
5/21/2012 8:05	Field Temp		14.2	C	EPA 170.1
5/22/2012 7:55	Field Temp		17.3	C	EPA 170.1
5/23/2012 8:20	Field Temp		17.2	C	EPA 170.1
5/24/2012 8:04	Field Temp		18.2	C	EPA 170.1
5/25/2012 8:13	Field Temp		15.7	C	EPA 170.1
5/26/2012 7:34	Field Temp		19.2	C	EPA 170.1
5/27/2012 7:40	Field Temp		18.2	C	EPA 170.1
5/28/2012 7:43	Field Temp		16.2	C	EPA 170.1
5/29/2012 8:07	Field Temp		17.5	C	EPA 170.1
5/30/2012 7:53	Field Temp		18	C	EPA 170.1
5/31/2012 8:04	Field Temp		17.9	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/1/2012 8:32	Field Temp		16.1	C	EPA 170.1
6/2/2012 8:00	Field Temp		14.9	C	EPA 170.1
6/3/2012 8:00	Field Temp		16.1	C	EPA 170.1
6/4/2012 7:46	Field Temp		16.4	C	EPA 170.1
6/5/2012 7:48	Field Temp		17.7	C	EPA 170.1
6/6/2012 7:35	Field Temp		16.6	C	EPA 170.1
6/7/2012 7:50	Field Temp		18.3	C	EPA 170.1
6/8/2012 7:50	Field Temp		19.5	C	EPA 170.1
6/9/2012 7:40	Field Temp		20	C	EPA 170.1
6/10/2012 7:40	Field Temp		20.8	C	EPA 170.1
6/11/2012 7:53	Field Temp		21	C	EPA 170.1
6/12/2012 7:56	Field Temp		20	C	EPA 170.1
6/13/2012 8:02	Field Temp		19.3	C	EPA 170.1
6/14/2012 8:01	Field Temp		20.3	C	EPA 170.1
6/15/2012 7:54	Field Temp		20.6	C	EPA 170.1
6/16/2012 7:38	Field Temp		18.7	C	EPA 170.1
6/17/2012 7:25	Field Temp		18.3	C	EPA 170.1
6/18/2012 7:45	Field Temp		19.3	C	EPA 170.1
6/19/2012 8:00	Field Temp		20.2	C	EPA 170.1
6/20/2012 7:56	Field Temp		21.5	C	EPA 170.1
6/21/2012 8:01	Field Temp		22.2	C	EPA 170.1
6/22/2012 7:48	Field Temp		23	C	EPA 170.1
6/23/2012 7:37	Field Temp		23.8	C	EPA 170.1
6/24/2012 7:46	Field Temp		23	C	EPA 170.1
6/25/2012 7:31	Field Temp		22.4	C	EPA 170.1
6/26/2012 7:46	Field Temp		21.4	C	EPA 170.1
6/27/2012 7:59	Field Temp		21.7	C	EPA 170.1
6/28/2012 7:43	Field Temp		23.5	C	EPA 170.1
6/29/2012 7:49	Field Temp		24.7	C	EPA 170.1
6/30/2012 7:42	Field Temp		24.2	C	EPA 170.1
7/1/2012 7:44	Field Temp		25.4	C	EPA 170.1
7/2/2012 7:34	Field Temp		24.4	C	EPA 170.1
7/3/2012 7:47	Field Temp		24.3	C	EPA 170.1
7/4/2012 7:55	Field Temp		23.8	C	EPA 170.1
7/5/2012 8:59	Field Temp		25	C	EPA 170.1
7/6/2012 7:32	Field Temp		25.6	C	EPA 170.1
7/7/2012 7:40	Field Temp		26.3	C	EPA 170.1
7/8/2012 7:34	Field Temp		26.2	C	EPA 170.1
7/9/2012 7:57	Field Temp		24.2	C	EPA 170.1
7/10/2012 8:23	Field Temp		25.1	C	EPA 170.1
7/11/2012 7:54	Field Temp		24.5	C	EPA 170.1
7/12/2012 8:07	Field Temp		24.5	C	EPA 170.1
7/13/2012 8:15	Field Temp		24.2	C	EPA 170.1
7/14/2012 7:49	Field Temp		23.1	C	EPA 170.1
7/15/2012 7:37	Field Temp		23.5	C	EPA 170.1
7/16/2012 7:58	Field Temp		24	C	EPA 170.1
7/17/2012 8:01	Field Temp		24.9	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/18/2012 8:05	Field Temp		26.1	C	EPA 170.1
7/19/2012 7:51	Field Temp		25.8	C	EPA 170.1
7/20/2012 7:57	Field Temp		25.4	C	EPA 170.1
7/21/2012 7:55	Field Temp		24.1	C	EPA 170.1
7/22/2012 7:45	Field Temp		25.2	C	EPA 170.1
7/23/2012 7:35	Field Temp		25.4	C	EPA 170.1
7/24/2012 7:41	Field Temp		25.9	C	EPA 170.1
7/25/2012 7:42	Field Temp		23.4	C	EPA 170.1
7/26/2012 7:29	Field Temp		25.3	C	EPA 170.1
7/27/2012 7:32	Field Temp		25.6	C	EPA 170.1
7/28/2012 8:00	Field Temp		26.1	C	EPA 170.1
7/29/2012 7:57	Field Temp		25.6	C	EPA 170.1
7/30/2012 7:39	Field Temp		25.4	C	EPA 170.1
7/31/2012 7:35	Field Temp		25.8	C	EPA 170.1
8/1/2012 7:38	Field Temp		25.7	C	EPA 170.1
8/2/2012 7:50	Field Temp		25.3	C	EPA 170.1
8/3/2012 7:54	Field Temp		25.8	C	EPA 170.1
8/4/2012 7:48	Field Temp		25.8	C	EPA 170.1
8/5/2012 7:30	Field Temp		24.4	C	EPA 170.1
8/6/2012 7:56	Field Temp		25	C	EPA 170.1
8/7/2012 8:19	Field Temp		24.6	C	EPA 170.1
8/8/2012 8:16	Field Temp		25.3	C	EPA 170.1
8/9/2012 8:57	Field Temp		25.3	C	EPA 170.1
8/10/2012 7:58	Field Temp		24.5	C	EPA 170.1
8/11/2012 7:50	Field Temp		23.2	C	EPA 170.1
8/12/2012 8:01	Field Temp		22.8	C	EPA 170.1
8/13/2012 7:52	Field Temp		23	C	EPA 170.1
8/14/2012 7:54	Field Temp		23.4	C	EPA 170.1
8/15/2012 7:56	Field Temp		22.3	C	EPA 170.1
8/16/2012 8:11	Field Temp		23.5	C	EPA 170.1
8/17/2012 8:02	Field Temp		23	C	EPA 170.1
8/18/2012 7:30	Field Temp		23.5	C	EPA 170.1
8/19/2012 7:46	Field Temp		22.8	C	EPA 170.1
8/20/2012 8:02	Field Temp		22.9	C	EPA 170.1
8/21/2012 7:41	Field Temp		23.4	C	EPA 170.1
8/22/2012 7:30	Field Temp		22.6	C	EPA 170.1
8/23/2012 7:48	Field Temp		22.7	C	EPA 170.1
8/24/2012 7:39	Field Temp		23.3	C	EPA 170.1
8/25/2012 7:40	Field Temp		23.3	C	EPA 170.1
8/26/2012 7:38	Field Temp		22.7	C	EPA 170.1
8/27/2012 7:28	Field Temp		23.1	C	EPA 170.1
8/28/2012 8:16	Field Temp		23.1	C	EPA 170.1
8/29/2012 7:41	Field Temp		23.2	C	EPA 170.1
8/30/2012 7:46	Field Temp		22.8	C	EPA 170.1
8/31/2012 8:17	Field Temp		23	C	EPA 170.1
9/1/2012 7:42	Field Temp		24	C	EPA 170.1
9/2/2012 8:01	Field Temp		23.8	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/3/2012 7:35	Field Temp		23.5	C	EPA 170.1
9/4/2012 7:44	Field Temp		23.4	C	EPA 170.1
9/5/2012 9:07	Field Temp		23.1	C	EPA 170.1
9/6/2012 8:56	Field Temp		23.7	C	EPA 170.1
9/7/2012 8:55	Field Temp		24.3	C	EPA 170.1
9/10/2012 8:54	Field Temp		21.5	C	EPA 170.1
9/11/2012 9:08	Field Temp		21.4	C	EPA 170.1
9/12/2012 9:08	Field Temp		21.6	C	EPA 170.1
9/13/2012 9:12	Field Temp		22.2	C	EPA 170.1
9/17/2012 9:09	Field Temp		20.6	C	EPA 170.1
9/18/2012 9:00	Field Temp		21.1	C	EPA 170.1
9/19/2012 9:01	Field Temp		17.1	C	EPA 170.1
9/20/2012 9:09	Field Temp		18.7	C	EPA 170.1
9/24/2012 8:44	Field Temp		16.6	C	EPA 170.1
9/25/2012 8:58	Field Temp		16.8	C	EPA 170.1
9/26/2012 9:12	Field Temp		17.5	C	EPA 170.1
9/27/2012 9:11	Field Temp		17.5	C	EPA 170.1
10/1/2012 8:57	Field Temp		16.5	C	EPA 170.1
10/2/2012 9:12	Field Temp		17.2	C	EPA 170.1
10/3/2012 9:08	Field Temp		17.7	C	EPA 170.1
10/4/2012 9:12	Field Temp		17.4	C	EPA 170.1
10/8/2012 8:45	Field Temp		14	C	EPA 170.1
10/9/2012 9:02	Field Temp		13.9	C	EPA 170.1
10/10/2012 9:04	Field Temp		13.8	C	EPA 170.1
10/15/2012 9:03	Field Temp		14.4	C	EPA 170.1
10/16/2012 8:55	Field Temp		12.4	C	EPA 170.1
10/17/2012 9:03	Field Temp		13.4	C	EPA 170.1
10/18/2012 8:59	Field Temp		13.5	C	EPA 170.1
10/22/2012 8:55	Field Temp		12.4	C	EPA 170.1
10/23/2012 8:49	Field Temp		13.4	C	EPA 170.1
10/24/2012 8:58	Field Temp		13.8	C	EPA 170.1
10/25/2012 9:01	Field Temp		14.5	C	EPA 170.1
3/8/2012 9:15	pH		8.24	S.U.	
3/13/2012 8:27	pH		8.16	S.U.	
3/15/2012 9:03	pH		8.14	S.U.	
3/20/2012 8:19	pH		8.25	S.U.	
3/23/2012 9:38	pH		8.23	S.U.	
3/27/2012 9:15	pH		8.07	S.U.	
3/29/2012 9:15	pH		8.14	S.U.	
4/3/2012 9:38	pH		7.97	S.U.	
4/5/2012 9:24	pH		7.91	S.U.	
4/10/2012 9:38	pH		8.14	S.U.	
4/12/2012 8:56	pH		8.09	S.U.	
4/17/2012 10:18	pH		8.13	S.U.	
4/19/2012 8:27	pH		8.03	S.U.	
4/26/2012 9:50	pH		8.74	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/1/2012 9:15	pH		8.36	S.U.	
5/2/2012 9:21	pH		8.18	S.U.	
5/3/2012 9:48	pH		8.2	S.U.	
5/7/2012 10:13	pH		8.28	S.U.	
5/8/2012 9:10	pH		8.15	S.U.	
5/9/2012 9:26	pH		8.44	S.U.	
5/10/2012 8:54	pH		8.3	S.U.	
5/14/2012 8:59	pH		8.43	S.U.	
5/15/2012 8:05	pH		8.35	S.U.	
5/16/2012 8:28	pH		8.5	S.U.	
5/17/2012 8:03	pH		8.06	S.U.	
5/18/2012 7:51	pH		8.18	S.U.	
5/19/2012 6:29	pH		8.24	S.U.	
5/20/2012 7:15	pH		8.29	S.U.	
5/21/2012 8:05	pH		8.02	S.U.	
5/22/2012 7:55	pH		8.27	S.U.	
5/23/2012 8:20	pH		8.24	S.U.	
5/24/2012 8:04	pH		8.41	S.U.	
5/25/2012 8:13	pH		8.17	S.U.	
5/26/2012 7:34	pH		8.62	S.U.	
5/27/2012 7:40	pH		8.5	S.U.	
5/28/2012 7:43	pH		8.16	S.U.	
5/29/2012 8:07	pH		8.08	S.U.	
5/30/2012 7:53	pH		8.37	S.U.	
5/31/2012 8:04	pH		8.2	S.U.	
6/1/2012 8:32	pH		7.88	S.U.	
6/2/2012 8:00	pH		8.02	S.U.	
6/3/2012 8:00	pH		8.05	S.U.	
6/4/2012 7:46	pH		8.02	S.U.	
6/5/2012 7:48	pH		8.04	S.U.	
6/6/2012 7:35	pH		7.96	S.U.	
6/7/2012 7:50	pH		8.1	S.U.	
6/8/2012 7:50	pH		8.16	S.U.	
6/9/2012 7:40	pH		8.29	S.U.	
6/10/2012 7:40	pH		8.33	S.U.	
6/11/2012 7:53	pH		8.34	S.U.	
6/12/2012 7:56	pH		8.16	S.U.	
6/13/2012 8:02	pH		8.21	S.U.	
6/14/2012 8:01	pH		8.13	S.U.	
6/15/2012 7:54	pH		7.97	S.U.	
6/16/2012 7:38	pH		7.64	S.U.	
6/17/2012 7:25	pH		7.67	S.U.	
6/18/2012 7:45	pH		7.92	S.U.	
6/19/2012 8:00	pH		8.13	S.U.	
6/20/2012 7:56	pH		8	S.U.	
6/21/2012 8:01	pH		8.24	S.U.	
6/22/2012 7:48	pH		7.9	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/23/2012 7:37	pH		8.08	S.U.	
6/24/2012 7:46	pH		8.03	S.U.	
6/25/2012 7:31	pH		7.83	S.U.	
6/26/2012 7:46	pH		7.63	S.U.	
6/27/2012 7:59	pH		8.1	S.U.	
6/28/2012 7:43	pH		8.01	S.U.	
6/29/2012 7:49	pH		7.92	S.U.	
6/30/2012 7:42	pH		7.96	S.U.	
7/1/2012 7:44	pH		7.94	S.U.	
7/2/2012 7:34	pH		8	S.U.	
7/3/2012 7:47	pH		8.1	S.U.	
7/4/2012 7:55	pH		8.36	S.U.	
7/5/2012 8:59	pH		8.32	S.U.	
7/6/2012 7:32	pH		8.24	S.U.	
7/7/2012 7:40	pH		8.53	S.U.	
7/8/2012 7:34	pH		8.26	S.U.	
7/9/2012 7:57	pH		7.86	S.U.	
7/10/2012 8:23	pH		8.41	S.U.	
7/11/2012 7:54	pH		8.01	S.U.	
7/12/2012 8:07	pH		8.16	S.U.	
7/13/2012 8:15	pH		8.23	S.U.	
7/14/2012 7:49	pH		8.4	S.U.	
7/15/2012 7:37	pH		8.47	S.U.	
7/16/2012 7:58	pH		8.3	S.U.	
7/17/2012 8:01	pH		8.19	S.U.	
7/18/2012 8:05	pH		7.9	S.U.	
7/19/2012 7:51	pH		7.99	S.U.	
7/20/2012 7:57	pH		7.94	S.U.	
7/21/2012 7:55	pH		7.67	S.U.	
7/22/2012 7:45	pH		8.16	S.U.	
7/23/2012 7:35	pH		8.56	S.U.	
7/24/2012 7:41	pH		8.42	S.U.	
7/25/2012 7:42	pH		7.75	S.U.	
7/26/2012 7:29	pH		8.36	S.U.	
7/27/2012 7:32	pH		8.52	S.U.	
7/28/2012 8:00	pH		8.51	S.U.	
7/29/2012 7:57	pH		8.18	S.U.	
7/30/2012 7:39	pH		8.6	S.U.	
7/31/2012 7:35	pH		8.62	S.U.	
8/1/2012 7:38	pH		8.25	S.U.	
8/2/2012 7:50	pH		8.59	S.U.	
8/3/2012 7:54	pH		8.55	S.U.	
8/4/2012 7:48	pH		8.37	S.U.	
8/5/2012 7:30	pH		8.04	S.U.	
8/6/2012 7:56	pH		8.01	S.U.	
8/7/2012 8:19	pH		8.2	S.U.	
8/8/2012 8:16	pH		8.42	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/9/2012 8:57	pH		7.96	S.U.	
8/10/2012 7:58	pH		8.01	S.U.	
8/11/2012 7:50	pH		8.26	S.U.	
8/12/2012 8:01	pH		8.21	S.U.	
8/13/2012 7:52	pH		8.4	S.U.	
8/14/2012 7:54	pH		8.55	S.U.	
8/15/2012 7:56	pH		8.62	S.U.	
8/16/2012 8:11	pH		8.72	S.U.	
8/17/2012 8:02	pH		8.4	S.U.	
8/18/2012 7:30	pH		8.42	S.U.	
8/19/2012 7:46	pH		8.59	S.U.	
8/20/2012 8:02	pH		8.51	S.U.	
8/21/2012 7:41	pH		8.38	S.U.	
8/22/2012 7:30	pH		8.73	S.U.	
8/23/2012 7:48	pH		8.67	S.U.	
8/24/2012 7:39	pH		8.59	S.U.	
8/25/2012 7:40	pH		8.38	S.U.	
8/26/2012 7:38	pH		8.34	S.U.	
8/27/2012 7:28	pH		8.38	S.U.	
8/28/2012 8:16	pH		8.15	S.U.	
8/29/2012 7:41	pH		8	S.U.	
8/30/2012 7:46	pH		8.31	S.U.	
8/31/2012 8:17	pH		8.44	S.U.	
9/1/2012 7:42	pH		8.2	S.U.	
9/2/2012 8:01	pH		8.14	S.U.	
9/3/2012 7:35	pH		7.72	S.U.	
9/4/2012 7:44	pH		7.73	S.U.	
9/5/2012 9:07	pH		7.88	S.U.	
9/6/2012 8:56	pH		8.34	S.U.	
9/7/2012 8:55	pH		8.32	S.U.	
9/10/2012 8:54	pH		7.85	S.U.	
9/11/2012 9:08	pH		8.29	S.U.	
9/12/2012 9:08	pH		8.48	S.U.	
9/13/2012 9:12	pH		8.28	S.U.	
9/17/2012 9:09	pH		8.48	S.U.	
9/18/2012 9:00	pH		8.26	S.U.	
9/19/2012 9:01	pH		7.64	S.U.	
9/20/2012 9:09	pH		8.2	S.U.	
9/24/2012 8:44	pH		7.94	S.U.	
9/25/2012 8:58	pH		8.34	S.U.	
9/26/2012 9:12	pH		8.4	S.U.	
9/27/2012 9:11	pH		7.94	S.U.	
10/1/2012 8:57	pH		8.06	S.U.	
10/2/2012 9:12	pH		7.59	S.U.	
10/3/2012 9:08	pH		7.95	S.U.	
10/4/2012 9:12	pH		8.15	S.U.	
10/8/2012 8:45	pH		7.67	S.U.	

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
10/9/2012 9:02	pH		7.87	S.U.	
10/10/2012 9:04	pH		7.3	S.U.	
10/15/2012 9:03	pH		7.53	S.U.	
10/16/2012 8:55	pH		7.79	S.U.	
10/17/2012 9:03	pH		7.65	S.U.	
10/18/2012 8:59	pH		7.54	S.U.	
10/22/2012 8:55	pH		7.77	S.U.	
10/23/2012 8:49	pH		7.59	S.U.	
10/24/2012 8:58	pH		7.56	S.U.	
10/25/2012 9:01	pH		7.97	S.U.	
5/1/2012 9:15	Turbidity		23.6	NTU	EPA180.1
5/2/2012 9:21	Turbidity		20.45	NTU	EPA180.1
5/3/2012 9:48	Turbidity		12.8	NTU	EPA180.1
5/7/2012 10:13	Turbidity		14.75	NTU	EPA180.1
5/8/2012 9:10	Turbidity		18.8	NTU	EPA180.1
5/9/2012 9:26	Turbidity		5.95	NTU	EPA180.1
5/10/2012 8:54	Turbidity		11.65	NTU	EPA180.1
5/14/2012 8:59	Turbidity		9.16	NTU	EPA180.1
5/15/2012 8:05	Turbidity		15.15	NTU	EPA180.1
5/16/2012 8:28	Turbidity		10.49	NTU	EPA180.1
5/17/2012 8:03	Turbidity		16.9	NTU	EPA180.1
5/21/2012 8:05	Turbidity		10.4	NTU	EPA180.1
5/22/2012 7:55	Turbidity		17.75	NTU	EPA180.1
5/23/2012 8:20	Turbidity		16.6	NTU	EPA180.1
5/24/2012 8:04	Turbidity		7.29	NTU	EPA180.1
5/25/2012 8:13	Turbidity		7.28	NTU	EPA180.1
5/26/2012 7:34	Turbidity		4.61	NTU	EPA180.1
5/27/2012 7:40	Turbidity		7.39	NTU	EPA180.1
5/28/2012 7:43	Turbidity		21.1	NTU	EPA180.1
5/29/2012 8:07	Turbidity		11.1	NTU	EPA180.1
5/30/2012 7:53	Turbidity		4.9	NTU	EPA180.1
5/31/2012 8:04	Turbidity		20.25	NTU	EPA180.1
6/1/2012 8:32	Turbidity		29.7	NTU	EPA180.1
6/2/2012 8:00	Turbidity		38	NTU	EPA180.1
6/3/2012 8:00	Turbidity		34	NTU	EPA180.1
6/4/2012 7:46	Turbidity		34.25	NTU	EPA180.1
6/5/2012 7:48	Turbidity		26.6	NTU	EPA180.1
6/6/2012 7:35	Turbidity		7.545	NTU	EPA180.1
6/7/2012 7:50	Turbidity		9	NTU	EPA180.1
6/8/2012 7:50	Turbidity		4.8	NTU	EPA180.1
6/9/2012 7:40	Turbidity		4.9	NTU	EPA180.1
6/10/2012 7:40	Turbidity		4.8	NTU	EPA180.1
6/11/2012 7:53	Turbidity		6.71	NTU	EPA180.1
6/12/2012 7:56	Turbidity		4.86	NTU	EPA180.1
6/13/2012 8:02	Turbidity		17.3	NTU	EPA180.1
6/14/2012 8:01	Turbidity		6.76	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/15/2012 7:54	Turbidity		14.3	NTU	EPA180.1
6/16/2012 7:38	Turbidity		13.5	NTU	EPA180.1
6/17/2012 7:25	Turbidity		6.41	NTU	EPA180.1
6/18/2012 7:45	Turbidity		2.79	NTU	EPA180.1
6/19/2012 8:00	Turbidity		7	NTU	EPA180.1
6/20/2012 7:56	Turbidity		7.42	NTU	EPA180.1
6/21/2012 8:01	Turbidity		3.66	NTU	EPA180.1
6/22/2012 7:48	Turbidity		9.58	NTU	EPA180.1
6/23/2012 7:37	Turbidity		4.39	NTU	EPA180.1
6/24/2012 7:46	Turbidity		3.44	NTU	EPA180.1
6/25/2012 7:31	Turbidity		24.2	NTU	EPA180.1
6/26/2012 7:46	Turbidity		10.4	NTU	EPA180.1
6/27/2012 7:59	Turbidity		6.73	NTU	EPA180.1
6/28/2012 7:43	Turbidity		5.94	NTU	EPA180.1
6/29/2012 7:49	Turbidity		6	NTU	EPA180.1
6/30/2012 7:42	Turbidity		9.5	NTU	EPA180.1
7/1/2012 7:44	Turbidity		8.9	NTU	EPA180.1
7/2/2012 7:34	Turbidity		3.15	NTU	EPA180.1
7/3/2012 7:47	Turbidity		3.67	NTU	EPA180.1
7/4/2012 7:55	Turbidity		5.47	NTU	EPA180.1
7/5/2012 8:59	Turbidity		13.2	NTU	EPA180.1
7/6/2012 7:32	Turbidity		3.9	NTU	EPA180.1
7/7/2012 7:40	Turbidity		5.1	NTU	EPA180.1
7/8/2012 7:34	Turbidity		14.3	NTU	EPA180.1
7/9/2012 7:57	Turbidity		10.3	NTU	EPA180.1
7/10/2012 8:23	Turbidity		4.04	NTU	EPA180.1
7/11/2012 7:54	Turbidity		4.31	NTU	EPA180.1
7/12/2012 8:07	Turbidity		5.09	NTU	EPA180.1
7/13/2012 8:15	Turbidity		4.4	NTU	EPA180.1
7/14/2012 7:49	Turbidity		5.35	NTU	EPA180.1
7/15/2012 7:37	Turbidity		5.19	NTU	EPA180.1
7/16/2012 7:58	Turbidity		6.99	NTU	EPA180.1
7/17/2012 8:01	Turbidity		4.7	NTU	EPA180.1
7/19/2012 7:51	Turbidity		3.7	NTU	EPA180.1
7/20/2012 7:57	Turbidity		18.9	NTU	EPA180.1
7/21/2012 7:55	Turbidity		5.2	NTU	EPA180.1
7/22/2012 7:45	Turbidity		6.6	NTU	EPA180.1
7/23/2012 7:35	Turbidity		3.8	NTU	EPA180.1
7/24/2012 7:41	Turbidity		6.34	NTU	EPA180.1
7/25/2012 7:42	Turbidity		10.4	NTU	EPA180.1
7/26/2012 7:29	Turbidity		8.93	NTU	EPA180.1
7/27/2012 7:32	Turbidity		9.48	NTU	EPA180.1
7/28/2012 8:00	Turbidity		4.53	NTU	EPA180.1
7/29/2012 7:57	Turbidity		5.12	NTU	EPA180.1
7/30/2012 7:39	Turbidity		5.2	NTU	EPA180.1
7/31/2012 7:35	Turbidity		5.8	NTU	EPA180.1
8/2/2012 7:50	Turbidity		5.01	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/3/2012 7:54	Turbidity		8.51	NTU	EPA180.1
8/4/2012 7:48	Turbidity		4.2	NTU	EPA180.1
8/5/2012 7:30	Turbidity		13.3	NTU	EPA180.1
8/6/2012 7:56	Turbidity		14.5	NTU	EPA180.1
8/7/2012 8:19	Turbidity		4.635	NTU	EPA180.1
8/8/2012 8:16	Turbidity		3.88	NTU	EPA180.1
8/9/2012 8:57	Turbidity		6.9	NTU	EPA180.1
8/10/2012 7:58	Turbidity		7.74	NTU	EPA180.1
8/11/2012 7:50	Turbidity		13.6	NTU	EPA180.1
8/12/2012 8:01	Turbidity		16	NTU	EPA180.1
8/13/2012 7:52	Turbidity		8.31	NTU	EPA180.1
8/14/2012 7:54	Turbidity		4.07	NTU	EPA180.1
8/15/2012 7:56	Turbidity		7.58	NTU	EPA180.1
8/16/2012 8:11	Turbidity		4.8	NTU	EPA180.1
8/17/2012 8:02	Turbidity		18.7	NTU	EPA180.1
8/18/2012 7:30	Turbidity		13.8	NTU	EPA180.1
8/19/2012 7:46	Turbidity		6.29	NTU	EPA180.1
8/20/2012 8:02	Turbidity		5.15	NTU	EPA180.1
8/21/2012 7:41	Turbidity		6.6	NTU	EPA180.1
8/22/2012 7:30	Turbidity		6.74	NTU	EPA180.1
8/23/2012 7:48	Turbidity		5.93	NTU	EPA180.1
8/24/2012 7:39	Turbidity		4.5	NTU	EPA180.1
8/25/2012 7:40	Turbidity		7.5	NTU	EPA180.1
8/26/2012 7:38	Turbidity		4.97	NTU	EPA180.1
8/27/2012 7:28	Turbidity		3.37	NTU	EPA180.1
8/28/2012 8:16	Turbidity		7.33	NTU	EPA180.1
8/29/2012 7:41	Turbidity		14.2	NTU	EPA180.1
8/30/2012 7:46	Turbidity		4.77	NTU	EPA180.1
8/31/2012 8:17	Turbidity		4.9	NTU	EPA180.1
9/1/2012 7:42	Turbidity		8.84	NTU	EPA180.1
9/2/2012 8:01	Turbidity		4.98	NTU	EPA180.1
9/3/2012 7:35	Turbidity		8	NTU	EPA180.1
9/4/2012 7:44	Turbidity		12	NTU	EPA180.1
9/5/2012 9:07	Turbidity		6.49	NTU	EPA180.1
9/6/2012 8:56	Turbidity		7.52	NTU	EPA180.1
9/7/2012 8:55	Turbidity		6.32	NTU	EPA180.1
9/10/2012 8:54	Turbidity		26.2	NTU	EPA180.1
9/11/2012 9:08	Turbidity		6.82	NTU	EPA180.1
9/12/2012 9:08	Turbidity		7.04	NTU	EPA180.1
9/13/2012 9:12	Turbidity		7.42	NTU	EPA180.1
9/17/2012 9:09	Turbidity		6.15	NTU	EPA180.1
9/18/2012 9:00	Turbidity		6.03	NTU	EPA180.1
9/19/2012 9:01	Turbidity		74.4	NTU	EPA180.1
9/20/2012 9:09	Turbidity		6.55	NTU	EPA180.1
9/24/2012 8:44	Turbidity		38.1	NTU	EPA180.1
9/25/2012 8:58	Turbidity		7.94	NTU	EPA180.1
9/26/2012 9:12	Turbidity		7.1	NTU	EPA180.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/27/2012 9:11	Turbidity		18.8	NTU	EPA180.1
10/1/2012 8:57	Turbidity		4.85	NTU	EPA180.1
10/2/2012 9:12	Turbidity		3.73	NTU	EPA180.1
10/3/2012 9:08	Turbidity		6.48	NTU	EPA180.1
10/4/2012 9:12	Turbidity		5.96	NTU	EPA180.1
10/8/2012 8:45	Turbidity		11	NTU	EPA180.1
10/9/2012 9:02	Turbidity		3.02	NTU	EPA180.1
10/10/2012 9:04	Turbidity		8.085	NTU	EPA180.1
10/15/2012 9:03	Turbidity		26.8	NTU	EPA180.1
10/16/2012 8:55	Turbidity		51.3	NTU	EPA180.1
10/17/2012 9:03	Turbidity		5.45	NTU	EPA180.1
10/18/2012 8:59	Turbidity		13.3	NTU	EPA180.1
10/22/2012 8:55	Turbidity		5.64	NTU	EPA180.1
10/23/2012 8:49	Turbidity		6.95	NTU	EPA180.1
10/24/2012 8:58	Turbidity		8.33	NTU	EPA180.1
10/25/2012 9:01	Turbidity		4.92	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/1/2012 9:25	E. coli		18	cfu/100mL	EPA1603
5/2/2012 9:32	E. coli		22	cfu/100mL	EPA1603
5/3/2012 9:59	E. coli		12	cfu/100mL	EPA1603
5/7/2012 10:25	E. coli		43	cfu/100mL	EPA1603
5/8/2012 9:20	E. coli		155	cfu/100mL	EPA1603
5/9/2012 9:35	E. coli		2	cfu/100mL	EPA1603
5/10/2012 9:00	E. coli		69	cfu/100mL	EPA1603
5/14/2012 9:05	E. coli		40	cfu/100mL	EPA1603
5/15/2012 8:21	E. coli		9	cfu/100mL	EPA1603
5/16/2012 8:38	E. coli		20	cfu/100mL	EPA1603
5/17/2012 8:10	E. coli		22	cfu/100mL	EPA1603
5/18/2012 8:00	E. coli		8	cfu/100mL	EPA1603
5/21/2012 8:17	E. coli		57	cfu/100mL	EPA1603
5/22/2012 8:02	E. coli		79	cfu/100mL	EPA1603
5/23/2012 8:30	E. coli		25	cfu/100mL	EPA1603
5/24/2012 8:12	E. coli		9	cfu/100mL	EPA1603
5/29/2012 8:17	E. coli		24	cfu/100mL	EPA1603
5/30/2012 8:01	E. coli		58.5	cfu/100mL	EPA1603
5/31/2012 8:12	E. coli	EC	95	cfu/100mL	EPA1603
6/4/2012 7:54	E. coli		71	cfu/100mL	EPA1603
6/5/2012 7:55	E. coli		29.5	cfu/100mL	EPA1603
6/6/2012 7:40	E. coli		24	cfu/100mL	EPA1603
6/7/2012 7:57	E. coli		7	cfu/100mL	EPA1603
6/11/2012 8:02	E. coli	EC	12	cfu/100mL	EPA1603
6/12/2012 8:06	E. coli		8	cfu/100mL	EPA1603
6/13/2012 8:09	E. coli		66	cfu/100mL	EPA1603
6/14/2012 8:08	E. coli		34	cfu/100mL	EPA1603
6/18/2012 7:51	E. coli		30	cfu/100mL	EPA1603
6/19/2012 8:06	E. coli		58	cfu/100mL	EPA1603
6/20/2012 8:02	E. coli		22	cfu/100mL	EPA1603
6/21/2012 8:08	E. coli		22	cfu/100mL	EPA1603
6/25/2012 7:39	E. coli		252.5	cfu/100mL	EPA1603
6/26/2012 7:54	E. coli		30	cfu/100mL	EPA1603
6/27/2012 8:05	E. coli		22	cfu/100mL	EPA1603
6/28/2012 7:47	E. coli		7	cfu/100mL	EPA1603
7/2/2012 7:40	E. coli	EC	82	cfu/100mL	EPA1603
7/5/2012 9:03	E. coli		225	cfu/100mL	EPA1603
7/9/2012 8:04	E. coli		13	cfu/100mL	EPA1603
7/10/2012 8:31	E. coli		3	cfu/100mL	EPA1603
7/11/2012 8:01	E. coli		15	cfu/100mL	EPA1603
7/12/2012 8:16	E. coli		13	cfu/100mL	EPA1603
7/16/2012 8:05	E. coli		73	cfu/100mL	EPA1603
7/17/2012 8:10	E. coli		25	cfu/100mL	EPA1603
7/18/2012 8:12	E. coli		25	cfu/100mL	EPA1603
7/19/2012 7:56	E. coli		50	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/23/2012 7:48	E. coli		255	cfu/100mL	EPA1603
7/24/2012 7:45	E. coli		900	cfu/100mL	EPA1603
7/25/2012 7:50	E. coli		15	cfu/100mL	EPA1603
7/26/2012 7:36	E. coli		1020	cfu/100mL	EPA1603
7/30/2012 7:46	E. coli		22	cfu/100mL	EPA1603
7/31/2012 7:45	E. coli		33	cfu/100mL	EPA1603
8/1/2012 7:45	E. coli		42	cfu/100mL	EPA1603
8/2/2012 7:57	E. coli		28	cfu/100mL	EPA1603
8/6/2012 8:02	E. coli		140	cfu/100mL	EPA1603
8/7/2012 8:26	E. coli		79	cfu/100mL	EPA1603
8/8/2012 8:26	E. coli		29.5	cfu/100mL	EPA1603
8/9/2012 9:05	E. coli		53	cfu/100mL	EPA1603
8/13/2012 8:00	E. coli		68	cfu/100mL	EPA1603
8/14/2012 8:00	E. coli	EC	127	cfu/100mL	EPA1603
8/15/2012 8:02	E. coli		170	cfu/100mL	EPA1603
8/16/2012 8:19	E. coli		33	cfu/100mL	EPA1603
8/20/2012 8:06	E. coli		17	cfu/100mL	EPA1603
8/21/2012 7:48	E. coli		41	cfu/100mL	EPA1603
8/22/2012 7:40	E. coli		60	cfu/100mL	EPA1603
8/23/2012 7:55	E. coli		45	cfu/100mL	EPA1603
8/27/2012 7:34	E. coli		40	cfu/100mL	EPA1603
8/28/2012 8:24	E. coli		235	cfu/100mL	EPA1603
8/29/2012 7:47	E. coli		205	cfu/100mL	EPA1603
8/30/2012 7:52	E. coli	EC	92	cfu/100mL	EPA1603
9/4/2012 7:50	E. coli		190	cfu/100mL	EPA1603
9/5/2012 9:10	E. coli		26	cfu/100mL	EPA1603
9/6/2012 9:01	E. coli		680	cfu/100mL	EPA1603
9/10/2012 9:00	E. coli		130	cfu/100mL	EPA1603
9/11/2012 9:14	E. coli		8	cfu/100mL	EPA1603
9/12/2012 9:14	E. coli		18	cfu/100mL	EPA1603
9/13/2012 9:18	E. coli		75	cfu/100mL	EPA1603
9/17/2012 9:15	E. coli		20	cfu/100mL	EPA1603
9/18/2012 9:06	E. coli		30	cfu/100mL	EPA1603
9/19/2012 9:07	E. coli		740	cfu/100mL	EPA1603
9/20/2012 9:15	E. coli		27	cfu/100mL	EPA1603
9/24/2012 8:50	E. coli		380	cfu/100mL	EPA1603
9/25/2012 9:03	E. coli		16	cfu/100mL	EPA1603
9/26/2012 9:17	E. coli		86	cfu/100mL	EPA1603
9/27/2012 9:17	E. coli		75	cfu/100mL	EPA1603
10/1/2012 9:05	E. coli		9	cfu/100mL	EPA1603
10/2/2012 9:18	E. coli		32	cfu/100mL	EPA1603
10/3/2012 9:14	E. coli		25	cfu/100mL	EPA1603
10/4/2012 9:17	E. coli		12.5	cfu/100mL	EPA1603
10/8/2012 8:51	E. coli		31	cfu/100mL	EPA1603
10/9/2012 9:08	E. coli		9	cfu/100mL	EPA1603

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
10/10/2012 9:08	E. coli		49	cfu/100mL	EPA1603
10/15/2012 9:10	E. coli		80	cfu/100mL	EPA1603
10/16/2012 9:00	E. coli		46	cfu/100mL	EPA1603
10/17/2012 9:08	E. coli		7	cfu/100mL	EPA1603
10/18/2012 9:05	E. coli		4	cfu/100mL	EPA1603
10/22/2012 9:02	E. coli		7	cfu/100mL	EPA1603
10/23/2012 8:56	E. coli		6.5	cfu/100mL	EPA1603
10/24/2012 9:05	E. coli		55	cfu/100mL	EPA1603
10/25/2012 9:08	E. coli		740	cfu/100mL	EPA1603
5/25/2012 8:28	E. coli		1	MPN/100 mL	SM9223 Colilert
5/26/2012 7:42	E. coli		15	MPN/100 mL	SM9223 Colilert
5/27/2012 7:47	E. coli		18	MPN/100 mL	SM9223 Colilert
5/28/2012 7:49	E. coli		24	MPN/100 mL	SM9223 Colilert
6/1/2012 8:43	E. coli		150	MPN/100 mL	SM9223 Colilert
6/2/2012 8:10	E. coli		278	MPN/100 mL	SM9223 Colilert
6/3/2012 8:15	E. coli		29	MPN/100 mL	SM9223 Colilert
6/8/2012 7:57	E. coli		190	MPN/100 mL	SM9223 Colilert
6/9/2012 7:47	E. coli		10	MPN/100 mL	SM9223 Colilert
6/10/2012 7:47	E. coli		6	MPN/100 mL	SM9223 Colilert
6/15/2012 8:00	E. coli	EC	4	MPN/100 mL	SM9223 Colilert
6/16/2012 7:47	E. coli		2	MPN/100 mL	SM9223 Colilert
6/17/2012 7:30	E. coli		5	MPN/100 mL	SM9223 Colilert
6/22/2012 7:57	E. coli		52	MPN/100 mL	SM9223 Colilert
6/23/2012 7:44	E. coli		12	MPN/100 mL	SM9223 Colilert
6/24/2012 7:50	E. coli		19	MPN/100 mL	SM9223 Colilert
6/29/2012 8:00	E. coli		50	MPN/100 mL	SM9223 Colilert
6/30/2012 7:58	E. coli		6	MPN/100 mL	SM9223 Colilert
7/1/2012 7:51	E. coli		37	MPN/100 mL	SM9223 Colilert
7/3/2012 7:51	E. coli		6	MPN/100 mL	SM9223 Colilert
7/4/2012 8:03	E. coli		166	MPN/100 mL	SM9223 Colilert
7/6/2012 7:40	E. coli		16	MPN/100 mL	SM9223 Colilert
7/7/2012 7:50	E. coli		8	MPN/100 mL	SM9223 Colilert
7/8/2012 7:43	E. coli		46	MPN/100 mL	SM9223 Colilert
7/13/2012 8:25	E. coli		4	MPN/100 mL	SM9223 Colilert
7/14/2012 7:55	E. coli		9	MPN/100 mL	SM9223 Colilert
7/15/2012 7:47	E. coli		80	MPN/100 mL	SM9223 Colilert
7/20/2012 8:05	E. coli		141	MPN/100 mL	SM9223 Colilert
7/21/2012 8:02	E. coli		36	MPN/100 mL	SM9223 Colilert
7/22/2012 7:52	E. coli		63	MPN/100 mL	SM9223 Colilert
7/27/2012 7:41	E. coli		244	MPN/100 mL	SM9223 Colilert
7/28/2012 8:10	E. coli		343	MPN/100 mL	SM9223 Colilert
7/29/2012 8:05	E. coli		544	MPN/100 mL	SM9223 Colilert
8/3/2012 8:02	E. coli		126	MPN/100 mL	SM9223 Colilert
8/4/2012 7:51	E. coli		79	MPN/100 mL	SM9223 Colilert

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/5/2012 7:37	E. coli		28	MPN/100 mL	SM9223 Colilert
8/10/2012 8:03	E. coli		992	MPN/100 mL	SM9223 Colilert
8/11/2012 7:57	E. coli		54	MPN/100 mL	SM9223 Colilert
8/12/2012 8:09	E. coli		54	MPN/100 mL	SM9223 Colilert
8/17/2012 8:08	E. coli		67	MPN/100 mL	SM9223 Colilert
8/18/2012 7:37	E. coli		119	MPN/100 mL	SM9223 Colilert
8/19/2012 7:50	E. coli		19	MPN/100 mL	SM9223 Colilert
8/24/2012 7:44	E. coli		76	MPN/100 mL	SM9223 Colilert
8/25/2012 7:45	E. coli		108	MPN/100 mL	SM9223 Colilert
8/26/2012 7:41	E. coli		41	MPN/100 mL	SM9223 Colilert
8/31/2012 8:20	E. coli		50	MPN/100 mL	SM9223 Colilert
9/1/2012 7:46	E. coli		13	MPN/100 mL	SM9223 Colilert
9/2/2012 8:06	E. coli		64	MPN/100 mL	SM9223 Colilert
9/3/2012 7:40	E. coli		48	MPN/100 mL	SM9223 Colilert
9/7/2012 9:02	E. coli		51.5	MPN/100 mL	SM9223 Colilert
5/1/2012 9:25	Field Cond		365	uS/cm	SM 2510A
5/2/2012 9:32	Field Cond		354	uS/cm	SM 2510A
5/3/2012 9:59	Field Cond		295	uS/cm	SM 2510A
5/8/2012 9:20	Field Cond		336	uS/cm	SM 2510A
5/9/2012 9:35	Field Cond		343	uS/cm	SM 2510A
5/10/2012 9:00	Field Cond		332	uS/cm	SM 2510A
5/14/2012 9:05	Field Cond		307	uS/cm	SM 2510A
5/15/2012 8:21	Field Cond		295	uS/cm	SM 2510A
5/16/2012 8:38	Field Cond		306	uS/cm	SM 2510A
5/17/2012 8:10	Field Cond		323	uS/cm	SM 2510A
5/18/2012 8:00	Field Cond		387	uS/cm	SM 2510A
5/19/2012 6:36	Field Cond		305	uS/cm	SM 2510A
5/20/2012 7:28	Field Cond		320	uS/cm	SM 2510A
5/21/2012 8:17	Field Cond		300	uS/cm	SM 2510A
5/22/2012 8:02	Field Cond		325	uS/cm	SM 2510A
5/23/2012 8:30	Field Cond		326	uS/cm	SM 2510A
5/24/2012 8:12	Field Cond		319	uS/cm	SM 2510A
5/25/2012 8:28	Field Cond		317	uS/cm	SM 2510A
5/26/2012 7:42	Field Cond		313	uS/cm	SM 2510A
5/27/2012 7:47	Field Cond		344	uS/cm	SM 2510A
5/28/2012 7:49	Field Cond		343	uS/cm	SM 2510A
5/29/2012 8:17	Field Cond		295	uS/cm	SM 2510A
5/30/2012 8:01	Field Cond		306	uS/cm	SM 2510A
5/31/2012 8:12	Field Cond		478	uS/cm	SM 2510A
6/1/2012 8:43	Field Cond		311	uS/cm	SM 2510A
6/2/2012 8:10	Field Cond		299	uS/cm	SM 2510A
6/3/2012 8:15	Field Cond		316	uS/cm	SM 2510A
6/4/2012 7:54	Field Cond		320	uS/cm	SM 2510A
6/5/2012 7:55	Field Cond		327	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/6/2012 7:40	Field Cond		427	uS/cm	SM 2510A
6/7/2012 7:57	Field Cond		375	uS/cm	SM 2510A
6/8/2012 7:57	Field Cond		318	uS/cm	SM 2510A
6/9/2012 7:47	Field Cond		314	uS/cm	SM 2510A
6/10/2012 7:47	Field Cond		307	uS/cm	SM 2510A
6/11/2012 8:02	Field Cond		298	uS/cm	SM 2510A
6/12/2012 8:06	Field Cond		309	uS/cm	SM 2510A
6/13/2012 8:09	Field Cond		322	uS/cm	SM 2510A
6/14/2012 8:08	Field Cond		394	uS/cm	SM 2510A
6/15/2012 8:00	Field Cond		412	uS/cm	SM 2510A
6/16/2012 7:47	Field Cond		305	uS/cm	SM 2510A
6/17/2012 7:30	Field Cond		299	uS/cm	SM 2510A
6/18/2012 7:51	Field Cond		319	uS/cm	SM 2510A
6/19/2012 8:06	Field Cond		320	uS/cm	SM 2510A
6/20/2012 8:02	Field Cond		307	uS/cm	SM 2510A
6/21/2012 8:08	Field Cond		315	uS/cm	SM 2510A
6/22/2012 7:57	Field Cond		325	uS/cm	SM 2510A
6/23/2012 7:44	Field Cond		315	uS/cm	SM 2510A
6/24/2012 7:50	Field Cond		304	uS/cm	SM 2510A
6/25/2012 7:39	Field Cond		326	uS/cm	SM 2510A
6/26/2012 7:54	Field Cond		329	uS/cm	SM 2510A
6/27/2012 8:05	Field Cond		313	uS/cm	SM 2510A
6/28/2012 7:47	Field Cond		323	uS/cm	SM 2510A
6/29/2012 8:00	Field Cond		301	uS/cm	SM 2510A
6/30/2012 7:58	Field Cond		326	uS/cm	SM 2510A
7/1/2012 7:51	Field Cond		307	uS/cm	SM 2510A
7/2/2012 7:40	Field Cond		307	uS/cm	SM 2510A
7/3/2012 7:51	Field Cond		311	uS/cm	SM 2510A
7/4/2012 8:03	Field Cond		297	uS/cm	SM 2510A
7/5/2012 9:03	Field Cond		283	uS/cm	SM 2510A
7/6/2012 7:40	Field Cond		294	uS/cm	SM 2510A
7/7/2012 7:50	Field Cond		289	uS/cm	SM 2510A
7/8/2012 7:43	Field Cond		334	uS/cm	SM 2510A
7/9/2012 8:04	Field Cond		320	uS/cm	SM 2510A
7/10/2012 8:31	Field Cond		333	uS/cm	SM 2510A
7/11/2012 8:01	Field Cond		323	uS/cm	SM 2510A
7/12/2012 8:16	Field Cond		428	uS/cm	SM 2510A
7/13/2012 8:25	Field Cond		336	uS/cm	SM 2510A
7/14/2012 7:55	Field Cond		316	uS/cm	SM 2510A
7/15/2012 7:47	Field Cond		326	uS/cm	SM 2510A
7/16/2012 8:05	Field Cond		311	uS/cm	SM 2510A
7/17/2012 8:10	Field Cond		300	uS/cm	SM 2510A
7/18/2012 8:12	Field Cond		299	uS/cm	SM 2510A
7/19/2012 7:56	Field Cond		300	uS/cm	SM 2510A
7/20/2012 8:05	Field Cond		332	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/21/2012 8:02	Field Cond		476	uS/cm	SM 2510A
7/22/2012 7:52	Field Cond		370	uS/cm	SM 2510A
7/23/2012 7:48	Field Cond		325	uS/cm	SM 2510A
7/24/2012 7:45	Field Cond		300	uS/cm	SM 2510A
7/25/2012 7:50	Field Cond		299	uS/cm	SM 2510A
7/26/2012 7:36	Field Cond		325	uS/cm	SM 2510A
7/27/2012 7:41	Field Cond		299	uS/cm	SM 2510A
7/28/2012 8:10	Field Cond		303	uS/cm	SM 2510A
7/29/2012 8:05	Field Cond		335	uS/cm	SM 2510A
7/30/2012 7:46	Field Cond		293	uS/cm	SM 2510A
7/31/2012 7:45	Field Cond		314	uS/cm	SM 2510A
8/1/2012 7:45	Field Cond		300	uS/cm	SM 2510A
8/2/2012 7:57	Field Cond		322	uS/cm	SM 2510A
8/3/2012 8:02	Field Cond		326	uS/cm	SM 2510A
8/4/2012 7:51	Field Cond		357	uS/cm	SM 2510A
8/5/2012 7:37	Field Cond		320	uS/cm	SM 2510A
8/6/2012 8:02	Field Cond		327	uS/cm	SM 2510A
8/7/2012 8:26	Field Cond		357	uS/cm	SM 2510A
8/8/2012 8:26	Field Cond		376	uS/cm	SM 2510A
8/9/2012 9:05	Field Cond		380	uS/cm	SM 2510A
8/10/2012 8:03	Field Cond		386	uS/cm	SM 2510A
8/11/2012 7:57	Field Cond		357	uS/cm	SM 2510A
8/12/2012 8:09	Field Cond		346	uS/cm	SM 2510A
8/13/2012 8:00	Field Cond		305	uS/cm	SM 2510A
8/14/2012 8:00	Field Cond		300	uS/cm	SM 2510A
8/15/2012 8:02	Field Cond		307	uS/cm	SM 2510A
8/16/2012 8:19	Field Cond		311	uS/cm	SM 2510A
8/17/2012 8:08	Field Cond		305	uS/cm	SM 2510A
8/18/2012 7:37	Field Cond		316	uS/cm	SM 2510A
8/19/2012 7:50	Field Cond		323	uS/cm	SM 2510A
8/20/2012 8:06	Field Cond		371	uS/cm	SM 2510A
8/21/2012 7:48	Field Cond		321	uS/cm	SM 2510A
8/22/2012 7:40	Field Cond		303	uS/cm	SM 2510A
8/23/2012 7:55	Field Cond		337	uS/cm	SM 2510A
8/24/2012 7:44	Field Cond		326	uS/cm	SM 2510A
8/25/2012 7:45	Field Cond		368	uS/cm	SM 2510A
8/26/2012 7:41	Field Cond		378	uS/cm	SM 2510A
8/27/2012 7:34	Field Cond		346	uS/cm	SM 2510A
8/28/2012 8:24	Field Cond		350	uS/cm	SM 2510A
8/29/2012 7:47	Field Cond		418	uS/cm	SM 2510A
8/30/2012 7:52	Field Cond		384	uS/cm	SM 2510A
8/31/2012 8:20	Field Cond		359	uS/cm	SM 2510A
9/1/2012 7:46	Field Cond		360	uS/cm	SM 2510A
9/2/2012 8:06	Field Cond		356	uS/cm	SM 2510A
9/3/2012 7:40	Field Cond		419	uS/cm	SM 2510A

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/4/2012 7:50	Field Cond		336	uS/cm	SM 2510A
9/5/2012 9:10	Field Cond		344	uS/cm	SM 2510A
9/6/2012 9:01	Field Cond		345	uS/cm	SM 2510A
9/7/2012 9:02	Field Cond		321	uS/cm	SM 2510A
9/10/2012 9:00	Field Cond		334	uS/cm	SM 2510A
9/11/2012 9:14	Field Cond		315	uS/cm	SM 2510A
9/12/2012 9:14	Field Cond		305	uS/cm	SM 2510A
9/13/2012 9:18	Field Cond		321	uS/cm	SM 2510A
9/17/2012 9:15	Field Cond		328	uS/cm	SM 2510A
9/18/2012 9:06	Field Cond		324	uS/cm	SM 2510A
9/19/2012 9:07	Field Cond		363	uS/cm	SM 2510A
9/20/2012 9:15	Field Cond		329	uS/cm	SM 2510A
9/24/2012 8:50	Field Cond		330	uS/cm	SM 2510A
9/25/2012 9:03	Field Cond		318	uS/cm	SM 2510A
9/26/2012 9:17	Field Cond		336	uS/cm	SM 2510A
9/27/2012 9:17	Field Cond		357	uS/cm	SM 2510A
10/1/2012 9:05	Field Cond		389	uS/cm	SM 2510A
10/2/2012 9:18	Field Cond		417	uS/cm	SM 2510A
10/3/2012 9:14	Field Cond		365	uS/cm	SM 2510A
10/4/2012 9:17	Field Cond		345	uS/cm	SM 2510A
10/8/2012 8:51	Field Cond		311	uS/cm	SM 2510A
10/9/2012 9:08	Field Cond		317	uS/cm	SM 2510A
10/10/2012 9:08	Field Cond		374	uS/cm	SM 2510A
10/15/2012 9:10	Field Cond		326	uS/cm	SM 2510A
10/16/2012 9:00	Field Cond		338	uS/cm	SM 2510A
10/17/2012 9:08	Field Cond		361	uS/cm	SM 2510A
10/18/2012 9:05	Field Cond		335	uS/cm	SM 2510A
10/22/2012 9:02	Field Cond		345	uS/cm	SM 2510A
10/23/2012 8:56	Field Cond		362	uS/cm	SM 2510A
10/24/2012 9:05	Field Cond		336	uS/cm	SM 2510A
10/25/2012 9:08	Field Cond		359	uS/cm	SM 2510A
5/1/2012 9:25	Field Temp		10.9	C	EPA 170.1
5/2/2012 9:32	Field Temp		11.7	C	EPA 170.1
5/3/2012 9:59	Field Temp		12.7	C	EPA 170.1
5/8/2012 9:20	Field Temp		14.6	C	EPA 170.1
5/9/2012 9:35	Field Temp		14.7	C	EPA 170.1
5/10/2012 9:00	Field Temp		14.6	C	EPA 170.1
5/14/2012 9:05	Field Temp		16	C	EPA 170.1
5/15/2012 8:21	Field Temp		15.7	C	EPA 170.1
5/16/2012 8:38	Field Temp		16	C	EPA 170.1
5/17/2012 8:10	Field Temp		14.7	C	EPA 170.1
5/18/2012 8:00	Field Temp		15.1	C	EPA 170.1
5/19/2012 6:36	Field Temp		14.6	C	EPA 170.1
5/20/2012 7:28	Field Temp		15.2	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
5/21/2012 8:17	Field Temp		14.3	C	EPA 170.1
5/22/2012 8:02	Field Temp		16.9	C	EPA 170.1
5/23/2012 8:30	Field Temp		17.3	C	EPA 170.1
5/24/2012 8:12	Field Temp		17.9	C	EPA 170.1
5/25/2012 8:28	Field Temp		15.6	C	EPA 170.1
5/26/2012 7:42	Field Temp		19.3	C	EPA 170.1
5/27/2012 7:47	Field Temp		18.2	C	EPA 170.1
5/28/2012 7:49	Field Temp		16.1	C	EPA 170.1
5/29/2012 8:17	Field Temp		17.3	C	EPA 170.1
5/30/2012 8:01	Field Temp		17.7	C	EPA 170.1
5/31/2012 8:12	Field Temp		18.1	C	EPA 170.1
6/1/2012 8:43	Field Temp		15.8	C	EPA 170.1
6/2/2012 8:10	Field Temp		15.1	C	EPA 170.1
6/3/2012 8:15	Field Temp		16.4	C	EPA 170.1
6/4/2012 7:54	Field Temp		16.4	C	EPA 170.1
6/5/2012 7:55	Field Temp		17.1	C	EPA 170.1
6/6/2012 7:40	Field Temp		16.6	C	EPA 170.1
6/7/2012 7:57	Field Temp		18.5	C	EPA 170.1
6/8/2012 7:57	Field Temp		19.5	C	EPA 170.1
6/9/2012 7:47	Field Temp		20	C	EPA 170.1
6/10/2012 7:47	Field Temp		21	C	EPA 170.1
6/11/2012 8:02	Field Temp		20.8	C	EPA 170.1
6/12/2012 8:06	Field Temp		19.9	C	EPA 170.1
6/13/2012 8:09	Field Temp		19.2	C	EPA 170.1
6/14/2012 8:08	Field Temp		20.3	C	EPA 170.1
6/15/2012 8:00	Field Temp		20.6	C	EPA 170.1
6/16/2012 7:47	Field Temp		18.3	C	EPA 170.1
6/17/2012 7:30	Field Temp		18.2	C	EPA 170.1
6/18/2012 7:51	Field Temp		19.3	C	EPA 170.1
6/19/2012 8:06	Field Temp		20.2	C	EPA 170.1
6/20/2012 8:02	Field Temp		21.4	C	EPA 170.1
6/21/2012 8:08	Field Temp		22.2	C	EPA 170.1
6/22/2012 7:57	Field Temp		23.3	C	EPA 170.1
6/23/2012 7:44	Field Temp		23.7	C	EPA 170.1
6/24/2012 7:50	Field Temp		23.2	C	EPA 170.1
6/25/2012 7:39	Field Temp		22.5	C	EPA 170.1
6/26/2012 7:54	Field Temp		21.5	C	EPA 170.1
6/27/2012 8:05	Field Temp		22.1	C	EPA 170.1
6/28/2012 7:47	Field Temp		23.3	C	EPA 170.1
6/29/2012 8:00	Field Temp		24.7	C	EPA 170.1
6/30/2012 7:58	Field Temp		24.4	C	EPA 170.1
7/1/2012 7:51	Field Temp		25	C	EPA 170.1
7/2/2012 7:40	Field Temp		24.7	C	EPA 170.1
7/3/2012 7:51	Field Temp		24.6	C	EPA 170.1
7/4/2012 8:03	Field Temp		23.8	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/5/2012 9:03	Field Temp		25	C	EPA 170.1
7/6/2012 7:40	Field Temp		25.5	C	EPA 170.1
7/7/2012 7:50	Field Temp		26.2	C	EPA 170.1
7/8/2012 7:43	Field Temp		26.5	C	EPA 170.1
7/9/2012 8:04	Field Temp		23.9	C	EPA 170.1
7/10/2012 8:31	Field Temp		25.1	C	EPA 170.1
7/11/2012 8:01	Field Temp		24.4	C	EPA 170.1
7/12/2012 8:16	Field Temp		24.9	C	EPA 170.1
7/13/2012 8:25	Field Temp		24.2	C	EPA 170.1
7/14/2012 7:55	Field Temp		23.3	C	EPA 170.1
7/15/2012 7:47	Field Temp		24.1	C	EPA 170.1
7/16/2012 8:05	Field Temp		24	C	EPA 170.1
7/17/2012 8:10	Field Temp		25	C	EPA 170.1
7/18/2012 8:12	Field Temp		26.2	C	EPA 170.1
7/19/2012 7:56	Field Temp		26	C	EPA 170.1
7/20/2012 8:05	Field Temp		25.5	C	EPA 170.1
7/21/2012 8:02	Field Temp		24.8	C	EPA 170.1
7/22/2012 7:52	Field Temp		25.3	C	EPA 170.1
7/23/2012 7:48	Field Temp		24.9	C	EPA 170.1
7/24/2012 7:45	Field Temp		26	C	EPA 170.1
7/25/2012 7:50	Field Temp		22.8	C	EPA 170.1
7/26/2012 7:36	Field Temp		25	C	EPA 170.1
7/27/2012 7:41	Field Temp		25.5	C	EPA 170.1
7/28/2012 8:10	Field Temp		25.8	C	EPA 170.1
7/29/2012 8:05	Field Temp		25.7	C	EPA 170.1
7/30/2012 7:46	Field Temp		26	C	EPA 170.1
7/31/2012 7:45	Field Temp		26.1	C	EPA 170.1
8/1/2012 7:45	Field Temp		25.7	C	EPA 170.1
8/2/2012 7:57	Field Temp		25.5	C	EPA 170.1
8/3/2012 8:02	Field Temp		26	C	EPA 170.1
8/4/2012 7:51	Field Temp		25.7	C	EPA 170.1
8/5/2012 7:37	Field Temp		25.2	C	EPA 170.1
8/6/2012 8:02	Field Temp		25	C	EPA 170.1
8/7/2012 8:26	Field Temp		24.4	C	EPA 170.1
8/8/2012 8:26	Field Temp		25.4	C	EPA 170.1
8/9/2012 9:05	Field Temp		25.2	C	EPA 170.1
8/10/2012 8:03	Field Temp		24.8	C	EPA 170.1
8/11/2012 7:57	Field Temp		23.6	C	EPA 170.1
8/12/2012 8:09	Field Temp		23	C	EPA 170.1
8/13/2012 8:00	Field Temp		23.2	C	EPA 170.1
8/14/2012 8:00	Field Temp		23	C	EPA 170.1
8/15/2012 8:02	Field Temp		22.4	C	EPA 170.1
8/16/2012 8:19	Field Temp		23.5	C	EPA 170.1
8/17/2012 8:08	Field Temp		22.6	C	EPA 170.1
8/18/2012 7:37	Field Temp		23.2	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/19/2012 7:50	Field Temp		22.8	C	EPA 170.1
8/20/2012 8:06	Field Temp		23.1	C	EPA 170.1
8/21/2012 7:48	Field Temp		23	C	EPA 170.1
8/22/2012 7:40	Field Temp		22.4	C	EPA 170.1
8/23/2012 7:55	Field Temp		22.7	C	EPA 170.1
8/24/2012 7:44	Field Temp		23.5	C	EPA 170.1
8/25/2012 7:45	Field Temp		23.2	C	EPA 170.1
8/26/2012 7:41	Field Temp		22.8	C	EPA 170.1
8/27/2012 7:34	Field Temp		23.1	C	EPA 170.1
8/28/2012 8:24	Field Temp		22	C	EPA 170.1
8/29/2012 7:47	Field Temp		23.8	C	EPA 170.1
8/30/2012 7:52	Field Temp		22.6	C	EPA 170.1
8/31/2012 8:20	Field Temp		23.2	C	EPA 170.1
9/1/2012 7:46	Field Temp		24	C	EPA 170.1
9/2/2012 8:06	Field Temp		23.7	C	EPA 170.1
9/3/2012 7:40	Field Temp		23.7	C	EPA 170.1
9/4/2012 7:50	Field Temp		23.4	C	EPA 170.1
9/5/2012 9:10	Field Temp		23.2	C	EPA 170.1
9/6/2012 9:01	Field Temp		23.6	C	EPA 170.1
9/7/2012 9:02	Field Temp		24.1	C	EPA 170.1
9/10/2012 9:00	Field Temp		22	C	EPA 170.1
9/11/2012 9:14	Field Temp		21.4	C	EPA 170.1
9/12/2012 9:14	Field Temp		22	C	EPA 170.1
9/13/2012 9:18	Field Temp		22	C	EPA 170.1
9/17/2012 9:15	Field Temp		20.8	C	EPA 170.1
9/18/2012 9:06	Field Temp		21.2	C	EPA 170.1
9/19/2012 9:07	Field Temp		16.9	C	EPA 170.1
9/20/2012 9:15	Field Temp		18.6	C	EPA 170.1
9/24/2012 8:50	Field Temp		16.9	C	EPA 170.1
9/25/2012 9:03	Field Temp		17.2	C	EPA 170.1
9/26/2012 9:17	Field Temp		17.6	C	EPA 170.1
9/27/2012 9:17	Field Temp		17.6	C	EPA 170.1
10/1/2012 9:05	Field Temp		16.8	C	EPA 170.1
10/2/2012 9:18	Field Temp		17.4	C	EPA 170.1
10/3/2012 9:14	Field Temp		17.7	C	EPA 170.1
10/4/2012 9:17	Field Temp		17.4	C	EPA 170.1
10/8/2012 8:51	Field Temp		14.3	C	EPA 170.1
10/9/2012 9:08	Field Temp		14.5	C	EPA 170.1
10/10/2012 9:08	Field Temp		13.8	C	EPA 170.1
10/15/2012 9:10	Field Temp		14.3	C	EPA 170.1
10/16/2012 9:00	Field Temp		12.4	C	EPA 170.1
10/17/2012 9:08	Field Temp		13.2	C	EPA 170.1
10/18/2012 9:05	Field Temp		13.5	C	EPA 170.1
10/22/2012 9:02	Field Temp		12.4	C	EPA 170.1
10/23/2012 8:56	Field Temp		13.4	C	EPA 170.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
10/24/2012 9:05	Field Temp		13.9	C	EPA 170.1
10/25/2012 9:08	Field Temp		14.3	C	EPA 170.1
5/1/2012 9:25	pH		8.36	S.U.	
5/2/2012 9:32	pH		8.23	S.U.	
5/3/2012 9:59	pH		8.24	S.U.	
5/8/2012 9:20	pH		8.19	S.U.	
5/9/2012 9:35	pH		8.48	S.U.	
5/10/2012 9:00	pH		8.34	S.U.	
5/14/2012 9:05	pH		8.42	S.U.	
5/15/2012 8:21	pH		8.57	S.U.	
5/16/2012 8:38	pH		8.5	S.U.	
5/17/2012 8:10	pH		7.23	S.U.	
5/18/2012 8:00	pH		8.27	S.U.	
5/19/2012 6:36	pH		8.15	S.U.	
5/20/2012 7:28	pH		8.3	S.U.	
5/21/2012 8:17	pH		8.03	S.U.	
5/22/2012 8:02	pH		8.33	S.U.	
5/23/2012 8:30	pH		8.24	S.U.	
5/24/2012 8:12	pH		8.55	S.U.	
5/25/2012 8:28	pH		8.25	S.U.	
5/26/2012 7:42	pH		8.58	S.U.	
5/27/2012 7:47	pH		8.49	S.U.	
5/28/2012 7:49	pH		8.21	S.U.	
5/29/2012 8:17	pH		8.19	S.U.	
5/30/2012 8:01	pH		8.31	S.U.	
5/31/2012 8:12	pH		8.15	S.U.	
6/1/2012 8:43	pH		7.88	S.U.	
6/2/2012 8:10	pH		8.02	S.U.	
6/3/2012 8:15	pH		8.11	S.U.	
6/4/2012 7:54	pH		8.05	S.U.	
6/5/2012 7:55	pH		8.04	S.U.	
6/6/2012 7:40	pH		7.96	S.U.	
6/7/2012 7:57	pH		8.06	S.U.	
6/8/2012 7:57	pH		8.38	S.U.	
6/9/2012 7:47	pH		8.27	S.U.	
6/10/2012 7:47	pH		8.3	S.U.	
6/11/2012 8:02	pH		8.43	S.U.	
6/12/2012 8:06	pH		8.1	S.U.	
6/13/2012 8:09	pH		8.15	S.U.	
6/14/2012 8:08	pH		8.13	S.U.	
6/15/2012 8:00	pH		7.97	S.U.	
6/16/2012 7:47	pH		7.6	S.U.	
6/17/2012 7:30	pH		7.73	S.U.	
6/18/2012 7:51	pH		7.9	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 8:06	pH		8.13	S.U.	
6/20/2012 8:02	pH		8.05	S.U.	
6/21/2012 8:08	pH		8.15	S.U.	
6/22/2012 7:57	pH		8.13	S.U.	
6/23/2012 7:44	pH		8.02	S.U.	
6/24/2012 7:50	pH		8	S.U.	
6/25/2012 7:39	pH		7.97	S.U.	
6/26/2012 7:54	pH		7.92	S.U.	
6/27/2012 8:05	pH		8.08	S.U.	
6/28/2012 7:47	pH		8.01	S.U.	
6/29/2012 8:00	pH		7.87	S.U.	
6/30/2012 7:58	pH		7.96	S.U.	
7/1/2012 7:51	pH		8.33	S.U.	
7/2/2012 7:40	pH		7.96	S.U.	
7/3/2012 7:51	pH		8.05	S.U.	
7/4/2012 8:03	pH		8.36	S.U.	
7/5/2012 9:03	pH		8.36	S.U.	
7/6/2012 7:40	pH		8.34	S.U.	
7/7/2012 7:50	pH		8.53	S.U.	
7/8/2012 7:43	pH		8.33	S.U.	
7/9/2012 8:04	pH		7.81	S.U.	
7/10/2012 8:31	pH		8.35	S.U.	
7/11/2012 8:01	pH		8.02	S.U.	
7/12/2012 8:16	pH		8.18	S.U.	
7/13/2012 8:25	pH		8.24	S.U.	
7/14/2012 7:55	pH		8.47	S.U.	
7/15/2012 7:47	pH		8.44	S.U.	
7/16/2012 8:05	pH		8.21	S.U.	
7/17/2012 8:10	pH		8.19	S.U.	
7/18/2012 8:12	pH		8.07	S.U.	
7/19/2012 7:56	pH		8.01	S.U.	
7/20/2012 8:05	pH		8.11	S.U.	
7/21/2012 8:02	pH		7.78	S.U.	
7/22/2012 7:52	pH		8.24	S.U.	
7/23/2012 7:48	pH		8.49	S.U.	
7/24/2012 7:45	pH		8.46	S.U.	
7/25/2012 7:50	pH		7.48	S.U.	
7/26/2012 7:36	pH		8.48	S.U.	
7/27/2012 7:41	pH		8.5	S.U.	
7/28/2012 8:10	pH		8.49	S.U.	
7/29/2012 8:05	pH		8.19	S.U.	
7/30/2012 7:46	pH		8.59	S.U.	
7/31/2012 7:45	pH		8.6	S.U.	
8/1/2012 7:45	pH		8.28	S.U.	
8/2/2012 7:57	pH		8.59	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
8/3/2012 8:02	pH		8.54	S.U.	
8/4/2012 7:51	pH		8.34	S.U.	
8/5/2012 7:37	pH		7.92	S.U.	
8/6/2012 8:02	pH		8.13	S.U.	
8/7/2012 8:26	pH		8.24	S.U.	
8/8/2012 8:26	pH		8.44	S.U.	
8/9/2012 9:05	pH		8.04	S.U.	
8/10/2012 8:03	pH		8.02	S.U.	
8/11/2012 7:57	pH		8.23	S.U.	
8/12/2012 8:09	pH		8.26	S.U.	
8/13/2012 8:00	pH		8.43	S.U.	
8/14/2012 8:00	pH		8.5	S.U.	
8/15/2012 8:02	pH		8.59	S.U.	
8/16/2012 8:19	pH		8.69	S.U.	
8/17/2012 8:08	pH		8.42	S.U.	
8/18/2012 7:37	pH		8.14	S.U.	
8/19/2012 7:50	pH		8.57	S.U.	
8/20/2012 8:06	pH		8.42	S.U.	
8/21/2012 7:48	pH		8.38	S.U.	
8/22/2012 7:40	pH		8.7	S.U.	
8/23/2012 7:55	pH		8.53	S.U.	
8/24/2012 7:44	pH		8.57	S.U.	
8/25/2012 7:45	pH		8.38	S.U.	
8/26/2012 7:41	pH		8.38	S.U.	
8/27/2012 7:34	pH		8.38	S.U.	
8/28/2012 8:24	pH		8.13	S.U.	
8/29/2012 7:47	pH		7.94	S.U.	
8/30/2012 7:52	pH		8.34	S.U.	
8/31/2012 8:20	pH		8.39	S.U.	
9/1/2012 7:46	pH		8.18	S.U.	
9/2/2012 8:06	pH		8.14	S.U.	
9/3/2012 7:40	pH		7.76	S.U.	
9/4/2012 7:50	pH		7.83	S.U.	
9/5/2012 9:10	pH		8.07	S.U.	
9/6/2012 9:01	pH		8.33	S.U.	
9/7/2012 9:02	pH		8.29	S.U.	
9/10/2012 9:00	pH		7.9	S.U.	
9/11/2012 9:14	pH		8.3	S.U.	
9/12/2012 9:14	pH		8.48	S.U.	
9/13/2012 9:18	pH		8.33	S.U.	
9/17/2012 9:15	pH		8.34	S.U.	
9/18/2012 9:06	pH		8.34	S.U.	
9/19/2012 9:07	pH		7.85	S.U.	
9/20/2012 9:15	pH		8.28	S.U.	
9/24/2012 8:50	pH		8.04	S.U.	

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/25/2012 9:03	pH		8.43	S.U.	
9/26/2012 9:17	pH		8.36	S.U.	
9/27/2012 9:17	pH		8.03	S.U.	
10/1/2012 9:05	pH		8.09	S.U.	
10/2/2012 9:18	pH		7.8	S.U.	
10/3/2012 9:14	pH		8	S.U.	
10/4/2012 9:17	pH		8.21	S.U.	
10/8/2012 8:51	pH		7.91	S.U.	
10/9/2012 9:08	pH		7.93	S.U.	
10/10/2012 9:08	pH		7.56	S.U.	
10/15/2012 9:10	pH		7.66	S.U.	
10/16/2012 9:00	pH		7.92	S.U.	
10/17/2012 9:08	pH		7.79	S.U.	
10/18/2012 9:05	pH		7.67	S.U.	
10/22/2012 9:02	pH		7.88	S.U.	
10/23/2012 8:56	pH		7.71	S.U.	
10/24/2012 9:05	pH		7.58	S.U.	
10/25/2012 9:08	pH		7.78	S.U.	
5/1/2012 9:25	Turbidity		18.1	NTU	EPA180.1
5/2/2012 9:32	Turbidity		21.4	NTU	EPA180.1
5/3/2012 9:59	Turbidity		13.25	NTU	EPA180.1
5/7/2012 10:25	Turbidity		25.3	NTU	EPA180.1
5/8/2012 9:20	Turbidity		12.35	NTU	EPA180.1
5/9/2012 9:35	Turbidity		6.215	NTU	EPA180.1
5/10/2012 9:00	Turbidity		14.35	NTU	EPA180.1
5/14/2012 9:05	Turbidity		11.2	NTU	EPA180.1
5/15/2012 8:21	Turbidity		8.265	NTU	EPA180.1
5/16/2012 8:38	Turbidity		12.225	NTU	EPA180.1
5/17/2012 8:10	Turbidity		12.5	NTU	EPA180.1
5/21/2012 8:17	Turbidity		5.96	NTU	EPA180.1
5/22/2012 8:02	Turbidity		17.1	NTU	EPA180.1
5/23/2012 8:30	Turbidity		15.1	NTU	EPA180.1
5/24/2012 8:12	Turbidity		7.84	NTU	EPA180.1
5/25/2012 8:28	Turbidity		4.35	NTU	EPA180.1
5/26/2012 7:42	Turbidity		4.3	NTU	EPA180.1
5/27/2012 7:47	Turbidity		5.67	NTU	EPA180.1
5/28/2012 7:49	Turbidity		13.05	NTU	EPA180.1
5/29/2012 8:17	Turbidity		7.15	NTU	EPA180.1
5/30/2012 8:01	Turbidity		6.93	NTU	EPA180.1
5/31/2012 8:12	Turbidity		19.75	NTU	EPA180.1
6/1/2012 8:43	Turbidity		28.9	NTU	EPA180.1
6/2/2012 8:10	Turbidity		34.3	NTU	EPA180.1
6/3/2012 8:15	Turbidity		31.4	NTU	EPA180.1
6/4/2012 7:54	Turbidity		35.3	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
6/5/2012 7:55	Turbidity		22.35	NTU	EPA180.1
6/6/2012 7:40	Turbidity		7.585	NTU	EPA180.1
6/7/2012 7:57	Turbidity		6.7	NTU	EPA180.1
6/8/2012 7:57	Turbidity		5.4	NTU	EPA180.1
6/9/2012 7:47	Turbidity		3.6	NTU	EPA180.1
6/10/2012 7:47	Turbidity		3	NTU	EPA180.1
6/11/2012 8:02	Turbidity		4.61	NTU	EPA180.1
6/12/2012 8:06	Turbidity		4.93	NTU	EPA180.1
6/13/2012 8:09	Turbidity		16	NTU	EPA180.1
6/14/2012 8:08	Turbidity		6.58	NTU	EPA180.1
6/15/2012 8:00	Turbidity		9.45	NTU	EPA180.1
6/16/2012 7:47	Turbidity		8.47	NTU	EPA180.1
6/17/2012 7:30	Turbidity		5.9	NTU	EPA180.1
6/18/2012 7:51	Turbidity		4.11	NTU	EPA180.1
6/19/2012 8:06	Turbidity		5.4	NTU	EPA180.1
6/20/2012 8:02	Turbidity		3.58	NTU	EPA180.1
6/21/2012 8:08	Turbidity		4.79	NTU	EPA180.1
6/22/2012 7:57	Turbidity		7.19	NTU	EPA180.1
6/23/2012 7:44	Turbidity		7.93	NTU	EPA180.1
6/24/2012 7:50	Turbidity		2.75	NTU	EPA180.1
6/25/2012 7:39	Turbidity		22.3	NTU	EPA180.1
6/26/2012 7:54	Turbidity		19.1	NTU	EPA180.1
6/27/2012 8:05	Turbidity		9.21	NTU	EPA180.1
6/28/2012 7:47	Turbidity		5.11	NTU	EPA180.1
6/29/2012 8:00	Turbidity		7.98	NTU	EPA180.1
6/30/2012 7:58	Turbidity		8.55	NTU	EPA180.1
7/1/2012 7:51	Turbidity		7.5	NTU	EPA180.1
7/2/2012 7:40	Turbidity		3.33	NTU	EPA180.1
7/3/2012 7:51	Turbidity		5.26	NTU	EPA180.1
7/4/2012 8:03	Turbidity		3.86	NTU	EPA180.1
7/5/2012 9:03	Turbidity		24.75	NTU	EPA180.1
7/6/2012 7:40	Turbidity		3.41	NTU	EPA180.1
7/7/2012 7:50	Turbidity		3.7	NTU	EPA180.1
7/8/2012 7:43	Turbidity		7.7	NTU	EPA180.1
7/9/2012 8:04	Turbidity		5.42	NTU	EPA180.1
7/10/2012 8:31	Turbidity		4.35	NTU	EPA180.1
7/11/2012 8:01	Turbidity		4.76	NTU	EPA180.1
7/12/2012 8:16	Turbidity		6.79	NTU	EPA180.1
7/13/2012 8:25	Turbidity		3.39	NTU	EPA180.1
7/14/2012 7:55	Turbidity		3.46	NTU	EPA180.1
7/15/2012 7:47	Turbidity		6.21	NTU	EPA180.1
7/16/2012 8:05	Turbidity		7.69	NTU	EPA180.1
7/17/2012 8:10	Turbidity		5.7	NTU	EPA180.1
7/18/2012 8:12	Turbidity		6	NTU	EPA180.1
7/19/2012 7:56	Turbidity		3.1	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
7/20/2012 8:05	Turbidity		19	NTU	EPA180.1
7/21/2012 8:02	Turbidity		7	NTU	EPA180.1
7/22/2012 7:52	Turbidity		6.6	NTU	EPA180.1
7/23/2012 7:48	Turbidity		4.99	NTU	EPA180.1
7/24/2012 7:45	Turbidity		6.35	NTU	EPA180.1
7/25/2012 7:50	Turbidity		10.08	NTU	EPA180.1
7/26/2012 7:36	Turbidity		8.7	NTU	EPA180.1
7/27/2012 7:41	Turbidity		8.73	NTU	EPA180.1
7/28/2012 8:10	Turbidity		5.39	NTU	EPA180.1
7/29/2012 8:05	Turbidity		5.11	NTU	EPA180.1
7/30/2012 7:46	Turbidity		6.9	NTU	EPA180.1
7/31/2012 7:45	Turbidity		7.08	NTU	EPA180.1
8/1/2012 7:45	Turbidity		4.21	NTU	EPA180.1
8/2/2012 7:57	Turbidity		6.5	NTU	EPA180.1
8/3/2012 8:02	Turbidity		5.89	NTU	EPA180.1
8/4/2012 7:51	Turbidity		4.27	NTU	EPA180.1
8/5/2012 7:37	Turbidity		4.1	NTU	EPA180.1
8/6/2012 8:02	Turbidity		13.9	NTU	EPA180.1
8/7/2012 8:26	Turbidity		4.25	NTU	EPA180.1
8/8/2012 8:26	Turbidity		3.705	NTU	EPA180.1
8/9/2012 9:05	Turbidity		10.55	NTU	EPA180.1
8/10/2012 8:03	Turbidity		7.29	NTU	EPA180.1
8/11/2012 7:57	Turbidity		11.6	NTU	EPA180.1
8/12/2012 8:09	Turbidity		15.6	NTU	EPA180.1
8/13/2012 8:00	Turbidity		8.56	NTU	EPA180.1
8/14/2012 8:00	Turbidity		4.14	NTU	EPA180.1
8/15/2012 8:02	Turbidity		7.84	NTU	EPA180.1
8/16/2012 8:19	Turbidity		4.82	NTU	EPA180.1
8/17/2012 8:08	Turbidity		27.1	NTU	EPA180.1
8/18/2012 7:37	Turbidity		15.9	NTU	EPA180.1
8/19/2012 7:50	Turbidity		6.31	NTU	EPA180.1
8/20/2012 8:06	Turbidity		5.16	NTU	EPA180.1
8/21/2012 7:48	Turbidity		6.95	NTU	EPA180.1
8/22/2012 7:40	Turbidity		7.09	NTU	EPA180.1
8/23/2012 7:55	Turbidity		6.17	NTU	EPA180.1
8/24/2012 7:44	Turbidity		4.7	NTU	EPA180.1
8/25/2012 7:45	Turbidity		8.3	NTU	EPA180.1
8/26/2012 7:41	Turbidity		4.97	NTU	EPA180.1
8/27/2012 7:34	Turbidity		3.51	NTU	EPA180.1
8/28/2012 8:24	Turbidity		7.63	NTU	EPA180.1
8/29/2012 7:47	Turbidity		10.9	NTU	EPA180.1
8/30/2012 7:52	Turbidity		5.61	NTU	EPA180.1
8/31/2012 8:20	Turbidity		6.07	NTU	EPA180.1
9/1/2012 7:46	Turbidity		7.08	NTU	EPA180.1
9/2/2012 8:06	Turbidity		4.52	NTU	EPA180.1

Edgewater West Site

Sample Date	Parameter	Code	Result	Units	Method
9/3/2012 7:40	Turbidity		6.72	NTU	EPA180.1
9/4/2012 7:50	Turbidity		12.8	NTU	EPA180.1
9/5/2012 9:10	Turbidity		6.03	NTU	EPA180.1
9/6/2012 9:01	Turbidity		9.07	NTU	EPA180.1
9/7/2012 9:02	Turbidity		4.865	NTU	EPA180.1
9/10/2012 9:00	Turbidity		20.8	NTU	EPA180.1
9/11/2012 9:14	Turbidity		6.51	NTU	EPA180.1
9/12/2012 9:14	Turbidity		6.05	NTU	EPA180.1
9/13/2012 9:18	Turbidity		5.82	NTU	EPA180.1
9/17/2012 9:15	Turbidity		6.43	NTU	EPA180.1
9/18/2012 9:06	Turbidity		5.32	NTU	EPA180.1
9/19/2012 9:07	Turbidity		55.5	NTU	EPA180.1
9/20/2012 9:15	Turbidity		5.84	NTU	EPA180.1
9/24/2012 8:50	Turbidity		43.6	NTU	EPA180.1
9/25/2012 9:03	Turbidity		4.59	NTU	EPA180.1
9/26/2012 9:17	Turbidity		7	NTU	EPA180.1
9/27/2012 9:17	Turbidity		19.55	NTU	EPA180.1
10/1/2012 9:05	Turbidity		3.85	NTU	EPA180.1
10/2/2012 9:18	Turbidity		6.62	NTU	EPA180.1
10/3/2012 9:14	Turbidity		5.77	NTU	EPA180.1
10/8/2012 8:51	Turbidity		8.45	NTU	EPA180.1
10/9/2012 9:08	Turbidity		2.59	NTU	EPA180.1
10/10/2012 9:08	Turbidity		8.93	NTU	EPA180.1
10/15/2012 9:10	Turbidity		29.4	NTU	EPA180.1
10/16/2012 9:00	Turbidity		48.7	NTU	EPA180.1
10/17/2012 9:08	Turbidity		7.79	NTU	EPA180.1
10/18/2012 9:05	Turbidity		4.53	NTU	EPA180.1
10/22/2012 9:02	Turbidity		4.99	NTU	EPA180.1
10/23/2012 8:56	Turbidity		5.9	NTU	EPA180.1
10/24/2012 9:05	Turbidity		6	NTU	EPA180.1
10/25/2012 9:08	Turbidity		8.05	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
3/8/2012 8:45	E. coli		135	cfu/100mL	EPA1603
3/13/2012 9:06	E. coli		1460	cfu/100mL	EPA1603
3/15/2012 9:39	E. coli		53	cfu/100mL	EPA1603
3/20/2012 9:03	E. coli		860	cfu/100mL	EPA1603
3/23/2012 8:55	E. coli		41	cfu/100mL	EPA1603
3/27/2012 8:36	E. coli		104	cfu/100mL	EPA1603
3/29/2012 8:39	E. coli		185	cfu/100mL	EPA1603
4/3/2012 8:56	E. coli		11	cfu/100mL	EPA1603
4/5/2012 8:57	E. coli		5	cfu/100mL	EPA1603
4/10/2012 9:09	E. coli		720	cfu/100mL	EPA1603
4/12/2012 8:32	E. coli	EC	111	cfu/100mL	EPA1603
4/17/2012 11:13	E. coli		220	cfu/100mL	EPA1603
4/19/2012 9:16	E. coli		15	cfu/100mL	EPA1603
5/1/2012 8:33	E. coli		640	cfu/100mL	EPA1603
5/2/2012 8:41	E. coli		480	cfu/100mL	EPA1603
5/3/2012 8:57	E. coli		32	cfu/100mL	EPA1603
5/7/2012 9:18	E. coli		21	cfu/100mL	EPA1603
5/8/2012 8:33	E. coli		720	cfu/100mL	EPA1603
5/9/2012 8:44	E. coli		780	cfu/100mL	EPA1603
5/10/2012 8:16	E. coli		600	cfu/100mL	EPA1603
5/14/2012 7:19	E. coli		15	cfu/100mL	EPA1603
5/15/2012 7:24	E. coli		8	cfu/100mL	EPA1603
5/16/2012 7:34	E. coli		125	cfu/100mL	EPA1603
5/17/2012 7:17	E. coli		28	cfu/100mL	EPA1603
5/21/2012 7:22	E. coli		23	cfu/100mL	EPA1603
5/22/2012 7:12	E. coli		250	cfu/100mL	EPA1603
5/23/2012 7:35	E. coli		23	cfu/100mL	EPA1603
5/24/2012 7:21	E. coli		63	cfu/100mL	EPA1603
5/29/2012 7:19	E. coli		74	cfu/100mL	EPA1603
5/30/2012 7:17	E. coli		140	cfu/100mL	EPA1603
5/31/2012 7:21	E. coli		1550	cfu/100mL	EPA1603
6/4/2012 7:11	E. coli		66	cfu/100mL	EPA1603
6/5/2012 7:14	E. coli		67	cfu/100mL	EPA1603
6/6/2012 7:02	E. coli		68	cfu/100mL	EPA1603
6/7/2012 7:10	E. coli		580	cfu/100mL	EPA1603
6/11/2012 7:14	E. coli		115	cfu/100mL	EPA1603
6/12/2012 7:17	E. coli	EC	13900	cfu/100mL	EPA1603
6/13/2012 7:24	E. coli		2700	cfu/100mL	EPA1603
6/14/2012 7:17	E. coli	EC	113	cfu/100mL	EPA1603
6/18/2012 7:10	E. coli		720	cfu/100mL	EPA1603
6/19/2012 7:10	E. coli		1170	cfu/100mL	EPA1603
6/20/2012 7:16	E. coli		200	cfu/100mL	EPA1603
6/21/2012 7:11	E. coli		760	cfu/100mL	EPA1603
6/25/2012 6:58	E. coli		6300	cfu/100mL	EPA1603
6/26/2012 7:13	E. coli		335	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/27/2012 7:10	E. coli		49.5	cfu/100mL	EPA1603
6/28/2012 7:08	E. coli		54	cfu/100mL	EPA1603
7/2/2012 7:02	E. coli		190	cfu/100mL	EPA1603
7/5/2012 7:54	E. coli		1040	cfu/100mL	EPA1603
7/9/2012 7:20	E. coli		420	cfu/100mL	EPA1603
7/10/2012 7:33	E. coli		38	cfu/100mL	EPA1603
7/11/2012 7:19	E. coli		195	cfu/100mL	EPA1603
7/12/2012 7:25	E. coli		79	cfu/100mL	EPA1603
7/16/2012 7:20	E. coli		305	cfu/100mL	EPA1603
7/17/2012 7:27	E. coli		920	cfu/100mL	EPA1603
7/18/2012 7:26	E. coli		880	cfu/100mL	EPA1603
7/19/2012 7:18	E. coli		43	cfu/100mL	EPA1603
7/23/2012 7:00	E. coli		195	cfu/100mL	EPA1603
7/24/2012 7:02	E. coli		290	cfu/100mL	EPA1603
7/25/2012 7:00	E. coli		71	cfu/100mL	EPA1603
7/26/2012 6:55	E. coli		640	cfu/100mL	EPA1603
7/30/2012 7:04	E. coli		23	cfu/100mL	EPA1603
7/31/2012 7:01	E. coli		45	cfu/100mL	EPA1603
8/1/2012 6:57	E. coli		520	cfu/100mL	EPA1603
8/2/2012 7:11	E. coli		63	cfu/100mL	EPA1603
8/6/2012 7:15	E. coli		610	cfu/100mL	EPA1603
8/7/2012 7:18	E. coli		53	cfu/100mL	EPA1603
8/8/2012 7:35	E. coli		960	cfu/100mL	EPA1603
8/9/2012 7:18	E. coli	EC	428	cfu/100mL	EPA1603
8/13/2012 7:12	E. coli		36	cfu/100mL	EPA1603
8/14/2012 7:09	E. coli		20	cfu/100mL	EPA1603
8/15/2012 7:17	E. coli		21	cfu/100mL	EPA1603
8/16/2012 7:30	E. coli		207.5	cfu/100mL	EPA1603
8/20/2012 7:01	E. coli		9	cfu/100mL	EPA1603
8/21/2012 7:02	E. coli		6	cfu/100mL	EPA1603
8/22/2012 6:54	E. coli		6	cfu/100mL	EPA1603
8/23/2012 7:04	E. coli		20	cfu/100mL	EPA1603
8/27/2012 6:55	E. coli		33	cfu/100mL	EPA1603
8/28/2012 7:03	E. coli		1883.5	cfu/100mL	EPA1603
8/29/2012 7:08	E. coli		260	cfu/100mL	EPA1603
8/30/2012 7:12	E. coli		73	cfu/100mL	EPA1603
9/4/2012 7:06	E. coli		900	cfu/100mL	EPA1603
9/5/2012 8:17	E. coli		192.5	cfu/100mL	EPA1603
9/6/2012 8:08	E. coli		520	cfu/100mL	EPA1603
9/10/2012 8:12	E. coli		158	cfu/100mL	EPA1603
9/11/2012 8:21	E. coli		22	cfu/100mL	EPA1603
9/12/2012 8:28	E. coli		22	cfu/100mL	EPA1603
9/13/2012 8:29	E. coli		10	cfu/100mL	EPA1603
9/17/2012 8:25	E. coli		2	cfu/100mL	EPA1603
9/18/2012 8:21	E. coli		205	cfu/100mL	EPA1603

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/19/2012 8:18	E. coli		700	cfu/100mL	EPA1603
9/20/2012 8:20	E. coli		31	cfu/100mL	EPA1603
9/24/2012 8:07	E. coli		265	cfu/100mL	EPA1603
9/25/2012 8:16	E. coli		480	cfu/100mL	EPA1603
9/26/2012 8:38	E. coli		130	cfu/100mL	EPA1603
9/27/2012 8:32	E. coli		265	cfu/100mL	EPA1603
10/1/2012 8:16	E. coli		18	cfu/100mL	EPA1603
10/2/2012 8:27	E. coli		42	cfu/100mL	EPA1603
10/3/2012 8:28	E. coli		84	cfu/100mL	EPA1603
10/4/2012 8:31	E. coli	EC	85	cfu/100mL	EPA1603
10/8/2012 8:11	E. coli		350	cfu/100mL	EPA1603
10/9/2012 8:29	E. coli		35.5	cfu/100mL	EPA1603
10/10/2012 8:29	E. coli		195	cfu/100mL	EPA1603
10/15/2012 8:23	E. coli		48	cfu/100mL	EPA1603
10/16/2012 8:22	E. coli		36	cfu/100mL	EPA1603
10/17/2012 8:26	E. coli		17	cfu/100mL	EPA1603
10/18/2012 8:24	E. coli		4	cfu/100mL	EPA1603
10/22/2012 8:17	E. coli		4	cfu/100mL	EPA1603
10/23/2012 8:14	E. coli		31	cfu/100mL	EPA1603
10/24/2012 7:48	E. coli		158	cfu/100mL	EPA1603
10/25/2012 7:53	E. coli	EC	1625.5	cfu/100mL	EPA1603
5/7/2012 9:18	E. coli		16	MPN/100 mL	SM9223 Colilert
5/8/2012 8:33	E. coli		436	MPN/100 mL	SM9223 Colilert
5/9/2012 8:44	E. coli		727	MPN/100 mL	SM9223 Colilert
5/10/2012 8:16	E. coli		517	MPN/100 mL	SM9223 Colilert
5/14/2012 7:19	E. coli		13	MPN/100 mL	SM9223 Colilert
5/15/2012 7:24	E. coli		14	MPN/100 mL	SM9223 Colilert
5/16/2012 7:34	E. coli		96	MPN/100 mL	SM9223 Colilert
5/17/2012 7:17	E. coli		38	MPN/100 mL	SM9223 Colilert
5/25/2012 7:35	E. coli		49	MPN/100 mL	SM9223 Colilert
5/26/2012 7:01	E. coli		117	MPN/100 mL	SM9223 Colilert
5/27/2012 7:10	E. coli		13	MPN/100 mL	SM9223 Colilert
5/28/2012 7:09	E. coli		130	MPN/100 mL	SM9223 Colilert
6/1/2012 7:46	E. coli		1230	MPN/100 mL	SM9223 Colilert
6/2/2012 7:15	E. coli		4082	MPN/100 mL	SM9223 Colilert
6/3/2012 7:32	E. coli		365	MPN/100 mL	SM9223 Colilert
6/8/2012 7:12	E. coli		488	MPN/100 mL	SM9223 Colilert
6/9/2012 7:02	E. coli		214	MPN/100 mL	SM9223 Colilert
6/10/2012 7:00	E. coli		46	MPN/100 mL	SM9223 Colilert
6/15/2012 7:18	E. coli	EC	120	MPN/100 mL	SM9223 Colilert
6/16/2012 7:00	E. coli		48	MPN/100 mL	SM9223 Colilert
6/17/2012 6:53	E. coli		547	MPN/100 mL	SM9223 Colilert
6/22/2012 7:14	E. coli		435	MPN/100 mL	SM9223 Colilert
6/23/2012 7:03	E. coli		194	MPN/100 mL	SM9223 Colilert

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/24/2012 7:15	E. coli		59	MPN/100 mL	SM9223 Colilert
6/29/2012 7:13	E. coli		249	MPN/100 mL	SM9223 Colilert
6/30/2012 7:20	E. coli		436	MPN/100 mL	SM9223 Colilert
7/1/2012 7:14	E. coli		53	MPN/100 mL	SM9223 Colilert
7/3/2012 7:17	E. coli		1986	MPN/100 mL	SM9223 Colilert
7/4/2012 7:23	E. coli		1540	MPN/100 mL	SM9223 Colilert
7/6/2012 7:05	E. coli		220	MPN/100 mL	SM9223 Colilert
7/7/2012 7:00	E. coli		63	MPN/100 mL	SM9223 Colilert
7/8/2012 7:00	E. coli		456	MPN/100 mL	SM9223 Colilert
7/13/2012 7:20	E. coli		16	MPN/100 mL	SM9223 Colilert
7/14/2012 7:15	E. coli		5	MPN/100 mL	SM9223 Colilert
7/15/2012 7:03	E. coli		167	MPN/100 mL	SM9223 Colilert
7/20/2012 7:22	E. coli		1414	MPN/100 mL	SM9223 Colilert
7/21/2012 7:15	E. coli		26	MPN/100 mL	SM9223 Colilert
7/22/2012 7:18	E. coli		49	MPN/100 mL	SM9223 Colilert
7/27/2012 6:56	E. coli		854.5	MPN/100 mL	SM9223 Colilert
7/28/2012 9:08	E. coli		6932	MPN/100 mL	SM9223 Colilert
7/29/2012 7:18	E. coli		86	MPN/100 mL	SM9223 Colilert
8/3/2012 7:13	E. coli		36	MPN/100 mL	SM9223 Colilert
8/4/2012 7:11	E. coli		25	MPN/100 mL	SM9223 Colilert
8/5/2012 6:54	E. coli		1203	MPN/100 mL	SM9223 Colilert
8/10/2012 7:22	E. coli		420	MPN/100 mL	SM9223 Colilert
8/11/2012 7:10	E. coli		875	MPN/100 mL	SM9223 Colilert
8/12/2012 7:21	E. coli		87	MPN/100 mL	SM9223 Colilert
8/17/2012 7:22	E. coli		545	MPN/100 mL	SM9223 Colilert
8/18/2012 6:58	E. coli		224	MPN/100 mL	SM9223 Colilert
8/19/2012 7:10	E. coli	<	2	MPN/100 mL	SM9223 Colilert
8/24/2012 6:59	E. coli		3	MPN/100 mL	SM9223 Colilert
8/25/2012 7:03	E. coli		4	MPN/100 mL	SM9223 Colilert
8/26/2012 6:59	E. coli		12	MPN/100 mL	SM9223 Colilert
8/31/2012 7:05	E. coli		1553	MPN/100 mL	SM9223 Colilert
9/1/2012 7:07	E. coli		57	MPN/100 mL	SM9223 Colilert
9/2/2012 7:15	E. coli		24	MPN/100 mL	SM9223 Colilert
9/3/2012 6:58	E. coli		99	MPN/100 mL	SM9223 Colilert
9/7/2012 8:11	E. coli		27	MPN/100 mL	SM9223 Colilert
3/8/2012 8:45	Field Cond		0	uS/cm	SM 2510A
3/13/2012 9:06	Field Cond		384	uS/cm	SM 2510A
3/15/2012 9:39	Field Cond		301	uS/cm	SM 2510A
3/20/2012 9:03	Field Cond		354	uS/cm	SM 2510A
3/23/2012 8:55	Field Cond		402	uS/cm	SM 2510A
3/27/2012 8:36	Field Cond		350	uS/cm	SM 2510A
3/29/2012 8:39	Field Cond		445	uS/cm	SM 2510A
4/3/2012 8:56	Field Cond		330	uS/cm	SM 2510A
4/5/2012 8:57	Field Cond		301	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
4/10/2012 9:09	Field Cond		402	uS/cm	SM 2510A
4/12/2012 8:32	Field Cond		421	uS/cm	SM 2510A
4/17/2012 11:13	Field Cond		412	uS/cm	SM 2510A
4/19/2012 9:16	Field Cond		328	uS/cm	SM 2510A
5/1/2012 8:33	Field Cond		328	uS/cm	SM 2510A
5/2/2012 8:41	Field Cond		342	uS/cm	SM 2510A
5/3/2012 8:57	Field Cond		316	uS/cm	SM 2510A
5/7/2012 9:18	Field Cond		319	uS/cm	SM 2510A
5/8/2012 8:33	Field Cond		313	uS/cm	SM 2510A
5/9/2012 8:44	Field Cond		320	uS/cm	SM 2510A
5/10/2012 8:16	Field Cond		414	uS/cm	SM 2510A
5/14/2012 7:19	Field Cond		330	uS/cm	SM 2510A
5/15/2012 7:24	Field Cond		324	uS/cm	SM 2510A
5/16/2012 7:34	Field Cond		330	uS/cm	SM 2510A
5/17/2012 7:17	Field Cond		330	uS/cm	SM 2510A
5/18/2012 7:16	Field Cond		316	uS/cm	SM 2510A
5/21/2012 7:22	Field Cond		306	uS/cm	SM 2510A
5/22/2012 7:12	Field Cond		308	uS/cm	SM 2510A
5/23/2012 7:35	Field Cond		309	uS/cm	SM 2510A
5/24/2012 7:21	Field Cond		313	uS/cm	SM 2510A
5/25/2012 7:35	Field Cond		334	uS/cm	SM 2510A
5/26/2012 7:01	Field Cond		377	uS/cm	SM 2510A
5/27/2012 7:10	Field Cond		360	uS/cm	SM 2510A
5/28/2012 7:09	Field Cond		357	uS/cm	SM 2510A
5/29/2012 7:19	Field Cond		310	uS/cm	SM 2510A
5/30/2012 7:17	Field Cond		313	uS/cm	SM 2510A
5/31/2012 7:21	Field Cond		355	uS/cm	SM 2510A
6/1/2012 7:46	Field Cond		296	uS/cm	SM 2510A
6/2/2012 7:15	Field Cond		355	uS/cm	SM 2510A
6/3/2012 7:32	Field Cond		324	uS/cm	SM 2510A
6/4/2012 7:11	Field Cond		342	uS/cm	SM 2510A
6/5/2012 7:14	Field Cond		333	uS/cm	SM 2510A
6/6/2012 7:02	Field Cond		345	uS/cm	SM 2510A
6/7/2012 7:10	Field Cond		320	uS/cm	SM 2510A
6/8/2012 7:12	Field Cond		330	uS/cm	SM 2510A
6/9/2012 7:02	Field Cond		332	uS/cm	SM 2510A
6/10/2012 7:00	Field Cond		313	uS/cm	SM 2510A
6/11/2012 7:14	Field Cond		318	uS/cm	SM 2510A
6/12/2012 7:17	Field Cond		311	uS/cm	SM 2510A
6/13/2012 7:24	Field Cond		327	uS/cm	SM 2510A
6/14/2012 7:17	Field Cond		305	uS/cm	SM 2510A
6/15/2012 7:18	Field Cond		312	uS/cm	SM 2510A
6/16/2012 7:00	Field Cond		321	uS/cm	SM 2510A
6/17/2012 6:53	Field Cond		313	uS/cm	SM 2510A
6/18/2012 7:10	Field Cond		331	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/19/2012 7:10	Field Cond		332	uS/cm	SM 2510A
6/20/2012 7:16	Field Cond		310	uS/cm	SM 2510A
6/21/2012 7:11	Field Cond		321	uS/cm	SM 2510A
6/22/2012 7:14	Field Cond		328	uS/cm	SM 2510A
6/23/2012 7:03	Field Cond		326	uS/cm	SM 2510A
6/24/2012 7:15	Field Cond		313	uS/cm	SM 2510A
6/25/2012 6:58	Field Cond		325	uS/cm	SM 2510A
6/26/2012 7:13	Field Cond		331	uS/cm	SM 2510A
6/27/2012 7:10	Field Cond		333	uS/cm	SM 2510A
6/28/2012 7:08	Field Cond		325	uS/cm	SM 2510A
6/29/2012 7:13	Field Cond		309	uS/cm	SM 2510A
6/30/2012 7:20	Field Cond		337	uS/cm	SM 2510A
7/1/2012 7:14	Field Cond		302	uS/cm	SM 2510A
7/2/2012 7:02	Field Cond		308	uS/cm	SM 2510A
7/3/2012 7:17	Field Cond		317	uS/cm	SM 2510A
7/4/2012 7:23	Field Cond		314	uS/cm	SM 2510A
7/5/2012 7:54	Field Cond		286	uS/cm	SM 2510A
7/6/2012 7:05	Field Cond		308	uS/cm	SM 2510A
7/7/2012 7:00	Field Cond		303	uS/cm	SM 2510A
7/8/2012 7:00	Field Cond		325	uS/cm	SM 2510A
7/9/2012 7:20	Field Cond		307	uS/cm	SM 2510A
7/10/2012 7:33	Field Cond		319	uS/cm	SM 2510A
7/11/2012 7:19	Field Cond		316	uS/cm	SM 2510A
7/12/2012 7:25	Field Cond		322	uS/cm	SM 2510A
7/13/2012 7:20	Field Cond		330	uS/cm	SM 2510A
7/14/2012 7:15	Field Cond		305	uS/cm	SM 2510A
7/15/2012 7:03	Field Cond		309	uS/cm	SM 2510A
7/16/2012 7:20	Field Cond		301	uS/cm	SM 2510A
7/17/2012 7:27	Field Cond		307	uS/cm	SM 2510A
7/18/2012 7:26	Field Cond		293	uS/cm	SM 2510A
7/19/2012 7:18	Field Cond		311	uS/cm	SM 2510A
7/20/2012 7:22	Field Cond		323	uS/cm	SM 2510A
7/21/2012 7:15	Field Cond		347	uS/cm	SM 2510A
7/22/2012 7:18	Field Cond		324	uS/cm	SM 2510A
7/23/2012 7:00	Field Cond		297	uS/cm	SM 2510A
7/24/2012 7:02	Field Cond		331	uS/cm	SM 2510A
7/25/2012 7:00	Field Cond		315	uS/cm	SM 2510A
7/26/2012 6:55	Field Cond		317	uS/cm	SM 2510A
7/27/2012 6:56	Field Cond		313	uS/cm	SM 2510A
7/28/2012 9:08	Field Cond		314	uS/cm	SM 2510A
7/29/2012 7:18	Field Cond		319	uS/cm	SM 2510A
7/30/2012 7:04	Field Cond		308	uS/cm	SM 2510A
7/31/2012 7:01	Field Cond		305	uS/cm	SM 2510A
8/1/2012 6:57	Field Cond		302	uS/cm	SM 2510A
8/2/2012 7:11	Field Cond		314	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/3/2012 7:13	Field Cond		308	uS/cm	SM 2510A
8/4/2012 7:11	Field Cond		308	uS/cm	SM 2510A
8/5/2012 6:54	Field Cond		308	uS/cm	SM 2510A
8/6/2012 7:15	Field Cond		328	uS/cm	SM 2510A
8/7/2012 7:18	Field Cond		307	uS/cm	SM 2510A
8/8/2012 7:35	Field Cond		327	uS/cm	SM 2510A
8/9/2012 7:18	Field Cond		306	uS/cm	SM 2510A
8/10/2012 7:22	Field Cond		310	uS/cm	SM 2510A
8/11/2012 7:10	Field Cond		326	uS/cm	SM 2510A
8/12/2012 7:21	Field Cond		333	uS/cm	SM 2510A
8/13/2012 7:12	Field Cond		319	uS/cm	SM 2510A
8/14/2012 7:09	Field Cond		312	uS/cm	SM 2510A
8/15/2012 7:17	Field Cond		306	uS/cm	SM 2510A
8/16/2012 7:30	Field Cond		312	uS/cm	SM 2510A
8/17/2012 7:22	Field Cond		318	uS/cm	SM 2510A
8/18/2012 6:58	Field Cond		349	uS/cm	SM 2510A
8/19/2012 7:10	Field Cond		314	uS/cm	SM 2510A
8/20/2012 7:01	Field Cond		309	uS/cm	SM 2510A
8/21/2012 7:02	Field Cond		305	uS/cm	SM 2510A
8/22/2012 6:54	Field Cond		304	uS/cm	SM 2510A
8/23/2012 7:04	Field Cond		317	uS/cm	SM 2510A
8/24/2012 6:59	Field Cond		327	uS/cm	SM 2510A
8/25/2012 7:03	Field Cond		310	uS/cm	SM 2510A
8/26/2012 6:59	Field Cond		308	uS/cm	SM 2510A
8/27/2012 6:55	Field Cond		297	uS/cm	SM 2510A
8/28/2012 7:03	Field Cond		295	uS/cm	SM 2510A
8/29/2012 7:08	Field Cond		308	uS/cm	SM 2510A
8/30/2012 7:12	Field Cond		298	uS/cm	SM 2510A
8/31/2012 7:05	Field Cond		300	uS/cm	SM 2510A
9/1/2012 7:07	Field Cond		329	uS/cm	SM 2510A
9/2/2012 7:15	Field Cond		306	uS/cm	SM 2510A
9/3/2012 6:58	Field Cond		304	uS/cm	SM 2510A
9/4/2012 7:06	Field Cond		300	uS/cm	SM 2510A
9/5/2012 8:17	Field Cond		314	uS/cm	SM 2510A
9/6/2012 8:08	Field Cond		309	uS/cm	SM 2510A
9/7/2012 8:11	Field Cond		302	uS/cm	SM 2510A
9/10/2012 8:12	Field Cond		325	uS/cm	SM 2510A
9/11/2012 8:21	Field Cond		329	uS/cm	SM 2510A
9/12/2012 8:28	Field Cond		312	uS/cm	SM 2510A
9/13/2012 8:29	Field Cond		311	uS/cm	SM 2510A
9/17/2012 8:25	Field Cond		313	uS/cm	SM 2510A
9/18/2012 8:21	Field Cond		292	uS/cm	SM 2510A
9/19/2012 8:18	Field Cond		318	uS/cm	SM 2510A
9/20/2012 8:20	Field Cond		308	uS/cm	SM 2510A
9/24/2012 8:07	Field Cond		345	uS/cm	SM 2510A

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/25/2012 8:16	Field Cond		343	uS/cm	SM 2510A
9/26/2012 8:38	Field Cond		338	uS/cm	SM 2510A
9/27/2012 8:32	Field Cond		322	uS/cm	SM 2510A
10/1/2012 8:16	Field Cond		327	uS/cm	SM 2510A
10/2/2012 8:27	Field Cond		312	uS/cm	SM 2510A
10/3/2012 8:28	Field Cond		304	uS/cm	SM 2510A
10/4/2012 8:31	Field Cond		321	uS/cm	SM 2510A
10/8/2012 8:11	Field Cond		365	uS/cm	SM 2510A
10/9/2012 8:29	Field Cond		314	uS/cm	SM 2510A
10/10/2012 8:29	Field Cond		317	uS/cm	SM 2510A
10/15/2012 8:23	Field Cond		338	uS/cm	SM 2510A
10/16/2012 8:22	Field Cond		357	uS/cm	SM 2510A
10/17/2012 8:26	Field Cond		396	uS/cm	SM 2510A
10/18/2012 8:24	Field Cond		352	uS/cm	SM 2510A
10/22/2012 8:17	Field Cond		355	uS/cm	SM 2510A
10/23/2012 8:14	Field Cond		352	uS/cm	SM 2510A
10/24/2012 7:48	Field Cond		346	uS/cm	SM 2510A
10/25/2012 7:53	Field Cond		350	uS/cm	SM 2510A
3/8/2012 8:45	Field Temp		4.4	C	EPA 170.1
3/13/2012 9:06	Field Temp		5.2	C	EPA 170.1
3/15/2012 9:39	Field Temp		64	C	EPA 170.1
3/20/2012 9:03	Field Temp		6.6	C	EPA 170.1
3/23/2012 8:55	Field Temp		7.3	C	EPA 170.1
3/27/2012 8:36	Field Temp		6.9	C	EPA 170.1
3/29/2012 8:39	Field Temp		8.3	C	EPA 170.1
4/3/2012 8:56	Field Temp		8	C	EPA 170.1
4/5/2012 8:57	Field Temp		8.3	C	EPA 170.1
4/10/2012 9:09	Field Temp		9.5	C	EPA 170.1
4/12/2012 8:32	Field Temp		8.3	C	EPA 170.1
4/17/2012 11:13	Field Temp		11.6	C	EPA 170.1
4/19/2012 9:16	Field Temp		10.8	C	EPA 170.1
5/1/2012 8:33	Field Temp		10.8	C	EPA 170.1
5/2/2012 8:41	Field Temp		11.3	C	EPA 170.1
5/3/2012 8:57	Field Temp		12.9	C	EPA 170.1
5/7/2012 9:18	Field Temp		13.3	C	EPA 170.1
5/8/2012 8:33	Field Temp		13.2	C	EPA 170.1
5/9/2012 8:44	Field Temp		14.1	C	EPA 170.1
5/10/2012 8:16	Field Temp		14.2	C	EPA 170.1
5/14/2012 7:19	Field Temp		15	C	EPA 170.1
5/15/2012 7:24	Field Temp		14.5	C	EPA 170.1
5/16/2012 7:34	Field Temp		15.2	C	EPA 170.1
5/17/2012 7:17	Field Temp		14.8	C	EPA 170.1
5/18/2012 7:16	Field Temp		12.8	C	EPA 170.1
5/21/2012 7:22	Field Temp		13.3	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/22/2012 7:12	Field Temp		13.7	C	EPA 170.1
5/23/2012 7:35	Field Temp		14.4	C	EPA 170.1
5/24/2012 7:21	Field Temp		15.7	C	EPA 170.1
5/25/2012 7:35	Field Temp		17.9	C	EPA 170.1
5/26/2012 7:01	Field Temp		19.7	C	EPA 170.1
5/27/2012 7:10	Field Temp		17.4	C	EPA 170.1
5/28/2012 7:09	Field Temp		14.6	C	EPA 170.1
5/29/2012 7:19	Field Temp		17.7	C	EPA 170.1
5/30/2012 7:17	Field Temp		18.9	C	EPA 170.1
5/31/2012 7:21	Field Temp		17.3	C	EPA 170.1
6/1/2012 7:46	Field Temp		12.6	C	EPA 170.1
6/2/2012 7:15	Field Temp		17.3	C	EPA 170.1
6/3/2012 7:32	Field Temp		16.2	C	EPA 170.1
6/4/2012 7:11	Field Temp		16	C	EPA 170.1
6/5/2012 7:14	Field Temp		16	C	EPA 170.1
6/6/2012 7:02	Field Temp		16	C	EPA 170.1
6/7/2012 7:10	Field Temp		17.4	C	EPA 170.1
6/8/2012 7:12	Field Temp		18.6	C	EPA 170.1
6/9/2012 7:02	Field Temp		18.5	C	EPA 170.1
6/10/2012 7:00	Field Temp		20	C	EPA 170.1
6/11/2012 7:14	Field Temp		20.1	C	EPA 170.1
6/12/2012 7:17	Field Temp		20.9	C	EPA 170.1
6/13/2012 7:24	Field Temp		18.8	C	EPA 170.1
6/14/2012 7:17	Field Temp		19.7	C	EPA 170.1
6/15/2012 7:18	Field Temp		17.9	C	EPA 170.1
6/16/2012 7:00	Field Temp		17.6	C	EPA 170.1
6/17/2012 6:53	Field Temp		18.7	C	EPA 170.1
6/18/2012 7:10	Field Temp		19.3	C	EPA 170.1
6/19/2012 7:10	Field Temp		20	C	EPA 170.1
6/20/2012 7:16	Field Temp		21.3	C	EPA 170.1
6/21/2012 7:11	Field Temp		22.1	C	EPA 170.1
6/22/2012 7:14	Field Temp		23.2	C	EPA 170.1
6/23/2012 7:03	Field Temp		22.6	C	EPA 170.1
6/24/2012 7:15	Field Temp		22.3	C	EPA 170.1
6/25/2012 6:58	Field Temp		21.7	C	EPA 170.1
6/26/2012 7:13	Field Temp		20.6	C	EPA 170.1
6/27/2012 7:10	Field Temp		21.1	C	EPA 170.1
6/28/2012 7:08	Field Temp		22.2	C	EPA 170.1
6/29/2012 7:13	Field Temp		24.1	C	EPA 170.1
6/30/2012 7:20	Field Temp		24.3	C	EPA 170.1
7/1/2012 7:14	Field Temp		24.7	C	EPA 170.1
7/2/2012 7:02	Field Temp		24.2	C	EPA 170.1
7/3/2012 7:17	Field Temp		24.5	C	EPA 170.1
7/4/2012 7:23	Field Temp		24.1	C	EPA 170.1
7/5/2012 7:54	Field Temp		24.8	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/6/2012 7:05	Field Temp		25.2	C	EPA 170.1
7/7/2012 7:00	Field Temp		25.9	C	EPA 170.1
7/8/2012 7:00	Field Temp		25.5	C	EPA 170.1
7/9/2012 7:20	Field Temp		23.4	C	EPA 170.1
7/10/2012 7:33	Field Temp		23.9	C	EPA 170.1
7/11/2012 7:19	Field Temp		23.3	C	EPA 170.1
7/12/2012 7:25	Field Temp		23.1	C	EPA 170.1
7/13/2012 7:20	Field Temp		22.9	C	EPA 170.1
7/14/2012 7:15	Field Temp		23.9	C	EPA 170.1
7/15/2012 7:03	Field Temp		24.1	C	EPA 170.1
7/16/2012 7:20	Field Temp		23.7	C	EPA 170.1
7/17/2012 7:27	Field Temp		24.9	C	EPA 170.1
7/18/2012 7:26	Field Temp		25.9	C	EPA 170.1
7/19/2012 7:18	Field Temp		25.5	C	EPA 170.1
7/20/2012 7:22	Field Temp		24.6	C	EPA 170.1
7/21/2012 7:15	Field Temp		20	C	EPA 170.1
7/22/2012 7:18	Field Temp		23.6	C	EPA 170.1
7/23/2012 7:00	Field Temp		24.6	C	EPA 170.1
7/24/2012 7:02	Field Temp		25.6	C	EPA 170.1
7/25/2012 7:00	Field Temp		23	C	EPA 170.1
7/26/2012 6:55	Field Temp		25.1	C	EPA 170.1
7/27/2012 6:56	Field Temp		25.7	C	EPA 170.1
7/28/2012 9:08	Field Temp		25.3	C	EPA 170.1
7/29/2012 7:18	Field Temp		25.1	C	EPA 170.1
7/30/2012 7:04	Field Temp		25.2	C	EPA 170.1
7/31/2012 7:01	Field Temp		25.2	C	EPA 170.1
8/1/2012 6:57	Field Temp		25.5	C	EPA 170.1
8/2/2012 7:11	Field Temp		25.4	C	EPA 170.1
8/3/2012 7:13	Field Temp		25.9	C	EPA 170.1
8/4/2012 7:11	Field Temp		25.6	C	EPA 170.1
8/5/2012 6:54	Field Temp		25.5	C	EPA 170.1
8/6/2012 7:15	Field Temp		24.8	C	EPA 170.1
8/7/2012 7:18	Field Temp		24.7	C	EPA 170.1
8/8/2012 7:35	Field Temp		24.7	C	EPA 170.1
8/9/2012 7:18	Field Temp		24.7	C	EPA 170.1
8/10/2012 7:22	Field Temp		24.5	C	EPA 170.1
8/11/2012 7:10	Field Temp		23.4	C	EPA 170.1
8/12/2012 7:21	Field Temp		23	C	EPA 170.1
8/13/2012 7:12	Field Temp		23.4	C	EPA 170.1
8/14/2012 7:09	Field Temp		23.7	C	EPA 170.1
8/15/2012 7:17	Field Temp		23.1	C	EPA 170.1
8/16/2012 7:30	Field Temp		23.6	C	EPA 170.1
8/17/2012 7:22	Field Temp		23.2	C	EPA 170.1
8/18/2012 6:58	Field Temp		22.8	C	EPA 170.1
8/19/2012 7:10	Field Temp		23.2	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/20/2012 7:01	Field Temp		22.9	C	EPA 170.1
8/21/2012 7:02	Field Temp		22.9	C	EPA 170.1
8/22/2012 6:54	Field Temp		22.7	C	EPA 170.1
8/23/2012 7:04	Field Temp		23	C	EPA 170.1
8/24/2012 6:59	Field Temp		22.7	C	EPA 170.1
8/25/2012 7:03	Field Temp		23	C	EPA 170.1
8/26/2012 6:59	Field Temp		22.7	C	EPA 170.1
8/27/2012 6:55	Field Temp		23.1	C	EPA 170.1
8/28/2012 7:03	Field Temp		22.7	C	EPA 170.1
8/29/2012 7:08	Field Temp		22.8	C	EPA 170.1
8/30/2012 7:12	Field Temp		22.2	C	EPA 170.1
8/31/2012 7:05	Field Temp		22.4	C	EPA 170.1
9/1/2012 7:07	Field Temp		23.7	C	EPA 170.1
9/2/2012 7:15	Field Temp		23.4	C	EPA 170.1
9/3/2012 6:58	Field Temp		23.2	C	EPA 170.1
9/4/2012 7:06	Field Temp		23.6	C	EPA 170.1
9/5/2012 8:17	Field Temp		23.2	C	EPA 170.1
9/6/2012 8:08	Field Temp		23.4	C	EPA 170.1
9/7/2012 8:11	Field Temp		23.6	C	EPA 170.1
9/10/2012 8:12	Field Temp		21.2	C	EPA 170.1
9/11/2012 8:21	Field Temp		21.7	C	EPA 170.1
9/12/2012 8:28	Field Temp		21.5	C	EPA 170.1
9/13/2012 8:29	Field Temp		22.1	C	EPA 170.1
9/17/2012 8:25	Field Temp		21.2	C	EPA 170.1
9/18/2012 8:21	Field Temp		21.2	C	EPA 170.1
9/19/2012 8:18	Field Temp		18.7	C	EPA 170.1
9/20/2012 8:20	Field Temp		19	C	EPA 170.1
9/24/2012 8:07	Field Temp		17.7	C	EPA 170.1
9/25/2012 8:16	Field Temp		17.3	C	EPA 170.1
9/26/2012 8:38	Field Temp		17.9	C	EPA 170.1
9/27/2012 8:32	Field Temp		17.2	C	EPA 170.1
10/1/2012 8:16	Field Temp		16.6	C	EPA 170.1
10/2/2012 8:27	Field Temp		17.4	C	EPA 170.1
10/3/2012 8:28	Field Temp		17.9	C	EPA 170.1
10/4/2012 8:31	Field Temp		17.4	C	EPA 170.1
10/8/2012 8:11	Field Temp		15.2	C	EPA 170.1
10/9/2012 8:29	Field Temp		15	C	EPA 170.1
10/10/2012 8:29	Field Temp		14.2	C	EPA 170.1
10/15/2012 8:23	Field Temp		14.2	C	EPA 170.1
10/16/2012 8:22	Field Temp		13.2	C	EPA 170.1
10/17/2012 8:26	Field Temp		13.4	C	EPA 170.1
10/18/2012 8:24	Field Temp		13.5	C	EPA 170.1
10/22/2012 8:17	Field Temp		12.7	C	EPA 170.1
10/23/2012 8:14	Field Temp		14	C	EPA 170.1
10/24/2012 7:48	Field Temp		14.2	C	EPA 170.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/25/2012 7:53	Field Temp		14.4	C	EPA 170.1
3/8/2012 8:45	pH		8.19	S.U.	
3/13/2012 9:06	pH		8.18	S.U.	
3/15/2012 9:39	pH		8.27	S.U.	
3/20/2012 9:03	pH		8.03	S.U.	
3/23/2012 8:55	pH		8.02	S.U.	
3/27/2012 8:36	pH		8.1	S.U.	
3/29/2012 8:39	pH		8.14	S.U.	
4/3/2012 8:56	pH		8.01	S.U.	
4/5/2012 8:57	pH		7.96	S.U.	
4/10/2012 9:09	pH		8.07	S.U.	
4/12/2012 8:32	pH		8.03	S.U.	
4/17/2012 11:13	pH		7.99	S.U.	
4/19/2012 9:16	pH		8.06	S.U.	
5/1/2012 8:33	pH		8.33	S.U.	
5/2/2012 8:41	pH		8.17	S.U.	
5/3/2012 8:57	pH		8.18	S.U.	
5/7/2012 9:18	pH		8.27	S.U.	
5/8/2012 8:33	pH		8.15	S.U.	
5/9/2012 8:44	pH		8.3	S.U.	
5/10/2012 8:16	pH		8.14	S.U.	
5/14/2012 7:19	pH		8.33	S.U.	
5/15/2012 7:24	pH		8.31	S.U.	
5/16/2012 7:34	pH		8.45	S.U.	
5/17/2012 7:17	pH		8.34	S.U.	
5/18/2012 7:16	pH		8.04	S.U.	
5/21/2012 7:22	pH		7.91	S.U.	
5/22/2012 7:12	pH		8.26	S.U.	
5/23/2012 7:35	pH		8.12	S.U.	
5/24/2012 7:21	pH		8.41	S.U.	
5/25/2012 7:35	pH		8.64	S.U.	
5/26/2012 7:01	pH		8.65	S.U.	
5/27/2012 7:10	pH		8.42	S.U.	
5/28/2012 7:09	pH		7.82	S.U.	
5/29/2012 7:19	pH		8.07	S.U.	
5/30/2012 7:17	pH		8.35	S.U.	
5/31/2012 7:21	pH		8.39	S.U.	
6/1/2012 7:46	pH		7.74	S.U.	
6/2/2012 7:15	pH		8.39	S.U.	
6/3/2012 7:32	pH		8.24	S.U.	
6/4/2012 7:11	pH		8.07	S.U.	
6/5/2012 7:14	pH		8.04	S.U.	
6/6/2012 7:02	pH		8.07	S.U.	
6/7/2012 7:10	pH		8.09	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/8/2012 7:12	pH		8.09	S.U.	
6/9/2012 7:02	pH		8.17	S.U.	
6/10/2012 7:00	pH		8.21	S.U.	
6/11/2012 7:14	pH		8.1	S.U.	
6/12/2012 7:17	pH		8.21	S.U.	
6/13/2012 7:24	pH		8.2	S.U.	
6/14/2012 7:17	pH		8.08	S.U.	
6/15/2012 7:18	pH		7.79	S.U.	
6/16/2012 7:00	pH		7.61	S.U.	
6/17/2012 6:53	pH		7.96	S.U.	
6/18/2012 7:10	pH		7.94	S.U.	
6/19/2012 7:10	pH		8.03	S.U.	
6/20/2012 7:16	pH		8.01	S.U.	
6/21/2012 7:11	pH		8.19	S.U.	
6/22/2012 7:14	pH		8.4	S.U.	
6/23/2012 7:03	pH		7.98	S.U.	
6/24/2012 7:15	pH		7.84	S.U.	
6/25/2012 6:58	pH		7.96	S.U.	
6/26/2012 7:13	pH		7.87	S.U.	
6/27/2012 7:10	pH		7.65	S.U.	
6/28/2012 7:08	pH		7.88	S.U.	
6/29/2012 7:13	pH		7.87	S.U.	
6/30/2012 7:20	pH		7.78	S.U.	
7/1/2012 7:14	pH		7.9	S.U.	
7/2/2012 7:02	pH		7.85	S.U.	
7/3/2012 7:17	pH		8.04	S.U.	
7/4/2012 7:23	pH		8.32	S.U.	
7/5/2012 7:54	pH		8.53	S.U.	
7/6/2012 7:05	pH		8.38	S.U.	
7/7/2012 7:00	pH		8.55	S.U.	
7/8/2012 7:00	pH		8.33	S.U.	
7/9/2012 7:20	pH		7.83	S.U.	
7/10/2012 7:33	pH		8.41	S.U.	
7/11/2012 7:19	pH		8.13	S.U.	
7/12/2012 7:25	pH		7.87	S.U.	
7/13/2012 7:20	pH		7.89	S.U.	
7/14/2012 7:15	pH		8.51	S.U.	
7/15/2012 7:03	pH		8.33	S.U.	
7/16/2012 7:20	pH		8.35	S.U.	
7/17/2012 7:27	pH		8.02	S.U.	
7/18/2012 7:26	pH		7.94	S.U.	
7/19/2012 7:18	pH		7.84	S.U.	
7/20/2012 7:22	pH		7.86	S.U.	
7/21/2012 7:15	pH		7.33	S.U.	
7/22/2012 7:18	pH		7.76	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/23/2012 7:00	pH		8.47	S.U.	
7/24/2012 7:02	pH		8.34	S.U.	
7/25/2012 7:00	pH		7.74	S.U.	
7/26/2012 6:55	pH		8.35	S.U.	
7/27/2012 6:56	pH		8.34	S.U.	
7/28/2012 9:08	pH		8.23	S.U.	
7/29/2012 7:18	pH		8.23	S.U.	
7/30/2012 7:04	pH		8.48	S.U.	
7/31/2012 7:01	pH		8.44	S.U.	
8/1/2012 6:57	pH		8.27	S.U.	
8/2/2012 7:11	pH		8.53	S.U.	
8/3/2012 7:13	pH		8.42	S.U.	
8/4/2012 7:11	pH		8.32	S.U.	
8/5/2012 6:54	pH		8.3	S.U.	
8/6/2012 7:15	pH		8.27	S.U.	
8/7/2012 7:18	pH		8.44	S.U.	
8/8/2012 7:35	pH		8.34	S.U.	
8/9/2012 7:18	pH		8.18	S.U.	
8/10/2012 7:22	pH		8.12	S.U.	
8/11/2012 7:10	pH		8.2	S.U.	
8/12/2012 7:21	pH		8.27	S.U.	
8/13/2012 7:12	pH		8.1	S.U.	
8/14/2012 7:09	pH		8.4	S.U.	
8/15/2012 7:17	pH		8.35	S.U.	
8/16/2012 7:30	pH		8.46	S.U.	
8/17/2012 7:22	pH		8.37	S.U.	
8/18/2012 6:58	pH		8.3	S.U.	
8/19/2012 7:10	pH		8.52	S.U.	
8/20/2012 7:01	pH		8.48	S.U.	
8/21/2012 7:02	pH		8.32	S.U.	
8/22/2012 6:54	pH		8.44	S.U.	
8/23/2012 7:04	pH		8.52	S.U.	
8/24/2012 6:59	pH		8.42	S.U.	
8/25/2012 7:03	pH		8.31	S.U.	
8/26/2012 6:59	pH		8.31	S.U.	
8/27/2012 6:55	pH		8.17	S.U.	
8/28/2012 7:03	pH		8.03	S.U.	
8/29/2012 7:08	pH		7.99	S.U.	
8/30/2012 7:12	pH		8.09	S.U.	
8/31/2012 7:05	pH		8.04	S.U.	
9/1/2012 7:07	pH		7.95	S.U.	
9/2/2012 7:15	pH		8.03	S.U.	
9/3/2012 6:58	pH		7.74	S.U.	
9/4/2012 7:06	pH		7.8	S.U.	
9/5/2012 8:17	pH		8.03	S.U.	

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/6/2012 8:08	pH		7.9	S.U.	
9/7/2012 8:11	pH		8.19	S.U.	
9/10/2012 8:12	pH		7.28	S.U.	
9/11/2012 8:21	pH		8.09	S.U.	
9/12/2012 8:28	pH		8.03	S.U.	
9/13/2012 8:29	pH		8.16	S.U.	
9/17/2012 8:25	pH		8.32	S.U.	
9/18/2012 8:21	pH		8.23	S.U.	
9/19/2012 8:18	pH		7.91	S.U.	
9/20/2012 8:20	pH		8.16	S.U.	
9/24/2012 8:07	pH		7.78	S.U.	
9/25/2012 8:16	pH		8.13	S.U.	
9/26/2012 8:38	pH		8.11	S.U.	
9/27/2012 8:32	pH		7.95	S.U.	
10/1/2012 8:16	pH		7.95	S.U.	
10/2/2012 8:27	pH		8	S.U.	
10/3/2012 8:28	pH		7.95	S.U.	
10/4/2012 8:31	pH		7.85	S.U.	
10/8/2012 8:11	pH		7.82	S.U.	
10/9/2012 8:29	pH		8	S.U.	
10/10/2012 8:29	pH		7.63	S.U.	
10/15/2012 8:23	pH		7.44	S.U.	
10/16/2012 8:22	pH		7.74	S.U.	
10/17/2012 8:26	pH		7.66	S.U.	
10/18/2012 8:24	pH		7.65	S.U.	
10/22/2012 8:17	pH		7.59	S.U.	
10/23/2012 8:14	pH		7.51	S.U.	
10/24/2012 7:48	pH		7.27	S.U.	
10/25/2012 7:53	pH		8.3	S.U.	
5/1/2012 8:33	Turbidity		15.8	NTU	EPA180.1
5/2/2012 8:41	Turbidity		11.4	NTU	EPA180.1
5/3/2012 8:57	Turbidity		11.4	NTU	EPA180.1
5/7/2012 9:18	Turbidity		11.25	NTU	EPA180.1
5/8/2012 8:33	Turbidity		6.26	NTU	EPA180.1
5/9/2012 8:44	Turbidity		8.905	NTU	EPA180.1
5/10/2012 8:16	Turbidity		32.2	NTU	EPA180.1
5/14/2012 7:19	Turbidity		5.55	NTU	EPA180.1
5/15/2012 7:24	Turbidity		6.5	NTU	EPA180.1
5/16/2012 7:34	Turbidity		3.5	NTU	EPA180.1
5/17/2012 7:17	Turbidity		15.5	NTU	EPA180.1
5/21/2012 7:22	Turbidity		4.22	NTU	EPA180.1
5/22/2012 7:12	Turbidity		34.1	NTU	EPA180.1
5/23/2012 7:35	Turbidity		5.35	NTU	EPA180.1
5/24/2012 7:21	Turbidity		3.55	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/25/2012 7:35	Turbidity		2.26	NTU	EPA180.1
5/26/2012 7:01	Turbidity		3.38	NTU	EPA180.1
5/27/2012 7:10	Turbidity		2.63	NTU	EPA180.1
5/28/2012 7:09	Turbidity		4.86	NTU	EPA180.1
5/29/2012 7:19	Turbidity		6.66	NTU	EPA180.1
5/30/2012 7:17	Turbidity		4.16	NTU	EPA180.1
5/31/2012 7:21	Turbidity		28.25	NTU	EPA180.1
6/1/2012 7:46	Turbidity		43.8	NTU	EPA180.1
6/2/2012 7:15	Turbidity		28.25	NTU	EPA180.1
6/3/2012 7:32	Turbidity		38.15	NTU	EPA180.1
6/4/2012 7:11	Turbidity		10.35	NTU	EPA180.1
6/5/2012 7:14	Turbidity		9.02	NTU	EPA180.1
6/6/2012 7:02	Turbidity		6.13	NTU	EPA180.1
6/7/2012 7:10	Turbidity		5.1	NTU	EPA180.1
6/8/2012 7:12	Turbidity		2.95	NTU	EPA180.1
6/9/2012 7:02	Turbidity		4.5	NTU	EPA180.1
6/10/2012 7:00	Turbidity		2.6	NTU	EPA180.1
6/11/2012 7:14	Turbidity		2.37	NTU	EPA180.1
6/12/2012 7:17	Turbidity		4.03	NTU	EPA180.1
6/13/2012 7:24	Turbidity		31.1	NTU	EPA180.1
6/14/2012 7:17	Turbidity		4.62	NTU	EPA180.1
6/15/2012 7:18	Turbidity		6.95	NTU	EPA180.1
6/16/2012 7:00	Turbidity		4.33	NTU	EPA180.1
6/17/2012 6:53	Turbidity		4.89	NTU	EPA180.1
6/18/2012 7:10	Turbidity		4.67	NTU	EPA180.1
6/19/2012 7:10	Turbidity		7.45	NTU	EPA180.1
6/20/2012 7:16	Turbidity		3.55	NTU	EPA180.1
6/21/2012 7:11	Turbidity		4.52	NTU	EPA180.1
6/22/2012 7:14	Turbidity		5.26	NTU	EPA180.1
6/23/2012 7:03	Turbidity		3.28	NTU	EPA180.1
6/24/2012 7:15	Turbidity		1.72	NTU	EPA180.1
6/25/2012 6:58	Turbidity		50.6	NTU	EPA180.1
6/26/2012 7:13	Turbidity		43.7	NTU	EPA180.1
6/27/2012 7:10	Turbidity		13.65	NTU	EPA180.1
6/28/2012 7:08	Turbidity		4.1	NTU	EPA180.1
6/29/2012 7:13	Turbidity		6.38	NTU	EPA180.1
6/30/2012 7:20	Turbidity		7	NTU	EPA180.1
7/1/2012 7:14	Turbidity		9.9	NTU	EPA180.1
7/2/2012 7:02	Turbidity		2.38	NTU	EPA180.1
7/3/2012 7:17	Turbidity		4.09	NTU	EPA180.1
7/4/2012 7:23	Turbidity		3.94	NTU	EPA180.1
7/5/2012 7:54	Turbidity		9.94	NTU	EPA180.1
7/6/2012 7:05	Turbidity		3.37	NTU	EPA180.1
7/7/2012 7:00	Turbidity		11.8	NTU	EPA180.1
7/8/2012 7:00	Turbidity		15.8	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/9/2012 7:20	Turbidity		21.075	NTU	EPA180.1
7/10/2012 7:33	Turbidity		4.25	NTU	EPA180.1
7/11/2012 7:19	Turbidity		2.65	NTU	EPA180.1
7/12/2012 7:25	Turbidity		2.07	NTU	EPA180.1
7/13/2012 7:20	Turbidity		1.69	NTU	EPA180.1
7/14/2012 7:15	Turbidity		2.47	NTU	EPA180.1
7/15/2012 7:03	Turbidity		7.11	NTU	EPA180.1
7/16/2012 7:20	Turbidity		11.2	NTU	EPA180.1
7/17/2012 7:27	Turbidity		5.8	NTU	EPA180.1
7/18/2012 7:26	Turbidity		10	NTU	EPA180.1
7/19/2012 7:18	Turbidity		2	NTU	EPA180.1
7/20/2012 7:22	Turbidity		34.4	NTU	EPA180.1
7/21/2012 7:15	Turbidity		7.4	NTU	EPA180.1
7/22/2012 7:18	Turbidity		4.8	NTU	EPA180.1
7/23/2012 7:00	Turbidity		5.72	NTU	EPA180.1
7/24/2012 7:02	Turbidity		11.95	NTU	EPA180.1
7/25/2012 7:00	Turbidity		14.8	NTU	EPA180.1
7/26/2012 6:55	Turbidity		6.45	NTU	EPA180.1
7/27/2012 6:56	Turbidity		3.5	NTU	EPA180.1
7/28/2012 9:08	Turbidity		20.5	NTU	EPA180.1
7/29/2012 7:18	Turbidity		10.65	NTU	EPA180.1
7/30/2012 7:04	Turbidity		3.5	NTU	EPA180.1
7/31/2012 7:01	Turbidity		3.62	NTU	EPA180.1
8/1/2012 6:57	Turbidity		6.54	NTU	EPA180.1
8/2/2012 7:11	Turbidity		2.7	NTU	EPA180.1
8/3/2012 7:13	Turbidity		3.05	NTU	EPA180.1
8/4/2012 7:11	Turbidity		3.72	NTU	EPA180.1
8/5/2012 6:54	Turbidity		13.8	NTU	EPA180.1
8/6/2012 7:15	Turbidity		12.05	NTU	EPA180.1
8/7/2012 7:18	Turbidity		2.62	NTU	EPA180.1
8/8/2012 7:35	Turbidity		5.05	NTU	EPA180.1
8/9/2012 7:18	Turbidity		8.42	NTU	EPA180.1
8/10/2012 7:22	Turbidity		7.06	NTU	EPA180.1
8/11/2012 7:10	Turbidity		25.4	NTU	EPA180.1
8/12/2012 7:21	Turbidity		16.3	NTU	EPA180.1
8/13/2012 7:12	Turbidity		3.86	NTU	EPA180.1
8/14/2012 7:09	Turbidity		3.26	NTU	EPA180.1
8/15/2012 7:17	Turbidity		3	NTU	EPA180.1
8/16/2012 7:30	Turbidity		5.78	NTU	EPA180.1
8/17/2012 7:22	Turbidity		19	NTU	EPA180.1
8/18/2012 6:58	Turbidity		15	NTU	EPA180.1
8/19/2012 7:10	Turbidity		4.8	NTU	EPA180.1
8/20/2012 7:01	Turbidity		2.41	NTU	EPA180.1
8/21/2012 7:02	Turbidity		2.08	NTU	EPA180.1
8/22/2012 6:54	Turbidity		2.23	NTU	EPA180.1

Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/23/2012 7:04	Turbidity		2.25	NTU	EPA180.1
8/24/2012 6:59	Turbidity		2.22	NTU	EPA180.1
8/25/2012 7:03	Turbidity		2.2	NTU	EPA180.1
8/26/2012 6:59	Turbidity		3.22	NTU	EPA180.1
8/27/2012 6:55	Turbidity		3.3	NTU	EPA180.1
8/28/2012 7:03	Turbidity		7.46	NTU	EPA180.1
8/29/2012 7:08	Turbidity		12.3	NTU	EPA180.1
8/30/2012 7:12	Turbidity		2.68	NTU	EPA180.1
8/31/2012 7:05	Turbidity		4.6	NTU	EPA180.1
9/1/2012 7:07	Turbidity		10.7	NTU	EPA180.1
9/2/2012 7:15	Turbidity		3.15	NTU	EPA180.1
9/3/2012 6:58	Turbidity		6.37	NTU	EPA180.1
9/4/2012 7:06	Turbidity		26.9	NTU	EPA180.1
9/5/2012 8:17	Turbidity		6.11	NTU	EPA180.1
9/6/2012 8:08	Turbidity		11.2	NTU	EPA180.1
9/7/2012 8:11	Turbidity		4.61	NTU	EPA180.1
9/10/2012 8:12	Turbidity		14.4	NTU	EPA180.1
9/11/2012 8:21	Turbidity		5.39	NTU	EPA180.1
9/12/2012 8:28	Turbidity		4.64	NTU	EPA180.1
9/13/2012 8:29	Turbidity		3.87	NTU	EPA180.1
9/17/2012 8:25	Turbidity		6.53	NTU	EPA180.1
9/18/2012 8:21	Turbidity		5.31	NTU	EPA180.1
9/19/2012 8:18	Turbidity		35.6	NTU	EPA180.1
9/20/2012 8:20	Turbidity		12.275	NTU	EPA180.1
9/24/2012 8:07	Turbidity		23.5	NTU	EPA180.1
9/25/2012 8:16	Turbidity		10.5	NTU	EPA180.1
9/26/2012 8:38	Turbidity		8.61	NTU	EPA180.1
9/27/2012 8:32	Turbidity		16.95	NTU	EPA180.1
10/1/2012 8:16	Turbidity		5.69	NTU	EPA180.1
10/2/2012 8:27	Turbidity		2.59	NTU	EPA180.1
10/3/2012 8:28	Turbidity		5.62	NTU	EPA180.1
10/4/2012 8:31	Turbidity		5.26	NTU	EPA180.1
10/8/2012 8:11	Turbidity		14.1	NTU	EPA180.1
10/9/2012 8:29	Turbidity		4.275	NTU	EPA180.1
10/10/2012 8:29	Turbidity		11.35	NTU	EPA180.1
10/15/2012 8:23	Turbidity		60.1	NTU	EPA180.1
10/16/2012 8:22	Turbidity		49.7	NTU	EPA180.1
10/17/2012 8:26	Turbidity		8.13	NTU	EPA180.1
10/18/2012 8:24	Turbidity		8.11	NTU	EPA180.1
10/22/2012 8:17	Turbidity		5.33	NTU	EPA180.1
10/23/2012 8:14	Turbidity		6.66	NTU	EPA180.1
10/24/2012 7:48	Turbidity		4.4	NTU	EPA180.1
10/25/2012 7:53	Turbidity		4.325	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/1/2012 8:44	E. coli		520	cfu/100mL	EPA1603
5/2/2012 8:53	E. coli		780	cfu/100mL	EPA1603
5/3/2012 9:15	E. coli		43	cfu/100mL	EPA1603
5/7/2012 9:35	E. coli		58	cfu/100mL	EPA1603
5/8/2012 8:38	E. coli		500	cfu/100mL	EPA1603
5/9/2012 8:54	E. coli		800	cfu/100mL	EPA1603
5/10/2012 8:22	E. coli		408	cfu/100mL	EPA1603
5/14/2012 7:26	E. coli		15	cfu/100mL	EPA1603
5/15/2012 7:32	E. coli		8	cfu/100mL	EPA1603
5/16/2012 7:46	E. coli		170	cfu/100mL	EPA1603
5/17/2012 7:27	E. coli		31	cfu/100mL	EPA1603
5/18/2012 7:22	E. coli		19	cfu/100mL	EPA1603
5/21/2012 7:33	E. coli		9	cfu/100mL	EPA1603
5/22/2012 7:21	E. coli		316	cfu/100mL	EPA1603
5/23/2012 7:43	E. coli		9	cfu/100mL	EPA1603
5/24/2012 7:28	E. coli		38	cfu/100mL	EPA1603
5/29/2012 7:19	E. coli		135	cfu/100mL	EPA1603
5/30/2012 7:23	E. coli		120	cfu/100mL	EPA1603
5/31/2012 7:26	E. coli	EC	1850	cfu/100mL	EPA1603
6/4/2012 7:16	E. coli		67.5	cfu/100mL	EPA1603
6/5/2012 7:19	E. coli		130	cfu/100mL	EPA1603
6/6/2012 7:05	E. coli		270	cfu/100mL	EPA1603
6/7/2012 7:22	E. coli		220	cfu/100mL	EPA1603
6/11/2012 7:20	E. coli		400	cfu/100mL	EPA1603
6/12/2012 7:24	E. coli		580	cfu/100mL	EPA1603
6/13/2012 7:28	E. coli		2600	cfu/100mL	EPA1603
6/14/2012 7:27	E. coli		227.5	cfu/100mL	EPA1603
6/18/2012 7:15	E. coli		1060	cfu/100mL	EPA1603
6/19/2012 7:20	E. coli		900	cfu/100mL	EPA1603
6/20/2012 7:21	E. coli		205	cfu/100mL	EPA1603
6/21/2012 7:19	E. coli		1340	cfu/100mL	EPA1603
6/25/2012 7:03	E. coli		5800	cfu/100mL	EPA1603
6/26/2012 7:19	E. coli		255	cfu/100mL	EPA1603
6/27/2012 7:19	E. coli		160	cfu/100mL	EPA1603
6/28/2012 7:14	E. coli		135	cfu/100mL	EPA1603
7/2/2012 7:06	E. coli	EC	400	cfu/100mL	EPA1603
7/5/2012 7:58	E. coli		980	cfu/100mL	EPA1603
7/9/2012 7:26	E. coli		380	cfu/100mL	EPA1603
7/10/2012 7:40	E. coli		520	cfu/100mL	EPA1603
7/11/2012 7:24	E. coli	EC	84	cfu/100mL	EPA1603
7/12/2012 7:31	E. coli		72	cfu/100mL	EPA1603
7/16/2012 7:25	E. coli		145	cfu/100mL	EPA1603
7/17/2012 7:33	E. coli		240	cfu/100mL	EPA1603
7/18/2012 7:32	E. coli		1120	cfu/100mL	EPA1603
7/19/2012 7:22	E. coli		39	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/23/2012 7:11	E. coli		285	cfu/100mL	EPA1603
7/25/2012 7:12	E. coli		110	cfu/100mL	EPA1603
7/26/2012 7:00	E. coli		100	cfu/100mL	EPA1603
7/30/2012 7:10	E. coli		255	cfu/100mL	EPA1603
7/31/2012 7:05	E. coli		460	cfu/100mL	EPA1603
8/1/2012 7:02	E. coli		480	cfu/100mL	EPA1603
8/2/2012 7:16	E. coli		77	cfu/100mL	EPA1603
8/6/2012 7:21	E. coli		560	cfu/100mL	EPA1603
8/7/2012 7:26	E. coli		28	cfu/100mL	EPA1603
8/8/2012 7:41	E. coli		270	cfu/100mL	EPA1603
8/9/2012 7:29	E. coli		1300	cfu/100mL	EPA1603
8/13/2012 7:19	E. coli		22	cfu/100mL	EPA1603
8/14/2012 7:14	E. coli		24	cfu/100mL	EPA1603
8/15/2012 7:22	E. coli		2600	cfu/100mL	EPA1603
8/16/2012 7:35	E. coli		190	cfu/100mL	EPA1603
8/20/2012 7:05	E. coli		6	cfu/100mL	EPA1603
8/21/2012 7:07	E. coli		21	cfu/100mL	EPA1603
8/22/2012 6:59	E. coli		7	cfu/100mL	EPA1603
8/23/2012 7:10	E. coli		25.5	cfu/100mL	EPA1603
8/27/2012 6:57	E. coli		26	cfu/100mL	EPA1603
8/28/2012 7:08	E. coli		5100	cfu/100mL	EPA1603
8/29/2012 7:12	E. coli		190	cfu/100mL	EPA1603
8/30/2012 7:17	E. coli		28	cfu/100mL	EPA1603
9/4/2012 7:10	E. coli		317.5	cfu/100mL	EPA1603
9/5/2012 8:22	E. coli		125	cfu/100mL	EPA1603
9/6/2012 8:15	E. coli		125	cfu/100mL	EPA1603
9/10/2012 8:17	E. coli		250	cfu/100mL	EPA1603
9/11/2012 8:31	E. coli		14	cfu/100mL	EPA1603
9/12/2012 8:33	E. coli		10	cfu/100mL	EPA1603
9/13/2012 8:34	E. coli		43	cfu/100mL	EPA1603
9/17/2012 8:32	E. coli		4	cfu/100mL	EPA1603
9/18/2012 8:25	E. coli		220	cfu/100mL	EPA1603
9/19/2012 8:28	E. coli		920	cfu/100mL	EPA1603
9/20/2012 8:26	E. coli		20	cfu/100mL	EPA1603
9/24/2012 8:10	E. coli		200	cfu/100mL	EPA1603
9/25/2012 8:21	E. coli		395	cfu/100mL	EPA1603
9/26/2012 8:41	E. coli		125	cfu/100mL	EPA1603
9/27/2012 8:35	E. coli		385	cfu/100mL	EPA1603
10/1/2012 8:22	E. coli		22	cfu/100mL	EPA1603
10/2/2012 8:33	E. coli		32	cfu/100mL	EPA1603
10/3/2012 8:32	E. coli	EC	103.5	cfu/100mL	EPA1603
10/4/2012 8:38	E. coli		42	cfu/100mL	EPA1603
10/8/2012 8:15	E. coli		390	cfu/100mL	EPA1603
10/9/2012 8:35	E. coli		36	cfu/100mL	EPA1603
10/10/2012 8:31	E. coli		440	cfu/100mL	EPA1603

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/15/2012 8:30	E. coli		35	cfu/100mL	EPA1603
10/16/2012 8:26	E. coli		33	cfu/100mL	EPA1603
10/17/2012 8:32	E. coli		5	cfu/100mL	EPA1603
10/18/2012 8:31	E. coli		16	cfu/100mL	EPA1603
10/22/2012 8:24	E. coli		8	cfu/100mL	EPA1603
10/23/2012 8:19	E. coli		8	cfu/100mL	EPA1603
10/24/2012 7:52	E. coli		2500	cfu/100mL	EPA1603
10/25/2012 7:57	E. coli		1080	cfu/100mL	EPA1603
5/25/2012 7:45	E. coli		376	MPN/100 mL	SM9223 Colilert
5/26/2012 7:06	E. coli		77	MPN/100 mL	SM9223 Colilert
5/27/2012 7:15	E. coli		91	MPN/100 mL	SM9223 Colilert
5/28/2012 7:13	E. coli		34	MPN/100 mL	SM9223 Colilert
6/1/2012 7:55	E. coli		3922	MPN/100 mL	SM9223 Colilert
6/2/2012 7:22	E. coli		4902	MPN/100 mL	SM9223 Colilert
6/3/2012 7:37	E. coli		337	MPN/100 mL	SM9223 Colilert
6/8/2012 7:18	E. coli		225	MPN/100 mL	SM9223 Colilert
6/9/2012 7:09	E. coli		75	MPN/100 mL	SM9223 Colilert
6/10/2012 7:05	E. coli		105	MPN/100 mL	SM9223 Colilert
6/15/2012 7:24	E. coli		250	MPN/100 mL	SM9223 Colilert
6/16/2012 7:07	E. coli		90	MPN/100 mL	SM9223 Colilert
6/17/2012 6:58	E. coli		236	MPN/100 mL	SM9223 Colilert
6/22/2012 7:18	E. coli		770	MPN/100 mL	SM9223 Colilert
6/23/2012 7:08	E. coli		461	MPN/100 mL	SM9223 Colilert
6/24/2012 7:20	E. coli		84	MPN/100 mL	SM9223 Colilert
6/29/2012 7:18	E. coli		649	MPN/100 mL	SM9223 Colilert
6/30/2012 7:25	E. coli		345	MPN/100 mL	SM9223 Colilert
7/1/2012 7:19	E. coli		29	MPN/100 mL	SM9223 Colilert
7/3/2012 7:19	E. coli		921	MPN/100 mL	SM9223 Colilert
7/4/2012 7:28	E. coli		775	MPN/100 mL	SM9223 Colilert
7/6/2012 7:07	E. coli		317.5	MPN/100 mL	SM9223 Colilert
7/7/2012 7:05	E. coli		148	MPN/100 mL	SM9223 Colilert
7/8/2012 7:06	E. coli		545	MPN/100 mL	SM9223 Colilert
7/13/2012 7:25	E. coli		43	MPN/100 mL	SM9223 Colilert
7/14/2012 7:20	E. coli		9	MPN/100 mL	SM9223 Colilert
7/15/2012 7:07	E. coli		361	MPN/100 mL	SM9223 Colilert
7/20/2012 7:27	E. coli		1120	MPN/100 mL	SM9223 Colilert
7/21/2012 7:20	E. coli		39	MPN/100 mL	SM9223 Colilert
7/22/2012 7:25	E. coli		214	MPN/100 mL	SM9223 Colilert
7/27/2012 7:02	E. coli		1140	MPN/100 mL	SM9223 Colilert
7/28/2012 9:13	E. coli		343	MPN/100 mL	SM9223 Colilert
7/29/2012 7:24	E. coli		75	MPN/100 mL	SM9223 Colilert
8/3/2012 7:19	E. coli		96	MPN/100 mL	SM9223 Colilert
8/4/2012 7:14	E. coli		248	MPN/100 mL	SM9223 Colilert
8/5/2012 6:59	E. coli		309	MPN/100 mL	SM9223 Colilert

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/10/2012 7:25	E. coli		4232	MPN/100 mL	SM9223 Colilert
8/11/2012 7:14	E. coli		242	MPN/100 mL	SM9223 Colilert
8/12/2012 7:26	E. coli		689	MPN/100 mL	SM9223 Colilert
8/17/2012 7:26	E. coli		155	MPN/100 mL	SM9223 Colilert
8/18/2012 7:03	E. coli		124	MPN/100 mL	SM9223 Colilert
8/19/2012 7:15	E. coli		13	MPN/100 mL	SM9223 Colilert
8/24/2012 7:04	E. coli		4	MPN/100 mL	SM9223 Colilert
8/25/2012 7:06	E. coli		5	MPN/100 mL	SM9223 Colilert
8/26/2012 7:04	E. coli		6	MPN/100 mL	SM9223 Colilert
8/31/2012 7:09	E. coli		140	MPN/100 mL	SM9223 Colilert
9/1/2012 7:12	E. coli		67	MPN/100 mL	SM9223 Colilert
9/2/2012 7:23	E. coli		151	MPN/100 mL	SM9223 Colilert
9/3/2012 7:02	E. coli		122	MPN/100 mL	SM9223 Colilert
9/7/2012 8:17	E. coli		22	MPN/100 mL	SM9223 Colilert
5/1/2012 8:44	Field Cond		328	uS/cm	SM 2510A
5/2/2012 8:53	Field Cond		341	uS/cm	SM 2510A
5/3/2012 9:15	Field Cond		310	uS/cm	SM 2510A
5/7/2012 9:35	Field Cond		318	uS/cm	SM 2510A
5/8/2012 8:38	Field Cond		315	uS/cm	SM 2510A
5/9/2012 8:54	Field Cond		322	uS/cm	SM 2510A
5/10/2012 8:22	Field Cond		379	uS/cm	SM 2510A
5/14/2012 7:26	Field Cond		332	uS/cm	SM 2510A
5/15/2012 7:32	Field Cond		334	uS/cm	SM 2510A
5/16/2012 7:46	Field Cond		332	uS/cm	SM 2510A
5/17/2012 7:27	Field Cond		321	uS/cm	SM 2510A
5/18/2012 7:22	Field Cond		316	uS/cm	SM 2510A
5/21/2012 7:33	Field Cond		306	uS/cm	SM 2510A
5/22/2012 7:21	Field Cond		308	uS/cm	SM 2510A
5/23/2012 7:43	Field Cond		314	uS/cm	SM 2510A
5/24/2012 7:28	Field Cond		314	uS/cm	SM 2510A
5/25/2012 7:45	Field Cond		334	uS/cm	SM 2510A
5/26/2012 7:06	Field Cond		344	uS/cm	SM 2510A
5/27/2012 7:15	Field Cond		357	uS/cm	SM 2510A
5/28/2012 7:13	Field Cond		354	uS/cm	SM 2510A
5/29/2012 7:19	Field Cond		310	uS/cm	SM 2510A
5/30/2012 7:23	Field Cond		313	uS/cm	SM 2510A
5/31/2012 7:26	Field Cond		357	uS/cm	SM 2510A
6/1/2012 7:55	Field Cond		295	uS/cm	SM 2510A
6/2/2012 7:22	Field Cond		299	uS/cm	SM 2510A
6/3/2012 7:37	Field Cond		326	uS/cm	SM 2510A
6/4/2012 7:16	Field Cond		342	uS/cm	SM 2510A
6/5/2012 7:19	Field Cond		332	uS/cm	SM 2510A
6/6/2012 7:05	Field Cond		346	uS/cm	SM 2510A
6/7/2012 7:22	Field Cond		318	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/8/2012 7:18	Field Cond		332	uS/cm	SM 2510A
6/9/2012 7:09	Field Cond		332	uS/cm	SM 2510A
6/10/2012 7:05	Field Cond		312	uS/cm	SM 2510A
6/11/2012 7:20	Field Cond		317	uS/cm	SM 2510A
6/12/2012 7:24	Field Cond		311	uS/cm	SM 2510A
6/13/2012 7:28	Field Cond		324	uS/cm	SM 2510A
6/14/2012 7:27	Field Cond		307	uS/cm	SM 2510A
6/15/2012 7:24	Field Cond		314	uS/cm	SM 2510A
6/16/2012 7:07	Field Cond		317	uS/cm	SM 2510A
6/17/2012 6:58	Field Cond		317	uS/cm	SM 2510A
6/18/2012 7:15	Field Cond		331	uS/cm	SM 2510A
6/19/2012 7:20	Field Cond		330	uS/cm	SM 2510A
6/20/2012 7:21	Field Cond		310	uS/cm	SM 2510A
6/21/2012 7:19	Field Cond		320	uS/cm	SM 2510A
6/22/2012 7:18	Field Cond		329	uS/cm	SM 2510A
6/23/2012 7:08	Field Cond		328	uS/cm	SM 2510A
6/24/2012 7:20	Field Cond		315	uS/cm	SM 2510A
6/25/2012 7:03	Field Cond		328	uS/cm	SM 2510A
6/26/2012 7:19	Field Cond		331	uS/cm	SM 2510A
6/27/2012 7:19	Field Cond		336	uS/cm	SM 2510A
6/28/2012 7:14	Field Cond		325	uS/cm	SM 2510A
6/29/2012 7:18	Field Cond		308	uS/cm	SM 2510A
6/30/2012 7:25	Field Cond		337	uS/cm	SM 2510A
7/1/2012 7:19	Field Cond		304	uS/cm	SM 2510A
7/2/2012 7:06	Field Cond		308	uS/cm	SM 2510A
7/3/2012 7:19	Field Cond		316	uS/cm	SM 2510A
7/4/2012 7:28	Field Cond		308	uS/cm	SM 2510A
7/5/2012 7:58	Field Cond		267	uS/cm	SM 2510A
7/6/2012 7:07	Field Cond		302	uS/cm	SM 2510A
7/7/2012 7:05	Field Cond		301	uS/cm	SM 2510A
7/8/2012 7:06	Field Cond		324	uS/cm	SM 2510A
7/9/2012 7:26	Field Cond		307	uS/cm	SM 2510A
7/10/2012 7:40	Field Cond		320	uS/cm	SM 2510A
7/11/2012 7:24	Field Cond		316	uS/cm	SM 2510A
7/12/2012 7:31	Field Cond		326	uS/cm	SM 2510A
7/13/2012 7:25	Field Cond		330	uS/cm	SM 2510A
7/14/2012 7:20	Field Cond		303	uS/cm	SM 2510A
7/15/2012 7:07	Field Cond		308	uS/cm	SM 2510A
7/16/2012 7:25	Field Cond		302	uS/cm	SM 2510A
7/17/2012 7:33	Field Cond		306	uS/cm	SM 2510A
7/18/2012 7:32	Field Cond		294	uS/cm	SM 2510A
7/19/2012 7:22	Field Cond		310	uS/cm	SM 2510A
7/20/2012 7:27	Field Cond		327	uS/cm	SM 2510A
7/21/2012 7:20	Field Cond		345	uS/cm	SM 2510A
7/22/2012 7:25	Field Cond		324	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/23/2012 7:11	Field Cond		298	uS/cm	SM 2510A
7/24/2012 7:07	Field Cond		330	uS/cm	SM 2510A
7/25/2012 7:12	Field Cond		321	uS/cm	SM 2510A
7/26/2012 7:00	Field Cond		311	uS/cm	SM 2510A
7/27/2012 7:02	Field Cond		317	uS/cm	SM 2510A
7/28/2012 9:13	Field Cond		310	uS/cm	SM 2510A
7/29/2012 7:24	Field Cond		317	uS/cm	SM 2510A
7/30/2012 7:10	Field Cond		308	uS/cm	SM 2510A
7/31/2012 7:05	Field Cond		308	uS/cm	SM 2510A
8/1/2012 7:02	Field Cond		303	uS/cm	SM 2510A
8/2/2012 7:16	Field Cond		316	uS/cm	SM 2510A
8/3/2012 7:19	Field Cond		309	uS/cm	SM 2510A
8/4/2012 7:14	Field Cond		308	uS/cm	SM 2510A
8/5/2012 6:59	Field Cond		308	uS/cm	SM 2510A
8/6/2012 7:21	Field Cond		326	uS/cm	SM 2510A
8/7/2012 7:26	Field Cond		301	uS/cm	SM 2510A
8/8/2012 7:41	Field Cond		327	uS/cm	SM 2510A
8/9/2012 7:29	Field Cond		305	uS/cm	SM 2510A
8/10/2012 7:25	Field Cond		312	uS/cm	SM 2510A
8/11/2012 7:14	Field Cond		333	uS/cm	SM 2510A
8/12/2012 7:26	Field Cond		333	uS/cm	SM 2510A
8/13/2012 7:19	Field Cond		318	uS/cm	SM 2510A
8/14/2012 7:14	Field Cond		314	uS/cm	SM 2510A
8/15/2012 7:22	Field Cond		307	uS/cm	SM 2510A
8/16/2012 7:35	Field Cond		313	uS/cm	SM 2510A
8/17/2012 7:26	Field Cond		317	uS/cm	SM 2510A
8/18/2012 7:03	Field Cond		336	uS/cm	SM 2510A
8/19/2012 7:15	Field Cond		314	uS/cm	SM 2510A
8/20/2012 7:05	Field Cond		306	uS/cm	SM 2510A
8/21/2012 7:07	Field Cond		305	uS/cm	SM 2510A
8/22/2012 6:59	Field Cond		303	uS/cm	SM 2510A
8/23/2012 7:10	Field Cond		319	uS/cm	SM 2510A
8/24/2012 7:04	Field Cond		307	uS/cm	SM 2510A
8/25/2012 7:06	Field Cond		309	uS/cm	SM 2510A
8/26/2012 7:04	Field Cond		306	uS/cm	SM 2510A
8/27/2012 6:57	Field Cond		297	uS/cm	SM 2510A
8/28/2012 7:08	Field Cond		295	uS/cm	SM 2510A
8/29/2012 7:12	Field Cond		307	uS/cm	SM 2510A
8/30/2012 7:17	Field Cond		298	uS/cm	SM 2510A
8/31/2012 7:09	Field Cond		301	uS/cm	SM 2510A
9/1/2012 7:12	Field Cond		325	uS/cm	SM 2510A
9/2/2012 7:23	Field Cond		304	uS/cm	SM 2510A
9/3/2012 7:02	Field Cond		310	uS/cm	SM 2510A
9/4/2012 7:10	Field Cond		300	uS/cm	SM 2510A
9/5/2012 8:22	Field Cond		307	uS/cm	SM 2510A

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/6/2012 8:15	Field Cond		310	uS/cm	SM 2510A
9/7/2012 8:17	Field Cond		304	uS/cm	SM 2510A
9/10/2012 8:17	Field Cond		324	uS/cm	SM 2510A
9/11/2012 8:31	Field Cond		329	uS/cm	SM 2510A
9/12/2012 8:33	Field Cond		316	uS/cm	SM 2510A
9/13/2012 8:34	Field Cond		311	uS/cm	SM 2510A
9/17/2012 8:32	Field Cond		314	uS/cm	SM 2510A
9/18/2012 8:25	Field Cond		294	uS/cm	SM 2510A
9/19/2012 8:28	Field Cond		318	uS/cm	SM 2510A
9/20/2012 8:26	Field Cond		306	uS/cm	SM 2510A
9/24/2012 8:10	Field Cond		348	uS/cm	SM 2510A
9/25/2012 8:21	Field Cond		343	uS/cm	SM 2510A
9/26/2012 8:41	Field Cond		332	uS/cm	SM 2510A
9/27/2012 8:35	Field Cond		323	uS/cm	SM 2510A
10/1/2012 8:22	Field Cond		323	uS/cm	SM 2510A
10/2/2012 8:33	Field Cond		315	uS/cm	SM 2510A
10/3/2012 8:32	Field Cond		302	uS/cm	SM 2510A
10/4/2012 8:38	Field Cond		319	uS/cm	SM 2510A
10/8/2012 8:15	Field Cond		359	uS/cm	SM 2510A
10/9/2012 8:35	Field Cond		312	uS/cm	SM 2510A
10/10/2012 8:31	Field Cond		317	uS/cm	SM 2510A
10/15/2012 8:30	Field Cond		337	uS/cm	SM 2510A
10/16/2012 8:26	Field Cond		358	uS/cm	SM 2510A
10/17/2012 8:32	Field Cond		391	uS/cm	SM 2510A
10/18/2012 8:31	Field Cond		352	uS/cm	SM 2510A
10/22/2012 8:24	Field Cond		354	uS/cm	SM 2510A
10/23/2012 8:19	Field Cond		354	uS/cm	SM 2510A
10/24/2012 7:52	Field Cond		348	uS/cm	SM 2510A
10/25/2012 7:57	Field Cond		334	uS/cm	SM 2510A
5/1/2012 8:44	Field Temp		10.7	C	EPA 170.1
5/2/2012 8:53	Field Temp		11.5	C	EPA 170.1
5/3/2012 9:15	Field Temp		12.2	C	EPA 170.1
5/7/2012 9:35	Field Temp		13.3	C	EPA 170.1
5/8/2012 8:38	Field Temp		13.2	C	EPA 170.1
5/9/2012 8:54	Field Temp		14.2	C	EPA 170.1
5/10/2012 8:22	Field Temp		14.2	C	EPA 170.1
5/14/2012 7:26	Field Temp		15	C	EPA 170.1
5/15/2012 7:32	Field Temp		14.5	C	EPA 170.1
5/16/2012 7:46	Field Temp		15.3	C	EPA 170.1
5/17/2012 7:27	Field Temp		14.7	C	EPA 170.1
5/18/2012 7:22	Field Temp		12.9	C	EPA 170.1
5/21/2012 7:33	Field Temp		13.2	C	EPA 170.1
5/22/2012 7:21	Field Temp		14.2	C	EPA 170.1
5/23/2012 7:43	Field Temp		14.7	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/24/2012 7:28	Field Temp		15.9	C	EPA 170.1
5/25/2012 7:45	Field Temp		17.9	C	EPA 170.1
5/26/2012 7:06	Field Temp		19.8	C	EPA 170.1
5/27/2012 7:15	Field Temp		17.4	C	EPA 170.1
5/28/2012 7:13	Field Temp		14.4	C	EPA 170.1
5/29/2012 7:19	Field Temp		17.8	C	EPA 170.1
5/30/2012 7:23	Field Temp		18.8	C	EPA 170.1
5/31/2012 7:26	Field Temp		17.7	C	EPA 170.1
6/1/2012 7:55	Field Temp		12.7	C	EPA 170.1
6/2/2012 7:22	Field Temp		15.1	C	EPA 170.1
6/3/2012 7:37	Field Temp		15.7	C	EPA 170.1
6/4/2012 7:16	Field Temp		16	C	EPA 170.1
6/5/2012 7:19	Field Temp		15.9	C	EPA 170.1
6/6/2012 7:05	Field Temp		15.9	C	EPA 170.1
6/7/2012 7:22	Field Temp		17.4	C	EPA 170.1
6/8/2012 7:18	Field Temp		18.6	C	EPA 170.1
6/9/2012 7:09	Field Temp		18.4	C	EPA 170.1
6/10/2012 7:05	Field Temp		19.7	C	EPA 170.1
6/11/2012 7:20	Field Temp		20.1	C	EPA 170.1
6/12/2012 7:24	Field Temp		20.9	C	EPA 170.1
6/13/2012 7:28	Field Temp		19	C	EPA 170.1
6/14/2012 7:27	Field Temp		19.6	C	EPA 170.1
6/15/2012 7:24	Field Temp		17.9	C	EPA 170.1
6/16/2012 7:07	Field Temp		17.9	C	EPA 170.1
6/17/2012 6:58	Field Temp		18.7	C	EPA 170.1
6/18/2012 7:15	Field Temp		19.4	C	EPA 170.1
6/19/2012 7:20	Field Temp		20	C	EPA 170.1
6/20/2012 7:21	Field Temp		21.3	C	EPA 170.1
6/21/2012 7:19	Field Temp		22.1	C	EPA 170.1
6/22/2012 7:18	Field Temp		23	C	EPA 170.1
6/23/2012 7:08	Field Temp		22.6	C	EPA 170.1
6/24/2012 7:20	Field Temp		22.3	C	EPA 170.1
6/25/2012 7:03	Field Temp		21.9	C	EPA 170.1
6/26/2012 7:19	Field Temp		20	C	EPA 170.1
6/27/2012 7:19	Field Temp		21	C	EPA 170.1
6/28/2012 7:14	Field Temp		22.1	C	EPA 170.1
6/29/2012 7:18	Field Temp		24.1	C	EPA 170.1
6/30/2012 7:25	Field Temp		24.3	C	EPA 170.1
7/1/2012 7:19	Field Temp		24.7	C	EPA 170.1
7/2/2012 7:06	Field Temp		24.2	C	EPA 170.1
7/3/2012 7:19	Field Temp		24.4	C	EPA 170.1
7/4/2012 7:28	Field Temp		23.8	C	EPA 170.1
7/5/2012 7:58	Field Temp		24.9	C	EPA 170.1
7/6/2012 7:07	Field Temp		25.2	C	EPA 170.1
7/7/2012 7:05	Field Temp		25.9	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/8/2012 7:06	Field Temp		25.9	C	EPA 170.1
7/9/2012 7:26	Field Temp		23.2	C	EPA 170.1
7/10/2012 7:40	Field Temp		23.8	C	EPA 170.1
7/11/2012 7:24	Field Temp		23.4	C	EPA 170.1
7/12/2012 7:31	Field Temp		23	C	EPA 170.1
7/13/2012 7:25	Field Temp		23	C	EPA 170.1
7/14/2012 7:20	Field Temp		23.8	C	EPA 170.1
7/15/2012 7:07	Field Temp		23.9	C	EPA 170.1
7/16/2012 7:25	Field Temp		23.4	C	EPA 170.1
7/17/2012 7:33	Field Temp		25	C	EPA 170.1
7/18/2012 7:32	Field Temp		25.8	C	EPA 170.1
7/19/2012 7:22	Field Temp		25.5	C	EPA 170.1
7/20/2012 7:27	Field Temp		24.7	C	EPA 170.1
7/21/2012 7:20	Field Temp		19.9	C	EPA 170.1
7/22/2012 7:25	Field Temp		23.4	C	EPA 170.1
7/23/2012 7:11	Field Temp		24.7	C	EPA 170.1
7/24/2012 7:07	Field Temp		25.5	C	EPA 170.1
7/25/2012 7:12	Field Temp		24.1	C	EPA 170.1
7/26/2012 7:00	Field Temp		25.1	C	EPA 170.1
7/27/2012 7:02	Field Temp		25.6	C	EPA 170.1
7/28/2012 9:13	Field Temp		25.7	C	EPA 170.1
7/29/2012 7:24	Field Temp		25.2	C	EPA 170.1
7/30/2012 7:10	Field Temp		25	C	EPA 170.1
7/31/2012 7:05	Field Temp		25.2	C	EPA 170.1
8/1/2012 7:02	Field Temp		25.5	C	EPA 170.1
8/2/2012 7:16	Field Temp		25.4	C	EPA 170.1
8/3/2012 7:19	Field Temp		25.8	C	EPA 170.1
8/4/2012 7:14	Field Temp		25.7	C	EPA 170.1
8/5/2012 6:59	Field Temp		25.5	C	EPA 170.1
8/6/2012 7:21	Field Temp		24.9	C	EPA 170.1
8/7/2012 7:26	Field Temp		24.5	C	EPA 170.1
8/8/2012 7:41	Field Temp		24.7	C	EPA 170.1
8/9/2012 7:29	Field Temp		24.8	C	EPA 170.1
8/10/2012 7:25	Field Temp		24.5	C	EPA 170.1
8/11/2012 7:14	Field Temp		23	C	EPA 170.1
8/12/2012 7:26	Field Temp		22.7	C	EPA 170.1
8/13/2012 7:19	Field Temp		23.3	C	EPA 170.1
8/14/2012 7:14	Field Temp		23.5	C	EPA 170.1
8/15/2012 7:22	Field Temp		23.1	C	EPA 170.1
8/16/2012 7:35	Field Temp		23.4	C	EPA 170.1
8/17/2012 7:26	Field Temp		22.7	C	EPA 170.1
8/18/2012 7:03	Field Temp		22.9	C	EPA 170.1
8/19/2012 7:15	Field Temp		23.2	C	EPA 170.1
8/20/2012 7:05	Field Temp		23	C	EPA 170.1
8/21/2012 7:07	Field Temp		22.7	C	EPA 170.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/22/2012 6:59	Field Temp		22.6	C	EPA 170.1
8/23/2012 7:10	Field Temp		22.9	C	EPA 170.1
8/24/2012 7:04	Field Temp		22.9	C	EPA 170.1
8/25/2012 7:06	Field Temp		23.1	C	EPA 170.1
8/26/2012 7:04	Field Temp		22.7	C	EPA 170.1
8/27/2012 6:57	Field Temp		23	C	EPA 170.1
8/28/2012 7:08	Field Temp		22.6	C	EPA 170.1
8/29/2012 7:12	Field Temp		22.9	C	EPA 170.1
8/30/2012 7:17	Field Temp		22.5	C	EPA 170.1
8/31/2012 7:09	Field Temp		22.6	C	EPA 170.1
9/1/2012 7:12	Field Temp		23.7	C	EPA 170.1
9/2/2012 7:23	Field Temp		23.4	C	EPA 170.1
9/3/2012 7:02	Field Temp		23.1	C	EPA 170.1
9/4/2012 7:10	Field Temp		23.4	C	EPA 170.1
9/5/2012 8:22	Field Temp		23.2	C	EPA 170.1
9/6/2012 8:15	Field Temp		23.4	C	EPA 170.1
9/7/2012 8:17	Field Temp		23.6	C	EPA 170.1
9/10/2012 8:17	Field Temp		21.3	C	EPA 170.1
9/11/2012 8:31	Field Temp		21.9	C	EPA 170.1
9/12/2012 8:33	Field Temp		21.5	C	EPA 170.1
9/13/2012 8:34	Field Temp		22	C	EPA 170.1
9/17/2012 8:32	Field Temp		21.4	C	EPA 170.1
9/18/2012 8:25	Field Temp		21.2	C	EPA 170.1
9/19/2012 8:28	Field Temp		18.7	C	EPA 170.1
9/20/2012 8:26	Field Temp		19.5	C	EPA 170.1
9/24/2012 8:10	Field Temp		17.8	C	EPA 170.1
9/25/2012 8:21	Field Temp		17.3	C	EPA 170.1
9/26/2012 8:41	Field Temp		17.9	C	EPA 170.1
9/27/2012 8:35	Field Temp		17.3	C	EPA 170.1
10/1/2012 8:22	Field Temp		16.8	C	EPA 170.1
10/2/2012 8:33	Field Temp		17.3	C	EPA 170.1
10/3/2012 8:32	Field Temp		17.9	C	EPA 170.1
10/4/2012 8:38	Field Temp		17.2	C	EPA 170.1
10/8/2012 8:15	Field Temp		14.6	C	EPA 170.1
10/9/2012 8:35	Field Temp		14.4	C	EPA 170.1
10/10/2012 8:31	Field Temp		14.2	C	EPA 170.1
10/15/2012 8:30	Field Temp		13.9	C	EPA 170.1
10/16/2012 8:26	Field Temp		13.1	C	EPA 170.1
10/18/2012 8:31	Field Temp		13.4	C	EPA 170.1
10/22/2012 8:24	Field Temp		12.8	C	EPA 170.1
10/23/2012 8:19	Field Temp		13.9	C	EPA 170.1
10/24/2012 7:52	Field Temp		14.2	C	EPA 170.1
10/25/2012 7:57	Field Temp		14.1	C	EPA 170.1
5/1/2012 8:44	pH		8.36	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
5/2/2012 8:53	pH		8.13	S.U.	
5/3/2012 9:15	pH		8.31	S.U.	
5/7/2012 9:35	pH		8.3	S.U.	
5/8/2012 8:38	pH		8.18	S.U.	
5/9/2012 8:54	pH		8.21	S.U.	
5/10/2012 8:22	pH		8.32	S.U.	
5/14/2012 7:26	pH		8.33	S.U.	
5/15/2012 7:32	pH		8.25	S.U.	
5/16/2012 7:46	pH		8.46	S.U.	
5/17/2012 7:27	pH		8.25	S.U.	
5/18/2012 7:22	pH		8.06	S.U.	
5/21/2012 7:33	pH		7.92	S.U.	
5/22/2012 7:21	pH		8.37	S.U.	
5/23/2012 7:43	pH		8.19	S.U.	
5/24/2012 7:28	pH		8.49	S.U.	
5/25/2012 7:45	pH		8.69	S.U.	
5/26/2012 7:06	pH		8.7	S.U.	
5/27/2012 7:15	pH		8.41	S.U.	
5/28/2012 7:13	pH		7.85	S.U.	
5/29/2012 7:19	pH		8.09	S.U.	
5/30/2012 7:23	pH		8.35	S.U.	
5/31/2012 7:26	pH		8.36	S.U.	
6/1/2012 7:55	pH		7.87	S.U.	
6/2/2012 7:22	pH		8.02	S.U.	
6/3/2012 7:37	pH		8.19	S.U.	
6/4/2012 7:16	pH		8.04	S.U.	
6/5/2012 7:19	pH		8.01	S.U.	
6/6/2012 7:05	pH		8.08	S.U.	
6/7/2012 7:22	pH		8.05	S.U.	
6/8/2012 7:18	pH		8.17	S.U.	
6/9/2012 7:09	pH		8.16	S.U.	
6/10/2012 7:05	pH		8.21	S.U.	
6/11/2012 7:20	pH		8.06	S.U.	
6/12/2012 7:24	pH		8.17	S.U.	
6/13/2012 7:28	pH		8.21	S.U.	
6/14/2012 7:27	pH		8.13	S.U.	
6/15/2012 7:24	pH		7.74	S.U.	
6/16/2012 7:07	pH		7.68	S.U.	
6/17/2012 6:58	pH		7.78	S.U.	
6/18/2012 7:15	pH		7.88	S.U.	
6/19/2012 7:20	pH		7.97	S.U.	
6/20/2012 7:21	pH		7.97	S.U.	
6/21/2012 7:19	pH		8.18	S.U.	
6/22/2012 7:18	pH		7.97	S.U.	
6/23/2012 7:08	pH		7.99	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/24/2012 7:20	pH		7.95	S.U.	
6/25/2012 7:03	pH		7.96	S.U.	
6/26/2012 7:19	pH		7.89	S.U.	
6/27/2012 7:19	pH		7.68	S.U.	
6/28/2012 7:14	pH		7.88	S.U.	
6/29/2012 7:18	pH		7.87	S.U.	
6/30/2012 7:25	pH		8.03	S.U.	
7/1/2012 7:19	pH		7.93	S.U.	
7/2/2012 7:06	pH		7.86	S.U.	
7/3/2012 7:19	pH		8.1	S.U.	
7/4/2012 7:28	pH		8.34	S.U.	
7/5/2012 7:58	pH		8.42	S.U.	
7/6/2012 7:07	pH		8.4	S.U.	
7/7/2012 7:05	pH		8.53	S.U.	
7/8/2012 7:06	pH		8.31	S.U.	
7/9/2012 7:26	pH		7.89	S.U.	
7/10/2012 7:40	pH		8.28	S.U.	
7/11/2012 7:24	pH		8.12	S.U.	
7/12/2012 7:31	pH		7.95	S.U.	
7/13/2012 7:25	pH		7.85	S.U.	
7/14/2012 7:20	pH		8.48	S.U.	
7/15/2012 7:07	pH		8.34	S.U.	
7/16/2012 7:25	pH		8.09	S.U.	
7/17/2012 7:33	pH		8.09	S.U.	
7/18/2012 7:32	pH		8.02	S.U.	
7/19/2012 7:22	pH		7.84	S.U.	
7/20/2012 7:27	pH		7.88	S.U.	
7/21/2012 7:20	pH		7.09	S.U.	
7/22/2012 7:25	pH		7.7	S.U.	
7/23/2012 7:11	pH		8.4	S.U.	
7/24/2012 7:07	pH		8.35	S.U.	
7/25/2012 7:12	pH		8.16	S.U.	
7/26/2012 7:00	pH		8.38	S.U.	
7/27/2012 7:02	pH		8.33	S.U.	
7/28/2012 9:13	pH		8.25	S.U.	
7/29/2012 7:24	pH		8.24	S.U.	
7/30/2012 7:10	pH		8.5	S.U.	
7/31/2012 7:05	pH		8.36	S.U.	
8/1/2012 7:02	pH		8.35	S.U.	
8/2/2012 7:16	pH		8.47	S.U.	
8/3/2012 7:19	pH		8.37	S.U.	
8/4/2012 7:14	pH		8.33	S.U.	
8/5/2012 6:59	pH		8.28	S.U.	
8/6/2012 7:21	pH		8.26	S.U.	
8/7/2012 7:26	pH		8.41	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
8/8/2012 7:41	pH		8.2	S.U.	
8/9/2012 7:29	pH		8.19	S.U.	
8/10/2012 7:25	pH		8.1	S.U.	
8/11/2012 7:14	pH		8.19	S.U.	
8/12/2012 7:26	pH		8.27	S.U.	
8/13/2012 7:19	pH		8.19	S.U.	
8/14/2012 7:14	pH		8.39	S.U.	
8/15/2012 7:22	pH		8.39	S.U.	
8/16/2012 7:35	pH		8.4	S.U.	
8/17/2012 7:26	pH		8.31	S.U.	
8/18/2012 7:03	pH		8.23	S.U.	
8/19/2012 7:15	pH		8.52	S.U.	
8/20/2012 7:05	pH		8.51	S.U.	
8/21/2012 7:07	pH		8.28	S.U.	
8/22/2012 6:59	pH		8.46	S.U.	
8/23/2012 7:10	pH		8.41	S.U.	
8/24/2012 7:04	pH		8.4	S.U.	
8/25/2012 7:06	pH		8.28	S.U.	
8/26/2012 7:04	pH		8.28	S.U.	
8/27/2012 6:57	pH		8.15	S.U.	
8/28/2012 7:08	pH		8.01	S.U.	
8/29/2012 7:12	pH		7.95	S.U.	
8/30/2012 7:17	pH		8.07	S.U.	
8/31/2012 7:09	pH		7.95	S.U.	
9/1/2012 7:12	pH		7.96	S.U.	
9/2/2012 7:23	pH		7.88	S.U.	
9/3/2012 7:02	pH		7.85	S.U.	
9/4/2012 7:10	pH		7.85	S.U.	
9/5/2012 8:22	pH		8.06	S.U.	
9/6/2012 8:15	pH		7.9	S.U.	
9/7/2012 8:17	pH		8.12	S.U.	
9/10/2012 8:17	pH		7.97	S.U.	
9/11/2012 8:31	pH		8.09	S.U.	
9/12/2012 8:33	pH		7.99	S.U.	
9/13/2012 8:34	pH		8.11	S.U.	
9/17/2012 8:32	pH		8.36	S.U.	
9/18/2012 8:25	pH		8.15	S.U.	
9/19/2012 8:28	pH		7.91	S.U.	
9/20/2012 8:26	pH		8.19	S.U.	
9/24/2012 8:10	pH		7.84	S.U.	
9/25/2012 8:21	pH		8.14	S.U.	
9/26/2012 8:41	pH		8.11	S.U.	
9/27/2012 8:35	pH		7.9	S.U.	
10/1/2012 8:22	pH		7.9	S.U.	
10/2/2012 8:33	pH		7.95	S.U.	

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
10/3/2012 8:32	pH		8	S.U.	
10/4/2012 8:38	pH		7.76	S.U.	
10/8/2012 8:15	pH		7.77	S.U.	
10/9/2012 8:35	pH		7.96	S.U.	
10/10/2012 8:31	pH		7.62	S.U.	
10/15/2012 8:30	pH		7.51	S.U.	
10/16/2012 8:26	pH		7.75	S.U.	
10/17/2012 8:32	pH		7.68	S.U.	
10/18/2012 8:31	pH		7.68	S.U.	
10/22/2012 8:24	pH		7.6	S.U.	
10/23/2012 8:19	pH		7.57	S.U.	
10/24/2012 7:52	pH		7.41	S.U.	
10/25/2012 7:57	pH		8.25	S.U.	
5/1/2012 8:44	Turbidity		14.7	NTU	EPA180.1
5/2/2012 8:53	Turbidity		18.95	NTU	EPA180.1
5/3/2012 9:15	Turbidity		11.55	NTU	EPA180.1
5/7/2012 9:35	Turbidity		11.35	NTU	EPA180.1
5/8/2012 8:38	Turbidity		7.03	NTU	EPA180.1
5/9/2012 8:54	Turbidity		6.42	NTU	EPA180.1
5/10/2012 8:22	Turbidity		34	NTU	EPA180.1
5/14/2012 7:26	Turbidity		9.6	NTU	EPA180.1
5/15/2012 7:32	Turbidity		8.48	NTU	EPA180.1
5/16/2012 7:46	Turbidity		4.75	NTU	EPA180.1
5/17/2012 7:27	Turbidity		13	NTU	EPA180.1
5/21/2012 7:33	Turbidity		5.55	NTU	EPA180.1
5/22/2012 7:21	Turbidity		28.15	NTU	EPA180.1
5/23/2012 7:43	Turbidity		5.02	NTU	EPA180.1
5/24/2012 7:28	Turbidity		3.28	NTU	EPA180.1
5/25/2012 7:45	Turbidity		2.205	NTU	EPA180.1
5/26/2012 7:06	Turbidity		3.38	NTU	EPA180.1
5/27/2012 7:15	Turbidity		2.71	NTU	EPA180.1
5/28/2012 7:13	Turbidity		3.87	NTU	EPA180.1
5/29/2012 7:19	Turbidity		4.41	NTU	EPA180.1
5/30/2012 7:23	Turbidity		4.845	NTU	EPA180.1
5/31/2012 7:26	Turbidity		21.4	NTU	EPA180.1
6/1/2012 7:55	Turbidity		48.6	NTU	EPA180.1
6/2/2012 7:22	Turbidity		34.3	NTU	EPA180.1
6/3/2012 7:37	Turbidity		33.1	NTU	EPA180.1
6/4/2012 7:16	Turbidity		8.83	NTU	EPA180.1
6/5/2012 7:19	Turbidity		7.66	NTU	EPA180.1
6/6/2012 7:05	Turbidity		7.19	NTU	EPA180.1
6/7/2012 7:22	Turbidity		5.1	NTU	EPA180.1
6/8/2012 7:18	Turbidity		2.8	NTU	EPA180.1
6/9/2012 7:09	Turbidity		3.1	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
6/10/2012 7:05	Turbidity		4	NTU	EPA180.1
6/11/2012 7:20	Turbidity		2.46	NTU	EPA180.1
6/12/2012 7:24	Turbidity		3.55	NTU	EPA180.1
6/13/2012 7:28	Turbidity		29.6	NTU	EPA180.1
6/14/2012 7:27	Turbidity		5.11	NTU	EPA180.1
6/15/2012 7:24	Turbidity		6.5	NTU	EPA180.1
6/16/2012 7:07	Turbidity		4.5	NTU	EPA180.1
6/17/2012 6:58	Turbidity		4.19	NTU	EPA180.1
6/18/2012 7:15	Turbidity		5.35	NTU	EPA180.1
6/19/2012 7:20	Turbidity		8.6	NTU	EPA180.1
6/20/2012 7:21	Turbidity		3.96	NTU	EPA180.1
6/21/2012 7:19	Turbidity		2.81	NTU	EPA180.1
6/22/2012 7:18	Turbidity		7.57	NTU	EPA180.1
6/23/2012 7:08	Turbidity		5.73	NTU	EPA180.1
6/24/2012 7:20	Turbidity		1.81	NTU	EPA180.1
6/25/2012 7:03	Turbidity		42.7	NTU	EPA180.1
6/27/2012 7:19	Turbidity		8.51	NTU	EPA180.1
6/28/2012 7:14	Turbidity		4.01	NTU	EPA180.1
6/29/2012 7:18	Turbidity		6.47	NTU	EPA180.1
6/30/2012 7:25	Turbidity		6.3	NTU	EPA180.1
7/1/2012 7:19	Turbidity		5.7	NTU	EPA180.1
7/2/2012 7:06	Turbidity		2.79	NTU	EPA180.1
7/3/2012 7:19	Turbidity		4.82	NTU	EPA180.1
7/4/2012 7:28	Turbidity		3.61	NTU	EPA180.1
7/5/2012 7:58	Turbidity		8.92	NTU	EPA180.1
7/6/2012 7:07	Turbidity		3.73	NTU	EPA180.1
7/7/2012 7:05	Turbidity		4.5	NTU	EPA180.1
7/8/2012 7:06	Turbidity		18.1	NTU	EPA180.1
7/9/2012 7:26	Turbidity		26.25	NTU	EPA180.1
7/10/2012 7:40	Turbidity		7.12	NTU	EPA180.1
7/11/2012 7:24	Turbidity		2.96	NTU	EPA180.1
7/12/2012 7:31	Turbidity		3.27	NTU	EPA180.1
7/13/2012 7:25	Turbidity		1.81	NTU	EPA180.1
7/14/2012 7:20	Turbidity		2.04	NTU	EPA180.1
7/15/2012 7:07	Turbidity		4.89	NTU	EPA180.1
7/16/2012 7:25	Turbidity		4.86	NTU	EPA180.1
7/17/2012 7:33	Turbidity		6.6	NTU	EPA180.1
7/18/2012 7:32	Turbidity		11.2	NTU	EPA180.1
7/19/2012 7:22	Turbidity		2.9	NTU	EPA180.1
7/20/2012 7:27	Turbidity		33.8	NTU	EPA180.1
7/21/2012 7:20	Turbidity		8.5	NTU	EPA180.1
7/22/2012 7:25	Turbidity		11.3	NTU	EPA180.1
7/23/2012 7:11	Turbidity		4.57	NTU	EPA180.1
7/25/2012 7:12	Turbidity		16.1	NTU	EPA180.1
7/26/2012 7:00	Turbidity		6.67	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
7/27/2012 7:02	Turbidity		6.02	NTU	EPA180.1
7/28/2012 9:13	Turbidity		11.1	NTU	EPA180.1
7/29/2012 7:24	Turbidity		10.55	NTU	EPA180.1
7/30/2012 7:10	Turbidity		3	NTU	EPA180.1
7/31/2012 7:05	Turbidity		4.91	NTU	EPA180.1
8/1/2012 7:02	Turbidity		7.02	NTU	EPA180.1
8/2/2012 7:16	Turbidity		2.69	NTU	EPA180.1
8/3/2012 7:19	Turbidity		3.025	NTU	EPA180.1
8/4/2012 7:14	Turbidity		4.07	NTU	EPA180.1
8/5/2012 6:59	Turbidity		9.06	NTU	EPA180.1
8/6/2012 7:21	Turbidity		12.6	NTU	EPA180.1
8/7/2012 7:26	Turbidity		2.39	NTU	EPA180.1
8/8/2012 7:41	Turbidity		4.3	NTU	EPA180.1
8/9/2012 7:29	Turbidity		7.89	NTU	EPA180.1
8/10/2012 7:25	Turbidity		13.55	NTU	EPA180.1
8/11/2012 7:14	Turbidity		18.8	NTU	EPA180.1
8/12/2012 7:26	Turbidity		24.9	NTU	EPA180.1
8/13/2012 7:19	Turbidity		4.57	NTU	EPA180.1
8/14/2012 7:14	Turbidity		2.99	NTU	EPA180.1
8/15/2012 7:22	Turbidity		3.1	NTU	EPA180.1
8/16/2012 7:35	Turbidity		3.18	NTU	EPA180.1
8/17/2012 7:26	Turbidity		21.9	NTU	EPA180.1
8/18/2012 7:03	Turbidity		12.1	NTU	EPA180.1
8/19/2012 7:15	Turbidity		3.12	NTU	EPA180.1
8/20/2012 7:05	Turbidity		2.89	NTU	EPA180.1
8/21/2012 7:07	Turbidity		2.83	NTU	EPA180.1
8/22/2012 6:59	Turbidity		2.86	NTU	EPA180.1
8/23/2012 7:10	Turbidity		2.75	NTU	EPA180.1
8/24/2012 7:04	Turbidity		1.73	NTU	EPA180.1
8/25/2012 7:06	Turbidity		2.9	NTU	EPA180.1
8/26/2012 7:04	Turbidity		2.39	NTU	EPA180.1
8/27/2012 6:57	Turbidity		2	NTU	EPA180.1
8/28/2012 7:08	Turbidity		11.4	NTU	EPA180.1
8/29/2012 7:12	Turbidity		12.9	NTU	EPA180.1
8/30/2012 7:17	Turbidity		2.8	NTU	EPA180.1
8/31/2012 7:09	Turbidity		3.52	NTU	EPA180.1
9/1/2012 7:12	Turbidity		12.5	NTU	EPA180.1
9/2/2012 7:23	Turbidity		6.51	NTU	EPA180.1
9/3/2012 7:02	Turbidity		8.23	NTU	EPA180.1
9/5/2012 8:22	Turbidity		6.44	NTU	EPA180.1
9/6/2012 8:15	Turbidity		13.4	NTU	EPA180.1
9/7/2012 8:17	Turbidity		7.42	NTU	EPA180.1
9/10/2012 8:17	Turbidity		13.1	NTU	EPA180.1
9/11/2012 8:31	Turbidity		6.47	NTU	EPA180.1
9/12/2012 8:33	Turbidity		5.01	NTU	EPA180.1

Euclid Beach - West

Sample Date	Parameter	Code	Result	Units	Method
9/13/2012 8:34	Turbidity		3.35	NTU	EPA180.1
9/17/2012 8:32	Turbidity		6.57	NTU	EPA180.1
9/18/2012 8:25	Turbidity		7.24	NTU	EPA180.1
9/19/2012 8:28	Turbidity		35.6	NTU	EPA180.1
9/20/2012 8:26	Turbidity		12.25	NTU	EPA180.1
9/24/2012 8:10	Turbidity		18.7	NTU	EPA180.1
9/25/2012 8:21	Turbidity		13.5	NTU	EPA180.1
9/26/2012 8:41	Turbidity		8.73	NTU	EPA180.1
9/27/2012 8:35	Turbidity		14.45	NTU	EPA180.1
10/1/2012 8:22	Turbidity		4.23	NTU	EPA180.1
10/2/2012 8:33	Turbidity		2.14	NTU	EPA180.1
10/4/2012 8:38	Turbidity		4.26	NTU	EPA180.1
10/8/2012 8:15	Turbidity		20.9	NTU	EPA180.1
10/9/2012 8:35	Turbidity		5.27	NTU	EPA180.1
10/10/2012 8:31	Turbidity		13.6	NTU	EPA180.1
10/15/2012 8:30	Turbidity		58	NTU	EPA180.1
10/16/2012 8:26	Turbidity		47.3	NTU	EPA180.1
10/17/2012 8:32	Turbidity		8.6	NTU	EPA180.1
10/18/2012 8:31	Turbidity		6.74	NTU	EPA180.1
10/22/2012 8:24	Turbidity		7.075	NTU	EPA180.1
10/23/2012 8:19	Turbidity		8.24	NTU	EPA180.1
10/24/2012 7:52	Turbidity		4.84	NTU	EPA180.1
10/25/2012 7:57	Turbidity		3.9	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
3/8/2012 8:37	E. coli	EC	82	cfu/100mL	EPA1603
3/13/2012 8:57	E. coli		420	cfu/100mL	EPA1603
3/15/2012 9:32	E. coli		23	cfu/100mL	EPA1603
3/20/2012 8:54	E. coli	EC	330	cfu/100mL	EPA1603
3/23/2012 8:47	E. coli		64	cfu/100mL	EPA1603
3/27/2012 8:29	E. coli		112	cfu/100mL	EPA1603
3/29/2012 8:45	E. coli		198	cfu/100mL	EPA1603
4/3/2012 8:45	E. coli		8	cfu/100mL	EPA1603
4/5/2012 8:48	E. coli		12	cfu/100mL	EPA1603
4/10/2012 8:56	E. coli		700	cfu/100mL	EPA1603
4/12/2012 8:25	E. coli		205	cfu/100mL	EPA1603
4/17/2012 11:00	E. coli		172	cfu/100mL	EPA1603
4/19/2012 9:07	E. coli		20	cfu/100mL	EPA1603
4/26/2012 9:05	E. coli		6	cfu/100mL	EPA1603
5/1/2012 8:05	E. coli		83	cfu/100mL	EPA1603
5/2/2012 8:17	E. coli		280	cfu/100mL	EPA1603
5/3/2012 8:28	E. coli		1060	cfu/100mL	EPA1603
5/7/2012 8:55	E. coli		6	cfu/100mL	EPA1603
5/8/2012 8:05	E. coli		1367	cfu/100mL	EPA1603
5/9/2012 8:24	E. coli		620	cfu/100mL	EPA1603
5/10/2012 7:57	E. coli		720	cfu/100mL	EPA1603
5/14/2012 6:41	E. coli		12	cfu/100mL	EPA1603
5/15/2012 6:58	E. coli		17	cfu/100mL	EPA1603
5/16/2012 7:05	E. coli		345	cfu/100mL	EPA1603
5/17/2012 6:57	E. coli		49	cfu/100mL	EPA1603
5/18/2012 6:56	E. coli		20	cfu/100mL	EPA1603
5/21/2012 6:47	E. coli		35	cfu/100mL	EPA1603
5/22/2012 6:45	E. coli		160	cfu/100mL	EPA1603
5/23/2012 7:13	E. coli		24	cfu/100mL	EPA1603
5/24/2012 7:00	E. coli		16	cfu/100mL	EPA1603
5/29/2012 6:58	E. coli		235	cfu/100mL	EPA1603
5/30/2012 7:09	E. coli		900	cfu/100mL	EPA1603
5/31/2012 7:02	E. coli		345	cfu/100mL	EPA1603
6/4/2012 6:53	E. coli		145	cfu/100mL	EPA1603
6/5/2012 7:00	E. coli		520	cfu/100mL	EPA1603
6/6/2012 6:48	E. coli		57.5	cfu/100mL	EPA1603
6/7/2012 7:00	E. coli		460	cfu/100mL	EPA1603
6/11/2012 6:54	E. coli		72	cfu/100mL	EPA1603
6/12/2012 6:54	E. coli		3500	cfu/100mL	EPA1603
6/13/2012 7:08	E. coli		1528.5	cfu/100mL	EPA1603
6/14/2012 7:00	E. coli		47	cfu/100mL	EPA1603
6/18/2012 6:53	E. coli		395	cfu/100mL	EPA1603
6/19/2012 6:46	E. coli		3400	cfu/100mL	EPA1603
6/20/2012 6:54	E. coli		175	cfu/100mL	EPA1603
6/21/2012 6:54	E. coli		280	cfu/100mL	EPA1603

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/25/2012 6:27	E. coli		1400	cfu/100mL	EPA1603
6/26/2012 6:48	E. coli		305	cfu/100mL	EPA1603
6/27/2012 6:46	E. coli		185	cfu/100mL	EPA1603
6/28/2012 6:43	E. coli		43	cfu/100mL	EPA1603
7/2/2012 6:45	E. coli	EC	11900	cfu/100mL	EPA1603
7/5/2012 6:45	E. coli		124	cfu/100mL	EPA1603
7/9/2012 6:55	E. coli		372	cfu/100mL	EPA1603
7/10/2012 7:09	E. coli		46	cfu/100mL	EPA1603
7/11/2012 6:57	E. coli		145	cfu/100mL	EPA1603
7/12/2012 6:56	E. coli		21	cfu/100mL	EPA1603
7/16/2012 6:57	E. coli		408	cfu/100mL	EPA1603
7/17/2012 7:01	E. coli		240	cfu/100mL	EPA1603
7/18/2012 6:58	E. coli		1020	cfu/100mL	EPA1603
7/19/2012 7:00	E. coli		48	cfu/100mL	EPA1603
7/23/2012 6:44	E. coli		117.5	cfu/100mL	EPA1603
7/24/2012 6:40	E. coli		170	cfu/100mL	EPA1603
7/25/2012 6:40	E. coli		55	cfu/100mL	EPA1603
7/26/2012 6:34	E. coli		1480	cfu/100mL	EPA1603
7/30/2012 6:43	E. coli		15	cfu/100mL	EPA1603
7/31/2012 6:46	E. coli		24	cfu/100mL	EPA1603
8/1/2012 6:39	E. coli		365	cfu/100mL	EPA1603
8/2/2012 6:57	E. coli		21.5	cfu/100mL	EPA1603
8/6/2012 6:53	E. coli		195	cfu/100mL	EPA1603
8/7/2012 7:00	E. coli		21	cfu/100mL	EPA1603
8/8/2012 7:04	E. coli		54	cfu/100mL	EPA1603
8/9/2012 6:58	E. coli		69	cfu/100mL	EPA1603
8/13/2012 6:51	E. coli		20	cfu/100mL	EPA1603
8/14/2012 6:54	E. coli		23	cfu/100mL	EPA1603
8/15/2012 6:58	E. coli		41.5	cfu/100mL	EPA1603
8/16/2012 7:12	E. coli		45	cfu/100mL	EPA1603
8/20/2012 6:46	E. coli		2	cfu/100mL	EPA1603
8/21/2012 6:43	E. coli		5	cfu/100mL	EPA1603
8/22/2012 6:41	E. coli		11.5	cfu/100mL	EPA1603
8/23/2012 6:47	E. coli		22	cfu/100mL	EPA1603
8/27/2012 6:35	E. coli		10	cfu/100mL	EPA1603
8/28/2012 6:47	E. coli		580	cfu/100mL	EPA1603
8/29/2012 6:54	E. coli		330	cfu/100mL	EPA1603
8/30/2012 6:57	E. coli		39	cfu/100mL	EPA1603
9/4/2012 6:52	E. coli		1000	cfu/100mL	EPA1603
9/5/2012 8:02	E. coli		275	cfu/100mL	EPA1603
9/6/2012 7:55	E. coli		4600	cfu/100mL	EPA1603
9/10/2012 7:55	E. coli		304	cfu/100mL	EPA1603
9/11/2012 8:05	E. coli		14	cfu/100mL	EPA1603
9/12/2012 8:08	E. coli		17	cfu/100mL	EPA1603
9/13/2012 8:11	E. coli		14	cfu/100mL	EPA1603

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/17/2012 8:05	E. coli		4	cfu/100mL	EPA1603
9/18/2012 8:08	E. coli		20	cfu/100mL	EPA1603
9/19/2012 8:04	E. coli		2600	cfu/100mL	EPA1603
9/20/2012 7:59	E. coli		18	cfu/100mL	EPA1603
9/24/2012 7:53	E. coli		315	cfu/100mL	EPA1603
9/25/2012 7:58	E. coli		315	cfu/100mL	EPA1603
9/26/2012 8:20	E. coli		67	cfu/100mL	EPA1603
9/27/2012 8:16	E. coli		272	cfu/100mL	EPA1603
10/1/2012 8:00	E. coli		43	cfu/100mL	EPA1603
10/2/2012 8:07	E. coli	EC	12.5	cfu/100mL	EPA1603
10/3/2012 8:07	E. coli		350	cfu/100mL	EPA1603
10/4/2012 8:17	E. coli		48	cfu/100mL	EPA1603
10/8/2012 7:56	E. coli		212	cfu/100mL	EPA1603
10/9/2012 8:14	E. coli		21	cfu/100mL	EPA1603
10/10/2012 8:15	E. coli		77	cfu/100mL	EPA1603
10/16/2012 8:03	E. coli		32	cfu/100mL	EPA1603
10/17/2012 8:05	E. coli		9	cfu/100mL	EPA1603
10/18/2012 8:08	E. coli		11	cfu/100mL	EPA1603
10/22/2012 8:00	E. coli		6	cfu/100mL	EPA1603
10/23/2012 7:56	E. coli		74	cfu/100mL	EPA1603
10/24/2012 8:04	E. coli		360	cfu/100mL	EPA1603
10/25/2012 8:09	E. coli		820	cfu/100mL	EPA1603
5/7/2012 8:55	E. coli		9	MPN/100 mL	SM9223 Colilert
5/8/2012 8:05	E. coli		1203	MPN/100 mL	SM9223 Colilert
5/9/2012 8:24	E. coli		626	MPN/100 mL	SM9223 Colilert
5/10/2012 7:57	E. coli		687	MPN/100 mL	SM9223 Colilert
5/14/2012 6:41	E. coli		26	MPN/100 mL	SM9223 Colilert
5/15/2012 6:58	E. coli		21	MPN/100 mL	SM9223 Colilert
5/16/2012 7:05	E. coli		228	MPN/100 mL	SM9223 Colilert
5/17/2012 6:57	E. coli		37	MPN/100 mL	SM9223 Colilert
5/23/2012 7:13	E. coli		14	MPN/100 mL	SM9223 Colilert
5/24/2012 7:00	E. coli		10	MPN/100 mL	SM9223 Colilert
5/25/2012 7:07	E. coli		18	MPN/100 mL	SM9223 Colilert
5/26/2012 6:49	E. coli		192	MPN/100 mL	SM9223 Colilert
5/27/2012 6:50	E. coli		411	MPN/100 mL	SM9223 Colilert
5/28/2012 6:53	E. coli		133	MPN/100 mL	SM9223 Colilert
6/1/2012 7:20	E. coli		2190	MPN/100 mL	SM9223 Colilert
6/2/2012 7:50	E. coli		3434	MPN/100 mL	SM9223 Colilert
6/3/2012 7:10	E. coli		374	MPN/100 mL	SM9223 Colilert
6/8/2012 6:50	E. coli		68	MPN/100 mL	SM9223 Colilert
6/9/2012 6:43	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
6/10/2012 6:42	E. coli		237	MPN/100 mL	SM9223 Colilert
6/16/2012 6:46	E. coli		8	MPN/100 mL	SM9223 Colilert
6/17/2012 6:47	E. coli		43	MPN/100 mL	SM9223 Colilert

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/22/2012 6:51	E. coli		352.5	MPN/100 mL	SM9223 Colilert
6/23/2012 6:46	E. coli		2420	MPN/100 mL	SM9223 Colilert
6/24/2012 7:00	E. coli		23	MPN/100 mL	SM9223 Colilert
6/29/2012 6:48	E. coli		365	MPN/100 mL	SM9223 Colilert
6/30/2012 6:53	E. coli		613	MPN/100 mL	SM9223 Colilert
7/1/2012 6:58	E. coli		50	MPN/100 mL	SM9223 Colilert
7/3/2012 6:59	E. coli		856	MPN/100 mL	SM9223 Colilert
7/4/2012 6:56	E. coli		960	MPN/100 mL	SM9223 Colilert
7/6/2012 6:45	E. coli		368	MPN/100 mL	SM9223 Colilert
7/7/2012 6:40	E. coli		56	MPN/100 mL	SM9223 Colilert
7/8/2012 6:45	E. coli		284	MPN/100 mL	SM9223 Colilert
7/13/2012 6:54	E. coli		489	MPN/100 mL	SM9223 Colilert
7/14/2012 6:54	E. coli		5	MPN/100 mL	SM9223 Colilert
7/15/2012 6:44	E. coli		1414	MPN/100 mL	SM9223 Colilert
7/20/2012 7:05	E. coli		461	MPN/100 mL	SM9223 Colilert
7/21/2012 6:58	E. coli		52	MPN/100 mL	SM9223 Colilert
7/22/2012 6:52	E. coli		114	MPN/100 mL	SM9223 Colilert
7/27/2012 6:34	E. coli		632	MPN/100 mL	SM9223 Colilert
7/28/2012 9:23	E. coli		6932	MPN/100 mL	SM9223 Colilert
7/29/2012 6:59	E. coli		120	MPN/100 mL	SM9223 Colilert
8/3/2012 6:54	E. coli		10	MPN/100 mL	SM9223 Colilert
8/4/2012 6:57	E. coli		22	MPN/100 mL	SM9223 Colilert
8/5/2012 6:44	E. coli		1046	MPN/100 mL	SM9223 Colilert
8/10/2012 7:05	E. coli		241	MPN/100 mL	SM9223 Colilert
8/11/2012 6:54	E. coli		271	MPN/100 mL	SM9223 Colilert
8/12/2012 7:05	E. coli		136	MPN/100 mL	SM9223 Colilert
8/17/2012 7:04	E. coli		279	MPN/100 mL	SM9223 Colilert
8/18/2012 6:41	E. coli		30	MPN/100 mL	SM9223 Colilert
8/19/2012 6:50	E. coli	<	2	MPN/100 mL	SM9223 Colilert
8/24/2012 6:46	E. coli		5	MPN/100 mL	SM9223 Colilert
8/25/2012 6:50	E. coli		20	MPN/100 mL	SM9223 Colilert
8/26/2012 6:48	E. coli		3	MPN/100 mL	SM9223 Colilert
8/31/2012 6:46	E. coli		500	MPN/100 mL	SM9223 Colilert
9/1/2012 6:54	E. coli		54	MPN/100 mL	SM9223 Colilert
9/2/2012 7:00	E. coli		15	MPN/100 mL	SM9223 Colilert
9/3/2012 6:47	E. coli		111	MPN/100 mL	SM9223 Colilert
9/7/2012 7:53	E. coli		47	MPN/100 mL	SM9223 Colilert
3/8/2012 8:37	Field Cond		0	uS/cm	SM 2510A
3/13/2012 8:57	Field Cond		0	uS/cm	SM 2510A
3/15/2012 9:32	Field Cond		303	uS/cm	SM 2510A
3/20/2012 8:54	Field Cond		361	uS/cm	SM 2510A
3/23/2012 8:47	Field Cond		401	uS/cm	SM 2510A
3/27/2012 8:29	Field Cond		378	uS/cm	SM 2510A
3/29/2012 8:45	Field Cond		517	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
4/3/2012 8:45	Field Cond		323	uS/cm	SM 2510A
4/5/2012 8:48	Field Cond		334	uS/cm	SM 2510A
4/10/2012 8:56	Field Cond		408	uS/cm	SM 2510A
4/12/2012 8:25	Field Cond		404	uS/cm	SM 2510A
4/17/2012 11:00	Field Cond		397	uS/cm	SM 2510A
4/19/2012 9:07	Field Cond		398	uS/cm	SM 2510A
4/26/2012 9:05	Field Cond		327	uS/cm	SM 2510A
5/1/2012 8:05	Field Cond		336	uS/cm	SM 2510A
5/2/2012 8:17	Field Cond		335	uS/cm	SM 2510A
5/3/2012 8:28	Field Cond		319	uS/cm	SM 2510A
5/7/2012 8:55	Field Cond		316	uS/cm	SM 2510A
5/8/2012 8:05	Field Cond		329	uS/cm	SM 2510A
5/9/2012 8:24	Field Cond		316	uS/cm	SM 2510A
5/10/2012 7:57	Field Cond		475	uS/cm	SM 2510A
5/14/2012 6:41	Field Cond		332	uS/cm	SM 2510A
5/15/2012 6:58	Field Cond		336	uS/cm	SM 2510A
5/16/2012 7:05	Field Cond		342	uS/cm	SM 2510A
5/17/2012 6:57	Field Cond		329	uS/cm	SM 2510A
5/18/2012 6:56	Field Cond		318	uS/cm	SM 2510A
5/21/2012 6:47	Field Cond		305	uS/cm	SM 2510A
5/22/2012 6:45	Field Cond		306	uS/cm	SM 2510A
5/23/2012 7:13	Field Cond		306	uS/cm	SM 2510A
5/24/2012 7:00	Field Cond		316	uS/cm	SM 2510A
5/25/2012 7:07	Field Cond		333	uS/cm	SM 2510A
5/26/2012 6:49	Field Cond		377	uS/cm	SM 2510A
5/27/2012 6:50	Field Cond		358	uS/cm	SM 2510A
5/28/2012 6:53	Field Cond		354	uS/cm	SM 2510A
5/29/2012 6:58	Field Cond		324	uS/cm	SM 2510A
5/30/2012 7:09	Field Cond		313	uS/cm	SM 2510A
5/31/2012 7:02	Field Cond		322	uS/cm	SM 2510A
6/1/2012 7:20	Field Cond		295	uS/cm	SM 2510A
6/2/2012 7:50	Field Cond		330	uS/cm	SM 2510A
6/3/2012 7:10	Field Cond		323	uS/cm	SM 2510A
6/4/2012 6:53	Field Cond		348	uS/cm	SM 2510A
6/5/2012 7:00	Field Cond		327	uS/cm	SM 2510A
6/6/2012 6:48	Field Cond		361	uS/cm	SM 2510A
6/7/2012 7:00	Field Cond		325	uS/cm	SM 2510A
6/8/2012 6:50	Field Cond		330	uS/cm	SM 2510A
6/9/2012 6:43	Field Cond		334	uS/cm	SM 2510A
6/10/2012 6:42	Field Cond		317	uS/cm	SM 2510A
6/11/2012 6:54	Field Cond		321	uS/cm	SM 2510A
6/12/2012 6:54	Field Cond		312	uS/cm	SM 2510A
6/13/2012 7:08	Field Cond		327	uS/cm	SM 2510A
6/14/2012 7:00	Field Cond		305	uS/cm	SM 2510A
6/16/2012 6:46	Field Cond		325	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/17/2012 6:47	Field Cond		311	uS/cm	SM 2510A
6/18/2012 6:53	Field Cond		331	uS/cm	SM 2510A
6/19/2012 6:46	Field Cond		332	uS/cm	SM 2510A
6/20/2012 6:54	Field Cond		309	uS/cm	SM 2510A
6/21/2012 6:54	Field Cond		319	uS/cm	SM 2510A
6/22/2012 6:51	Field Cond		328	uS/cm	SM 2510A
6/23/2012 6:46	Field Cond		327	uS/cm	SM 2510A
6/24/2012 7:00	Field Cond		312	uS/cm	SM 2510A
6/25/2012 6:27	Field Cond		324	uS/cm	SM 2510A
6/26/2012 6:48	Field Cond		327	uS/cm	SM 2510A
6/27/2012 6:46	Field Cond		331	uS/cm	SM 2510A
6/28/2012 6:43	Field Cond		325	uS/cm	SM 2510A
6/29/2012 6:48	Field Cond		308	uS/cm	SM 2510A
6/30/2012 6:53	Field Cond		339	uS/cm	SM 2510A
7/1/2012 6:58	Field Cond		305	uS/cm	SM 2510A
7/2/2012 6:45	Field Cond		391	uS/cm	SM 2510A
7/3/2012 6:59	Field Cond		369	uS/cm	SM 2510A
7/4/2012 6:56	Field Cond		323	uS/cm	SM 2510A
7/5/2012 6:45	Field Cond		294	uS/cm	SM 2510A
7/6/2012 6:45	Field Cond		338	uS/cm	SM 2510A
7/7/2012 6:40	Field Cond		301	uS/cm	SM 2510A
7/8/2012 6:45	Field Cond		332	uS/cm	SM 2510A
7/9/2012 6:55	Field Cond		309	uS/cm	SM 2510A
7/10/2012 7:09	Field Cond		318	uS/cm	SM 2510A
7/11/2012 6:57	Field Cond		337	uS/cm	SM 2510A
7/12/2012 6:56	Field Cond		322	uS/cm	SM 2510A
7/13/2012 6:54	Field Cond		329	uS/cm	SM 2510A
7/14/2012 6:54	Field Cond		305	uS/cm	SM 2510A
7/15/2012 6:44	Field Cond		306	uS/cm	SM 2510A
7/16/2012 6:57	Field Cond		304	uS/cm	SM 2510A
7/17/2012 7:01	Field Cond		305	uS/cm	SM 2510A
7/18/2012 6:58	Field Cond		333	uS/cm	SM 2510A
7/19/2012 7:00	Field Cond		363	uS/cm	SM 2510A
7/20/2012 7:05	Field Cond		323	uS/cm	SM 2510A
7/21/2012 6:58	Field Cond		354	uS/cm	SM 2510A
7/22/2012 6:52	Field Cond		323	uS/cm	SM 2510A
7/23/2012 6:44	Field Cond		298	uS/cm	SM 2510A
7/24/2012 6:40	Field Cond		331	uS/cm	SM 2510A
7/25/2012 6:40	Field Cond		325	uS/cm	SM 2510A
7/26/2012 6:34	Field Cond		320	uS/cm	SM 2510A
7/27/2012 6:34	Field Cond		317	uS/cm	SM 2510A
7/28/2012 9:23	Field Cond		313	uS/cm	SM 2510A
7/29/2012 6:59	Field Cond		320	uS/cm	SM 2510A
7/30/2012 6:43	Field Cond		309	uS/cm	SM 2510A
7/31/2012 6:46	Field Cond		304	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/1/2012 6:39	Field Cond		305	uS/cm	SM 2510A
8/2/2012 6:57	Field Cond		315	uS/cm	SM 2510A
8/3/2012 6:54	Field Cond		321	uS/cm	SM 2510A
8/4/2012 6:57	Field Cond		316	uS/cm	SM 2510A
8/5/2012 6:44	Field Cond		307	uS/cm	SM 2510A
8/6/2012 6:53	Field Cond		338	uS/cm	SM 2510A
8/7/2012 7:00	Field Cond		307	uS/cm	SM 2510A
8/8/2012 7:04	Field Cond		329	uS/cm	SM 2510A
8/9/2012 6:58	Field Cond		305	uS/cm	SM 2510A
8/10/2012 7:05	Field Cond		310	uS/cm	SM 2510A
8/11/2012 6:54	Field Cond		331	uS/cm	SM 2510A
8/12/2012 7:05	Field Cond		338	uS/cm	SM 2510A
8/13/2012 6:51	Field Cond		315	uS/cm	SM 2510A
8/14/2012 6:54	Field Cond		314	uS/cm	SM 2510A
8/15/2012 6:58	Field Cond		308	uS/cm	SM 2510A
8/16/2012 7:12	Field Cond		325	uS/cm	SM 2510A
8/17/2012 7:04	Field Cond		317	uS/cm	SM 2510A
8/18/2012 6:41	Field Cond		355	uS/cm	SM 2510A
8/19/2012 6:50	Field Cond		317	uS/cm	SM 2510A
8/20/2012 6:46	Field Cond		308	uS/cm	SM 2510A
8/21/2012 6:43	Field Cond		304	uS/cm	SM 2510A
8/22/2012 6:41	Field Cond		304	uS/cm	SM 2510A
8/23/2012 6:47	Field Cond		319	uS/cm	SM 2510A
8/24/2012 6:46	Field Cond		309	uS/cm	SM 2510A
8/25/2012 6:50	Field Cond		310	uS/cm	SM 2510A
8/26/2012 6:48	Field Cond		309	uS/cm	SM 2510A
8/27/2012 6:35	Field Cond		299	uS/cm	SM 2510A
8/28/2012 6:47	Field Cond		295	uS/cm	SM 2510A
8/29/2012 6:54	Field Cond		311	uS/cm	SM 2510A
8/30/2012 6:57	Field Cond		309	uS/cm	SM 2510A
8/31/2012 6:46	Field Cond		298	uS/cm	SM 2510A
9/1/2012 6:54	Field Cond		318	uS/cm	SM 2510A
9/2/2012 7:00	Field Cond		304	uS/cm	SM 2510A
9/3/2012 6:47	Field Cond		306	uS/cm	SM 2510A
9/4/2012 6:52	Field Cond		303	uS/cm	SM 2510A
9/5/2012 8:02	Field Cond		317	uS/cm	SM 2510A
9/6/2012 7:55	Field Cond		308	uS/cm	SM 2510A
9/7/2012 7:53	Field Cond		304	uS/cm	SM 2510A
9/10/2012 7:55	Field Cond		317	uS/cm	SM 2510A
9/11/2012 8:05	Field Cond		329	uS/cm	SM 2510A
9/12/2012 8:08	Field Cond		316	uS/cm	SM 2510A
9/13/2012 8:11	Field Cond		311	uS/cm	SM 2510A
9/17/2012 8:05	Field Cond		312	uS/cm	SM 2510A
9/18/2012 8:08	Field Cond		292	uS/cm	SM 2510A
9/19/2012 8:04	Field Cond		349	uS/cm	SM 2510A

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/20/2012 7:59	Field Cond		309	uS/cm	SM 2510A
9/24/2012 7:53	Field Cond		344	uS/cm	SM 2510A
9/25/2012 7:58	Field Cond		347	uS/cm	SM 2510A
9/26/2012 8:20	Field Cond		334	uS/cm	SM 2510A
9/27/2012 8:16	Field Cond		322	uS/cm	SM 2510A
10/1/2012 8:00	Field Cond		323	uS/cm	SM 2510A
10/2/2012 8:07	Field Cond		313	uS/cm	SM 2510A
10/3/2012 8:07	Field Cond		309	uS/cm	SM 2510A
10/4/2012 8:17	Field Cond		319	uS/cm	SM 2510A
10/8/2012 7:56	Field Cond		368	uS/cm	SM 2510A
10/9/2012 8:14	Field Cond		310	uS/cm	SM 2510A
10/10/2012 8:15	Field Cond		336	uS/cm	SM 2510A
10/16/2012 8:03	Field Cond		341	uS/cm	SM 2510A
10/17/2012 8:05	Field Cond		403	uS/cm	SM 2510A
10/18/2012 8:08	Field Cond		353	uS/cm	SM 2510A
10/22/2012 8:00	Field Cond		346	uS/cm	SM 2510A
10/23/2012 7:56	Field Cond		353	uS/cm	SM 2510A
10/24/2012 8:04	Field Cond		346	uS/cm	SM 2510A
10/25/2012 8:09	Field Cond		328	uS/cm	SM 2510A
3/8/2012 8:37	Field Temp		4.8	C	EPA 170.1
3/13/2012 8:57	Field Temp		5.2	C	EPA 170.1
3/15/2012 9:32	Field Temp		64	C	EPA 170.1
3/20/2012 8:54	Field Temp		6.4	C	EPA 170.1
3/23/2012 8:47	Field Temp		7	C	EPA 170.1
3/27/2012 8:29	Field Temp		7	C	EPA 170.1
3/29/2012 8:45	Field Temp		8.7	C	EPA 170.1
4/3/2012 8:45	Field Temp		8.1	C	EPA 170.1
4/5/2012 8:48	Field Temp		8.7	C	EPA 170.1
4/10/2012 8:56	Field Temp		9.8	C	EPA 170.1
4/12/2012 8:25	Field Temp		8.5	C	EPA 170.1
4/17/2012 11:00	Field Temp		11.6	C	EPA 170.1
4/19/2012 9:07	Field Temp		11.3	C	EPA 170.1
4/26/2012 9:05	Field Temp		11	C	EPA 170.1
5/1/2012 8:05	Field Temp		10.9	C	EPA 170.1
5/2/2012 8:17	Field Temp		11	C	EPA 170.1
5/3/2012 8:28	Field Temp		13.3	C	EPA 170.1
5/7/2012 8:55	Field Temp		13.2	C	EPA 170.1
5/8/2012 8:05	Field Temp		13.4	C	EPA 170.1
5/9/2012 8:24	Field Temp		14.1	C	EPA 170.1
5/10/2012 7:57	Field Temp		14.6	C	EPA 170.1
5/14/2012 6:41	Field Temp		15	C	EPA 170.1
5/15/2012 6:58	Field Temp		15	C	EPA 170.1
5/16/2012 7:05	Field Temp		15.1	C	EPA 170.1
5/17/2012 6:57	Field Temp		14.9	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/18/2012 6:56	Field Temp		12.4	C	EPA 170.1
5/21/2012 6:47	Field Temp		12.9	C	EPA 170.1
5/22/2012 6:45	Field Temp		13.5	C	EPA 170.1
5/23/2012 7:13	Field Temp		14.4	C	EPA 170.1
5/24/2012 7:00	Field Temp		15.4	C	EPA 170.1
5/25/2012 7:07	Field Temp		17.7	C	EPA 170.1
5/26/2012 6:49	Field Temp		19.7	C	EPA 170.1
5/27/2012 6:50	Field Temp		17.3	C	EPA 170.1
5/28/2012 6:53	Field Temp		15.2	C	EPA 170.1
5/29/2012 6:58	Field Temp		18	C	EPA 170.1
5/30/2012 7:09	Field Temp		18.8	C	EPA 170.1
5/31/2012 7:02	Field Temp		18.7	C	EPA 170.1
6/1/2012 7:20	Field Temp		12.4	C	EPA 170.1
6/2/2012 7:50	Field Temp		14.6	C	EPA 170.1
6/3/2012 7:10	Field Temp		15.8	C	EPA 170.1
6/4/2012 6:53	Field Temp		16.1	C	EPA 170.1
6/5/2012 7:00	Field Temp		16	C	EPA 170.1
6/6/2012 6:48	Field Temp		16.3	C	EPA 170.1
6/7/2012 7:00	Field Temp		17.6	C	EPA 170.1
6/8/2012 6:50	Field Temp		18.7	C	EPA 170.1
6/9/2012 6:43	Field Temp		18.5	C	EPA 170.1
6/10/2012 6:42	Field Temp		19.8	C	EPA 170.1
6/11/2012 6:54	Field Temp		20	C	EPA 170.1
6/12/2012 6:54	Field Temp		20.9	C	EPA 170.1
6/13/2012 7:08	Field Temp		22.3	C	EPA 170.1
6/14/2012 7:00	Field Temp		19.7	C	EPA 170.1
6/16/2012 6:46	Field Temp		17.4	C	EPA 170.1
6/17/2012 6:47	Field Temp		18.7	C	EPA 170.1
6/18/2012 6:53	Field Temp		19.3	C	EPA 170.1
6/19/2012 6:46	Field Temp		20.1	C	EPA 170.1
6/20/2012 6:54	Field Temp		21.4	C	EPA 170.1
6/21/2012 6:54	Field Temp		22.2	C	EPA 170.1
6/22/2012 6:51	Field Temp		23.2	C	EPA 170.1
6/23/2012 6:46	Field Temp		22.5	C	EPA 170.1
6/24/2012 7:00	Field Temp		22.3	C	EPA 170.1
6/25/2012 6:27	Field Temp		22.9	C	EPA 170.1
6/26/2012 6:48	Field Temp		20.4	C	EPA 170.1
6/27/2012 6:46	Field Temp		21	C	EPA 170.1
6/28/2012 6:43	Field Temp		22	C	EPA 170.1
6/29/2012 6:48	Field Temp		24.1	C	EPA 170.1
6/30/2012 6:53	Field Temp		24.1	C	EPA 170.1
7/1/2012 6:58	Field Temp		24.7	C	EPA 170.1
7/2/2012 6:45	Field Temp		24.5	C	EPA 170.1
7/3/2012 6:59	Field Temp		24.7	C	EPA 170.1
7/4/2012 6:56	Field Temp		23.8	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/5/2012 6:45	Field Temp		24.6	C	EPA 170.1
7/6/2012 6:45	Field Temp		25.2	C	EPA 170.1
7/7/2012 6:40	Field Temp		25.8	C	EPA 170.1
7/8/2012 6:45	Field Temp		25.6	C	EPA 170.1
7/9/2012 6:55	Field Temp		23.5	C	EPA 170.1
7/10/2012 7:09	Field Temp		23.3	C	EPA 170.1
7/11/2012 6:57	Field Temp		23.2	C	EPA 170.1
7/12/2012 6:56	Field Temp		23	C	EPA 170.1
7/13/2012 6:54	Field Temp		22.8	C	EPA 170.1
7/14/2012 6:54	Field Temp		23.7	C	EPA 170.1
7/15/2012 6:44	Field Temp		23.9	C	EPA 170.1
7/16/2012 6:57	Field Temp		24.5	C	EPA 170.1
7/17/2012 7:01	Field Temp		25	C	EPA 170.1
7/18/2012 6:58	Field Temp		26	C	EPA 170.1
7/19/2012 7:00	Field Temp		25.7	C	EPA 170.1
7/20/2012 7:05	Field Temp		25.4	C	EPA 170.1
7/21/2012 6:58	Field Temp		20.1	C	EPA 170.1
7/22/2012 6:52	Field Temp		23.9	C	EPA 170.1
7/23/2012 6:44	Field Temp		24.6	C	EPA 170.1
7/24/2012 6:40	Field Temp		25.4	C	EPA 170.1
7/25/2012 6:40	Field Temp		24.5	C	EPA 170.1
7/26/2012 6:34	Field Temp		25.3	C	EPA 170.1
7/27/2012 6:34	Field Temp		25.6	C	EPA 170.1
7/28/2012 9:23	Field Temp		25.3	C	EPA 170.1
7/29/2012 6:59	Field Temp		25.3	C	EPA 170.1
7/30/2012 6:43	Field Temp		25.4	C	EPA 170.1
7/31/2012 6:46	Field Temp		25.3	C	EPA 170.1
8/1/2012 6:39	Field Temp		25.5	C	EPA 170.1
8/2/2012 6:57	Field Temp		25.4	C	EPA 170.1
8/3/2012 6:54	Field Temp		26.1	C	EPA 170.1
8/4/2012 6:57	Field Temp		25.7	C	EPA 170.1
8/5/2012 6:44	Field Temp		25.6	C	EPA 170.1
8/6/2012 6:53	Field Temp		24.9	C	EPA 170.1
8/7/2012 7:00	Field Temp		24.9	C	EPA 170.1
8/8/2012 7:04	Field Temp		25	C	EPA 170.1
8/9/2012 6:58	Field Temp		24.7	C	EPA 170.1
8/10/2012 7:05	Field Temp		24.3	C	EPA 170.1
8/11/2012 6:54	Field Temp		22.2	C	EPA 170.1
8/12/2012 7:05	Field Temp		22.8	C	EPA 170.1
8/13/2012 6:51	Field Temp		23.5	C	EPA 170.1
8/14/2012 6:54	Field Temp		23.7	C	EPA 170.1
8/15/2012 6:58	Field Temp		23	C	EPA 170.1
8/16/2012 7:12	Field Temp		23.8	C	EPA 170.1
8/17/2012 7:04	Field Temp		23.8	C	EPA 170.1
8/18/2012 6:41	Field Temp		23.3	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/19/2012 6:50	Field Temp		23.1	C	EPA 170.1
8/20/2012 6:46	Field Temp		23.1	C	EPA 170.1
8/21/2012 6:43	Field Temp		22.8	C	EPA 170.1
8/22/2012 6:41	Field Temp		23	C	EPA 170.1
8/23/2012 6:47	Field Temp		23	C	EPA 170.1
8/24/2012 6:46	Field Temp		22.8	C	EPA 170.1
8/25/2012 6:50	Field Temp		22.9	C	EPA 170.1
8/26/2012 6:48	Field Temp		22.8	C	EPA 170.1
8/27/2012 6:35	Field Temp		22.9	C	EPA 170.1
8/28/2012 6:47	Field Temp		22.8	C	EPA 170.1
8/29/2012 6:54	Field Temp		23	C	EPA 170.1
8/30/2012 6:57	Field Temp		22.5	C	EPA 170.1
8/31/2012 6:46	Field Temp		22.4	C	EPA 170.1
9/1/2012 6:54	Field Temp		23.8	C	EPA 170.1
9/2/2012 7:00	Field Temp		23.4	C	EPA 170.1
9/3/2012 6:47	Field Temp		23.2	C	EPA 170.1
9/4/2012 6:52	Field Temp		23.5	C	EPA 170.1
9/5/2012 8:02	Field Temp		23.4	C	EPA 170.1
9/6/2012 7:55	Field Temp		23.3	C	EPA 170.1
9/7/2012 7:53	Field Temp		23.6	C	EPA 170.1
9/10/2012 7:55	Field Temp		21.6	C	EPA 170.1
9/11/2012 8:05	Field Temp		21.9	C	EPA 170.1
9/12/2012 8:08	Field Temp		22	C	EPA 170.1
9/13/2012 8:11	Field Temp		22.2	C	EPA 170.1
9/17/2012 8:05	Field Temp		21.4	C	EPA 170.1
9/18/2012 8:08	Field Temp		21.3	C	EPA 170.1
9/19/2012 8:04	Field Temp		17.9	C	EPA 170.1
9/20/2012 7:59	Field Temp		18.9	C	EPA 170.1
9/24/2012 7:53	Field Temp		17.5	C	EPA 170.1
9/25/2012 7:58	Field Temp		16.9	C	EPA 170.1
9/26/2012 8:20	Field Temp		17.8	C	EPA 170.1
9/27/2012 8:16	Field Temp		17.3	C	EPA 170.1
10/1/2012 8:00	Field Temp		16.8	C	EPA 170.1
10/2/2012 8:07	Field Temp		17.6	C	EPA 170.1
10/3/2012 8:07	Field Temp		17.9	C	EPA 170.1
10/4/2012 8:17	Field Temp		17.3	C	EPA 170.1
10/8/2012 7:56	Field Temp		14.2	C	EPA 170.1
10/9/2012 8:14	Field Temp		14.4	C	EPA 170.1
10/10/2012 8:15	Field Temp		14.2	C	EPA 170.1
10/16/2012 8:03	Field Temp		13.2	C	EPA 170.1
10/17/2012 8:05	Field Temp		13.1	C	EPA 170.1
10/18/2012 8:08	Field Temp		13.2	C	EPA 170.1
10/22/2012 8:00	Field Temp		13.1	C	EPA 170.1
10/23/2012 7:56	Field Temp		14.2	C	EPA 170.1
10/24/2012 8:04	Field Temp		14.3	C	EPA 170.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
10/25/2012 8:09	Field Temp		14	C	EPA 170.1
3/8/2012 8:37	pH		8.16	S.U.	
3/13/2012 8:57	pH		8.17	S.U.	
3/15/2012 9:32	pH		8.2	S.U.	
3/20/2012 8:54	pH		8.01	S.U.	
3/23/2012 8:47	pH		7.98	S.U.	
3/27/2012 8:29	pH		8.04	S.U.	
3/29/2012 8:45	pH		8.12	S.U.	
4/3/2012 8:45	pH		8.06	S.U.	
4/5/2012 8:48	pH		8.06	S.U.	
4/10/2012 8:56	pH		8.03	S.U.	
4/12/2012 8:25	pH		8.02	S.U.	
4/17/2012 11:00	pH		8.04	S.U.	
4/19/2012 9:07	pH		8.04	S.U.	
4/26/2012 9:05	pH		8.31	S.U.	
5/1/2012 8:05	pH		8.38	S.U.	
5/2/2012 8:17	pH		8.18	S.U.	
5/3/2012 8:28	pH		8.2	S.U.	
5/7/2012 8:55	pH		8.27	S.U.	
5/8/2012 8:05	pH		8.09	S.U.	
5/9/2012 8:24	pH		8.26	S.U.	
5/10/2012 7:57	pH		8.19	S.U.	
5/14/2012 6:41	pH		8.34	S.U.	
5/15/2012 6:58	pH		8.4	S.U.	
5/16/2012 7:05	pH		8.36	S.U.	
5/17/2012 6:57	pH		8.31	S.U.	
5/18/2012 6:56	pH		8.13	S.U.	
5/21/2012 6:47	pH		7.92	S.U.	
5/22/2012 6:45	pH		8.16	S.U.	
5/23/2012 7:13	pH		8.15	S.U.	
5/24/2012 7:00	pH		8.35	S.U.	
5/25/2012 7:07	pH		8.63	S.U.	
5/26/2012 6:49	pH		8.65	S.U.	
5/27/2012 6:50	pH		8.4	S.U.	
5/28/2012 6:53	pH		7.91	S.U.	
5/29/2012 6:58	pH		8.13	S.U.	
5/30/2012 7:09	pH		8.27	S.U.	
5/31/2012 7:02	pH		8.35	S.U.	
6/1/2012 7:20	pH		7.72	S.U.	
6/2/2012 7:50	pH		8.35	S.U.	
6/3/2012 7:10	pH		8.1	S.U.	
6/4/2012 6:53	pH		8.07	S.U.	
6/5/2012 7:00	pH		8.08	S.U.	
6/6/2012 6:48	pH		8.1	S.U.	

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/7/2012 7:00	pH		8.21	S.U.	
6/8/2012 6:50	pH		8.13	S.U.	
6/9/2012 6:43	pH		8.24	S.U.	
6/10/2012 6:42	pH		8.28	S.U.	
6/11/2012 6:54	pH		8.21	S.U.	
6/12/2012 6:54	pH		8.24	S.U.	
6/13/2012 7:08	pH		8.21	S.U.	
6/14/2012 7:00	pH		8.14	S.U.	
6/16/2012 6:46	pH		7.71	S.U.	
6/17/2012 6:47	pH		8.02	S.U.	
6/18/2012 6:53	pH		7.99	S.U.	
6/19/2012 6:46	pH		8.05	S.U.	
6/20/2012 6:54	pH		8.05	S.U.	
6/21/2012 6:54	pH		8.16	S.U.	
6/22/2012 6:51	pH		7.89	S.U.	
6/23/2012 6:46	pH		8.02	S.U.	
6/24/2012 7:00	pH		7.93	S.U.	
6/25/2012 6:27	pH		7.99	S.U.	
6/26/2012 6:48	pH		7.89	S.U.	
6/27/2012 6:46	pH		7.7	S.U.	
6/28/2012 6:43	pH		7.85	S.U.	
6/29/2012 6:48	pH		7.95	S.U.	
6/30/2012 6:53	pH		8.09	S.U.	
7/1/2012 6:58	pH		7.96	S.U.	
7/2/2012 6:45	pH		7.75	S.U.	
7/3/2012 6:59	pH		7.98	S.U.	
7/4/2012 6:56	pH		8.31	S.U.	
7/5/2012 6:45	pH		8.38	S.U.	
7/6/2012 6:45	pH		8.35	S.U.	
7/7/2012 6:40	pH		8.56	S.U.	
7/8/2012 6:45	pH		8.26	S.U.	
7/9/2012 6:55	pH		7.86	S.U.	
7/10/2012 7:09	pH		8.07	S.U.	
7/11/2012 6:57	pH		8.17	S.U.	
7/12/2012 6:56	pH		7.9	S.U.	
7/13/2012 6:54	pH		7.97	S.U.	
7/14/2012 6:54	pH		8.52	S.U.	
7/15/2012 6:44	pH		8.35	S.U.	
7/16/2012 6:57	pH		8.52	S.U.	
7/17/2012 7:01	pH		8.11	S.U.	
7/18/2012 6:58	pH		7.86	S.U.	
7/19/2012 7:00	pH		7.85	S.U.	
7/20/2012 7:05	pH		7.9	S.U.	
7/21/2012 6:58	pH		7.27	S.U.	
7/22/2012 6:52	pH		7.69	S.U.	

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/23/2012 6:44	pH		8.44	S.U.	
7/24/2012 6:40	pH		8.34	S.U.	
7/25/2012 6:40	pH		8.13	S.U.	
7/26/2012 6:34	pH		8.38	S.U.	
7/27/2012 6:34	pH		8.36	S.U.	
7/28/2012 9:23	pH		8.28	S.U.	
7/29/2012 6:59	pH		8.23	S.U.	
7/30/2012 6:43	pH		8.47	S.U.	
7/31/2012 6:46	pH		8.44	S.U.	
8/1/2012 6:39	pH		8.27	S.U.	
8/2/2012 6:57	pH		8.53	S.U.	
8/3/2012 6:54	pH		8.44	S.U.	
8/4/2012 6:57	pH		8.34	S.U.	
8/5/2012 6:44	pH		8.24	S.U.	
8/6/2012 6:53	pH		8.34	S.U.	
8/7/2012 7:00	pH		8.48	S.U.	
8/8/2012 7:04	pH		8.19	S.U.	
8/9/2012 6:58	pH		8.18	S.U.	
8/10/2012 7:05	pH		8.07	S.U.	
8/11/2012 6:54	pH		8.13	S.U.	
8/12/2012 7:05	pH		8.2	S.U.	
8/13/2012 6:51	pH		8.08	S.U.	
8/14/2012 6:54	pH		8.49	S.U.	
8/15/2012 6:58	pH		8.35	S.U.	
8/16/2012 7:12	pH		8.49	S.U.	
8/17/2012 7:04	pH		8.42	S.U.	
8/18/2012 6:41	pH		8.38	S.U.	
8/19/2012 6:50	pH		8.52	S.U.	
8/20/2012 6:46	pH		8.53	S.U.	
8/21/2012 6:43	pH		8.43	S.U.	
8/22/2012 6:41	pH		8.51	S.U.	
8/23/2012 6:47	pH		8.53	S.U.	
8/24/2012 6:46	pH		8.46	S.U.	
8/25/2012 6:50	pH		8.31	S.U.	
8/26/2012 6:48	pH		8.34	S.U.	
8/27/2012 6:35	pH		8.23	S.U.	
8/28/2012 6:47	pH		8.06	S.U.	
8/29/2012 6:54	pH		7.96	S.U.	
8/30/2012 6:57	pH		7.97	S.U.	
8/31/2012 6:46	pH		7.98	S.U.	
9/1/2012 6:54	pH		8.01	S.U.	
9/2/2012 7:00	pH		8	S.U.	
9/3/2012 6:47	pH		7.82	S.U.	
9/4/2012 6:52	pH		7.86	S.U.	
9/5/2012 8:02	pH		8.02	S.U.	

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/6/2012 7:55	pH		7.92	S.U.	
9/7/2012 7:53	pH		8.13	S.U.	
9/10/2012 7:55	pH		7.92	S.U.	
9/11/2012 8:05	pH		7.98	S.U.	
9/12/2012 8:08	pH		8.03	S.U.	
9/13/2012 8:11	pH		8.1	S.U.	
9/17/2012 8:05	pH		8.27	S.U.	
9/18/2012 8:08	pH		8.06	S.U.	
9/19/2012 8:04	pH		7.72	S.U.	
9/20/2012 7:59	pH		8.08	S.U.	
9/24/2012 7:53	pH		7.66	S.U.	
9/25/2012 7:58	pH		8	S.U.	
9/26/2012 8:20	pH		8.03	S.U.	
9/27/2012 8:16	pH		7.9	S.U.	
10/1/2012 8:00	pH		7.98	S.U.	
10/2/2012 8:07	pH		8.06	S.U.	
10/3/2012 8:07	pH		7.86	S.U.	
10/4/2012 8:17	pH		7.84	S.U.	
10/8/2012 7:56	pH		7.67	S.U.	
10/9/2012 8:14	pH		7.84	S.U.	
10/10/2012 8:15	pH		7.67	S.U.	
10/16/2012 8:03	pH		7.75	S.U.	
10/17/2012 8:05	pH		7.74	S.U.	
10/18/2012 8:08	pH		7.7	S.U.	
10/22/2012 8:00	pH		7.51	S.U.	
10/23/2012 7:56	pH		7.48	S.U.	
10/24/2012 8:04	pH		7.38	S.U.	
10/25/2012 8:09	pH		8.08	S.U.	
5/14/2012 6:41	Turbidity		6	NTU	EPA 180.1
5/18/2012 6:56	Turbidity		12	NTU	EPA 180.1
5/24/2012 7:00	Turbidity		4	NTU	EPA 180.1
6/6/2012 6:48	Turbidity		7	NTU	EPA 180.1
6/13/2012 7:08	Turbidity		28	NTU	EPA 180.1
6/22/2012 6:51	Turbidity		7	NTU	EPA 180.1
8/31/2012 6:46	Turbidity		3	NTU	EPA 180.1
5/1/2012 8:05	Turbidity		18.55	NTU	EPA180.1
5/2/2012 8:17	Turbidity		9.76	NTU	EPA180.1
5/3/2012 8:28	Turbidity		51.75	NTU	EPA180.1
5/7/2012 8:55	Turbidity		10.6	NTU	EPA180.1
5/8/2012 8:05	Turbidity		7.43	NTU	EPA180.1
5/9/2012 8:24	Turbidity		5.975	NTU	EPA180.1
5/10/2012 7:57	Turbidity		25.15	NTU	EPA180.1
5/14/2012 6:41	Turbidity		6.84	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/15/2012 6:58	Turbidity		6.32	NTU	EPA180.1
5/16/2012 7:05	Turbidity		5.22	NTU	EPA180.1
5/17/2012 6:57	Turbidity		11.2	NTU	EPA180.1
5/21/2012 6:47	Turbidity		4.7	NTU	EPA180.1
5/22/2012 6:45	Turbidity		24.45	NTU	EPA180.1
5/23/2012 7:13	Turbidity		3.81	NTU	EPA180.1
5/24/2012 7:00	Turbidity		4.79	NTU	EPA180.1
5/25/2012 7:07	Turbidity		1.96	NTU	EPA180.1
5/26/2012 6:49	Turbidity		2.34	NTU	EPA180.1
5/27/2012 6:50	Turbidity		3.34	NTU	EPA180.1
5/28/2012 6:53	Turbidity		4.56	NTU	EPA180.1
5/29/2012 6:58	Turbidity		5.7	NTU	EPA180.1
5/30/2012 7:09	Turbidity		7.565	NTU	EPA180.1
5/31/2012 7:02	Turbidity		18.25	NTU	EPA180.1
6/1/2012 7:20	Turbidity		33.05	NTU	EPA180.1
6/2/2012 7:50	Turbidity		63	NTU	EPA180.1
6/3/2012 7:10	Turbidity		41.8	NTU	EPA180.1
6/4/2012 6:53	Turbidity		12.5	NTU	EPA180.1
6/5/2012 7:00	Turbidity		6.6	NTU	EPA180.1
6/6/2012 6:48	Turbidity		7.48	NTU	EPA180.1
6/7/2012 7:00	Turbidity		8.7	NTU	EPA180.1
6/8/2012 6:50	Turbidity		3.2	NTU	EPA180.1
6/9/2012 6:43	Turbidity		4.8	NTU	EPA180.1
6/10/2012 6:42	Turbidity		3.4	NTU	EPA180.1
6/11/2012 6:54	Turbidity		2.95	NTU	EPA180.1
6/12/2012 6:54	Turbidity		5.47	NTU	EPA180.1
6/13/2012 7:08	Turbidity		27.6	NTU	EPA180.1
6/14/2012 7:00	Turbidity		5.04	NTU	EPA180.1
6/16/2012 6:46	Turbidity		4.1	NTU	EPA180.1
6/17/2012 6:47	Turbidity		5.02	NTU	EPA180.1
6/18/2012 6:53	Turbidity		7.71	NTU	EPA180.1
6/19/2012 6:46	Turbidity		10	NTU	EPA180.1
6/20/2012 6:54	Turbidity		4.17	NTU	EPA180.1
6/21/2012 6:54	Turbidity		3.95	NTU	EPA180.1
6/22/2012 6:51	Turbidity		6.18	NTU	EPA180.1
6/23/2012 6:46	Turbidity		3.62	NTU	EPA180.1
6/24/2012 7:00	Turbidity		2.61	NTU	EPA180.1
6/25/2012 6:27	Turbidity		26.2	NTU	EPA180.1
6/26/2012 6:48	Turbidity		34.3	NTU	EPA180.1
6/27/2012 6:46	Turbidity		13.6	NTU	EPA180.1
6/28/2012 6:43	Turbidity		4.17	NTU	EPA180.1
6/29/2012 6:48	Turbidity		11	NTU	EPA180.1
6/30/2012 6:53	Turbidity		9.7	NTU	EPA180.1
7/1/2012 6:58	Turbidity		5.6	NTU	EPA180.1
7/2/2012 6:45	Turbidity		4.79	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/3/2012 6:59	Turbidity		2.89	NTU	EPA180.1
7/4/2012 6:56	Turbidity		5.76	NTU	EPA180.1
7/5/2012 6:45	Turbidity		4.24	NTU	EPA180.1
7/6/2012 6:45	Turbidity		4.6	NTU	EPA180.1
7/7/2012 6:40	Turbidity		4.7	NTU	EPA180.1
7/8/2012 6:45	Turbidity		9.1	NTU	EPA180.1
7/9/2012 6:55	Turbidity		16.6	NTU	EPA180.1
7/10/2012 7:09	Turbidity		4.57	NTU	EPA180.1
7/11/2012 6:57	Turbidity		2.64	NTU	EPA180.1
7/12/2012 6:56	Turbidity		3.24	NTU	EPA180.1
7/13/2012 6:54	Turbidity		3.42	NTU	EPA180.1
7/14/2012 6:54	Turbidity		3.39	NTU	EPA180.1
7/15/2012 6:44	Turbidity		8.09	NTU	EPA180.1
7/16/2012 6:57	Turbidity		11.35	NTU	EPA180.1
7/17/2012 7:01	Turbidity		3.6	NTU	EPA180.1
7/18/2012 6:58	Turbidity		17.2	NTU	EPA180.1
7/19/2012 7:00	Turbidity		2.8	NTU	EPA180.1
7/20/2012 7:05	Turbidity		12.6	NTU	EPA180.1
7/21/2012 6:58	Turbidity		7.9	NTU	EPA180.1
7/22/2012 6:52	Turbidity		8.6	NTU	EPA180.1
7/23/2012 6:44	Turbidity		6.45	NTU	EPA180.1
7/24/2012 6:40	Turbidity		10.8	NTU	EPA180.1
7/25/2012 6:40	Turbidity		10.9	NTU	EPA180.1
7/26/2012 6:34	Turbidity		10.16	NTU	EPA180.1
7/27/2012 6:34	Turbidity		6.26	NTU	EPA180.1
7/28/2012 9:23	Turbidity		6.4	NTU	EPA180.1
7/29/2012 6:59	Turbidity		6.87	NTU	EPA180.1
7/30/2012 6:43	Turbidity		3.8	NTU	EPA180.1
7/31/2012 6:46	Turbidity		4.19	NTU	EPA180.1
8/1/2012 6:39	Turbidity		8.22	NTU	EPA180.1
8/2/2012 6:57	Turbidity		3.73	NTU	EPA180.1
8/3/2012 6:54	Turbidity		2.49	NTU	EPA180.1
8/4/2012 6:57	Turbidity		3.49	NTU	EPA180.1
8/5/2012 6:44	Turbidity		17	NTU	EPA180.1
8/6/2012 6:53	Turbidity		13.6	NTU	EPA180.1
8/7/2012 7:00	Turbidity		3.42	NTU	EPA180.1
8/8/2012 7:04	Turbidity		4.57	NTU	EPA180.1
8/9/2012 6:58	Turbidity		6.69	NTU	EPA180.1
8/10/2012 7:05	Turbidity		11.9	NTU	EPA180.1
8/11/2012 6:54	Turbidity		23.9	NTU	EPA180.1
8/12/2012 7:05	Turbidity		22.1	NTU	EPA180.1
8/13/2012 6:51	Turbidity		6.18	NTU	EPA180.1
8/14/2012 6:54	Turbidity		4.37	NTU	EPA180.1
8/15/2012 6:58	Turbidity		2.99	NTU	EPA180.1
8/16/2012 7:12	Turbidity		4.84	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/17/2012 7:04	Turbidity		16.2	NTU	EPA180.1
8/18/2012 6:41	Turbidity		8.97	NTU	EPA180.1
8/19/2012 6:50	Turbidity		3.83	NTU	EPA180.1
8/20/2012 6:46	Turbidity		3.05	NTU	EPA180.1
8/21/2012 6:43	Turbidity		2.87	NTU	EPA180.1
8/22/2012 6:41	Turbidity		2.37	NTU	EPA180.1
8/23/2012 6:47	Turbidity		3.8	NTU	EPA180.1
8/24/2012 6:46	Turbidity		2.48	NTU	EPA180.1
8/25/2012 6:50	Turbidity		4.3	NTU	EPA180.1
8/26/2012 6:48	Turbidity		2.44	NTU	EPA180.1
8/27/2012 6:35	Turbidity		2.9	NTU	EPA180.1
8/28/2012 6:47	Turbidity		5	NTU	EPA180.1
8/29/2012 6:54	Turbidity		11.6	NTU	EPA180.1
8/30/2012 6:57	Turbidity		2.76	NTU	EPA180.1
8/31/2012 6:46	Turbidity		6.07	NTU	EPA180.1
9/1/2012 6:54	Turbidity		7.57	NTU	EPA180.1
9/2/2012 7:00	Turbidity		3.36	NTU	EPA180.1
9/3/2012 6:47	Turbidity		5.76	NTU	EPA180.1
9/4/2012 6:52	Turbidity		23.95	NTU	EPA180.1
9/5/2012 8:02	Turbidity		8.29	NTU	EPA180.1
9/6/2012 7:55	Turbidity		15.85	NTU	EPA180.1
9/7/2012 7:53	Turbidity		6.84	NTU	EPA180.1
9/10/2012 7:55	Turbidity		15.3	NTU	EPA180.1
9/11/2012 8:05	Turbidity		5.46	NTU	EPA180.1
9/12/2012 8:08	Turbidity		6.77	NTU	EPA180.1
9/13/2012 8:11	Turbidity		3.825	NTU	EPA180.1
9/17/2012 8:05	Turbidity		6.73	NTU	EPA180.1
9/18/2012 8:08	Turbidity		3.49	NTU	EPA180.1
9/19/2012 8:04	Turbidity		34.35	NTU	EPA180.1
9/20/2012 7:59	Turbidity		11	NTU	EPA180.1
9/24/2012 7:53	Turbidity		19.7	NTU	EPA180.1
9/25/2012 7:58	Turbidity		15.35	NTU	EPA180.1
9/26/2012 8:20	Turbidity		9.55	NTU	EPA180.1
9/27/2012 8:16	Turbidity		10.8	NTU	EPA180.1
10/1/2012 8:00	Turbidity		4.31	NTU	EPA180.1
10/2/2012 8:07	Turbidity		2.55	NTU	EPA180.1
10/3/2012 8:07	Turbidity		9.14	NTU	EPA180.1
10/4/2012 8:17	Turbidity		3.5	NTU	EPA180.1
10/8/2012 7:56	Turbidity		15.5	NTU	EPA180.1
10/9/2012 8:14	Turbidity		6.15	NTU	EPA180.1
10/10/2012 8:15	Turbidity		13.9	NTU	EPA180.1
10/16/2012 8:03	Turbidity		39.1	NTU	EPA180.1
10/17/2012 8:05	Turbidity		8.31	NTU	EPA180.1
10/18/2012 8:08	Turbidity		7.525	NTU	EPA180.1
10/22/2012 8:00	Turbidity		6.5	NTU	EPA180.1

Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
10/23/2012 7:56	Turbidity		9	NTU	EPA180.1
10/24/2012 8:04	Turbidity		4.21	NTU	EPA180.1
10/25/2012 8:09	Turbidity		3.78	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/1/2012 8:23	E. coli		57	cfu/100mL	EPA1603
5/2/2012 8:30	E. coli		396	cfu/100mL	EPA1603
5/3/2012 8:43	E. coli		29	cfu/100mL	EPA1603
5/7/2012 9:12	E. coli		27	cfu/100mL	EPA1603
5/8/2012 8:15	E. coli		510	cfu/100mL	EPA1603
5/9/2012 8:34	E. coli		420	cfu/100mL	EPA1603
5/10/2012 8:07	E. coli		940	cfu/100mL	EPA1603
5/14/2012 6:57	E. coli		40	cfu/100mL	EPA1603
5/15/2012 7:05	E. coli		5	cfu/100mL	EPA1603
5/16/2012 7:23	E. coli		34	cfu/100mL	EPA1603
5/17/2012 7:06	E. coli		46	cfu/100mL	EPA1603
5/18/2012 7:06	E. coli		6	cfu/100mL	EPA1603
5/22/2012 6:57	E. coli		175	cfu/100mL	EPA1603
5/23/2012 7:25	E. coli		38	cfu/100mL	EPA1603
5/24/2012 7:09	E. coli		35	cfu/100mL	EPA1603
5/29/2012 7:07	E. coli		344	cfu/100mL	EPA1603
5/30/2012 7:06	E. coli		315	cfu/100mL	EPA1603
5/31/2012 7:09	E. coli		620	cfu/100mL	EPA1603
6/4/2012 6:59	E. coli		56	cfu/100mL	EPA1603
6/5/2012 7:07	E. coli		53	cfu/100mL	EPA1603
6/6/2012 6:53	E. coli		54	cfu/100mL	EPA1603
6/7/2012 7:04	E. coli		860	cfu/100mL	EPA1603
6/11/2012 7:03	E. coli		195	cfu/100mL	EPA1603
6/12/2012 7:05	E. coli		2010	cfu/100mL	EPA1603
6/13/2012 7:15	E. coli		880	cfu/100mL	EPA1603
6/14/2012 7:03	E. coli		125	cfu/100mL	EPA1603
6/18/2012 7:00	E. coli		372	cfu/100mL	EPA1603
6/19/2012 6:57	E. coli		2200	cfu/100mL	EPA1603
6/20/2012 7:01	E. coli		64	cfu/100mL	EPA1603
6/21/2012 7:01	E. coli		350	cfu/100mL	EPA1603
6/25/2012 6:35	E. coli		1517	cfu/100mL	EPA1603
6/26/2012 6:58	E. coli		290	cfu/100mL	EPA1603
6/27/2012 7:00	E. coli		28	cfu/100mL	EPA1603
6/28/2012 6:56	E. coli		20	cfu/100mL	EPA1603
7/2/2012 6:51	E. coli		1220	cfu/100mL	EPA1603
7/5/2012 7:42	E. coli		540	cfu/100mL	EPA1603
7/9/2012 7:08	E. coli		368	cfu/100mL	EPA1603
7/10/2012 7:20	E. coli		1218.5	cfu/100mL	EPA1603
7/11/2012 7:09	E. coli		105	cfu/100mL	EPA1603
7/12/2012 7:10	E. coli		43	cfu/100mL	EPA1603
7/16/2012 7:08	E. coli		335	cfu/100mL	EPA1603
7/17/2012 7:11	E. coli		640	cfu/100mL	EPA1603
7/18/2012 7:10	E. coli		660	cfu/100mL	EPA1603
7/19/2012 7:08	E. coli		52	cfu/100mL	EPA1603
7/23/2012 6:52	E. coli		64	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/24/2012 6:49	E. coli		130	cfu/100mL	EPA1603
7/25/2012 6:47	E. coli		57	cfu/100mL	EPA1603
7/26/2012 6:45	E. coli		210	cfu/100mL	EPA1603
7/30/2012 6:53	E. coli		24.5	cfu/100mL	EPA1603
7/31/2012 6:53	E. coli		77	cfu/100mL	EPA1603
8/1/2012 6:45	E. coli		165	cfu/100mL	EPA1603
8/2/2012 7:06	E. coli		80	cfu/100mL	EPA1603
8/6/2012 6:59	E. coli		175	cfu/100mL	EPA1603
8/7/2012 7:09	E. coli		22	cfu/100mL	EPA1603
8/8/2012 7:20	E. coli		205	cfu/100mL	EPA1603
8/9/2012 7:10	E. coli		60	cfu/100mL	EPA1603
8/13/2012 6:58	E. coli		19	cfu/100mL	EPA1603
8/14/2012 7:06	E. coli		38	cfu/100mL	EPA1603
8/15/2012 7:03	E. coli		31	cfu/100mL	EPA1603
8/16/2012 7:22	E. coli		47	cfu/100mL	EPA1603
8/20/2012 6:52	E. coli		3	cfu/100mL	EPA1603
8/21/2012 6:52	E. coli		26.5	cfu/100mL	EPA1603
8/22/2012 6:47	E. coli		15	cfu/100mL	EPA1603
8/23/2012 6:54	E. coli		18	cfu/100mL	EPA1603
8/27/2012 6:45	E. coli		14	cfu/100mL	EPA1603
8/28/2012 6:54	E. coli		5500	cfu/100mL	EPA1603
8/29/2012 6:59	E. coli		277.5	cfu/100mL	EPA1603
8/30/2012 7:02	E. coli		37	cfu/100mL	EPA1603
9/4/2012 6:58	E. coli		1060	cfu/100mL	EPA1603
9/5/2012 8:08	E. coli		215	cfu/100mL	EPA1603
9/6/2012 8:00	E. coli		620	cfu/100mL	EPA1603
9/10/2012 8:02	E. coli		322	cfu/100mL	EPA1603
9/11/2012 8:15	E. coli		18	cfu/100mL	EPA1603
9/12/2012 8:12	E. coli		9	cfu/100mL	EPA1603
9/17/2012 8:15	E. coli		2	cfu/100mL	EPA1603
9/18/2012 8:13	E. coli		18	cfu/100mL	EPA1603
9/19/2012 8:11	E. coli		1200	cfu/100mL	EPA1603
9/20/2012 8:08	E. coli		18	cfu/100mL	EPA1603
9/24/2012 8:00	E. coli		260	cfu/100mL	EPA1603
9/25/2012 8:05	E. coli		270	cfu/100mL	EPA1603
9/26/2012 8:26	E. coli		43.5	cfu/100mL	EPA1603
9/27/2012 8:21	E. coli		305	cfu/100mL	EPA1603
10/1/2012 8:08	E. coli		6	cfu/100mL	EPA1603
10/2/2012 8:14	E. coli	EC	8	cfu/100mL	EPA1603
10/3/2012 8:15	E. coli		140	cfu/100mL	EPA1603
10/4/2012 8:24	E. coli		47	cfu/100mL	EPA1603
10/8/2012 8:02	E. coli		225	cfu/100mL	EPA1603
10/9/2012 8:20	E. coli		76	cfu/100mL	EPA1603
10/10/2012 8:20	E. coli		58	cfu/100mL	EPA1603
10/15/2012 8:09	E. coli		43	cfu/100mL	EPA1603

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
10/16/2012 8:10	E. coli		38	cfu/100mL	EPA1603
10/17/2012 8:12	E. coli		8	cfu/100mL	EPA1603
10/18/2012 8:14	E. coli		13	cfu/100mL	EPA1603
10/22/2012 8:07	E. coli		6	cfu/100mL	EPA1603
10/23/2012 8:01	E. coli		11	cfu/100mL	EPA1603
10/24/2012 8:11	E. coli		245	cfu/100mL	EPA1603
10/25/2012 8:15	E. coli		740	cfu/100mL	EPA1603
5/25/2012 7:20	E. coli		84	MPN/100 mL	SM9223 Colilert
5/26/2012 6:53	E. coli		35	MPN/100 mL	SM9223 Colilert
5/27/2012 7:00	E. coli		43	MPN/100 mL	SM9223 Colilert
5/28/2012 6:59	E. coli		121	MPN/100 mL	SM9223 Colilert
6/1/2012 7:32	E. coli		3922	MPN/100 mL	SM9223 Colilert
6/2/2012 7:00	E. coli		3434	MPN/100 mL	SM9223 Colilert
6/3/2012 7:20	E. coli		461	MPN/100 mL	SM9223 Colilert
6/8/2012 7:03	E. coli		228	MPN/100 mL	SM9223 Colilert
6/9/2012 6:53	E. coli		201	MPN/100 mL	SM9223 Colilert
6/10/2012 6:48	E. coli		133	MPN/100 mL	SM9223 Colilert
6/15/2012 7:08	E. coli	EC	52	MPN/100 mL	SM9223 Colilert
6/16/2012 6:51	E. coli		9	MPN/100 mL	SM9223 Colilert
6/17/2012 6:50	E. coli		135	MPN/100 mL	SM9223 Colilert
6/22/2012 6:59	E. coli		178	MPN/100 mL	SM9223 Colilert
6/23/2012 6:54	E. coli		324	MPN/100 mL	SM9223 Colilert
6/24/2012 7:06	E. coli		36	MPN/100 mL	SM9223 Colilert
6/29/2012 7:03	E. coli		254.5	MPN/100 mL	SM9223 Colilert
6/30/2012 7:07	E. coli		411	MPN/100 mL	SM9223 Colilert
7/1/2012 7:05	E. coli		42	MPN/100 mL	SM9223 Colilert
7/3/2012 7:05	E. coli		437	MPN/100 mL	SM9223 Colilert
7/4/2012 7:03	E. coli		1379	MPN/100 mL	SM9223 Colilert
7/6/2012 6:52	E. coli		166	MPN/100 mL	SM9223 Colilert
7/7/2012 6:45	E. coli		31	MPN/100 mL	SM9223 Colilert
7/8/2012 6:50	E. coli		288	MPN/100 mL	SM9223 Colilert
7/13/2012 7:07	E. coli		101	MPN/100 mL	SM9223 Colilert
7/14/2012 7:05	E. coli		14	MPN/100 mL	SM9223 Colilert
7/15/2012 6:53	E. coli		308	MPN/100 mL	SM9223 Colilert
7/20/2012 7:12	E. coli		355	MPN/100 mL	SM9223 Colilert
7/21/2012 7:03	E. coli		88	MPN/100 mL	SM9223 Colilert
7/22/2012 6:57	E. coli		980	MPN/100 mL	SM9223 Colilert
7/27/2012 6:42	E. coli		354	MPN/100 mL	SM9223 Colilert
7/28/2012 9:30	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/29/2012 7:07	E. coli		168	MPN/100 mL	SM9223 Colilert
8/3/2012 7:04	E. coli		411	MPN/100 mL	SM9223 Colilert
8/4/2012 7:03	E. coli		16	MPN/100 mL	SM9223 Colilert
8/5/2012 6:48	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
8/10/2012 7:12	E. coli		195	MPN/100 mL	SM9223 Colilert

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/11/2012 7:01	E. coli		1313	MPN/100 mL	SM9223 Colilert
8/12/2012 7:12	E. coli		110	MPN/100 mL	SM9223 Colilert
8/17/2012 7:09	E. coli		464	MPN/100 mL	SM9223 Colilert
8/18/2012 6:50	E. coli		76	MPN/100 mL	SM9223 Colilert
8/19/2012 6:57	E. coli	<	2	MPN/100 mL	SM9223 Colilert
8/24/2012 6:51	E. coli		14	MPN/100 mL	SM9223 Colilert
8/25/2012 6:50	E. coli		10	MPN/100 mL	SM9223 Colilert
8/26/2012 6:53	E. coli		15	MPN/100 mL	SM9223 Colilert
8/31/2012 6:54	E. coli		68	MPN/100 mL	SM9223 Colilert
9/1/2012 7:00	E. coli		64	MPN/100 mL	SM9223 Colilert
9/2/2012 7:06	E. coli		8	MPN/100 mL	SM9223 Colilert
9/7/2012 8:00	E. coli		32	MPN/100 mL	SM9223 Colilert
5/1/2012 8:23	Field Cond		336	uS/cm	SM 2510A
5/2/2012 8:30	Field Cond		342	uS/cm	SM 2510A
5/3/2012 8:43	Field Cond		319	uS/cm	SM 2510A
5/7/2012 9:12	Field Cond		316	uS/cm	SM 2510A
5/8/2012 8:15	Field Cond		318	uS/cm	SM 2510A
5/9/2012 8:34	Field Cond		316	uS/cm	SM 2510A
5/10/2012 8:07	Field Cond		447	uS/cm	SM 2510A
5/14/2012 6:57	Field Cond		331	uS/cm	SM 2510A
5/15/2012 7:05	Field Cond		324	uS/cm	SM 2510A
5/16/2012 7:23	Field Cond		331	uS/cm	SM 2510A
5/17/2012 7:06	Field Cond		330	uS/cm	SM 2510A
5/18/2012 7:06	Field Cond		314	uS/cm	SM 2510A
5/21/2012 7:05	Field Cond		308	uS/cm	SM 2510A
5/22/2012 6:57	Field Cond		307	uS/cm	SM 2510A
5/23/2012 7:25	Field Cond		306	uS/cm	SM 2510A
5/24/2012 7:09	Field Cond		313	uS/cm	SM 2510A
5/25/2012 7:20	Field Cond		333	uS/cm	SM 2510A
5/26/2012 6:53	Field Cond		344	uS/cm	SM 2510A
5/27/2012 7:00	Field Cond		359	uS/cm	SM 2510A
5/28/2012 6:59	Field Cond		360	uS/cm	SM 2510A
5/29/2012 7:07	Field Cond		310	uS/cm	SM 2510A
5/30/2012 7:06	Field Cond		311	uS/cm	SM 2510A
5/31/2012 7:09	Field Cond		361	uS/cm	SM 2510A
6/1/2012 7:32	Field Cond		298	uS/cm	SM 2510A
6/2/2012 7:00	Field Cond		361	uS/cm	SM 2510A
6/3/2012 7:20	Field Cond		328	uS/cm	SM 2510A
6/4/2012 6:59	Field Cond		346	uS/cm	SM 2510A
6/5/2012 7:07	Field Cond		328	uS/cm	SM 2510A
6/6/2012 6:53	Field Cond		348	uS/cm	SM 2510A
6/7/2012 7:04	Field Cond		331	uS/cm	SM 2510A
6/8/2012 7:03	Field Cond		329	uS/cm	SM 2510A
6/9/2012 6:53	Field Cond		324	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/10/2012 6:48	Field Cond		314	uS/cm	SM 2510A
6/11/2012 7:03	Field Cond		318	uS/cm	SM 2510A
6/12/2012 7:05	Field Cond		312	uS/cm	SM 2510A
6/13/2012 7:15	Field Cond		322	uS/cm	SM 2510A
6/14/2012 7:03	Field Cond		305	uS/cm	SM 2510A
6/15/2012 7:08	Field Cond		312	uS/cm	SM 2510A
6/16/2012 6:51	Field Cond		323	uS/cm	SM 2510A
6/17/2012 6:50	Field Cond		317	uS/cm	SM 2510A
6/18/2012 7:00	Field Cond		331	uS/cm	SM 2510A
6/19/2012 6:57	Field Cond		331	uS/cm	SM 2510A
6/20/2012 7:01	Field Cond		309	uS/cm	SM 2510A
6/21/2012 7:01	Field Cond		319	uS/cm	SM 2510A
6/22/2012 6:59	Field Cond		326	uS/cm	SM 2510A
6/23/2012 6:54	Field Cond		326	uS/cm	SM 2510A
6/24/2012 7:06	Field Cond		314	uS/cm	SM 2510A
6/25/2012 6:35	Field Cond		316	uS/cm	SM 2510A
6/26/2012 6:58	Field Cond		323	uS/cm	SM 2510A
6/27/2012 7:00	Field Cond		335	uS/cm	SM 2510A
6/28/2012 6:56	Field Cond		326	uS/cm	SM 2510A
6/29/2012 7:03	Field Cond		306	uS/cm	SM 2510A
6/30/2012 7:07	Field Cond		342	uS/cm	SM 2510A
7/1/2012 7:05	Field Cond		303	uS/cm	SM 2510A
7/2/2012 6:51	Field Cond		325	uS/cm	SM 2510A
7/3/2012 7:05	Field Cond		318	uS/cm	SM 2510A
7/4/2012 7:03	Field Cond		314	uS/cm	SM 2510A
7/5/2012 7:42	Field Cond		286	uS/cm	SM 2510A
7/6/2012 6:52	Field Cond		312	uS/cm	SM 2510A
7/7/2012 6:45	Field Cond		301	uS/cm	SM 2510A
7/8/2012 6:50	Field Cond		329	uS/cm	SM 2510A
7/9/2012 7:08	Field Cond		309	uS/cm	SM 2510A
7/10/2012 7:20	Field Cond		333	uS/cm	SM 2510A
7/11/2012 7:09	Field Cond		317	uS/cm	SM 2510A
7/12/2012 7:10	Field Cond		322	uS/cm	SM 2510A
7/13/2012 7:07	Field Cond		328	uS/cm	SM 2510A
7/14/2012 7:05	Field Cond		303	uS/cm	SM 2510A
7/15/2012 6:53	Field Cond		308	uS/cm	SM 2510A
7/16/2012 7:08	Field Cond		306	uS/cm	SM 2510A
7/17/2012 7:11	Field Cond		303	uS/cm	SM 2510A
7/18/2012 7:10	Field Cond		299	uS/cm	SM 2510A
7/19/2012 7:08	Field Cond		311	uS/cm	SM 2510A
7/20/2012 7:12	Field Cond		326	uS/cm	SM 2510A
7/21/2012 7:03	Field Cond		346	uS/cm	SM 2510A
7/22/2012 6:57	Field Cond		322	uS/cm	SM 2510A
7/23/2012 6:52	Field Cond		295	uS/cm	SM 2510A
7/24/2012 6:49	Field Cond		328	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 6:47	Field Cond		325	uS/cm	SM 2510A
7/26/2012 6:45	Field Cond		299	uS/cm	SM 2510A
7/27/2012 6:42	Field Cond		315	uS/cm	SM 2510A
7/28/2012 9:30	Field Cond		323	uS/cm	SM 2510A
7/29/2012 7:07	Field Cond		320	uS/cm	SM 2510A
7/30/2012 6:53	Field Cond		309	uS/cm	SM 2510A
7/31/2012 6:53	Field Cond		305	uS/cm	SM 2510A
8/1/2012 6:45	Field Cond		304	uS/cm	SM 2510A
8/2/2012 7:06	Field Cond		316	uS/cm	SM 2510A
8/3/2012 7:04	Field Cond		310	uS/cm	SM 2510A
8/4/2012 7:03	Field Cond		309	uS/cm	SM 2510A
8/5/2012 6:48	Field Cond		308	uS/cm	SM 2510A
8/6/2012 6:59	Field Cond		323	uS/cm	SM 2510A
8/7/2012 7:09	Field Cond		308	uS/cm	SM 2510A
8/8/2012 7:20	Field Cond		327	uS/cm	SM 2510A
8/9/2012 7:10	Field Cond		305	uS/cm	SM 2510A
8/10/2012 7:12	Field Cond		311	uS/cm	SM 2510A
8/11/2012 7:01	Field Cond		329	uS/cm	SM 2510A
8/12/2012 7:12	Field Cond		331	uS/cm	SM 2510A
8/13/2012 6:58	Field Cond		318	uS/cm	SM 2510A
8/14/2012 7:06	Field Cond		313	uS/cm	SM 2510A
8/15/2012 7:03	Field Cond		307	uS/cm	SM 2510A
8/16/2012 7:22	Field Cond		312	uS/cm	SM 2510A
8/17/2012 7:09	Field Cond		318	uS/cm	SM 2510A
8/18/2012 6:50	Field Cond		346	uS/cm	SM 2510A
8/19/2012 6:57	Field Cond		318	uS/cm	SM 2510A
8/20/2012 6:52	Field Cond		308	uS/cm	SM 2510A
8/21/2012 6:52	Field Cond		304	uS/cm	SM 2510A
8/22/2012 6:47	Field Cond		304	uS/cm	SM 2510A
8/23/2012 6:54	Field Cond		317	uS/cm	SM 2510A
8/24/2012 6:51	Field Cond		308	uS/cm	SM 2510A
8/25/2012 6:50	Field Cond		309	uS/cm	SM 2510A
8/26/2012 6:53	Field Cond		308	uS/cm	SM 2510A
8/27/2012 6:45	Field Cond		298	uS/cm	SM 2510A
8/28/2012 6:54	Field Cond		297	uS/cm	SM 2510A
8/29/2012 6:59	Field Cond		306	uS/cm	SM 2510A
8/30/2012 7:02	Field Cond		299	uS/cm	SM 2510A
8/31/2012 6:54	Field Cond		300	uS/cm	SM 2510A
9/1/2012 7:00	Field Cond		318	uS/cm	SM 2510A
9/2/2012 7:06	Field Cond		308	uS/cm	SM 2510A
9/4/2012 6:58	Field Cond		300	uS/cm	SM 2510A
9/5/2012 8:08	Field Cond		315	uS/cm	SM 2510A
9/6/2012 8:00	Field Cond		310	uS/cm	SM 2510A
9/7/2012 8:00	Field Cond		301	uS/cm	SM 2510A
9/10/2012 8:02	Field Cond		321	uS/cm	SM 2510A

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/11/2012 8:15	Field Cond		328	uS/cm	SM 2510A
9/12/2012 8:12	Field Cond		313	uS/cm	SM 2510A
9/17/2012 8:15	Field Cond		313	uS/cm	SM 2510A
9/18/2012 8:13	Field Cond		291	uS/cm	SM 2510A
9/19/2012 8:11	Field Cond		327	uS/cm	SM 2510A
9/20/2012 8:08	Field Cond		308	uS/cm	SM 2510A
9/24/2012 8:00	Field Cond		345	uS/cm	SM 2510A
9/25/2012 8:05	Field Cond		344	uS/cm	SM 2510A
9/26/2012 8:26	Field Cond		334	uS/cm	SM 2510A
9/27/2012 8:21	Field Cond		324	uS/cm	SM 2510A
10/1/2012 8:08	Field Cond		319	uS/cm	SM 2510A
10/2/2012 8:14	Field Cond		315	uS/cm	SM 2510A
10/3/2012 8:15	Field Cond		306	uS/cm	SM 2510A
10/4/2012 8:24	Field Cond		316	uS/cm	SM 2510A
10/8/2012 8:02	Field Cond		360	uS/cm	SM 2510A
10/9/2012 8:20	Field Cond		312	uS/cm	SM 2510A
10/10/2012 8:20	Field Cond		322	uS/cm	SM 2510A
10/15/2012 8:09	Field Cond		363	uS/cm	SM 2510A
10/16/2012 8:10	Field Cond		352	uS/cm	SM 2510A
10/17/2012 8:12	Field Cond		399	uS/cm	SM 2510A
10/18/2012 8:14	Field Cond		353	uS/cm	SM 2510A
10/22/2012 8:07	Field Cond		350	uS/cm	SM 2510A
10/23/2012 8:01	Field Cond		351	uS/cm	SM 2510A
10/24/2012 8:11	Field Cond		346	uS/cm	SM 2510A
10/25/2012 8:15	Field Cond		333	uS/cm	SM 2510A
5/1/2012 8:23	Field Temp		10.9	C	EPA 170.1
5/2/2012 8:30	Field Temp		11.2	C	EPA 170.1
5/3/2012 8:43	Field Temp		13.3	C	EPA 170.1
5/7/2012 9:12	Field Temp		13.3	C	EPA 170.1
5/8/2012 8:15	Field Temp		13.2	C	EPA 170.1
5/9/2012 8:34	Field Temp		14	C	EPA 170.1
5/10/2012 8:07	Field Temp		14.5	C	EPA 170.1
5/14/2012 6:57	Field Temp		15	C	EPA 170.1
5/15/2012 7:05	Field Temp		14.5	C	EPA 170.1
5/16/2012 7:23	Field Temp		15.2	C	EPA 170.1
5/17/2012 7:06	Field Temp		14.6	C	EPA 170.1
5/18/2012 7:06	Field Temp		12.9	C	EPA 170.1
5/21/2012 7:05	Field Temp		13.1	C	EPA 170.1
5/22/2012 6:57	Field Temp		13.6	C	EPA 170.1
5/23/2012 7:25	Field Temp		14.4	C	EPA 170.1
5/24/2012 7:09	Field Temp		15.7	C	EPA 170.1
5/25/2012 7:20	Field Temp		17.9	C	EPA 170.1
5/26/2012 6:53	Field Temp		19.8	C	EPA 170.1
5/27/2012 7:00	Field Temp		17.3	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/28/2012 6:59	Field Temp		15.2	C	EPA 170.1
5/29/2012 7:07	Field Temp		18	C	EPA 170.1
5/30/2012 7:06	Field Temp		18.8	C	EPA 170.1
5/31/2012 7:09	Field Temp		18.6	C	EPA 170.1
6/1/2012 7:32	Field Temp		12.6	C	EPA 170.1
6/2/2012 7:00	Field Temp		18.6	C	EPA 170.1
6/3/2012 7:20	Field Temp		15.8	C	EPA 170.1
6/4/2012 6:59	Field Temp		15	C	EPA 170.1
6/5/2012 7:07	Field Temp		16	C	EPA 170.1
6/6/2012 6:53	Field Temp		16	C	EPA 170.1
6/7/2012 7:04	Field Temp		17.5	C	EPA 170.1
6/8/2012 7:03	Field Temp		18.5	C	EPA 170.1
6/9/2012 6:53	Field Temp		18.6	C	EPA 170.1
6/10/2012 6:48	Field Temp		19.9	C	EPA 170.1
6/11/2012 7:03	Field Temp		20	C	EPA 170.1
6/12/2012 7:05	Field Temp		21	C	EPA 170.1
6/13/2012 7:15	Field Temp		19.8	C	EPA 170.1
6/14/2012 7:03	Field Temp		19.6	C	EPA 170.1
6/15/2012 7:08	Field Temp		18	C	EPA 170.1
6/16/2012 6:51	Field Temp		17.6	C	EPA 170.1
6/17/2012 6:50	Field Temp		18.6	C	EPA 170.1
6/18/2012 7:00	Field Temp		19.3	C	EPA 170.1
6/19/2012 6:57	Field Temp		20.1	C	EPA 170.1
6/20/2012 7:01	Field Temp		21.4	C	EPA 170.1
6/21/2012 7:01	Field Temp		22.1	C	EPA 170.1
6/22/2012 6:59	Field Temp		23.1	C	EPA 170.1
6/23/2012 6:54	Field Temp		22.6	C	EPA 170.1
6/24/2012 7:06	Field Temp		22.4	C	EPA 170.1
6/25/2012 6:35	Field Temp		22	C	EPA 170.1
6/26/2012 6:58	Field Temp		20.7	C	EPA 170.1
6/27/2012 7:00	Field Temp		20	C	EPA 170.1
6/28/2012 6:56	Field Temp		22.2	C	EPA 170.1
6/29/2012 7:03	Field Temp		24.1	C	EPA 170.1
6/30/2012 7:07	Field Temp		24.2	C	EPA 170.1
7/1/2012 7:05	Field Temp		24.7	C	EPA 170.1
7/2/2012 6:51	Field Temp		24.3	C	EPA 170.1
7/3/2012 7:05	Field Temp		24.3	C	EPA 170.1
7/4/2012 7:03	Field Temp		24	C	EPA 170.1
7/5/2012 7:42	Field Temp		25	C	EPA 170.1
7/6/2012 6:52	Field Temp		25.2	C	EPA 170.1
7/7/2012 6:45	Field Temp		25.9	C	EPA 170.1
7/8/2012 6:50	Field Temp		25.5	C	EPA 170.1
7/9/2012 7:08	Field Temp		23.3	C	EPA 170.1
7/10/2012 7:20	Field Temp		23	C	EPA 170.1
7/11/2012 7:09	Field Temp		23.2	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
7/12/2012 7:10	Field Temp		23.1	C	EPA 170.1
7/13/2012 7:07	Field Temp		22.9	C	EPA 170.1
7/14/2012 7:05	Field Temp		23.7	C	EPA 170.1
7/15/2012 6:53	Field Temp		23.9	C	EPA 170.1
7/16/2012 7:08	Field Temp		24.2	C	EPA 170.1
7/17/2012 7:11	Field Temp		25.1	C	EPA 170.1
7/18/2012 7:10	Field Temp		25.9	C	EPA 170.1
7/19/2012 7:08	Field Temp		25.5	C	EPA 170.1
7/20/2012 7:12	Field Temp		25	C	EPA 170.1
7/21/2012 7:03	Field Temp		19.9	C	EPA 170.1
7/22/2012 6:57	Field Temp		23.7	C	EPA 170.1
7/23/2012 6:52	Field Temp		24.7	C	EPA 170.1
7/24/2012 6:49	Field Temp		25.8	C	EPA 170.1
7/25/2012 6:47	Field Temp		24.6	C	EPA 170.1
7/26/2012 6:45	Field Temp		22.8	C	EPA 170.1
7/27/2012 6:42	Field Temp		25.7	C	EPA 170.1
7/28/2012 9:30	Field Temp		25.4	C	EPA 170.1
7/29/2012 7:07	Field Temp		25.3	C	EPA 170.1
7/30/2012 6:53	Field Temp		25.3	C	EPA 170.1
7/31/2012 6:53	Field Temp		25.3	C	EPA 170.1
8/1/2012 6:45	Field Temp		25.5	C	EPA 170.1
8/2/2012 7:06	Field Temp		25.4	C	EPA 170.1
8/3/2012 7:04	Field Temp		25.9	C	EPA 170.1
8/4/2012 7:03	Field Temp		25.6	C	EPA 170.1
8/5/2012 6:48	Field Temp		25.5	C	EPA 170.1
8/6/2012 6:59	Field Temp		25	C	EPA 170.1
8/7/2012 7:09	Field Temp		24.8	C	EPA 170.1
8/8/2012 7:20	Field Temp		24.9	C	EPA 170.1
8/9/2012 7:10	Field Temp		24.8	C	EPA 170.1
8/10/2012 7:12	Field Temp		24.3	C	EPA 170.1
8/11/2012 7:01	Field Temp		22.2	C	EPA 170.1
8/12/2012 7:12	Field Temp		22.7	C	EPA 170.1
8/13/2012 6:58	Field Temp		23.4	C	EPA 170.1
8/14/2012 7:06	Field Temp		23.5	C	EPA 170.1
8/15/2012 7:03	Field Temp		23.1	C	EPA 170.1
8/16/2012 7:22	Field Temp		23.6	C	EPA 170.1
8/17/2012 7:09	Field Temp		23	C	EPA 170.1
8/18/2012 6:50	Field Temp		23.2	C	EPA 170.1
8/19/2012 6:57	Field Temp		23	C	EPA 170.1
8/20/2012 6:52	Field Temp		22.9	C	EPA 170.1
8/21/2012 6:52	Field Temp		22.8	C	EPA 170.1
8/22/2012 6:47	Field Temp		22.8	C	EPA 170.1
8/23/2012 6:54	Field Temp		22.9	C	EPA 170.1
8/24/2012 6:51	Field Temp		22.9	C	EPA 170.1
8/25/2012 6:50	Field Temp		23	C	EPA 170.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/26/2012 6:53	Field Temp		22.6	C	EPA 170.1
8/27/2012 6:45	Field Temp		22.9	C	EPA 170.1
8/28/2012 6:54	Field Temp		22.5	C	EPA 170.1
8/29/2012 6:59	Field Temp		23	C	EPA 170.1
8/30/2012 7:02	Field Temp		22.2	C	EPA 170.1
8/31/2012 6:54	Field Temp		22.5	C	EPA 170.1
9/1/2012 7:00	Field Temp		23.6	C	EPA 170.1
9/2/2012 7:06	Field Temp		23.4	C	EPA 170.1
9/4/2012 6:58	Field Temp		23.6	C	EPA 170.1
9/5/2012 8:08	Field Temp		23.2	C	EPA 170.1
9/6/2012 8:00	Field Temp		23.3	C	EPA 170.1
9/7/2012 8:00	Field Temp		23.6	C	EPA 170.1
9/10/2012 8:02	Field Temp		21.3	C	EPA 170.1
9/11/2012 8:15	Field Temp		21.8	C	EPA 170.1
9/12/2012 8:12	Field Temp		21.7	C	EPA 170.1
9/17/2012 8:15	Field Temp		21	C	EPA 170.1
9/18/2012 8:13	Field Temp		21.3	C	EPA 170.1
9/19/2012 8:11	Field Temp		18	C	EPA 170.1
9/20/2012 8:08	Field Temp		19.3	C	EPA 170.1
9/24/2012 8:00	Field Temp		17.5	C	EPA 170.1
9/25/2012 8:05	Field Temp		17.2	C	EPA 170.1
9/26/2012 8:26	Field Temp		17.8	C	EPA 170.1
9/27/2012 8:21	Field Temp		17.4	C	EPA 170.1
10/1/2012 8:08	Field Temp		17.1	C	EPA 170.1
10/2/2012 8:14	Field Temp		17.3	C	EPA 170.1
10/3/2012 8:15	Field Temp		17.9	C	EPA 170.1
10/4/2012 8:24	Field Temp		17.5	C	EPA 170.1
10/8/2012 8:02	Field Temp		15.2	C	EPA 170.1
10/9/2012 8:20	Field Temp		14.4	C	EPA 170.1
10/10/2012 8:20	Field Temp		14	C	EPA 170.1
10/15/2012 8:09	Field Temp		14.3	C	EPA 170.1
10/16/2012 8:10	Field Temp		13.2	C	EPA 170.1
10/17/2012 8:12	Field Temp		13.2	C	EPA 170.1
10/18/2012 8:14	Field Temp		13.6	C	EPA 170.1
10/22/2012 8:07	Field Temp		12.9	C	EPA 170.1
10/23/2012 8:01	Field Temp		14	C	EPA 170.1
10/24/2012 8:11	Field Temp		14.3	C	EPA 170.1
10/25/2012 8:15	Field Temp		14.1	C	EPA 170.1
5/1/2012 8:23	pH		8.33	S.U.	
5/2/2012 8:30	pH		8.17	S.U.	
5/3/2012 8:43	pH		8.25	S.U.	
5/7/2012 9:12	pH		8.26	S.U.	
5/8/2012 8:15	pH		8.2	S.U.	
5/9/2012 8:34	pH		8.27	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/10/2012 8:07	pH		8.25	S.U.	
5/14/2012 6:57	pH		8.35	S.U.	
5/15/2012 7:05	pH		8.31	S.U.	
5/16/2012 7:23	pH		8.38	S.U.	
5/17/2012 7:06	pH		8.25	S.U.	
5/18/2012 7:06	pH		8.04	S.U.	
5/21/2012 7:05	pH		7.93	S.U.	
5/22/2012 6:57	pH		8.23	S.U.	
5/23/2012 7:25	pH		8.15	S.U.	
5/24/2012 7:09	pH		8.43	S.U.	
5/25/2012 7:20	pH		8.61	S.U.	
5/26/2012 6:53	pH		8.7	S.U.	
5/27/2012 7:00	pH		8.41	S.U.	
5/28/2012 6:59	pH		7.9	S.U.	
5/29/2012 7:07	pH		8.08	S.U.	
5/30/2012 7:06	pH		8.32	S.U.	
5/31/2012 7:09	pH		8.35	S.U.	
6/1/2012 7:32	pH		7.54	S.U.	
6/2/2012 7:00	pH		8.35	S.U.	
6/3/2012 7:20	pH		8.26	S.U.	
6/4/2012 6:59	pH		8.03	S.U.	
6/5/2012 7:07	pH		8.06	S.U.	
6/6/2012 6:53	pH		8.05	S.U.	
6/7/2012 7:04	pH		8.04	S.U.	
6/8/2012 7:03	pH		8.19	S.U.	
6/9/2012 6:53	pH		8.2	S.U.	
6/10/2012 6:48	pH		8.2	S.U.	
6/11/2012 7:03	pH		8.21	S.U.	
6/12/2012 7:05	pH		8.23	S.U.	
6/13/2012 7:15	pH		8.25	S.U.	
6/14/2012 7:03	pH		8.04	S.U.	
6/15/2012 7:08	pH		7.79	S.U.	
6/16/2012 6:51	pH		7.64	S.U.	
6/17/2012 6:50	pH		7.88	S.U.	
6/18/2012 7:00	pH		7.89	S.U.	
6/19/2012 6:57	pH		8	S.U.	
6/20/2012 7:01	pH		8	S.U.	
6/21/2012 7:01	pH		8.19	S.U.	
6/22/2012 6:59	pH		7.88	S.U.	
6/23/2012 6:54	pH		7.96	S.U.	
6/24/2012 7:06	pH		7.85	S.U.	
6/25/2012 6:35	pH		8.02	S.U.	
6/26/2012 6:58	pH		7.87	S.U.	
6/27/2012 7:00	pH		7.69	S.U.	
6/28/2012 6:56	pH		7.87	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/29/2012 7:03	pH		7.82	S.U.	
6/30/2012 7:07	pH		8.04	S.U.	
7/1/2012 7:05	pH		7.83	S.U.	
7/2/2012 6:51	pH		7.8	S.U.	
7/3/2012 7:05	pH		8.04	S.U.	
7/4/2012 7:03	pH		8.33	S.U.	
7/5/2012 7:42	pH		8.38	S.U.	
7/6/2012 6:52	pH		8.46	S.U.	
7/7/2012 6:45	pH		8.56	S.U.	
7/8/2012 6:50	pH		8.39	S.U.	
7/9/2012 7:08	pH		7.82	S.U.	
7/10/2012 7:20	pH		8.08	S.U.	
7/11/2012 7:09	pH		8.09	S.U.	
7/12/2012 7:10	pH		7.96	S.U.	
7/13/2012 7:07	pH		7.92	S.U.	
7/14/2012 7:05	pH		8.47	S.U.	
7/15/2012 6:53	pH		8.34	S.U.	
7/16/2012 7:08	pH		8.46	S.U.	
7/17/2012 7:11	pH		8.07	S.U.	
7/18/2012 7:10	pH		7.83	S.U.	
7/19/2012 7:08	pH		7.83	S.U.	
7/20/2012 7:12	pH		7.85	S.U.	
7/21/2012 7:03	pH		7.18	S.U.	
7/22/2012 6:57	pH		7.73	S.U.	
7/23/2012 6:52	pH		8.39	S.U.	
7/24/2012 6:49	pH		8.34	S.U.	
7/25/2012 6:47	pH		8.3	S.U.	
7/26/2012 6:45	pH		7.18	S.U.	
7/27/2012 6:42	pH		8.4	S.U.	
7/28/2012 9:30	pH		8.23	S.U.	
7/29/2012 7:07	pH		8.24	S.U.	
7/30/2012 6:53	pH		8.38	S.U.	
7/31/2012 6:53	pH		8.45	S.U.	
8/1/2012 6:45	pH		8.26	S.U.	
8/2/2012 7:06	pH		8.51	S.U.	
8/3/2012 7:04	pH		8.36	S.U.	
8/4/2012 7:03	pH		8.38	S.U.	
8/5/2012 6:48	pH		8.22	S.U.	
8/6/2012 6:59	pH		8.27	S.U.	
8/7/2012 7:09	pH		8.38	S.U.	
8/8/2012 7:20	pH		8.3	S.U.	
8/9/2012 7:10	pH		8.15	S.U.	
8/10/2012 7:12	pH		8.08	S.U.	
8/11/2012 7:01	pH		8.12	S.U.	
8/12/2012 7:12	pH		8.22	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/13/2012 6:58	pH		8.12	S.U.	
8/14/2012 7:06	pH		8.41	S.U.	
8/15/2012 7:03	pH		8.39	S.U.	
8/16/2012 7:22	pH		8.39	S.U.	
8/17/2012 7:09	pH		8.31	S.U.	
8/18/2012 6:50	pH		8.34	S.U.	
8/19/2012 6:57	pH		8.5	S.U.	
8/20/2012 6:52	pH		8.48	S.U.	
8/21/2012 6:52	pH		8.34	S.U.	
8/22/2012 6:47	pH		8.43	S.U.	
8/23/2012 6:54	pH		8.45	S.U.	
8/24/2012 6:51	pH		8.42	S.U.	
8/25/2012 6:50	pH		8.34	S.U.	
8/26/2012 6:53	pH		8.21	S.U.	
8/27/2012 6:45	pH		8.17	S.U.	
8/28/2012 6:54	pH		8.02	S.U.	
8/29/2012 6:59	pH		7.95	S.U.	
8/30/2012 7:02	pH		8.06	S.U.	
8/31/2012 6:54	pH		7.98	S.U.	
9/1/2012 7:00	pH		7.94	S.U.	
9/2/2012 7:06	pH		8.01	S.U.	
9/4/2012 6:58	pH		7.9	S.U.	
9/5/2012 8:08	pH		8.02	S.U.	
9/6/2012 8:00	pH		7.92	S.U.	
9/7/2012 8:00	pH		8.19	S.U.	
9/10/2012 8:02	pH		7.93	S.U.	
9/11/2012 8:15	pH		8.01	S.U.	
9/12/2012 8:12	pH		7.99	S.U.	
9/17/2012 8:15	pH		8.25	S.U.	
9/18/2012 8:13	pH		8.07	S.U.	
9/19/2012 8:11	pH		7.68	S.U.	
9/20/2012 8:08	pH		8.09	S.U.	
9/24/2012 8:00	pH		7.72	S.U.	
9/25/2012 8:05	pH		8.03	S.U.	
9/26/2012 8:26	pH		8.09	S.U.	
9/27/2012 8:21	pH		7.88	S.U.	
10/1/2012 8:08	pH		8.07	S.U.	
10/2/2012 8:14	pH		8.06	S.U.	
10/3/2012 8:15	pH		7.86	S.U.	
10/4/2012 8:24	pH		7.78	S.U.	
10/8/2012 8:02	pH		7.73	S.U.	
10/9/2012 8:20	pH		7.89	S.U.	
10/10/2012 8:20	pH		7.65	S.U.	
10/15/2012 8:09	pH		7.45	S.U.	
10/16/2012 8:10	pH		7.73	S.U.	

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
10/17/2012 8:12	pH		7.71	S.U.	
10/18/2012 8:14	pH		7.66	S.U.	
10/22/2012 8:07	pH		7.51	S.U.	
10/23/2012 8:01	pH		7.55	S.U.	
10/24/2012 8:11	pH		7.45	S.U.	
10/25/2012 8:15	pH		7.96	S.U.	
5/1/2012 8:23	Turbidity		17.1	NTU	EPA180.1
5/2/2012 8:30	Turbidity		10.22	NTU	EPA180.1
5/3/2012 8:43	Turbidity		11.7	NTU	EPA180.1
5/7/2012 9:12	Turbidity		10.9	NTU	EPA180.1
5/8/2012 8:15	Turbidity		7.17	NTU	EPA180.1
5/9/2012 8:34	Turbidity		5.715	NTU	EPA180.1
5/10/2012 8:07	Turbidity		24.1	NTU	EPA180.1
5/14/2012 6:57	Turbidity		6.34	NTU	EPA180.1
5/15/2012 7:05	Turbidity		6.32	NTU	EPA180.1
5/16/2012 7:23	Turbidity		3.85	NTU	EPA180.1
5/17/2012 7:06	Turbidity		10.06	NTU	EPA180.1
5/21/2012 7:05	Turbidity		10.47	NTU	EPA180.1
5/22/2012 6:57	Turbidity		34.75	NTU	EPA180.1
5/23/2012 7:25	Turbidity		4.77	NTU	EPA180.1
5/24/2012 7:09	Turbidity		3.36	NTU	EPA180.1
5/25/2012 7:20	Turbidity		2.43	NTU	EPA180.1
5/26/2012 6:53	Turbidity		2.27	NTU	EPA180.1
5/27/2012 7:00	Turbidity		3.01	NTU	EPA180.1
5/28/2012 6:59	Turbidity		5.58	NTU	EPA180.1
5/29/2012 7:07	Turbidity		5.77	NTU	EPA180.1
5/30/2012 7:06	Turbidity		5.805	NTU	EPA180.1
5/31/2012 7:09	Turbidity		7.15	NTU	EPA180.1
6/1/2012 7:32	Turbidity		39.4	NTU	EPA180.1
6/2/2012 7:00	Turbidity		7.15	NTU	EPA180.1
6/3/2012 7:20	Turbidity		60.9	NTU	EPA180.1
6/4/2012 6:59	Turbidity		11.15	NTU	EPA180.1
6/5/2012 7:07	Turbidity		8.15	NTU	EPA180.1
6/6/2012 6:53	Turbidity		6.69	NTU	EPA180.1
6/7/2012 7:04	Turbidity		4.7	NTU	EPA180.1
6/8/2012 7:03	Turbidity		3.4	NTU	EPA180.1
6/9/2012 6:53	Turbidity		4.3	NTU	EPA180.1
6/10/2012 6:48	Turbidity		2.9	NTU	EPA180.1
6/11/2012 7:03	Turbidity		3	NTU	EPA180.1
6/12/2012 7:05	Turbidity		4.17	NTU	EPA180.1
6/13/2012 7:15	Turbidity		21.9	NTU	EPA180.1
6/14/2012 7:03	Turbidity		4.29	NTU	EPA180.1
6/15/2012 7:08	Turbidity		5.32	NTU	EPA180.1
6/16/2012 6:51	Turbidity		3.61	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/17/2012 6:50	Turbidity		4.83	NTU	EPA180.1
6/18/2012 7:00	Turbidity		5.45	NTU	EPA180.1
6/19/2012 6:57	Turbidity		10.4	NTU	EPA180.1
6/20/2012 7:01	Turbidity		3.69	NTU	EPA180.1
6/21/2012 7:01	Turbidity		4.12	NTU	EPA180.1
6/22/2012 6:59	Turbidity		4.84	NTU	EPA180.1
6/23/2012 6:54	Turbidity		4.97	NTU	EPA180.1
6/24/2012 7:06	Turbidity		3.4	NTU	EPA180.1
6/25/2012 6:35	Turbidity		24.6	NTU	EPA180.1
6/26/2012 6:58	Turbidity		35.3	NTU	EPA180.1
6/27/2012 7:00	Turbidity		9.7	NTU	EPA180.1
6/28/2012 6:56	Turbidity		3.5	NTU	EPA180.1
6/29/2012 7:03	Turbidity		7.23	NTU	EPA180.1
6/30/2012 7:07	Turbidity		9.6	NTU	EPA180.1
7/1/2012 7:05	Turbidity		9.3	NTU	EPA180.1
7/2/2012 6:51	Turbidity		2.16	NTU	EPA180.1
7/3/2012 7:05	Turbidity		4.1	NTU	EPA180.1
7/4/2012 7:03	Turbidity		4.63	NTU	EPA180.1
7/5/2012 7:42	Turbidity		15.1	NTU	EPA180.1
7/6/2012 6:52	Turbidity		5.41	NTU	EPA180.1
7/7/2012 6:45	Turbidity		7.8	NTU	EPA180.1
7/8/2012 6:50	Turbidity		14.6	NTU	EPA180.1
7/9/2012 7:08	Turbidity		21.7	NTU	EPA180.1
7/10/2012 7:20	Turbidity		6.825	NTU	EPA180.1
7/11/2012 7:09	Turbidity		3.84	NTU	EPA180.1
7/12/2012 7:10	Turbidity		3.78	NTU	EPA180.1
7/13/2012 7:07	Turbidity		2.38	NTU	EPA180.1
7/14/2012 7:05	Turbidity		5.26	NTU	EPA180.1
7/15/2012 6:53	Turbidity		7.35	NTU	EPA180.1
7/16/2012 7:08	Turbidity		7.06	NTU	EPA180.1
7/17/2012 7:11	Turbidity		3.7	NTU	EPA180.1
7/18/2012 7:10	Turbidity		14.4	NTU	EPA180.1
7/19/2012 7:08	Turbidity		2.1	NTU	EPA180.1
7/20/2012 7:12	Turbidity		21.2	NTU	EPA180.1
7/21/2012 7:03	Turbidity		10.2	NTU	EPA180.1
7/22/2012 6:57	Turbidity		6.7	NTU	EPA180.1
7/23/2012 6:52	Turbidity		3.95	NTU	EPA180.1
7/24/2012 6:49	Turbidity		9.85	NTU	EPA180.1
7/25/2012 6:47	Turbidity		15.2	NTU	EPA180.1
7/26/2012 6:45	Turbidity		7.68	NTU	EPA180.1
7/27/2012 6:42	Turbidity		4.41	NTU	EPA180.1
7/28/2012 9:30	Turbidity		12.9	NTU	EPA180.1
7/29/2012 7:07	Turbidity		10.8	NTU	EPA180.1
7/30/2012 6:53	Turbidity		3.15	NTU	EPA180.1
7/31/2012 6:53	Turbidity		4.07	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/1/2012 6:45	Turbidity		7.56	NTU	EPA180.1
8/2/2012 7:06	Turbidity		4.06	NTU	EPA180.1
8/3/2012 7:04	Turbidity		2.68	NTU	EPA180.1
8/4/2012 7:03	Turbidity		3.8	NTU	EPA180.1
8/5/2012 6:48	Turbidity		17.4	NTU	EPA180.1
8/6/2012 6:59	Turbidity		13.7	NTU	EPA180.1
8/7/2012 7:09	Turbidity		2.91	NTU	EPA180.1
8/8/2012 7:20	Turbidity		2.91	NTU	EPA180.1
8/9/2012 7:10	Turbidity		7	NTU	EPA180.1
8/10/2012 7:12	Turbidity		12.9	NTU	EPA180.1
8/11/2012 7:01	Turbidity		35.6	NTU	EPA180.1
8/12/2012 7:12	Turbidity		25.3	NTU	EPA180.1
8/13/2012 6:58	Turbidity		3.44	NTU	EPA180.1
8/14/2012 7:06	Turbidity		6.55	NTU	EPA180.1
8/15/2012 7:03	Turbidity		4.02	NTU	EPA180.1
8/16/2012 7:22	Turbidity		4.8	NTU	EPA180.1
8/17/2012 7:09	Turbidity		34.5	NTU	EPA180.1
8/18/2012 6:50	Turbidity		10.79	NTU	EPA180.1
8/19/2012 6:57	Turbidity		5.06	NTU	EPA180.1
8/20/2012 6:52	Turbidity		2.8	NTU	EPA180.1
8/21/2012 6:52	Turbidity		2.535	NTU	EPA180.1
8/22/2012 6:47	Turbidity		2.37	NTU	EPA180.1
8/23/2012 6:54	Turbidity		2.98	NTU	EPA180.1
8/24/2012 6:51	Turbidity		4.39	NTU	EPA180.1
8/25/2012 6:50	Turbidity		3.9	NTU	EPA180.1
8/26/2012 6:53	Turbidity		2.68	NTU	EPA180.1
8/27/2012 6:45	Turbidity		3.25	NTU	EPA180.1
8/28/2012 6:54	Turbidity		7.23	NTU	EPA180.1
8/29/2012 6:59	Turbidity		13.6	NTU	EPA180.1
8/30/2012 7:02	Turbidity		3.54	NTU	EPA180.1
8/31/2012 6:54	Turbidity		4.9	NTU	EPA180.1
9/1/2012 7:00	Turbidity		11.8	NTU	EPA180.1
9/2/2012 7:06	Turbidity		3.8	NTU	EPA180.1
9/4/2012 6:58	Turbidity		28.9	NTU	EPA180.1
9/5/2012 8:08	Turbidity		6.82	NTU	EPA180.1
9/6/2012 8:00	Turbidity		15.2	NTU	EPA180.1
9/7/2012 8:00	Turbidity		6.69	NTU	EPA180.1
9/10/2012 8:02	Turbidity		14.85	NTU	EPA180.1
9/11/2012 8:15	Turbidity		5.92	NTU	EPA180.1
9/12/2012 8:12	Turbidity		4.14	NTU	EPA180.1
9/17/2012 8:15	Turbidity		5.8	NTU	EPA180.1
9/18/2012 8:13	Turbidity		4.26	NTU	EPA180.1
9/19/2012 8:11	Turbidity		33.85	NTU	EPA180.1
9/20/2012 8:08	Turbidity		12.15	NTU	EPA180.1
9/24/2012 8:00	Turbidity		16.9	NTU	EPA180.1

Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
9/25/2012 8:05	Turbidity		10.08	NTU	EPA180.1
9/26/2012 8:26	Turbidity		7.035	NTU	EPA180.1
9/27/2012 8:21	Turbidity		9.87	NTU	EPA180.1
10/1/2012 8:08	Turbidity		3.23	NTU	EPA180.1
10/2/2012 8:14	Turbidity		2.56	NTU	EPA180.1
10/3/2012 8:15	Turbidity		6.39	NTU	EPA180.1
10/4/2012 8:24	Turbidity		3.93	NTU	EPA180.1
10/8/2012 8:02	Turbidity		11.9	NTU	EPA180.1
10/9/2012 8:20	Turbidity		3.21	NTU	EPA180.1
10/10/2012 8:20	Turbidity		14.25	NTU	EPA180.1
10/15/2012 8:09	Turbidity		51.7	NTU	EPA180.1
10/16/2012 8:10	Turbidity		48.5	NTU	EPA180.1
10/17/2012 8:12	Turbidity		8	NTU	EPA180.1
10/18/2012 8:14	Turbidity		7.06	NTU	EPA180.1
10/22/2012 8:07	Turbidity		6.41	NTU	EPA180.1
10/23/2012 8:01	Turbidity		5.05	NTU	EPA180.1
10/24/2012 8:11	Turbidity		5.17	NTU	EPA180.1
10/25/2012 8:15	Turbidity		3.38	NTU	EPA180.1

Euclid Creek
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
5/1/2012 7:51	E. coli		2500	cfu/100mL	EPA1603
5/2/2012 8:04	E. coli		660	cfu/100mL	EPA1603
5/3/2012 8:12	E. coli		420	cfu/100mL	EPA1603
5/7/2012 9:47	E. coli		250	cfu/100mL	EPA1603
5/8/2012 7:47	E. coli	EC	31600	cfu/100mL	EPA1603
5/9/2012 8:08	E. coli		2325	cfu/100mL	EPA1603
5/10/2012 7:47	E. coli		880	cfu/100mL	EPA1603
5/14/2012 6:35	E. coli		520	cfu/100mL	EPA1603
5/15/2012 6:40	E. coli		290	cfu/100mL	EPA1603
5/16/2012 6:55	E. coli		390	cfu/100mL	EPA1603
5/17/2012 6:41	E. coli	EC	155	cfu/100mL	EPA1603
5/18/2012 6:44	E. coli		400	cfu/100mL	EPA1603
5/21/2012 6:38	E. coli		30	cfu/100mL	EPA1603
5/22/2012 6:30	E. coli		565	cfu/100mL	EPA1603
5/23/2012 6:57	E. coli		1433	cfu/100mL	EPA1603
5/24/2012 6:44	E. coli		500	cfu/100mL	EPA1603
5/29/2012 6:43	E. coli		325	cfu/100mL	EPA1603
5/30/2012 6:40	E. coli		1440	cfu/100mL	EPA1603
5/31/2012 6:50	E. coli		920	cfu/100mL	EPA1603
6/4/2012 6:41	E. coli		800	cfu/100mL	EPA1603
6/5/2012 6:46	E. coli	EC	532	cfu/100mL	EPA1603
6/6/2012 6:34	E. coli		390	cfu/100mL	EPA1603
6/7/2012 6:46	E. coli		880	cfu/100mL	EPA1603
6/11/2012 6:40	E. coli		393	cfu/100mL	EPA1603
6/12/2012 6:40	E. coli		620	cfu/100mL	EPA1603
6/13/2012 6:51	E. coli		1220	cfu/100mL	EPA1603
6/14/2012 6:50	E. coli		720	cfu/100mL	EPA1603
6/18/2012 6:40	E. coli		9200	cfu/100mL	EPA1603
6/19/2012 6:32	E. coli		2050	cfu/100mL	EPA1603
6/20/2012 6:42	E. coli		1250	cfu/100mL	EPA1603
6/21/2012 6:40	E. coli		950	cfu/100mL	EPA1603
6/25/2012 6:27	E. coli		1420	cfu/100mL	EPA1603
6/26/2012 6:33	E. coli		365	cfu/100mL	EPA1603
6/27/2012 6:33	E. coli		300	cfu/100mL	EPA1603
6/28/2012 6:31	E. coli		540	cfu/100mL	EPA1603
7/2/2012 6:35	E. coli		7200	cfu/100mL	EPA1603
7/5/2012 6:35	E. coli		5800	cfu/100mL	EPA1603
7/9/2012 6:41	E. coli		1683	cfu/100mL	EPA1603
7/10/2012 7:52	E. coli		1340	cfu/100mL	EPA1603
7/11/2012 6:42	E. coli		590	cfu/100mL	EPA1603
7/12/2012 6:42	E. coli		2900	cfu/100mL	EPA1603
7/16/2012 6:45	E. coli		2900	cfu/100mL	EPA1603
7/17/2012 6:49	E. coli		660	cfu/100mL	EPA1603
7/18/2012 6:46	E. coli		1240	cfu/100mL	EPA1603

Euclid Creek
River Mile 0.55

7/19/2012 6:48	E. coli		920	cfu/100mL	EPA1603
7/23/2012 6:30	E. coli		388	cfu/100mL	EPA1603
7/24/2012 6:28	E. coli		1260	cfu/100mL	EPA1603
7/25/2012 6:20	E. coli		364	cfu/100mL	EPA1603
7/26/2012 6:19	E. coli		1600	cfu/100mL	EPA1603
7/30/2012 6:28	E. coli		840	cfu/100mL	EPA1603
7/31/2012 6:33	E. coli		442	cfu/100mL	EPA1603
8/1/2012 6:28	E. coli		2800	cfu/100mL	EPA1603
8/2/2012 6:40	E. coli		412	cfu/100mL	EPA1603
8/6/2012 6:40	E. coli		833	cfu/100mL	EPA1603
8/7/2012 6:46	E. coli		560	cfu/100mL	EPA1603
8/8/2012 6:48	E. coli		356	cfu/100mL	EPA1603
8/9/2012 6:47	E. coli		660	cfu/100mL	EPA1603
8/13/2012 6:39	E. coli		840	cfu/100mL	EPA1603
8/14/2012 6:42	E. coli		1100	cfu/100mL	EPA1603
8/15/2012 6:41	E. coli		2400	cfu/100mL	EPA1603
8/16/2012 6:53	E. coli		980	cfu/100mL	EPA1603
8/20/2012 6:34	E. coli		1400	cfu/100mL	EPA1603
8/21/2012 6:34	E. coli		760	cfu/100mL	EPA1603
8/22/2012 6:33	E. coli		520	cfu/100mL	EPA1603
8/23/2012 6:35	E. coli		480	cfu/100mL	EPA1603
8/27/2012 6:27	E. coli		5600	cfu/100mL	EPA1603
8/28/2012 6:34	E. coli		7400	cfu/100mL	EPA1603
8/29/2012 6:45	E. coli		2300	cfu/100mL	EPA1603
8/30/2012 6:45	E. coli		660	cfu/100mL	EPA1603
9/4/2012 6:37	E. coli		5000	cfu/100mL	EPA1603
9/5/2012 7:47	E. coli		1440	cfu/100mL	EPA1603
9/6/2012 7:40	E. coli		440	cfu/100mL	EPA1603
9/10/2012 7:40	E. coli		1040	cfu/100mL	EPA1603
9/11/2012 7:50	E. coli		530	cfu/100mL	EPA1603
9/12/2012 7:55	E. coli	EC	11800	cfu/100mL	EPA1603
9/13/2012 7:55	E. coli	EC	10800	cfu/100mL	EPA1603
9/17/2012 7:45	E. coli		800	cfu/100mL	EPA1603
9/18/2012 7:55	E. coli		1600	cfu/100mL	EPA1603
9/19/2012 7:47	E. coli		2500	cfu/100mL	EPA1603
9/20/2012 7:44	E. coli		1400	cfu/100mL	EPA1603
9/24/2012 7:40	E. coli		2600	cfu/100mL	EPA1603
9/25/2012 7:45	E. coli		800	cfu/100mL	EPA1603
9/26/2012 8:08	E. coli		5900	cfu/100mL	EPA1603
9/27/2012 8:02	E. coli		1433.5	cfu/100mL	EPA1603
10/1/2012 7:47	E. coli		370	cfu/100mL	EPA1603
10/2/2012 7:50	E. coli		6400	cfu/100mL	EPA1603
10/3/2012 7:52	E. coli		858	cfu/100mL	EPA1603
10/4/2012 8:05	E. coli		440	cfu/100mL	EPA1603
10/8/2012 7:43	E. coli		1300	cfu/100mL	EPA1603

Euclid Creek
River Mile 0.55

10/9/2012 8:02	E. coli		1150	cfu/100mL	EPA1603
10/10/2012 8:05	E. coli		720	cfu/100mL	EPA1603
10/15/2012 7:46	E. coli	EC	800	cfu/100mL	EPA1603
10/16/2012 7:49	E. coli		234	cfu/100mL	EPA1603
10/17/2012 7:51	E. coli		330	cfu/100mL	EPA1603
10/18/2012 7:54	E. coli		710	cfu/100mL	EPA1603
10/22/2012 7:47	E. coli		600	cfu/100mL	EPA1603
10/23/2012 7:45	E. coli		11600	cfu/100mL	EPA1603
10/24/2012 8:22	E. coli		2050	cfu/100mL	EPA1603
10/25/2012 8:28	E. coli		680	cfu/100mL	EPA1603
5/25/2012 6:50	E. coli		517	MPN/100 mL	SM9223 Colilert
5/26/2012 6:35	E. coli		276	MPN/100 mL	SM9223 Colilert
5/27/2012 6:44	E. coli		1298	MPN/100 mL	SM9223 Colilert
5/28/2012 6:40	E. coli		476	MPN/100 mL	SM9223 Colilert
6/2/2012 6:40	E. coli		8704	MPN/100 mL	SM9223 Colilert
6/3/2012 6:55	E. coli		1014	MPN/100 mL	SM9223 Colilert
6/8/2012 6:40	E. coli		452	MPN/100 mL	SM9223 Colilert
6/9/2012 6:30	E. coli		565	MPN/100 mL	SM9223 Colilert
6/10/2012 6:30	E. coli		244	MPN/100 mL	SM9223 Colilert
6/15/2012 6:45	E. coli	EC	138	MPN/100 mL	SM9223 Colilert
6/16/2012 6:32	E. coli		296	MPN/100 mL	SM9223 Colilert
6/17/2012 6:33	E. coli		386	MPN/100 mL	SM9223 Colilert
6/22/2012 6:39	E. coli		690	MPN/100 mL	SM9223 Colilert
6/23/2012 6:34	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
6/24/2012 6:50	E. coli		260	MPN/100 mL	SM9223 Colilert
6/29/2012 6:35	E. coli		548	MPN/100 mL	SM9223 Colilert
6/30/2012 6:42	E. coli		260	MPN/100 mL	SM9223 Colilert
7/1/2012 6:48	E. coli		308	MPN/100 mL	SM9223 Colilert
7/3/2012 6:45	E. coli		2576	MPN/100 mL	SM9223 Colilert
7/4/2012 6:40	E. coli		3900	MPN/100 mL	SM9223 Colilert
7/6/2012 6:34	E. coli		1140	MPN/100 mL	SM9223 Colilert
7/7/2012 6:35	E. coli		3922	MPN/100 mL	SM9223 Colilert
7/8/2012 6:33	E. coli		1439	MPN/100 mL	SM9223 Colilert
7/13/2012 6:39	E. coli		149	MPN/100 mL	SM9223 Colilert
7/14/2012 6:39	E. coli		390	MPN/100 mL	SM9223 Colilert
7/15/2012 6:32	E. coli		397	MPN/100 mL	SM9223 Colilert
7/20/2012 6:50	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/21/2012 6:41	E. coli		81640	MPN/100 mL	SM9223 Colilert
7/22/2012 6:40	E. coli		1340	MPN/100 mL	SM9223 Colilert
7/27/2012 6:21	E. coli		10715	MPN/100 mL	SM9223 Colilert
7/28/2012 6:40	E. coli		5250	MPN/100 mL	SM9223 Colilert
7/29/2012 6:45	E. coli		1210	MPN/100 mL	SM9223 Colilert
8/3/2012 6:41	E. coli		372	MPN/100 mL	SM9223 Colilert
8/4/2012 6:43	E. coli		370	MPN/100 mL	SM9223 Colilert

Euclid Creek
River Mile 0.55

8/5/2012 6:35	E. coli	1961	MPN/100 mL	SM9223 Colilert
8/10/2012 6:56	E. coli	12033	MPN/100 mL	SM9223 Colilert
8/11/2012 6:43	E. coli	2359	MPN/100 mL	SM9223 Colilert
8/12/2012 6:49	E. coli	1153	MPN/100 mL	SM9223 Colilert
8/17/2012 6:50	E. coli	556	MPN/100 mL	SM9223 Colilert
8/18/2012 6:32	E. coli	384	MPN/100 mL	SM9223 Colilert
8/19/2012 6:36	E. coli	550	MPN/100 mL	SM9223 Colilert
8/24/2012 6:33	E. coli	420	MPN/100 mL	SM9223 Colilert
8/25/2012 6:40	E. coli	403	MPN/100 mL	SM9223 Colilert
8/26/2012 6:37	E. coli	344	MPN/100 mL	SM9223 Colilert
8/31/2012 6:32	E. coli	144	MPN/100 mL	SM9223 Colilert
9/1/2012 6:43	E. coli	437	MPN/100 mL	SM9223 Colilert
9/2/2012 6:44	E. coli	5654	MPN/100 mL	SM9223 Colilert
9/3/2012 6:35	E. coli	1119	MPN/100 mL	SM9223 Colilert
9/7/2012 7:37	E. coli	320	MPN/100 mL	SM9223 Colilert
5/1/2012 7:51	Field Cond	784	uS/cm	SM 2510A
5/2/2012 8:04	Field Cond	1032	uS/cm	SM 2510A
5/3/2012 8:12	Field Cond	977	uS/cm	SM 2510A
5/7/2012 9:47	Field Cond	1224	uS/cm	SM 2510A
5/8/2012 7:47	Field Cond	722	uS/cm	SM 2510A
5/9/2012 8:08	Field Cond	895	uS/cm	SM 2510A
5/10/2012 7:47	Field Cond	1008	uS/cm	SM 2510A
5/14/2012 6:35	Field Cond	1161	uS/cm	SM 2510A
5/15/2012 6:40	Field Cond	1172	uS/cm	SM 2510A
5/16/2012 6:55	Field Cond	1187	uS/cm	SM 2510A
5/17/2012 6:41	Field Cond	1175	uS/cm	SM 2510A
5/18/2012 6:44	Field Cond	1258	uS/cm	SM 2510A
5/21/2012 6:38	Field Cond	1081	uS/cm	SM 2510A
5/22/2012 6:30	Field Cond	1133	uS/cm	SM 2510A
5/23/2012 6:57	Field Cond	1155	uS/cm	SM 2510A
5/24/2012 6:44	Field Cond	1130	uS/cm	SM 2510A
5/25/2012 6:50	Field Cond	1202	uS/cm	SM 2510A
5/26/2012 6:35	Field Cond	329	uS/cm	SM 2510A
5/27/2012 6:44	Field Cond	1272	uS/cm	SM 2510A
5/28/2012 6:40	Field Cond	1334	uS/cm	SM 2510A
5/29/2012 6:43	Field Cond	655	uS/cm	SM 2510A
5/30/2012 6:40	Field Cond	1294	uS/cm	SM 2510A
5/31/2012 6:50	Field Cond	1452	uS/cm	SM 2510A
6/1/2012 7:04	Field Cond	1237	uS/cm	SM 2510A
6/2/2012 6:40	Field Cond	783	uS/cm	SM 2510A
6/3/2012 6:55	Field Cond	966	uS/cm	SM 2510A
6/4/2012 6:41	Field Cond	1065	uS/cm	SM 2510A
6/5/2012 6:46	Field Cond	1117	uS/cm	SM 2510A
6/6/2012 6:34	Field Cond	1173	uS/cm	SM 2510A

Euclid Creek
River Mile 0.55

6/7/2012 6:46	Field Cond	1134	uS/cm	SM 2510A
6/8/2012 6:40	Field Cond	1116	uS/cm	SM 2510A
6/9/2012 6:30	Field Cond	1103	uS/cm	SM 2510A
6/10/2012 6:30	Field Cond	1134	uS/cm	SM 2510A
6/11/2012 6:40	Field Cond	1118	uS/cm	SM 2510A
6/12/2012 6:40	Field Cond	1148	uS/cm	SM 2510A
6/13/2012 6:51	Field Cond	1255	uS/cm	SM 2510A
6/14/2012 6:50	Field Cond	1266	uS/cm	SM 2510A
6/15/2012 6:45	Field Cond	1197	uS/cm	SM 2510A
6/16/2012 6:32	Field Cond	1201	uS/cm	SM 2510A
6/17/2012 6:33	Field Cond	1166	uS/cm	SM 2510A
6/18/2012 6:40	Field Cond	905	uS/cm	SM 2510A
6/19/2012 6:32	Field Cond	932	uS/cm	SM 2510A
6/20/2012 6:42	Field Cond	937	uS/cm	SM 2510A
6/21/2012 6:40	Field Cond	949	uS/cm	SM 2510A
6/22/2012 6:39	Field Cond	1030	uS/cm	SM 2510A
6/23/2012 6:34	Field Cond	110	uS/cm	SM 2510A
6/24/2012 6:50	Field Cond	792	uS/cm	SM 2510A
6/25/2012 6:27	Field Cond	953	uS/cm	SM 2510A
6/26/2012 6:33	Field Cond	1025	uS/cm	SM 2510A
6/27/2012 6:33	Field Cond	1043	uS/cm	SM 2510A
6/28/2012 6:31	Field Cond	1028	uS/cm	SM 2510A
6/29/2012 6:35	Field Cond	1023	uS/cm	SM 2510A
6/30/2012 6:42	Field Cond	1123	uS/cm	SM 2510A
7/1/2012 6:48	Field Cond	1003	uS/cm	SM 2510A
7/2/2012 6:35	Field Cond	1002	uS/cm	SM 2510A
7/3/2012 6:45	Field Cond	1042	uS/cm	SM 2510A
7/4/2012 6:40	Field Cond	613	uS/cm	SM 2510A
7/5/2012 6:35	Field Cond	759	uS/cm	SM 2510A
7/6/2012 6:34	Field Cond	691	uS/cm	SM 2510A
7/7/2012 6:35	Field Cond	785	uS/cm	SM 2510A
7/8/2012 6:33	Field Cond	887	uS/cm	SM 2510A
7/9/2012 6:41	Field Cond	888	uS/cm	SM 2510A
7/10/2012 7:52	Field Cond	975	uS/cm	SM 2510A
7/11/2012 6:42	Field Cond	918	uS/cm	SM 2510A
7/12/2012 6:42	Field Cond	962	uS/cm	SM 2510A
7/13/2012 6:39	Field Cond	952	uS/cm	SM 2510A
7/14/2012 6:39	Field Cond	954	uS/cm	SM 2510A
7/15/2012 6:32	Field Cond	940	uS/cm	SM 2510A
7/16/2012 6:45	Field Cond	1125	uS/cm	SM 2510A
7/17/2012 6:49	Field Cond	1245	uS/cm	SM 2510A
7/18/2012 6:46	Field Cond	1128	uS/cm	SM 2510A
7/19/2012 6:48	Field Cond	1026	uS/cm	SM 2510A
7/20/2012 6:50	Field Cond	922	uS/cm	SM 2510A
7/21/2012 6:41	Field Cond	1060	uS/cm	SM 2510A

Euclid Creek
River Mile 0.55

7/22/2012 6:40	Field Cond	1021	uS/cm	SM 2510A
7/23/2012 6:30	Field Cond	1014	uS/cm	SM 2510A
7/24/2012 6:28	Field Cond	1060	uS/cm	SM 2510A
7/25/2012 6:20	Field Cond	1061	uS/cm	SM 2510A
7/26/2012 6:19	Field Cond	1702	uS/cm	SM 2510A
7/27/2012 6:21	Field Cond	816	uS/cm	SM 2510A
7/28/2012 6:40	Field Cond	550	uS/cm	SM 2510A
7/29/2012 6:45	Field Cond	715	uS/cm	SM 2510A
7/30/2012 6:28	Field Cond	752	uS/cm	SM 2510A
7/31/2012 6:33	Field Cond	807	uS/cm	SM 2510A
8/1/2012 6:28	Field Cond	760	uS/cm	SM 2510A
8/2/2012 6:40	Field Cond	799	uS/cm	SM 2510A
8/3/2012 6:41	Field Cond	810	uS/cm	SM 2510A
8/4/2012 6:43	Field Cond	770	uS/cm	SM 2510A
8/5/2012 6:35	Field Cond	829	uS/cm	SM 2510A
8/6/2012 6:40	Field Cond	1081	uS/cm	SM 2510A
8/7/2012 6:46	Field Cond	910	uS/cm	SM 2510A
8/8/2012 6:48	Field Cond	890	uS/cm	SM 2510A
8/9/2012 6:47	Field Cond	807	uS/cm	SM 2510A
8/10/2012 6:56	Field Cond	574	uS/cm	SM 2510A
8/11/2012 6:43	Field Cond	574	uS/cm	SM 2510A
8/12/2012 6:49	Field Cond	749	uS/cm	SM 2510A
8/13/2012 6:39	Field Cond	792	uS/cm	SM 2510A
8/14/2012 6:42	Field Cond	836	uS/cm	SM 2510A
8/15/2012 6:41	Field Cond	788	uS/cm	SM 2510A
8/16/2012 6:53	Field Cond	817	uS/cm	SM 2510A
8/17/2012 6:50	Field Cond	843	uS/cm	SM 2510A
8/18/2012 6:32	Field Cond	800	uS/cm	SM 2510A
8/19/2012 6:36	Field Cond	821	uS/cm	SM 2510A
8/20/2012 6:34	Field Cond	851	uS/cm	SM 2510A
8/21/2012 6:34	Field Cond	842	uS/cm	SM 2510A
8/22/2012 6:33	Field Cond	1108	uS/cm	SM 2510A
8/23/2012 6:35	Field Cond	1033	uS/cm	SM 2510A
8/24/2012 6:33	Field Cond	1040	uS/cm	SM 2510A
8/25/2012 6:40	Field Cond	1079	uS/cm	SM 2510A
8/26/2012 6:37	Field Cond	1060	uS/cm	SM 2510A
8/27/2012 6:27	Field Cond	1074	uS/cm	SM 2510A
8/28/2012 6:34	Field Cond	578	uS/cm	SM 2510A
8/29/2012 6:45	Field Cond	858	uS/cm	SM 2510A
8/30/2012 6:45	Field Cond	794	uS/cm	SM 2510A
8/31/2012 6:32	Field Cond	823	uS/cm	SM 2510A
9/1/2012 6:43	Field Cond	893	uS/cm	SM 2510A
9/2/2012 6:44	Field Cond	486	uS/cm	SM 2510A
9/3/2012 6:35	Field Cond	712	uS/cm	SM 2510A
9/4/2012 6:37	Field Cond	520	uS/cm	SM 2510A

Euclid Creek
River Mile 0.55

9/5/2012 7:47	Field Cond	772	uS/cm	SM 2510A
9/6/2012 7:40	Field Cond	792	uS/cm	SM 2510A
9/7/2012 7:37	Field Cond	853	uS/cm	SM 2510A
9/10/2012 7:40	Field Cond	804	uS/cm	SM 2510A
9/11/2012 7:50	Field Cond	956	uS/cm	SM 2510A
9/12/2012 7:55	Field Cond	952	uS/cm	SM 2510A
9/13/2012 7:55	Field Cond	1023	uS/cm	SM 2510A
9/17/2012 7:45	Field Cond	1069	uS/cm	SM 2510A
9/18/2012 7:55	Field Cond	965	uS/cm	SM 2510A
9/19/2012 7:47	Field Cond	694	uS/cm	SM 2510A
9/20/2012 7:44	Field Cond	811	uS/cm	SM 2510A
9/24/2012 7:40	Field Cond	484	uS/cm	SM 2510A
9/25/2012 7:45	Field Cond	802	uS/cm	SM 2510A
9/26/2012 8:08	Field Cond	715	uS/cm	SM 2510A
9/27/2012 8:02	Field Cond	640	uS/cm	SM 2510A
10/1/2012 7:47	Field Cond	1093	uS/cm	SM 2510A
10/2/2012 7:50	Field Cond	927	uS/cm	SM 2510A
10/3/2012 7:52	Field Cond	803	uS/cm	SM 2510A
10/4/2012 8:05	Field Cond	854	uS/cm	SM 2510A
10/8/2012 7:43	Field Cond	624	uS/cm	SM 2510A
10/9/2012 8:02	Field Cond	795	uS/cm	SM 2510A
10/10/2012 8:05	Field Cond	884	uS/cm	SM 2510A
10/15/2012 7:46	Field Cond	793	uS/cm	SM 2510A
10/16/2012 7:49	Field Cond	923	uS/cm	SM 2510A
10/17/2012 7:51	Field Cond	1084	uS/cm	SM 2510A
10/18/2012 7:54	Field Cond	991	uS/cm	SM 2510A
10/22/2012 7:47	Field Cond	979	uS/cm	SM 2510A
10/23/2012 7:45	Field Cond	942	uS/cm	SM 2510A
10/24/2012 8:22	Field Cond	672	uS/cm	SM 2510A
10/25/2012 8:28	Field Cond	690	uS/cm	SM 2510A
5/1/2012 7:51	Field Temp	13.2	C	EPA 170.1
5/2/2012 8:04	Field Temp	13.2	C	EPA 170.1
5/3/2012 8:12	Field Temp	16.7	C	EPA 170.1
5/7/2012 9:47	Field Temp	16.1	C	EPA 170.1
5/8/2012 7:47	Field Temp	15.5	C	EPA 170.1
5/9/2012 8:08	Field Temp	14.7	C	EPA 170.1
5/10/2012 7:47	Field Temp	14	C	EPA 170.1
5/14/2012 6:35	Field Temp	15.9	C	EPA 170.1
5/15/2012 6:40	Field Temp	15.4	C	EPA 170.1
5/16/2012 6:55	Field Temp	16.9	C	EPA 170.1
5/17/2012 6:41	Field Temp	13	C	EPA 170.1
5/18/2012 6:44	Field Temp	13.3	C	EPA 170.1
5/21/2012 6:38	Field Temp	18.6	C	EPA 170.1
5/22/2012 6:30	Field Temp	18.5	C	EPA 170.1

Euclid Creek
River Mile 0.55

5/23/2012 6:57	Field Temp	15.7	C	EPA 170.1
5/24/2012 6:44	Field Temp	18.2	C	EPA 170.1
5/25/2012 6:50	Field Temp	20.1	C	EPA 170.1
5/26/2012 6:35	Field Temp	19.7	C	EPA 170.1
5/27/2012 6:44	Field Temp	20.1	C	EPA 170.1
5/28/2012 6:40	Field Temp	21.2	C	EPA 170.1
5/29/2012 6:43	Field Temp	23.4	C	EPA 170.1
5/30/2012 6:40	Field Temp	21.2	C	EPA 170.1
5/31/2012 6:50	Field Temp	19.5	C	EPA 170.1
6/1/2012 7:04	Field Temp	17.8	C	EPA 170.1
6/2/2012 6:40	Field Temp	15	C	EPA 170.1
6/3/2012 6:55	Field Temp	16.9	C	EPA 170.1
6/4/2012 6:41	Field Temp	16.7	C	EPA 170.1
6/5/2012 6:46	Field Temp	17.1	C	EPA 170.1
6/6/2012 6:34	Field Temp	15.8	C	EPA 170.1
6/7/2012 6:46	Field Temp	17.8	C	EPA 170.1
6/8/2012 6:40	Field Temp	18.5	C	EPA 170.1
6/9/2012 6:30	Field Temp	19.4	C	EPA 170.1
6/10/2012 6:30	Field Temp	20.5	C	EPA 170.1
6/11/2012 6:40	Field Temp	22.1	C	EPA 170.1
6/12/2012 6:40	Field Temp	21.7	C	EPA 170.1
6/13/2012 6:51	Field Temp	19.2	C	EPA 170.1
6/14/2012 6:50	Field Temp	18.6	C	EPA 170.1
6/15/2012 6:45	Field Temp	19.8	C	EPA 170.1
6/16/2012 6:32	Field Temp	21.1	C	EPA 170.1
6/17/2012 6:33	Field Temp	21.7	C	EPA 170.1
6/18/2012 6:40	Field Temp	20.5	C	EPA 170.1
6/19/2012 6:32	Field Temp	21.7	C	EPA 170.1
6/20/2012 6:42	Field Temp	23.7	C	EPA 170.1
6/21/2012 6:40	Field Temp	24.5	C	EPA 170.1
6/22/2012 6:39	Field Temp	23.9	C	EPA 170.1
6/23/2012 6:34	Field Temp	22.5	C	EPA 170.1
6/24/2012 6:50	Field Temp	21.5	C	EPA 170.1
6/25/2012 6:27	Field Temp	21.5	C	EPA 170.1
6/26/2012 6:33	Field Temp	19.1	C	EPA 170.1
6/27/2012 6:33	Field Temp	20.4	C	EPA 170.1
6/28/2012 6:31	Field Temp	21.5	C	EPA 170.1
6/29/2012 6:35	Field Temp	24.1	C	EPA 170.1
6/30/2012 6:42	Field Temp	23	C	EPA 170.1
7/1/2012 6:48	Field Temp	23.9	C	EPA 170.1
7/2/2012 6:35	Field Temp	22.2	C	EPA 170.1
7/3/2012 6:45	Field Temp	23.9	C	EPA 170.1
7/4/2012 6:40	Field Temp	21.9	C	EPA 170.1
7/5/2012 6:35	Field Temp	25.1	C	EPA 170.1
7/6/2012 6:34	Field Temp	23.6	C	EPA 170.1

Euclid Creek
River Mile 0.55

7/7/2012 6:35	Field Temp	25.4	C	EPA 170.1
7/8/2012 6:33	Field Temp	25.4	C	EPA 170.1
7/9/2012 6:41	Field Temp	22.6	C	EPA 170.1
7/10/2012 7:52	Field Temp	22.1	C	EPA 170.1
7/11/2012 6:42	Field Temp	21.7	C	EPA 170.1
7/12/2012 6:42	Field Temp	22.3	C	EPA 170.1
7/13/2012 6:39	Field Temp	23.8	C	EPA 170.1
7/14/2012 6:39	Field Temp	22.8	C	EPA 170.1
7/15/2012 6:32	Field Temp	23.9	C	EPA 170.1
7/16/2012 6:45	Field Temp	22.4	C	EPA 170.1
7/17/2012 6:49	Field Temp	25	C	EPA 170.1
7/18/2012 6:46	Field Temp	26.3	C	EPA 170.1
7/19/2012 6:48	Field Temp	25.6	C	EPA 170.1
7/20/2012 6:50	Field Temp	22.9	C	EPA 170.1
7/21/2012 6:41	Field Temp	21.1	C	EPA 170.1
7/22/2012 6:40	Field Temp	22.7	C	EPA 170.1
7/23/2012 6:30	Field Temp	24.2	C	EPA 170.1
7/24/2012 6:28	Field Temp	25.5	C	EPA 170.1
7/25/2012 6:20	Field Temp	22.2	C	EPA 170.1
7/26/2012 6:19	Field Temp	23.2	C	EPA 170.1
7/27/2012 6:21	Field Temp	23.7	C	EPA 170.1
7/28/2012 6:40	Field Temp	22.4	C	EPA 170.1
7/29/2012 6:45	Field Temp	22.2	C	EPA 170.1
7/30/2012 6:28	Field Temp	22.1	C	EPA 170.1
7/31/2012 6:33	Field Temp	22.9	C	EPA 170.1
8/1/2012 6:28	Field Temp	23.1	C	EPA 170.1
8/2/2012 6:40	Field Temp	22.4	C	EPA 170.1
8/3/2012 6:41	Field Temp	23	C	EPA 170.1
8/4/2012 6:43	Field Temp	24.4	C	EPA 170.1
8/5/2012 6:35	Field Temp	24.4	C	EPA 170.1
8/6/2012 6:40	Field Temp	22.7	C	EPA 170.1
8/7/2012 6:46	Field Temp	21.3	C	EPA 170.1
8/8/2012 6:48	Field Temp	22.3	C	EPA 170.1
8/9/2012 6:47	Field Temp	22.6	C	EPA 170.1
8/10/2012 6:56	Field Temp	21	C	EPA 170.1
8/11/2012 6:43	Field Temp	19.6	C	EPA 170.1
8/12/2012 6:49	Field Temp	19.4	C	EPA 170.1
8/13/2012 6:39	Field Temp	20.4	C	EPA 170.1
8/14/2012 6:42	Field Temp	20.6	C	EPA 170.1
8/15/2012 6:41	Field Temp	19.3	C	EPA 170.1
8/16/2012 6:53	Field Temp	20.4	C	EPA 170.1
8/17/2012 6:50	Field Temp	21.8	C	EPA 170.1
8/18/2012 6:32	Field Temp	20.4	C	EPA 170.1
8/19/2012 6:36	Field Temp	19.2	C	EPA 170.1
8/20/2012 6:34	Field Temp	19.6	C	EPA 170.1

Euclid Creek
River Mile 0.55

8/21/2012 6:34	Field Temp	19.1	C	EPA 170.1
8/22/2012 6:33	Field Temp	18.6	C	EPA 170.1
8/23/2012 6:35	Field Temp	19.5	C	EPA 170.1
8/24/2012 6:33	Field Temp	20.2	C	EPA 170.1
8/25/2012 6:40	Field Temp	21.2	C	EPA 170.1
8/26/2012 6:37	Field Temp	21.3	C	EPA 170.1
8/27/2012 6:27	Field Temp	22.3	C	EPA 170.1
8/28/2012 6:34	Field Temp	21	C	EPA 170.1
8/29/2012 6:45	Field Temp	20.3	C	EPA 170.1
8/30/2012 6:45	Field Temp	18.8	C	EPA 170.1
8/31/2012 6:32	Field Temp	19.8	C	EPA 170.1
9/1/2012 6:43	Field Temp	22.5	C	EPA 170.1
9/2/2012 6:44	Field Temp	22.2	C	EPA 170.1
9/3/2012 6:35	Field Temp	21.7	C	EPA 170.1
9/4/2012 6:37	Field Temp	22.8	C	EPA 170.1
9/5/2012 7:47	Field Temp	21	C	EPA 170.1
9/6/2012 7:40	Field Temp	22.2	C	EPA 170.1
9/7/2012 7:37	Field Temp	22.2	C	EPA 170.1
9/10/2012 7:40	Field Temp	16.6	C	EPA 170.1
9/11/2012 7:50	Field Temp	15.8	C	EPA 170.1
9/12/2012 7:55	Field Temp	16.9	C	EPA 170.1
9/13/2012 7:55	Field Temp	18.5	C	EPA 170.1
9/17/2012 7:45	Field Temp	15.9	C	EPA 170.1
9/18/2012 7:55	Field Temp	18	C	EPA 170.1
9/19/2012 7:47	Field Temp	14.2	C	EPA 170.1
9/20/2012 7:44	Field Temp	13.2	C	EPA 170.1
9/24/2012 7:40	Field Temp	12.8	C	EPA 170.1
9/25/2012 7:45	Field Temp	12.4	C	EPA 170.1
9/26/2012 8:08	Field Temp	15.2	C	EPA 170.1
9/27/2012 8:02	Field Temp	15.1	C	EPA 170.1
10/1/2012 7:47	Field Temp	12.3	C	EPA 170.1
10/2/2012 7:50	Field Temp	14.2	C	EPA 170.1
10/3/2012 7:52	Field Temp	16	C	EPA 170.1
10/4/2012 8:05	Field Temp	15.7	C	EPA 170.1
10/8/2012 7:43	Field Temp	10.4	C	EPA 170.1
10/9/2012 8:02	Field Temp	9.2	C	EPA 170.1
10/10/2012 8:05	Field Temp	10	C	EPA 170.1
10/15/2012 7:46	Field Temp	13.7	C	EPA 170.1
10/16/2012 7:49	Field Temp	11.1	C	EPA 170.1
10/17/2012 7:51	Field Temp	10.8	C	EPA 170.1
10/18/2012 7:54	Field Temp	12	C	EPA 170.1
10/22/2012 7:47	Field Temp	9.8	C	EPA 170.1
10/23/2012 7:45	Field Temp	13.4	C	EPA 170.1
10/24/2012 8:22	Field Temp	14.5	C	EPA 170.1
10/25/2012 8:28	Field Temp	14.5	C	EPA 170.1

Euclid Creek
River Mile 0.55

5/1/2012 7:51	pH	8.03	S.U.
5/2/2012 8:04	pH	7.94	S.U.
5/3/2012 8:12	pH	7.83	S.U.
5/7/2012 9:47	pH	8.01	S.U.
5/8/2012 7:47	pH	7.83	S.U.
5/9/2012 8:08	pH	8.01	S.U.
5/10/2012 7:47	pH	7.84	S.U.
5/14/2012 6:35	pH	7.8	S.U.
5/15/2012 6:40	pH	7.82	S.U.
5/16/2012 6:55	pH	7.74	S.U.
5/17/2012 6:41	pH	7.68	S.U.
5/18/2012 6:44	pH	7.74	S.U.
5/21/2012 6:38	pH	7.73	S.U.
5/22/2012 6:30	pH	7.77	S.U.
5/23/2012 6:57	pH	7.53	S.U.
5/24/2012 6:44	pH	7.64	S.U.
5/25/2012 6:50	pH	7.63	S.U.
5/26/2012 6:35	pH	8.7	S.U.
5/27/2012 6:44	pH	7.67	S.U.
5/28/2012 6:40	pH	7.7	S.U.
5/29/2012 6:43	pH	7.56	S.U.
5/30/2012 6:40	pH	7.68	S.U.
5/31/2012 6:50	pH	7.75	S.U.
6/1/2012 7:04	pH	7.6	S.U.
6/2/2012 6:40	pH	7.86	S.U.
6/3/2012 6:55	pH	7.53	S.U.
6/4/2012 6:41	pH	7.75	S.U.
6/5/2012 6:46	pH	7.84	S.U.
6/6/2012 6:34	pH	7.86	S.U.
6/7/2012 6:46	pH	7.79	S.U.
6/8/2012 6:40	pH	7.71	S.U.
6/9/2012 6:30	pH	7.63	S.U.
6/10/2012 6:30	pH	7.76	S.U.
6/11/2012 6:40	pH	7.62	S.U.
6/12/2012 6:40	pH	7.65	S.U.
6/13/2012 6:51	pH	7.66	S.U.
6/14/2012 6:50	pH	7.6	S.U.
6/15/2012 6:45	pH	7.59	S.U.
6/16/2012 6:32	pH	7.43	S.U.
6/17/2012 6:33	pH	7.56	S.U.
6/18/2012 6:40	pH	7.75	S.U.
6/19/2012 6:32	pH	7.56	S.U.
6/20/2012 6:42	pH	7.58	S.U.
6/21/2012 6:40	pH	7.47	S.U.

Euclid Creek
River Mile 0.55

6/22/2012 6:39	pH	7.24	S.U.
6/23/2012 6:34	pH	7.46	S.U.
6/24/2012 6:50	pH	7.3	S.U.
6/25/2012 6:27	pH	7.57	S.U.
6/26/2012 6:33	pH	7.64	S.U.
6/27/2012 6:33	pH	7.54	S.U.
6/28/2012 6:31	pH	7.41	S.U.
6/29/2012 6:35	pH	7.39	S.U.
6/30/2012 6:42	pH	7.68	S.U.
7/1/2012 6:48	pH	7.55	S.U.
7/2/2012 6:35	pH	7.3	S.U.
7/3/2012 6:45	pH	7.41	S.U.
7/4/2012 6:40	pH	7.97	S.U.
7/5/2012 6:35	pH	7.73	S.U.
7/6/2012 6:34	pH	7.76	S.U.
7/7/2012 6:35	pH	7.63	S.U.
7/8/2012 6:33	pH	7.72	S.U.
7/9/2012 6:41	pH	7.79	S.U.
7/10/2012 7:52	pH	7.52	S.U.
7/11/2012 6:42	pH	7.71	S.U.
7/12/2012 6:42	pH	7.64	S.U.
7/13/2012 6:39	pH	7.7	S.U.
7/14/2012 6:39	pH	7.74	S.U.
7/15/2012 6:32	pH	7.66	S.U.
7/16/2012 6:45	pH	7.23	S.U.
7/17/2012 6:49	pH	7.6	S.U.
7/18/2012 6:46	pH	7.24	S.U.
7/19/2012 6:48	pH	7.35	S.U.
7/20/2012 6:50	pH	7.5	S.U.
7/21/2012 6:41	pH	7.37	S.U.
7/22/2012 6:40	pH	7.32	S.U.
7/23/2012 6:30	pH	7.79	S.U.
7/24/2012 6:28	pH	7.66	S.U.
7/25/2012 6:20	pH	7.7	S.U.
7/26/2012 6:19	pH	7.76	S.U.
7/27/2012 6:21	pH	7.87	S.U.
7/28/2012 6:40	pH	7.86	S.U.
7/29/2012 6:45	pH	7.74	S.U.
7/30/2012 6:28	pH	7.72	S.U.
7/31/2012 6:33	pH	7.64	S.U.
8/1/2012 6:28	pH	7.7	S.U.
8/2/2012 6:40	pH	7.77	S.U.
8/3/2012 6:41	pH	7.5	S.U.
8/4/2012 6:43	pH	7.65	S.U.
8/5/2012 6:35	pH	7.58	S.U.

Euclid Creek
River Mile 0.55

8/6/2012 6:40	pH	7.74	S.U.
8/7/2012 6:46	pH	7.69	S.U.
8/8/2012 6:48	pH	7.65	S.U.
8/9/2012 6:47	pH	7.64	S.U.
8/10/2012 6:56	pH	7.79	S.U.
8/11/2012 6:43	pH	7.79	S.U.
8/12/2012 6:49	pH	7.76	S.U.
8/13/2012 6:39	pH	7.71	S.U.
8/14/2012 6:42	pH	7.7	S.U.
8/15/2012 6:41	pH	7.82	S.U.
8/16/2012 6:53	pH	7.75	S.U.
8/17/2012 6:50	pH	7.85	S.U.
8/18/2012 6:32	pH	7.77	S.U.
8/19/2012 6:36	pH	7.85	S.U.
8/20/2012 6:34	pH	7.86	S.U.
8/21/2012 6:34	pH	7.78	S.U.
8/22/2012 6:33	pH	7.9	S.U.
8/23/2012 6:35	pH	7.65	S.U.
8/24/2012 6:33	pH	7.68	S.U.
8/25/2012 6:40	pH	7.78	S.U.
8/26/2012 6:37	pH	7.71	S.U.
8/27/2012 6:27	pH	7.7	S.U.
8/28/2012 6:34	pH	7.72	S.U.
8/29/2012 6:45	pH	7.82	S.U.
8/30/2012 6:45	pH	7.79	S.U.
8/31/2012 6:32	pH	7.59	S.U.
9/1/2012 6:43	pH	7.65	S.U.
9/2/2012 6:44	pH	7.67	S.U.
9/3/2012 6:35	pH	7.64	S.U.
9/4/2012 6:37	pH	7.56	S.U.
9/5/2012 7:47	pH	7.71	S.U.
9/6/2012 7:40	pH	7.61	S.U.
9/7/2012 7:37	pH	7.63	S.U.
9/10/2012 7:40	pH	7.63	S.U.
9/11/2012 7:50	pH	7.83	S.U.
9/12/2012 7:55	pH	7.7	S.U.
9/13/2012 7:55	pH	7.67	S.U.
9/17/2012 7:45	pH	7.55	S.U.
9/18/2012 7:55	pH	7.54	S.U.
9/19/2012 7:47	pH	7.55	S.U.
9/20/2012 7:44	pH	7.61	S.U.
9/24/2012 7:40	pH	12.8	S.U.
9/25/2012 7:45	pH	7.58	S.U.
9/26/2012 8:08	pH	7.8	S.U.
9/27/2012 8:02	pH	7.7	S.U.

Euclid Creek
River Mile 0.55

10/1/2012 7:47	pH	12.3	S.U.	
10/2/2012 7:50	pH	7.61	S.U.	
10/3/2012 7:52	pH	7.56	S.U.	
10/4/2012 8:05	pH	7.49	S.U.	
10/8/2012 7:43	pH	7.51	S.U.	
10/9/2012 8:02	pH	7.56	S.U.	
10/10/2012 8:05	pH	7.47	S.U.	
10/15/2012 7:46	pH	7.36	S.U.	
10/16/2012 7:49	pH	7.55	S.U.	
10/17/2012 7:51	pH	7.57	S.U.	
10/18/2012 7:54	pH	7.43	S.U.	
10/22/2012 7:47	pH	7.07	S.U.	
10/23/2012 7:45	pH	7.17	S.U.	
10/24/2012 8:22	pH	7.47	S.U.	
10/25/2012 8:28	pH	7.73	S.U.	
5/1/2012 7:51	Turbidity	24.55	NTU	EPA180.1
5/2/2012 8:04	Turbidity	3.39	NTU	EPA180.1
5/3/2012 8:12	Turbidity	2.88	NTU	EPA180.1
5/7/2012 9:47	Turbidity	2.72	NTU	EPA180.1
5/8/2012 7:47	Turbidity	39.3	NTU	EPA180.1
5/9/2012 8:08	Turbidity	4.5	NTU	EPA180.1
5/10/2012 7:47	Turbidity	2.16	NTU	EPA180.1
5/14/2012 6:35	Turbidity	2.3	NTU	EPA180.1
5/15/2012 6:40	Turbidity	2.41	NTU	EPA180.1
5/16/2012 6:55	Turbidity	1.71	NTU	EPA180.1
5/17/2012 6:41	Turbidity	2.195	NTU	EPA180.1
5/21/2012 6:38	Turbidity	2.35	NTU	EPA180.1
5/22/2012 6:30	Turbidity	3.5	NTU	EPA180.1
5/23/2012 6:57	Turbidity	2.46	NTU	EPA180.1
5/24/2012 6:44	Turbidity	4.23	NTU	EPA180.1
5/25/2012 6:50	Turbidity	1.27	NTU	EPA180.1
5/26/2012 6:35	Turbidity	1.7	NTU	EPA180.1
5/27/2012 6:44	Turbidity	6.75	NTU	EPA180.1
5/28/2012 6:40	Turbidity	2.53	NTU	EPA180.1
5/29/2012 6:43	Turbidity	2.82	NTU	EPA180.1
5/30/2012 6:40	Turbidity	1.915	NTU	EPA180.1
5/31/2012 6:50	Turbidity	2.02	NTU	EPA180.1
6/1/2012 7:04	Turbidity	18.5	NTU	EPA180.1
6/2/2012 6:40	Turbidity	13.95	NTU	EPA180.1
6/3/2012 6:55	Turbidity	16.5	NTU	EPA180.1
6/4/2012 6:41	Turbidity	3.59	NTU	EPA180.1
6/5/2012 6:46	Turbidity	4.215	NTU	EPA180.1
6/6/2012 6:34	Turbidity	2.12	NTU	EPA180.1
6/7/2012 6:46	Turbidity	2.1	NTU	EPA180.1

Euclid Creek
River Mile 0.55

6/8/2012 6:40	Turbidity	1.7	NTU	EPA180.1
6/9/2012 6:30	Turbidity	2	NTU	EPA180.1
6/10/2012 6:30	Turbidity	2.3	NTU	EPA180.1
6/11/2012 6:40	Turbidity	1.07	NTU	EPA180.1
6/12/2012 6:40	Turbidity	2.93	NTU	EPA180.1
6/13/2012 6:51	Turbidity	18.5	NTU	EPA180.1
6/14/2012 6:50	Turbidity	4.04	NTU	EPA180.1
6/15/2012 6:45	Turbidity	1.49	NTU	EPA180.1
6/16/2012 6:32	Turbidity	1.96	NTU	EPA180.1
6/17/2012 6:33	Turbidity	1.77	NTU	EPA180.1
6/18/2012 6:40	Turbidity	4.99	NTU	EPA180.1
6/19/2012 6:32	Turbidity	2.6	NTU	EPA180.1
6/20/2012 6:42	Turbidity	8.45	NTU	EPA180.1
6/21/2012 6:40	Turbidity	2.79	NTU	EPA180.1
6/22/2012 6:39	Turbidity	19.5	NTU	EPA180.1
6/23/2012 6:34	Turbidity	1.98	NTU	EPA180.1
6/24/2012 6:50	Turbidity	3.42	NTU	EPA180.1
6/25/2012 6:27	Turbidity	11.2	NTU	EPA180.1
6/26/2012 6:33	Turbidity	2.7	NTU	EPA180.1
6/27/2012 6:33	Turbidity	2.36	NTU	EPA180.1
6/28/2012 6:31	Turbidity	1.59	NTU	EPA180.1
6/29/2012 6:35	Turbidity	2.63	NTU	EPA180.1
6/30/2012 6:42	Turbidity	5.3	NTU	EPA180.1
7/1/2012 6:48	Turbidity	6.2	NTU	EPA180.1
7/2/2012 6:35	Turbidity	4.12	NTU	EPA180.1
7/3/2012 6:45	Turbidity	1.33	NTU	EPA180.1
7/4/2012 6:40	Turbidity	21.7	NTU	EPA180.1
7/5/2012 6:35	Turbidity	4.09	NTU	EPA180.1
7/6/2012 6:34	Turbidity	5.37	NTU	EPA180.1
7/7/2012 6:35	Turbidity	2.8	NTU	EPA180.1
7/8/2012 6:33	Turbidity	3.3	NTU	EPA180.1
7/9/2012 6:41	Turbidity	3	NTU	EPA180.1
7/10/2012 7:52	Turbidity	7.49	NTU	EPA180.1
7/11/2012 6:42	Turbidity	1.4	NTU	EPA180.1
7/12/2012 6:42	Turbidity	4.01	NTU	EPA180.1
7/13/2012 6:39	Turbidity	1.89	NTU	EPA180.1
7/14/2012 6:39	Turbidity	6.63	NTU	EPA180.1
7/15/2012 6:32	Turbidity	3.73	NTU	EPA180.1
7/16/2012 6:45	Turbidity	3.1	NTU	EPA180.1
7/17/2012 6:49	Turbidity	3.3	NTU	EPA180.1
7/18/2012 6:46	Turbidity	8.9	NTU	EPA180.1
7/19/2012 6:48	Turbidity	5.8	NTU	EPA180.1
7/20/2012 6:50	Turbidity	6	NTU	EPA180.1
7/21/2012 6:41	Turbidity	7.2	NTU	EPA180.1
7/22/2012 6:40	Turbidity	5.9	NTU	EPA180.1

Euclid Creek
River Mile 0.55

7/23/2012 6:30	Turbidity	2.79	NTU	EPA180.1
7/24/2012 6:28	Turbidity	4.73	NTU	EPA180.1
7/25/2012 6:20	Turbidity	2.39	NTU	EPA180.1
7/26/2012 6:19	Turbidity	2.695	NTU	EPA180.1
7/27/2012 6:21	Turbidity	18.5	NTU	EPA180.1
7/28/2012 6:40	Turbidity	23.3	NTU	EPA180.1
7/29/2012 6:45	Turbidity	3.63	NTU	EPA180.1
7/30/2012 6:28	Turbidity	3.6	NTU	EPA180.1
7/31/2012 6:33	Turbidity	2.38	NTU	EPA180.1
8/1/2012 6:28	Turbidity	5.62	NTU	EPA180.1
8/2/2012 6:40	Turbidity	4.03	NTU	EPA180.1
8/3/2012 6:41	Turbidity	3.69	NTU	EPA180.1
8/4/2012 6:43	Turbidity	7.2	NTU	EPA180.1
8/5/2012 6:35	Turbidity	7.05	NTU	EPA180.1
8/6/2012 6:40	Turbidity	2.3	NTU	EPA180.1
8/7/2012 6:46	Turbidity	3.81	NTU	EPA180.1
8/8/2012 6:48	Turbidity	3.5	NTU	EPA180.1
8/9/2012 6:47	Turbidity	4.05	NTU	EPA180.1
8/10/2012 6:56	Turbidity	34.4	NTU	EPA180.1
8/11/2012 6:43	Turbidity	16.6	NTU	EPA180.1
8/12/2012 6:49	Turbidity	4.75	NTU	EPA180.1
8/13/2012 6:39	Turbidity	3.59	NTU	EPA180.1
8/14/2012 6:42	Turbidity	3.88	NTU	EPA180.1
8/15/2012 6:41	Turbidity	4.9	NTU	EPA180.1
8/16/2012 6:53	Turbidity	3.94	NTU	EPA180.1
8/17/2012 6:50	Turbidity	2.94	NTU	EPA180.1
8/18/2012 6:32	Turbidity	2.25	NTU	EPA180.1
8/19/2012 6:36	Turbidity	2.48	NTU	EPA180.1
8/20/2012 6:34	Turbidity	1.94	NTU	EPA180.1
8/21/2012 6:34	Turbidity	2.82	NTU	EPA180.1
8/22/2012 6:33	Turbidity	2.24	NTU	EPA180.1
8/23/2012 6:35	Turbidity	1.52	NTU	EPA180.1
8/24/2012 6:33	Turbidity	3.61	NTU	EPA180.1
8/25/2012 6:40	Turbidity	3.2	NTU	EPA180.1
8/26/2012 6:37	Turbidity	3.7	NTU	EPA180.1
8/27/2012 6:27	Turbidity	5.1	NTU	EPA180.1
8/28/2012 6:34	Turbidity	17.05	NTU	EPA180.1
8/29/2012 6:45	Turbidity	3.8	NTU	EPA180.1
8/30/2012 6:45	Turbidity	3.82	NTU	EPA180.1
8/31/2012 6:32	Turbidity	2.71	NTU	EPA180.1
9/1/2012 6:43	Turbidity	3.73	NTU	EPA180.1
9/2/2012 6:44	Turbidity	61.9	NTU	EPA180.1
9/3/2012 6:35	Turbidity	6.2	NTU	EPA180.1
9/4/2012 6:37	Turbidity	38	NTU	EPA180.1
9/5/2012 7:47	Turbidity	19.9	NTU	EPA180.1

Euclid Creek
River Mile 0.55

9/6/2012 7:40	Turbidity	4.01	NTU	EPA180.1
9/7/2012 7:37	Turbidity	5.08	NTU	EPA180.1
9/10/2012 7:40	Turbidity	4.14	NTU	EPA180.1
9/11/2012 7:50	Turbidity	2.41	NTU	EPA180.1
9/12/2012 7:55	Turbidity	2.38	NTU	EPA180.1
9/13/2012 7:55	Turbidity	3.4	NTU	EPA180.1
9/17/2012 7:45	Turbidity	2.15	NTU	EPA180.1
9/18/2012 7:55	Turbidity	1.95	NTU	EPA180.1
9/19/2012 7:47	Turbidity	5.16	NTU	EPA180.1
9/20/2012 7:44	Turbidity	1.72	NTU	EPA180.1
9/24/2012 7:40	Turbidity	33.4	NTU	EPA180.1
9/25/2012 7:45	Turbidity	3.7	NTU	EPA180.1
9/26/2012 8:08	Turbidity	102.2	NTU	EPA180.1
9/27/2012 8:02	Turbidity	10.595	NTU	EPA180.1
10/1/2012 7:47	Turbidity	1.79	NTU	EPA180.1
10/2/2012 7:50	Turbidity	16.95	NTU	EPA180.1
10/3/2012 7:52	Turbidity	3.31	NTU	EPA180.1
10/4/2012 8:05	Turbidity	2.38	NTU	EPA180.1
10/8/2012 7:43	Turbidity	6.7	NTU	EPA180.1
10/9/2012 8:02	Turbidity	4.22	NTU	EPA180.1
10/10/2012 8:05	Turbidity	4.27	NTU	EPA180.1
10/15/2012 7:46	Turbidity	2.78	NTU	EPA180.1
10/16/2012 7:49	Turbidity	2.845	NTU	EPA180.1
10/17/2012 7:51	Turbidity	1.56	NTU	EPA180.1
10/18/2012 7:54	Turbidity	2.3	NTU	EPA180.1
10/22/2012 7:47	Turbidity	2.01	NTU	EPA180.1
10/23/2012 7:45	Turbidity	6.74	NTU	EPA180.1
10/24/2012 8:22	Turbidity	6.14	NTU	EPA180.1
10/25/2012 8:28	Turbidity	2.91	NTU	EPA180.1