

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/9/2013 9:55	E. coli		70	cfu/100mL	EPA1603
9/10/2013 10:03	E. coli		46	cfu/100mL	EPA1603
9/11/2013 10:00	E. coli		47	cfu/100mL	EPA1603
9/12/2013 10:02	E. coli		375	cfu/100mL	EPA1603
9/16/2013 9:58	E. coli		15	cfu/100mL	EPA1603
9/17/2013 10:05	E. coli		120	cfu/100mL	EPA1603
9/18/2013 10:11	E. coli		17	cfu/100mL	EPA1603
9/19/2013 9:55	E. coli		57	cfu/100mL	EPA1603
9/23/2013 10:06	E. coli		123	cfu/100mL	EPA1603
9/24/2013 10:06	E. coli		30	cfu/100mL	EPA1603
9/25/2013 10:02	E. coli		29	cfu/100mL	EPA1603
9/26/2013 9:15	E. coli		23	cfu/100mL	EPA1603
9/30/2013 10:08	E. coli		43	cfu/100mL	EPA1603
10/1/2013 9:46	E. coli		140	cfu/100mL	EPA1603
10/2/2013 10:06	E. coli		200	cfu/100mL	EPA1603
10/3/2013 8:48	E. coli		155	cfu/100mL	EPA1603
10/7/2013 10:25	E. coli		100	cfu/100mL	EPA1603
10/8/2013 10:03	E. coli		110	cfu/100mL	EPA1603
10/9/2013 9:47	E. coli	EC	88	cfu/100mL	EPA1603
10/10/2013 9:55	E. coli		35	cfu/100mL	EPA1603
10/14/2013 8:50	E. coli		200	cfu/100mL	EPA1603
10/15/2013 8:56	E. coli		27	cfu/100mL	EPA1603
10/16/2013 9:04	E. coli		60	cfu/100mL	EPA1603
10/17/2013 8:55	E. coli		43	cfu/100mL	EPA1603
10/21/2013 9:05	E. coli		53	cfu/100mL	EPA1603
10/22/2013 8:57	E. coli		105	cfu/100mL	EPA1603
10/23/2013 9:10	E. coli	EC	40	cfu/100mL	EPA1603
10/24/2013 10:15	E. coli	EC	153	cfu/100mL	EPA1603
10/28/2013 9:08	E. coli		55	cfu/100mL	EPA1603
10/29/2013 9:25	E. coli		105	cfu/100mL	EPA1603
10/30/2013 9:17	E. coli		52	cfu/100mL	EPA1603
10/31/2013 9:30	E. coli		78	cfu/100mL	EPA1603
5/1/2013 7:21	E. coli		6	MPN/100 mL	SM9223 Colilert
5/2/2013 7:30	E. coli		8	MPN/100 mL	SM9223 Colilert
5/6/2013 7:45	E. coli	<	1	MPN/100 mL	SM9223 Colilert
5/7/2013 7:50	E. coli		2	MPN/100 mL	SM9223 Colilert
5/8/2013 7:58	E. coli		12	MPN/100 mL	SM9223 Colilert
5/9/2013 7:22	E. coli		13	MPN/100 mL	SM9223 Colilert
5/13/2013 7:14	E. coli		365	MPN/100 mL	SM9223 Colilert
5/14/2013 8:00	E. coli		17	MPN/100 mL	SM9223 Colilert
5/16/2013 7:58	E. coli		236	MPN/100 mL	SM9223 Colilert
5/20/2013 7:26	E. coli		5	MPN/100 mL	SM9223 Colilert
5/21/2013 7:38	E. coli	<	1	MPN/100 mL	SM9223 Colilert
5/22/2013 7:57	E. coli		3	MPN/100 mL	SM9223 Colilert
5/23/2013 7:54	E. coli		12	MPN/100 mL	SM9223 Colilert
5/24/2013 6:44	E. coli		274	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/25/2013 7:45	E. coli		70	MPN/100 mL	SM9223 Colilert
5/26/2013 7:42	E. coli		32	MPN/100 mL	SM9223 Colilert
5/27/2013 7:37	E. coli		9	MPN/100 mL	SM9223 Colilert
5/28/2013 7:03	E. coli		46	MPN/100 mL	SM9223 Colilert
5/29/2013 6:59	E. coli		21	MPN/100 mL	SM9223 Colilert
5/30/2013 6:50	E. coli		3	MPN/100 mL	SM9223 Colilert
5/31/2013 6:53	E. coli	<	1	MPN/100 mL	SM9223 Colilert
6/1/2013 8:04	E. coli		53	MPN/100 mL	SM9223 Colilert
6/2/2013 8:00	E. coli		15	MPN/100 mL	SM9223 Colilert
6/3/2013 7:40	E. coli		276	MPN/100 mL	SM9223 Colilert
6/4/2013 7:04	E. coli		124	MPN/100 mL	SM9223 Colilert
6/5/2013 6:53	E. coli		23	MPN/100 mL	SM9223 Colilert
6/6/2013 6:55	E. coli		118	MPN/100 mL	SM9223 Colilert
6/7/2013 6:45	E. coli		35	MPN/100 mL	SM9223 Colilert
6/8/2013 7:50	E. coli		114	MPN/100 mL	SM9223 Colilert
6/9/2013 7:55	E. coli		15	MPN/100 mL	SM9223 Colilert
6/10/2013 6:51	E. coli		27	MPN/100 mL	SM9223 Colilert
6/11/2013 6:50	E. coli		824	MPN/100 mL	SM9223 Colilert
6/12/2013 6:47	E. coli		104	MPN/100 mL	SM9223 Colilert
6/13/2013 6:50	E. coli		808	MPN/100 mL	SM9223 Colilert
6/14/2013 7:10	E. coli		552	MPN/100 mL	SM9223 Colilert
6/15/2013 7:50	E. coli		190	MPN/100 mL	SM9223 Colilert
6/16/2013 7:50	E. coli		26	MPN/100 mL	SM9223 Colilert
6/17/2013 7:00	E. coli		12	MPN/100 mL	SM9223 Colilert
6/18/2013 7:44	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
6/19/2013 6:53	E. coli		63	MPN/100 mL	SM9223 Colilert
6/20/2013 6:47	E. coli		15	MPN/100 mL	SM9223 Colilert
6/21/2013 6:40	E. coli		13	MPN/100 mL	SM9223 Colilert
6/22/2013 7:43	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
6/23/2013 7:41	E. coli		133	MPN/100 mL	SM9223 Colilert
6/24/2013 6:50	E. coli		13	MPN/100 mL	SM9223 Colilert
6/25/2013 6:59	E. coli		10.5	MPN/100 mL	SM9223 Colilert
6/26/2013 7:07	E. coli		77	MPN/100 mL	SM9223 Colilert
6/27/2013 7:01	E. coli		13	MPN/100 mL	SM9223 Colilert
6/28/2013 6:58	E. coli		40	MPN/100 mL	SM9223 Colilert
6/29/2013 8:12	E. coli		79	MPN/100 mL	SM9223 Colilert
6/30/2013 7:55	E. coli		116	MPN/100 mL	SM9223 Colilert
7/1/2013 6:48	E. coli		86	MPN/100 mL	SM9223 Colilert
7/2/2013 6:45	E. coli		872	MPN/100 mL	SM9223 Colilert
7/3/2013 6:49	E. coli		90	MPN/100 mL	SM9223 Colilert
7/4/2013 7:28	E. coli		12	MPN/100 mL	SM9223 Colilert
7/5/2013 6:47	E. coli		98	MPN/100 mL	SM9223 Colilert
7/6/2013 7:37	E. coli		22	MPN/100 mL	SM9223 Colilert
7/7/2013 7:27	E. coli		696	MPN/100 mL	SM9223 Colilert
7/8/2013 6:52	E. coli		73	MPN/100 mL	SM9223 Colilert
7/9/2013 6:47	E. coli		80	MPN/100 mL	SM9223 Colilert
7/10/2013 7:05	E. coli		21	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/11/2013 6:57	E. coli		157	MPN/100 mL	SM9223 Colilert
7/12/2013 6:45	E. coli		263	MPN/100 mL	SM9223 Colilert
7/13/2013 7:45	E. coli		259	MPN/100 mL	SM9223 Colilert
7/14/2013 7:50	E. coli		66	MPN/100 mL	SM9223 Colilert
7/15/2013 6:50	E. coli		19	MPN/100 mL	SM9223 Colilert
7/16/2013 6:50	E. coli		10	MPN/100 mL	SM9223 Colilert
7/17/2013 6:56	E. coli		74	MPN/100 mL	SM9223 Colilert
7/18/2013 6:53	E. coli		23	MPN/100 mL	SM9223 Colilert
7/19/2013 6:42	E. coli		8	MPN/100 mL	SM9223 Colilert
7/20/2013 8:07	E. coli		587	MPN/100 mL	SM9223 Colilert
7/21/2013 7:50	E. coli		58	MPN/100 mL	SM9223 Colilert
7/22/2013 7:05	E. coli		26	MPN/100 mL	SM9223 Colilert
7/23/2013 7:14	E. coli		228	MPN/100 mL	SM9223 Colilert
7/24/2013 6:49	E. coli		288	MPN/100 mL	SM9223 Colilert
7/25/2013 6:40	E. coli		105	MPN/100 mL	SM9223 Colilert
7/26/2013 6:51	E. coli		23	MPN/100 mL	SM9223 Colilert
7/27/2013 7:35	E. coli		35	MPN/100 mL	SM9223 Colilert
7/28/2013 7:33	E. coli		45	MPN/100 mL	SM9223 Colilert
7/29/2013 6:48	E. coli		58.5	MPN/100 mL	SM9223 Colilert
7/30/2013 7:37	E. coli		13	MPN/100 mL	SM9223 Colilert
7/31/2013 6:51	E. coli		128	MPN/100 mL	SM9223 Colilert
8/1/2013 6:55	E. coli		775	MPN/100 mL	SM9223 Colilert
8/2/2013 6:50	E. coli		864	MPN/100 mL	SM9223 Colilert
8/3/2013 7:38	E. coli		179	MPN/100 mL	SM9223 Colilert
8/4/2013 7:32	E. coli		144	MPN/100 mL	SM9223 Colilert
8/5/2013 6:53	E. coli		39	MPN/100 mL	SM9223 Colilert
8/6/2013 6:59	E. coli		50	MPN/100 mL	SM9223 Colilert
8/7/2013 6:56	E. coli		21	MPN/100 mL	SM9223 Colilert
8/8/2013 6:56	E. coli		48	MPN/100 mL	SM9223 Colilert
8/9/2013 7:00	E. coli		155	MPN/100 mL	SM9223 Colilert
8/10/2013 8:04	E. coli		66	MPN/100 mL	SM9223 Colilert
8/11/2013 7:57	E. coli		29	MPN/100 mL	SM9223 Colilert
8/12/2013 7:00	E. coli		12	MPN/100 mL	SM9223 Colilert
8/13/2013 6:45	E. coli		316	MPN/100 mL	SM9223 Colilert
8/14/2013 6:57	E. coli		70	MPN/100 mL	SM9223 Colilert
8/15/2013 6:45	E. coli		8	MPN/100 mL	SM9223 Colilert
8/16/2013 6:50	E. coli		17	MPN/100 mL	SM9223 Colilert
8/17/2013 6:41	E. coli		10	MPN/100 mL	SM9223 Colilert
8/18/2013 6:25	E. coli		25	MPN/100 mL	SM9223 Colilert
8/19/2013 6:55	E. coli		40	MPN/100 mL	SM9223 Colilert
8/20/2013 6:50	E. coli		38	MPN/100 mL	SM9223 Colilert
8/21/2013 6:58	E. coli		56	MPN/100 mL	SM9223 Colilert
8/22/2013 6:50	E. coli		23	MPN/100 mL	SM9223 Colilert
8/23/2013 6:51	E. coli		118	MPN/100 mL	SM9223 Colilert
8/24/2013 7:52	E. coli		26	MPN/100 mL	SM9223 Colilert
8/25/2013 7:59	E. coli		19	MPN/100 mL	SM9223 Colilert
8/26/2013 6:48	E. coli		23	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/27/2013 6:57	E. coli		110	MPN/100 mL	SM9223 Colilert
8/28/2013 7:15	E. coli		413	MPN/100 mL	SM9223 Colilert
8/29/2013 7:01	E. coli		68	MPN/100 mL	SM9223 Colilert
8/30/2013 6:58	E. coli		27	MPN/100 mL	SM9223 Colilert
8/31/2013 7:50	E. coli		219	MPN/100 mL	SM9223 Colilert
9/1/2013 7:58	E. coli		102	MPN/100 mL	SM9223 Colilert
9/2/2013 7:53	E. coli		101	MPN/100 mL	SM9223 Colilert
9/3/2013 10:05	E. coli		391	MPN/100 mL	SM9223 Colilert
9/4/2013 10:11	E. coli		105	MPN/100 mL	SM9223 Colilert
9/5/2013 10:17	E. coli		82	MPN/100 mL	SM9223 Colilert
9/6/2013 9:55	E. coli		12	MPN/100 mL	SM9223 Colilert
5/1/2013 7:21	Field Cond		329	umhos/cm	SM 2510A
5/2/2013 7:30	Field Cond		329	umhos/cm	SM 2510A
5/6/2013 7:45	Field Cond		311	umhos/cm	SM 2510A
5/7/2013 7:50	Field Cond		349	umhos/cm	SM 2510A
5/8/2013 7:58	Field Cond		383	umhos/cm	SM 2510A
5/9/2013 7:22	Field Cond		368	umhos/cm	SM 2510A
5/13/2013 7:14	Field Cond		330	umhos/cm	SM 2510A
5/14/2013 8:00	Field Cond		325	umhos/cm	SM 2510A
5/15/2013 7:44	Field Cond		208	umhos/cm	SM 2510A
5/16/2013 7:58	Field Cond		320	umhos/cm	SM 2510A
5/20/2013 7:26	Field Cond		298	umhos/cm	SM 2510A
5/21/2013 7:38	Field Cond		303	umhos/cm	SM 2510A
5/22/2013 7:57	Field Cond		307	umhos/cm	SM 2510A
5/23/2013 7:54	Field Cond		305	umhos/cm	SM 2510A
5/24/2013 6:44	Field Cond		302	umhos/cm	SM 2510A
5/25/2013 7:45	Field Cond		304	umhos/cm	SM 2510A
5/26/2013 7:42	Field Cond		296	umhos/cm	SM 2510A
5/27/2013 7:37	Field Cond		295	umhos/cm	SM 2510A
5/28/2013 7:03	Field Cond		298	umhos/cm	SM 2510A
5/29/2013 6:59	Field Cond		293	umhos/cm	SM 2510A
5/30/2013 6:50	Field Cond		307	umhos/cm	SM 2510A
5/31/2013 6:53	Field Cond		316	umhos/cm	SM 2510A
6/1/2013 8:04	Field Cond		296	umhos/cm	SM 2510A
6/2/2013 8:00	Field Cond		290	umhos/cm	SM 2510A
6/3/2013 7:40	Field Cond		306	umhos/cm	SM 2510A
6/4/2013 7:04	Field Cond		333	umhos/cm	SM 2510A
6/5/2013 6:53	Field Cond		387	umhos/cm	SM 2510A
6/6/2013 6:55	Field Cond		376	umhos/cm	SM 2510A
6/7/2013 6:45	Field Cond		367	umhos/cm	SM 2510A
6/8/2013 7:50	Field Cond		367	umhos/cm	SM 2510A
6/9/2013 7:55	Field Cond		340	umhos/cm	SM 2510A
6/10/2013 6:51	Field Cond		314	umhos/cm	SM 2510A
6/11/2013 6:50	Field Cond		326	umhos/cm	SM 2510A
6/12/2013 6:47	Field Cond		300	umhos/cm	SM 2510A
6/13/2013 6:50	Field Cond		315	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/14/2013 7:10	Field Cond		317	umhos/cm	SM 2510A
6/15/2013 7:50	Field Cond		347	umhos/cm	SM 2510A
6/16/2013 7:50	Field Cond		300	umhos/cm	SM 2510A
6/17/2013 7:00	Field Cond		313	umhos/cm	SM 2510A
6/18/2013 7:44	Field Cond		303	umhos/cm	SM 2510A
6/19/2013 6:53	Field Cond		375	umhos/cm	SM 2510A
6/20/2013 6:47	Field Cond		400	umhos/cm	SM 2510A
6/21/2013 6:40	Field Cond		347	umhos/cm	SM 2510A
6/22/2013 7:43	Field Cond		322	umhos/cm	SM 2510A
6/23/2013 7:41	Field Cond		305	umhos/cm	SM 2510A
6/24/2013 6:50	Field Cond		302	umhos/cm	SM 2510A
6/25/2013 6:59	Field Cond		297	umhos/cm	SM 2510A
6/26/2013 7:07	Field Cond		308	umhos/cm	SM 2510A
6/27/2013 7:01	Field Cond		299	umhos/cm	SM 2510A
6/28/2013 6:58	Field Cond		301	umhos/cm	SM 2510A
6/29/2013 8:12	Field Cond		328	umhos/cm	SM 2510A
6/30/2013 7:55	Field Cond		329	umhos/cm	SM 2510A
7/1/2013 6:48	Field Cond		368	umhos/cm	SM 2510A
7/2/2013 6:45	Field Cond		301	umhos/cm	SM 2510A
7/3/2013 6:49	Field Cond		361	umhos/cm	SM 2510A
7/4/2013 7:28	Field Cond		323	umhos/cm	SM 2510A
7/5/2013 6:47	Field Cond		329	umhos/cm	SM 2510A
7/6/2013 7:37	Field Cond		316	umhos/cm	SM 2510A
7/7/2013 7:27	Field Cond		325	umhos/cm	SM 2510A
7/8/2013 6:52	Field Cond		306	umhos/cm	SM 2510A
7/9/2013 6:47	Field Cond		311	umhos/cm	SM 2510A
7/10/2013 7:05	Field Cond		288	umhos/cm	SM 2510A
7/11/2013 6:57	Field Cond		298	umhos/cm	SM 2510A
7/12/2013 6:45	Field Cond		329	umhos/cm	SM 2510A
7/13/2013 7:45	Field Cond		398	umhos/cm	SM 2510A
7/14/2013 7:50	Field Cond		385	umhos/cm	SM 2510A
7/15/2013 6:50	Field Cond		324	umhos/cm	SM 2510A
7/16/2013 6:50	Field Cond		334	umhos/cm	SM 2510A
7/17/2013 6:56	Field Cond		366	umhos/cm	SM 2510A
7/18/2013 6:53	Field Cond		336	umhos/cm	SM 2510A
7/19/2013 6:42	Field Cond		329	umhos/cm	SM 2510A
7/20/2013 8:07	Field Cond		301	umhos/cm	SM 2510A
7/21/2013 7:50	Field Cond		315	umhos/cm	SM 2510A
7/22/2013 7:05	Field Cond		334	umhos/cm	SM 2510A
7/23/2013 7:14	Field Cond		329	umhos/cm	SM 2510A
7/24/2013 6:49	Field Cond		378	umhos/cm	SM 2510A
7/25/2013 6:40	Field Cond		423	umhos/cm	SM 2510A
7/26/2013 6:51	Field Cond		411	umhos/cm	SM 2510A
7/27/2013 7:35	Field Cond		332	umhos/cm	SM 2510A
7/28/2013 7:33	Field Cond		331	umhos/cm	SM 2510A
7/29/2013 6:48	Field Cond		334	umhos/cm	SM 2510A
7/30/2013 7:37	Field Cond		340	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/31/2013 6:51	Field Cond		355	umhos/cm	SM 2510A
8/1/2013 6:55	Field Cond		365	umhos/cm	SM 2510A
8/2/2013 6:50	Field Cond		331	umhos/cm	SM 2510A
8/3/2013 7:38	Field Cond		336	umhos/cm	SM 2510A
8/4/2013 7:32	Field Cond		353	umhos/cm	SM 2510A
8/5/2013 6:53	Field Cond		332	umhos/cm	SM 2510A
8/6/2013 6:59	Field Cond		334	umhos/cm	SM 2510A
8/7/2013 6:56	Field Cond		335	umhos/cm	SM 2510A
8/8/2013 6:56	Field Cond		363	umhos/cm	SM 2510A
8/9/2013 7:00	Field Cond		462	umhos/cm	SM 2510A
8/10/2013 8:04	Field Cond		372	umhos/cm	SM 2510A
8/11/2013 7:57	Field Cond		509	umhos/cm	SM 2510A
8/12/2013 7:00	Field Cond		223	umhos/cm	SM 2510A
8/13/2013 6:45	Field Cond		379	umhos/cm	SM 2510A
8/14/2013 6:57	Field Cond		346	umhos/cm	SM 2510A
8/15/2013 6:45	Field Cond		326	umhos/cm	SM 2510A
8/16/2013 6:50	Field Cond		325	umhos/cm	SM 2510A
8/17/2013 6:41	Field Cond		311	umhos/cm	SM 2510A
8/18/2013 6:25	Field Cond		330	umhos/cm	SM 2510A
8/19/2013 6:55	Field Cond		352	umhos/cm	SM 2510A
8/20/2013 6:50	Field Cond		342	umhos/cm	SM 2510A
8/21/2013 6:58	Field Cond		356	umhos/cm	SM 2510A
8/22/2013 6:50	Field Cond		381	umhos/cm	SM 2510A
8/23/2013 6:51	Field Cond		310	umhos/cm	SM 2510A
8/24/2013 7:52	Field Cond		485	umhos/cm	SM 2510A
8/25/2013 7:59	Field Cond		419	umhos/cm	SM 2510A
8/26/2013 6:48	Field Cond		369	umhos/cm	SM 2510A
8/27/2013 6:57	Field Cond		330	umhos/cm	SM 2510A
8/28/2013 7:15	Field Cond		320	umhos/cm	SM 2510A
8/29/2013 7:01	Field Cond		327	umhos/cm	SM 2510A
8/30/2013 6:58	Field Cond		320	umhos/cm	SM 2510A
8/31/2013 7:50	Field Cond		318	umhos/cm	SM 2510A
9/1/2013 7:58	Field Cond		315	umhos/cm	SM 2510A
9/2/2013 7:53	Field Cond		297	umhos/cm	SM 2510A
9/3/2013 10:05	Field Cond		269	umhos/cm	SM 2510A
9/4/2013 10:11	Field Cond		319	umhos/cm	SM 2510A
9/5/2013 10:17	Field Cond		310	umhos/cm	SM 2510A
9/6/2013 9:55	Field Cond		396	umhos/cm	SM 2510A
9/9/2013 9:55	Field Cond		434	umhos/cm	SM 2510A
9/10/2013 10:03	Field Cond		326	umhos/cm	SM 2510A
9/11/2013 10:00	Field Cond		338	umhos/cm	SM 2510A
9/12/2013 10:02	Field Cond		301	umhos/cm	SM 2510A
9/16/2013 9:58	Field Cond		330	umhos/cm	SM 2510A
9/17/2013 10:05	Field Cond		362	umhos/cm	SM 2510A
9/18/2013 10:11	Field Cond		342	umhos/cm	SM 2510A
9/19/2013 9:55	Field Cond		339	umhos/cm	SM 2510A
9/23/2013 10:06	Field Cond		380	umhos/cm	SM 2510A



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/24/2013 10:06	Field Cond		298	umhos/cm	SM 2510A
9/25/2013 10:02	Field Cond		339	umhos/cm	SM 2510A
9/26/2013 9:15	Field Cond		365	umhos/cm	SM 2510A
9/30/2013 10:08	Field Cond		304	umhos/cm	SM 2510A
10/1/2013 9:46	Field Cond		305	umhos/cm	SM 2510A
10/2/2013 10:06	Field Cond		322	umhos/cm	SM 2510A
10/3/2013 8:48	Field Cond		284	umhos/cm	SM 2510A
10/7/2013 10:25	Field Cond		312	umhos/cm	SM 2510A
10/8/2013 10:03	Field Cond		309	umhos/cm	SM 2510A
10/9/2013 9:47	Field Cond		364	umhos/cm	SM 2510A
10/10/2013 9:55	Field Cond		400	umhos/cm	SM 2510A
10/14/2013 8:50	Field Cond		399	umhos/cm	SM 2510A
10/15/2013 8:56	Field Cond		419	umhos/cm	SM 2510A
10/16/2013 9:04	Field Cond		352	umhos/cm	SM 2510A
10/17/2013 8:55	Field Cond		328	umhos/cm	SM 2510A
10/21/2013 9:05	Field Cond		344	umhos/cm	SM 2510A
10/22/2013 8:57	Field Cond		318	umhos/cm	SM 2510A
10/23/2013 9:10	Field Cond		352	umhos/cm	SM 2510A
10/24/2013 10:15	Field Cond		319	umhos/cm	SM 2510A
10/28/2013 9:08	Field Cond		289	umhos/cm	SM 2510A
10/29/2013 9:25	Field Cond		325	umhos/cm	SM 2510A
10/30/2013 9:17	Field Cond		290	umhos/cm	SM 2510A
10/31/2013 9:30	Field Cond		318	umhos/cm	SM 2510A
5/1/2013 7:21	Field Temp		8.7	C	EPA 170.1
5/2/2013 7:30	Field Temp		8.1	C	EPA 170.1
5/6/2013 7:45	Field Temp		9.1	C	EPA 170.1
5/7/2013 7:50	Field Temp		9.1	C	EPA 170.1
5/8/2013 7:58	Field Temp		10.9	C	EPA 170.1
5/9/2013 7:22	Field Temp		14.1	C	EPA 170.1
5/13/2013 7:14	Field Temp		9.8	C	EPA 170.1
5/14/2013 8:00	Field Temp		11.2	C	EPA 170.1
5/15/2013 7:44	Field Temp		12.6	C	EPA 170.1
5/16/2013 7:58	Field Temp		14.5	C	EPA 170.1
5/20/2013 7:26	Field Temp		14.2	C	EPA 170.1
5/21/2013 7:38	Field Temp		13.2	C	EPA 170.1
5/22/2013 7:57	Field Temp		15.6	C	EPA 170.1
5/23/2013 7:54	Field Temp		15.4	C	EPA 170.1
5/24/2013 6:44	Field Temp		14.2	C	EPA 170.1
5/25/2013 7:45	Field Temp		12.8	C	EPA 170.1
5/26/2013 7:42	Field Temp		14.1	C	EPA 170.1
5/27/2013 7:37	Field Temp		15.9	C	EPA 170.1
5/28/2013 7:03	Field Temp		14.3	C	EPA 170.1
5/29/2013 6:59	Field Temp		15.9	C	EPA 170.1
5/30/2013 6:50	Field Temp		17.1	C	EPA 170.1
5/31/2013 6:53	Field Temp		16.1	C	EPA 170.1
6/1/2013 8:04	Field Temp		17.3	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/2/2013 8:00	Field Temp		17.8	C	EPA 170.1
6/3/2013 7:40	Field Temp		17.3	C	EPA 170.1
6/4/2013 7:04	Field Temp		17.2	C	EPA 170.1
6/5/2013 6:53	Field Temp		17.2	C	EPA 170.1
6/6/2013 6:55	Field Temp		17.7	C	EPA 170.1
6/7/2013 6:45	Field Temp		15.9	C	EPA 170.1
6/8/2013 7:50	Field Temp		16	C	EPA 170.1
6/9/2013 7:55	Field Temp		16.8	C	EPA 170.1
6/10/2013 6:51	Field Temp		15.2	C	EPA 170.1
6/11/2013 6:50	Field Temp		16.8	C	EPA 170.1
6/12/2013 6:47	Field Temp		18.3	C	EPA 170.1
6/13/2013 6:50	Field Temp		18.7	C	EPA 170.1
6/14/2013 7:10	Field Temp		18.1	C	EPA 170.1
6/15/2013 7:50	Field Temp		18.9	C	EPA 170.1
6/16/2013 7:50	Field Temp		18.8	C	EPA 170.1
6/17/2013 7:00	Field Temp		19.7	C	EPA 170.1
6/18/2013 7:44	Field Temp		20.2	C	EPA 170.1
6/19/2013 6:53	Field Temp		19.2	C	EPA 170.1
6/20/2013 6:47	Field Temp		18.8	C	EPA 170.1
6/21/2013 6:40	Field Temp		19.4	C	EPA 170.1
6/22/2013 7:43	Field Temp		19.6	C	EPA 170.1
6/23/2013 7:41	Field Temp		20.9	C	EPA 170.1
6/24/2013 6:50	Field Temp		21.8	C	EPA 170.1
6/25/2013 6:59	Field Temp		22.7	C	EPA 170.1
6/26/2013 7:07	Field Temp		22.5	C	EPA 170.1
6/27/2013 7:01	Field Temp		23.9	C	EPA 170.1
6/28/2013 6:58	Field Temp		23.8	C	EPA 170.1
6/29/2013 8:12	Field Temp		23.1	C	EPA 170.1
6/30/2013 7:55	Field Temp		23.6	C	EPA 170.1
7/1/2013 6:48	Field Temp		23.1	C	EPA 170.1
7/2/2013 6:45	Field Temp		17.8	C	EPA 170.1
7/3/2013 6:49	Field Temp		19.3	C	EPA 170.1
7/4/2013 7:28	Field Temp		20.3	C	EPA 170.1
7/5/2013 6:47	Field Temp		20.7	C	EPA 170.1
7/6/2013 7:37	Field Temp		22	C	EPA 170.1
7/7/2013 7:27	Field Temp		20.5	C	EPA 170.1
7/8/2013 6:52	Field Temp		22.3	C	EPA 170.1
7/9/2013 6:47	Field Temp		23.5	C	EPA 170.1
7/10/2013 7:05	Field Temp		23.6	C	EPA 170.1
7/11/2013 6:57	Field Temp		22.9	C	EPA 170.1
7/12/2013 6:45	Field Temp		23.3	C	EPA 170.1
7/13/2013 7:45	Field Temp		23.6	C	EPA 170.1
7/14/2013 7:50	Field Temp		22.9	C	EPA 170.1
7/15/2013 6:50	Field Temp		22.4	C	EPA 170.1
7/16/2013 6:50	Field Temp		25.5	C	EPA 170.1
7/17/2013 6:56	Field Temp		26.9	C	EPA 170.1
7/18/2013 6:53	Field Temp		27.6	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/19/2013 6:42	Field Temp		28.3	C	EPA 170.1
7/20/2013 8:07	Field Temp		26.4	C	EPA 170.1
7/21/2013 7:50	Field Temp		23.5	C	EPA 170.1
7/22/2013 7:05	Field Temp		26.3	C	EPA 170.1
7/23/2013 7:14	Field Temp		24.9	C	EPA 170.1
7/24/2013 6:49	Field Temp		23.6	C	EPA 170.1
7/25/2013 6:40	Field Temp		23.8	C	EPA 170.1
7/26/2013 6:51	Field Temp		23.8	C	EPA 170.1
7/27/2013 7:35	Field Temp		25	C	EPA 170.1
7/28/2013 7:33	Field Temp		22.3	C	EPA 170.1
7/29/2013 6:48	Field Temp		22.7	C	EPA 170.1
7/30/2013 7:37	Field Temp		22.1	C	EPA 170.1
7/31/2013 6:51	Field Temp		22.7	C	EPA 170.1
8/1/2013 6:55	Field Temp		22.2	C	EPA 170.1
8/2/2013 6:50	Field Temp		22.1	C	EPA 170.1
8/3/2013 7:38	Field Temp		22.5	C	EPA 170.1
8/4/2013 7:32	Field Temp		22.6	C	EPA 170.1
8/5/2013 6:53	Field Temp		22	C	EPA 170.1
8/6/2013 6:59	Field Temp		22	C	EPA 170.1
8/7/2013 6:56	Field Temp		21.8	C	EPA 170.1
8/8/2013 6:56	Field Temp		22.6	C	EPA 170.1
8/9/2013 7:00	Field Temp		22.9	C	EPA 170.1
8/10/2013 8:04	Field Temp		22.4	C	EPA 170.1
8/11/2013 7:57	Field Temp		22.9	C	EPA 170.1
8/12/2013 7:00	Field Temp		23	C	EPA 170.1
8/13/2013 6:45	Field Temp		22.9	C	EPA 170.1
8/14/2013 6:57	Field Temp		20.1	C	EPA 170.1
8/15/2013 6:45	Field Temp		20.7	C	EPA 170.1
8/16/2013 6:50	Field Temp		20.8	C	EPA 170.1
8/17/2013 6:41	Field Temp		21.9	C	EPA 170.1
8/18/2013 6:25	Field Temp		21.3	C	EPA 170.1
8/19/2013 6:55	Field Temp		21.8	C	EPA 170.1
8/20/2013 6:50	Field Temp		22.4	C	EPA 170.1
8/21/2013 6:58	Field Temp		22	C	EPA 170.1
8/22/2013 6:50	Field Temp		22.5	C	EPA 170.1
8/23/2013 6:51	Field Temp		23.2	C	EPA 170.1
8/24/2013 7:52	Field Temp		22.7	C	EPA 170.1
8/25/2013 7:59	Field Temp		22.4	C	EPA 170.1
8/26/2013 6:48	Field Temp		22.7	C	EPA 170.1
8/27/2013 6:57	Field Temp		23	C	EPA 170.1
8/28/2013 7:15	Field Temp		23.5	C	EPA 170.1
8/29/2013 7:01	Field Temp		23.4	C	EPA 170.1
8/30/2013 6:58	Field Temp		23.7	C	EPA 170.1
8/31/2013 7:50	Field Temp		24.2	C	EPA 170.1
9/1/2013 7:58	Field Temp		24.5	C	EPA 170.1
9/2/2013 7:53	Field Temp		24.5	C	EPA 170.1
9/3/2013 10:05	Field Temp		22.5	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/4/2013 10:11	Field Temp		21.9	C	EPA 170.1
9/5/2013 10:17	Field Temp		22.6	C	EPA 170.1
9/6/2013 9:55	Field Temp		22	C	EPA 170.1
9/9/2013 9:55	Field Temp		20.3	C	EPA 170.1
9/10/2013 10:03	Field Temp		23.2	C	EPA 170.1
9/11/2013 10:00	Field Temp		23.8	C	EPA 170.1
9/12/2013 10:02	Field Temp		23.5	C	EPA 170.1
9/16/2013 9:58	Field Temp		20.8	C	EPA 170.1
9/17/2013 10:05	Field Temp		19.2	C	EPA 170.1
9/18/2013 10:11	Field Temp		19.2	C	EPA 170.1
9/19/2013 9:55	Field Temp		19.9	C	EPA 170.1
9/23/2013 10:06	Field Temp		19	C	EPA 170.1
9/24/2013 10:06	Field Temp		18.5	C	EPA 170.1
9/25/2013 10:02	Field Temp		18.5	C	EPA 170.1
9/26/2013 9:15	Field Temp		18.7	C	EPA 170.1
9/30/2013 10:08	Field Temp		19	C	EPA 170.1
10/1/2013 9:46	Field Temp		18.8	C	EPA 170.1
10/2/2013 10:06	Field Temp		19.7	C	EPA 170.1
10/3/2013 8:48	Field Temp		19.4	C	EPA 170.1
10/7/2013 10:25	Field Temp		18.8	C	EPA 170.1
10/8/2013 10:03	Field Temp		18.1	C	EPA 170.1
10/9/2013 9:47	Field Temp		17.6	C	EPA 170.1
10/10/2013 9:55	Field Temp		18	C	EPA 170.1
10/14/2013 8:50	Field Temp		17.6	C	EPA 170.1
10/15/2013 8:56	Field Temp		16.9	C	EPA 170.1
10/16/2013 9:04	Field Temp		17.5	C	EPA 170.1
10/17/2013 8:55	Field Temp		16.3	C	EPA 170.1
10/21/2013 9:05	Field Temp		14.4	C	EPA 170.1
10/22/2013 8:57	Field Temp		14.2	C	EPA 170.1
10/23/2013 9:10	Field Temp		13.3	C	EPA 170.1
10/24/2013 10:15	Field Temp		11.9	C	EPA 170.1
10/28/2013 9:08	Field Temp		10.6	C	EPA 170.1
10/29/2013 9:25	Field Temp		10.6	C	EPA 170.1
10/30/2013 9:17	Field Temp		11.2	C	EPA 170.1
10/31/2013 9:30	Field Temp		12.2	C	EPA 170.1
5/1/2013 7:21	pH		8.39	S.U.	
5/2/2013 7:30	pH		7.98	S.U.	
5/6/2013 7:45	pH		8.27	S.U.	
5/7/2013 7:50	pH		8.48	S.U.	
5/8/2013 7:58	pH		8.11	S.U.	
5/9/2013 7:22	pH		8.17	S.U.	
5/13/2013 7:14	pH		8.12	S.U.	
5/14/2013 8:00	pH		8.4	S.U.	
5/15/2013 7:44	pH		8.48	S.U.	
5/16/2013 7:58	pH		8.06	S.U.	
5/20/2013 7:26	pH		8.42	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/21/2013 7:38	pH		8.26	S.U.	
5/22/2013 7:57	pH		8.36	S.U.	
5/23/2013 7:54	pH		8.5	S.U.	
5/24/2013 6:44	pH		8.16	S.U.	
5/25/2013 7:45	pH		8.11	S.U.	
5/26/2013 7:42	pH		8.04	S.U.	
5/27/2013 7:37	pH		8.22	S.U.	
5/28/2013 7:03	pH		8.14	S.U.	
5/29/2013 6:59	pH		8.1	S.U.	
5/30/2013 6:50	pH		8.04	S.U.	
5/31/2013 6:53	pH		8.03	S.U.	
6/1/2013 8:04	pH		8.16	S.U.	
6/2/2013 8:00	pH		8.07	S.U.	
6/3/2013 7:40	pH		8.04	S.U.	
6/4/2013 7:04	pH		8.28	S.U.	
6/5/2013 6:53	pH		7.96	S.U.	
6/6/2013 6:55	pH		7.89	S.U.	
6/7/2013 6:45	pH		7.82	S.U.	
6/8/2013 7:50	pH		8.04	S.U.	
6/9/2013 7:55	pH		8.14	S.U.	
6/10/2013 6:51	pH		7.88	S.U.	
6/11/2013 6:50	pH		7.84	S.U.	
6/12/2013 6:47	pH		8.21	S.U.	
6/13/2013 6:50	pH		8.16	S.U.	
6/14/2013 7:10	pH		8	S.U.	
6/15/2013 7:50	pH		7.93	S.U.	
6/16/2013 7:50	pH		8.16	S.U.	
6/17/2013 7:00	pH		7.9	S.U.	
6/18/2013 7:44	pH		7.72	S.U.	
6/19/2013 6:53	pH		7.69	S.U.	
6/20/2013 6:47	pH		7.85	S.U.	
6/21/2013 6:40	pH		7.88	S.U.	
6/22/2013 7:43	pH		7.86	S.U.	
6/23/2013 7:41	pH		8.12	S.U.	
6/24/2013 6:50	pH		7.94	S.U.	
6/25/2013 6:59	pH		7.97	S.U.	
6/26/2013 7:07	pH		8.06	S.U.	
6/27/2013 7:01	pH		9.19	S.U.	
6/28/2013 6:58	pH		8.15	S.U.	
6/29/2013 8:12	pH		7.81	S.U.	
6/30/2013 7:55	pH		7.9	S.U.	
7/1/2013 6:48	pH		7.61	S.U.	
7/2/2013 6:45	pH		7.25	S.U.	
7/3/2013 6:49	pH		7.04	S.U.	
7/4/2013 7:28	pH		7.54	S.U.	
7/5/2013 6:47	pH		7.13	S.U.	
7/6/2013 7:37	pH		6.12	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/7/2013 7:27	pH		7.6	S.U.	
7/8/2013 6:52	pH		7.71	S.U.	
7/9/2013 6:47	pH		7.75	S.U.	
7/10/2013 7:05	pH		7.8	S.U.	
7/11/2013 6:57	pH		7.5	S.U.	
7/12/2013 6:45	pH		7.25	S.U.	
7/13/2013 7:45	pH		7.37	S.U.	
7/14/2013 7:50	pH		7.49	S.U.	
7/15/2013 6:50	pH		7.42	S.U.	
7/16/2013 6:50	pH		7.75	S.U.	
7/17/2013 6:56	pH		7.9	S.U.	
7/18/2013 6:53	pH		8.2	S.U.	
7/19/2013 6:42	pH		8.03	S.U.	
7/20/2013 8:07	pH		7.8	S.U.	
7/21/2013 7:50	pH		7.88	S.U.	
7/22/2013 7:05	pH		7.64	S.U.	
7/23/2013 7:14	pH		7.44	S.U.	
7/24/2013 6:49	pH		7.36	S.U.	
7/25/2013 6:40	pH		6.91	S.U.	
7/26/2013 6:51	pH		6.78	S.U.	
7/27/2013 7:35	pH		7.72	S.U.	
7/28/2013 7:33	pH		7.69	S.U.	
7/29/2013 6:48	pH		7.6	S.U.	
7/30/2013 7:37	pH		7.4	S.U.	
7/31/2013 6:51	pH		7.74	S.U.	
8/1/2013 6:55	pH		7.5	S.U.	
8/2/2013 6:50	pH		7.63	S.U.	
8/3/2013 7:38	pH		7.97	S.U.	
8/4/2013 7:32	pH		7.89	S.U.	
8/5/2013 6:53	pH		6.87	S.U.	
8/6/2013 6:59	pH		7.32	S.U.	
8/7/2013 6:56	pH		7.62	S.U.	
8/8/2013 6:56	pH		7.61	S.U.	
8/9/2013 7:00	pH		7.41	S.U.	
8/10/2013 8:04	pH		7.82	S.U.	
8/11/2013 7:57	pH		7.36	S.U.	
8/12/2013 7:00	pH		7.2	S.U.	
8/13/2013 6:45	pH		7.15	S.U.	
8/14/2013 6:57	pH		6.96	S.U.	
8/15/2013 6:45	pH		7.26	S.U.	
8/16/2013 6:50	pH		7.91	S.U.	
8/17/2013 6:41	pH		7.91	S.U.	
8/18/2013 6:25	pH		6.03	S.U.	
8/19/2013 6:55	pH		7.2	S.U.	
8/20/2013 6:50	pH		7.24	S.U.	
8/21/2013 6:58	pH		7.15	S.U.	
8/22/2013 6:50	pH		7.59	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/23/2013 6:51	pH		6.84	S.U.	
8/24/2013 7:52	pH		7.35	S.U.	
8/25/2013 7:59	pH		7.54	S.U.	
8/26/2013 6:48	pH		7.33	S.U.	
8/27/2013 6:57	pH		6.7	S.U.	
8/28/2013 7:15	pH		6.9	S.U.	
8/29/2013 7:01	pH		6.87	S.U.	
8/30/2013 6:58	pH		7	S.U.	
8/31/2013 7:50	pH		7.64	S.U.	
9/1/2013 7:58	pH		7.72	S.U.	
9/2/2013 7:53	pH		7.56	S.U.	
9/3/2013 10:05	pH		7.61	S.U.	
9/4/2013 10:11	pH		7.24	S.U.	
9/5/2013 10:17	pH		7.52	S.U.	
9/6/2013 9:55	pH		7.2	S.U.	
9/9/2013 9:55	pH		7.8	S.U.	
9/10/2013 10:03	pH		7.79	S.U.	
9/11/2013 10:00	pH		8.39	S.U.	
9/12/2013 10:02	pH		8.01	S.U.	
9/16/2013 9:58	pH		7.41	S.U.	
9/17/2013 10:05	pH		7.46	S.U.	
9/18/2013 10:11	pH		8.1	S.U.	
9/19/2013 9:55	pH		8.25	S.U.	
9/23/2013 10:06	pH		7.5	S.U.	
9/24/2013 10:06	pH		7.55	S.U.	
9/25/2013 10:02	pH		8.04	S.U.	
9/26/2013 9:15	pH		7.9	S.U.	
9/30/2013 10:08	pH		7.95	S.U.	
10/1/2013 9:46	pH		8.22	S.U.	
10/2/2013 10:06	pH		8.13	S.U.	
10/3/2013 8:48	pH		7.11	S.U.	
10/7/2013 10:25	pH		7.46	S.U.	
10/8/2013 10:03	pH		7.29	S.U.	
10/9/2013 9:47	pH		7.45	S.U.	
10/10/2013 9:55	pH		7.36	S.U.	
10/14/2013 8:50	pH		6.95	S.U.	
10/15/2013 8:56	pH		7.01	S.U.	
10/16/2013 9:04	pH		6.79	S.U.	
10/17/2013 8:55	pH		7.05	S.U.	
10/21/2013 9:05	pH		6.8	S.U.	
10/22/2013 8:57	pH		6.82	S.U.	
10/23/2013 9:10	pH		7.26	S.U.	
10/24/2013 10:15	pH		6.95	S.U.	
10/28/2013 9:08	pH		7.18	S.U.	
10/29/2013 9:25	pH		7.05	S.U.	
10/30/2013 9:17	pH		7.03	S.U.	
10/31/2013 9:30	pH		6.96	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/1/2013 7:21	Turbidity		27.35	NTU	EPA180.1
5/2/2013 7:30	Turbidity		12.2	NTU	EPA180.1
5/6/2013 7:45	Turbidity		8.72	NTU	EPA180.1
5/7/2013 7:50	Turbidity		9.78	NTU	EPA180.1
5/8/2013 7:58	Turbidity		14.8	NTU	EPA180.1
5/9/2013 7:22	Turbidity		8	NTU	EPA180.1
5/13/2013 7:14	Turbidity		141.3	NTU	EPA180.1
5/14/2013 8:00	Turbidity		16.8	NTU	EPA180.1
5/15/2013 7:44	Turbidity		21.1	NTU	EPA180.1
5/16/2013 7:58	Turbidity		25.3	NTU	EPA180.1
5/20/2013 7:26	Turbidity		18	NTU	EPA180.1
5/21/2013 7:38	Turbidity		8.19	NTU	EPA180.1
5/22/2013 7:57	Turbidity		4.37	NTU	EPA180.1
5/23/2013 7:54	Turbidity		4.54	NTU	EPA180.1
5/24/2013 6:44	Turbidity		54.7	NTU	EPA180.1
5/25/2013 7:45	Turbidity		26.3	NTU	EPA180.1
5/26/2013 7:42	Turbidity		30.7	NTU	EPA180.1
5/27/2013 7:37	Turbidity		12.4	NTU	EPA180.1
5/28/2013 7:03	Turbidity		13.95	NTU	EPA180.1
5/29/2013 6:59	Turbidity		8.96	NTU	EPA180.1
5/30/2013 6:50	Turbidity		7.05	NTU	EPA180.1
5/31/2013 6:53	Turbidity		7.47	NTU	EPA180.1
6/1/2013 8:04	Turbidity		5.9	NTU	EPA180.1
6/2/2013 8:00	Turbidity		7.32	NTU	EPA180.1
6/3/2013 7:40	Turbidity		20.55	NTU	EPA180.1
6/4/2013 7:04	Turbidity		10.75	NTU	EPA180.1
6/5/2013 6:53	Turbidity		10.13	NTU	EPA180.1
6/6/2013 6:55	Turbidity		31.45	NTU	EPA180.1
6/7/2013 6:45	Turbidity		11.85	NTU	EPA180.1
6/8/2013 7:50	Turbidity		15.3	NTU	EPA180.1
6/9/2013 7:55	Turbidity		7.44	NTU	EPA180.1
6/10/2013 6:51	Turbidity		15.5	NTU	EPA180.1
6/11/2013 6:50	Turbidity		11.65	NTU	EPA180.1
6/12/2013 6:47	Turbidity		8.67	NTU	EPA180.1
6/13/2013 6:50	Turbidity		12.25	NTU	EPA180.1
6/14/2013 7:10	Turbidity		38.2	NTU	EPA180.1
6/15/2013 7:50	Turbidity		28.7	NTU	EPA180.1
6/16/2013 7:50	Turbidity		16.6	NTU	EPA180.1
6/17/2013 7:00	Turbidity		6.08	NTU	EPA180.1
6/18/2013 7:44	Turbidity		8.795	NTU	EPA180.1
6/19/2013 6:53	Turbidity		13	NTU	EPA180.1
6/20/2013 6:47	Turbidity		5.87	NTU	EPA180.1
6/21/2013 6:40	Turbidity		5.12	NTU	EPA180.1
6/22/2013 7:43	Turbidity		4.25	NTU	EPA180.1
6/23/2013 7:41	Turbidity		3.62	NTU	EPA180.1
6/24/2013 6:50	Turbidity		3.7	NTU	EPA180.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/25/2013 6:59	Turbidity		3.9375	NTU	EPA180.1
6/26/2013 7:07	Turbidity		4.69	NTU	EPA180.1
6/27/2013 7:01	Turbidity		2.46	NTU	EPA180.1
6/28/2013 6:58	Turbidity		5.42	NTU	EPA180.1
6/29/2013 8:12	Turbidity		11.4	NTU	EPA180.1
6/30/2013 7:55	Turbidity		15.4	NTU	EPA180.1
7/1/2013 6:48	Turbidity		15.1	NTU	EPA180.1
7/2/2013 6:45	Turbidity		88.3	NTU	EPA180.1
7/3/2013 6:49	Turbidity		14.15	NTU	EPA180.1
7/4/2013 7:28	Turbidity		4.99	NTU	EPA180.1
7/5/2013 6:47	Turbidity		3.79	NTU	EPA180.1
7/6/2013 7:37	Turbidity		3.15	NTU	EPA180.1
7/7/2013 7:27	Turbidity		5.51	NTU	EPA180.1
7/8/2013 6:52	Turbidity		5.405	NTU	EPA180.1
7/9/2013 6:47	Turbidity		3.62	NTU	EPA180.1
7/10/2013 7:05	Turbidity		3.76	NTU	EPA180.1
7/11/2013 6:57	Turbidity		5.25	NTU	EPA180.1
7/12/2013 6:45	Turbidity		24.4	NTU	EPA180.1
7/13/2013 7:45	Turbidity		28.3	NTU	EPA180.1
7/14/2013 7:50	Turbidity		22.3	NTU	EPA180.1
7/15/2013 6:50	Turbidity		5.52	NTU	EPA180.1
7/16/2013 6:50	Turbidity		4.97	NTU	EPA180.1
7/17/2013 6:56	Turbidity		8.08	NTU	EPA180.1
7/18/2013 6:53	Turbidity		4.63	NTU	EPA180.1
7/19/2013 6:42	Turbidity		3.44	NTU	EPA180.1
7/20/2013 8:07	Turbidity		26.2	NTU	EPA180.1
7/21/2013 7:50	Turbidity		8.45	NTU	EPA180.1
7/22/2013 7:05	Turbidity		4.095	NTU	EPA180.1
7/23/2013 7:14	Turbidity		4.95	NTU	EPA180.1
7/24/2013 6:49	Turbidity		24.15	NTU	EPA180.1
7/25/2013 6:40	Turbidity		8.53	NTU	EPA180.1
7/26/2013 6:51	Turbidity		6.76	NTU	EPA180.1
7/27/2013 7:35	Turbidity		4.74	NTU	EPA180.1
7/28/2013 7:33	Turbidity		12.4	NTU	EPA180.1
7/29/2013 6:48	Turbidity		14.6	NTU	EPA180.1
7/30/2013 7:37	Turbidity		5.84	NTU	EPA180.1
7/31/2013 6:51	Turbidity		4.23	NTU	EPA180.1
8/1/2013 6:55	Turbidity		14.4	NTU	EPA180.1
8/2/2013 6:50	Turbidity		22.2	NTU	EPA180.1
8/3/2013 7:38	Turbidity		22.45	NTU	EPA180.1
8/4/2013 7:32	Turbidity		26.8	NTU	EPA180.1
8/5/2013 6:53	Turbidity		19.2	NTU	EPA180.1
8/6/2013 6:59	Turbidity		4.79	NTU	EPA180.1
8/7/2013 6:56	Turbidity		6.12	NTU	EPA180.1
8/8/2013 6:56	Turbidity		4.36	NTU	EPA180.1
8/9/2013 7:00	Turbidity		19.35	NTU	EPA180.1
8/10/2013 8:04	Turbidity		10.05	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/11/2013 7:57	Turbidity		7.84	NTU	EPA180.1
8/12/2013 7:00	Turbidity		4.7	NTU	EPA180.1
8/13/2013 6:45	Turbidity		8.955	NTU	EPA180.1
8/14/2013 6:57	Turbidity		27.35	NTU	EPA180.1
8/15/2013 6:45	Turbidity		7.69	NTU	EPA180.1
8/16/2013 6:50	Turbidity		4.955	NTU	EPA180.1
8/17/2013 6:41	Turbidity		3.56	NTU	EPA180.1
8/18/2013 6:25	Turbidity		6.04	NTU	EPA180.1
8/19/2013 6:55	Turbidity		6.48	NTU	EPA180.1
8/20/2013 6:50	Turbidity		3.84	NTU	EPA180.1
8/21/2013 6:58	Turbidity		4.35	NTU	EPA180.1
8/22/2013 6:50	Turbidity		4.83	NTU	EPA180.1
8/23/2013 6:51	Turbidity		13.6	NTU	EPA180.1
8/24/2013 7:52	Turbidity		4.81	NTU	EPA180.1
8/25/2013 7:59	Turbidity		6.2	NTU	EPA180.1
8/26/2013 6:48	Turbidity		2.89	NTU	EPA180.1
8/27/2013 6:57	Turbidity		4.455	NTU	EPA180.1
8/28/2013 7:15	Turbidity		3.34	NTU	EPA180.1
8/29/2013 7:01	Turbidity		5.48	NTU	EPA180.1
8/30/2013 6:58	Turbidity		2.49	NTU	EPA180.1
8/31/2013 7:50	Turbidity		4.85	NTU	EPA180.1
9/1/2013 7:58	Turbidity		4.1	NTU	EPA180.1
9/2/2013 7:53	Turbidity		2.95	NTU	EPA180.1
9/3/2013 10:05	Turbidity		44	NTU	EPA180.1
9/4/2013 10:11	Turbidity		9.26	NTU	EPA180.1
9/5/2013 10:17	Turbidity		15.7	NTU	EPA180.1
9/6/2013 9:55	Turbidity		5.73	NTU	EPA180.1
9/9/2013 9:55	Turbidity		8.5	NTU	EPA180.1
9/10/2013 10:03	Turbidity		2.49	NTU	EPA180.1
9/11/2013 10:00	Turbidity		3.2	NTU	EPA180.1
9/12/2013 10:02	Turbidity		6.31	NTU	EPA180.1
9/16/2013 9:58	Turbidity		5.95	NTU	EPA180.1
9/17/2013 10:05	Turbidity		5.18	NTU	EPA180.1
9/18/2013 10:11	Turbidity		5.67	NTU	EPA180.1
9/19/2013 9:55	Turbidity		3.36	NTU	EPA180.1
9/23/2013 10:06	Turbidity		6.29	NTU	EPA180.1
9/24/2013 10:06	Turbidity		3.27	NTU	EPA180.1
9/25/2013 10:02	Turbidity		4.79	NTU	EPA180.1
9/26/2013 9:15	Turbidity		5.45	NTU	EPA180.1
9/30/2013 10:08	Turbidity		4.49	NTU	EPA180.1
10/1/2013 9:46	Turbidity		3.89	NTU	EPA180.1
10/2/2013 10:06	Turbidity		5.28	NTU	EPA180.1
10/3/2013 8:48	Turbidity		3.32	NTU	EPA180.1
10/7/2013 10:25	Turbidity		11.95	NTU	EPA180.1
10/8/2013 10:03	Turbidity		12.95	NTU	EPA180.1
10/9/2013 9:47	Turbidity		3.61	NTU	EPA180.1
10/10/2013 9:55	Turbidity		3.58	NTU	EPA180.1

Edgewater East Site					
Sample Date	Parameter	Code	Result	Units	Method
10/14/2013 8:50	Turbidity		13.15	NTU	EPA180.1
10/15/2013 8:56	Turbidity		3.64	NTU	EPA180.1
10/16/2013 9:04	Turbidity		3.55	NTU	EPA180.1
10/17/2013 8:55	Turbidity		9.15	NTU	EPA180.1
10/21/2013 9:05	Turbidity		7.31	NTU	EPA180.1
10/22/2013 8:57	Turbidity		40.6	NTU	EPA180.1
10/23/2013 9:10	Turbidity		12.5	NTU	EPA180.1
10/24/2013 10:15	Turbidity		61	NTU	EPA180.1
10/28/2013 9:08	Turbidity		19.9	NTU	EPA180.1
10/29/2013 9:25	Turbidity		7.31	NTU	EPA180.1
10/30/2013 9:17	Turbidity		5.32	NTU	EPA180.1
10/31/2013 9:30	Turbidity		3.39	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/9/2013 9:27	E. coli		6	cfu/100mL	EPA1603
9/10/2013 9:32	E. coli		128	cfu/100mL	EPA1603
9/11/2013 9:29	E. coli		233.5	cfu/100mL	EPA1603
9/12/2013 9:30	E. coli		142	cfu/100mL	EPA1603
9/16/2013 9:24	E. coli		49	cfu/100mL	EPA1603
9/17/2013 9:30	E. coli		10	cfu/100mL	EPA1603
9/18/2013 9:31	E. coli		4	cfu/100mL	EPA1603
9/19/2013 9:27	E. coli		4	cfu/100mL	EPA1603
9/23/2013 9:41	E. coli		255	cfu/100mL	EPA1603
9/24/2013 9:35	E. coli		13	cfu/100mL	EPA1603
9/25/2013 9:29	E. coli		2	cfu/100mL	EPA1603
9/26/2013 9:30	E. coli		13	cfu/100mL	EPA1603
9/30/2013 9:46	E. coli		225	cfu/100mL	EPA1603
10/1/2013 9:19	E. coli		5050	cfu/100mL	EPA1603
10/2/2013 9:36	E. coli		1040	cfu/100mL	EPA1603
10/3/2013 9:51	E. coli		16	cfu/100mL	EPA1603
10/7/2013 9:54	E. coli	EC	22400	cfu/100mL	EPA1603
10/8/2013 9:30	E. coli		1550	cfu/100mL	EPA1603
10/9/2013 9:18	E. coli		105	cfu/100mL	EPA1603
10/10/2013 9:27	E. coli	EC	107	cfu/100mL	EPA1603
10/14/2013 9:39	E. coli		79	cfu/100mL	EPA1603
10/15/2013 9:45	E. coli		4	cfu/100mL	EPA1603
10/16/2013 9:54	E. coli		135	cfu/100mL	EPA1603
10/17/2013 9:50	E. coli		6700	cfu/100mL	EPA1603
10/21/2013 9:49	E. coli	EC	84	cfu/100mL	EPA1603
10/22/2013 9:40	E. coli		480	cfu/100mL	EPA1603
10/23/2013 10:15	E. coli	EC	70	cfu/100mL	EPA1603
10/24/2013 11:00	E. coli		6650	cfu/100mL	EPA1603
10/28/2013 10:10	E. coli	EC	89	cfu/100mL	EPA1603
10/29/2013 10:15	E. coli		34	cfu/100mL	EPA1603
10/30/2013 10:12	E. coli		1	cfu/100mL	EPA1603
10/31/2013 10:15	E. coli		157.5	cfu/100mL	EPA1603
5/1/2013 6:56	E. coli		7	MPN/100 mL	SM9223 Colilert
5/2/2013 7:00	E. coli		4	MPN/100 mL	SM9223 Colilert
5/6/2013 7:15	E. coli		58	MPN/100 mL	SM9223 Colilert
5/7/2013 7:16	E. coli		12	MPN/100 mL	SM9223 Colilert
5/8/2013 7:23	E. coli		4	MPN/100 mL	SM9223 Colilert
5/9/2013 6:57	E. coli	<	1	MPN/100 mL	SM9223 Colilert
5/13/2013 6:50	E. coli		387	MPN/100 mL	SM9223 Colilert
5/14/2013 7:25	E. coli		9	MPN/100 mL	SM9223 Colilert
5/16/2013 7:23	E. coli		11.5	MPN/100 mL	SM9223 Colilert
5/20/2013 7:01	E. coli		2	MPN/100 mL	SM9223 Colilert
5/21/2013 7:15	E. coli		9	MPN/100 mL	SM9223 Colilert
5/22/2013 7:20	E. coli		17	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/23/2013 7:20	E. coli		40	MPN/100 mL	SM9223 Colilert
5/24/2013 7:25	E. coli		690	MPN/100 mL	SM9223 Colilert
5/25/2013 6:42	E. coli		69	MPN/100 mL	SM9223 Colilert
5/26/2013 7:11	E. coli		23	MPN/100 mL	SM9223 Colilert
5/27/2013 7:07	E. coli		6	MPN/100 mL	SM9223 Colilert
5/28/2013 7:45	E. coli		36	MPN/100 mL	SM9223 Colilert
5/29/2013 7:31	E. coli		1456	MPN/100 mL	SM9223 Colilert
5/30/2013 7:27	E. coli		86	MPN/100 mL	SM9223 Colilert
5/31/2013 7:35	E. coli		776	MPN/100 mL	SM9223 Colilert
6/1/2013 7:22	E. coli		1936	MPN/100 mL	SM9223 Colilert
6/2/2013 7:19	E. coli		596	MPN/100 mL	SM9223 Colilert
6/3/2013 7:17	E. coli		1302	MPN/100 mL	SM9223 Colilert
6/4/2013 7:23	E. coli		173	MPN/100 mL	SM9223 Colilert
6/5/2013 7:21	E. coli		46.5	MPN/100 mL	SM9223 Colilert
6/6/2013 7:30	E. coli		922	MPN/100 mL	SM9223 Colilert
6/7/2013 7:09	E. coli		496	MPN/100 mL	SM9223 Colilert
6/8/2013 7:10	E. coli		523	MPN/100 mL	SM9223 Colilert
6/9/2013 7:10	E. coli		49	MPN/100 mL	SM9223 Colilert
6/10/2013 7:25	E. coli		95	MPN/100 mL	SM9223 Colilert
6/11/2013 7:16	E. coli	>	4860	MPN/100 mL	SM9223 Colilert
6/12/2013 7:30	E. coli		1439	MPN/100 mL	SM9223 Colilert
6/13/2013 7:30	E. coli	>	24196	MPN/100 mL	SM9223 Colilert
6/14/2013 7:33	E. coli		1722	MPN/100 mL	SM9223 Colilert
6/15/2013 6:59	E. coli		187	MPN/100 mL	SM9223 Colilert
6/16/2013 7:15	E. coli		1218	MPN/100 mL	SM9223 Colilert
6/17/2013 7:26	E. coli		232	MPN/100 mL	SM9223 Colilert
6/18/2013 7:26	E. coli		480	MPN/100 mL	SM9223 Colilert
6/19/2013 7:17	E. coli		380	MPN/100 mL	SM9223 Colilert
6/20/2013 7:22	E. coli		36	MPN/100 mL	SM9223 Colilert
6/21/2013 7:15	E. coli		22	MPN/100 mL	SM9223 Colilert
6/22/2013 7:17	E. coli		12	MPN/100 mL	SM9223 Colilert
6/23/2013 7:15	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
6/24/2013 7:27	E. coli		3106	MPN/100 mL	SM9223 Colilert
6/25/2013 7:28	E. coli		4839	MPN/100 mL	SM9223 Colilert
6/26/2013 7:35	E. coli		3106	MPN/100 mL	SM9223 Colilert
6/27/2013 7:35	E. coli		517	MPN/100 mL	SM9223 Colilert
6/28/2013 7:44	E. coli		394	MPN/100 mL	SM9223 Colilert
6/29/2013 7:38	E. coli		1379	MPN/100 mL	SM9223 Colilert
6/30/2013 7:25	E. coli		2318	MPN/100 mL	SM9223 Colilert
7/1/2013 6:45	E. coli		458	MPN/100 mL	SM9223 Colilert
7/2/2013 7:13	E. coli		717	MPN/100 mL	SM9223 Colilert
7/3/2013 7:15	E. coli		54	MPN/100 mL	SM9223 Colilert
7/4/2013 6:45	E. coli		27	MPN/100 mL	SM9223 Colilert
7/5/2013 7:20	E. coli		953	MPN/100 mL	SM9223 Colilert
7/6/2013 6:48	E. coli		168	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/7/2013 6:35	E. coli	>	9678	MPN/100 mL	SM9223 Colilert
7/8/2013 7:15	E. coli		5043	MPN/100 mL	SM9223 Colilert
7/9/2013 7:31	E. coli		1741	MPN/100 mL	SM9223 Colilert
7/10/2013 7:43	E. coli		2010	MPN/100 mL	SM9223 Colilert
7/11/2013 7:34	E. coli		1466	MPN/100 mL	SM9223 Colilert
7/12/2013 7:06	E. coli		1005	MPN/100 mL	SM9223 Colilert
7/13/2013 7:15	E. coli		83	MPN/100 mL	SM9223 Colilert
7/14/2013 7:18	E. coli		50	MPN/100 mL	SM9223 Colilert
7/15/2013 7:26	E. coli		76	MPN/100 mL	SM9223 Colilert
7/16/2013 7:16	E. coli		9	MPN/100 mL	SM9223 Colilert
7/17/2013 7:34	E. coli		5035	MPN/100 mL	SM9223 Colilert
7/18/2013 7:26	E. coli		870	MPN/100 mL	SM9223 Colilert
7/19/2013 7:00	E. coli		1741	MPN/100 mL	SM9223 Colilert
7/20/2013 7:08	E. coli		2426	MPN/100 mL	SM9223 Colilert
7/21/2013 7:20	E. coli		260	MPN/100 mL	SM9223 Colilert
7/22/2013 7:17	E. coli		122	MPN/100 mL	SM9223 Colilert
7/23/2013 7:40	E. coli		116	MPN/100 mL	SM9223 Colilert
7/24/2013 7:24	E. coli		1236	MPN/100 mL	SM9223 Colilert
7/25/2013 7:24	E. coli		109	MPN/100 mL	SM9223 Colilert
7/26/2013 7:08	E. coli		27	MPN/100 mL	SM9223 Colilert
7/27/2013 7:00	E. coli		67	MPN/100 mL	SM9223 Colilert
7/28/2013 6:33	E. coli		786	MPN/100 mL	SM9223 Colilert
7/29/2013 7:18	E. coli		106	MPN/100 mL	SM9223 Colilert
7/30/2013 7:22	E. coli		10	MPN/100 mL	SM9223 Colilert
7/31/2013 7:16	E. coli		170	MPN/100 mL	SM9223 Colilert
8/1/2013 7:26	E. coli		1650	MPN/100 mL	SM9223 Colilert
8/2/2013 7:15	E. coli		108	MPN/100 mL	SM9223 Colilert
8/3/2013 7:09	E. coli		173	MPN/100 mL	SM9223 Colilert
8/4/2013 7:03	E. coli		775	MPN/100 mL	SM9223 Colilert
8/5/2013 7:18	E. coli		81	MPN/100 mL	SM9223 Colilert
8/6/2013 7:27	E. coli		33	MPN/100 mL	SM9223 Colilert
8/7/2013 7:24	E. coli		74	MPN/100 mL	SM9223 Colilert
8/8/2013 7:27	E. coli		375	MPN/100 mL	SM9223 Colilert
8/9/2013 6:58	E. coli		606	MPN/100 mL	SM9223 Colilert
8/10/2013 7:35	E. coli		73	MPN/100 mL	SM9223 Colilert
8/11/2013 7:25	E. coli		77	MPN/100 mL	SM9223 Colilert
8/12/2013 7:33	E. coli		551	MPN/100 mL	SM9223 Colilert
8/13/2013 7:17	E. coli		613	MPN/100 mL	SM9223 Colilert
8/14/2013 7:35	E. coli		425	MPN/100 mL	SM9223 Colilert
8/15/2013 7:07	E. coli		48	MPN/100 mL	SM9223 Colilert
8/16/2013 7:23	E. coli		4	MPN/100 mL	SM9223 Colilert
8/17/2013 7:27	E. coli		20	MPN/100 mL	SM9223 Colilert
8/18/2013 7:09	E. coli		5	MPN/100 mL	SM9223 Colilert
8/19/2013 7:15	E. coli		33	MPN/100 mL	SM9223 Colilert
8/20/2013 7:15	E. coli		22	MPN/100 mL	SM9223 Colilert



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/21/2013 7:24	E. coli		17	MPN/100 mL	SM9223 Colilert
8/22/2013 7:20	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
8/23/2013 7:09	E. coli		84	MPN/100 mL	SM9223 Colilert
8/24/2013 7:25	E. coli		19	MPN/100 mL	SM9223 Colilert
8/25/2013 7:30	E. coli		10	MPN/100 mL	SM9223 Colilert
8/26/2013 7:14	E. coli		187	MPN/100 mL	SM9223 Colilert
8/27/2013 7:26	E. coli		66	MPN/100 mL	SM9223 Colilert
8/28/2013 7:37	E. coli		1827	MPN/100 mL	SM9223 Colilert
8/29/2013 7:36	E. coli		379	MPN/100 mL	SM9223 Colilert
8/30/2013 7:21	E. coli		81	MPN/100 mL	SM9223 Colilert
8/31/2013 7:19	E. coli		276	MPN/100 mL	SM9223 Colilert
9/1/2013 7:04	E. coli		27	MPN/100 mL	SM9223 Colilert
9/2/2013 7:23	E. coli		292	MPN/100 mL	SM9223 Colilert
9/3/2013 9:03	E. coli		430	MPN/100 mL	SM9223 Colilert
9/4/2013 9:40	E. coli		53	MPN/100 mL	SM9223 Colilert
9/5/2013 9:31	E. coli		60	MPN/100 mL	SM9223 Colilert
9/6/2013 9:23	E. coli		4	MPN/100 mL	SM9223 Colilert
5/1/2013 6:56	Field Cond		341	umhos/cm	SM 2510A
5/2/2013 7:00	Field Cond		357	umhos/cm	SM 2510A
5/6/2013 7:15	Field Cond		280	umhos/cm	SM 2510A
5/7/2013 7:16	Field Cond		322	umhos/cm	SM 2510A
5/8/2013 7:23	Field Cond		315	umhos/cm	SM 2510A
5/9/2013 6:57	Field Cond		293	umhos/cm	SM 2510A
5/13/2013 6:50	Field Cond		430	umhos/cm	SM 2510A
5/14/2013 7:25	Field Cond		330	umhos/cm	SM 2510A
5/15/2013 7:15	Field Cond		323	umhos/cm	SM 2510A
5/16/2013 7:23	Field Cond		347	umhos/cm	SM 2510A
5/20/2013 7:01	Field Cond		306	umhos/cm	SM 2510A
5/21/2013 7:15	Field Cond		340	umhos/cm	SM 2510A
5/22/2013 7:20	Field Cond		346	umhos/cm	SM 2510A
5/23/2013 7:20	Field Cond		339	umhos/cm	SM 2510A
5/24/2013 7:25	Field Cond		355	umhos/cm	SM 2510A
5/25/2013 6:42	Field Cond		304	umhos/cm	SM 2510A
5/26/2013 7:11	Field Cond		360	umhos/cm	SM 2510A
5/27/2013 7:07	Field Cond		303	umhos/cm	SM 2510A
5/28/2013 7:45	Field Cond		324	umhos/cm	SM 2510A
5/29/2013 7:31	Field Cond		337	umhos/cm	SM 2510A
5/30/2013 7:27	Field Cond		316	umhos/cm	SM 2510A
5/31/2013 7:35	Field Cond		326	umhos/cm	SM 2510A
6/1/2013 7:22	Field Cond		333	umhos/cm	SM 2510A
6/2/2013 7:19	Field Cond		316	umhos/cm	SM 2510A
6/3/2013 7:17	Field Cond		357	umhos/cm	SM 2510A
6/4/2013 7:23	Field Cond		316	umhos/cm	SM 2510A
6/5/2013 7:21	Field Cond		308	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/6/2013 7:30	Field Cond		323	umhos/cm	SM 2510A
6/7/2013 7:09	Field Cond		357	umhos/cm	SM 2510A
6/8/2013 7:10	Field Cond		340	umhos/cm	SM 2510A
6/9/2013 7:10	Field Cond		315	umhos/cm	SM 2510A
6/10/2013 7:25	Field Cond		308	umhos/cm	SM 2510A
6/11/2013 7:16	Field Cond		310	umhos/cm	SM 2510A
6/12/2013 7:30	Field Cond		320	umhos/cm	SM 2510A
6/13/2013 7:30	Field Cond		351	umhos/cm	SM 2510A
6/14/2013 7:33	Field Cond		458	umhos/cm	SM 2510A
6/15/2013 6:59	Field Cond		327	umhos/cm	SM 2510A
6/16/2013 7:15	Field Cond		309	umhos/cm	SM 2510A
6/17/2013 7:26	Field Cond		323	umhos/cm	SM 2510A
6/18/2013 7:26	Field Cond		338	umhos/cm	SM 2510A
6/19/2013 7:17	Field Cond		335	umhos/cm	SM 2510A
6/20/2013 7:22	Field Cond		292	umhos/cm	SM 2510A
6/21/2013 7:15	Field Cond		356	umhos/cm	SM 2510A
6/22/2013 7:17	Field Cond		334	umhos/cm	SM 2510A
6/23/2013 7:15	Field Cond		300	umhos/cm	SM 2510A
6/24/2013 7:27	Field Cond		317	umhos/cm	SM 2510A
6/25/2013 7:28	Field Cond		337	umhos/cm	SM 2510A
6/26/2013 7:35	Field Cond		322	umhos/cm	SM 2510A
6/27/2013 7:35	Field Cond		296	umhos/cm	SM 2510A
6/28/2013 7:44	Field Cond		395	umhos/cm	SM 2510A
6/29/2013 7:38	Field Cond		347	umhos/cm	SM 2510A
6/30/2013 7:25	Field Cond		344	umhos/cm	SM 2510A
7/1/2013 6:45	Field Cond		314	umhos/cm	SM 2510A
7/2/2013 7:13	Field Cond		304	umhos/cm	SM 2510A
7/3/2013 7:15	Field Cond		297	umhos/cm	SM 2510A
7/4/2013 6:45	Field Cond		334	umhos/cm	SM 2510A
7/5/2013 7:20	Field Cond		325	umhos/cm	SM 2510A
7/6/2013 6:48	Field Cond		319	umhos/cm	SM 2510A
7/7/2013 6:35	Field Cond		315	umhos/cm	SM 2510A
7/8/2013 7:15	Field Cond		315	umhos/cm	SM 2510A
7/9/2013 7:31	Field Cond		311	umhos/cm	SM 2510A
7/10/2013 7:43	Field Cond		322	umhos/cm	SM 2510A
7/11/2013 7:34	Field Cond		366	umhos/cm	SM 2510A
7/12/2013 7:06	Field Cond		356	umhos/cm	SM 2510A
7/13/2013 7:15	Field Cond		298	umhos/cm	SM 2510A
7/14/2013 7:18	Field Cond		321	umhos/cm	SM 2510A
7/15/2013 7:26	Field Cond		335	umhos/cm	SM 2510A
7/16/2013 7:16	Field Cond		343	umhos/cm	SM 2510A
7/17/2013 7:34	Field Cond		316	umhos/cm	SM 2510A
7/18/2013 7:26	Field Cond		309	umhos/cm	SM 2510A
7/19/2013 7:00	Field Cond		309	umhos/cm	SM 2510A
7/20/2013 7:08	Field Cond		326	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/21/2013 7:20	Field Cond		327	umhos/cm	SM 2510A
7/22/2013 7:17	Field Cond		310	umhos/cm	SM 2510A
7/23/2013 7:40	Field Cond		313	umhos/cm	SM 2510A
7/24/2013 7:24	Field Cond		336	umhos/cm	SM 2510A
7/25/2013 7:24	Field Cond		316	umhos/cm	SM 2510A
7/26/2013 7:08	Field Cond		312	umhos/cm	SM 2510A
7/27/2013 7:00	Field Cond		328	umhos/cm	SM 2510A
7/28/2013 6:33	Field Cond		311	umhos/cm	SM 2510A
7/29/2013 7:18	Field Cond		323	umhos/cm	SM 2510A
7/30/2013 7:22	Field Cond		313	umhos/cm	SM 2510A
7/31/2013 7:16	Field Cond		326	umhos/cm	SM 2510A
8/1/2013 7:26	Field Cond		317	umhos/cm	SM 2510A
8/2/2013 7:15	Field Cond		319	umhos/cm	SM 2510A
8/3/2013 7:09	Field Cond		330	umhos/cm	SM 2510A
8/4/2013 7:03	Field Cond		360	umhos/cm	SM 2510A
8/5/2013 7:18	Field Cond		315	umhos/cm	SM 2510A
8/6/2013 7:27	Field Cond		304	umhos/cm	SM 2510A
8/7/2013 7:24	Field Cond		305	umhos/cm	SM 2510A
8/8/2013 7:27	Field Cond		292	umhos/cm	SM 2510A
8/9/2013 6:58	Field Cond		330	umhos/cm	SM 2510A
8/10/2013 7:35	Field Cond		314	umhos/cm	SM 2510A
8/11/2013 7:25	Field Cond		298	umhos/cm	SM 2510A
8/12/2013 7:33	Field Cond		315	umhos/cm	SM 2510A
8/13/2013 7:17	Field Cond		305	umhos/cm	SM 2510A
8/14/2013 7:35	Field Cond		320	umhos/cm	SM 2510A
8/15/2013 7:07	Field Cond		350	umhos/cm	SM 2510A
8/16/2013 7:23	Field Cond		281	umhos/cm	SM 2510A
8/17/2013 7:27	Field Cond		296	umhos/cm	SM 2510A
8/18/2013 7:09	Field Cond		282	umhos/cm	SM 2510A
8/19/2013 7:15	Field Cond		316	umhos/cm	SM 2510A
8/20/2013 7:15	Field Cond		292	umhos/cm	SM 2510A
8/21/2013 7:24	Field Cond		289	umhos/cm	SM 2510A
8/22/2013 7:20	Field Cond		320	umhos/cm	SM 2510A
8/23/2013 7:09	Field Cond		283	umhos/cm	SM 2510A
8/24/2013 7:25	Field Cond		316	umhos/cm	SM 2510A
8/25/2013 7:30	Field Cond		312	umhos/cm	SM 2510A
8/26/2013 7:14	Field Cond		290	umhos/cm	SM 2510A
8/27/2013 7:26	Field Cond		371	umhos/cm	SM 2510A
8/28/2013 7:37	Field Cond		329	umhos/cm	SM 2510A
8/29/2013 7:36	Field Cond		312	umhos/cm	SM 2510A
8/30/2013 7:21	Field Cond		309	umhos/cm	SM 2510A
8/31/2013 7:19	Field Cond		307	umhos/cm	SM 2510A
9/1/2013 7:04	Field Cond		320	umhos/cm	SM 2510A
9/2/2013 7:23	Field Cond		318	umhos/cm	SM 2510A
9/3/2013 9:03	Field Cond		300	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/4/2013 9:40	Field Cond		327	umhos/cm	SM 2510A
9/5/2013 9:31	Field Cond		344	umhos/cm	SM 2510A
9/6/2013 9:23	Field Cond		326	umhos/cm	SM 2510A
9/9/2013 9:27	Field Cond		320	umhos/cm	SM 2510A
9/10/2013 9:32	Field Cond		322	umhos/cm	SM 2510A
9/11/2013 9:29	Field Cond		310	umhos/cm	SM 2510A
9/12/2013 9:30	Field Cond		316	umhos/cm	SM 2510A
9/16/2013 9:24	Field Cond		309	umhos/cm	SM 2510A
9/17/2013 9:30	Field Cond		296	umhos/cm	SM 2510A
9/18/2013 9:31	Field Cond		288	umhos/cm	SM 2510A
9/19/2013 9:27	Field Cond		303	umhos/cm	SM 2510A
9/23/2013 9:41	Field Cond		314	umhos/cm	SM 2510A
9/24/2013 9:35	Field Cond		290	umhos/cm	SM 2510A
9/25/2013 9:29	Field Cond		288	umhos/cm	SM 2510A
9/26/2013 9:30	Field Cond		293	umhos/cm	SM 2510A
9/30/2013 9:46	Field Cond		273	umhos/cm	SM 2510A
10/1/2013 9:19	Field Cond		278	umhos/cm	SM 2510A
10/2/2013 9:36	Field Cond		296	umhos/cm	SM 2510A
10/3/2013 9:51	Field Cond		279	umhos/cm	SM 2510A
10/7/2013 9:54	Field Cond		334	umhos/cm	SM 2510A
10/8/2013 9:30	Field Cond		329	umhos/cm	SM 2510A
10/9/2013 9:18	Field Cond		302	umhos/cm	SM 2510A
10/10/2013 9:27	Field Cond		347	umhos/cm	SM 2510A
10/14/2013 9:39	Field Cond		333	umhos/cm	SM 2510A
10/15/2013 9:45	Field Cond		323	umhos/cm	SM 2510A
10/16/2013 9:54	Field Cond		291	umhos/cm	SM 2510A
10/17/2013 9:50	Field Cond		337	umhos/cm	SM 2510A
10/21/2013 9:49	Field Cond		315	umhos/cm	SM 2510A
10/22/2013 9:40	Field Cond		314	umhos/cm	SM 2510A
10/23/2013 10:15	Field Cond		325	umhos/cm	SM 2510A
10/24/2013 11:00	Field Cond		320	umhos/cm	SM 2510A
10/28/2013 10:10	Field Cond		305	umhos/cm	SM 2510A
10/29/2013 10:15	Field Cond		303	umhos/cm	SM 2510A
10/30/2013 10:12	Field Cond		278	umhos/cm	SM 2510A
10/31/2013 10:15	Field Cond		315	umhos/cm	SM 2510A
5/1/2013 6:56	Field Temp		8.8	C	EPA 170.1
5/2/2013 7:00	Field Temp		9.1	C	EPA 170.1
5/6/2013 7:15	Field Temp		8.8	C	EPA 170.1
5/7/2013 7:16	Field Temp		9.9	C	EPA 170.1
5/8/2013 7:23	Field Temp		10.3	C	EPA 170.1
5/9/2013 6:57	Field Temp		10.1	C	EPA 170.1
5/13/2013 6:50	Field Temp		9.8	C	EPA 170.1
5/14/2013 7:25	Field Temp		11.2	C	EPA 170.1
5/15/2013 7:15	Field Temp		12	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/16/2013 7:23	Field Temp		13.2	C	EPA 170.1
5/20/2013 7:01	Field Temp		14	C	EPA 170.1
5/21/2013 7:15	Field Temp		15.3	C	EPA 170.1
5/22/2013 7:20	Field Temp		15.7	C	EPA 170.1
5/23/2013 7:20	Field Temp		15.7	C	EPA 170.1
5/24/2013 7:25	Field Temp		13.5	C	EPA 170.1
5/25/2013 6:42	Field Temp		12.9	C	EPA 170.1
5/26/2013 7:11	Field Temp		14.1	C	EPA 170.1
5/27/2013 7:07	Field Temp		15.9	C	EPA 170.1
5/28/2013 7:45	Field Temp		15.4	C	EPA 170.1
5/29/2013 7:31	Field Temp		16.4	C	EPA 170.1
5/30/2013 7:27	Field Temp		17.3	C	EPA 170.1
5/31/2013 7:35	Field Temp		17.8	C	EPA 170.1
6/1/2013 7:22	Field Temp		17.8	C	EPA 170.1
6/2/2013 7:19	Field Temp		17.8	C	EPA 170.1
6/3/2013 7:17	Field Temp		17.7	C	EPA 170.1
6/4/2013 7:23	Field Temp		16.8	C	EPA 170.1
6/5/2013 7:21	Field Temp		16.4	C	EPA 170.1
6/6/2013 7:30	Field Temp		16.7	C	EPA 170.1
6/7/2013 7:09	Field Temp		15	C	EPA 170.1
6/8/2013 7:10	Field Temp		14.5	C	EPA 170.1
6/9/2013 7:10	Field Temp		15.6	C	EPA 170.1
6/10/2013 7:25	Field Temp		15.5	C	EPA 170.1
6/11/2013 7:16	Field Temp		17.2	C	EPA 170.1
6/12/2013 7:30	Field Temp		17.8	C	EPA 170.1
6/13/2013 7:30	Field Temp		15.5	C	EPA 170.1
6/14/2013 7:33	Field Temp		17.1	C	EPA 170.1
6/15/2013 6:59	Field Temp		18	C	EPA 170.1
6/16/2013 7:15	Field Temp		19.5	C	EPA 170.1
6/17/2013 7:26	Field Temp		19.9	C	EPA 170.1
6/18/2013 7:26	Field Temp		19.3	C	EPA 170.1
6/19/2013 7:17	Field Temp		19	C	EPA 170.1
6/20/2013 7:22	Field Temp		18.4	C	EPA 170.1
6/21/2013 7:15	Field Temp		18.3	C	EPA 170.1
6/22/2013 7:17	Field Temp		19.2	C	EPA 170.1
6/23/2013 7:15	Field Temp		21.4	C	EPA 170.1
6/24/2013 7:27	Field Temp		22	C	EPA 170.1
6/25/2013 7:28	Field Temp		22.5	C	EPA 170.1
6/26/2013 7:35	Field Temp		22.5	C	EPA 170.1
6/27/2013 7:35	Field Temp		23.3	C	EPA 170.1
6/28/2013 7:44	Field Temp		22.6	C	EPA 170.1
6/29/2013 7:38	Field Temp		20.3	C	EPA 170.1
6/30/2013 7:25	Field Temp		23.2	C	EPA 170.1
7/1/2013 6:45	Field Temp		22	C	EPA 170.1
7/2/2013 7:13	Field Temp		15.3	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/3/2013 7:15	Field Temp		15.7	C	EPA 170.1
7/4/2013 6:45	Field Temp		19.1	C	EPA 170.1
7/5/2013 7:20	Field Temp		20.4	C	EPA 170.1
7/6/2013 6:48	Field Temp		21.2	C	EPA 170.1
7/7/2013 6:35	Field Temp		21.2	C	EPA 170.1
7/8/2013 7:15	Field Temp		21.8	C	EPA 170.1
7/9/2013 7:31	Field Temp		22.9	C	EPA 170.1
7/10/2013 7:43	Field Temp		23.2	C	EPA 170.1
7/11/2013 7:34	Field Temp		22.6	C	EPA 170.1
7/12/2013 7:06	Field Temp		22.4	C	EPA 170.1
7/13/2013 7:15	Field Temp		21.9	C	EPA 170.1
7/14/2013 7:18	Field Temp		22.1	C	EPA 170.1
7/15/2013 7:26	Field Temp		22.5	C	EPA 170.1
7/16/2013 7:16	Field Temp		24.1	C	EPA 170.1
7/17/2013 7:34	Field Temp		27.6	C	EPA 170.1
7/18/2013 7:26	Field Temp		27.6	C	EPA 170.1
7/19/2013 7:00	Field Temp		27.3	C	EPA 170.1
7/20/2013 7:08	Field Temp		26.5	C	EPA 170.1
7/21/2013 7:20	Field Temp		26.1	C	EPA 170.1
7/22/2013 7:17	Field Temp		26.1	C	EPA 170.1
7/23/2013 7:40	Field Temp		25.4	C	EPA 170.1
7/24/2013 7:24	Field Temp		23.9	C	EPA 170.1
7/25/2013 7:24	Field Temp		23.6	C	EPA 170.1
7/26/2013 7:08	Field Temp		23.5	C	EPA 170.1
7/27/2013 7:00	Field Temp		23.8	C	EPA 170.1
7/28/2013 6:33	Field Temp		22.8	C	EPA 170.1
7/29/2013 7:18	Field Temp		22.3	C	EPA 170.1
7/30/2013 7:22	Field Temp		22	C	EPA 170.1
7/31/2013 7:16	Field Temp		22.7	C	EPA 170.1
8/1/2013 7:26	Field Temp		22.4	C	EPA 170.1
8/2/2013 7:15	Field Temp		22.2	C	EPA 170.1
8/3/2013 7:09	Field Temp		22.5	C	EPA 170.1
8/4/2013 7:03	Field Temp		22.4	C	EPA 170.1
8/5/2013 7:18	Field Temp		22.2	C	EPA 170.1
8/6/2013 7:27	Field Temp		22.4	C	EPA 170.1
8/7/2013 7:24	Field Temp		22.3	C	EPA 170.1
8/8/2013 7:27	Field Temp		22.7	C	EPA 170.1
8/9/2013 6:58	Field Temp		22.4	C	EPA 170.1
8/10/2013 7:35	Field Temp		22.6	C	EPA 170.1
8/11/2013 7:25	Field Temp		22.1	C	EPA 170.1
8/12/2013 7:33	Field Temp		22.1	C	EPA 170.1
8/13/2013 7:17	Field Temp		21.9	C	EPA 170.1
8/14/2013 7:35	Field Temp		20.2	C	EPA 170.1
8/15/2013 7:07	Field Temp		20	C	EPA 170.1
8/16/2013 7:23	Field Temp		24.1	C	EPA 170.1



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/17/2013 7:27	Field Temp		21.3	C	EPA 170.1
8/18/2013 7:09	Field Temp		21.2	C	EPA 170.1
8/19/2013 7:15	Field Temp		21.6	C	EPA 170.1
8/20/2013 7:15	Field Temp		22	C	EPA 170.1
8/21/2013 7:24	Field Temp		22.4	C	EPA 170.1
8/22/2013 7:20	Field Temp		22.7	C	EPA 170.1
8/23/2013 7:09	Field Temp		23.3	C	EPA 170.1
8/24/2013 7:25	Field Temp		21.9	C	EPA 170.1
8/25/2013 7:30	Field Temp		21.6	C	EPA 170.1
8/26/2013 7:14	Field Temp		22.3	C	EPA 170.1
8/27/2013 7:26	Field Temp		23.2	C	EPA 170.1
8/28/2013 7:37	Field Temp		23.3	C	EPA 170.1
8/29/2013 7:36	Field Temp		23.3	C	EPA 170.1
8/30/2013 7:21	Field Temp		23	C	EPA 170.1
8/31/2013 7:19	Field Temp		24.2	C	EPA 170.1
9/1/2013 7:04	Field Temp		24.3	C	EPA 170.1
9/2/2013 7:23	Field Temp		24.1	C	EPA 170.1
9/3/2013 9:03	Field Temp		22.7	C	EPA 170.1
9/4/2013 9:40	Field Temp		22.5	C	EPA 170.1
9/5/2013 9:31	Field Temp		22.2	C	EPA 170.1
9/6/2013 9:23	Field Temp		22.1	C	EPA 170.1
9/9/2013 9:27	Field Temp		22.2	C	EPA 170.1
9/10/2013 9:32	Field Temp		22.8	C	EPA 170.1
9/11/2013 9:29	Field Temp		23.8	C	EPA 170.1
9/12/2013 9:30	Field Temp		23.6	C	EPA 170.1
9/16/2013 9:24	Field Temp		20.2	C	EPA 170.1
9/17/2013 9:30	Field Temp		19.6	C	EPA 170.1
9/18/2013 9:31	Field Temp		20	C	EPA 170.1
9/19/2013 9:27	Field Temp		20	C	EPA 170.1
9/23/2013 9:41	Field Temp		18.9	C	EPA 170.1
9/24/2013 9:35	Field Temp		18.7	C	EPA 170.1
9/25/2013 9:29	Field Temp		18.9	C	EPA 170.1
9/26/2013 9:30	Field Temp		18.5	C	EPA 170.1
9/30/2013 9:46	Field Temp		19.1	C	EPA 170.1
10/1/2013 9:19	Field Temp		18.8	C	EPA 170.1
10/2/2013 9:36	Field Temp		19.6	C	EPA 170.1
10/3/2013 9:51	Field Temp		19.6	C	EPA 170.1
10/7/2013 9:54	Field Temp		18.9	C	EPA 170.1
10/8/2013 9:30	Field Temp		18.1	C	EPA 170.1
10/9/2013 9:18	Field Temp		18.2	C	EPA 170.1
10/10/2013 9:27	Field Temp		17.9	C	EPA 170.1
10/14/2013 9:39	Field Temp		17.4	C	EPA 170.1
10/15/2013 9:45	Field Temp		17.6	C	EPA 170.1
10/16/2013 9:54	Field Temp		17.7	C	EPA 170.1
10/17/2013 9:50	Field Temp		16.9	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
10/21/2013 9:49	Field Temp		14.9	C	EPA 170.1
10/22/2013 9:40	Field Temp		13.5	C	EPA 170.1
10/23/2013 10:15	Field Temp		14	C	EPA 170.1
10/24/2013 11:00	Field Temp		12.6	C	EPA 170.1
10/28/2013 10:10	Field Temp		11.3	C	EPA 170.1
10/29/2013 10:15	Field Temp		11.4	C	EPA 170.1
10/30/2013 10:12	Field Temp		11.7	C	EPA 170.1
10/31/2013 10:15	Field Temp		12.6	C	EPA 170.1
5/1/2013 6:56	pH		8.59	S.U.	
5/2/2013 7:00	pH		8.08	S.U.	
5/6/2013 7:15	pH		8.32	S.U.	
5/7/2013 7:16	pH		8.39	S.U.	
5/8/2013 7:23	pH		8.34	S.U.	
5/9/2013 6:57	pH		8.37	S.U.	
5/13/2013 6:50	pH		8.23	S.U.	
5/14/2013 7:25	pH		8.33	S.U.	
5/15/2013 7:15	pH		8.84	S.U.	
5/16/2013 7:23	pH		8.24	S.U.	
5/20/2013 7:01	pH		8.46	S.U.	
5/21/2013 7:15	pH		8.45	S.U.	
5/22/2013 7:20	pH		8.3	S.U.	
5/23/2013 7:20	pH		8.4	S.U.	
5/24/2013 7:25	pH		8.3	S.U.	
5/25/2013 6:42	pH		8.09	S.U.	
5/26/2013 7:11	pH		7.99	S.U.	
5/27/2013 7:07	pH		8.13	S.U.	
5/28/2013 7:45	pH		8.2	S.U.	
5/29/2013 7:31	pH		7.97	S.U.	
5/30/2013 7:27	pH		7.98	S.U.	
5/31/2013 7:35	pH		8.08	S.U.	
6/1/2013 7:22	pH		8	S.U.	
6/2/2013 7:19	pH		8.07	S.U.	
6/3/2013 7:17	pH		8.04	S.U.	
6/4/2013 7:23	pH		8.09	S.U.	
6/5/2013 7:21	pH		8.08	S.U.	
6/6/2013 7:30	pH		7.85	S.U.	
6/7/2013 7:09	pH		7.89	S.U.	
6/8/2013 7:10	pH		7.86	S.U.	
6/9/2013 7:10	pH		8.08	S.U.	
6/10/2013 7:25	pH		7.76	S.U.	
6/11/2013 7:16	pH		8.15	S.U.	
6/12/2013 7:30	pH		8.05	S.U.	
6/13/2013 7:30	pH		8.02	S.U.	
6/14/2013 7:33	pH		7.98	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/15/2013 6:59	pH		7.72	S.U.	
6/16/2013 7:15	pH		8.27	S.U.	
6/17/2013 7:26	pH		8.04	S.U.	
6/18/2013 7:26	pH		8.07	S.U.	
6/19/2013 7:17	pH		7.9	S.U.	
6/20/2013 7:22	pH		8	S.U.	
6/21/2013 7:15	pH		7.6	S.U.	
6/22/2013 7:17	pH		7.67	S.U.	
6/23/2013 7:15	pH		8.24	S.U.	
6/24/2013 7:27	pH		8.07	S.U.	
6/25/2013 7:28	pH		8.06	S.U.	
6/26/2013 7:35	pH		7.78	S.U.	
6/27/2013 7:35	pH		8.18	S.U.	
6/28/2013 7:44	pH		7.7	S.U.	
6/29/2013 7:38	pH		7.85	S.U.	
6/30/2013 7:25	pH		7.87	S.U.	
7/1/2013 6:45	pH		7.76	S.U.	
7/2/2013 7:13	pH		7.28	S.U.	
7/3/2013 7:15	pH		7.32	S.U.	
7/4/2013 6:45	pH		6.74	S.U.	
7/5/2013 7:20	pH		7.66	S.U.	
7/6/2013 6:48	pH		6.94	S.U.	
7/7/2013 6:35	pH		7.49	S.U.	
7/8/2013 7:15	pH		7.57	S.U.	
7/9/2013 7:31	pH		7.63	S.U.	
7/10/2013 7:43	pH		7.02	S.U.	
7/11/2013 7:34	pH		7.46	S.U.	
7/12/2013 7:06	pH		7.54	S.U.	
7/13/2013 7:15	pH		7.65	S.U.	
7/14/2013 7:18	pH		7.71	S.U.	
7/15/2013 7:26	pH		7.56	S.U.	
7/16/2013 7:16	pH		8.15	S.U.	
7/17/2013 7:34	pH		8	S.U.	
7/18/2013 7:26	pH		8.2	S.U.	
7/19/2013 7:00	pH		309	S.U.	
7/20/2013 7:08	pH		7.57	S.U.	
7/21/2013 7:20	pH		7.97	S.U.	
7/22/2013 7:17	pH		7.51	S.U.	
7/23/2013 7:40	pH		7.81	S.U.	
7/24/2013 7:24	pH		7.36	S.U.	
7/25/2013 7:24	pH		7.55	S.U.	
7/26/2013 7:08	pH		7.71	S.U.	
7/27/2013 7:00	pH		7.34	S.U.	
7/28/2013 6:33	pH		7.49	S.U.	
7/29/2013 7:18	pH		7.7	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 7:22	pH		7.63	S.U.	
7/31/2013 7:16	pH		7.83	S.U.	
8/1/2013 7:26	pH		7.61	S.U.	
8/2/2013 7:15	pH		7.45	S.U.	
8/3/2013 7:09	pH		7.89	S.U.	
8/4/2013 7:03	pH		7.77	S.U.	
8/5/2013 7:18	pH		7.7	S.U.	
8/6/2013 7:27	pH		7.15	S.U.	
8/7/2013 7:24	pH		7.4	S.U.	
8/8/2013 7:27	pH		7.5	S.U.	
8/9/2013 6:58	pH		7.15	S.U.	
8/10/2013 7:35	pH		7.58	S.U.	
8/11/2013 7:25	pH		7.28	S.U.	
8/12/2013 7:33	pH		7.3	S.U.	
8/13/2013 7:17	pH		7.55	S.U.	
8/14/2013 7:35	pH		7.13	S.U.	
8/15/2013 7:07	pH		7.5	S.U.	
8/16/2013 7:23	pH		7.76	S.U.	
8/17/2013 7:27	pH		7.44	S.U.	
8/18/2013 7:09	pH		6.42	S.U.	
8/19/2013 7:15	pH		7.04	S.U.	
8/20/2013 7:15	pH		7.46	S.U.	
8/21/2013 7:24	pH		7.45	S.U.	
8/22/2013 7:20	pH		7.34	S.U.	
8/23/2013 7:09	pH		7.41	S.U.	
8/24/2013 7:25	pH		7.16	S.U.	
8/25/2013 7:30	pH		7.22	S.U.	
8/26/2013 7:14	pH		6.9	S.U.	
8/27/2013 7:26	pH		7.31	S.U.	
8/28/2013 7:37	pH		7.43	S.U.	
8/29/2013 7:36	pH		7.18	S.U.	
8/30/2013 7:21	pH		7.29	S.U.	
8/31/2013 7:19	pH		7.75	S.U.	
9/1/2013 7:04	pH		7.33	S.U.	
9/2/2013 7:23	pH		7.24	S.U.	
9/3/2013 9:03	pH		7.15	S.U.	
9/4/2013 9:40	pH		7.03	S.U.	
9/5/2013 9:31	pH		7.71	S.U.	
9/6/2013 9:23	pH		7.21	S.U.	
9/9/2013 9:27	pH		7.84	S.U.	
9/10/2013 9:32	pH		7.66	S.U.	
9/11/2013 9:29	pH		8.19	S.U.	
9/12/2013 9:30	pH		7.88	S.U.	
9/16/2013 9:24	pH		7.21	S.U.	
9/17/2013 9:30	pH		7.58	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/18/2013 9:31	pH		7.89	S.U.	
9/19/2013 9:27	pH		7.7	S.U.	
9/23/2013 9:41	pH		7.46	S.U.	
9/24/2013 9:35	pH		7.55	S.U.	
9/25/2013 9:29	pH		7.75	S.U.	
9/26/2013 9:30	pH		7.84	S.U.	
9/30/2013 9:46	pH		7.64	S.U.	
10/1/2013 9:19	pH		7.66	S.U.	
10/2/2013 9:36	pH		7.63	S.U.	
10/3/2013 9:51	pH		7.98	S.U.	
10/7/2013 9:54	pH		7.34	S.U.	
10/8/2013 9:30	pH		7.06	S.U.	
10/9/2013 9:18	pH		7.45	S.U.	
10/10/2013 9:27	pH		7.35	S.U.	
10/14/2013 9:39	pH		7.44	S.U.	
10/15/2013 9:45	pH		7.67	S.U.	
10/16/2013 9:54	pH		7.45	S.U.	
10/17/2013 9:50	pH		7.5	S.U.	
10/21/2013 9:49	pH		7.35	S.U.	
10/22/2013 9:40	pH		7.2	S.U.	
10/23/2013 10:15	pH		7.3	S.U.	
10/24/2013 11:00	pH		7.21	S.U.	
10/28/2013 10:10	pH		7.34	S.U.	
10/29/2013 10:15	pH		7.53	S.U.	
10/30/2013 10:12	pH		7.41	S.U.	
10/31/2013 10:15	pH		7.26	S.U.	
5/1/2013 6:56	Turbidity		9.39	NTU	EPA180.1
5/2/2013 7:00	Turbidity		11.8	NTU	EPA180.1
5/6/2013 7:15	Turbidity		8.08	NTU	EPA180.1
5/7/2013 7:16	Turbidity		6.325	NTU	EPA180.1
5/8/2013 7:23	Turbidity		10	NTU	EPA180.1
5/9/2013 6:57	Turbidity		4.6	NTU	EPA180.1
5/13/2013 6:50	Turbidity		127.3	NTU	EPA180.1
5/14/2013 7:25	Turbidity		11.3	NTU	EPA180.1
5/15/2013 7:15	Turbidity		7.98	NTU	EPA180.1
5/16/2013 7:23	Turbidity		8.845	NTU	EPA180.1
5/20/2013 7:01	Turbidity		6.72	NTU	EPA180.1
5/21/2013 7:15	Turbidity		6.97	NTU	EPA180.1
5/22/2013 7:20	Turbidity		5.53	NTU	EPA180.1
5/23/2013 7:20	Turbidity		6.24	NTU	EPA180.1
5/24/2013 7:25	Turbidity		74.2	NTU	EPA180.1
5/25/2013 6:42	Turbidity		24.8	NTU	EPA180.1
5/26/2013 7:11	Turbidity		18.4	NTU	EPA180.1
5/27/2013 7:07	Turbidity		6.4	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/28/2013 7:45	Turbidity		6.89	NTU	EPA180.1
5/29/2013 7:31	Turbidity		14.1	NTU	EPA180.1
5/30/2013 7:27	Turbidity		5.42	NTU	EPA180.1
5/31/2013 7:35	Turbidity		4.78	NTU	EPA180.1
6/1/2013 7:22	Turbidity		7.45	NTU	EPA180.1
6/2/2013 7:19	Turbidity		6.46	NTU	EPA180.1
6/3/2013 7:17	Turbidity		24.7	NTU	EPA180.1
6/4/2013 7:23	Turbidity		5.49	NTU	EPA180.1
6/5/2013 7:21	Turbidity		3.52	NTU	EPA180.1
6/6/2013 7:30	Turbidity		21.85	NTU	EPA180.1
6/7/2013 7:09	Turbidity		15.3	NTU	EPA180.1
6/8/2013 7:10	Turbidity		9.67	NTU	EPA180.1
6/9/2013 7:10	Turbidity		6.725	NTU	EPA180.1
6/10/2013 7:25	Turbidity		5.875	NTU	EPA180.1
6/11/2013 7:16	Turbidity		6.435	NTU	EPA180.1
6/12/2013 7:30	Turbidity		3.23	NTU	EPA180.1
6/13/2013 7:30	Turbidity		51.3	NTU	EPA180.1
6/14/2013 7:33	Turbidity		33.3	NTU	EPA180.1
6/15/2013 6:59	Turbidity		5.04	NTU	EPA180.1
6/16/2013 7:15	Turbidity		5.5	NTU	EPA180.1
6/17/2013 7:26	Turbidity		3.88	NTU	EPA180.1
6/18/2013 7:26	Turbidity		5.2	NTU	EPA180.1
6/19/2013 7:17	Turbidity		5.22	NTU	EPA180.1
6/20/2013 7:22	Turbidity		4.1	NTU	EPA180.1
6/21/2013 7:15	Turbidity		2.75	NTU	EPA180.1
6/22/2013 7:17	Turbidity		2.84	NTU	EPA180.1
6/23/2013 7:15	Turbidity		3.21	NTU	EPA180.1
6/24/2013 7:27	Turbidity		8.12	NTU	EPA180.1
6/25/2013 7:28	Turbidity		7.77	NTU	EPA180.1
6/26/2013 7:35	Turbidity		7.16	NTU	EPA180.1
6/27/2013 7:35	Turbidity		2.52	NTU	EPA180.1
6/28/2013 7:44	Turbidity		2.87	NTU	EPA180.1
6/29/2013 7:38	Turbidity		11.2	NTU	EPA180.1
6/30/2013 7:25	Turbidity		13.2	NTU	EPA180.1
7/1/2013 6:45	Turbidity		9.71	NTU	EPA180.1
7/2/2013 7:13	Turbidity		48.4	NTU	EPA180.1
7/3/2013 7:15	Turbidity		8.86	NTU	EPA180.1
7/4/2013 6:45	Turbidity		3.84	NTU	EPA180.1
7/5/2013 7:20	Turbidity		4.17	NTU	EPA180.1
7/6/2013 6:48	Turbidity		2.63	NTU	EPA180.1
7/7/2013 6:35	Turbidity		7.87	NTU	EPA180.1
7/8/2013 7:15	Turbidity		12.2	NTU	EPA180.1
7/9/2013 7:31	Turbidity		4.03	NTU	EPA180.1
7/10/2013 7:43	Turbidity		12.5	NTU	EPA180.1
7/11/2013 7:34	Turbidity		11.75	NTU	EPA180.1



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/12/2013 7:06	Turbidity		14.9	NTU	EPA180.1
7/13/2013 7:15	Turbidity		3.3	NTU	EPA180.1
7/14/2013 7:18	Turbidity		3.16	NTU	EPA180.1
7/15/2013 7:26	Turbidity		1.99	NTU	EPA180.1
7/16/2013 7:16	Turbidity		3.14	NTU	EPA180.1
7/17/2013 7:34	Turbidity		4.38	NTU	EPA180.1
7/18/2013 7:26	Turbidity		4.47	NTU	EPA180.1
7/19/2013 7:00	Turbidity		6.01	NTU	EPA180.1
7/20/2013 7:08	Turbidity		40.6	NTU	EPA180.1
7/21/2013 7:20	Turbidity		8.86	NTU	EPA180.1
7/22/2013 7:17	Turbidity		3.34	NTU	EPA180.1
7/23/2013 7:40	Turbidity		5.36	NTU	EPA180.1
7/24/2013 7:24	Turbidity		49.8	NTU	EPA180.1
7/25/2013 7:24	Turbidity		8.74	NTU	EPA180.1
7/26/2013 7:08	Turbidity		6.75	NTU	EPA180.1
7/27/2013 7:00	Turbidity		4.13	NTU	EPA180.1
7/28/2013 6:33	Turbidity		22.8	NTU	EPA180.1
7/29/2013 7:18	Turbidity		16.9	NTU	EPA180.1
7/30/2013 7:22	Turbidity		5.625	NTU	EPA180.1
7/31/2013 7:16	Turbidity		3.24	NTU	EPA180.1
8/1/2013 7:26	Turbidity		13	NTU	EPA180.1
8/2/2013 7:15	Turbidity		9.51	NTU	EPA180.1
8/3/2013 7:09	Turbidity		19.8	NTU	EPA180.1
8/4/2013 7:03	Turbidity		18.95	NTU	EPA180.1
8/5/2013 7:18	Turbidity		4.73	NTU	EPA180.1
8/6/2013 7:27	Turbidity		2.57	NTU	EPA180.1
8/7/2013 7:24	Turbidity		1.6	NTU	EPA180.1
8/8/2013 7:27	Turbidity		1.775	NTU	EPA180.1
8/9/2013 6:58	Turbidity		6.44	NTU	EPA180.1
8/10/2013 7:35	Turbidity		4.74	NTU	EPA180.1
8/11/2013 7:25	Turbidity		1.38	NTU	EPA180.1
8/12/2013 7:33	Turbidity		1.95	NTU	EPA180.1
8/13/2013 7:17	Turbidity		11.55	NTU	EPA180.1
8/14/2013 7:35	Turbidity		36.2	NTU	EPA180.1
8/15/2013 7:07	Turbidity		4.83	NTU	EPA180.1
8/16/2013 7:23	Turbidity		1.9	NTU	EPA180.1
8/17/2013 7:27	Turbidity		1.73	NTU	EPA180.1
8/18/2013 7:09	Turbidity		1.6	NTU	EPA180.1
8/19/2013 7:15	Turbidity		2.16	NTU	EPA180.1
8/20/2013 7:15	Turbidity		0.83	NTU	EPA180.1
8/21/2013 7:24	Turbidity		1.175	NTU	EPA180.1
8/22/2013 7:20	Turbidity		3.9	NTU	EPA180.1
8/23/2013 7:09	Turbidity		8.07	NTU	EPA180.1
8/24/2013 7:25	Turbidity		1.33	NTU	EPA180.1
8/25/2013 7:30	Turbidity		1.64	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/26/2013 7:14	Turbidity		8.98	NTU	EPA180.1
8/27/2013 7:26	Turbidity		9.41	NTU	EPA180.1
8/28/2013 7:37	Turbidity		7	NTU	EPA180.1
8/29/2013 7:36	Turbidity		4.31	NTU	EPA180.1
8/30/2013 7:21	Turbidity		1.21	NTU	EPA180.1
8/31/2013 7:19	Turbidity		4.69	NTU	EPA180.1
9/1/2013 7:04	Turbidity		2.9	NTU	EPA180.1
9/2/2013 7:23	Turbidity		2.22	NTU	EPA180.1
9/3/2013 9:03	Turbidity		24	NTU	EPA180.1
9/4/2013 9:40	Turbidity		9.69	NTU	EPA180.1
9/5/2013 9:31	Turbidity		9.36	NTU	EPA180.1
9/6/2013 9:23	Turbidity		1.99	NTU	EPA180.1
9/9/2013 9:27	Turbidity		3.41	NTU	EPA180.1
9/10/2013 9:32	Turbidity		4.03	NTU	EPA180.1
9/11/2013 9:29	Turbidity		2.62	NTU	EPA180.1
9/12/2013 9:30	Turbidity		3.85	NTU	EPA180.1
9/16/2013 9:24	Turbidity		16.2	NTU	EPA180.1
9/17/2013 9:30	Turbidity		4.42	NTU	EPA180.1
9/18/2013 9:31	Turbidity		2.75	NTU	EPA180.1
9/19/2013 9:27	Turbidity		2.26	NTU	EPA180.1
9/23/2013 9:41	Turbidity		5.89	NTU	EPA180.1
9/24/2013 9:35	Turbidity		5.62	NTU	EPA180.1
9/25/2013 9:29	Turbidity		2.53	NTU	EPA180.1
9/26/2013 9:30	Turbidity		2.15	NTU	EPA180.1
9/30/2013 9:46	Turbidity		3.11	NTU	EPA180.1
10/1/2013 9:19	Turbidity		5.11	NTU	EPA180.1
10/2/2013 9:36	Turbidity		12.4	NTU	EPA180.1
10/3/2013 9:51	Turbidity		1.83	NTU	EPA180.1
10/7/2013 9:54	Turbidity		31.8	NTU	EPA180.1
10/8/2013 9:30	Turbidity		13.85	NTU	EPA180.1
10/9/2013 9:18	Turbidity		4.1	NTU	EPA180.1
10/10/2013 9:27	Turbidity		4.13	NTU	EPA180.1
10/14/2013 9:39	Turbidity		10.95	NTU	EPA180.1
10/15/2013 9:45	Turbidity		5.8	NTU	EPA180.1
10/16/2013 9:54	Turbidity		4.24	NTU	EPA180.1
10/17/2013 9:50	Turbidity		18.5	NTU	EPA180.1
10/21/2013 9:49	Turbidity		13.7	NTU	EPA180.1
10/22/2013 9:40	Turbidity		57.8	NTU	EPA180.1
10/23/2013 10:15	Turbidity		24	NTU	EPA180.1
10/24/2013 11:00	Turbidity		59.2	NTU	EPA180.1
10/28/2013 10:10	Turbidity		11.25	NTU	EPA180.1
10/29/2013 10:15	Turbidity		3.53	NTU	EPA180.1
10/30/2013 10:12	Turbidity		2.28	NTU	EPA180.1
10/31/2013 10:15	Turbidity		3.31	NTU	EPA180.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/9/2013 9:15	E. coli		2	cfu/100mL	EPA1603
9/10/2013 9:20	E. coli		170	cfu/100mL	EPA1603
9/11/2013 9:19	E. coli		35	cfu/100mL	EPA1603
9/12/2013 9:18	E. coli		210	cfu/100mL	EPA1603
9/16/2013 9:12	E. coli		22	cfu/100mL	EPA1603
9/17/2013 9:20	E. coli		12	cfu/100mL	EPA1603
9/18/2013 9:16	E. coli		8	cfu/100mL	EPA1603
9/19/2013 9:15	E. coli		10	cfu/100mL	EPA1603
9/23/2013 9:33	E. coli		150	cfu/100mL	EPA1603
9/24/2013 9:24	E. coli		7	cfu/100mL	EPA1603
9/25/2013 9:13	E. coli		5	cfu/100mL	EPA1603
9/26/2013 9:59	E. coli		36	cfu/100mL	EPA1603
9/30/2013 9:30	E. coli		91.5	cfu/100mL	EPA1603
10/1/2013 9:14	E. coli		23	cfu/100mL	EPA1603
10/2/2013 9:24	E. coli		408	cfu/100mL	EPA1603
10/3/2013 9:47	E. coli		8	cfu/100mL	EPA1603
10/7/2013 9:48	E. coli	EC	18050	cfu/100mL	EPA1603
10/8/2013 9:17	E. coli	EC	921	cfu/100mL	EPA1603
10/9/2013 9:09	E. coli		64	cfu/100mL	EPA1603
10/10/2013 9:15	E. coli		100	cfu/100mL	EPA1603
10/14/2013 9:31	E. coli		60	cfu/100mL	EPA1603
10/15/2013 9:37	E. coli		8	cfu/100mL	EPA1603
10/16/2013 9:44	E. coli		58.5	cfu/100mL	EPA1603
10/17/2013 9:40	E. coli		7200	cfu/100mL	EPA1603
10/21/2013 9:39	E. coli	EC	85	cfu/100mL	EPA1603
10/22/2013 9:30	E. coli		480	cfu/100mL	EPA1603
10/23/2013 10:05	E. coli	EC	60	cfu/100mL	EPA1603
10/24/2013 10:50	E. coli		5300	cfu/100mL	EPA1603
10/28/2013 10:00	E. coli		132	cfu/100mL	EPA1603
10/29/2013 10:05	E. coli		90	cfu/100mL	EPA1603
10/30/2013 10:04	E. coli		5	cfu/100mL	EPA1603
10/31/2013 10:05	E. coli		58	cfu/100mL	EPA1603
5/1/2013 6:48	E. coli		8	MPN/100 mL	SM9223 Colilert
5/2/2013 6:50	E. coli		6	MPN/100 mL	SM9223 Colilert
5/6/2013 7:00	E. coli		248	MPN/100 mL	SM9223 Colilert
5/7/2013 7:05	E. coli		17	MPN/100 mL	SM9223 Colilert
5/8/2013 7:10	E. coli		6	MPN/100 mL	SM9223 Colilert
5/9/2013 6:50	E. coli		1	MPN/100 mL	SM9223 Colilert
5/13/2013 6:41	E. coli		561	MPN/100 mL	SM9223 Colilert
5/14/2013 7:14	E. coli		20	MPN/100 mL	SM9223 Colilert
5/16/2013 7:14	E. coli		6	MPN/100 mL	SM9223 Colilert
5/20/2013 6:51	E. coli		2	MPN/100 mL	SM9223 Colilert
5/21/2013 7:05	E. coli		75	MPN/100 mL	SM9223 Colilert
5/22/2013 7:08	E. coli		33	MPN/100 mL	SM9223 Colilert

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/23/2013 7:05	E. coli		48	MPN/100 mL	SM9223 Colilert
5/24/2013 7:06	E. coli		1298	MPN/100 mL	SM9223 Colilert
5/25/2013 6:59	E. coli		98	MPN/100 mL	SM9223 Colilert
5/26/2013 7:03	E. coli		17	MPN/100 mL	SM9223 Colilert
5/27/2013 6:55	E. coli		8	MPN/100 mL	SM9223 Colilert
5/28/2013 7:29	E. coli		37	MPN/100 mL	SM9223 Colilert
5/29/2013 6:56	E. coli		1468.5	MPN/100 mL	SM9223 Colilert
5/30/2013 7:00	E. coli		921	MPN/100 mL	SM9223 Colilert
5/31/2013 7:21	E. coli		436	MPN/100 mL	SM9223 Colilert
6/1/2013 7:09	E. coli		870	MPN/100 mL	SM9223 Colilert
6/2/2013 7:06	E. coli		576	MPN/100 mL	SM9223 Colilert
6/3/2013 6:54	E. coli		1078	MPN/100 mL	SM9223 Colilert
6/4/2013 7:01	E. coli		226	MPN/100 mL	SM9223 Colilert
6/5/2013 7:04	E. coli		52	MPN/100 mL	SM9223 Colilert
6/6/2013 7:05	E. coli	>	4839	MPN/100 mL	SM9223 Colilert
6/7/2013 6:59	E. coli		953	MPN/100 mL	SM9223 Colilert
6/8/2013 6:55	E. coli		186	MPN/100 mL	SM9223 Colilert
6/9/2013 6:55	E. coli		25	MPN/100 mL	SM9223 Colilert
6/10/2013 6:52	E. coli		197	MPN/100 mL	SM9223 Colilert
6/11/2013 6:55	E. coli		2069	MPN/100 mL	SM9223 Colilert
6/12/2013 7:07	E. coli		146	MPN/100 mL	SM9223 Colilert
6/13/2013 7:06	E. coli	>	9678	MPN/100 mL	SM9223 Colilert
6/14/2013 7:17	E. coli		2205	MPN/100 mL	SM9223 Colilert
6/15/2013 6:50	E. coli		185	MPN/100 mL	SM9223 Colilert
6/16/2013 7:05	E. coli		1010	MPN/100 mL	SM9223 Colilert
6/17/2013 6:54	E. coli		109	MPN/100 mL	SM9223 Colilert
6/18/2013 7:30	E. coli		1373	MPN/100 mL	SM9223 Colilert
6/19/2013 6:57	E. coli		374	MPN/100 mL	SM9223 Colilert
6/20/2013 7:04	E. coli		97	MPN/100 mL	SM9223 Colilert
6/21/2013 7:01	E. coli		76	MPN/100 mL	SM9223 Colilert
6/22/2013 7:03	E. coli		81	MPN/100 mL	SM9223 Colilert
6/23/2013 7:07	E. coli		489	MPN/100 mL	SM9223 Colilert
6/24/2013 7:05	E. coli		4406	MPN/100 mL	SM9223 Colilert
6/25/2013 7:05	E. coli		3973	MPN/100 mL	SM9223 Colilert
6/26/2013 7:08	E. coli		260	MPN/100 mL	SM9223 Colilert
6/27/2013 7:08	E. coli		631	MPN/100 mL	SM9223 Colilert
6/28/2013 7:29	E. coli		928	MPN/100 mL	SM9223 Colilert
6/29/2013 7:19	E. coli		1010	MPN/100 mL	SM9223 Colilert
6/30/2013 7:10	E. coli		876	MPN/100 mL	SM9223 Colilert
7/1/2013 7:14	E. coli		407	MPN/100 mL	SM9223 Colilert
7/2/2013 6:57	E. coli		550	MPN/100 mL	SM9223 Colilert
7/3/2013 6:56	E. coli		34	MPN/100 mL	SM9223 Colilert
7/4/2013 6:53	E. coli		3466	MPN/100 mL	SM9223 Colilert
7/5/2013 7:08	E. coli		34	MPN/100 mL	SM9223 Colilert
7/6/2013 7:00	E. coli		362	MPN/100 mL	SM9223 Colilert

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/7/2013 6:45	E. coli	>	9678	MPN/100 mL	SM9223 Colilert
7/8/2013 6:50	E. coli		880	MPN/100 mL	SM9223 Colilert
7/9/2013 7:02	E. coli		1694	MPN/100 mL	SM9223 Colilert
7/10/2013 7:23	E. coli		1764	MPN/100 mL	SM9223 Colilert
7/11/2013 7:12	E. coli		1382	MPN/100 mL	SM9223 Colilert
7/12/2013 6:56	E. coli		441	MPN/100 mL	SM9223 Colilert
7/13/2013 7:06	E. coli		58	MPN/100 mL	SM9223 Colilert
7/14/2013 7:05	E. coli		104	MPN/100 mL	SM9223 Colilert
7/15/2013 7:01	E. coli		34	MPN/100 mL	SM9223 Colilert
7/16/2013 6:55	E. coli		242	MPN/100 mL	SM9223 Colilert
7/17/2013 7:07	E. coli		19292	MPN/100 mL	SM9223 Colilert
7/18/2013 7:02	E. coli		264	MPN/100 mL	SM9223 Colilert
7/19/2013 6:50	E. coli		4152	MPN/100 mL	SM9223 Colilert
7/20/2013 6:50	E. coli		12033	MPN/100 mL	SM9223 Colilert
7/21/2013 7:00	E. coli		276	MPN/100 mL	SM9223 Colilert
7/22/2013 6:57	E. coli		208	MPN/100 mL	SM9223 Colilert
7/23/2013 6:52	E. coli		443	MPN/100 mL	SM9223 Colilert
7/24/2013 6:59	E. coli		895	MPN/100 mL	SM9223 Colilert
7/25/2013 7:00	E. coli		232	MPN/100 mL	SM9223 Colilert
7/26/2013 6:57	E. coli		19	MPN/100 mL	SM9223 Colilert
7/27/2013 6:45	E. coli		323	MPN/100 mL	SM9223 Colilert
7/28/2013 6:54	E. coli		496	MPN/100 mL	SM9223 Colilert
7/29/2013 7:02	E. coli		488	MPN/100 mL	SM9223 Colilert
7/30/2013 7:02	E. coli		8	MPN/100 mL	SM9223 Colilert
7/31/2013 6:55	E. coli		18	MPN/100 mL	SM9223 Colilert
8/1/2013 7:03	E. coli		1954	MPN/100 mL	SM9223 Colilert
8/2/2013 7:00	E. coli		119	MPN/100 mL	SM9223 Colilert
8/3/2013 6:56	E. coli		163	MPN/100 mL	SM9223 Colilert
8/4/2013 6:53	E. coli		690	MPN/100 mL	SM9223 Colilert
8/5/2013 7:42	E. coli		92	MPN/100 mL	SM9223 Colilert
8/6/2013 7:06	E. coli		78	MPN/100 mL	SM9223 Colilert
8/7/2013 7:01	E. coli		26	MPN/100 mL	SM9223 Colilert
8/8/2013 7:01	E. coli		306	MPN/100 mL	SM9223 Colilert
8/9/2013 7:20	E. coli		331	MPN/100 mL	SM9223 Colilert
8/10/2013 7:20	E. coli		340	MPN/100 mL	SM9223 Colilert
8/11/2013 7:13	E. coli		144	MPN/100 mL	SM9223 Colilert
8/12/2013 7:10	E. coli		68	MPN/100 mL	SM9223 Colilert
8/13/2013 6:55	E. coli		2723	MPN/100 mL	SM9223 Colilert
8/14/2013 7:02	E. coli		430	MPN/100 mL	SM9223 Colilert
8/15/2013 6:49	E. coli		20	MPN/100 mL	SM9223 Colilert
8/16/2013 7:10	E. coli		6	MPN/100 mL	SM9223 Colilert
8/17/2013 7:15	E. coli		3	MPN/100 mL	SM9223 Colilert
8/18/2013 7:00	E. coli		6	MPN/100 mL	SM9223 Colilert
8/19/2013 7:00	E. coli		18	MPN/100 mL	SM9223 Colilert
8/20/2013 6:55	E. coli		31	MPN/100 mL	SM9223 Colilert

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/21/2013 7:06	E. coli		2	MPN/100 mL	SM9223 Colilert
8/22/2013 7:04	E. coli		236	MPN/100 mL	SM9223 Colilert
8/23/2013 7:00	E. coli		68	MPN/100 mL	SM9223 Colilert
8/24/2013 7:12	E. coli		7	MPN/100 mL	SM9223 Colilert
8/25/2013 7:18	E. coli		19	MPN/100 mL	SM9223 Colilert
8/26/2013 7:01	E. coli		124	MPN/100 mL	SM9223 Colilert
8/27/2013 7:04	E. coli		38	MPN/100 mL	SM9223 Colilert
8/28/2013 7:10	E. coli		1307	MPN/100 mL	SM9223 Colilert
8/29/2013 7:14	E. coli		364	MPN/100 mL	SM9223 Colilert
8/30/2013 7:06	E. coli		57	MPN/100 mL	SM9223 Colilert
8/31/2013 7:05	E. coli		162	MPN/100 mL	SM9223 Colilert
9/1/2013 7:17	E. coli		46	MPN/100 mL	SM9223 Colilert
9/2/2013 7:09	E. coli		1106	MPN/100 mL	SM9223 Colilert
9/3/2013 9:18	E. coli		202	MPN/100 mL	SM9223 Colilert
9/4/2013 9:25	E. coli		64	MPN/100 mL	SM9223 Colilert
9/5/2013 9:20	E. coli		30	MPN/100 mL	SM9223 Colilert
9/6/2013 9:12	E. coli		19	MPN/100 mL	SM9223 Colilert
5/1/2013 6:48	Field Cond		341	umhos/cm	SM 2510A
5/2/2013 6:50	Field Cond		351	umhos/cm	SM 2510A
5/6/2013 7:00	Field Cond		289	umhos/cm	SM 2510A
5/7/2013 7:05	Field Cond		321	umhos/cm	SM 2510A
5/8/2013 7:10	Field Cond		325	umhos/cm	SM 2510A
5/9/2013 6:50	Field Cond		294	umhos/cm	SM 2510A
5/13/2013 6:41	Field Cond		439	umhos/cm	SM 2510A
5/14/2013 7:14	Field Cond		329	umhos/cm	SM 2510A
5/15/2013 7:03	Field Cond		319	umhos/cm	SM 2510A
5/16/2013 7:14	Field Cond		322	umhos/cm	SM 2510A
5/20/2013 6:51	Field Cond		307	umhos/cm	SM 2510A
5/21/2013 7:05	Field Cond		336	umhos/cm	SM 2510A
5/22/2013 7:08	Field Cond		347	umhos/cm	SM 2510A
5/23/2013 7:05	Field Cond		352	umhos/cm	SM 2510A
5/24/2013 7:06	Field Cond		421	umhos/cm	SM 2510A
5/25/2013 6:59	Field Cond		306	umhos/cm	SM 2510A
5/26/2013 7:03	Field Cond		376	umhos/cm	SM 2510A
5/27/2013 6:55	Field Cond		308	umhos/cm	SM 2510A
5/28/2013 7:29	Field Cond		325	umhos/cm	SM 2510A
5/29/2013 6:56	Field Cond		336	umhos/cm	SM 2510A
5/30/2013 7:00	Field Cond		315	umhos/cm	SM 2510A
5/31/2013 7:21	Field Cond		325	umhos/cm	SM 2510A
6/1/2013 7:09	Field Cond		334	umhos/cm	SM 2510A
6/2/2013 7:06	Field Cond		318	umhos/cm	SM 2510A
6/3/2013 6:54	Field Cond		346	umhos/cm	SM 2510A
6/4/2013 7:01	Field Cond		312	umhos/cm	SM 2510A
6/5/2013 7:04	Field Cond		306	umhos/cm	SM 2510A

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/6/2013 7:05	Field Cond		313	umhos/cm	SM 2510A
6/7/2013 6:59	Field Cond		555	umhos/cm	SM 2510A
6/8/2013 6:55	Field Cond		382	umhos/cm	SM 2510A
6/9/2013 6:55	Field Cond		347	umhos/cm	SM 2510A
6/10/2013 6:52	Field Cond		309	umhos/cm	SM 2510A
6/11/2013 6:55	Field Cond		301	umhos/cm	SM 2510A
6/12/2013 7:07	Field Cond		324	umhos/cm	SM 2510A
6/13/2013 7:06	Field Cond		353	umhos/cm	SM 2510A
6/14/2013 7:17	Field Cond		512	umhos/cm	SM 2510A
6/15/2013 6:50	Field Cond		347	umhos/cm	SM 2510A
6/16/2013 7:05	Field Cond		309	umhos/cm	SM 2510A
6/17/2013 6:54	Field Cond		335	umhos/cm	SM 2510A
6/18/2013 7:30	Field Cond		340	umhos/cm	SM 2510A
6/19/2013 6:57	Field Cond		333	umhos/cm	SM 2510A
6/20/2013 7:04	Field Cond		292	umhos/cm	SM 2510A
6/21/2013 7:01	Field Cond		335	umhos/cm	SM 2510A
6/22/2013 7:03	Field Cond		341	umhos/cm	SM 2510A
6/23/2013 7:07	Field Cond		298	umhos/cm	SM 2510A
6/24/2013 7:05	Field Cond		308	umhos/cm	SM 2510A
6/25/2013 7:05	Field Cond		329	umhos/cm	SM 2510A
6/26/2013 7:08	Field Cond		325	umhos/cm	SM 2510A
6/27/2013 7:08	Field Cond		298	umhos/cm	SM 2510A
6/28/2013 7:29	Field Cond		396	umhos/cm	SM 2510A
6/29/2013 7:19	Field Cond		346	umhos/cm	SM 2510A
6/30/2013 7:10	Field Cond		353	umhos/cm	SM 2510A
7/1/2013 7:14	Field Cond		312	umhos/cm	SM 2510A
7/2/2013 6:57	Field Cond		305	umhos/cm	SM 2510A
7/3/2013 6:56	Field Cond		297	umhos/cm	SM 2510A
7/4/2013 6:53	Field Cond		313	umhos/cm	SM 2510A
7/5/2013 7:08	Field Cond		336	umhos/cm	SM 2510A
7/6/2013 7:00	Field Cond		320	umhos/cm	SM 2510A
7/7/2013 6:45	Field Cond		364	umhos/cm	SM 2510A
7/8/2013 6:50	Field Cond		313	umhos/cm	SM 2510A
7/9/2013 7:02	Field Cond		311	umhos/cm	SM 2510A
7/10/2013 7:23	Field Cond		320	umhos/cm	SM 2510A
7/11/2013 7:12	Field Cond		363	umhos/cm	SM 2510A
7/12/2013 6:56	Field Cond		362	umhos/cm	SM 2510A
7/13/2013 7:06	Field Cond		305	umhos/cm	SM 2510A
7/14/2013 7:05	Field Cond		476	umhos/cm	SM 2510A
7/15/2013 7:01	Field Cond		335	umhos/cm	SM 2510A
7/16/2013 6:55	Field Cond		354	umhos/cm	SM 2510A
7/17/2013 7:07	Field Cond		320	umhos/cm	SM 2510A
7/18/2013 7:02	Field Cond		310	umhos/cm	SM 2510A
7/19/2013 6:50	Field Cond		310	umhos/cm	SM 2510A
7/20/2013 6:50	Field Cond		341	umhos/cm	SM 2510A



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/21/2013 7:00	Field Cond		321	umhos/cm	SM 2510A
7/22/2013 6:57	Field Cond		310	umhos/cm	SM 2510A
7/23/2013 6:52	Field Cond		314	umhos/cm	SM 2510A
7/24/2013 6:59	Field Cond		334	umhos/cm	SM 2510A
7/25/2013 7:00	Field Cond		315	umhos/cm	SM 2510A
7/26/2013 6:57	Field Cond		312	umhos/cm	SM 2510A
7/27/2013 6:45	Field Cond		312	umhos/cm	SM 2510A
7/28/2013 6:54	Field Cond		320	umhos/cm	SM 2510A
7/29/2013 7:02	Field Cond		319	umhos/cm	SM 2510A
7/30/2013 7:02	Field Cond		313	umhos/cm	SM 2510A
7/31/2013 6:55	Field Cond		325	umhos/cm	SM 2510A
8/1/2013 7:03	Field Cond		323	umhos/cm	SM 2510A
8/2/2013 7:00	Field Cond		320	umhos/cm	SM 2510A
8/3/2013 6:56	Field Cond		328	umhos/cm	SM 2510A
8/4/2013 6:53	Field Cond		378	umhos/cm	SM 2510A
8/5/2013 7:42	Field Cond		316	umhos/cm	SM 2510A
8/6/2013 7:06	Field Cond		313	umhos/cm	SM 2510A
8/7/2013 7:01	Field Cond		317	umhos/cm	SM 2510A
8/8/2013 7:01	Field Cond		295	umhos/cm	SM 2510A
8/9/2013 7:20	Field Cond		345	umhos/cm	SM 2510A
8/10/2013 7:20	Field Cond		319	umhos/cm	SM 2510A
8/11/2013 7:13	Field Cond		300	umhos/cm	SM 2510A
8/12/2013 7:10	Field Cond		315	umhos/cm	SM 2510A
8/13/2013 6:55	Field Cond		316	umhos/cm	SM 2510A
8/14/2013 7:02	Field Cond		355	umhos/cm	SM 2510A
8/15/2013 6:49	Field Cond		296	umhos/cm	SM 2510A
8/16/2013 7:10	Field Cond		285	umhos/cm	SM 2510A
8/17/2013 7:15	Field Cond		299	umhos/cm	SM 2510A
8/18/2013 7:00	Field Cond		382	umhos/cm	SM 2510A
8/19/2013 7:00	Field Cond		322	umhos/cm	SM 2510A
8/20/2013 6:55	Field Cond		293	umhos/cm	SM 2510A
8/21/2013 7:06	Field Cond		352	umhos/cm	SM 2510A
8/22/2013 7:04	Field Cond		320	umhos/cm	SM 2510A
8/23/2013 7:00	Field Cond		286	umhos/cm	SM 2510A
8/24/2013 7:12	Field Cond		321	umhos/cm	SM 2510A
8/25/2013 7:18	Field Cond		364	umhos/cm	SM 2510A
8/26/2013 7:01	Field Cond		592	umhos/cm	SM 2510A
8/27/2013 7:04	Field Cond		373	umhos/cm	SM 2510A
8/28/2013 7:10	Field Cond		320	umhos/cm	SM 2510A
8/29/2013 7:14	Field Cond		315	umhos/cm	SM 2510A
8/30/2013 7:06	Field Cond		324	umhos/cm	SM 2510A
8/31/2013 7:05	Field Cond		305	umhos/cm	SM 2510A
9/1/2013 7:17	Field Cond		317	umhos/cm	SM 2510A
9/2/2013 7:09	Field Cond		321	umhos/cm	SM 2510A
9/3/2013 9:18	Field Cond		330	umhos/cm	SM 2510A



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/4/2013 9:25	Field Cond		331	umhos/cm	SM 2510A
9/5/2013 9:20	Field Cond		349	umhos/cm	SM 2510A
9/6/2013 9:12	Field Cond		324	umhos/cm	SM 2510A
9/9/2013 9:15	Field Cond		320	umhos/cm	SM 2510A
9/10/2013 9:20	Field Cond		315	umhos/cm	SM 2510A
9/11/2013 9:19	Field Cond		309	umhos/cm	SM 2510A
9/12/2013 9:18	Field Cond		327	umhos/cm	SM 2510A
9/16/2013 9:12	Field Cond		309	umhos/cm	SM 2510A
9/17/2013 9:20	Field Cond		219	umhos/cm	SM 2510A
9/18/2013 9:16	Field Cond		288	umhos/cm	SM 2510A
9/19/2013 9:15	Field Cond		306	umhos/cm	SM 2510A
9/23/2013 9:33	Field Cond		313	umhos/cm	SM 2510A
9/24/2013 9:24	Field Cond		290	umhos/cm	SM 2510A
9/25/2013 9:13	Field Cond		289	umhos/cm	SM 2510A
9/26/2013 9:59	Field Cond		290	umhos/cm	SM 2510A
9/30/2013 9:30	Field Cond		275	umhos/cm	SM 2510A
10/1/2013 9:14	Field Cond		280	umhos/cm	SM 2510A
10/2/2013 9:24	Field Cond		299	umhos/cm	SM 2510A
10/3/2013 9:47	Field Cond		280	umhos/cm	SM 2510A
10/7/2013 9:48	Field Cond		333	umhos/cm	SM 2510A
10/8/2013 9:17	Field Cond		328	umhos/cm	SM 2510A
10/9/2013 9:09	Field Cond		305	umhos/cm	SM 2510A
10/10/2013 9:15	Field Cond		345	umhos/cm	SM 2510A
10/14/2013 9:31	Field Cond		325	umhos/cm	SM 2510A
10/15/2013 9:37	Field Cond		327	umhos/cm	SM 2510A
10/16/2013 9:44	Field Cond		290	umhos/cm	SM 2510A
10/17/2013 9:40	Field Cond		337	umhos/cm	SM 2510A
10/21/2013 9:39	Field Cond		317	umhos/cm	SM 2510A
10/22/2013 9:30	Field Cond		317	umhos/cm	SM 2510A
10/23/2013 10:05	Field Cond		313	umhos/cm	SM 2510A
10/24/2013 10:50	Field Cond		310	umhos/cm	SM 2510A
10/28/2013 10:00	Field Cond		308	umhos/cm	SM 2510A
10/29/2013 10:05	Field Cond		302	umhos/cm	SM 2510A
10/30/2013 10:04	Field Cond		278	umhos/cm	SM 2510A
10/31/2013 10:05	Field Cond		312	umhos/cm	SM 2510A
5/1/2013 6:48	Field Temp		8.8	C	EPA 170.1
5/2/2013 6:50	Field Temp		8.9	C	EPA 170.1
5/6/2013 7:00	Field Temp		9.1	C	EPA 170.1
5/7/2013 7:05	Field Temp		8.9	C	EPA 170.1
5/8/2013 7:10	Field Temp		10.3	C	EPA 170.1
5/9/2013 6:50	Field Temp		10.2	C	EPA 170.1
5/13/2013 6:41	Field Temp		9.8	C	EPA 170.1
5/14/2013 7:14	Field Temp		11.3	C	EPA 170.1
5/15/2013 7:03	Field Temp		12	C	EPA 170.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/16/2013 7:14	Field Temp		13.3	C	EPA 170.1
5/20/2013 6:51	Field Temp		14	C	EPA 170.1
5/21/2013 7:05	Field Temp		15.6	C	EPA 170.1
5/22/2013 7:08	Field Temp		16	C	EPA 170.1
5/23/2013 7:05	Field Temp		16	C	EPA 170.1
5/24/2013 7:06	Field Temp		13.8	C	EPA 170.1
5/25/2013 6:59	Field Temp		13.3	C	EPA 170.1
5/26/2013 7:03	Field Temp		14.5	C	EPA 170.1
5/27/2013 6:55	Field Temp		16.3	C	EPA 170.1
5/28/2013 7:29	Field Temp		15.2	C	EPA 170.1
5/29/2013 6:56	Field Temp		16.2	C	EPA 170.1
5/30/2013 7:00	Field Temp		17.3	C	EPA 170.1
5/31/2013 7:21	Field Temp		18	C	EPA 170.1
6/1/2013 7:09	Field Temp		17.8	C	EPA 170.1
6/2/2013 7:06	Field Temp		17.9	C	EPA 170.1
6/3/2013 6:54	Field Temp		18	C	EPA 170.1
6/4/2013 7:01	Field Temp		16.6	C	EPA 170.1
6/5/2013 7:04	Field Temp		16.4	C	EPA 170.1
6/6/2013 7:05	Field Temp		16.3	C	EPA 170.1
6/7/2013 6:59	Field Temp		15	C	EPA 170.1
6/8/2013 6:55	Field Temp		18.5	C	EPA 170.1
6/9/2013 6:55	Field Temp		15.9	C	EPA 170.1
6/10/2013 6:52	Field Temp		14.9	C	EPA 170.1
6/11/2013 6:55	Field Temp		17.3	C	EPA 170.1
6/12/2013 7:07	Field Temp		17.9	C	EPA 170.1
6/13/2013 7:06	Field Temp		17.7	C	EPA 170.1
6/14/2013 7:17	Field Temp		17.8	C	EPA 170.1
6/15/2013 6:50	Field Temp		18.2	C	EPA 170.1
6/16/2013 7:05	Field Temp		19.6	C	EPA 170.1
6/17/2013 6:54	Field Temp		20.4	C	EPA 170.1
6/18/2013 7:30	Field Temp		19.3	C	EPA 170.1
6/19/2013 6:57	Field Temp		19.4	C	EPA 170.1
6/20/2013 7:04	Field Temp		18.7	C	EPA 170.1
6/21/2013 7:01	Field Temp		18.4	C	EPA 170.1
6/22/2013 7:03	Field Temp		19	C	EPA 170.1
6/23/2013 7:07	Field Temp		22.4	C	EPA 170.1
6/24/2013 7:05	Field Temp		22	C	EPA 170.1
6/25/2013 7:05	Field Temp		22.5	C	EPA 170.1
6/26/2013 7:08	Field Temp		22.5	C	EPA 170.1
6/27/2013 7:08	Field Temp		23.2	C	EPA 170.1
6/28/2013 7:29	Field Temp		22.7	C	EPA 170.1
6/29/2013 7:19	Field Temp		20.3	C	EPA 170.1
6/30/2013 7:10	Field Temp		23.2	C	EPA 170.1
7/1/2013 7:14	Field Temp		21.9	C	EPA 170.1
7/2/2013 6:57	Field Temp		15	C	EPA 170.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/3/2013 6:56	Field Temp		15.6	C	EPA 170.1
7/4/2013 6:53	Field Temp		19.1	C	EPA 170.1
7/5/2013 7:08	Field Temp		20.5	C	EPA 170.1
7/6/2013 7:00	Field Temp		21.2	C	EPA 170.1
7/7/2013 6:45	Field Temp		21.2	C	EPA 170.1
7/8/2013 6:50	Field Temp		21.7	C	EPA 170.1
7/9/2013 7:02	Field Temp		22	C	EPA 170.1
7/10/2013 7:23	Field Temp		23.1	C	EPA 170.1
7/11/2013 7:12	Field Temp		22.5	C	EPA 170.1
7/12/2013 6:56	Field Temp		22.9	C	EPA 170.1
7/13/2013 7:06	Field Temp		22	C	EPA 170.1
7/14/2013 7:05	Field Temp		22.5	C	EPA 170.1
7/15/2013 7:01	Field Temp		22.5	C	EPA 170.1
7/16/2013 6:55	Field Temp		24	C	EPA 170.1
7/17/2013 7:07	Field Temp		26.8	C	EPA 170.1
7/18/2013 7:02	Field Temp		27.5	C	EPA 170.1
7/19/2013 6:50	Field Temp		27.2	C	EPA 170.1
7/20/2013 6:50	Field Temp		26.1	C	EPA 170.1
7/21/2013 7:00	Field Temp		26.7	C	EPA 170.1
7/22/2013 6:57	Field Temp		26.1	C	EPA 170.1
7/23/2013 6:52	Field Temp		25.3	C	EPA 170.1
7/24/2013 6:59	Field Temp		24.9	C	EPA 170.1
7/25/2013 7:00	Field Temp		23.9	C	EPA 170.1
7/26/2013 6:57	Field Temp		23.6	C	EPA 170.1
7/27/2013 6:45	Field Temp		23	C	EPA 170.1
7/28/2013 6:54	Field Temp		22.6	C	EPA 170.1
7/29/2013 7:02	Field Temp		22	C	EPA 170.1
7/30/2013 7:02	Field Temp		21.9	C	EPA 170.1
7/31/2013 6:55	Field Temp		22.6	C	EPA 170.1
8/1/2013 7:03	Field Temp		22.4	C	EPA 170.1
8/2/2013 7:00	Field Temp		22.3	C	EPA 170.1
8/3/2013 6:56	Field Temp		22.4	C	EPA 170.1
8/4/2013 6:53	Field Temp		22.6	C	EPA 170.1
8/5/2013 7:42	Field Temp		22.2	C	EPA 170.1
8/6/2013 7:06	Field Temp		22.3	C	EPA 170.1
8/7/2013 7:01	Field Temp		22.2	C	EPA 170.1
8/8/2013 7:01	Field Temp		22.8	C	EPA 170.1
8/9/2013 7:20	Field Temp		22.5	C	EPA 170.1
8/10/2013 7:20	Field Temp		22.7	C	EPA 170.1
8/11/2013 7:13	Field Temp		22.2	C	EPA 170.1
8/12/2013 7:10	Field Temp		22	C	EPA 170.1
8/13/2013 6:55	Field Temp		22.1	C	EPA 170.1
8/14/2013 7:02	Field Temp		20.2	C	EPA 170.1
8/15/2013 6:49	Field Temp		20	C	EPA 170.1
8/16/2013 7:10	Field Temp		21.5	C	EPA 170.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/17/2013 7:15	Field Temp		21.2	C	EPA 170.1
8/18/2013 7:00	Field Temp		21.2	C	EPA 170.1
8/19/2013 7:00	Field Temp		21.5	C	EPA 170.1
8/20/2013 6:55	Field Temp		22	C	EPA 170.1
8/21/2013 7:06	Field Temp		22.5	C	EPA 170.1
8/22/2013 7:04	Field Temp		22.7	C	EPA 170.1
8/23/2013 7:00	Field Temp		23.4	C	EPA 170.1
8/24/2013 7:12	Field Temp		21.9	C	EPA 170.1
8/25/2013 7:18	Field Temp		22.1	C	EPA 170.1
8/26/2013 7:01	Field Temp		22	C	EPA 170.1
8/27/2013 7:04	Field Temp		23.2	C	EPA 170.1
8/28/2013 7:10	Field Temp		23.4	C	EPA 170.1
8/29/2013 7:14	Field Temp		23.3	C	EPA 170.1
8/30/2013 7:06	Field Temp		23.2	C	EPA 170.1
8/31/2013 7:05	Field Temp		24.8	C	EPA 170.1
9/1/2013 7:17	Field Temp		24.2	C	EPA 170.1
9/2/2013 7:09	Field Temp		24.1	C	EPA 170.1
9/3/2013 9:18	Field Temp		22.3	C	EPA 170.1
9/4/2013 9:25	Field Temp		24.8	C	EPA 170.1
9/5/2013 9:20	Field Temp		24.5	C	EPA 170.1
9/6/2013 9:12	Field Temp		22.3	C	EPA 170.1
9/9/2013 9:15	Field Temp		22.2	C	EPA 170.1
9/10/2013 9:20	Field Temp		22	C	EPA 170.1
9/11/2013 9:19	Field Temp		23.8	C	EPA 170.1
9/12/2013 9:18	Field Temp		23.2	C	EPA 170.1
9/16/2013 9:12	Field Temp		20.5	C	EPA 170.1
9/17/2013 9:20	Field Temp		19.4	C	EPA 170.1
9/18/2013 9:16	Field Temp		19.9	C	EPA 170.1
9/19/2013 9:15	Field Temp		20	C	EPA 170.1
9/23/2013 9:33	Field Temp		18.8	C	EPA 170.1
9/24/2013 9:24	Field Temp		18.6	C	EPA 170.1
9/25/2013 9:13	Field Temp		18.9	C	EPA 170.1
9/26/2013 9:59	Field Temp		19	C	EPA 170.1
9/30/2013 9:30	Field Temp		19	C	EPA 170.1
10/1/2013 9:14	Field Temp		18.6	C	EPA 170.1
10/2/2013 9:24	Field Temp		19.5	C	EPA 170.1
10/3/2013 9:47	Field Temp		19.7	C	EPA 170.1
10/7/2013 9:48	Field Temp		19	C	EPA 170.1
10/8/2013 9:17	Field Temp		18	C	EPA 170.1
10/9/2013 9:09	Field Temp		18.1	C	EPA 170.1
10/10/2013 9:15	Field Temp		17.9	C	EPA 170.1
10/14/2013 9:31	Field Temp		17.6	C	EPA 170.1
10/15/2013 9:37	Field Temp		17.5	C	EPA 170.1
10/16/2013 9:44	Field Temp		17.7	C	EPA 170.1
10/17/2013 9:40	Field Temp		16.7	C	EPA 170.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
10/21/2013 9:39	Field Temp		14.7	C	EPA 170.1
10/22/2013 9:30	Field Temp		14.3	C	EPA 170.1
10/23/2013 10:05	Field Temp		13.7	C	EPA 170.1
10/24/2013 10:50	Field Temp		12.7	C	EPA 170.1
10/28/2013 10:00	Field Temp		11	C	EPA 170.1
10/29/2013 10:05	Field Temp		11.5	C	EPA 170.1
10/30/2013 10:04	Field Temp		11.7	C	EPA 170.1
10/31/2013 10:05	Field Temp		12.6	C	EPA 170.1
5/1/2013 6:48	pH		8.68	S.U.	
5/2/2013 6:50	pH		8.02	S.U.	
5/6/2013 7:00	pH		8.38	S.U.	
5/7/2013 7:05	pH		8.68	S.U.	
5/8/2013 7:10	pH		8.29	S.U.	
5/9/2013 6:50	pH		8.49	S.U.	
5/13/2013 6:41	pH		8.16	S.U.	
5/14/2013 7:14	pH		8.42	S.U.	
5/15/2013 7:03	pH		8.35	S.U.	
5/16/2013 7:14	pH		8.22	S.U.	
5/20/2013 6:51	pH		8.49	S.U.	
5/21/2013 7:05	pH		8.45	S.U.	
5/22/2013 7:08	pH		8.32	S.U.	
5/23/2013 7:05	pH		8.37	S.U.	
5/24/2013 7:06	pH		8.17	S.U.	
5/25/2013 6:59	pH		8.06	S.U.	
5/26/2013 7:03	pH		8	S.U.	
5/27/2013 6:55	pH		8.13	S.U.	
5/28/2013 7:29	pH		8.17	S.U.	
5/29/2013 6:56	pH		8.01	S.U.	
5/30/2013 7:00	pH		8.05	S.U.	
5/31/2013 7:21	pH		8.09	S.U.	
6/1/2013 7:09	pH		8.01	S.U.	
6/2/2013 7:06	pH		7.07	S.U.	
6/3/2013 6:54	pH		8.04	S.U.	
6/4/2013 7:01	pH		8.05	S.U.	
6/5/2013 7:04	pH		8.04	S.U.	
6/6/2013 7:05	pH		7.89	S.U.	
6/7/2013 6:59	pH		7.85	S.U.	
6/8/2013 6:55	pH		7.8	S.U.	
6/9/2013 6:55	pH		8.11	S.U.	
6/10/2013 6:52	pH		7.8	S.U.	
6/11/2013 6:55	pH		8.14	S.U.	
6/12/2013 7:07	pH		8.1	S.U.	
6/13/2013 7:06	pH		8.08	S.U.	
6/14/2013 7:17	pH		7.66	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/15/2013 6:50	pH		7.79	S.U.	
6/16/2013 7:05	pH		8.2	S.U.	
6/17/2013 6:54	pH		8.1	S.U.	
6/18/2013 7:30	pH		8.08	S.U.	
6/19/2013 6:57	pH		7.85	S.U.	
6/20/2013 7:04	pH		7.98	S.U.	
6/21/2013 7:01	pH		7.75	S.U.	
6/22/2013 7:03	pH		7.3	S.U.	
6/23/2013 7:07	pH		8.28	S.U.	
6/24/2013 7:05	pH		8	S.U.	
6/25/2013 7:05	pH		8.1	S.U.	
6/26/2013 7:08	pH		7.75	S.U.	
6/27/2013 7:08	pH		8.2	S.U.	
6/28/2013 7:29	pH		7.7	S.U.	
6/29/2013 7:19	pH		7.84	S.U.	
6/30/2013 7:10	pH		7.9	S.U.	
7/1/2013 7:14	pH		7.63	S.U.	
7/2/2013 6:57	pH		7.03	S.U.	
7/3/2013 6:56	pH		7.2	S.U.	
7/4/2013 6:53	pH		7.13	S.U.	
7/5/2013 7:08	pH		7.72	S.U.	
7/6/2013 7:00	pH		7.3	S.U.	
7/7/2013 6:45	pH		7.64	S.U.	
7/8/2013 6:50	pH		7.47	S.U.	
7/9/2013 7:02	pH		7.48	S.U.	
7/10/2013 7:23	pH		6.83	S.U.	
7/11/2013 7:12	pH		7.23	S.U.	
7/12/2013 6:56	pH		7.52	S.U.	
7/13/2013 7:06	pH		7.69	S.U.	
7/14/2013 7:05	pH		7.66	S.U.	
7/15/2013 7:01	pH		7.42	S.U.	
7/16/2013 6:55	pH		7.67	S.U.	
7/17/2013 7:07	pH		7.87	S.U.	
7/18/2013 7:02	pH		8.1	S.U.	
7/19/2013 6:50	pH		7.97	S.U.	
7/20/2013 6:50	pH		7.22	S.U.	
7/21/2013 7:00	pH		7.88	S.U.	
7/22/2013 6:57	pH		7.31	S.U.	
7/23/2013 6:52	pH		7.64	S.U.	
7/24/2013 6:59	pH		7.28	S.U.	
7/25/2013 7:00	pH		7.37	S.U.	
7/26/2013 6:57	pH		7.61	S.U.	
7/27/2013 6:45	pH		7.4	S.U.	
7/28/2013 6:54	pH		7.43	S.U.	
7/29/2013 7:02	pH		7.45	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 7:02	pH		7.32	S.U.	
7/31/2013 6:55	pH		7.65	S.U.	
8/1/2013 7:03	pH		7.27	S.U.	
8/2/2013 7:00	pH		7.35	S.U.	
8/3/2013 6:56	pH		7.75	S.U.	
8/4/2013 6:53	pH		7.6	S.U.	
8/5/2013 7:42	pH		7.5	S.U.	
8/6/2013 7:06	pH		6.76	S.U.	
8/7/2013 7:01	pH		7.14	S.U.	
8/8/2013 7:01	pH		7.3	S.U.	
8/9/2013 7:20	pH		6.9	S.U.	
8/10/2013 7:20	pH		7.5	S.U.	
8/11/2013 7:13	pH		7.08	S.U.	
8/12/2013 7:10	pH		7.03	S.U.	
8/13/2013 6:55	pH		7.05	S.U.	
8/14/2013 7:02	pH		6.82	S.U.	
8/15/2013 6:49	pH		6.97	S.U.	
8/16/2013 7:10	pH		7.51	S.U.	
8/17/2013 7:15	pH		7.01	S.U.	
8/18/2013 7:00	pH		6.09	S.U.	
8/19/2013 7:00	pH		6.86	S.U.	
8/20/2013 6:55	pH		7.3	S.U.	
8/21/2013 7:06	pH		7.28	S.U.	
8/22/2013 7:04	pH		7.15	S.U.	
8/23/2013 7:00	pH		7.26	S.U.	
8/24/2013 7:12	pH		7.03	S.U.	
8/25/2013 7:18	pH		7.02	S.U.	
8/26/2013 7:01	pH		6.06	S.U.	
8/27/2013 7:04	pH		7.31	S.U.	
8/28/2013 7:10	pH		7.24	S.U.	
8/29/2013 7:14	pH		6.97	S.U.	
8/30/2013 7:06	pH		6.94	S.U.	
8/31/2013 7:05	pH		7.22	S.U.	
9/1/2013 7:17	pH		7.72	S.U.	
9/2/2013 7:09	pH		7.31	S.U.	
9/3/2013 9:18	pH		7.3	S.U.	
9/4/2013 9:25	pH		6.8	S.U.	
9/5/2013 9:20	pH		7.61	S.U.	
9/6/2013 9:12	pH		7	S.U.	
9/9/2013 9:15	pH		7.66	S.U.	
9/10/2013 9:20	pH		7.58	S.U.	
9/11/2013 9:19	pH		8.23	S.U.	
9/12/2013 9:18	pH		7.7	S.U.	
9/16/2013 9:12	pH		6.97	S.U.	
9/17/2013 9:20	pH		7.42	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
9/18/2013 9:16	pH		7.75	S.U.	
9/19/2013 9:15	pH		7.57	S.U.	
9/23/2013 9:33	pH		7.43	S.U.	
9/24/2013 9:24	pH		7.49	S.U.	
9/25/2013 9:13	pH		7.6	S.U.	
9/26/2013 9:59	pH		7.75	S.U.	
9/30/2013 9:30	pH		7.39	S.U.	
10/1/2013 9:14	pH		7.55	S.U.	
10/2/2013 9:24	pH		7.45	S.U.	
10/3/2013 9:47	pH		7.84	S.U.	
10/7/2013 9:48	pH		7.18	S.U.	
10/8/2013 9:17	pH		6.82	S.U.	
10/9/2013 9:09	pH		7.34	S.U.	
10/10/2013 9:15	pH		7.3	S.U.	
10/14/2013 9:31	pH		7.22	S.U.	
10/15/2013 9:37	pH		7.55	S.U.	
10/16/2013 9:44	pH		7.32	S.U.	
10/17/2013 9:40	pH		7.49	S.U.	
10/21/2013 9:39	pH		7.25	S.U.	
10/22/2013 9:30	pH		7.1	S.U.	
10/23/2013 10:05	pH		7.19	S.U.	
10/24/2013 10:50	pH		7.1	S.U.	
10/28/2013 10:00	pH		7.28	S.U.	
10/29/2013 10:05	pH		7.45	S.U.	
10/30/2013 10:04	pH		7.4	S.U.	
10/31/2013 10:05	pH		7.2	S.U.	
5/1/2013 6:48	Turbidity		9.42	NTU	EPA180.1
5/2/2013 6:50	Turbidity		11.5	NTU	EPA180.1
5/6/2013 7:00	Turbidity		7.67	NTU	EPA180.1
5/7/2013 7:05	Turbidity		7.18	NTU	EPA180.1
5/8/2013 7:10	Turbidity		9.4	NTU	EPA180.1
5/9/2013 6:50	Turbidity		4.73	NTU	EPA180.1
5/13/2013 6:41	Turbidity		62.7	NTU	EPA180.1
5/14/2013 7:14	Turbidity		11.2	NTU	EPA180.1
5/15/2013 7:03	Turbidity		7.13	NTU	EPA180.1
5/16/2013 7:14	Turbidity		8.985	NTU	EPA180.1
5/20/2013 6:51	Turbidity		6.83	NTU	EPA180.1
5/21/2013 7:05	Turbidity		6.55	NTU	EPA180.1
5/22/2013 7:08	Turbidity		5.95	NTU	EPA180.1
5/23/2013 7:05	Turbidity		6.98	NTU	EPA180.1
5/24/2013 7:06	Turbidity		44.5	NTU	EPA180.1
5/25/2013 6:59	Turbidity		27.2	NTU	EPA180.1
5/26/2013 7:03	Turbidity		15.2	NTU	EPA180.1
5/27/2013 6:55	Turbidity		6.3	NTU	EPA180.1



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
5/28/2013 7:29	Turbidity		7.2	NTU	EPA180.1
5/29/2013 6:56	Turbidity		18.15	NTU	EPA180.1
5/30/2013 7:00	Turbidity		5.04	NTU	EPA180.1
5/31/2013 7:21	Turbidity		4.01	NTU	EPA180.1
6/1/2013 7:09	Turbidity		6.65	NTU	EPA180.1
6/2/2013 7:06	Turbidity		7	NTU	EPA180.1
6/3/2013 6:54	Turbidity		18.29	NTU	EPA180.1
6/4/2013 7:01	Turbidity		6.22	NTU	EPA180.1
6/5/2013 7:04	Turbidity		3.67	NTU	EPA180.1
6/6/2013 7:05	Turbidity		20.15	NTU	EPA180.1
6/7/2013 6:59	Turbidity		16.6	NTU	EPA180.1
6/8/2013 6:55	Turbidity		8.69	NTU	EPA180.1
6/9/2013 6:55	Turbidity		5.965	NTU	EPA180.1
6/10/2013 6:52	Turbidity		6.855	NTU	EPA180.1
6/11/2013 6:55	Turbidity		8.24	NTU	EPA180.1
6/12/2013 7:07	Turbidity		4.32	NTU	EPA180.1
6/13/2013 7:06	Turbidity		81.25	NTU	EPA180.1
6/14/2013 7:17	Turbidity		34	NTU	EPA180.1
6/15/2013 6:50	Turbidity		4.575	NTU	EPA180.1
6/16/2013 7:05	Turbidity		4.73	NTU	EPA180.1
6/17/2013 6:54	Turbidity		4.29	NTU	EPA180.1
6/18/2013 7:30	Turbidity		8.5	NTU	EPA180.1
6/19/2013 6:57	Turbidity		5.46	NTU	EPA180.1
6/20/2013 7:04	Turbidity		3.94	NTU	EPA180.1
6/21/2013 7:01	Turbidity		2.97	NTU	EPA180.1
6/22/2013 7:03	Turbidity		2.76	NTU	EPA180.1
6/23/2013 7:07	Turbidity		2.48	NTU	EPA180.1
6/24/2013 7:05	Turbidity		5.6	NTU	EPA180.1
6/25/2013 7:05	Turbidity		6.65	NTU	EPA180.1
6/26/2013 7:08	Turbidity		4.5	NTU	EPA180.1
6/27/2013 7:08	Turbidity		2.9	NTU	EPA180.1
6/28/2013 7:29	Turbidity		2.82	NTU	EPA180.1
6/29/2013 7:19	Turbidity		9.43	NTU	EPA180.1
6/30/2013 7:10	Turbidity		12.75	NTU	EPA180.1
7/1/2013 7:14	Turbidity		8.95	NTU	EPA180.1
7/2/2013 6:57	Turbidity		38	NTU	EPA180.1
7/3/2013 6:56	Turbidity		10.2	NTU	EPA180.1
7/4/2013 6:53	Turbidity		4.35	NTU	EPA180.1
7/5/2013 7:08	Turbidity		3.22	NTU	EPA180.1
7/6/2013 7:00	Turbidity		2.85	NTU	EPA180.1
7/7/2013 6:45	Turbidity		11.5	NTU	EPA180.1
7/8/2013 6:50	Turbidity		8.58	NTU	EPA180.1
7/9/2013 7:02	Turbidity		12.25	NTU	EPA180.1
7/10/2013 7:23	Turbidity		11.6	NTU	EPA180.1
7/11/2013 7:12	Turbidity		11.95	NTU	EPA180.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/12/2013 6:56	Turbidity		12.25	NTU	EPA180.1
7/13/2013 7:06	Turbidity		3.68	NTU	EPA180.1
7/14/2013 7:05	Turbidity		5.17	NTU	EPA180.1
7/15/2013 7:01	Turbidity		2.39	NTU	EPA180.1
7/16/2013 6:55	Turbidity		6.31	NTU	EPA180.1
7/17/2013 7:07	Turbidity		6.66	NTU	EPA180.1
7/18/2013 7:02	Turbidity		3.84	NTU	EPA180.1
7/19/2013 6:50	Turbidity		5.79	NTU	EPA180.1
7/20/2013 6:50	Turbidity		69.6	NTU	EPA180.1
7/21/2013 7:00	Turbidity		9.48	NTU	EPA180.1
7/22/2013 6:57	Turbidity		3.69	NTU	EPA180.1
7/23/2013 6:52	Turbidity		5.72	NTU	EPA180.1
7/24/2013 6:59	Turbidity		58.8	NTU	EPA180.1
7/25/2013 7:00	Turbidity		9.16	NTU	EPA180.1
7/26/2013 6:57	Turbidity		5.33	NTU	EPA180.1
7/27/2013 6:45	Turbidity		4.15	NTU	EPA180.1
7/28/2013 6:54	Turbidity		39.3	NTU	EPA180.1
7/29/2013 7:02	Turbidity		31.55	NTU	EPA180.1
7/30/2013 7:02	Turbidity		6.445	NTU	EPA180.1
7/31/2013 6:55	Turbidity		3.66	NTU	EPA180.1
8/1/2013 7:03	Turbidity		26.8	NTU	EPA180.1
8/2/2013 7:00	Turbidity		14.25	NTU	EPA180.1
8/3/2013 6:56	Turbidity		29.75	NTU	EPA180.1
8/4/2013 6:53	Turbidity		12.7	NTU	EPA180.1
8/5/2013 7:42	Turbidity		4.745	NTU	EPA180.1
8/6/2013 7:06	Turbidity		2.495	NTU	EPA180.1
8/7/2013 7:01	Turbidity		3.09	NTU	EPA180.1
8/8/2013 7:01	Turbidity		1.98	NTU	EPA180.1
8/9/2013 7:20	Turbidity		4.6	NTU	EPA180.1
8/10/2013 7:20	Turbidity		3.53	NTU	EPA180.1
8/11/2013 7:13	Turbidity		1.68	NTU	EPA180.1
8/12/2013 7:10	Turbidity		2.12	NTU	EPA180.1
8/13/2013 6:55	Turbidity		11.1	NTU	EPA180.1
8/14/2013 7:02	Turbidity		26.7	NTU	EPA180.1
8/15/2013 6:49	Turbidity		3.765	NTU	EPA180.1
8/16/2013 7:10	Turbidity		2.08	NTU	EPA180.1
8/17/2013 7:15	Turbidity		2.07	NTU	EPA180.1
8/18/2013 7:00	Turbidity		1.3	NTU	EPA180.1
8/19/2013 7:00	Turbidity		1.3	NTU	EPA180.1
8/20/2013 6:55	Turbidity		1.04	NTU	EPA180.1
8/21/2013 7:06	Turbidity		1.7	NTU	EPA180.1
8/22/2013 7:04	Turbidity		3.625	NTU	EPA180.1
8/23/2013 7:00	Turbidity		4.23	NTU	EPA180.1
8/24/2013 7:12	Turbidity		2.07	NTU	EPA180.1
8/25/2013 7:18	Turbidity		1.71	NTU	EPA180.1

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/26/2013 7:01	Turbidity		8.34	NTU	EPA180.1
8/27/2013 7:04	Turbidity		8.74	NTU	EPA180.1
8/28/2013 7:10	Turbidity		3.09	NTU	EPA180.1
8/29/2013 7:14	Turbidity		4.02	NTU	EPA180.1
8/30/2013 7:06	Turbidity		1.34	NTU	EPA180.1
8/31/2013 7:05	Turbidity		5.1	NTU	EPA180.1
9/1/2013 7:17	Turbidity		2.19	NTU	EPA180.1
9/2/2013 7:09	Turbidity		3.15	NTU	EPA180.1
9/3/2013 9:18	Turbidity		19	NTU	EPA180.1
9/4/2013 9:25	Turbidity		7.92	NTU	EPA180.1
9/5/2013 9:20	Turbidity		8.28	NTU	EPA180.1
9/6/2013 9:12	Turbidity		2.13	NTU	EPA180.1
9/9/2013 9:15	Turbidity		2.02	NTU	EPA180.1
9/10/2013 9:20	Turbidity		5.91	NTU	EPA180.1
9/11/2013 9:19	Turbidity		2.33	NTU	EPA180.1
9/12/2013 9:18	Turbidity		5.46	NTU	EPA180.1
9/16/2013 9:12	Turbidity		7.63	NTU	EPA180.1
9/17/2013 9:20	Turbidity		5.51	NTU	EPA180.1
9/18/2013 9:16	Turbidity		2.9	NTU	EPA180.1
9/19/2013 9:15	Turbidity		4.49	NTU	EPA180.1
9/23/2013 9:33	Turbidity		5.17	NTU	EPA180.1
9/24/2013 9:24	Turbidity		2.93	NTU	EPA180.1
9/25/2013 9:13	Turbidity		2.89	NTU	EPA180.1
9/26/2013 9:59	Turbidity		2.38	NTU	EPA180.1
9/30/2013 9:30	Turbidity		4.03	NTU	EPA180.1
10/1/2013 9:14	Turbidity		3.79	NTU	EPA180.1
10/2/2013 9:24	Turbidity		9.47	NTU	EPA180.1
10/3/2013 9:47	Turbidity		2.3	NTU	EPA180.1
10/7/2013 9:48	Turbidity		21.65	NTU	EPA180.1
10/8/2013 9:17	Turbidity		15.1	NTU	EPA180.1
10/9/2013 9:09	Turbidity		4.57	NTU	EPA180.1
10/10/2013 9:15	Turbidity		3.21	NTU	EPA180.1
10/14/2013 9:31	Turbidity		11.25	NTU	EPA180.1
10/15/2013 9:37	Turbidity		2.12	NTU	EPA180.1
10/16/2013 9:44	Turbidity		3.86	NTU	EPA180.1
10/17/2013 9:40	Turbidity		18.75	NTU	EPA180.1
10/21/2013 9:39	Turbidity		23.25	NTU	EPA180.1
10/22/2013 9:30	Turbidity		41.7	NTU	EPA180.1
10/23/2013 10:05	Turbidity		20.6	NTU	EPA180.1
10/24/2013 10:50	Turbidity		47.2	NTU	EPA180.1
10/28/2013 10:00	Turbidity		18.15	NTU	EPA180.1
10/29/2013 10:05	Turbidity		2.82	NTU	EPA180.1
10/30/2013 10:04	Turbidity		2.92	NTU	EPA180.1
10/31/2013 10:05	Turbidity		3.05	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/9/2013 8:59	E. coli		88	cfu/100mL	EPA1603
9/10/2013 9:10	E. coli		670	cfu/100mL	EPA1603
9/11/2013 9:05	E. coli		200	cfu/100mL	EPA1603
9/12/2013 9:08	E. coli		3240	cfu/100mL	EPA1603
9/16/2013 9:02	E. coli		1140	cfu/100mL	EPA1603
9/17/2013 9:09	E. coli		560	cfu/100mL	EPA1603
9/18/2013 9:03	E. coli		720	cfu/100mL	EPA1603
9/19/2013 9:05	E. coli	EC	427	cfu/100mL	EPA1603
9/23/2013 9:23	E. coli		248	cfu/100mL	EPA1603
9/24/2013 9:15	E. coli	EC	377	cfu/100mL	EPA1603
9/25/2013 9:02	E. coli		430	cfu/100mL	EPA1603
9/26/2013 9:05	E. coli		280	cfu/100mL	EPA1603
9/30/2013 9:23	E. coli		276	cfu/100mL	EPA1603
10/1/2013 9:06	E. coli		300	cfu/100mL	EPA1603
10/2/2013 9:09	E. coli		210	cfu/100mL	EPA1603
10/3/2013 9:25	E. coli		230	cfu/100mL	EPA1603
10/7/2013 9:40	E. coli	EC	8417	cfu/100mL	EPA1603
10/8/2013 8:59	E. coli		2150	cfu/100mL	EPA1603
10/9/2013 8:58	E. coli		1200	cfu/100mL	EPA1603
10/10/2013 9:04	E. coli		460	cfu/100mL	EPA1603
10/14/2013 9:19	E. coli		800	cfu/100mL	EPA1603
10/15/2013 9:23	E. coli		300	cfu/100mL	EPA1603
10/16/2013 9:33	E. coli		7167	cfu/100mL	EPA1603
10/17/2013	E. coli		4300	cfu/100mL	EPA1603
10/21/2013 10:00	E. coli		460	cfu/100mL	EPA1603
10/22/2013 9:21	E. coli		1020	cfu/100mL	EPA1603
10/23/2013 9:50	E. coli	EC	21700	cfu/100mL	EPA1603
10/24/2013 10:40	E. coli		12000	cfu/100mL	EPA1603
10/28/2013 9:40	E. coli		400	cfu/100mL	EPA1603
10/29/2013 9:55	E. coli		165	cfu/100mL	EPA1603
10/30/2013 9:54	E. coli		310	cfu/100mL	EPA1603
10/31/2013 9:55	E. coli		2950	cfu/100mL	EPA1603
5/1/2013 6:38	E. coli		700	MPN/100 mL	SM9223 Colilert
5/2/2013 6:36	E. coli		441	MPN/100 mL	SM9223 Colilert
5/6/2013 6:47	E. coli		426	MPN/100 mL	SM9223 Colilert
5/7/2013 6:52	E. coli		1552	MPN/100 mL	SM9223 Colilert
5/8/2013 6:57	E. coli		483	MPN/100 mL	SM9223 Colilert
5/9/2013 6:41	E. coli		594	MPN/100 mL	SM9223 Colilert
5/13/2013 6:32	E. coli		1616	MPN/100 mL	SM9223 Colilert
5/14/2013 6:58	E. coli		1467	MPN/100 mL	SM9223 Colilert
5/16/2013 7:58	E. coli		657	MPN/100 mL	SM9223 Colilert
5/20/2013 6:40	E. coli		393	MPN/100 mL	SM9223 Colilert
5/21/2013 6:52	E. coli		1694	MPN/100 mL	SM9223 Colilert

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
5/22/2013 6:55	E. coli		448	MPN/100 mL	SM9223 Colilert
5/23/2013 6:50	E. coli		20920	MPN/100 mL	SM9223 Colilert
5/24/2013 6:50	E. coli		4564	MPN/100 mL	SM9223 Colilert
5/25/2013 6:42	E. coli		1182	MPN/100 mL	SM9223 Colilert
5/26/2013 6:48	E. coli		1259	MPN/100 mL	SM9223 Colilert
5/27/2013 6:40	E. coli		563	MPN/100 mL	SM9223 Colilert
5/28/2013 7:05	E. coli		10950	MPN/100 mL	SM9223 Colilert
5/29/2013 7:51	E. coli		1262	MPN/100 mL	SM9223 Colilert
5/30/2013 7:48	E. coli		727	MPN/100 mL	SM9223 Colilert
5/31/2013 6:58	E. coli		432	MPN/100 mL	SM9223 Colilert
6/1/2013 6:51	E. coli		6670	MPN/100 mL	SM9223 Colilert
6/2/2013 6:45	E. coli		19350	MPN/100 mL	SM9223 Colilert
6/3/2013 7:40	E. coli		1684	MPN/100 mL	SM9223 Colilert
6/4/2013 7:48	E. coli		959	MPN/100 mL	SM9223 Colilert
6/5/2013 7:45	E. coli		546	MPN/100 mL	SM9223 Colilert
6/6/2013 7:51	E. coli		942	MPN/100 mL	SM9223 Colilert
6/7/2013 6:47	E. coli		828	MPN/100 mL	SM9223 Colilert
6/8/2013 6:40	E. coli		420	MPN/100 mL	SM9223 Colilert
6/9/2013 6:40	E. coli		432	MPN/100 mL	SM9223 Colilert
6/10/2013 7:45	E. coli		746	MPN/100 mL	SM9223 Colilert
6/11/2013 7:42	E. coli		1230	MPN/100 mL	SM9223 Colilert
6/12/2013 7:49	E. coli		570	MPN/100 mL	SM9223 Colilert
6/13/2013 7:51	E. coli		14540	MPN/100 mL	SM9223 Colilert
6/14/2013 7:50	E. coli		2230	MPN/100 mL	SM9223 Colilert
6/15/2013 7:24	E. coli		860	MPN/100 mL	SM9223 Colilert
6/16/2013 7:30	E. coli		3270	MPN/100 mL	SM9223 Colilert
6/17/2013 7:55	E. coli		758	MPN/100 mL	SM9223 Colilert
6/18/2013 7:56	E. coli		7308	MPN/100 mL	SM9223 Colilert
6/19/2013 7:50	E. coli		646	MPN/100 mL	SM9223 Colilert
6/20/2013 7:43	E. coli		994	MPN/100 mL	SM9223 Colilert
6/21/2013 6:47	E. coli		1122	MPN/100 mL	SM9223 Colilert
6/22/2013 7:24	E. coli		918	MPN/100 mL	SM9223 Colilert
6/23/2013 6:54	E. coli		1025	MPN/100 mL	SM9223 Colilert
6/24/2013 7:05	E. coli		960	MPN/100 mL	SM9223 Colilert
6/25/2013 7:48	E. coli		728	MPN/100 mL	SM9223 Colilert
6/26/2013 7:57	E. coli		8910	MPN/100 mL	SM9223 Colilert
6/27/2013 7:50	E. coli		315	MPN/100 mL	SM9223 Colilert
6/28/2013 7:12	E. coli		910	MPN/100 mL	SM9223 Colilert
6/29/2013 7:08	E. coli		6896	MPN/100 mL	SM9223 Colilert
6/30/2013 6:57	E. coli		1140	MPN/100 mL	SM9223 Colilert
7/1/2013 7:40	E. coli		605	MPN/100 mL	SM9223 Colilert
7/2/2013 7:30	E. coli		584	MPN/100 mL	SM9223 Colilert
7/3/2013 7:35	E. coli		350	MPN/100 mL	SM9223 Colilert
7/4/2013 7:02	E. coli		1498	MPN/100 mL	SM9223 Colilert

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/5/2013 6:50	E. coli		39726	MPN/100 mL	SM9223 Colilert
7/6/2013 7:11	E. coli		1226	MPN/100 mL	SM9223 Colilert
7/7/2013 7:00	E. coli		3615	MPN/100 mL	SM9223 Colilert
7/8/2013 7:37	E. coli		20530	MPN/100 mL	SM9223 Colilert
7/9/2013 7:58	E. coli		6700	MPN/100 mL	SM9223 Colilert
7/11/2013 7:51	E. coli		2180	MPN/100 mL	SM9223 Colilert
7/12/2013 7:16	E. coli		558	MPN/100 mL	SM9223 Colilert
7/13/2013 6:50	E. coli		576	MPN/100 mL	SM9223 Colilert
7/14/2013 6:54	E. coli		196	MPN/100 mL	SM9223 Colilert
7/15/2013 7:47	E. coli		2247	MPN/100 mL	SM9223 Colilert
7/16/2013 7:46	E. coli		512	MPN/100 mL	SM9223 Colilert
7/17/2013 7:50	E. coli		155	MPN/100 mL	SM9223 Colilert
7/18/2013 7:50	E. coli		808	MPN/100 mL	SM9223 Colilert
7/19/2013	E. coli		804	MPN/100 mL	SM9223 Colilert
7/21/2013 6:47	E. coli		6510	MPN/100 mL	SM9223 Colilert
7/22/2013 7:40	E. coli		1866	MPN/100 mL	SM9223 Colilert
7/23/2013 7:54	E. coli		1905	MPN/100 mL	SM9223 Colilert
7/24/2013 7:57	E. coli		1965	MPN/100 mL	SM9223 Colilert
7/25/2013 7:42	E. coli		646	MPN/100 mL	SM9223 Colilert
7/26/2013 7:24	E. coli		318	MPN/100 mL	SM9223 Colilert
7/27/2013 7:10	E. coli		393	MPN/100 mL	SM9223 Colilert
7/28/2013 7:05	E. coli		830	MPN/100 mL	SM9223 Colilert
7/29/2013 7:32	E. coli		364	MPN/100 mL	SM9223 Colilert
7/30/2013 7:38	E. coli		529	MPN/100 mL	SM9223 Colilert
7/31/2013 7:47	E. coli		350	MPN/100 mL	SM9223 Colilert
8/1/2013 7:46	E. coli		14255	MPN/100 mL	SM9223 Colilert
8/2/2013 7:31	E. coli		2205	MPN/100 mL	SM9223 Colilert
8/3/2013 6:44	E. coli		8212	MPN/100 mL	SM9223 Colilert
8/4/2013 6:42	E. coli		1162	MPN/100 mL	SM9223 Colilert
8/5/2013 8:04	E. coli		914	MPN/100 mL	SM9223 Colilert
8/6/2013 7:42	E. coli		548	MPN/100 mL	SM9223 Colilert
8/7/2013 7:42	E. coli		504	MPN/100 mL	SM9223 Colilert
8/8/2013 7:44	E. coli		3250	MPN/100 mL	SM9223 Colilert
8/10/2013 7:07	E. coli		1545	MPN/100 mL	SM9223 Colilert
8/11/2013 6:59	E. coli		670	MPN/100 mL	SM9223 Colilert
8/12/2013 7:57	E. coli		465	MPN/100 mL	SM9223 Colilert
8/13/2013 7:34	E. coli		4838	MPN/100 mL	SM9223 Colilert
8/14/2013 8:12	E. coli		1890	MPN/100 mL	SM9223 Colilert
8/15/2013 7:29	E. coli		1265	MPN/100 mL	SM9223 Colilert
8/16/2013 6:57	E. coli		1046	MPN/100 mL	SM9223 Colilert
8/17/2013 7:40	E. coli		650	MPN/100 mL	SM9223 Colilert
8/18/2013 7:19	E. coli		465	MPN/100 mL	SM9223 Colilert
8/19/2013 7:35	E. coli		565	MPN/100 mL	SM9223 Colilert
8/20/2013 7:32	E. coli		754	MPN/100 mL	SM9223 Colilert

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/21/2013 7:35	E. coli		487	MPN/100 mL	SM9223 Colilert
8/22/2013 7:39	E. coli		495	MPN/100 mL	SM9223 Colilert
8/23/2013 6:48	E. coli		2752	MPN/100 mL	SM9223 Colilert
8/24/2013 7:01	E. coli		1090	MPN/100 mL	SM9223 Colilert
8/25/2013 7:03	E. coli		690	MPN/100 mL	SM9223 Colilert
8/26/2013 7:37	E. coli		627	MPN/100 mL	SM9223 Colilert
8/27/2013 7:47	E. coli		561	MPN/100 mL	SM9223 Colilert
8/28/2013 7:55	E. coli		6370	MPN/100 mL	SM9223 Colilert
8/29/2013 7:57	E. coli		2020	MPN/100 mL	SM9223 Colilert
8/30/2013 7:39	E. coli		562	MPN/100 mL	SM9223 Colilert
8/31/2013 6:54	E. coli		422	MPN/100 mL	SM9223 Colilert
9/1/2013 7:32	E. coli		987	MPN/100 mL	SM9223 Colilert
9/2/2013 6:56	E. coli		5510	MPN/100 mL	SM9223 Colilert
9/3/2013 9:32	E. coli		598	MPN/100 mL	SM9223 Colilert
9/4/2013 9:15	E. coli		573	MPN/100 mL	SM9223 Colilert
9/5/2013 9:05	E. coli		1314	MPN/100 mL	SM9223 Colilert
9/6/2013 8:59	E. coli		1720	MPN/100 mL	SM9223 Colilert
5/1/2013 6:38	Field Cond		1428	umhos/cm	SM 2510A
5/2/2013 6:36	Field Cond		1563	umhos/cm	SM 2510A
5/6/2013 6:47	Field Cond		1420	umhos/cm	SM 2510A
5/7/2013 6:52	Field Cond		1534	umhos/cm	SM 2510A
5/8/2013 6:57	Field Cond		1488	umhos/cm	SM 2510A
5/9/2013 6:41	Field Cond		1422	umhos/cm	SM 2510A
5/13/2013 6:32	Field Cond		1321	umhos/cm	SM 2510A
5/14/2013 6:58	Field Cond		1351	umhos/cm	SM 2510A
5/15/2013 6:51	Field Cond		1420	umhos/cm	SM 2510A
5/16/2013 7:58	Field Cond		1574	umhos/cm	SM 2510A
5/20/2013 6:40	Field Cond		1354	umhos/cm	SM 2510A
5/21/2013 6:52	Field Cond		1464	umhos/cm	SM 2510A
5/22/2013 6:55	Field Cond		1511	umhos/cm	SM 2510A
5/23/2013 6:50	Field Cond		902	umhos/cm	SM 2510A
5/24/2013 6:50	Field Cond		1032	umhos/cm	SM 2510A
5/25/2013 6:42	Field Cond		1136	umhos/cm	SM 2510A
5/26/2013 6:48	Field Cond		1169	umhos/cm	SM 2510A
5/27/2013 6:40	Field Cond		1202	umhos/cm	SM 2510A
5/28/2013 7:05	Field Cond		1217	umhos/cm	SM 2510A
5/29/2013 7:51	Field Cond		1008	umhos/cm	SM 2510A
5/30/2013 7:48	Field Cond		1163	umhos/cm	SM 2510A
5/31/2013 6:58	Field Cond		1226	umhos/cm	SM 2510A
6/1/2013 6:51	Field Cond		724	umhos/cm	SM 2510A
6/2/2013 6:45	Field Cond		407	umhos/cm	SM 2510A
6/3/2013 7:40	Field Cond		757	umhos/cm	SM 2510A
6/4/2013 7:48	Field Cond		994	umhos/cm	SM 2510A



Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/5/2013 7:45	Field Cond		1189	umhos/cm	SM 2510A
6/6/2013 7:51	Field Cond		1180	umhos/cm	SM 2510A
6/7/2013 6:47	Field Cond		985	umhos/cm	SM 2510A
6/8/2013 6:40	Field Cond		1080	umhos/cm	SM 2510A
6/9/2013 6:40	Field Cond		1171	umhos/cm	SM 2510A
6/10/2013 7:45	Field Cond		1201	umhos/cm	SM 2510A
6/11/2013 7:42	Field Cond		1190	umhos/cm	SM 2510A
6/12/2013 7:49	Field Cond		1109	umhos/cm	SM 2510A
6/13/2013 7:51	Field Cond		903	umhos/cm	SM 2510A
6/14/2013 7:50	Field Cond		977	umhos/cm	SM 2510A
6/15/2013 7:24	Field Cond		1023	umhos/cm	SM 2510A
6/16/2013 7:30	Field Cond		1067	umhos/cm	SM 2510A
6/17/2013 7:55	Field Cond		1175	umhos/cm	SM 2510A
6/18/2013 7:56	Field Cond		337	umhos/cm	SM 2510A
6/19/2013 7:50	Field Cond		898	umhos/cm	SM 2510A
6/20/2013 7:43	Field Cond		1055	umhos/cm	SM 2510A
6/21/2013 6:47	Field Cond		1135	umhos/cm	SM 2510A
6/22/2013 7:24	Field Cond		1230	umhos/cm	SM 2510A
6/23/2013 6:54	Field Cond		1246	umhos/cm	SM 2510A
6/24/2013 7:05	Field Cond		1244	umhos/cm	SM 2510A
6/25/2013 7:48	Field Cond		1293	umhos/cm	SM 2510A
6/26/2013 7:57	Field Cond		616	umhos/cm	SM 2510A
6/27/2013 7:50	Field Cond		861	umhos/cm	SM 2510A
6/28/2013 7:12	Field Cond		1159	umhos/cm	SM 2510A
6/29/2013 7:08	Field Cond		829	umhos/cm	SM 2510A
6/30/2013 6:57	Field Cond		1038	umhos/cm	SM 2510A
7/1/2013 7:40	Field Cond		970	umhos/cm	SM 2510A
7/2/2013 7:30	Field Cond		1020	umhos/cm	SM 2510A
7/3/2013 7:35	Field Cond		1063	umhos/cm	SM 2510A
7/4/2013 7:02	Field Cond		1004	umhos/cm	SM 2510A
7/5/2013 6:50	Field Cond		974	umhos/cm	SM 2510A
7/6/2013 7:11	Field Cond		965	umhos/cm	SM 2510A
7/7/2013 7:00	Field Cond		857	umhos/cm	SM 2510A
7/8/2013 7:37	Field Cond		842	umhos/cm	SM 2510A
7/9/2013 7:58	Field Cond		545	umhos/cm	SM 2510A
7/11/2013 7:51	Field Cond		657	umhos/cm	SM 2510A
7/12/2013 7:16	Field Cond		870	umhos/cm	SM 2510A
7/13/2013 6:50	Field Cond		924	umhos/cm	SM 2510A
7/14/2013 6:54	Field Cond		1033	umhos/cm	SM 2510A
7/15/2013 7:47	Field Cond		1122	umhos/cm	SM 2510A
7/16/2013 7:46	Field Cond		1254	umhos/cm	SM 2510A
7/17/2013 7:50	Field Cond		1222	umhos/cm	SM 2510A
7/18/2013 7:50	Field Cond		1176	umhos/cm	SM 2510A
7/19/2013	Field Cond		1216	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/21/2013 6:47	Field Cond		625	umhos/cm	SM 2510A
7/22/2013 7:40	Field Cond		819	umhos/cm	SM 2510A
7/23/2013 7:54	Field Cond		912	umhos/cm	SM 2510A
7/24/2013 7:57	Field Cond		645	umhos/cm	SM 2510A
7/25/2013 7:42	Field Cond		806	umhos/cm	SM 2510A
7/26/2013 7:24	Field Cond		906	umhos/cm	SM 2510A
7/27/2013 7:10	Field Cond		993	umhos/cm	SM 2510A
7/28/2013 7:05	Field Cond		1105	umhos/cm	SM 2510A
7/29/2013 7:32	Field Cond		1115	umhos/cm	SM 2510A
7/30/2013 7:38	Field Cond		1060	umhos/cm	SM 2510A
7/31/2013 7:47	Field Cond		1170	umhos/cm	SM 2510A
8/1/2013 7:46	Field Cond		894	umhos/cm	SM 2510A
8/2/2013 7:31	Field Cond		1062	umhos/cm	SM 2510A
8/3/2013 6:44	Field Cond		512	umhos/cm	SM 2510A
8/4/2013 6:42	Field Cond		839	umhos/cm	SM 2510A
8/5/2013 8:04	Field Cond		921	umhos/cm	SM 2510A
8/6/2013 7:42	Field Cond		941	umhos/cm	SM 2510A
8/7/2013 7:42	Field Cond		965	umhos/cm	SM 2510A
8/8/2013 7:44	Field Cond		666	umhos/cm	SM 2510A
8/9/2013 7:24	Field Cond		404	umhos/cm	SM 2510A
8/10/2013 7:07	Field Cond		688	umhos/cm	SM 2510A
8/11/2013 6:59	Field Cond		758	umhos/cm	SM 2510A
8/12/2013 7:57	Field Cond		866	umhos/cm	SM 2510A
8/13/2013 7:34	Field Cond		838	umhos/cm	SM 2510A
8/14/2013 8:12	Field Cond		822	umhos/cm	SM 2510A
8/15/2013 7:29	Field Cond		888	umhos/cm	SM 2510A
8/16/2013 6:57	Field Cond		918	umhos/cm	SM 2510A
8/17/2013 7:40	Field Cond		949	umhos/cm	SM 2510A
8/18/2013 7:19	Field Cond		1006	umhos/cm	SM 2510A
8/19/2013 7:35	Field Cond		1090	umhos/cm	SM 2510A
8/20/2013 7:32	Field Cond		998	umhos/cm	SM 2510A
8/21/2013 7:35	Field Cond		1045	umhos/cm	SM 2510A
8/22/2013 7:39	Field Cond		1205	umhos/cm	SM 2510A
8/23/2013 6:48	Field Cond		978	umhos/cm	SM 2510A
8/24/2013 7:01	Field Cond		1194	umhos/cm	SM 2510A
8/25/2013 7:03	Field Cond		1089	umhos/cm	SM 2510A
8/26/2013 7:37	Field Cond		962	umhos/cm	SM 2510A
8/27/2013 7:47	Field Cond		1156	umhos/cm	SM 2510A
8/28/2013 7:55	Field Cond		645	umhos/cm	SM 2510A
8/29/2013 7:57	Field Cond		718	umhos/cm	SM 2510A
8/30/2013 7:39	Field Cond		790	umhos/cm	SM 2510A
8/31/2013 6:54	Field Cond		764	umhos/cm	SM 2510A
9/1/2013 7:32	Field Cond		902	umhos/cm	SM 2510A
9/2/2013 6:56	Field Cond		1120	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
9/3/2013 9:32	Field Cond		740	umhos/cm	SM 2510A
9/4/2013 9:15	Field Cond		919	umhos/cm	SM 2510A
9/5/2013 9:05	Field Cond		918	umhos/cm	SM 2510A
9/6/2013 8:59	Field Cond		950	umhos/cm	SM 2510A
9/9/2013 8:59	Field Cond		937	umhos/cm	SM 2510A
9/10/2013 9:10	Field Cond		889	umhos/cm	SM 2510A
9/11/2013 9:05	Field Cond		924	umhos/cm	SM 2510A
9/12/2013 9:08	Field Cond		1123	umhos/cm	SM 2510A
9/16/2013 9:02	Field Cond		799	umhos/cm	SM 2510A
9/17/2013 9:09	Field Cond		822	umhos/cm	SM 2510A
9/18/2013 9:03	Field Cond		815	umhos/cm	SM 2510A
9/19/2013 9:05	Field Cond		853	umhos/cm	SM 2510A
9/23/2013 9:23	Field Cond		756	umhos/cm	SM 2510A
9/24/2013 9:15	Field Cond		813	umhos/cm	SM 2510A
9/25/2013 9:02	Field Cond		869	umhos/cm	SM 2510A
9/26/2013 9:05	Field Cond		912	umhos/cm	SM 2510A
9/30/2013 9:23	Field Cond		913	umhos/cm	SM 2510A
10/1/2013 9:06	Field Cond		1018	umhos/cm	SM 2510A
10/2/2013 9:09	Field Cond		1028	umhos/cm	SM 2510A
10/3/2013 9:25	Field Cond		943	umhos/cm	SM 2510A
10/7/2013 9:40	Field Cond		366	umhos/cm	SM 2510A
10/8/2013 8:59	Field Cond		621	umhos/cm	SM 2510A
10/9/2013 8:58	Field Cond		709	umhos/cm	SM 2510A
10/10/2013 9:04	Field Cond		805	umhos/cm	SM 2510A
10/14/2013 9:19	Field Cond		916	umhos/cm	SM 2510A
10/15/2013 9:23	Field Cond		965	umhos/cm	SM 2510A
10/16/2013 9:33	Field Cond		481	umhos/cm	SM 2510A
10/17/2013	Field Cond		510	umhos/cm	SM 2510A
10/21/2013 10:00	Field Cond		748	umhos/cm	SM 2510A
10/22/2013 9:21	Field Cond		688	umhos/cm	SM 2510A
10/23/2013 9:50	Field Cond		655	umhos/cm	SM 2510A
10/24/2013 10:40	Field Cond		550	umhos/cm	SM 2510A
10/28/2013 9:40	Field Cond		756	umhos/cm	SM 2510A
10/29/2013 9:55	Field Cond		870	umhos/cm	SM 2510A
10/30/2013 9:54	Field Cond		870	umhos/cm	SM 2510A
10/31/2013 9:55	Field Cond		892	umhos/cm	SM 2510A
5/1/2013 6:38	Field Temp		14.5	C	EPA 170.1
5/2/2013 6:36	Field Temp		15.7	C	EPA 170.1
5/6/2013 6:47	Field Temp		14.5	C	EPA 170.1
5/7/2013 6:52	Field Temp		15.9	C	EPA 170.1
5/8/2013 6:57	Field Temp		16.2	C	EPA 170.1
5/9/2013 6:41	Field Temp		16.3	C	EPA 170.1
5/13/2013 6:32	Field Temp		7.8	C	EPA 170.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
5/14/2013 6:58	Field Temp		9.3	C	EPA 170.1
5/15/2013 6:51	Field Temp		12.2	C	EPA 170.1
5/16/2013 7:58	Field Temp		15.1	C	EPA 170.1
5/20/2013 6:40	Field Temp		19.5	C	EPA 170.1
5/21/2013 6:52	Field Temp		25.3	C	EPA 170.1
5/22/2013 6:55	Field Temp		21.3	C	EPA 170.1
5/23/2013 6:50	Field Temp		19.5	C	EPA 170.1
5/24/2013 6:50	Field Temp		12.9	C	EPA 170.1
5/25/2013 6:42	Field Temp		10.1	C	EPA 170.1
5/26/2013 6:48	Field Temp		11.9	C	EPA 170.1
5/27/2013 6:40	Field Temp		12.6	C	EPA 170.1
5/28/2013 7:05	Field Temp		12.7	C	EPA 170.1
5/29/2013 7:51	Field Temp		16.9	C	EPA 170.1
5/30/2013 7:48	Field Temp		19.7	C	EPA 170.1
5/31/2013 6:58	Field Temp		20.4	C	EPA 170.1
6/1/2013 6:51	Field Temp		19.3	C	EPA 170.1
6/2/2013 6:45	Field Temp		18.9	C	EPA 170.1
6/3/2013 7:40	Field Temp		16.4	C	EPA 170.1
6/4/2013 7:48	Field Temp		14.4	C	EPA 170.1
6/5/2013 7:45	Field Temp		15.1	C	EPA 170.1
6/6/2013 7:51	Field Temp		16.6	C	EPA 170.1
6/7/2013 6:47	Field Temp		15.2	C	EPA 170.1
6/8/2013 6:40	Field Temp		15.1	C	EPA 170.1
6/9/2013 6:40	Field Temp		16	C	EPA 170.1
6/10/2013 7:45	Field Temp		18.4	C	EPA 170.1
6/11/2013 7:42	Field Temp		17.9	C	EPA 170.1
6/12/2013 7:49	Field Temp		18.7	C	EPA 170.1
6/13/2013 7:51	Field Temp		18.3	C	EPA 170.1
6/14/2013 7:50	Field Temp		16.8	C	EPA 170.1
6/15/2013 7:24	Field Temp		16.2	C	EPA 170.1
6/16/2013 7:30	Field Temp		18.7	C	EPA 170.1
6/17/2013 7:55	Field Temp		19.6	C	EPA 170.1
6/18/2013 7:56	Field Temp		18.8	C	EPA 170.1
6/19/2013 7:50	Field Temp		17.7	C	EPA 170.1
6/20/2013 7:43	Field Temp		17.2	C	EPA 170.1
6/21/2013 6:47	Field Temp		18.7	C	EPA 170.1
6/22/2013 7:24	Field Temp		20.5	C	EPA 170.1
6/23/2013 6:54	Field Temp		22.1	C	EPA 170.1
6/24/2013 7:05	Field Temp		23.1	C	EPA 170.1
6/25/2013 7:48	Field Temp		23.6	C	EPA 170.1
6/26/2013 7:57	Field Temp		21.2	C	EPA 170.1
6/27/2013 7:50	Field Temp		22	C	EPA 170.1
6/28/2013 7:12	Field Temp		21.1	C	EPA 170.1
6/29/2013 7:08	Field Temp		20.1	C	EPA 170.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/30/2013 6:57	Field Temp		20.3	C	EPA 170.1
7/1/2013 7:40	Field Temp		20.1	C	EPA 170.1
7/2/2013 7:30	Field Temp		19	C	EPA 170.1
7/3/2013 7:35	Field Temp		20.7	C	EPA 170.1
7/4/2013 7:02	Field Temp		22.1	C	EPA 170.1
7/5/2013 6:50	Field Temp		22	C	EPA 170.1
7/6/2013 7:11	Field Temp		21.5	C	EPA 170.1
7/7/2013 7:00	Field Temp		21.8	C	EPA 170.1
7/8/2013 7:37	Field Temp		20.6	C	EPA 170.1
7/9/2013 7:58	Field Temp		21.8	C	EPA 170.1
7/11/2013 7:51	Field Temp		20.5	C	EPA 170.1
7/12/2013 7:16	Field Temp		19.4	C	EPA 170.1
7/13/2013 6:50	Field Temp		20.3	C	EPA 170.1
7/14/2013 6:54	Field Temp		21.2	C	EPA 170.1
7/15/2013 7:47	Field Temp		23.3	C	EPA 170.1
7/16/2013 7:46	Field Temp		24.3	C	EPA 170.1
7/17/2013 7:50	Field Temp		25.4	C	EPA 170.1
7/18/2013 7:50	Field Temp		26	C	EPA 170.1
7/19/2013	Field Temp		26.3	C	EPA 170.1
7/21/2013 6:47	Field Temp		21	C	EPA 170.1
7/22/2013 7:40	Field Temp		21.5	C	EPA 170.1
7/23/2013 7:54	Field Temp		20.5	C	EPA 170.1
7/24/2013 7:57	Field Temp		20	C	EPA 170.1
7/25/2013 7:42	Field Temp		18.4	C	EPA 170.1
7/26/2013 7:24	Field Temp		18.6	C	EPA 170.1
7/27/2013 7:10	Field Temp		20.4	C	EPA 170.1
7/28/2013 7:05	Field Temp		18.6	C	EPA 170.1
7/29/2013 7:32	Field Temp		17.8	C	EPA 170.1
7/30/2013 7:38	Field Temp		17.7	C	EPA 170.1
7/31/2013 7:47	Field Temp		19.4	C	EPA 170.1
8/1/2013 7:46	Field Temp		19.8	C	EPA 170.1
8/2/2013 7:31	Field Temp		20	C	EPA 170.1
8/3/2013 6:44	Field Temp		20	C	EPA 170.1
8/4/2013 6:42	Field Temp		20.2	C	EPA 170.1
8/5/2013 8:04	Field Temp		18.9	C	EPA 170.1
8/6/2013 7:42	Field Temp		19	C	EPA 170.1
8/7/2013 7:42	Field Temp		19.9	C	EPA 170.1
8/8/2013 7:44	Field Temp		20.8	C	EPA 170.1
8/9/2013 7:24	Field Temp		20	C	EPA 170.1
8/10/2013 7:07	Field Temp		20	C	EPA 170.1
8/11/2013 6:59	Field Temp		19.9	C	EPA 170.1
8/12/2013 7:57	Field Temp		20.7	C	EPA 170.1
8/13/2013 7:34	Field Temp		20	C	EPA 170.1
8/14/2013 8:12	Field Temp		17.3	C	EPA 170.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
8/15/2013 7:29	Field Temp		17.3	C	EPA 170.1
8/16/2013 6:57	Field Temp		17.7	C	EPA 170.1
8/17/2013 7:40	Field Temp		17.9	C	EPA 170.1
8/18/2013 7:19	Field Temp		19	C	EPA 170.1
8/19/2013 7:35	Field Temp		19.7	C	EPA 170.1
8/20/2013 7:32	Field Temp		20.2	C	EPA 170.1
8/21/2013 7:35	Field Temp		20.7	C	EPA 170.1
8/22/2013 7:39	Field Temp		21.7	C	EPA 170.1
8/23/2013 6:48	Field Temp		22.6	C	EPA 170.1
8/24/2013 7:01	Field Temp		20.5	C	EPA 170.1
8/25/2013 7:03	Field Temp		19.8	C	EPA 170.1
8/26/2013 7:37	Field Temp		21	C	EPA 170.1
8/27/2013 7:47	Field Temp		22.7	C	EPA 170.1
8/28/2013 7:55	Field Temp		22.2	C	EPA 170.1
8/29/2013 7:57	Field Temp		22.3	C	EPA 170.1
8/30/2013 7:39	Field Temp		22	C	EPA 170.1
8/31/2013 6:54	Field Temp		22.9	C	EPA 170.1
9/1/2013 7:32	Field Temp		22.9	C	EPA 170.1
9/2/2013 6:56	Field Temp		22.3	C	EPA 170.1
9/3/2013 9:32	Field Temp		19.9	C	EPA 170.1
9/4/2013 9:15	Field Temp		17.8	C	EPA 170.1
9/5/2013 9:05	Field Temp		19.5	C	EPA 170.1
9/6/2013 8:59	Field Temp		17.5	C	EPA 170.1
9/9/2013 8:59	Field Temp		18	C	EPA 170.1
9/10/2013 9:10	Field Temp		20.6	C	EPA 170.1
9/11/2013 9:05	Field Temp		22.9	C	EPA 170.1
9/12/2013 9:08	Field Temp		22.9	C	EPA 170.1
9/16/2013 9:02	Field Temp		16.4	C	EPA 170.1
9/17/2013 9:09	Field Temp		14.3	C	EPA 170.1
9/18/2013 9:03	Field Temp		14.5	C	EPA 170.1
9/19/2013 9:05	Field Temp		16.5	C	EPA 170.1
9/23/2013 9:23	Field Temp		14.7	C	EPA 170.1
9/24/2013 9:15	Field Temp		12.7	C	EPA 170.1
9/25/2013 9:02	Field Temp		13	C	EPA 170.1
9/26/2013 9:05	Field Temp		13.7	C	EPA 170.1
9/30/2013 9:23	Field Temp		16.8	C	EPA 170.1
10/1/2013 9:06	Field Temp		15.9	C	EPA 170.1
10/2/2013 9:09	Field Temp		17.3	C	EPA 170.1
10/3/2013 9:25	Field Temp		17.3	C	EPA 170.1
10/7/2013 9:40	Field Temp		16	C	EPA 170.1
10/8/2013 8:59	Field Temp		14.2	C	EPA 170.1
10/9/2013 8:58	Field Temp		13.2	C	EPA 170.1
10/10/2013 9:04	Field Temp		12.4	C	EPA 170.1
10/14/2013 9:19	Field Temp		14.4	C	EPA 170.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
10/15/2013 9:23	Field Temp		13.2	C	EPA 170.1
10/16/2013 9:33	Field Temp		15.7	C	EPA 170.1
10/17/2013	Field Temp		13.6	C	EPA 170.1
10/21/2013 10:00	Field Temp		10.7	C	EPA 170.1
10/22/2013 9:21	Field Temp		10.5	C	EPA 170.1
10/23/2013 9:50	Field Temp		9.7	C	EPA 170.1
10/24/2013 10:40	Field Temp		6.1	C	EPA 170.1
10/28/2013 9:40	Field Temp		7.1	C	EPA 170.1
10/29/2013 9:55	Field Temp		7.1	C	EPA 170.1
10/30/2013 9:54	Field Temp		7.8	C	EPA 170.1
10/31/2013 9:55	Field Temp		11.8	C	EPA 170.1
5/1/2013 6:38	pH		8.26	S.U.	
5/2/2013 6:36	pH		7.63	S.U.	
5/6/2013 6:47	pH		7.83	S.U.	
5/7/2013 6:52	pH		7.88	S.U.	
5/8/2013 6:57	pH		7.89	S.U.	
5/9/2013 6:41	pH		7.92	S.U.	
5/13/2013 6:32	pH		7.8	S.U.	
5/14/2013 6:58	pH		7.86	S.U.	
5/15/2013 6:51	pH		7.14	S.U.	
5/16/2013 7:58	pH		7.73	S.U.	
5/20/2013 6:40	pH		7.7	S.U.	
5/21/2013 6:52	pH		7.56	S.U.	
5/22/2013 6:55	pH		7.55	S.U.	
5/23/2013 6:50	pH		7.72	S.U.	
5/24/2013 6:50	pH		7.89	S.U.	
5/25/2013 6:42	pH		7.82	S.U.	
5/26/2013 6:48	pH		7.62	S.U.	
5/27/2013 6:40	pH		7.65	S.U.	
5/28/2013 7:05	pH		7.91	S.U.	
5/29/2013 7:51	pH		7.74	S.U.	
5/30/2013 7:48	pH		7.72	S.U.	
5/31/2013 6:58	pH		7.59	S.U.	
6/1/2013 6:51	pH		7.73	S.U.	
6/2/2013 6:45	pH		7.7	S.U.	
6/3/2013 7:40	pH		7.85	S.U.	
6/4/2013 7:48	pH		7.8	S.U.	
6/5/2013 7:45	pH		7.77	S.U.	
6/6/2013 7:51	pH		7.72	S.U.	
6/7/2013 6:47	pH		7.85	S.U.	
6/8/2013 6:40	pH		7.78	S.U.	
6/9/2013 6:40	pH		7.73	S.U.	
6/10/2013 7:45	pH		7.74	S.U.	



Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
6/11/2013 7:42	pH		7.81	S.U.	
6/12/2013 7:49	pH		7.76	S.U.	
6/13/2013 7:51	pH		7.75	S.U.	
6/14/2013 7:50	pH		7.8	S.U.	
6/15/2013 7:24	pH		7.68	S.U.	
6/16/2013 7:30	pH		7.94	S.U.	
6/17/2013 7:55	pH		7.81	S.U.	
6/18/2013 7:56	pH		7.96	S.U.	
6/19/2013 7:50	pH		7.8	S.U.	
6/20/2013 7:43	pH		7.79	S.U.	
6/21/2013 6:47	pH		7.6	S.U.	
6/22/2013 7:24	pH		7.6	S.U.	
6/23/2013 6:54	pH		7.6	S.U.	
6/24/2013 7:05	pH		7.56	S.U.	
6/25/2013 7:48	pH		7.66	S.U.	
6/26/2013 7:57	pH		7.65	S.U.	
6/27/2013 7:50	pH		7.92	S.U.	
6/28/2013 7:12	pH		7.55	S.U.	
6/29/2013 7:08	pH		7.48	S.U.	
6/30/2013 6:57	pH		7.65	S.U.	
7/1/2013 7:40	pH		7.6	S.U.	
7/2/2013 7:30	pH		7.47	S.U.	
7/3/2013 7:35	pH		7.51	S.U.	
7/4/2013 7:02	pH		7.25	S.U.	
7/5/2013 6:50	pH		7.46	S.U.	
7/6/2013 7:11	pH		7.38	S.U.	
7/7/2013 7:00	pH		7.56	S.U.	
7/8/2013 7:37	pH		7.54	S.U.	
7/9/2013 7:58	pH		7.56	S.U.	
7/11/2013 7:51	pH		7.5	S.U.	
7/12/2013 7:16	pH		7.63	S.U.	
7/13/2013 6:50	pH		7.55	S.U.	
7/14/2013 6:54	pH		7.56	S.U.	
7/15/2013 7:47	pH		7.55	S.U.	
7/16/2013 7:46	pH		7.62	S.U.	
7/17/2013 7:50	pH		7.49	S.U.	
7/18/2013 7:50	pH		7.63	S.U.	
7/19/2013	pH		7.04	S.U.	
7/21/2013 6:47	pH		7.25	S.U.	
7/22/2013 7:40	pH		7.59	S.U.	
7/23/2013 7:54	pH		7.62	S.U.	
7/24/2013 7:57	pH		7.56	S.U.	
7/25/2013 7:42	pH		7.5	S.U.	
7/26/2013 7:24	pH		7.62	S.U.	

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
7/27/2013 7:10	pH		7.21	S.U.	
7/28/2013 7:05	pH		7.48	S.U.	
7/29/2013 7:32	pH		7.64	S.U.	
7/30/2013 7:38	pH		7.62	S.U.	
7/31/2013 7:47	pH		7.63	S.U.	
8/1/2013 7:46	pH		7.56	S.U.	
8/2/2013 7:31	pH		7.48	S.U.	
8/3/2013 6:44	pH		7.2	S.U.	
8/4/2013 6:42	pH		6.88	S.U.	
8/5/2013 8:04	pH		7.62	S.U.	
8/6/2013 7:42	pH		7.31	S.U.	
8/7/2013 7:42	pH		7.33	S.U.	
8/8/2013 7:44	pH		7.44	S.U.	
8/9/2013 7:24	pH		7.32	S.U.	
8/10/2013 7:07	pH		7.14	S.U.	
8/11/2013 6:59	pH		7.07	S.U.	
8/12/2013 7:57	pH		7.36	S.U.	
8/13/2013 7:34	pH		7.51	S.U.	
8/14/2013 8:12	pH		7.4	S.U.	
8/15/2013 7:29	pH		7.45	S.U.	
8/16/2013 6:57	pH		7.11	S.U.	
8/17/2013 7:40	pH		7.43	S.U.	
8/18/2013 7:19	pH		6.65	S.U.	
8/19/2013 7:35	pH		7.21	S.U.	
8/20/2013 7:32	pH		7.36	S.U.	
8/21/2013 7:35	pH		7.3	S.U.	
8/22/2013 7:39	pH		7.34	S.U.	
8/23/2013 6:48	pH		6.9	S.U.	
8/24/2013 7:01	pH		6.75	S.U.	
8/25/2013 7:03	pH		7.01	S.U.	
8/26/2013 7:37	pH		6.99	S.U.	
8/27/2013 7:47	pH		7.21	S.U.	
8/28/2013 7:55	pH		7.45	S.U.	
8/29/2013 7:57	pH		7.17	S.U.	
8/30/2013 7:39	pH		1.75	S.U.	
8/31/2013 6:54	pH		6.8	S.U.	
9/1/2013 7:32	pH		7.54	S.U.	
9/2/2013 6:56	pH		6.58	S.U.	
9/3/2013 9:32	pH		7.47	S.U.	
9/4/2013 9:15	pH		6.52	S.U.	
9/5/2013 9:05	pH		7.08	S.U.	
9/6/2013 8:59	pH		6.77	S.U.	
9/9/2013 8:59	pH		7.11	S.U.	
9/10/2013 9:10	pH		7.09	S.U.	

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
9/11/2013 9:05	pH		7.96	S.U.	
9/12/2013 9:08	pH		7.24	S.U.	
9/16/2013 9:02	pH		6.8	S.U.	
9/17/2013 9:09	pH		7.29	S.U.	
9/18/2013 9:03	pH		7.44	S.U.	
9/19/2013 9:05	pH		7.15	S.U.	
9/23/2013 9:23	pH		7.38	S.U.	
9/24/2013 9:15	pH		7.37	S.U.	
9/25/2013 9:02	pH		7.27	S.U.	
9/26/2013 9:05	pH		7.42	S.U.	
9/30/2013 9:23	pH		7.08	S.U.	
10/1/2013 9:06	pH		6.95	S.U.	
10/2/2013 9:09	pH		6.98	S.U.	
10/3/2013 9:25	pH		7.44	S.U.	
10/7/2013 9:40	pH		7.05	S.U.	
10/8/2013 8:59	pH		6.76	S.U.	
10/9/2013 8:58	pH		7.19	S.U.	
10/10/2013 9:04	pH		7.2	S.U.	
10/14/2013 9:19	pH		6.99	S.U.	
10/15/2013 9:23	pH		7.35	S.U.	
10/16/2013 9:33	pH		7.13	S.U.	
10/17/2013	pH		7.36	S.U.	
10/21/2013 10:00	pH		7.38	S.U.	
10/22/2013 9:21	pH		6.89	S.U.	
10/23/2013 9:50	pH		7.13	S.U.	
10/24/2013 10:40	pH		7.1	S.U.	
10/28/2013 9:40	pH		7.12	S.U.	
10/29/2013 9:55	pH		7.18	S.U.	
10/30/2013 9:54	pH		7.1	S.U.	
10/31/2013 9:55	pH		6.93	S.U.	
5/1/2013 6:38	Turbidity		2.46	NTU	EPA180.1
5/2/2013 6:36	Turbidity		14	NTU	EPA180.1
5/6/2013 6:47	Turbidity		2.14	NTU	EPA180.1
5/7/2013 6:52	Turbidity		2.26	NTU	EPA180.1
5/8/2013 6:57	Turbidity		6.3	NTU	EPA180.1
5/9/2013 6:41	Turbidity		2.13	NTU	EPA180.1
5/13/2013 6:32	Turbidity		4.46	NTU	EPA180.1
5/14/2013 6:58	Turbidity		1.63	NTU	EPA180.1
5/15/2013 6:51	Turbidity		2.12	NTU	EPA180.1
5/16/2013 7:58	Turbidity		3.6	NTU	EPA180.1
5/20/2013 6:40	Turbidity		1.97	NTU	EPA180.1
5/21/2013 6:52	Turbidity		2.15	NTU	EPA180.1
5/22/2013 6:55	Turbidity		2.44	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
5/23/2013 6:50	Turbidity		21.8	NTU	EPA180.1
5/24/2013 6:50	Turbidity		6.72	NTU	EPA180.1
5/25/2013 6:42	Turbidity		1.75	NTU	EPA180.1
5/26/2013 6:48	Turbidity		1.6	NTU	EPA180.1
5/27/2013 6:40	Turbidity		1.67	NTU	EPA180.1
5/28/2013 7:05	Turbidity		83.2	NTU	EPA180.1
5/29/2013 7:51	Turbidity		4.375	NTU	EPA180.1
5/30/2013 7:48	Turbidity		2.06	NTU	EPA180.1
5/31/2013 6:58	Turbidity		1.93	NTU	EPA180.1
6/1/2013 6:51	Turbidity		37.3	NTU	EPA180.1
6/2/2013 6:45	Turbidity		175	NTU	EPA180.1
6/3/2013 7:40	Turbidity		15.55	NTU	EPA180.1
6/4/2013 7:48	Turbidity		4.43	NTU	EPA180.1
6/5/2013 7:45	Turbidity		3.12	NTU	EPA180.1
6/6/2013 7:51	Turbidity		3.31	NTU	EPA180.1
6/7/2013 6:47	Turbidity		4.52	NTU	EPA180.1
6/8/2013 6:40	Turbidity		3.13	NTU	EPA180.1
6/9/2013 6:40	Turbidity		3.78	NTU	EPA180.1
6/10/2013 7:45	Turbidity		2.585	NTU	EPA180.1
6/11/2013 7:42	Turbidity		3.87	NTU	EPA180.1
6/12/2013 7:49	Turbidity		2.57	NTU	EPA180.1
6/13/2013 7:51	Turbidity		209.5	NTU	EPA180.1
6/14/2013 7:50	Turbidity		5.59	NTU	EPA180.1
6/15/2013 7:24	Turbidity		2.57	NTU	EPA180.1
6/16/2013 7:30	Turbidity		5.5	NTU	EPA180.1
6/17/2013 7:55	Turbidity		1.6	NTU	EPA180.1
6/18/2013 7:56	Turbidity		31.3	NTU	EPA180.1
6/19/2013 7:50	Turbidity		6.45	NTU	EPA180.1
6/20/2013 7:43	Turbidity		4.91	NTU	EPA180.1
6/21/2013 6:47	Turbidity		5.26	NTU	EPA180.1
6/22/2013 7:24	Turbidity		2.59	NTU	EPA180.1
6/23/2013 6:54	Turbidity		2.45	NTU	EPA180.1
6/24/2013 7:05	Turbidity		2.66	NTU	EPA180.1
6/25/2013 7:48	Turbidity		2.03	NTU	EPA180.1
6/26/2013 7:57	Turbidity		32.75	NTU	EPA180.1
6/27/2013 7:50	Turbidity		8.79	NTU	EPA180.1
6/28/2013 7:12	Turbidity		3.03	NTU	EPA180.1
6/29/2013 7:08	Turbidity		19.5	NTU	EPA180.1
6/30/2013 6:57	Turbidity		4.675	NTU	EPA180.1
7/1/2013 7:40	Turbidity		2	NTU	EPA180.1
7/2/2013 7:30	Turbidity		2.075	NTU	EPA180.1
7/3/2013 7:35	Turbidity		1.58	NTU	EPA180.1
7/4/2013 7:02	Turbidity		1.84	NTU	EPA180.1
7/5/2013 6:50	Turbidity		9.86	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
7/6/2013 7:11	Turbidity		2.22	NTU	EPA180.1
7/7/2013 7:00	Turbidity		9.45	NTU	EPA180.1
7/8/2013 7:37	Turbidity		115.5	NTU	EPA180.1
7/9/2013 7:58	Turbidity		38.3	NTU	EPA180.1
7/11/2013 7:51	Turbidity		22.75	NTU	EPA180.1
7/12/2013 7:16	Turbidity		5.97	NTU	EPA180.1
7/13/2013 6:50	Turbidity		3.89	NTU	EPA180.1
7/14/2013 6:54	Turbidity		3.67	NTU	EPA180.1
7/15/2013 7:47	Turbidity		2.59	NTU	EPA180.1
7/16/2013 7:46	Turbidity		2.04	NTU	EPA180.1
7/17/2013 7:50	Turbidity		2.01	NTU	EPA180.1
7/18/2013 7:50	Turbidity		2.49	NTU	EPA180.1
7/19/2013	Turbidity		2.1	NTU	EPA180.1
7/21/2013 6:47	Turbidity		27.4	NTU	EPA180.1
7/22/2013 7:40	Turbidity		6.38	NTU	EPA180.1
7/23/2013 7:54	Turbidity		17.8	NTU	EPA180.1
7/24/2013 7:57	Turbidity		13.58	NTU	EPA180.1
7/25/2013 7:42	Turbidity		6.07	NTU	EPA180.1
7/26/2013 7:24	Turbidity		3.04	NTU	EPA180.1
7/27/2013 7:10	Turbidity		2.28	NTU	EPA180.1
7/28/2013 7:05	Turbidity		2.61	NTU	EPA180.1
7/29/2013 7:32	Turbidity		2.335	NTU	EPA180.1
7/30/2013 7:38	Turbidity		1.945	NTU	EPA180.1
7/31/2013 7:47	Turbidity		2.065	NTU	EPA180.1
8/1/2013 7:46	Turbidity		24.75	NTU	EPA180.1
8/2/2013 7:31	Turbidity		1.68	NTU	EPA180.1
8/3/2013 6:44	Turbidity		169	NTU	EPA180.1
8/4/2013 6:42	Turbidity		5.41	NTU	EPA180.1
8/5/2013 8:04	Turbidity		1.85	NTU	EPA180.1
8/6/2013 7:42	Turbidity		1.705	NTU	EPA180.1
8/7/2013 7:42	Turbidity		1.95	NTU	EPA180.1
8/8/2013 7:44	Turbidity		10.12	NTU	EPA180.1
8/9/2013 7:24	Turbidity		3.11	NTU	EPA180.1
8/10/2013 7:07	Turbidity		5.76	NTU	EPA180.1
8/11/2013 6:59	Turbidity		2.7	NTU	EPA180.1
8/12/2013 7:57	Turbidity		2.57	NTU	EPA180.1
8/13/2013 7:34	Turbidity		3.005	NTU	EPA180.1
8/14/2013 8:12	Turbidity		2.14	NTU	EPA180.1
8/15/2013 7:29	Turbidity		1.82	NTU	EPA180.1
8/16/2013 6:57	Turbidity		1.78	NTU	EPA180.1
8/17/2013 7:40	Turbidity		1.65	NTU	EPA180.1
8/18/2013 7:19	Turbidity		1.89	NTU	EPA180.1
8/19/2013 7:35	Turbidity		2.03	NTU	EPA180.1
8/20/2013 7:32	Turbidity		2.075	NTU	EPA180.1

Euclid Creek River Mile 0.55					
Sample Date	Parameter	Code	Result	Units	Method
8/21/2013 7:35	Turbidity		2.625	NTU	EPA180.1
8/22/2013 7:39	Turbidity		1.62	NTU	EPA180.1
8/23/2013 6:48	Turbidity		2.46	NTU	EPA180.1
8/24/2013 7:01	Turbidity		2.18	NTU	EPA180.1
8/25/2013 7:03	Turbidity		1.73	NTU	EPA180.1
8/26/2013 7:37	Turbidity		1.7	NTU	EPA180.1
8/27/2013 7:47	Turbidity		3.02	NTU	EPA180.1
8/28/2013 7:55	Turbidity		13.8	NTU	EPA180.1
8/29/2013 7:57	Turbidity		3.17	NTU	EPA180.1
8/30/2013 7:39	Turbidity		7.34	NTU	EPA180.1
8/31/2013 6:54	Turbidity		30	NTU	EPA180.1
9/1/2013 7:32	Turbidity		3.62	NTU	EPA180.1
9/2/2013 6:56	Turbidity		4.48	NTU	EPA180.1
9/3/2013 9:32	Turbidity		1.78	NTU	EPA180.1
9/4/2013 9:15	Turbidity		1.68	NTU	EPA180.1
9/5/2013 9:05	Turbidity		1.99	NTU	EPA180.1
9/6/2013 8:59	Turbidity		1.76	NTU	EPA180.1
9/9/2013 8:59	Turbidity		1.88	NTU	EPA180.1
9/10/2013 9:10	Turbidity		1.55	NTU	EPA180.1
9/11/2013 9:05	Turbidity		1.5	NTU	EPA180.1
9/12/2013 9:08	Turbidity		2.25	NTU	EPA180.1
9/16/2013 9:02	Turbidity		2.09	NTU	EPA180.1
9/17/2013 9:09	Turbidity		1.33	NTU	EPA180.1
9/18/2013 9:03	Turbidity		1.43	NTU	EPA180.1
9/19/2013 9:05	Turbidity		1.59	NTU	EPA180.1
9/23/2013 9:23	Turbidity		2.01	NTU	EPA180.1
9/24/2013 9:15	Turbidity		1.52	NTU	EPA180.1
9/25/2013 9:02	Turbidity		1.51	NTU	EPA180.1
9/26/2013 9:05	Turbidity		1.46	NTU	EPA180.1
9/30/2013 9:23	Turbidity		3.01	NTU	EPA180.1
10/1/2013 9:06	Turbidity		1.11	NTU	EPA180.1
10/2/2013 9:09	Turbidity		1.07	NTU	EPA180.1
10/3/2013 9:25	Turbidity		17.05	NTU	EPA180.1
10/7/2013 9:40	Turbidity		68.5	NTU	EPA180.1
10/8/2013 8:59	Turbidity		4.37	NTU	EPA180.1
10/9/2013 8:58	Turbidity		1.79	NTU	EPA180.1
10/10/2013 9:04	Turbidity		1.7	NTU	EPA180.1
10/14/2013 9:19	Turbidity		1.42	NTU	EPA180.1
10/15/2013 9:23	Turbidity		1.22	NTU	EPA180.1
10/16/2013 9:33	Turbidity		18.7	NTU	EPA180.1
10/17/2013	Turbidity		9.05	NTU	EPA180.1
10/21/2013 10:00	Turbidity		1.79	NTU	EPA180.1
10/22/2013 9:21	Turbidity		5.99	NTU	EPA180.1
10/23/2013 9:50	Turbidity		16.9	NTU	EPA180.1

Euclid Creek  
River Mile 0.55

Sample Date	Parameter	Code	Result	Units	Method
10/24/2013 10:40	Turbidity		27.9	NTU	EPA180.1
10/28/2013 9:40	Turbidity		2.89	NTU	EPA180.1
10/29/2013 9:55	Turbidity		2.12	NTU	EPA180.1
10/30/2013 9:54	Turbidity		1.67	NTU	EPA180.1
10/31/2013 9:55	Turbidity		6.74	NTU	EPA180.1