

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/4/2015 7:42	E. coli		3	MPN/100 mL	SM9223 Colilert
5/5/2015 7:30	E. coli		170	MPN/100 mL	SM9223 Colilert
5/6/2015 7:30	E. coli		217	MPN/100 mL	SM9223 Colilert
5/7/2015 7:30	E. coli		18	MPN/100 mL	SM9223 Colilert
5/11/2015 7:44	E. coli		29	MPN/100 mL	SM9223 Colilert
5/12/2015 7:53	E. coli		173	MPN/100 mL	SM9223 Colilert
5/13/2015 7:46	E. coli		994	MPN/100 mL	SM9223 Colilert
5/14/2015 7:44	E. coli		523	MPN/100 mL	SM9223 Colilert
5/15/2015 7:30	E. coli		91	MPN/100 mL	SM9223 Colilert
5/16/2015	E. coli		17	MPN/100 mL	SM9223 Colilert
5/18/2015 7:33	E. coli		8	MPN/100 mL	SM9223 Colilert
5/19/2015 8:14	E. coli		125	MPN/100 mL	SM9223 Colilert
5/20/2015 7:56	E. coli		428	MPN/100 mL	SM9223 Colilert
5/21/2015 7:39	E. coli		37	MPN/100 mL	SM9223 Colilert
5/22/2015 7:35	E. coli		10	MPN/100 mL	SM9223 Colilert
5/23/2015 7:22	E. coli		6	MPN/100 mL	SM9223 Colilert
5/24/2015 7:32	E. coli		9	MPN/100 mL	SM9223 Colilert
5/25/2015 7:18	E. coli		3	MPN/100 mL	SM9223 Colilert
5/26/2015 7:24	E. coli		5	MPN/100 mL	SM9223 Colilert
5/27/2015 7:35	E. coli		2	MPN/100 mL	SM9223 Colilert
5/28/2015 7:17	E. coli		84	MPN/100 mL	SM9223 Colilert
5/29/2015 7:22	E. coli		15	MPN/100 mL	SM9223 Colilert
5/30/2015 7:18	E. coli		11	MPN/100 mL	SM9223 Colilert
5/31/2015 7:30	E. coli		744	MPN/100 mL	SM9223 Colilert
6/1/2015 7:28	E. coli		3570	MPN/100 mL	SM9223 Colilert
6/2/2015 7:33	E. coli		1119	MPN/100 mL	SM9223 Colilert
6/3/2015 7:22	E. coli		432	MPN/100 mL	SM9223 Colilert
6/4/2015 7:28	E. coli		179	MPN/100 mL	SM9223 Colilert
6/5/2015 7:22	E. coli		46	MPN/100 mL	SM9223 Colilert
6/6/2015 7:23	E. coli		118	MPN/100 mL	SM9223 Colilert
6/7/2015 7:19	E. coli		84	MPN/100 mL	SM9223 Colilert
6/8/2015 7:28	E. coli		20	MPN/100 mL	SM9223 Colilert
6/9/2015 7:35	E. coli		78	MPN/100 mL	SM9223 Colilert
6/10/2015 7:22	E. coli		24	MPN/100 mL	SM9223 Colilert
6/11/2015 7:24	E. coli		306	MPN/100 mL	SM9223 Colilert
6/12/2015 7:20	E. coli		39	MPN/100 mL	SM9223 Colilert
6/13/2015 7:47	E. coli		100	MPN/100 mL	SM9223 Colilert
6/14/2015	E. coli		225	MPN/100 mL	SM9223 Colilert
6/15/2015 7:35	E. coli		245	MPN/100 mL	SM9223 Colilert
6/16/2015 7:36	E. coli		520	MPN/100 mL	SM9223 Colilert
6/17/2015 7:50	E. coli		62	MPN/100 mL	SM9223 Colilert
6/18/2015 7:23	E. coli		93	MPN/100 mL	SM9223 Colilert
6/19/2015 7:38	E. coli		1844	MPN/100 mL	SM9223 Colilert
6/20/2015 7:26	E. coli		20	MPN/100 mL	SM9223 Colilert
6/21/2015 7:35	E. coli		26	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/22/2015 7:18	E. coli		10	MPN/100 mL	SM9223 Colilert
6/23/2015 7:52	E. coli		945	MPN/100 mL	SM9223 Colilert
6/24/2015 7:32	E. coli		411	MPN/100 mL	SM9223 Colilert
6/25/2015 8:00	E. coli		43	MPN/100 mL	SM9223 Colilert
6/26/2015 7:22	E. coli		45	MPN/100 mL	SM9223 Colilert
6/27/2015 7:35	E. coli		1042	MPN/100 mL	SM9223 Colilert
6/28/2015 8:40	E. coli		574	MPN/100 mL	SM9223 Colilert
6/29/2015 7:54	E. coli		1494	MPN/100 mL	SM9223 Colilert
6/30/2015 7:51	E. coli		87	MPN/100 mL	SM9223 Colilert
7/1/2015 7:30	E. coli		208	MPN/100 mL	SM9223 Colilert
7/2/2015 7:31	E. coli		12	MPN/100 mL	SM9223 Colilert
7/3/2015 7:15	E. coli		47	MPN/100 mL	SM9223 Colilert
7/4/2015 7:15	E. coli		76	MPN/100 mL	SM9223 Colilert
7/5/2015 7:10	E. coli		60	MPN/100 mL	SM9223 Colilert
7/6/2015 7:22	E. coli		36	MPN/100 mL	SM9223 Colilert
7/7/2015 7:34	E. coli		28	MPN/100 mL	SM9223 Colilert
7/8/2015 7:28	E. coli		94	MPN/100 mL	SM9223 Colilert
7/9/2015 7:47	E. coli		222	MPN/100 mL	SM9223 Colilert
7/10/2015 7:30	E. coli		326	MPN/100 mL	SM9223 Colilert
7/11/2015 7:27	E. coli		52	MPN/100 mL	SM9223 Colilert
7/12/2015 7:51	E. coli		39	MPN/100 mL	SM9223 Colilert
7/13/2015 7:15	E. coli		345	MPN/100 mL	SM9223 Colilert
7/14/2015 7:17	E. coli		120	MPN/100 mL	SM9223 Colilert
7/15/2015	E. coli		796	MPN/100 mL	SM9223 Colilert
7/16/2015 7:20	E. coli		49	MPN/100 mL	SM9223 Colilert
7/17/2015 7:20	E. coli		35	MPN/100 mL	SM9223 Colilert
7/18/2015 7:25	E. coli		2092	MPN/100 mL	SM9223 Colilert
7/19/2015 7:06	E. coli		96	MPN/100 mL	SM9223 Colilert
7/20/2015 7:25	E. coli		220	MPN/100 mL	SM9223 Colilert
7/21/2015 7:23	E. coli		41	MPN/100 mL	SM9223 Colilert
7/22/2015 7:25	E. coli		43	MPN/100 mL	SM9223 Colilert
7/23/2015 7:27	E. coli		44	MPN/100 mL	SM9223 Colilert
7/24/2015 7:44	E. coli		109	MPN/100 mL	SM9223 Colilert
7/25/2015 7:28	E. coli		21	MPN/100 mL	SM9223 Colilert
7/26/2015 7:28	E. coli		152	MPN/100 mL	SM9223 Colilert
7/27/2015 7:32	E. coli		60	MPN/100 mL	SM9223 Colilert
7/28/2015 7:34	E. coli		60	MPN/100 mL	SM9223 Colilert
7/29/2015 7:27	E. coli		42	MPN/100 mL	SM9223 Colilert
7/30/2015 7:30	E. coli		806	MPN/100 mL	SM9223 Colilert
7/31/2015 7:31	E. coli		234	MPN/100 mL	SM9223 Colilert
8/1/2015 7:17	E. coli		183	MPN/100 mL	SM9223 Colilert
8/2/2015 7:10	E. coli		84	MPN/100 mL	SM9223 Colilert
8/3/2015 7:20	E. coli		238	MPN/100 mL	SM9223 Colilert
8/4/2015 7:25	E. coli		60	MPN/100 mL	SM9223 Colilert
8/5/2015 7:30	E. coli		31.5	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/6/2015 7:28	E. coli		63	MPN/100 mL	SM9223 Colilert
8/7/2015 7:33	E. coli		42	MPN/100 mL	SM9223 Colilert
8/8/2015 7:25	E. coli		19	MPN/100 mL	SM9223 Colilert
8/9/2015 7:29	E. coli		115	MPN/100 mL	SM9223 Colilert
8/10/2015 7:31	E. coli		17	MPN/100 mL	SM9223 Colilert
8/11/2015 7:32	E. coli		1538	MPN/100 mL	SM9223 Colilert
8/12/2015 7:47	E. coli		63	MPN/100 mL	SM9223 Colilert
8/13/2015 7:31	E. coli		56	MPN/100 mL	SM9223 Colilert
8/14/2015 7:42	E. coli		16	MPN/100 mL	SM9223 Colilert
8/15/2015 7:17	E. coli		87	MPN/100 mL	SM9223 Colilert
8/16/2015 7:15	E. coli		16	MPN/100 mL	SM9223 Colilert
8/17/2015 7:28	E. coli		16	MPN/100 mL	SM9223 Colilert
8/18/2015 7:25	E. coli		84	MPN/100 mL	SM9223 Colilert
8/19/2015 7:16	E. coli		53	MPN/100 mL	SM9223 Colilert
8/20/2015 7:25	E. coli		130	MPN/100 mL	SM9223 Colilert
8/21/2015 7:20	E. coli		86	MPN/100 mL	SM9223 Colilert
8/22/2015 7:15	E. coli		21	MPN/100 mL	SM9223 Colilert
8/23/2015 7:17	E. coli		96	MPN/100 mL	SM9223 Colilert
8/24/2015 7:23	E. coli		235.5	MPN/100 mL	SM9223 Colilert
8/25/2015 7:20	E. coli		146	MPN/100 mL	SM9223 Colilert
8/26/2015 7:36	E. coli		43	MPN/100 mL	SM9223 Colilert
8/27/2015 7:26	E. coli		43	MPN/100 mL	SM9223 Colilert
8/28/2015 7:33	E. coli		114	MPN/100 mL	SM9223 Colilert
8/29/2015 7:50	E. coli		31	MPN/100 mL	SM9223 Colilert
8/30/2015 7:35	E. coli		74	MPN/100 mL	SM9223 Colilert
8/31/2015 7:25	E. coli		90	MPN/100 mL	SM9223 Colilert
9/1/2015 7:35	E. coli		39	MPN/100 mL	SM9223 Colilert
9/2/2015 7:35	E. coli		40	MPN/100 mL	SM9223 Colilert
9/3/2015 7:46	E. coli		334	MPN/100 mL	SM9223 Colilert
9/4/2015 7:28	E. coli		98	MPN/100 mL	SM9223 Colilert
9/5/2015 7:28	E. coli		68	MPN/100 mL	SM9223 Colilert
9/6/2015 7:52	E. coli		35	MPN/100 mL	SM9223 Colilert
9/7/2015 7:25	E. coli		26	MPN/100 mL	SM9223 Colilert
9/8/2015 7:36	E. coli		42	MPN/100 mL	SM9223 Colilert
9/9/2015 7:33	E. coli		75	MPN/100 mL	SM9223 Colilert
9/10/2015 7:33	E. coli		117	MPN/100 mL	SM9223 Colilert
9/14/2015 9:33	E. coli		417	MPN/100 mL	SM9223 Colilert
9/15/2015 10:36	E. coli		87	MPN/100 mL	SM9223 Colilert
9/16/2015 9:49	E. coli		35	MPN/100 mL	SM9223 Colilert
9/17/2015 9:58	E. coli		72	MPN/100 mL	SM9223 Colilert
9/21/2015 11:00	E. coli		12	MPN/100 mL	SM9223 Colilert
9/22/2015 10:05	E. coli		44	MPN/100 mL	SM9223 Colilert
9/23/2015 9:32	E. coli		48	MPN/100 mL	SM9223 Colilert
9/24/2015 9:48	E. coli		63	MPN/100 mL	SM9223 Colilert
9/28/2015 9:57	E. coli		33	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/29/2015 9:45	E. coli		41	MPN/100 mL	SM9223 Colilert
9/30/2015 9:35	E. coli		200	MPN/100 mL	SM9223 Colilert
10/1/2015 9:40	E. coli		56	MPN/100 mL	SM9223 Colilert
5/4/2015 7:42	Field Cond		315	umhos/cm	SM 2510A
5/5/2015 7:30	Field Cond		300	umhos/cm	SM 2510A
5/6/2015 7:30	Field Cond		286	umhos/cm	SM 2510A
5/7/2015 7:30	Field Cond		324	umhos/cm	SM 2510A
5/11/2015 7:44	Field Cond		290	umhos/cm	SM 2510A
5/12/2015 7:53	Field Cond		315	umhos/cm	SM 2510A
5/13/2015 7:46	Field Cond		329	umhos/cm	SM 2510A
5/14/2015 7:44	Field Cond		339	umhos/cm	SM 2510A
5/15/2015 7:30	Field Cond		372	umhos/cm	SM 2510A
5/16/2015	Field Cond		305	umhos/cm	SM 2510A
5/18/2015 7:33	Field Cond		275	umhos/cm	SM 2510A
5/19/2015 8:14	Field Cond		287	umhos/cm	SM 2510A
5/20/2015 7:56	Field Cond		295	umhos/cm	SM 2510A
5/21/2015 7:39	Field Cond		283	umhos/cm	SM 2510A
5/22/2015 7:35	Field Cond		270	umhos/cm	SM 2510A
5/23/2015 7:22	Field Cond		276	umhos/cm	SM 2510A
5/24/2015 7:32	Field Cond		298	umhos/cm	SM 2510A
5/25/2015 7:18	Field Cond		282	umhos/cm	SM 2510A
5/26/2015 7:24	Field Cond		287	umhos/cm	SM 2510A
5/27/2015 7:35	Field Cond		291	umhos/cm	SM 2510A
5/28/2015 7:17	Field Cond		296	umhos/cm	SM 2510A
5/29/2015 7:22	Field Cond		273	umhos/cm	SM 2510A
5/30/2015 7:18	Field Cond		304	umhos/cm	SM 2510A
5/31/2015 7:30	Field Cond		305	umhos/cm	SM 2510A
6/1/2015 7:28	Field Cond		376	umhos/cm	SM 2510A
6/2/2015 7:33	Field Cond		382	umhos/cm	SM 2510A
6/3/2015 7:22	Field Cond		421	umhos/cm	SM 2510A
6/4/2015 7:28	Field Cond		334	umhos/cm	SM 2510A
6/5/2015 7:22	Field Cond		284	umhos/cm	SM 2510A
6/6/2015 7:23	Field Cond		308	umhos/cm	SM 2510A
6/7/2015 7:19	Field Cond		357	umhos/cm	SM 2510A
6/8/2015 7:28	Field Cond		295	umhos/cm	SM 2510A
6/9/2015 7:35	Field Cond		298	umhos/cm	SM 2510A
6/10/2015 7:22	Field Cond		300	umhos/cm	SM 2510A
6/11/2015 7:24	Field Cond		295	umhos/cm	SM 2510A
6/12/2015 7:20	Field Cond		325	umhos/cm	SM 2510A
6/13/2015 7:47	Field Cond		272	umhos/cm	SM 2510A
6/14/2015	Field Cond		300	umhos/cm	SM 2510A
6/15/2015 7:35	Field Cond		273	umhos/cm	SM 2510A
6/16/2015 7:36	Field Cond		312	umhos/cm	SM 2510A
6/17/2015 7:50	Field Cond		289	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/18/2015 7:23	Field Cond		286	umhos/cm	SM 2510A
6/19/2015 7:38	Field Cond		311	umhos/cm	SM 2510A
6/20/2015 7:26	Field Cond		267	umhos/cm	SM 2510A
6/21/2015 7:35	Field Cond		295	umhos/cm	SM 2510A
6/22/2015 7:18	Field Cond		296	umhos/cm	SM 2510A
6/23/2015 7:52	Field Cond		259	umhos/cm	SM 2510A
6/24/2015 7:32	Field Cond		274	umhos/cm	SM 2510A
6/25/2015 8:00	Field Cond		276	umhos/cm	SM 2510A
6/26/2015 7:22	Field Cond		285	umhos/cm	SM 2510A
6/27/2015 7:35	Field Cond		355	umhos/cm	SM 2510A
6/28/2015 8:40	Field Cond		313	umhos/cm	SM 2510A
6/29/2015 7:54	Field Cond		302	umhos/cm	SM 2510A
6/30/2015 7:51	Field Cond		291	umhos/cm	SM 2510A
7/1/2015 7:30	Field Cond		300	umhos/cm	SM 2510A
7/2/2015 7:31	Field Cond		291	umhos/cm	SM 2510A
7/3/2015 7:15	Field Cond		302	umhos/cm	SM 2510A
7/4/2015 7:15	Field Cond		303	umhos/cm	SM 2510A
7/5/2015 7:10	Field Cond		320	umhos/cm	SM 2510A
7/6/2015 7:22	Field Cond		328	umhos/cm	SM 2510A
7/7/2015 7:34	Field Cond		315	umhos/cm	SM 2510A
7/8/2015 7:28	Field Cond		313	umhos/cm	SM 2510A
7/9/2015 7:47	Field Cond		370	umhos/cm	SM 2510A
7/10/2015 7:30	Field Cond		373	umhos/cm	SM 2510A
7/11/2015 7:27	Field Cond		328	umhos/cm	SM 2510A
7/12/2015 7:51	Field Cond		319	umhos/cm	SM 2510A
7/13/2015 7:15	Field Cond		318	umhos/cm	SM 2510A
7/14/2015 7:17	Field Cond		307	umhos/cm	SM 2510A
7/15/2015	Field Cond		300	umhos/cm	SM 2510A
7/16/2015 7:20	Field Cond		310	umhos/cm	SM 2510A
7/17/2015 7:20	Field Cond		320	umhos/cm	SM 2510A
7/18/2015 7:25	Field Cond		331	umhos/cm	SM 2510A
7/19/2015 7:06	Field Cond		286	umhos/cm	SM 2510A
7/20/2015 7:25	Field Cond		277	umhos/cm	SM 2510A
7/21/2015 7:23	Field Cond		260	umhos/cm	SM 2510A
7/22/2015 7:25	Field Cond		256	umhos/cm	SM 2510A
7/23/2015 7:27	Field Cond		258	umhos/cm	SM 2510A
7/24/2015 7:44	Field Cond		267	umhos/cm	SM 2510A
7/25/2015 7:28	Field Cond		28	umhos/cm	SM 2510A
7/26/2015 7:28	Field Cond		289	umhos/cm	SM 2510A
7/27/2015 7:32	Field Cond		308	umhos/cm	SM 2510A
7/28/2015 7:34	Field Cond		346	umhos/cm	SM 2510A
7/29/2015 7:27	Field Cond		322	umhos/cm	SM 2510A
7/30/2015 7:30	Field Cond		308	umhos/cm	SM 2510A
7/31/2015 7:31	Field Cond		311	umhos/cm	SM 2510A
8/1/2015 7:17	Field Cond		315	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/2/2015 7:10	Field Cond		327	umhos/cm	SM 2510A
8/3/2015 7:20	Field Cond		299	umhos/cm	SM 2510A
8/4/2015 7:25	Field Cond		285	umhos/cm	SM 2510A
8/5/2015 7:30	Field Cond		295	umhos/cm	SM 2510A
8/6/2015 7:28	Field Cond		307	umhos/cm	SM 2510A
8/7/2015 7:33	Field Cond		386	umhos/cm	SM 2510A
8/8/2015 7:25	Field Cond		447	umhos/cm	SM 2510A
8/9/2015 7:29	Field Cond		425	umhos/cm	SM 2510A
8/10/2015 7:31	Field Cond		354	umhos/cm	SM 2510A
8/11/2015 7:32	Field Cond		382	umhos/cm	SM 2510A
8/12/2015 7:47	Field Cond		301	umhos/cm	SM 2510A
8/13/2015 7:31	Field Cond		313	umhos/cm	SM 2510A
8/14/2015 7:42	Field Cond		310	umhos/cm	SM 2510A
8/15/2015 7:17	Field Cond		313	umhos/cm	SM 2510A
8/16/2015 7:15	Field Cond		313	umhos/cm	SM 2510A
8/17/2015 7:28	Field Cond		313	umhos/cm	SM 2510A
8/18/2015 7:25	Field Cond		332	umhos/cm	SM 2510A
8/19/2015 7:16	Field Cond		347	umhos/cm	SM 2510A
8/20/2015 7:25	Field Cond		410	umhos/cm	SM 2510A
8/21/2015 7:20	Field Cond		400	umhos/cm	SM 2510A
8/22/2015 7:15	Field Cond		345	umhos/cm	SM 2510A
8/23/2015 7:17	Field Cond		399	umhos/cm	SM 2510A
8/24/2015 7:23	Field Cond		397	umhos/cm	SM 2510A
8/25/2015 7:20	Field Cond		350	umhos/cm	SM 2510A
8/26/2015 7:36	Field Cond		323	umhos/cm	SM 2510A
8/27/2015 7:26	Field Cond		308	umhos/cm	SM 2510A
8/28/2015 7:33	Field Cond		300	umhos/cm	SM 2510A
8/29/2015 7:50	Field Cond		343	umhos/cm	SM 2510A
8/30/2015 7:35	Field Cond		377	umhos/cm	SM 2510A
8/31/2015 7:25	Field Cond		376	umhos/cm	SM 2510A
9/1/2015 7:35	Field Cond		353	umhos/cm	SM 2510A
9/2/2015 7:35	Field Cond		370	umhos/cm	SM 2510A
9/3/2015 7:46	Field Cond		308	umhos/cm	SM 2510A
9/4/2015 7:28	Field Cond		288	umhos/cm	SM 2510A
9/5/2015 7:28	Field Cond		295	umhos/cm	SM 2510A
9/6/2015 7:52	Field Cond		300	umhos/cm	SM 2510A
9/7/2015 7:25	Field Cond		320	umhos/cm	SM 2510A
9/8/2015 7:36	Field Cond		348	umhos/cm	SM 2510A
9/9/2015 7:33	Field Cond		364	umhos/cm	SM 2510A
9/10/2015 7:33	Field Cond		370	umhos/cm	SM 2510A
9/14/2015 9:33	Field Cond		293	umhos/cm	SM 2510A
9/15/2015 10:36	Field Cond		286	umhos/cm	SM 2510A
9/16/2015 9:49	Field Cond		280	umhos/cm	SM 2510A
9/17/2015 9:58	Field Cond		288	umhos/cm	SM 2510A
9/21/2015 11:00	Field Cond		345	umhos/cm	SM 2510A



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/22/2015 10:05	Field Cond		381	umhos/cm	SM 2510A
9/23/2015 9:32	Field Cond		350	umhos/cm	SM 2510A
9/24/2015 9:48	Field Cond		384	umhos/cm	SM 2510A
9/28/2015 9:57	Field Cond		325	umhos/cm	SM 2510A
9/29/2015 9:45	Field Cond		308	umhos/cm	SM 2510A
9/30/2015 9:35	Field Cond		401	umhos/cm	SM 2510A
10/1/2015 9:40	Field Cond		360	umhos/cm	SM 2510A
5/4/2015 7:42	Field Temp		11.8	C	EPA 170.1
5/5/2015 7:30	Field Temp		11.9	C	EPA 170.1
5/6/2015 7:30	Field Temp		11.8	C	EPA 170.1
5/7/2015 7:30	Field Temp		12.8	C	EPA 170.1
5/11/2015 7:44	Field Temp		15.9	C	EPA 170.1
5/12/2015 7:53	Field Temp		14.7	C	EPA 170.1
5/13/2015 7:46	Field Temp		12.8	C	EPA 170.1
5/14/2015 7:44	Field Temp		13.2	C	EPA 170.1
5/15/2015 7:30	Field Temp		14.2	C	EPA 170.1
5/16/2015	Field Temp		15.8	C	EPA 170.1
5/18/2015 7:33	Field Temp		15.7	C	EPA 170.1
5/19/2015 8:14	Field Temp		15.1	C	EPA 170.1
5/20/2015 7:56	Field Temp		14.2	C	EPA 170.1
5/21/2015 7:39	Field Temp		14.4	C	EPA 170.1
5/22/2015 7:35	Field Temp		14.1	C	EPA 170.1
5/23/2015 7:22	Field Temp		14.8	C	EPA 170.1
5/24/2015 7:32	Field Temp		15.8	C	EPA 170.1
5/25/2015 7:18	Field Temp		15.4	C	EPA 170.1
5/26/2015 7:24	Field Temp		16	C	EPA 170.1
5/27/2015 7:35	Field Temp		16.1	C	EPA 170.1
5/28/2015 7:17	Field Temp		16.5	C	EPA 170.1
5/29/2015 7:22	Field Temp		16.3	C	EPA 170.1
5/30/2015 7:18	Field Temp		17	C	EPA 170.1
5/31/2015 7:30	Field Temp		17.5	C	EPA 170.1
6/1/2015 7:28	Field Temp		15.5	C	EPA 170.1
6/2/2015 7:33	Field Temp		15.8	C	EPA 170.1
6/3/2015 7:22	Field Temp		15.5	C	EPA 170.1
6/4/2015 7:28	Field Temp		15.6	C	EPA 170.1
6/5/2015 7:22	Field Temp		14.4	C	EPA 170.1
6/6/2015 7:23	Field Temp		19.1	C	EPA 170.1
6/7/2015 7:19	Field Temp		15.6	C	EPA 170.1
6/8/2015 7:28	Field Temp		16.4	C	EPA 170.1
6/9/2015 7:35	Field Temp		16.8	C	EPA 170.1
6/10/2015 7:22	Field Temp		18.6	C	EPA 170.1
6/11/2015 7:24	Field Temp		19	C	EPA 170.1
6/12/2015 7:20	Field Temp		19	C	EPA 170.1
6/13/2015 7:47	Field Temp		18.6	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/14/2015	Field Temp		19.4	C	EPA 170.1
6/15/2015 7:35	Field Temp		20.2	C	EPA 170.1
6/16/2015 7:36	Field Temp		21.1	C	EPA 170.1
6/17/2015 7:50	Field Temp		21	C	EPA 170.1
6/18/2015 7:23	Field Temp		20.3	C	EPA 170.1
6/19/2015 7:38	Field Temp		20.8	C	EPA 170.1
6/20/2015 7:26	Field Temp		20.8	C	EPA 170.1
6/21/2015 7:35	Field Temp		20.5	C	EPA 170.1
6/22/2015 7:18	Field Temp		21.1	C	EPA 170.1
6/23/2015 7:52	Field Temp		22.1	C	EPA 170.1
6/24/2015 7:32	Field Temp		22.2	C	EPA 170.1
6/25/2015 8:00	Field Temp		22.8	C	EPA 170.1
6/26/2015 7:22	Field Temp		22	C	EPA 170.1
6/27/2015 7:35	Field Temp		21.3	C	EPA 170.1
6/28/2015 8:40	Field Temp		19.2	C	EPA 170.1
6/29/2015 7:54	Field Temp		18.8	C	EPA 170.1
6/30/2015 7:51	Field Temp		19.4	C	EPA 170.1
7/1/2015 7:30	Field Temp		20.5	C	EPA 170.1
7/2/2015 7:31	Field Temp		21.1	C	EPA 170.1
7/3/2015 7:15	Field Temp		20.2	C	EPA 170.1
7/4/2015 7:15	Field Temp		20.4	C	EPA 170.1
7/5/2015 7:10	Field Temp		21	C	EPA 170.1
7/6/2015 7:22	Field Temp		21.2	C	EPA 170.1
7/7/2015 7:34	Field Temp		21.5	C	EPA 170.1
7/8/2015 7:28	Field Temp		20.7	C	EPA 170.1
7/9/2015 7:47	Field Temp		20.9	C	EPA 170.1
7/10/2015 7:30	Field Temp		21	C	EPA 170.1
7/11/2015 7:27	Field Temp		21.1	C	EPA 170.1
7/12/2015 7:51	Field Temp		21.9	C	EPA 170.1
7/13/2015 7:15	Field Temp		21.8	C	EPA 170.1
7/14/2015 7:17	Field Temp		21.5	C	EPA 170.1
7/15/2015	Field Temp		20.5	C	EPA 170.1
7/16/2015 7:20	Field Temp		21.7	C	EPA 170.1
7/17/2015 7:20	Field Temp		22	C	EPA 170.1
7/18/2015 7:25	Field Temp		22.7	C	EPA 170.1
7/19/2015 7:06	Field Temp		24	C	EPA 170.1
7/20/2015 7:25	Field Temp		23.2	C	EPA 170.1
7/21/2015 7:23	Field Temp		24.5	C	EPA 170.1
7/22/2015 7:25	Field Temp		23.5	C	EPA 170.1
7/23/2015 7:27	Field Temp		23.4	C	EPA 170.1
7/24/2015 7:44	Field Temp		23.5	C	EPA 170.1
7/25/2015 7:28	Field Temp		23.8	C	EPA 170.1
7/26/2015 7:28	Field Temp		24.5	C	EPA 170.1
7/27/2015 7:32	Field Temp		24.1	C	EPA 170.1
7/28/2015 7:34	Field Temp		24.7	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/29/2015 7:27	Field Temp		24	C	EPA 170.1
7/30/2015 7:30	Field Temp		24.4	C	EPA 170.1
7/31/2015 7:31	Field Temp		23.9	C	EPA 170.1
8/1/2015 7:17	Field Temp		23.8	C	EPA 170.1
8/2/2015 7:10	Field Temp		24.3	C	EPA 170.1
8/3/2015 7:20	Field Temp		24.2	C	EPA 170.1
8/4/2015 7:25	Field Temp		24	C	EPA 170.1
8/5/2015 7:30	Field Temp		23.7	C	EPA 170.1
8/6/2015 7:28	Field Temp		23.9	C	EPA 170.1
8/7/2015 7:33	Field Temp		23.2	C	EPA 170.1
8/8/2015 7:25	Field Temp		23.6	C	EPA 170.1
8/9/2015 7:29	Field Temp		24.2	C	EPA 170.1
8/10/2015 7:31	Field Temp		24.3	C	EPA 170.1
8/11/2015 7:32	Field Temp		23.9	C	EPA 170.1
8/12/2015 7:47	Field Temp		23.9	C	EPA 170.1
8/13/2015 7:31	Field Temp		22.6	C	EPA 170.1
8/14/2015 7:42	Field Temp		23.5	C	EPA 170.1
8/15/2015 7:17	Field Temp		23.9	C	EPA 170.1
8/16/2015 7:15	Field Temp		24.7	C	EPA 170.1
8/17/2015 7:28	Field Temp		24.9	C	EPA 170.1
8/18/2015 7:25	Field Temp		25.3	C	EPA 170.1
8/19/2015 7:16	Field Temp		24.4	C	EPA 170.1
8/20/2015 7:25	Field Temp		24.5	C	EPA 170.1
8/21/2015 7:20	Field Temp		22	C	EPA 170.1
8/22/2015 7:15	Field Temp		23	C	EPA 170.1
8/23/2015 7:17	Field Temp		22.6	C	EPA 170.1
8/24/2015 7:23	Field Temp		21.7	C	EPA 170.1
8/25/2015 7:20	Field Temp		22.3	C	EPA 170.1
8/26/2015 7:36	Field Temp		21.4	C	EPA 170.1
8/27/2015 7:26	Field Temp		21.4	C	EPA 170.1
8/28/2015 7:33	Field Temp		21.2	C	EPA 170.1
8/29/2015 7:50	Field Temp		22.1	C	EPA 170.1
8/30/2015 7:35	Field Temp		22.6	C	EPA 170.1
8/31/2015 7:25	Field Temp		22.4	C	EPA 170.1
9/1/2015 7:35	Field Temp		23.1	C	EPA 170.1
9/2/2015 7:35	Field Temp		23.1	C	EPA 170.1
9/3/2015 7:46	Field Temp		25	C	EPA 170.1
9/4/2015 7:28	Field Temp		24.8	C	EPA 170.1
9/5/2015 7:28	Field Temp		24.3	C	EPA 170.1
9/6/2015 7:52	Field Temp		25	C	EPA 170.1
9/7/2015 7:25	Field Temp		24.6	C	EPA 170.1
9/8/2015 7:36	Field Temp		25.2	C	EPA 170.1
9/9/2015 7:33	Field Temp		24.8	C	EPA 170.1
9/10/2015 7:33	Field Temp		23.9	C	EPA 170.1
9/14/2015 9:33	Field Temp		19.8	C	EPA 170.1

Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/15/2015 10:36	Field Temp		21.2	C	EPA 170.1
9/16/2015 9:49	Field Temp		21.7	C	EPA 170.1
9/17/2015 9:58	Field Temp		21.9	C	EPA 170.1
9/21/2015 11:00	Field Temp		20.5	C	EPA 170.1
9/22/2015 10:05	Field Temp		19.9	C	EPA 170.1
9/23/2015 9:32	Field Temp		20.3	C	EPA 170.1
9/24/2015 9:48	Field Temp		20.6	C	EPA 170.1
9/28/2015 9:57	Field Temp		20.5	C	EPA 170.1
9/29/2015 9:45	Field Temp		20.6	C	EPA 170.1
9/30/2015 9:35	Field Temp		20.3	C	EPA 170.1
10/1/2015 9:40	Field Temp		19.3	C	EPA 170.1
5/4/2015 7:42	pH		6.52	S.U.	
5/5/2015 7:30	pH		6.98	S.U.	
5/6/2015 7:30	pH		6.83	S.U.	
5/7/2015 7:30	pH		7.67	S.U.	
5/11/2015 7:44	pH		8.39	S.U.	
5/12/2015 7:53	pH		8.11	S.U.	
5/13/2015 7:46	pH		8.38	S.U.	
5/14/2015 7:44	pH		8.34	S.U.	
5/15/2015 7:30	pH		7.24	S.U.	
5/16/2015	pH		8.49	S.U.	
5/18/2015 7:33	pH		8.44	S.U.	
5/19/2015 8:14	pH		7.62	S.U.	
5/20/2015 7:56	pH		7.1	S.U.	
5/21/2015 7:39	pH		7.71	S.U.	
5/22/2015 7:35	pH		8.24	S.U.	
5/23/2015 7:22	pH		7.22	S.U.	
5/24/2015 7:32	pH		7.08	S.U.	
5/25/2015 7:18	pH		7.44	S.U.	
5/26/2015 7:24	pH		8.45	S.U.	
5/27/2015 7:35	pH		6.81	S.U.	
5/28/2015 7:17	pH		6.98	S.U.	
5/29/2015 7:22	pH		7.31	S.U.	
5/30/2015 7:18	pH		8.3	S.U.	
5/31/2015 7:30	pH		8.16	S.U.	
6/1/2015 7:28	pH		6.55	S.U.	
6/2/2015 7:33	pH		7.89	S.U.	
6/3/2015 7:22	pH		7.92	S.U.	
6/4/2015 7:28	pH		7.97	S.U.	
6/5/2015 7:22	pH		7.95	S.U.	
6/6/2015 7:23	pH		6.47	S.U.	
6/7/2015 7:19	pH		6.77	S.U.	
6/8/2015 7:28	pH		6.5	S.U.	
6/9/2015 7:35	pH		8.07	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/10/2015 7:22	pH		8.05	S.U.	
6/11/2015 7:24	pH		8	S.U.	
6/12/2015 7:20	pH		8.02	S.U.	
6/13/2015 7:47	pH		8.01	S.U.	
6/14/2015	pH		8.03	S.U.	
6/15/2015 7:35	pH		8.12	S.U.	
6/16/2015 7:36	pH		7.4	S.U.	
6/17/2015 7:50	pH		8.04	S.U.	
6/18/2015 7:23	pH		7.95	S.U.	
6/19/2015 7:38	pH		6.7	S.U.	
6/20/2015 7:26	pH		7.85	S.U.	
6/21/2015 7:35	pH		7.16	S.U.	
6/22/2015 7:18	pH		7.68	S.U.	
6/23/2015 7:52	pH		7.8	S.U.	
6/24/2015 7:32	pH		8.03	S.U.	
6/25/2015 8:00	pH		8.02	S.U.	
6/26/2015 7:22	pH		8.03	S.U.	
6/27/2015 7:35	pH		7.76	S.U.	
6/28/2015 8:40	pH		8.09	S.U.	
6/29/2015 7:54	pH		7.75	S.U.	
6/30/2015 7:51	pH		7.54	S.U.	
7/1/2015 7:30	pH		7.82	S.U.	
7/2/2015 7:31	pH		7.83	S.U.	
7/3/2015 7:15	pH		7.81	S.U.	
7/4/2015 7:15	pH		7.93	S.U.	
7/5/2015 7:10	pH		7.55	S.U.	
7/6/2015 7:22	pH		7.8	S.U.	
7/7/2015 7:34	pH		7.65	S.U.	
7/8/2015 7:28	pH		7.73	S.U.	
7/9/2015 7:47	pH		7.56	S.U.	
7/10/2015 7:30	pH		7.86	S.U.	
7/11/2015 7:27	pH		8.07	S.U.	
7/12/2015 7:51	pH		8.01	S.U.	
7/13/2015 7:15	pH		8.05	S.U.	
7/14/2015 7:17	pH		7.8	S.U.	
7/15/2015	pH		7.65	S.U.	
7/16/2015 7:20	pH		7.82	S.U.	
7/17/2015 7:20	pH		7.54	S.U.	
7/18/2015 7:25	pH		7.93	S.U.	
7/19/2015 7:06	pH		7.85	S.U.	
7/20/2015 7:25	pH		7.99	S.U.	
7/21/2015 7:23	pH		8.09	S.U.	
7/22/2015 7:25	pH		7.41	S.U.	
7/23/2015 7:27	pH		7.91	S.U.	
7/24/2015 7:44	pH		7.59	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/25/2015 7:28	pH		7.77	S.U.	
7/26/2015 7:28	pH		6.79	S.U.	
7/27/2015 7:32	pH		7.36	S.U.	
7/28/2015 7:34	pH		7.58	S.U.	
7/29/2015 7:27	pH		7.68	S.U.	
7/30/2015 7:30	pH		7.44	S.U.	
7/31/2015 7:31	pH		7.75	S.U.	
8/1/2015 7:17	pH		7.52	S.U.	
8/2/2015 7:10	pH		7.9	S.U.	
8/3/2015 7:20	pH		7.96	S.U.	
8/4/2015 7:25	pH		7.85	S.U.	
8/5/2015 7:30	pH		7.4	S.U.	
8/6/2015 7:28	pH		7.48	S.U.	
8/7/2015 7:33	pH		7.79	S.U.	
8/8/2015 7:25	pH		7.41	S.U.	
8/9/2015 7:29	pH		7.73	S.U.	
8/10/2015 7:31	pH		7.93	S.U.	
8/11/2015 7:32	pH		7.39	S.U.	
8/12/2015 7:47	pH		7.79	S.U.	
8/13/2015 7:31	pH		7.63	S.U.	
8/14/2015 7:42	pH		8.14	S.U.	
8/15/2015 7:17	pH		8.22	S.U.	
8/16/2015 7:15	pH		8.15	S.U.	
8/17/2015 7:28	pH		8.14	S.U.	
8/18/2015 7:25	pH		7.82	S.U.	
8/19/2015 7:16	pH		7.77	S.U.	
8/20/2015 7:25	pH		7.8	S.U.	
8/21/2015 7:20	pH		7.34	S.U.	
8/22/2015 7:15	pH		8.13	S.U.	
8/23/2015 7:17	pH		7.06	S.U.	
8/24/2015 7:23	pH		6.75	S.U.	
8/25/2015 7:20	pH		7.51	S.U.	
8/26/2015 7:36	pH		7.55	S.U.	
8/27/2015 7:26	pH		7.58	S.U.	
8/28/2015 7:33	pH		7.49	S.U.	
8/29/2015 7:50	pH		8.94	S.U.	
8/30/2015 7:35	pH		8.52	S.U.	
8/31/2015 7:25	pH		8.39	S.U.	
9/1/2015 7:35	pH		8.49	S.U.	
9/2/2015 7:35	pH		5.3	S.U.	
9/3/2015 7:46	pH		7.78	S.U.	
9/4/2015 7:28	pH		7.83	S.U.	
9/5/2015 7:28	pH		7.94	S.U.	
9/6/2015 7:52	pH		8.23	S.U.	
9/7/2015 7:25	pH		8.04	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/8/2015 7:36	pH		7.91	S.U.	
9/9/2015 7:33	pH		7.89	S.U.	
9/10/2015 7:33	pH		7.22	S.U.	
9/14/2015 9:33	pH		6.86	S.U.	
9/15/2015 10:36	pH		7.45	S.U.	
9/16/2015 9:49	pH		7.59	S.U.	
9/17/2015 9:58	pH		7.27	S.U.	
9/21/2015 11:00	pH		7.26	S.U.	
9/22/2015 10:05	pH		7.7	S.U.	
9/23/2015 9:32	pH		7.41	S.U.	
9/24/2015 9:48	pH		7.22	S.U.	
9/28/2015 9:57	pH		8.07	S.U.	
9/29/2015 9:45	pH		7.71	S.U.	
9/30/2015 9:35	pH		7.58	S.U.	
10/1/2015 9:40	pH		7.76	S.U.	
5/4/2015 7:42	Turbidity		2.76	NTU	EPA180.1
5/5/2015 7:30	Turbidity		4.24	NTU	EPA180.1
5/6/2015 7:30	Turbidity		3.67	NTU	EPA180.1
5/7/2015 7:30	Turbidity		1.91	NTU	EPA180.1
5/11/2015 7:44	Turbidity		1.31	NTU	EPA180.1
5/12/2015 7:53	Turbidity		14.9	NTU	EPA180.1
5/13/2015 7:46	Turbidity		38.55	NTU	EPA180.1
5/14/2015 7:44	Turbidity		19	NTU	EPA180.1
5/15/2015 7:30	Turbidity		5.34	NTU	EPA180.1
5/16/2015	Turbidity		2.59	NTU	EPA180.1
5/18/2015 7:33	Turbidity		2.64	NTU	EPA180.1
5/19/2015 8:14	Turbidity		7.84	NTU	EPA180.1
5/20/2015 7:56	Turbidity		17.5	NTU	EPA180.1
5/21/2015 7:39	Turbidity		7.695	NTU	EPA180.1
5/22/2015 7:35	Turbidity		7.24	NTU	EPA180.1
5/23/2015 7:22	Turbidity		2.78	NTU	EPA180.1
5/24/2015 7:32	Turbidity		2.95	NTU	EPA180.1
5/25/2015 7:18	Turbidity		3.01	NTU	EPA180.1
5/26/2015 7:24	Turbidity		2.21	NTU	EPA180.1
5/27/2015 7:35	Turbidity		1.8	NTU	EPA180.1
5/28/2015 7:17	Turbidity		3.68	NTU	EPA180.1
5/29/2015 7:22	Turbidity		2.21	NTU	EPA180.1
5/30/2015 7:18	Turbidity		1.79	NTU	EPA180.1
5/31/2015 7:30	Turbidity		23.2	NTU	EPA180.1
6/1/2015 7:28	Turbidity		101.4	NTU	EPA180.1
6/2/2015 7:33	Turbidity		75.5	NTU	EPA180.1
6/3/2015 7:22	Turbidity		31.4	NTU	EPA180.1
6/4/2015 7:28	Turbidity		30.8	NTU	EPA180.1
6/5/2015 7:22	Turbidity		10.9	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/6/2015 7:23	Turbidity		29.3	NTU	EPA180.1
6/7/2015 7:19	Turbidity		20.7	NTU	EPA180.1
6/8/2015 7:28	Turbidity		9.6	NTU	EPA180.1
6/9/2015 7:35	Turbidity		15.15	NTU	EPA180.1
6/10/2015 7:22	Turbidity		7.49	NTU	EPA180.1
6/11/2015 7:24	Turbidity		10	NTU	EPA180.1
6/12/2015 7:20	Turbidity		10.8	NTU	EPA180.1
6/13/2015 7:47	Turbidity		7.34	NTU	EPA180.1
6/14/2015	Turbidity		7.62	NTU	EPA180.1
6/15/2015 7:35	Turbidity		7.08	NTU	EPA180.1
6/16/2015 7:36	Turbidity		12.4	NTU	EPA180.1
6/17/2015 7:50	Turbidity		6.39	NTU	EPA180.1
6/18/2015 7:23	Turbidity		5.15	NTU	EPA180.1
6/19/2015 7:38	Turbidity		30.4	NTU	EPA180.1
6/20/2015 7:26	Turbidity		9.2	NTU	EPA180.1
6/21/2015 7:35	Turbidity		7.98	NTU	EPA180.1
6/22/2015 7:18	Turbidity		7.49	NTU	EPA180.1
6/23/2015 7:52	Turbidity		99	NTU	EPA180.1
6/24/2015 7:32	Turbidity		17	NTU	EPA180.1
6/25/2015 8:00	Turbidity		4.85	NTU	EPA180.1
6/26/2015 7:22	Turbidity		5.7	NTU	EPA180.1
6/27/2015 7:35	Turbidity		84.3	NTU	EPA180.1
6/28/2015 8:40	Turbidity		47.3	NTU	EPA180.1
6/29/2015 7:54	Turbidity		105	NTU	EPA180.1
6/30/2015 7:51	Turbidity		17	NTU	EPA180.1
7/1/2015 7:30	Turbidity		24.2	NTU	EPA180.1
7/2/2015 7:31	Turbidity		8.63	NTU	EPA180.1
7/3/2015 7:15	Turbidity		14.9	NTU	EPA180.1
7/4/2015 7:15	Turbidity		17.7	NTU	EPA180.1
7/5/2015 7:10	Turbidity		8.84	NTU	EPA180.1
7/6/2015 7:22	Turbidity		7.94	NTU	EPA180.1
7/7/2015 7:34	Turbidity		11.3	NTU	EPA180.1
7/8/2015 7:28	Turbidity		30.8	NTU	EPA180.1
7/9/2015 7:47	Turbidity		11.5	NTU	EPA180.1
7/10/2015 7:30	Turbidity		13.2	NTU	EPA180.1
7/11/2015 7:27	Turbidity		4.5	NTU	EPA180.1
7/12/2015 7:51	Turbidity		5.15	NTU	EPA180.1
7/13/2015 7:15	Turbidity		5.84	NTU	EPA180.1
7/14/2015 7:17	Turbidity		6.94	NTU	EPA180.1
7/15/2015	Turbidity		63.5	NTU	EPA180.1
7/16/2015 7:20	Turbidity		10.3	NTU	EPA180.1
7/17/2015 7:20	Turbidity		9.105	NTU	EPA180.1
7/18/2015 7:25	Turbidity		10.8	NTU	EPA180.1
7/19/2015 7:06	Turbidity		16.1	NTU	EPA180.1
7/20/2015 7:25	Turbidity		10.4	NTU	EPA180.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/21/2015 7:23	Turbidity		4.01	NTU	EPA180.1
7/22/2015 7:25	Turbidity		10.95	NTU	EPA180.1
7/23/2015 7:27	Turbidity		4.79	NTU	EPA180.1
7/24/2015 7:44	Turbidity		17.6	NTU	EPA180.1
7/25/2015 7:28	Turbidity		2.53	NTU	EPA180.1
7/26/2015 7:28	Turbidity		8.5	NTU	EPA180.1
7/27/2015 7:32	Turbidity		2.64	NTU	EPA180.1
7/28/2015 7:34	Turbidity		3.3	NTU	EPA180.1
7/29/2015 7:27	Turbidity		3.38	NTU	EPA180.1
7/30/2015 7:30	Turbidity		18.2	NTU	EPA180.1
7/31/2015 7:31	Turbidity		28	NTU	EPA180.1
8/1/2015 7:17	Turbidity		22.5	NTU	EPA180.1
8/2/2015 7:10	Turbidity		14.9	NTU	EPA180.1
8/3/2015 7:20	Turbidity		11	NTU	EPA180.1
8/4/2015 7:25	Turbidity		12.15	NTU	EPA180.1
8/5/2015 7:30	Turbidity		10.11	NTU	EPA180.1
8/6/2015 7:28	Turbidity		3.15	NTU	EPA180.1
8/7/2015 7:33	Turbidity		5.89	NTU	EPA180.1
8/8/2015 7:25	Turbidity		4.69	NTU	EPA180.1
8/9/2015 7:29	Turbidity		8.68	NTU	EPA180.1
8/10/2015 7:31	Turbidity		4.85	NTU	EPA180.1
8/11/2015 7:32	Turbidity		13.3	NTU	EPA180.1
8/12/2015 7:47	Turbidity		12.1	NTU	EPA180.1
8/13/2015 7:31	Turbidity		15.2	NTU	EPA180.1
8/14/2015 7:42	Turbidity		9.02	NTU	EPA180.1
8/15/2015 7:17	Turbidity		6.12	NTU	EPA180.1
8/16/2015 7:15	Turbidity		4.72	NTU	EPA180.1
8/17/2015 7:28	Turbidity		3.09	NTU	EPA180.1
8/18/2015 7:25	Turbidity		8.96	NTU	EPA180.1
8/19/2015 7:16	Turbidity		4.32	NTU	EPA180.1
8/20/2015 7:25	Turbidity		2.66	NTU	EPA180.1
8/21/2015 7:20	Turbidity		13.2	NTU	EPA180.1
8/22/2015 7:15	Turbidity		7.61	NTU	EPA180.1
8/23/2015 7:17	Turbidity		4.03	NTU	EPA180.1
8/24/2015 7:23	Turbidity		21.6	NTU	EPA180.1
8/25/2015 7:20	Turbidity		21.9	NTU	EPA180.1
8/26/2015 7:36	Turbidity		16.2	NTU	EPA180.1
8/27/2015 7:26	Turbidity		13.3	NTU	EPA180.1
8/28/2015 7:33	Turbidity		4.62	NTU	EPA180.1
8/29/2015 7:50	Turbidity		3.78	NTU	EPA180.1
8/30/2015 7:35	Turbidity		5.14	NTU	EPA180.1
8/31/2015 7:25	Turbidity		3.87	NTU	EPA180.1
9/1/2015 7:35	Turbidity		2.44	NTU	EPA180.1
9/2/2015 7:35	Turbidity		3.33	NTU	EPA180.1
9/3/2015 7:46	Turbidity		6.16	NTU	EPA180.1

**Edgewater East Site**

Sample Date	Parameter	Code	Result	Units	Method
9/4/2015 7:28	Turbidity		6.52	NTU	EPA180.1
9/5/2015 7:28	Turbidity		3.87	NTU	EPA180.1
9/6/2015 7:52	Turbidity		3.84	NTU	EPA180.1
9/7/2015 7:25	Turbidity		4.16	NTU	EPA180.1
9/8/2015 7:36	Turbidity		3.84	NTU	EPA180.1
9/9/2015 7:33	Turbidity		4.1	NTU	EPA180.1
9/10/2015 7:33	Turbidity		6.87	NTU	EPA180.1
9/14/2015 9:33	Turbidity		44	NTU	EPA180.1
9/15/2015 10:36	Turbidity		8.92	NTU	EPA180.1
9/16/2015 9:49	Turbidity		4.56	NTU	EPA180.1
9/17/2015 9:58	Turbidity		3.62	NTU	EPA180.1
9/21/2015 11:00	Turbidity		4.63	NTU	EPA180.1
9/22/2015 10:05	Turbidity		7.51	NTU	EPA180.1
9/23/2015 9:32	Turbidity		3.88	NTU	EPA180.1
9/24/2015 9:48	Turbidity		5.75	NTU	EPA180.1
9/28/2015 9:57	Turbidity		3.64	NTU	EPA180.1
9/29/2015 9:45	Turbidity		5.15	NTU	EPA180.1
9/30/2015 9:35	Turbidity		16.6	NTU	EPA180.1
10/1/2015 9:40	Turbidity		17.3	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/4/2015 7:13	E. coli		2	MPN/100 mL	SM9223 Colilert
5/5/2015 7:03	E. coli		76	MPN/100 mL	SM9223 Colilert
5/6/2015 7:02	E. coli		968	MPN/100 mL	SM9223 Colilert
5/7/2015 7:05	E. coli		26	MPN/100 mL	SM9223 Colilert
5/11/2015 7:13	E. coli		247.5	MPN/100 mL	SM9223 Colilert
5/12/2015 7:21	E. coli		3181	MPN/100 mL	SM9223 Colilert
5/13/2015 7:06	E. coli		1216	MPN/100 mL	SM9223 Colilert
5/14/2015 7:13	E. coli		144	MPN/100 mL	SM9223 Colilert
5/15/2015 7:02	E. coli		24	MPN/100 mL	SM9223 Colilert
5/16/2015	E. coli		134	MPN/100 mL	SM9223 Colilert
5/17/2015 7:02	E. coli		133	MPN/100 mL	SM9223 Colilert
5/18/2015 7:07	E. coli		168	MPN/100 mL	SM9223 Colilert
5/19/2015 7:31	E. coli		1120	MPN/100 mL	SM9223 Colilert
5/20/2015 7:24	E. coli		279	MPN/100 mL	SM9223 Colilert
5/21/2015 7:08	E. coli		48	MPN/100 mL	SM9223 Colilert
5/22/2015 7:05	E. coli		520	MPN/100 mL	SM9223 Colilert
5/23/2015 6:54	E. coli		2	MPN/100 mL	SM9223 Colilert
5/24/2015 7:03	E. coli		248	MPN/100 mL	SM9223 Colilert
5/25/2015 6:53	E. coli		64	MPN/100 mL	SM9223 Colilert
5/26/2015 7:01	E. coli		101	MPN/100 mL	SM9223 Colilert
5/27/2015 7:11	E. coli		29	MPN/100 mL	SM9223 Colilert
5/28/2015 6:56	E. coli		48	MPN/100 mL	SM9223 Colilert
5/29/2015 6:56	E. coli		10	MPN/100 mL	SM9223 Colilert
5/30/2015 6:50	E. coli		110.5	MPN/100 mL	SM9223 Colilert
5/31/2015 6:55	E. coli		4813	MPN/100 mL	SM9223 Colilert
6/1/2015 6:56	E. coli		2187	MPN/100 mL	SM9223 Colilert
6/2/2015 6:58	E. coli		258	MPN/100 mL	SM9223 Colilert
6/3/2015 6:54	E. coli		152	MPN/100 mL	SM9223 Colilert
6/4/2015 6:58	E. coli		21	MPN/100 mL	SM9223 Colilert
6/5/2015 6:54	E. coli		178	MPN/100 mL	SM9223 Colilert
6/6/2015 6:50	E. coli		1454	MPN/100 mL	SM9223 Colilert
6/7/2015 6:51	E. coli		25	MPN/100 mL	SM9223 Colilert
6/8/2015 6:58	E. coli		551	MPN/100 mL	SM9223 Colilert
6/9/2015 7:05	E. coli		775	MPN/100 mL	SM9223 Colilert
6/10/2015 6:50	E. coli		129	MPN/100 mL	SM9223 Colilert
6/11/2015 6:55	E. coli		335	MPN/100 mL	SM9223 Colilert
6/12/2015 6:56	E. coli		192	MPN/100 mL	SM9223 Colilert
6/13/2015 6:57	E. coli		688	MPN/100 mL	SM9223 Colilert
6/14/2015	E. coli		866	MPN/100 mL	SM9223 Colilert
6/15/2015 7:04	E. coli		5199	MPN/100 mL	SM9223 Colilert
6/16/2015 7:12	E. coli		408	MPN/100 mL	SM9223 Colilert
6/17/2015 7:07	E. coli		4604	MPN/100 mL	SM9223 Colilert
6/18/2015 6:57	E. coli		266.5	MPN/100 mL	SM9223 Colilert
6/19/2015 7:06	E. coli		3922	MPN/100 mL	SM9223 Colilert
6/20/2015 6:54	E. coli		90	MPN/100 mL	SM9223 Colilert
6/21/2015 7:09	E. coli		102	MPN/100 mL	SM9223 Colilert
6/22/2015 6:50	E. coli		79	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/23/2015 7:12	E. coli		14460	MPN/100 mL	SM9223 Colilert
6/24/2015 7:03	E. coli		734	MPN/100 mL	SM9223 Colilert
6/25/2015 7:01	E. coli		219	MPN/100 mL	SM9223 Colilert
6/26/2015 6:54	E. coli		56	MPN/100 mL	SM9223 Colilert
6/27/2015 7:02	E. coli		6370	MPN/100 mL	SM9223 Colilert
6/28/2015 7:16	E. coli		3328	MPN/100 mL	SM9223 Colilert
6/29/2015 6:58	E. coli		1049	MPN/100 mL	SM9223 Colilert
6/30/2015 7:00	E. coli		185	MPN/100 mL	SM9223 Colilert
7/1/2015 7:02	E. coli		326	MPN/100 mL	SM9223 Colilert
7/2/2015 7:03	E. coli		49	MPN/100 mL	SM9223 Colilert
7/3/2015 6:50	E. coli		28	MPN/100 mL	SM9223 Colilert
7/4/2015 6:53	E. coli		56	MPN/100 mL	SM9223 Colilert
7/5/2015 6:46	E. coli		25	MPN/100 mL	SM9223 Colilert
7/6/2015 6:56	E. coli		14	MPN/100 mL	SM9223 Colilert
7/7/2015 7:03	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/8/2015 6:59	E. coli		1542	MPN/100 mL	SM9223 Colilert
7/9/2015 7:14	E. coli		82	MPN/100 mL	SM9223 Colilert
7/10/2015 7:00	E. coli		407	MPN/100 mL	SM9223 Colilert
7/11/2015 7:15	E. coli		198	MPN/100 mL	SM9223 Colilert
7/12/2015 7:20	E. coli		89	MPN/100 mL	SM9223 Colilert
7/13/2015 6:49	E. coli		28	MPN/100 mL	SM9223 Colilert
7/14/2015 6:51	E. coli		1916	MPN/100 mL	SM9223 Colilert
7/15/2015	E. coli		1961	MPN/100 mL	SM9223 Colilert
7/16/2015 6:52	E. coli		51	MPN/100 mL	SM9223 Colilert
7/17/2015 6:52	E. coli		18	MPN/100 mL	SM9223 Colilert
7/18/2015 6:56	E. coli		204	MPN/100 mL	SM9223 Colilert
7/19/2015 6:43	E. coli		104	MPN/100 mL	SM9223 Colilert
7/20/2015 7:00	E. coli		216	MPN/100 mL	SM9223 Colilert
7/21/2015 6:57	E. coli		1842	MPN/100 mL	SM9223 Colilert
7/22/2015 6:57	E. coli		335	MPN/100 mL	SM9223 Colilert
7/23/2015 7:00	E. coli		20	MPN/100 mL	SM9223 Colilert
7/24/2015 7:19	E. coli		2747	MPN/100 mL	SM9223 Colilert
7/25/2015 6:58	E. coli		34	MPN/100 mL	SM9223 Colilert
7/26/2015 6:59	E. coli		183	MPN/100 mL	SM9223 Colilert
7/27/2015 7:06	E. coli		37	MPN/100 mL	SM9223 Colilert
7/28/2015 6:55	E. coli		38	MPN/100 mL	SM9223 Colilert
7/29/2015 7:05	E. coli		29	MPN/100 mL	SM9223 Colilert
7/30/2015 7:00	E. coli		2318	MPN/100 mL	SM9223 Colilert
7/31/2015 7:06	E. coli		80	MPN/100 mL	SM9223 Colilert
8/1/2015 6:50	E. coli		97	MPN/100 mL	SM9223 Colilert
8/2/2015 6:48	E. coli		49	MPN/100 mL	SM9223 Colilert
8/3/2015 6:55	E. coli		34	MPN/100 mL	SM9223 Colilert
8/4/2015 6:56	E. coli		384	MPN/100 mL	SM9223 Colilert
8/5/2015 7:07	E. coli		192	MPN/100 mL	SM9223 Colilert
8/6/2015 6:55	E. coli		8	MPN/100 mL	SM9223 Colilert
8/7/2015 7:06	E. coli		22	MPN/100 mL	SM9223 Colilert
8/8/2015 6:58	E. coli		34	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/9/2015 7:01	E. coli		69	MPN/100 mL	SM9223 Colilert
8/10/2015 7:06	E. coli		110	MPN/100 mL	SM9223 Colilert
8/11/2015 7:02	E. coli		6783	MPN/100 mL	SM9223 Colilert
8/12/2015 7:20	E. coli		414	MPN/100 mL	SM9223 Colilert
8/13/2015 7:05	E. coli		94	MPN/100 mL	SM9223 Colilert
8/14/2015 7:00	E. coli		35.5	MPN/100 mL	SM9223 Colilert
8/15/2015 6:49	E. coli		16	MPN/100 mL	SM9223 Colilert
8/16/2015 6:49	E. coli		12	MPN/100 mL	SM9223 Colilert
8/17/2015 7:00	E. coli		613	MPN/100 mL	SM9223 Colilert
8/18/2015 7:00	E. coli		420	MPN/100 mL	SM9223 Colilert
8/19/2015 6:53	E. coli	>	4839	MPN/100 mL	SM9223 Colilert
8/20/2015 6:55	E. coli		720	MPN/100 mL	SM9223 Colilert
8/21/2015 6:56	E. coli		68	MPN/100 mL	SM9223 Colilert
8/22/2015 6:50	E. coli		4	MPN/100 mL	SM9223 Colilert
8/23/2015 6:56	E. coli		28	MPN/100 mL	SM9223 Colilert
8/24/2015 6:58	E. coli		198	MPN/100 mL	SM9223 Colilert
8/25/2015 6:57	E. coli		31	MPN/100 mL	SM9223 Colilert
8/26/2015 7:10	E. coli		244	MPN/100 mL	SM9223 Colilert
8/27/2015 6:57	E. coli		10	MPN/100 mL	SM9223 Colilert
8/28/2015 7:07	E. coli		8	MPN/100 mL	SM9223 Colilert
8/29/2015 7:05	E. coli		7	MPN/100 mL	SM9223 Colilert
8/30/2015 6:52	E. coli		714	MPN/100 mL	SM9223 Colilert
8/31/2015 6:58	E. coli		82	MPN/100 mL	SM9223 Colilert
9/1/2015 7:00	E. coli		47	MPN/100 mL	SM9223 Colilert
9/2/2015 6:59	E. coli		2	MPN/100 mL	SM9223 Colilert
9/3/2015 7:05	E. coli		770	MPN/100 mL	SM9223 Colilert
9/4/2015 6:50	E. coli		246	MPN/100 mL	SM9223 Colilert
9/5/2015 6:46	E. coli		17	MPN/100 mL	SM9223 Colilert
9/6/2015 7:12	E. coli		26	MPN/100 mL	SM9223 Colilert
9/7/2015 6:50	E. coli		30	MPN/100 mL	SM9223 Colilert
9/8/2015 6:57	E. coli		52	MPN/100 mL	SM9223 Colilert
9/9/2015 6:54	E. coli		2076	MPN/100 mL	SM9223 Colilert
9/10/2015 6:55	E. coli		146	MPN/100 mL	SM9223 Colilert
9/14/2015 9:07	E. coli		534	MPN/100 mL	SM9223 Colilert
9/15/2015 9:28	E. coli		30	MPN/100 mL	SM9223 Colilert
9/16/2015 9:03	E. coli		25	MPN/100 mL	SM9223 Colilert
9/17/2015 9:15	E. coli		66	MPN/100 mL	SM9223 Colilert
9/21/2015 9:45	E. coli		8	MPN/100 mL	SM9223 Colilert
9/22/2015 9:24	E. coli		12	MPN/100 mL	SM9223 Colilert
9/23/2015 9:00	E. coli		16	MPN/100 mL	SM9223 Colilert
9/28/2015 9:28	E. coli		26	MPN/100 mL	SM9223 Colilert
9/29/2015 9:12	E. coli		17	MPN/100 mL	SM9223 Colilert
9/30/2015 9:10	E. coli		816	MPN/100 mL	SM9223 Colilert
10/1/2015 9:08	E. coli		250	MPN/100 mL	SM9223 Colilert
5/4/2015 7:13	Field Cond		330	umhos/cm	SM 2510A
5/5/2015 7:03	Field Cond		327	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/6/2015 7:02	Field Cond		378	umhos/cm	SM 2510A
5/7/2015 7:05	Field Cond		334	umhos/cm	SM 2510A
5/11/2015 7:13	Field Cond		355	umhos/cm	SM 2510A
5/12/2015 7:21	Field Cond		333	umhos/cm	SM 2510A
5/13/2015 7:06	Field Cond		393	umhos/cm	SM 2510A
5/14/2015 7:13	Field Cond		399	umhos/cm	SM 2510A
5/15/2015 7:02	Field Cond		360	umhos/cm	SM 2510A
5/16/2015	Field Cond		329	umhos/cm	SM 2510A
5/17/2015 7:02	Field Cond		1.64	umhos/cm	SM 2510A
5/18/2015 7:07	Field Cond		306	umhos/cm	SM 2510A
5/19/2015 7:31	Field Cond		312	umhos/cm	SM 2510A
5/20/2015 7:24	Field Cond		428	umhos/cm	SM 2510A
5/21/2015 7:08	Field Cond		337	umhos/cm	SM 2510A
5/22/2015 7:05	Field Cond		304	umhos/cm	SM 2510A
5/23/2015 6:54	Field Cond		313	umhos/cm	SM 2510A
5/24/2015 7:03	Field Cond		316	umhos/cm	SM 2510A
5/25/2015 6:53	Field Cond		303	umhos/cm	SM 2510A
5/26/2015 7:01	Field Cond		330	umhos/cm	SM 2510A
5/27/2015 7:11	Field Cond		338	umhos/cm	SM 2510A
5/28/2015 6:56	Field Cond		335	umhos/cm	SM 2510A
5/29/2015 6:56	Field Cond		274	umhos/cm	SM 2510A
5/30/2015 6:50	Field Cond		318	umhos/cm	SM 2510A
5/31/2015 6:55	Field Cond		350	umhos/cm	SM 2510A
6/1/2015 6:56	Field Cond		349	umhos/cm	SM 2510A
6/2/2015 6:58	Field Cond		313	umhos/cm	SM 2510A
6/3/2015 6:54	Field Cond		294	umhos/cm	SM 2510A
6/4/2015 6:58	Field Cond		279	umhos/cm	SM 2510A
6/5/2015 6:54	Field Cond		283	umhos/cm	SM 2510A
6/6/2015 6:50	Field Cond		525	umhos/cm	SM 2510A
6/7/2015 6:51	Field Cond		291	umhos/cm	SM 2510A
6/8/2015 6:58	Field Cond		305	umhos/cm	SM 2510A
6/9/2015 7:05	Field Cond		323	umhos/cm	SM 2510A
6/10/2015 6:50	Field Cond		320	umhos/cm	SM 2510A
6/11/2015 6:55	Field Cond		330	umhos/cm	SM 2510A
6/12/2015 6:56	Field Cond		321	umhos/cm	SM 2510A
6/13/2015 6:57	Field Cond		329	umhos/cm	SM 2510A
6/14/2015	Field Cond		323	umhos/cm	SM 2510A
6/15/2015 7:04	Field Cond		304	umhos/cm	SM 2510A
6/16/2015 7:12	Field Cond		350	umhos/cm	SM 2510A
6/17/2015 7:07	Field Cond		332	umhos/cm	SM 2510A
6/18/2015 6:57	Field Cond		298	umhos/cm	SM 2510A
6/19/2015 7:06	Field Cond		487	umhos/cm	SM 2510A
6/20/2015 6:54	Field Cond		303	umhos/cm	SM 2510A
6/21/2015 7:09	Field Cond		323	umhos/cm	SM 2510A
6/22/2015 6:50	Field Cond		333	umhos/cm	SM 2510A
6/23/2015 7:12	Field Cond		287	umhos/cm	SM 2510A
6/24/2015 7:03	Field Cond		308	umhos/cm	SM 2510A



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/25/2015 7:01	Field Cond		298	umhos/cm	SM 2510A
6/26/2015 6:54	Field Cond		300	umhos/cm	SM 2510A
6/27/2015 7:02	Field Cond		279	umhos/cm	SM 2510A
6/28/2015 7:16	Field Cond		333	umhos/cm	SM 2510A
6/29/2015 6:58	Field Cond		350	umhos/cm	SM 2510A
6/30/2015 7:00	Field Cond		333	umhos/cm	SM 2510A
7/1/2015 7:02	Field Cond		296	umhos/cm	SM 2510A
7/2/2015 7:03	Field Cond		299	umhos/cm	SM 2510A
7/3/2015 6:50	Field Cond		295	umhos/cm	SM 2510A
7/4/2015 6:53	Field Cond		289	umhos/cm	SM 2510A
7/5/2015 6:46	Field Cond		273	umhos/cm	SM 2510A
7/6/2015 6:56	Field Cond		266	umhos/cm	SM 2510A
7/7/2015 7:03	Field Cond		278	umhos/cm	SM 2510A
7/8/2015 6:59	Field Cond		291	umhos/cm	SM 2510A
7/9/2015 7:14	Field Cond		270	umhos/cm	SM 2510A
7/10/2015 7:00	Field Cond		365	umhos/cm	SM 2510A
7/11/2015 7:15	Field Cond		270	umhos/cm	SM 2510A
7/12/2015 7:20	Field Cond		281	umhos/cm	SM 2510A
7/13/2015 6:49	Field Cond		292	umhos/cm	SM 2510A
7/14/2015 6:51	Field Cond		285	umhos/cm	SM 2510A
7/15/2015	Field Cond		299	umhos/cm	SM 2510A
7/16/2015 6:52	Field Cond		786	umhos/cm	SM 2510A
7/17/2015 6:52	Field Cond		280	umhos/cm	SM 2510A
7/18/2015 6:56	Field Cond		276	umhos/cm	SM 2510A
7/19/2015 6:43	Field Cond		277	umhos/cm	SM 2510A
7/20/2015 7:00	Field Cond		293	umhos/cm	SM 2510A
7/21/2015 6:57	Field Cond		273	umhos/cm	SM 2510A
7/22/2015 6:57	Field Cond		302	umhos/cm	SM 2510A
7/23/2015 7:00	Field Cond		268	umhos/cm	SM 2510A
7/24/2015 7:19	Field Cond		280	umhos/cm	SM 2510A
7/25/2015 6:58	Field Cond		298	umhos/cm	SM 2510A
7/26/2015 6:59	Field Cond		294	umhos/cm	SM 2510A
7/27/2015 7:06	Field Cond		308	umhos/cm	SM 2510A
7/28/2015 6:55	Field Cond		323	umhos/cm	SM 2510A
7/29/2015 7:05	Field Cond		356	umhos/cm	SM 2510A
7/30/2015 7:00	Field Cond		324	umhos/cm	SM 2510A
7/31/2015 7:06	Field Cond		308	umhos/cm	SM 2510A
8/1/2015 6:50	Field Cond		311	umhos/cm	SM 2510A
8/2/2015 6:48	Field Cond		320	umhos/cm	SM 2510A
8/3/2015 6:55	Field Cond		303	umhos/cm	SM 2510A
8/4/2015 6:56	Field Cond		317	umhos/cm	SM 2510A
8/5/2015 7:07	Field Cond		306	umhos/cm	SM 2510A
8/6/2015 6:55	Field Cond		316	umhos/cm	SM 2510A
8/7/2015 7:06	Field Cond		307	umhos/cm	SM 2510A
8/8/2015 6:58	Field Cond		306	umhos/cm	SM 2510A
8/9/2015 7:01	Field Cond		315	umhos/cm	SM 2510A
8/10/2015 7:06	Field Cond		320	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/11/2015 7:02	Field Cond		322	umhos/cm	SM 2510A
8/12/2015 7:20	Field Cond		320	umhos/cm	SM 2510A
8/13/2015 7:05	Field Cond		312	umhos/cm	SM 2510A
8/14/2015 7:00	Field Cond		310	umhos/cm	SM 2510A
8/15/2015 6:49	Field Cond		321	umhos/cm	SM 2510A
8/16/2015 6:49	Field Cond		327	umhos/cm	SM 2510A
8/17/2015 7:00	Field Cond		328	umhos/cm	SM 2510A
8/18/2015 7:00	Field Cond		319	umhos/cm	SM 2510A
8/19/2015 6:53	Field Cond		316	umhos/cm	SM 2510A
8/20/2015 6:55	Field Cond		315	umhos/cm	SM 2510A
8/21/2015 6:56	Field Cond		331	umhos/cm	SM 2510A
8/22/2015 6:50	Field Cond		298	umhos/cm	SM 2510A
8/23/2015 6:56	Field Cond		280	umhos/cm	SM 2510A
8/24/2015 6:58	Field Cond		318	umhos/cm	SM 2510A
8/25/2015 6:57	Field Cond		310	umhos/cm	SM 2510A
8/26/2015 7:10	Field Cond		319	umhos/cm	SM 2510A
8/27/2015 6:57	Field Cond		298	umhos/cm	SM 2510A
8/28/2015 7:07	Field Cond		305	umhos/cm	SM 2510A
8/29/2015 7:05	Field Cond		350	umhos/cm	SM 2510A
8/30/2015 6:52	Field Cond		347	umhos/cm	SM 2510A
8/31/2015 6:58	Field Cond		338	umhos/cm	SM 2510A
9/1/2015 7:00	Field Cond		326	umhos/cm	SM 2510A
9/2/2015 6:59	Field Cond		314	umhos/cm	SM 2510A
9/3/2015 7:05	Field Cond		283	umhos/cm	SM 2510A
9/4/2015 6:50	Field Cond		282	umhos/cm	SM 2510A
9/5/2015 6:46	Field Cond		283	umhos/cm	SM 2510A
9/6/2015 7:12	Field Cond		277	umhos/cm	SM 2510A
9/7/2015 6:50	Field Cond		274	umhos/cm	SM 2510A
9/8/2015 6:57	Field Cond		273	umhos/cm	SM 2510A
9/9/2015 6:54	Field Cond		279	umhos/cm	SM 2510A
9/10/2015 6:55	Field Cond		280	umhos/cm	SM 2510A
9/14/2015 9:07	Field Cond		296	umhos/cm	SM 2510A
9/15/2015 9:28	Field Cond		298	umhos/cm	SM 2510A
9/16/2015 9:03	Field Cond		297	umhos/cm	SM 2510A
9/17/2015 9:15	Field Cond		310	umhos/cm	SM 2510A
9/21/2015 9:45	Field Cond		282	umhos/cm	SM 2510A
9/22/2015 9:24	Field Cond		284	umhos/cm	SM 2510A
9/23/2015 9:00	Field Cond		287	umhos/cm	SM 2510A
9/24/2015 9:17	Field Cond		285	umhos/cm	SM 2510A
9/28/2015 9:28	Field Cond		299	umhos/cm	SM 2510A
9/29/2015 9:12	Field Cond		297	umhos/cm	SM 2510A
9/30/2015 9:10	Field Cond		328	umhos/cm	SM 2510A
10/1/2015 9:08	Field Cond		293	umhos/cm	SM 2510A
5/4/2015 7:13	Field Temp		11	C	EPA 170.1
5/5/2015 7:03	Field Temp		12	C	EPA 170.1
5/6/2015 7:02	Field Temp		12.2	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/7/2015 7:05	Field Temp		10.9	C	EPA 170.1
5/11/2015 7:13	Field Temp		15.7	C	EPA 170.1
5/12/2015 7:21	Field Temp		15	C	EPA 170.1
5/13/2015 7:06	Field Temp		13.2	C	EPA 170.1
5/14/2015 7:13	Field Temp		13.1	C	EPA 170.1
5/15/2015 7:02	Field Temp		13.9	C	EPA 170.1
5/16/2015	Field Temp		15.1	C	EPA 170.1
5/17/2015 7:02	Field Temp		16.4	C	EPA 170.1
5/18/2015 7:07	Field Temp		16.1	C	EPA 170.1
5/19/2015 7:31	Field Temp		16	C	EPA 170.1
5/20/2015 7:24	Field Temp		13.6	C	EPA 170.1
5/21/2015 7:08	Field Temp		14.5	C	EPA 170.1
5/22/2015 7:05	Field Temp		14.2	C	EPA 170.1
5/23/2015 6:54	Field Temp		15.1	C	EPA 170.1
5/24/2015 7:03	Field Temp		15.3	C	EPA 170.1
5/25/2015 6:53	Field Temp		15.6	C	EPA 170.1
5/26/2015 7:01	Field Temp		16.3	C	EPA 170.1
5/27/2015 7:11	Field Temp		16.8	C	EPA 170.1
5/28/2015 6:56	Field Temp		16.8	C	EPA 170.1
5/29/2015 6:56	Field Temp		15.5	C	EPA 170.1
5/30/2015 6:50	Field Temp		17.1	C	EPA 170.1
5/31/2015 6:55	Field Temp		17.7	C	EPA 170.1
6/1/2015 6:56	Field Temp		15.1	C	EPA 170.1
6/2/2015 6:58	Field Temp		15.3	C	EPA 170.1
6/3/2015 6:54	Field Temp		15	C	EPA 170.1
6/4/2015 6:58	Field Temp		14.2	C	EPA 170.1
6/5/2015 6:54	Field Temp		14.1	C	EPA 170.1
6/6/2015 6:50	Field Temp		16	C	EPA 170.1
6/7/2015 6:51	Field Temp		14.9	C	EPA 170.1
6/8/2015 6:58	Field Temp		16.3	C	EPA 170.1
6/9/2015 7:05	Field Temp		16.2	C	EPA 170.1
6/10/2015 6:50	Field Temp		17	C	EPA 170.1
6/11/2015 6:55	Field Temp		18	C	EPA 170.1
6/12/2015 6:56	Field Temp		18.2	C	EPA 170.1
6/13/2015 6:57	Field Temp		18.7	C	EPA 170.1
6/14/2015	Field Temp		18.7	C	EPA 170.1
6/15/2015 7:04	Field Temp		20	C	EPA 170.1
6/16/2015 7:12	Field Temp		20.8	C	EPA 170.1
6/17/2015 7:07	Field Temp		20.4	C	EPA 170.1
6/18/2015 6:57	Field Temp		19.8	C	EPA 170.1
6/19/2015 7:06	Field Temp		20.4	C	EPA 170.1
6/20/2015 6:54	Field Temp		20.4	C	EPA 170.1
6/21/2015 7:09	Field Temp		20.6	C	EPA 170.1
6/22/2015 6:50	Field Temp		21	C	EPA 170.1
6/23/2015 7:12	Field Temp		21.9	C	EPA 170.1
6/24/2015 7:03	Field Temp		21.6	C	EPA 170.1
6/25/2015 7:01	Field Temp		21.9	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/26/2015 6:54	Field Temp		21.7	C	EPA 170.1
6/27/2015 7:02	Field Temp		20.9	C	EPA 170.1
6/28/2015 7:16	Field Temp		19.6	C	EPA 170.1
6/29/2015 6:58	Field Temp		19.7	C	EPA 170.1
6/30/2015 7:00	Field Temp		19.6	C	EPA 170.1
7/1/2015 7:02	Field Temp		20.4	C	EPA 170.1
7/2/2015 7:03	Field Temp		21.1	C	EPA 170.1
7/3/2015 6:50	Field Temp		20.2	C	EPA 170.1
7/4/2015 6:53	Field Temp		20.1	C	EPA 170.1
7/5/2015 6:46	Field Temp		20.2	C	EPA 170.1
7/6/2015 6:56	Field Temp		20.1	C	EPA 170.1
7/7/2015 7:03	Field Temp		20.5	C	EPA 170.1
7/8/2015 6:59	Field Temp		20.6	C	EPA 170.1
7/9/2015 7:14	Field Temp		20.8	C	EPA 170.1
7/10/2015 7:00	Field Temp		20.7	C	EPA 170.1
7/11/2015 7:15	Field Temp		20.5	C	EPA 170.1
7/12/2015 7:20	Field Temp		21	C	EPA 170.1
7/13/2015 6:49	Field Temp		21.1	C	EPA 170.1
7/14/2015 6:51	Field Temp		21.3	C	EPA 170.1
7/15/2015	Field Temp		21.5	C	EPA 170.1
7/16/2015 6:52	Field Temp		17.7	C	EPA 170.1
7/17/2015 6:52	Field Temp		21.7	C	EPA 170.1
7/18/2015 6:56	Field Temp		22.4	C	EPA 170.1
7/19/2015 6:43	Field Temp		23.3	C	EPA 170.1
7/20/2015 7:00	Field Temp		23.8	C	EPA 170.1
7/21/2015 6:57	Field Temp		24.2	C	EPA 170.1
7/22/2015 6:57	Field Temp		22.4	C	EPA 170.1
7/23/2015 7:00	Field Temp		23.6	C	EPA 170.1
7/24/2015 7:19	Field Temp		23.2	C	EPA 170.1
7/25/2015 6:58	Field Temp		23.7	C	EPA 170.1
7/26/2015 6:59	Field Temp		25.1	C	EPA 170.1
7/27/2015 7:06	Field Temp		24.1	C	EPA 170.1
7/28/2015 6:55	Field Temp		23.8	C	EPA 170.1
7/29/2015 7:05	Field Temp		23.3	C	EPA 170.1
7/30/2015 7:00	Field Temp		24.6	C	EPA 170.1
7/31/2015 7:06	Field Temp		24.6	C	EPA 170.1
8/1/2015 6:50	Field Temp		24.3	C	EPA 170.1
8/2/2015 6:48	Field Temp		24.6	C	EPA 170.1
8/3/2015 6:55	Field Temp		24.4	C	EPA 170.1
8/4/2015 6:56	Field Temp		23.7	C	EPA 170.1
8/5/2015 7:07	Field Temp		23.7	C	EPA 170.1
8/6/2015 6:55	Field Temp		24.4	C	EPA 170.1
8/7/2015 7:06	Field Temp		24.2	C	EPA 170.1
8/8/2015 6:58	Field Temp		24.1	C	EPA 170.1
8/9/2015 7:01	Field Temp		24.3	C	EPA 170.1
8/10/2015 7:06	Field Temp		24.4	C	EPA 170.1
8/11/2015 7:02	Field Temp		24	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/12/2015 7:20	Field Temp		23.6	C	EPA 170.1
8/13/2015 7:05	Field Temp		23.1	C	EPA 170.1
8/14/2015 7:00	Field Temp		23.7	C	EPA 170.1
8/15/2015 6:49	Field Temp		24	C	EPA 170.1
8/16/2015 6:49	Field Temp		24.3	C	EPA 170.1
8/17/2015 7:00	Field Temp		24.8	C	EPA 170.1
8/18/2015 7:00	Field Temp		25.2	C	EPA 170.1
8/19/2015 6:53	Field Temp		24.8	C	EPA 170.1
8/20/2015 6:55	Field Temp		24.9	C	EPA 170.1
8/21/2015 6:56	Field Temp		24	C	EPA 170.1
8/22/2015 6:50	Field Temp		23.8	C	EPA 170.1
8/23/2015 6:56	Field Temp		23.5	C	EPA 170.1
8/24/2015 6:58	Field Temp		21.9	C	EPA 170.1
8/25/2015 6:57	Field Temp		22.1	C	EPA 170.1
8/26/2015 7:10	Field Temp		21	C	EPA 170.1
8/27/2015 6:57	Field Temp		21.9	C	EPA 170.1
8/28/2015 7:07	Field Temp		21.9	C	EPA 170.1
8/29/2015 7:05	Field Temp		21.9	C	EPA 170.1
8/30/2015 6:52	Field Temp		22.3	C	EPA 170.1
8/31/2015 6:58	Field Temp		23	C	EPA 170.1
9/1/2015 7:00	Field Temp		23.3	C	EPA 170.1
9/2/2015 6:59	Field Temp		23.7	C	EPA 170.1
9/3/2015 7:05	Field Temp		24.4	C	EPA 170.1
9/4/2015 6:50	Field Temp		24.4	C	EPA 170.1
9/5/2015 6:46	Field Temp		24.3	C	EPA 170.1
9/6/2015 7:12	Field Temp		24.8	C	EPA 170.1
9/7/2015 6:50	Field Temp		25	C	EPA 170.1
9/8/2015 6:57	Field Temp		25.3	C	EPA 170.1
9/9/2015 6:54	Field Temp		24.7	C	EPA 170.1
9/10/2015 6:55	Field Temp		24.1	C	EPA 170.1
9/14/2015 9:07	Field Temp		23	C	EPA 170.1
9/15/2015 9:28	Field Temp		21.2	C	EPA 170.1
9/16/2015 9:03	Field Temp		21.7	C	EPA 170.1
9/17/2015 9:15	Field Temp		21.5	C	EPA 170.1
9/21/2015 9:45	Field Temp		20.4	C	EPA 170.1
9/22/2015 9:24	Field Temp		20.5	C	EPA 170.1
9/23/2015 9:00	Field Temp		20.3	C	EPA 170.1
9/24/2015 9:17	Field Temp		20.6	C	EPA 170.1
9/28/2015 9:28	Field Temp		20.6	C	EPA 170.1
9/29/2015 9:12	Field Temp		21.4	C	EPA 170.1
9/30/2015 9:10	Field Temp		19.4	C	EPA 170.1
10/1/2015 9:08	Field Temp		18.3	C	EPA 170.1
5/4/2015 7:13	pH		6.25	S.U.	
5/5/2015 7:03	pH		7.02	S.U.	
5/6/2015 7:02	pH		6.92	S.U.	
5/7/2015 7:05	pH		7.42	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/11/2015 7:13	pH		8.36	S.U.	
5/12/2015 7:21	pH		8.23	S.U.	
5/13/2015 7:06	pH		8.32	S.U.	
5/14/2015 7:13	pH		8.26	S.U.	
5/15/2015 7:02	pH		7.39	S.U.	
5/16/2015	pH		8.16	S.U.	
5/17/2015 7:02	pH		8.19	S.U.	
5/18/2015 7:07	pH		8.36	S.U.	
5/19/2015 7:31	pH		7.6	S.U.	
5/20/2015 7:24	pH		6.98	S.U.	
5/21/2015 7:08	pH		7.61	S.U.	
5/22/2015 7:05	pH		8.42	S.U.	
5/23/2015 6:54	pH		7.01	S.U.	
5/24/2015 7:03	pH		6.83	S.U.	
5/25/2015 6:53	pH		7.12	S.U.	
5/26/2015 7:01	pH		8.2	S.U.	
5/27/2015 7:11	pH		6.94	S.U.	
5/28/2015 6:56	pH		6.9	S.U.	
5/29/2015 6:56	pH		7.03	S.U.	
5/30/2015 6:50	pH		8.17	S.U.	
5/31/2015 6:55	pH		8.16	S.U.	
6/1/2015 6:56	pH		6.58	S.U.	
6/2/2015 6:58	pH		8.03	S.U.	
6/3/2015 6:54	pH		8.07	S.U.	
6/5/2015 6:54	pH		7.96	S.U.	
6/6/2015 6:50	pH		6.42	S.U.	
6/7/2015 6:51	pH		6.65	S.U.	
6/8/2015 6:58	pH		6.51	S.U.	
6/9/2015 7:05	pH		8.15	S.U.	
6/10/2015 6:50	pH		8.11	S.U.	
6/11/2015 6:55	pH		8.05	S.U.	
6/12/2015 6:56	pH		8.04	S.U.	
6/13/2015 6:57	pH		7.9	S.U.	
6/14/2015	pH		7.77	S.U.	
6/15/2015 7:04	pH		8.03	S.U.	
6/16/2015 7:12	pH		7.12	S.U.	
6/17/2015 7:07	pH		7.85	S.U.	
6/18/2015 6:57	pH		7.77	S.U.	
6/19/2015 7:06	pH		6.67	S.U.	
6/20/2015 6:54	pH		7.74	S.U.	
6/21/2015 7:09	pH		7.08	S.U.	
6/22/2015 6:50	pH		7.47	S.U.	
6/23/2015 7:12	pH		7.92	S.U.	
6/24/2015 7:03	pH		7.82	S.U.	
6/25/2015 7:01	pH		7.88	S.U.	
6/26/2015 6:54	pH		7.83	S.U.	
6/27/2015 7:02	pH		7.66	S.U.	



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/28/2015 7:16	pH		7.94	S.U.	
6/29/2015 6:58	pH		7.74	S.U.	
6/30/2015 7:00	pH		7.52	S.U.	
7/1/2015 7:02	pH		7.76	S.U.	
7/2/2015 7:03	pH		7.77	S.U.	
7/3/2015 6:50	pH		7.51	S.U.	
7/4/2015 6:53	pH		7.65	S.U.	
7/5/2015 6:46	pH		7.5	S.U.	
7/6/2015 6:56	pH		7.59	S.U.	
7/7/2015 7:03	pH		7.57	S.U.	
7/8/2015 6:59	pH		7.89	S.U.	
7/9/2015 7:14	pH		7.76	S.U.	
7/10/2015 7:00	pH		7.65	S.U.	
7/11/2015 7:15	pH		7.78	S.U.	
7/12/2015 7:20	pH		7.89	S.U.	
7/13/2015 6:49	pH		7.67	S.U.	
7/14/2015 6:51	pH		7.72	S.U.	
7/15/2015	pH		7.57	S.U.	
7/16/2015 6:52	pH		7.3	S.U.	
7/17/2015 6:52	pH		7.76	S.U.	
7/18/2015 6:56	pH		7.84	S.U.	
7/19/2015 6:43	pH		7.93	S.U.	
7/20/2015 7:00	pH		7.92	S.U.	
7/21/2015 6:57	pH		2.08	S.U.	
7/22/2015 6:57	pH		7.55	S.U.	
7/23/2015 7:00	pH		7.98	S.U.	
7/24/2015 7:19	pH		7.42	S.U.	
7/25/2015 6:58	pH		8.01	S.U.	
7/26/2015 6:59	pH		6.86	S.U.	
7/27/2015 7:06	pH		7.75	S.U.	
7/28/2015 6:55	pH		7.45	S.U.	
7/29/2015 7:05	pH		7.19	S.U.	
7/30/2015 7:00	pH		7.44	S.U.	
7/31/2015 7:06	pH		7.8	S.U.	
8/1/2015 6:50	pH		7.68	S.U.	
8/2/2015 6:48	pH		7.88	S.U.	
8/3/2015 6:55	pH		7.83	S.U.	
8/4/2015 6:56	pH		7.68	S.U.	
8/5/2015 7:07	pH		7.48	S.U.	
8/6/2015 6:55	pH		7.5	S.U.	
8/7/2015 7:06	pH		7.96	S.U.	
8/8/2015 6:58	pH		7.77	S.U.	
8/9/2015 7:01	pH		7.85	S.U.	
8/10/2015 7:06	pH		7.54	S.U.	
8/11/2015 7:02	pH		7.2	S.U.	
8/12/2015 7:20	pH		7.83	S.U.	
8/13/2015 7:05	pH		7.72	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/14/2015 7:00	pH		7.8	S.U.	
8/15/2015 6:49	pH		7.68	S.U.	
8/16/2015 6:49	pH		7.96	S.U.	
8/17/2015 7:00	pH		8.17	S.U.	
8/18/2015 7:00	pH		8.24	S.U.	
8/19/2015 6:53	pH		8.26	S.U.	
8/20/2015 6:55	pH		8.22	S.U.	
8/21/2015 6:56	pH		7.06	S.U.	
8/22/2015 6:50	pH		8.13	S.U.	
8/23/2015 6:56	pH		7.25	S.U.	
8/24/2015 6:58	pH		6.86	S.U.	
8/25/2015 6:57	pH		7.75	S.U.	
8/26/2015 7:10	pH		7.65	S.U.	
8/27/2015 6:57	pH		7.77	S.U.	
8/28/2015 7:07	pH		7.37	S.U.	
8/29/2015 7:05	pH		8.55	S.U.	
8/30/2015 6:52	pH		8.35	S.U.	
8/31/2015 6:58	pH		8.4	S.U.	
9/1/2015 7:00	pH		8.67	S.U.	
9/2/2015 6:59	pH		8.83	S.U.	
9/3/2015 7:05	pH		7.6	S.U.	
9/4/2015 6:50	pH		8.11	S.U.	
9/5/2015 6:46	pH		7.95	S.U.	
9/6/2015 7:12	pH		7.98	S.U.	
9/7/2015 6:50	pH		8.05	S.U.	
9/8/2015 6:57	pH		8.13	S.U.	
9/9/2015 6:54	pH		7.4	S.U.	
9/10/2015 6:55	pH		7.63	S.U.	
9/14/2015 9:07	pH		7.06	S.U.	
9/15/2015 9:28	pH		7.39	S.U.	
9/16/2015 9:03	pH		7.25	S.U.	
9/17/2015 9:15	pH		7.3	S.U.	
9/21/2015 9:45	pH		7.5	S.U.	
9/22/2015 9:24	pH		7.32	S.U.	
9/23/2015 9:00	pH		7.45	S.U.	
9/24/2015 9:17	pH		7.46	S.U.	
9/28/2015 9:28	pH		8.07	S.U.	
9/29/2015 9:12	pH		8.01	S.U.	
9/30/2015 9:10	pH		7.16	S.U.	
10/1/2015 9:08	pH		7.29	S.U.	
5/4/2015 7:13	Turbidity		3	NTU	EPA180.1
5/5/2015 7:03	Turbidity		2.2	NTU	EPA180.1
5/6/2015 7:02	Turbidity		1.96	NTU	EPA180.1
5/7/2015 7:05	Turbidity		1.42	NTU	EPA180.1
5/11/2015 7:13	Turbidity		1.375	NTU	EPA180.1
5/12/2015 7:21	Turbidity		19.9	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/13/2015 7:06	Turbidity		19.35	NTU	EPA180.1
5/14/2015 7:13	Turbidity		3.63	NTU	EPA180.1
5/15/2015 7:02	Turbidity		2	NTU	EPA180.1
5/16/2015	Turbidity		1.95	NTU	EPA180.1
5/17/2015 7:02	Turbidity		1.66	NTU	EPA180.1
5/18/2015 7:07	Turbidity		1.67	NTU	EPA180.1
5/19/2015 7:31	Turbidity		4.63	NTU	EPA180.1
5/20/2015 7:24	Turbidity		27.6	NTU	EPA180.1
5/21/2015 7:08	Turbidity		2.42	NTU	EPA180.1
5/22/2015 7:05	Turbidity		6.65	NTU	EPA180.1
5/23/2015 6:54	Turbidity		1.32	NTU	EPA180.1
5/24/2015 7:03	Turbidity		1.25	NTU	EPA180.1
5/25/2015 6:53	Turbidity		1.39	NTU	EPA180.1
5/26/2015 7:01	Turbidity		1.72	NTU	EPA180.1
5/27/2015 7:11	Turbidity		2.78	NTU	EPA180.1
5/28/2015 6:56	Turbidity		2.14	NTU	EPA180.1
5/29/2015 6:56	Turbidity		0.91	NTU	EPA180.1
5/30/2015 6:50	Turbidity		1.225	NTU	EPA180.1
5/31/2015 6:55	Turbidity		38	NTU	EPA180.1
6/1/2015 6:56	Turbidity		76.4	NTU	EPA180.1
6/2/2015 6:58	Turbidity		21	NTU	EPA180.1
6/3/2015 6:54	Turbidity		9.92	NTU	EPA180.1
6/4/2015 6:58	Turbidity		5.92	NTU	EPA180.1
6/5/2015 6:54	Turbidity		3.38	NTU	EPA180.1
6/6/2015 6:50	Turbidity		23.7	NTU	EPA180.1
6/7/2015 6:51	Turbidity		4.36	NTU	EPA180.1
6/8/2015 6:58	Turbidity		6.99	NTU	EPA180.1
6/9/2015 7:05	Turbidity		14.4	NTU	EPA180.1
6/10/2015 6:50	Turbidity		3.22	NTU	EPA180.1
6/11/2015 6:55	Turbidity		3.13	NTU	EPA180.1
6/12/2015 6:56	Turbidity		2.89	NTU	EPA180.1
6/13/2015 6:57	Turbidity		6.29	NTU	EPA180.1
6/14/2015	Turbidity		4.51	NTU	EPA180.1
6/15/2015 7:04	Turbidity		6.79	NTU	EPA180.1
6/16/2015 7:12	Turbidity		5.83	NTU	EPA180.1
6/17/2015 7:07	Turbidity		5.39	NTU	EPA180.1
6/18/2015 6:57	Turbidity		4.15	NTU	EPA180.1
6/19/2015 7:06	Turbidity		27.1	NTU	EPA180.1
6/20/2015 6:54	Turbidity		5.12	NTU	EPA180.1
6/21/2015 7:09	Turbidity		3.89	NTU	EPA180.1
6/22/2015 6:50	Turbidity		3.05	NTU	EPA180.1
6/23/2015 7:12	Turbidity		25.8	NTU	EPA180.1
6/24/2015 7:03	Turbidity		5.32	NTU	EPA180.1
6/25/2015 7:01	Turbidity		3.6	NTU	EPA180.1
6/26/2015 6:54	Turbidity		1.95	NTU	EPA180.1
6/27/2015 7:02	Turbidity		20.8	NTU	EPA180.1
6/28/2015 7:16	Turbidity		50.4	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/29/2015 6:58	Turbidity		8.025	NTU	EPA180.1
6/30/2015 7:00	Turbidity		9.94	NTU	EPA180.1
7/1/2015 7:02	Turbidity		17.9	NTU	EPA180.1
7/2/2015 7:03	Turbidity		8.45	NTU	EPA180.1
7/3/2015 6:50	Turbidity		6.13	NTU	EPA180.1
7/4/2015 6:53	Turbidity		6.16	NTU	EPA180.1
7/5/2015 6:46	Turbidity		4.14	NTU	EPA180.1
7/6/2015 6:56	Turbidity		3.08	NTU	EPA180.1
7/7/2015 7:03	Turbidity		3.01	NTU	EPA180.1
7/8/2015 6:59	Turbidity		33.1	NTU	EPA180.1
7/9/2015 7:14	Turbidity		5.98	NTU	EPA180.1
7/10/2015 7:00	Turbidity		4.84	NTU	EPA180.1
7/11/2015 7:15	Turbidity		3.97	NTU	EPA180.1
7/12/2015 7:20	Turbidity		3.35	NTU	EPA180.1
7/13/2015 6:49	Turbidity		3.68	NTU	EPA180.1
7/14/2015 6:51	Turbidity		4.75	NTU	EPA180.1
7/15/2015	Turbidity		195	NTU	EPA180.1
7/16/2015 6:52	Turbidity		3.22	NTU	EPA180.1
7/17/2015 6:52	Turbidity		4.84	NTU	EPA180.1
7/18/2015 6:56	Turbidity		7.63	NTU	EPA180.1
7/19/2015 6:43	Turbidity		5.17	NTU	EPA180.1
7/20/2015 7:00	Turbidity		4.82	NTU	EPA180.1
7/21/2015 6:57	Turbidity		2.07	NTU	EPA180.1
7/22/2015 6:57	Turbidity		22.35	NTU	EPA180.1
7/23/2015 7:00	Turbidity		1.77	NTU	EPA180.1
7/24/2015 7:19	Turbidity		3.36	NTU	EPA180.1
7/25/2015 6:58	Turbidity		1.36	NTU	EPA180.1
7/26/2015 6:59	Turbidity		5.41	NTU	EPA180.1
7/27/2015 7:06	Turbidity		1.21	NTU	EPA180.1
7/28/2015 6:55	Turbidity		1.05	NTU	EPA180.1
7/29/2015 7:05	Turbidity		1.32	NTU	EPA180.1
7/30/2015 7:00	Turbidity		23.7	NTU	EPA180.1
7/31/2015 7:06	Turbidity		11.3	NTU	EPA180.1
8/1/2015 6:50	Turbidity		16.1	NTU	EPA180.1
8/2/2015 6:48	Turbidity		7.03	NTU	EPA180.1
8/3/2015 6:55	Turbidity		11	NTU	EPA180.1
8/4/2015 6:56	Turbidity		13.7	NTU	EPA180.1
8/5/2015 7:07	Turbidity		12.45	NTU	EPA180.1
8/6/2015 6:55	Turbidity		1.62	NTU	EPA180.1
8/7/2015 7:06	Turbidity		1.41	NTU	EPA180.1
8/8/2015 6:58	Turbidity		2.71	NTU	EPA180.1
8/9/2015 7:01	Turbidity		3.36	NTU	EPA180.1
8/10/2015 7:06	Turbidity		2.06	NTU	EPA180.1
8/11/2015 7:02	Turbidity		12.8	NTU	EPA180.1
8/12/2015 7:20	Turbidity		6.73	NTU	EPA180.1
8/13/2015 7:05	Turbidity		4.1	NTU	EPA180.1
8/14/2015 7:00	Turbidity		5.14	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/15/2015 6:49	Turbidity		2.98	NTU	EPA180.1
8/16/2015 6:49	Turbidity		2.14	NTU	EPA180.1
8/17/2015 7:00	Turbidity		1.68	NTU	EPA180.1
8/18/2015 7:00	Turbidity		2.35	NTU	EPA180.1
8/19/2015 6:53	Turbidity		2.66	NTU	EPA180.1
8/20/2015 6:55	Turbidity		3.14	NTU	EPA180.1
8/21/2015 6:56	Turbidity		14.5	NTU	EPA180.1
8/22/2015 6:50	Turbidity		3.43	NTU	EPA180.1
8/23/2015 6:56	Turbidity		2.06	NTU	EPA180.1
8/24/2015 6:58	Turbidity		17.1	NTU	EPA180.1
8/25/2015 6:57	Turbidity		21.8	NTU	EPA180.1
8/26/2015 7:10	Turbidity		9.84	NTU	EPA180.1
8/27/2015 6:57	Turbidity		4.47	NTU	EPA180.1
8/28/2015 7:07	Turbidity		2.48	NTU	EPA180.1
8/29/2015 7:05	Turbidity		1.74	NTU	EPA180.1
8/30/2015 6:52	Turbidity		2.32	NTU	EPA180.1
8/31/2015 6:58	Turbidity		1.32	NTU	EPA180.1
9/1/2015 7:00	Turbidity		1.24	NTU	EPA180.1
9/2/2015 6:59	Turbidity		2.99	NTU	EPA180.1
9/3/2015 7:05	Turbidity		3.16	NTU	EPA180.1
9/4/2015 6:50	Turbidity		5.53	NTU	EPA180.1
9/5/2015 6:46	Turbidity		1.92	NTU	EPA180.1
9/6/2015 7:12	Turbidity		2.54	NTU	EPA180.1
9/7/2015 6:50	Turbidity		3.78	NTU	EPA180.1
9/8/2015 6:57	Turbidity		2.8	NTU	EPA180.1
9/9/2015 6:54	Turbidity		5	NTU	EPA180.1
9/10/2015 6:55	Turbidity		10.5	NTU	EPA180.1
9/14/2015 9:07	Turbidity		19.95	NTU	EPA180.1
9/15/2015 9:28	Turbidity		5.17	NTU	EPA180.1
9/16/2015 9:03	Turbidity		4.36	NTU	EPA180.1
9/17/2015 9:15	Turbidity		2.32	NTU	EPA180.1
9/21/2015 9:45	Turbidity		6.29	NTU	EPA180.1
9/22/2015 9:24	Turbidity		13.91	NTU	EPA180.1
9/23/2015 9:00	Turbidity		2.47	NTU	EPA180.1
9/24/2015 9:17	Turbidity		3.58	NTU	EPA180.1
9/28/2015 9:28	Turbidity		2.46	NTU	EPA180.1
9/29/2015 9:12	Turbidity		2.37	NTU	EPA180.1
9/30/2015 9:10	Turbidity		32.9	NTU	EPA180.1
10/1/2015 9:08	Turbidity		30.9	NTU	EPA180.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/4/2015 7:05	E. coli		8	MPN/100 mL	SM9223 Colilert
5/5/2015 6:50	E. coli		46	MPN/100 mL	SM9223 Colilert
5/6/2015 6:53	E. coli		1827	MPN/100 mL	SM9223 Colilert
5/7/2015 6:56	E. coli		43	MPN/100 mL	SM9223 Colilert
5/11/2015 7:05	E. coli		261	MPN/100 mL	SM9223 Colilert
5/12/2015 7:11	E. coli		3654	MPN/100 mL	SM9223 Colilert
5/13/2015 6:56	E. coli		1072	MPN/100 mL	SM9223 Colilert
5/14/2015 7:04	E. coli		71	MPN/100 mL	SM9223 Colilert
5/15/2015 6:53	E. coli		6	MPN/100 mL	SM9223 Colilert
5/16/2015	E. coli		69	MPN/100 mL	SM9223 Colilert
5/17/2015 6:49	E. coli		102	MPN/100 mL	SM9223 Colilert
5/18/2015 7:00	E. coli		360	MPN/100 mL	SM9223 Colilert
5/19/2015 7:12	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
5/20/2015 7:10	E. coli		261	MPN/100 mL	SM9223 Colilert
5/21/2015 6:57	E. coli		46	MPN/100 mL	SM9223 Colilert
5/22/2015 6:50	E. coli		70	MPN/100 mL	SM9223 Colilert
5/23/2015 6:43	E. coli		2	MPN/100 mL	SM9223 Colilert
5/24/2015 6:52	E. coli		432	MPN/100 mL	SM9223 Colilert
5/25/2015 6:45	E. coli		54	MPN/100 mL	SM9223 Colilert
5/26/2015 6:50	E. coli		24	MPN/100 mL	SM9223 Colilert
5/27/2015 7:02	E. coli		62	MPN/100 mL	SM9223 Colilert
5/28/2015 6:45	E. coli		48	MPN/100 mL	SM9223 Colilert
5/29/2015 6:49	E. coli		80	MPN/100 mL	SM9223 Colilert
5/30/2015 6:40	E. coli		345	MPN/100 mL	SM9223 Colilert
5/31/2015 6:45	E. coli		7945	MPN/100 mL	SM9223 Colilert
6/1/2015 6:45	E. coli		3654	MPN/100 mL	SM9223 Colilert
6/2/2015 6:48	E. coli		430	MPN/100 mL	SM9223 Colilert
6/3/2015 6:40	E. coli		92	MPN/100 mL	SM9223 Colilert
6/4/2015 6:46	E. coli		46	MPN/100 mL	SM9223 Colilert
6/5/2015 6:43	E. coli		308	MPN/100 mL	SM9223 Colilert
6/6/2015 6:40	E. coli		1961	MPN/100 mL	SM9223 Colilert
6/7/2015 6:41	E. coli		90	MPN/100 mL	SM9223 Colilert
6/8/2015 6:48	E. coli		731	MPN/100 mL	SM9223 Colilert
6/9/2015 6:52	E. coli		3973	MPN/100 mL	SM9223 Colilert
6/10/2015 6:42	E. coli		540	MPN/100 mL	SM9223 Colilert
6/11/2015 6:45	E. coli		236	MPN/100 mL	SM9223 Colilert
6/12/2015 6:48	E. coli		952	MPN/100 mL	SM9223 Colilert
6/13/2015 6:49	E. coli		314	MPN/100 mL	SM9223 Colilert
6/14/2015	E. coli		992	MPN/100 mL	SM9223 Colilert
6/15/2015 6:54	E. coli		4813	MPN/100 mL	SM9223 Colilert
6/16/2015 6:58	E. coli		220	MPN/100 mL	SM9223 Colilert
6/17/2015 6:56	E. coli		3066	MPN/100 mL	SM9223 Colilert
6/18/2015 6:49	E. coli		488	MPN/100 mL	SM9223 Colilert
6/19/2015 6:54	E. coli	>	9678	MPN/100 mL	SM9223 Colilert
6/20/2015 6:44	E. coli		78	MPN/100 mL	SM9223 Colilert



Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/21/2015 7:01	E. coli		133	MPN/100 mL	SM9223 Colilert
6/22/2015 6:38	E. coli		156	MPN/100 mL	SM9223 Colilert
6/23/2015 6:54	E. coli		7865	MPN/100 mL	SM9223 Colilert
6/24/2015 6:51	E. coli		1274	MPN/100 mL	SM9223 Colilert
6/25/2015 6:50	E. coli		206	MPN/100 mL	SM9223 Colilert
6/26/2015 6:40	E. coli		36	MPN/100 mL	SM9223 Colilert
6/27/2015 6:45	E. coli		386	MPN/100 mL	SM9223 Colilert
6/28/2015 6:52	E. coli		4196	MPN/100 mL	SM9223 Colilert
6/29/2015 6:46	E. coli		1049	MPN/100 mL	SM9223 Colilert
6/30/2015 6:51	E. coli		240	MPN/100 mL	SM9223 Colilert
7/1/2015 6:53	E. coli		1462	MPN/100 mL	SM9223 Colilert
7/2/2015 6:55	E. coli		89	MPN/100 mL	SM9223 Colilert
7/3/2015 6:40	E. coli		17	MPN/100 mL	SM9223 Colilert
7/4/2015 6:43	E. coli		112	MPN/100 mL	SM9223 Colilert
7/5/2015 6:40	E. coli		11	MPN/100 mL	SM9223 Colilert
7/6/2015 6:45	E. coli		77	MPN/100 mL	SM9223 Colilert
7/7/2015 6:54	E. coli		2420	MPN/100 mL	SM9223 Colilert
7/8/2015 6:48	E. coli		736	MPN/100 mL	SM9223 Colilert
7/9/2015 7:03	E. coli		170	MPN/100 mL	SM9223 Colilert
7/10/2015 6:45	E. coli		427	MPN/100 mL	SM9223 Colilert
7/11/2015 6:58	E. coli		213	MPN/100 mL	SM9223 Colilert
7/12/2015 7:08	E. coli		60	MPN/100 mL	SM9223 Colilert
7/13/2015 6:42	E. coli		32	MPN/100 mL	SM9223 Colilert
7/14/2015 6:43	E. coli		2226	MPN/100 mL	SM9223 Colilert
7/15/2015	E. coli		2238	MPN/100 mL	SM9223 Colilert
7/16/2015 6:42	E. coli		45	MPN/100 mL	SM9223 Colilert
7/17/2015 6:43	E. coli		22	MPN/100 mL	SM9223 Colilert
7/18/2015 6:45	E. coli		651	MPN/100 mL	SM9223 Colilert
7/19/2015 6:35	E. coli		358	MPN/100 mL	SM9223 Colilert
7/20/2015 6:52	E. coli		159	MPN/100 mL	SM9223 Colilert
7/21/2015 6:47	E. coli		126	MPN/100 mL	SM9223 Colilert
7/22/2015 6:50	E. coli		468	MPN/100 mL	SM9223 Colilert
7/23/2015 6:50	E. coli		16	MPN/100 mL	SM9223 Colilert
7/24/2015 7:08	E. coli		1134	MPN/100 mL	SM9223 Colilert
7/25/2015 6:47	E. coli		432	MPN/100 mL	SM9223 Colilert
7/26/2015 6:47	E. coli		839	MPN/100 mL	SM9223 Colilert
7/27/2015 6:52	E. coli		54	MPN/100 mL	SM9223 Colilert
7/28/2015 6:51	E. coli		42	MPN/100 mL	SM9223 Colilert
7/29/2015 6:55	E. coli		222	MPN/100 mL	SM9223 Colilert
7/30/2015 6:45	E. coli		7945	MPN/100 mL	SM9223 Colilert
7/31/2015 6:56	E. coli		657.5	MPN/100 mL	SM9223 Colilert
8/1/2015 6:42	E. coli		953	MPN/100 mL	SM9223 Colilert
8/2/2015 6:40	E. coli		75	MPN/100 mL	SM9223 Colilert
8/3/2015 6:46	E. coli		109	MPN/100 mL	SM9223 Colilert
8/4/2015 6:46	E. coli		448	MPN/100 mL	SM9223 Colilert

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
8/5/2015 7:00	E. coli		130	MPN/100 mL	SM9223 Colilert
8/6/2015 6:50	E. coli		150	MPN/100 mL	SM9223 Colilert
8/7/2015 6:53	E. coli		11	MPN/100 mL	SM9223 Colilert
8/8/2015 6:50	E. coli		68	MPN/100 mL	SM9223 Colilert
8/9/2015 6:46	E. coli		770	MPN/100 mL	SM9223 Colilert
8/10/2015 6:55	E. coli		205	MPN/100 mL	SM9223 Colilert
8/11/2015 6:49	E. coli		12098	MPN/100 mL	SM9223 Colilert
8/12/2015 7:14	E. coli		246	MPN/100 mL	SM9223 Colilert
8/13/2015 6:58	E. coli		139	MPN/100 mL	SM9223 Colilert
8/14/2015 6:51	E. coli		62	MPN/100 mL	SM9223 Colilert
8/15/2015 6:40	E. coli		13	MPN/100 mL	SM9223 Colilert
8/16/2015 6:41	E. coli		266	MPN/100 mL	SM9223 Colilert
8/17/2015 6:53	E. coli		38	MPN/100 mL	SM9223 Colilert
8/18/2015 6:52	E. coli		452	MPN/100 mL	SM9223 Colilert
8/19/2015 6:44	E. coli		29	MPN/100 mL	SM9223 Colilert
8/20/2015 6:48	E. coli		520	MPN/100 mL	SM9223 Colilert
8/21/2015 6:47	E. coli		96	MPN/100 mL	SM9223 Colilert
8/22/2015 6:42	E. coli		14	MPN/100 mL	SM9223 Colilert
8/23/2015 6:47	E. coli		28	MPN/100 mL	SM9223 Colilert
8/24/2015 6:50	E. coli		333	MPN/100 mL	SM9223 Colilert
8/25/2015 6:49	E. coli		85	MPN/100 mL	SM9223 Colilert
8/26/2015 7:04	E. coli		264	MPN/100 mL	SM9223 Colilert
8/27/2015 6:48	E. coli		5	MPN/100 mL	SM9223 Colilert
8/28/2015 6:59	E. coli		23	MPN/100 mL	SM9223 Colilert
8/29/2015 6:58	E. coli		1986	MPN/100 mL	SM9223 Colilert
8/30/2015 6:45	E. coli		666	MPN/100 mL	SM9223 Colilert
8/31/2015 6:51	E. coli		231	MPN/100 mL	SM9223 Colilert
9/1/2015 6:53	E. coli		687	MPN/100 mL	SM9223 Colilert
9/2/2015 6:48	E. coli		921	MPN/100 mL	SM9223 Colilert
9/3/2015 6:53	E. coli		921	MPN/100 mL	SM9223 Colilert
9/4/2015 6:42	E. coli		275	MPN/100 mL	SM9223 Colilert
9/5/2015 6:39	E. coli		46	MPN/100 mL	SM9223 Colilert
9/6/2015 7:06	E. coli		34	MPN/100 mL	SM9223 Colilert
9/7/2015 6:41	E. coli		43.5	MPN/100 mL	SM9223 Colilert
9/8/2015 6:49	E. coli		55	MPN/100 mL	SM9223 Colilert
9/9/2015 6:46	E. coli		1733	MPN/100 mL	SM9223 Colilert
9/10/2015 6:45	E. coli		91	MPN/100 mL	SM9223 Colilert
9/14/2015 8:57	E. coli		757	MPN/100 mL	SM9223 Colilert
9/15/2015 9:19	E. coli		21	MPN/100 mL	SM9223 Colilert
9/16/2015 8:54	E. coli		14	MPN/100 mL	SM9223 Colilert
9/17/2015 9:05	E. coli		11	MPN/100 mL	SM9223 Colilert
9/21/2015 9:35	E. coli		8	MPN/100 mL	SM9223 Colilert
9/22/2015 9:12	E. coli		9	MPN/100 mL	SM9223 Colilert
9/23/2015 8:52	E. coli		3	MPN/100 mL	SM9223 Colilert
9/24/2015 9:08	E. coli		8	MPN/100 mL	SM9223 Colilert

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
9/28/2015 9:20	E. coli		27	MPN/100 mL	SM9223 Colilert
9/29/2015 9:04	E. coli		8	MPN/100 mL	SM9223 Colilert
9/30/2015 9:00	E. coli		1300	MPN/100 mL	SM9223 Colilert
10/1/2015 9:00	E. coli		120	MPN/100 mL	SM9223 Colilert
5/4/2015 7:05	Field Cond		334	umhos/cm	SM 2510A
5/5/2015 6:50	Field Cond		321	umhos/cm	SM 2510A
5/6/2015 6:53	Field Cond		425	umhos/cm	SM 2510A
5/7/2015 6:56	Field Cond		335	umhos/cm	SM 2510A
5/11/2015 7:05	Field Cond		355	umhos/cm	SM 2510A
5/12/2015 7:11	Field Cond		324	umhos/cm	SM 2510A
5/13/2015 6:56	Field Cond		382	umhos/cm	SM 2510A
5/14/2015 7:04	Field Cond		395	umhos/cm	SM 2510A
5/15/2015 6:53	Field Cond		373	umhos/cm	SM 2510A
5/16/2015	Field Cond		325	umhos/cm	SM 2510A
5/17/2015 6:49	Field Cond		358	umhos/cm	SM 2510A
5/18/2015 7:00	Field Cond		314	umhos/cm	SM 2510A
5/19/2015 7:12	Field Cond		311	umhos/cm	SM 2510A
5/20/2015 7:10	Field Cond		491	umhos/cm	SM 2510A
5/21/2015 6:57	Field Cond		351	umhos/cm	SM 2510A
5/22/2015 6:50	Field Cond		302	umhos/cm	SM 2510A
5/23/2015 6:43	Field Cond		314	umhos/cm	SM 2510A
5/24/2015 6:52	Field Cond		315	umhos/cm	SM 2510A
5/25/2015 6:45	Field Cond		306	umhos/cm	SM 2510A
5/26/2015 6:50	Field Cond		333	umhos/cm	SM 2510A
5/27/2015 7:02	Field Cond		342	umhos/cm	SM 2510A
5/28/2015 6:45	Field Cond		336	umhos/cm	SM 2510A
5/29/2015 6:49	Field Cond		275	umhos/cm	SM 2510A
5/30/2015 6:40	Field Cond		320	umhos/cm	SM 2510A
5/31/2015 6:45	Field Cond		372	umhos/cm	SM 2510A
6/1/2015 6:45	Field Cond		360	umhos/cm	SM 2510A
6/2/2015 6:48	Field Cond		317	umhos/cm	SM 2510A
6/3/2015 6:40	Field Cond		282	umhos/cm	SM 2510A
6/4/2015 6:46	Field Cond		276	umhos/cm	SM 2510A
6/5/2015 6:43	Field Cond		306	umhos/cm	SM 2510A
6/6/2015 6:40	Field Cond		337	umhos/cm	SM 2510A
6/7/2015 6:41	Field Cond		307	umhos/cm	SM 2510A
6/8/2015 6:48	Field Cond		310	umhos/cm	SM 2510A
6/9/2015 6:52	Field Cond		325	umhos/cm	SM 2510A
6/10/2015 6:42	Field Cond		331	umhos/cm	SM 2510A
6/11/2015 6:45	Field Cond		330	umhos/cm	SM 2510A
6/12/2015 6:48	Field Cond		336	umhos/cm	SM 2510A
6/13/2015 6:49	Field Cond		326	umhos/cm	SM 2510A
6/14/2015	Field Cond		343	umhos/cm	SM 2510A
6/15/2015 6:54	Field Cond		301	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 6:58	Field Cond		348	umhos/cm	SM 2510A
6/17/2015 6:56	Field Cond		327	umhos/cm	SM 2510A
6/18/2015 6:49	Field Cond		306	umhos/cm	SM 2510A
6/19/2015 6:54	Field Cond		536	umhos/cm	SM 2510A
6/20/2015 6:44	Field Cond		302	umhos/cm	SM 2510A
6/21/2015 7:01	Field Cond		324	umhos/cm	SM 2510A
6/22/2015 6:38	Field Cond		330	umhos/cm	SM 2510A
6/23/2015 6:54	Field Cond		291	umhos/cm	SM 2510A
6/24/2015 6:51	Field Cond		307	umhos/cm	SM 2510A
6/25/2015 6:50	Field Cond		307	umhos/cm	SM 2510A
6/26/2015 6:40	Field Cond		298	umhos/cm	SM 2510A
6/27/2015 6:45	Field Cond		279	umhos/cm	SM 2510A
6/28/2015 6:52	Field Cond		334	umhos/cm	SM 2510A
6/29/2015 6:46	Field Cond		357	umhos/cm	SM 2510A
6/30/2015 6:51	Field Cond		330	umhos/cm	SM 2510A
7/1/2015 6:53	Field Cond		392	umhos/cm	SM 2510A
7/2/2015 6:55	Field Cond		945	umhos/cm	SM 2510A
7/3/2015 6:40	Field Cond		302	umhos/cm	SM 2510A
7/4/2015 6:43	Field Cond		297	umhos/cm	SM 2510A
7/5/2015 6:40	Field Cond		274	umhos/cm	SM 2510A
7/6/2015 6:45	Field Cond		285	umhos/cm	SM 2510A
7/7/2015 6:54	Field Cond		285	umhos/cm	SM 2510A
7/8/2015 6:48	Field Cond		281	umhos/cm	SM 2510A
7/9/2015 7:03	Field Cond		272	umhos/cm	SM 2510A
7/10/2015 6:45	Field Cond		263	umhos/cm	SM 2510A
7/11/2015 6:58	Field Cond		273	umhos/cm	SM 2510A
7/12/2015 7:08	Field Cond		281	umhos/cm	SM 2510A
7/13/2015 6:42	Field Cond		288	umhos/cm	SM 2510A
7/14/2015 6:43	Field Cond		304	umhos/cm	SM 2510A
7/15/2015	Field Cond		303	umhos/cm	SM 2510A
7/16/2015 6:42	Field Cond		276	umhos/cm	SM 2510A
7/17/2015 6:43	Field Cond		275	umhos/cm	SM 2510A
7/18/2015 6:45	Field Cond		273	umhos/cm	SM 2510A
7/19/2015 6:35	Field Cond		277	umhos/cm	SM 2510A
7/20/2015 6:52	Field Cond		287	umhos/cm	SM 2510A
7/21/2015 6:47	Field Cond		274	umhos/cm	SM 2510A
7/22/2015 6:50	Field Cond		338	umhos/cm	SM 2510A
7/23/2015 6:50	Field Cond		268	umhos/cm	SM 2510A
7/24/2015 7:08	Field Cond		274	umhos/cm	SM 2510A
7/25/2015 6:47	Field Cond		312	umhos/cm	SM 2510A
7/26/2015 6:47	Field Cond		298	umhos/cm	SM 2510A
7/27/2015 6:52	Field Cond		306	umhos/cm	SM 2510A
7/28/2015 6:51	Field Cond		328	umhos/cm	SM 2510A
7/29/2015 6:55	Field Cond		347	umhos/cm	SM 2510A
7/30/2015 6:45	Field Cond		310	umhos/cm	SM 2510A

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
7/31/2015 6:56	Field Cond		303	umhos/cm	SM 2510A
8/1/2015 6:42	Field Cond		313	umhos/cm	SM 2510A
8/2/2015 6:40	Field Cond		317	umhos/cm	SM 2510A
8/3/2015 6:46	Field Cond		311	umhos/cm	SM 2510A
8/4/2015 6:46	Field Cond		315	umhos/cm	SM 2510A
8/5/2015 7:00	Field Cond		309	umhos/cm	SM 2510A
8/6/2015 6:50	Field Cond		315	umhos/cm	SM 2510A
8/7/2015 6:53	Field Cond		306	umhos/cm	SM 2510A
8/8/2015 6:50	Field Cond		306	umhos/cm	SM 2510A
8/9/2015 6:46	Field Cond		318	umhos/cm	SM 2510A
8/10/2015 6:55	Field Cond		318	umhos/cm	SM 2510A
8/11/2015 6:49	Field Cond		335	umhos/cm	SM 2510A
8/12/2015 7:14	Field Cond		322	umhos/cm	SM 2510A
8/13/2015 6:58	Field Cond		320	umhos/cm	SM 2510A
8/14/2015 6:51	Field Cond		311	umhos/cm	SM 2510A
8/15/2015 6:40	Field Cond		336	umhos/cm	SM 2510A
8/16/2015 6:41	Field Cond		351	umhos/cm	SM 2510A
8/17/2015 6:53	Field Cond		363	umhos/cm	SM 2510A
8/18/2015 6:52	Field Cond		321	umhos/cm	SM 2510A
8/19/2015 6:44	Field Cond		317	umhos/cm	SM 2510A
8/20/2015 6:48	Field Cond		317	umhos/cm	SM 2510A
8/21/2015 6:47	Field Cond		338	umhos/cm	SM 2510A
8/22/2015 6:42	Field Cond		299	umhos/cm	SM 2510A
8/23/2015 6:47	Field Cond		287	umhos/cm	SM 2510A
8/24/2015 6:50	Field Cond		312	umhos/cm	SM 2510A
8/25/2015 6:49	Field Cond		318	umhos/cm	SM 2510A
8/26/2015 7:04	Field Cond		306	umhos/cm	SM 2510A
8/27/2015 6:48	Field Cond		297	umhos/cm	SM 2510A
8/28/2015 6:59	Field Cond		306	umhos/cm	SM 2510A
8/29/2015 6:58	Field Cond		352	umhos/cm	SM 2510A
8/30/2015 6:45	Field Cond		342	umhos/cm	SM 2510A
8/31/2015 6:51	Field Cond		341	umhos/cm	SM 2510A
9/1/2015 6:53	Field Cond		394	umhos/cm	SM 2510A
9/2/2015 6:48	Field Cond		350	umhos/cm	SM 2510A
9/3/2015 6:53	Field Cond		284	umhos/cm	SM 2510A
9/4/2015 6:42	Field Cond		287	umhos/cm	SM 2510A
9/5/2015 6:39	Field Cond		309	umhos/cm	SM 2510A
9/6/2015 7:06	Field Cond		278	umhos/cm	SM 2510A
9/7/2015 6:41	Field Cond		312	umhos/cm	SM 2510A
9/8/2015 6:49	Field Cond		282	umhos/cm	SM 2510A
9/9/2015 6:46	Field Cond		278	umhos/cm	SM 2510A
9/10/2015 6:45	Field Cond		281	umhos/cm	SM 2510A
9/14/2015 8:57	Field Cond		310	umhos/cm	SM 2510A
9/15/2015 9:19	Field Cond		298	umhos/cm	SM 2510A
9/16/2015 8:54	Field Cond		298	umhos/cm	SM 2510A

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
9/17/2015 9:05	Field Cond		315	umhos/cm	SM 2510A	
9/21/2015 9:35	Field Cond		283	umhos/cm	SM 2510A	
9/22/2015 9:12	Field Cond		287	umhos/cm	SM 2510A	
9/23/2015 8:52	Field Cond		288	umhos/cm	SM 2510A	
9/24/2015 9:08	Field Cond		287	umhos/cm	SM 2510A	
9/28/2015 9:20	Field Cond		304	umhos/cm	SM 2510A	
9/29/2015 9:04	Field Cond		301	umhos/cm	SM 2510A	
9/30/2015 9:00	Field Cond		332	umhos/cm	SM 2510A	
10/1/2015 9:00	Field Cond		294	umhos/cm	SM 2510A	
5/4/2015 7:05	Field Temp		11.2	C	EPA 170.1	
5/5/2015 6:50	Field Temp		11.9	C	EPA 170.1	
5/6/2015 6:53	Field Temp		12.2	C	EPA 170.1	
5/7/2015 6:56	Field Temp		10.8	C	EPA 170.1	
5/11/2015 7:05	Field Temp		15.8	C	EPA 170.1	
5/12/2015 7:11	Field Temp		15.4	C	EPA 170.1	
5/13/2015 6:56	Field Temp		13	C	EPA 170.1	
5/14/2015 7:04	Field Temp		12.9	C	EPA 170.1	
5/15/2015 6:53	Field Temp		14	C	EPA 170.1	
5/16/2015	Field Temp		15.7	C	EPA 170.1	
5/17/2015 6:49	Field Temp		15.6	C	EPA 170.1	
5/18/2015 7:00	Field Temp		16.5	C	EPA 170.1	
5/19/2015 7:12	Field Temp		16.1	C	EPA 170.1	
5/20/2015 7:10	Field Temp		13.8	C	EPA 170.1	
5/21/2015 6:57	Field Temp		14.7	C	EPA 170.1	
5/22/2015 6:50	Field Temp		14.1	C	EPA 170.1	
5/23/2015 6:43	Field Temp		15.1	C	EPA 170.1	
5/24/2015 6:52	Field Temp		14.8	C	EPA 170.1	
5/25/2015 6:45	Field Temp		15.8	C	EPA 170.1	
5/26/2015 6:50	Field Temp		16.3	C	EPA 170.1	
5/27/2015 7:02	Field Temp		17	C	EPA 170.1	
5/28/2015 6:45	Field Temp		16.9	C	EPA 170.1	
5/29/2015 6:49	Field Temp		15.8	C	EPA 170.1	
5/30/2015 6:40	Field Temp		17.2	C	EPA 170.1	
5/31/2015 6:45	Field Temp		18	C	EPA 170.1	
6/1/2015 6:45	Field Temp		15.2	C	EPA 170.1	
6/2/2015 6:48	Field Temp		15.6	C	EPA 170.1	
6/3/2015 6:40	Field Temp		15	C	EPA 170.1	
6/4/2015 6:46	Field Temp		14.2	C	EPA 170.1	
6/5/2015 6:43	Field Temp		14.1	C	EPA 170.1	
6/6/2015 6:40	Field Temp		16	C	EPA 170.1	
6/7/2015 6:41	Field Temp		15.1	C	EPA 170.1	
6/8/2015 6:48	Field Temp		16.5	C	EPA 170.1	
6/9/2015 6:52	Field Temp		16.2	C	EPA 170.1	
6/10/2015 6:42	Field Temp		17	C	EPA 170.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/11/2015 6:45	Field Temp		18	C	EPA 170.1	
6/12/2015 6:48	Field Temp		18.4	C	EPA 170.1	
6/13/2015 6:49	Field Temp		18.7	C	EPA 170.1	
6/14/2015	Field Temp		18.8	C	EPA 170.1	
6/15/2015 6:54	Field Temp		20.1	C	EPA 170.1	
6/16/2015 6:58	Field Temp		20.8	C	EPA 170.1	
6/17/2015 6:56	Field Temp		20.3	C	EPA 170.1	
6/18/2015 6:49	Field Temp		20	C	EPA 170.1	
6/19/2015 6:54	Field Temp		20.7	C	EPA 170.1	
6/20/2015 6:44	Field Temp		20.4	C	EPA 170.1	
6/21/2015 7:01	Field Temp		20.6	C	EPA 170.1	
6/22/2015 6:38	Field Temp		21	C	EPA 170.1	
6/23/2015 6:54	Field Temp		22.7	C	EPA 170.1	
6/24/2015 6:51	Field Temp		21.6	C	EPA 170.1	
6/25/2015 6:50	Field Temp		21.9	C	EPA 170.1	
6/26/2015 6:40	Field Temp		21.7	C	EPA 170.1	
6/27/2015 6:45	Field Temp		20.9	C	EPA 170.1	
6/28/2015 6:52	Field Temp		19.5	C	EPA 170.1	
6/29/2015 6:46	Field Temp		19.8	C	EPA 170.1	
6/30/2015 6:51	Field Temp		19.5	C	EPA 170.1	
7/1/2015 6:53	Field Temp		20.6	C	EPA 170.1	
7/2/2015 6:55	Field Temp		18.6	C	EPA 170.1	
7/3/2015 6:40	Field Temp		20	C	EPA 170.1	
7/4/2015 6:43	Field Temp		20.1	C	EPA 170.1	
7/5/2015 6:40	Field Temp		20.2	C	EPA 170.1	
7/6/2015 6:45	Field Temp		19.8	C	EPA 170.1	
7/7/2015 6:54	Field Temp		20.5	C	EPA 170.1	
7/8/2015 6:48	Field Temp		20.9	C	EPA 170.1	
7/9/2015 7:03	Field Temp		20.7	C	EPA 170.1	
7/10/2015 6:45	Field Temp		20.7	C	EPA 170.1	
7/11/2015 6:58	Field Temp		20.6	C	EPA 170.1	
7/12/2015 7:08	Field Temp		21	C	EPA 170.1	
7/13/2015 6:42	Field Temp		21.1	C	EPA 170.1	
7/14/2015 6:43	Field Temp		21.6	C	EPA 170.1	
7/15/2015	Field Temp		22	C	EPA 170.1	
7/16/2015 6:42	Field Temp		21.4	C	EPA 170.1	
7/17/2015 6:43	Field Temp		21.8	C	EPA 170.1	
7/18/2015 6:45	Field Temp		22.4	C	EPA 170.1	
7/19/2015 6:35	Field Temp		23.4	C	EPA 170.1	
7/20/2015 6:52	Field Temp		23.8	C	EPA 170.1	
7/21/2015 6:47	Field Temp		24.3	C	EPA 170.1	
7/22/2015 6:50	Field Temp		22.7	C	EPA 170.1	
7/23/2015 6:50	Field Temp		23.5	C	EPA 170.1	
7/24/2015 7:08	Field Temp		23.4	C	EPA 170.1	
7/25/2015 6:47	Field Temp		23.7	C	EPA 170.1	



Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
7/26/2015 6:47	Field Temp		24.7	C	EPA 170.1	
7/27/2015 6:52	Field Temp		24.1	C	EPA 170.1	
7/28/2015 6:51	Field Temp		23.6	C	EPA 170.1	
7/29/2015 6:55	Field Temp		23.3	C	EPA 170.1	
7/30/2015 6:45	Field Temp		24	C	EPA 170.1	
7/31/2015 6:56	Field Temp		24.3	C	EPA 170.1	
8/1/2015 6:42	Field Temp		24	C	EPA 170.1	
8/2/2015 6:40	Field Temp		24.3	C	EPA 170.1	
8/3/2015 6:46	Field Temp		24.2	C	EPA 170.1	
8/4/2015 6:46	Field Temp		23.9	C	EPA 170.1	
8/5/2015 7:00	Field Temp		23.7	C	EPA 170.1	
8/6/2015 6:50	Field Temp		24.2	C	EPA 170.1	
8/7/2015 6:53	Field Temp		24.1	C	EPA 170.1	
8/8/2015 6:50	Field Temp		24.1	C	EPA 170.1	
8/9/2015 6:46	Field Temp		24.2	C	EPA 170.1	
8/10/2015 6:55	Field Temp		24.3	C	EPA 170.1	
8/11/2015 6:49	Field Temp		24.3	C	EPA 170.1	
8/12/2015 7:14	Field Temp		23.8	C	EPA 170.1	
8/13/2015 6:58	Field Temp		23	C	EPA 170.1	
8/14/2015 6:51	Field Temp		23.5	C	EPA 170.1	
8/15/2015 6:40	Field Temp		24	C	EPA 170.1	
8/16/2015 6:41	Field Temp		24.3	C	EPA 170.1	
8/17/2015 6:53	Field Temp		24.7	C	EPA 170.1	
8/18/2015 6:52	Field Temp		25.2	C	EPA 170.1	
8/19/2015 6:44	Field Temp		24.9	C	EPA 170.1	
8/20/2015 6:48	Field Temp		24.8	C	EPA 170.1	
8/21/2015 6:47	Field Temp		23.2	C	EPA 170.1	
8/22/2015 6:42	Field Temp		23.7	C	EPA 170.1	
8/23/2015 6:47	Field Temp		23.5	C	EPA 170.1	
8/24/2015 6:50	Field Temp		22.5	C	EPA 170.1	
8/25/2015 6:49	Field Temp		21.6	C	EPA 170.1	
8/26/2015 7:04	Field Temp		21	C	EPA 170.1	
8/27/2015 6:48	Field Temp		21	C	EPA 170.1	
8/28/2015 6:59	Field Temp		21.6	C	EPA 170.1	
8/29/2015 6:58	Field Temp		22	C	EPA 170.1	
8/30/2015 6:45	Field Temp		22.3	C	EPA 170.1	
8/31/2015 6:51	Field Temp		22.9	C	EPA 170.1	
9/1/2015 6:53	Field Temp		23.4	C	EPA 170.1	
9/2/2015 6:48	Field Temp		23.5	C	EPA 170.1	
9/3/2015 6:53	Field Temp		24.6	C	EPA 170.1	
9/4/2015 6:42	Field Temp		24.3	C	EPA 170.1	
9/5/2015 6:39	Field Temp		24.2	C	EPA 170.1	
9/6/2015 7:06	Field Temp		24.7	C	EPA 170.1	
9/7/2015 6:41	Field Temp		24.9	C	EPA 170.1	
9/8/2015 6:49	Field Temp		25.2	C	EPA 170.1	

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
9/9/2015 6:46	Field Temp		24.9	C	EPA 170.1
9/10/2015 6:45	Field Temp		24.2	C	EPA 170.1
9/14/2015 8:57	Field Temp		19.3	C	EPA 170.1
9/15/2015 9:19	Field Temp		21.1	C	EPA 170.1
9/16/2015 8:54	Field Temp		21.6	C	EPA 170.1
9/17/2015 9:05	Field Temp		21.6	C	EPA 170.1
9/21/2015 9:35	Field Temp		20.2	C	EPA 170.1
9/22/2015 9:12	Field Temp		20.3	C	EPA 170.1
9/23/2015 8:52	Field Temp		20.2	C	EPA 170.1
9/24/2015 9:08	Field Temp		20.4	C	EPA 170.1
9/28/2015 9:20	Field Temp		20.4	C	EPA 170.1
9/29/2015 9:04	Field Temp		21.2	C	EPA 170.1
9/30/2015 9:00	Field Temp		19.3	C	EPA 170.1
10/1/2015 9:00	Field Temp		18.2	C	EPA 170.1
5/4/2015 7:05	pH		6.18	S.U.	
5/5/2015 6:50	pH		7.05	S.U.	
5/6/2015 6:53	pH		6.64	S.U.	
5/7/2015 6:56	pH		7.48	S.U.	
5/11/2015 7:05	pH		7.5	S.U.	
5/12/2015 7:11	pH		8.21	S.U.	
5/13/2015 6:56	pH		8.3	S.U.	
5/14/2015 7:04	pH		8.24	S.U.	
5/15/2015 6:53	pH		7.21	S.U.	
5/16/2015	pH		8.17	S.U.	
5/17/2015 6:49	pH		8.17	S.U.	
5/18/2015 7:00	pH		8.25	S.U.	
5/19/2015 7:12	pH		7.28	S.U.	
5/20/2015 7:10	pH		7.08	S.U.	
5/21/2015 6:57	pH		7.57	S.U.	
5/22/2015 6:50	pH		8.38	S.U.	
5/23/2015 6:43	pH		6.77	S.U.	
5/24/2015 6:52	pH		6.96	S.U.	
5/25/2015 6:45	pH		7.82	S.U.	
5/26/2015 6:50	pH		8.21	S.U.	
5/27/2015 7:02	pH		6.77	S.U.	
5/28/2015 6:45	pH		6.66	S.U.	
5/29/2015 6:49	pH		6.98	S.U.	
5/30/2015 6:40	pH		8.2	S.U.	
5/31/2015 6:45	pH		8.12	S.U.	
6/1/2015 6:45	pH		6.33	S.U.	
6/2/2015 6:48	pH		8.07	S.U.	
6/3/2015 6:40	pH		8.08	S.U.	
6/4/2015 6:46	pH		8.07	S.U.	
6/5/2015 6:43	pH		7.88	S.U.	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/6/2015 6:40	pH		6.27	S.U.		
6/7/2015 6:41	pH		6.6	S.U.		
6/8/2015 6:48	pH		6.42	S.U.		
6/9/2015 6:52	pH		8.22	S.U.		
6/10/2015 6:42	pH		8.07	S.U.		
6/11/2015 6:45	pH		8.06	S.U.		
6/12/2015 6:48	pH		8.07	S.U.		
6/13/2015 6:49	pH		7.95	S.U.		
6/14/2015	pH		7.8	S.U.		
6/15/2015 6:54	pH		8.06	S.U.		
6/16/2015 6:58	pH		7.13	S.U.		
6/17/2015 6:56	pH		7.89	S.U.		
6/18/2015 6:49	pH		7.71	S.U.		
6/19/2015 6:54	pH		6.88	S.U.		
6/20/2015 6:44	pH		7.78	S.U.		
6/21/2015 7:01	pH		7.01	S.U.		
6/22/2015 6:38	pH		7.51	S.U.		
6/23/2015 6:54	pH		7.88	S.U.		
6/24/2015 6:51	pH		7.77	S.U.		
6/25/2015 6:50	pH		7.88	S.U.		
6/26/2015 6:40	pH		7.83	S.U.		
6/27/2015 6:45	pH		7.66	S.U.		
6/28/2015 6:52	pH		7.86	S.U.		
6/29/2015 6:46	pH		7.74	S.U.		
6/30/2015 6:51	pH		7.56	S.U.		
7/1/2015 6:53	pH		7.77	S.U.		
7/2/2015 6:55	pH		7.49	S.U.		
7/3/2015 6:40	pH		7.46	S.U.		
7/4/2015 6:43	pH		7.65	S.U.		
7/5/2015 6:40	pH		7.57	S.U.		
7/6/2015 6:45	pH		7.48	S.U.		
7/7/2015 6:54	pH		7.67	S.U.		
7/8/2015 6:48	pH		7.84	S.U.		
7/9/2015 7:03	pH		7.74	S.U.		
7/10/2015 6:45	pH		7.63	S.U.		
7/11/2015 6:58	pH		7.64	S.U.		
7/12/2015 7:08	pH		7.84	S.U.		
7/13/2015 6:42	pH		7.69	S.U.		
7/14/2015 6:43	pH		7.77	S.U.		
7/15/2015	pH		7.48	S.U.		
7/16/2015 6:42	pH		7.73	S.U.		
7/17/2015 6:43	pH		7.78	S.U.		
7/18/2015 6:45	pH		7.84	S.U.		
7/19/2015 6:35	pH		7.84	S.U.		
7/20/2015 6:52	pH		7.86	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
7/21/2015 6:47	pH		2.07	S.U.		
7/22/2015 6:50	pH		7.31	S.U.		
7/23/2015 6:50	pH		7.94	S.U.		
7/24/2015 7:08	pH		7.47	S.U.		
7/25/2015 6:47	pH		8	S.U.		
7/26/2015 6:47	pH		6.43	S.U.		
7/27/2015 6:52	pH		7.62	S.U.		
7/28/2015 6:51	pH		7.23	S.U.		
7/29/2015 6:55	pH		7.32	S.U.		
7/30/2015 6:45	pH		7.6	S.U.		
7/31/2015 6:56	pH		7.62	S.U.		
8/1/2015 6:42	pH		7.45	S.U.		
8/2/2015 6:40	pH		7.73	S.U.		
8/3/2015 6:46	pH		7.75	S.U.		
8/4/2015 6:46	pH		7.31	S.U.		
8/5/2015 7:00	pH		7.43	S.U.		
8/6/2015 6:50	pH		7.52	S.U.		
8/7/2015 6:53	pH		7.96	S.U.		
8/8/2015 6:50	pH		7.55	S.U.		
8/9/2015 6:46	pH		7.75	S.U.		
8/10/2015 6:55	pH		7.79	S.U.		
8/11/2015 6:49	pH		7.21	S.U.		
8/12/2015 7:14	pH		7.93	S.U.		
8/13/2015 6:58	pH		7.72	S.U.		
8/14/2015 6:51	pH		7.67	S.U.		
8/15/2015 6:40	pH		7.85	S.U.		
8/16/2015 6:41	pH		7.87	S.U.		
8/17/2015 6:53	pH		8.15	S.U.		
8/18/2015 6:52	pH		7.86	S.U.		
8/19/2015 6:44	pH		8.2	S.U.		
8/20/2015 6:48	pH		7.6	S.U.		
8/21/2015 6:47	pH		7.64	S.U.		
8/22/2015 6:42	pH		8.12	S.U.		
8/23/2015 6:47	pH		7.2	S.U.		
8/24/2015 6:50	pH		6.63	S.U.		
8/25/2015 6:49	pH		7.6	S.U.		
8/26/2015 7:04	pH		7.58	S.U.		
8/27/2015 6:48	pH		7.62	S.U.		
8/28/2015 6:59	pH		7.5	S.U.		
8/29/2015 6:58	pH		8.59	S.U.		
8/30/2015 6:45	pH		8.35	S.U.		
8/31/2015 6:51	pH		8.39	S.U.		
9/1/2015 6:53	pH		8.45	S.U.		
9/2/2015 6:48	pH		8.63	S.U.		
9/3/2015 6:53	pH		7.73	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
9/4/2015 6:42	pH		7.83	S.U.		
9/5/2015 6:39	pH		7.92	S.U.		
9/6/2015 7:06	pH		8.22	S.U.		
9/7/2015 6:41	pH		7.96	S.U.		
9/8/2015 6:49	pH		7.84	S.U.		
9/9/2015 6:46	pH		7.45	S.U.		
9/10/2015 6:45	pH		7.26	S.U.		
9/14/2015 8:57	pH		6.77	S.U.		
9/15/2015 9:19	pH		6.72	S.U.		
9/16/2015 8:54	pH		7.2	S.U.		
9/17/2015 9:05	pH		7.16	S.U.		
9/21/2015 9:35	pH		7.4	S.U.		
9/22/2015 9:12	pH		7.37	S.U.		
9/23/2015 8:52	pH		7.3	S.U.		
9/24/2015 9:08	pH		7.74	S.U.		
9/28/2015 9:20	pH		8.17	S.U.		
9/29/2015 9:04	pH		7.93	S.U.		
9/30/2015 9:00	pH		7.16	S.U.		
10/1/2015 9:00	pH		7.59	S.U.		
5/4/2015 7:05	Turbidity		2.76	NTU	EPA180.1	
5/5/2015 6:50	Turbidity		2.58	NTU	EPA180.1	
5/6/2015 6:53	Turbidity		3.24	NTU	EPA180.1	
5/7/2015 6:56	Turbidity		1.17	NTU	EPA180.1	
5/11/2015 7:05	Turbidity		1.79	NTU	EPA180.1	
5/12/2015 7:11	Turbidity		26.4	NTU	EPA180.1	
5/13/2015 6:56	Turbidity		23.6	NTU	EPA180.1	
5/14/2015 7:04	Turbidity		3.76	NTU	EPA180.1	
5/15/2015 6:53	Turbidity		1.72	NTU	EPA180.1	
5/16/2015	Turbidity		1.805	NTU	EPA180.1	
5/17/2015 6:49	Turbidity		1.87	NTU	EPA180.1	
5/18/2015 7:00	Turbidity		2.64	NTU	EPA180.1	
5/19/2015 7:12	Turbidity		4.88	NTU	EPA180.1	
5/20/2015 7:10	Turbidity		21.3	NTU	EPA180.1	
5/21/2015 6:57	Turbidity		2.51	NTU	EPA180.1	
5/22/2015 6:50	Turbidity		8.62	NTU	EPA180.1	
5/23/2015 6:43	Turbidity		1.4	NTU	EPA180.1	
5/24/2015 6:52	Turbidity		1.11	NTU	EPA180.1	
5/25/2015 6:45	Turbidity		1.12	NTU	EPA180.1	
5/26/2015 6:50	Turbidity		2.14	NTU	EPA180.1	
5/27/2015 7:02	Turbidity		2.56	NTU	EPA180.1	
5/28/2015 6:45	Turbidity		2.14	NTU	EPA180.1	
5/29/2015 6:49	Turbidity		1.41	NTU	EPA180.1	
5/30/2015 6:40	Turbidity		1.22	NTU	EPA180.1	
5/31/2015 6:45	Turbidity		69.5	NTU	EPA180.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/1/2015 6:45	Turbidity		72.7	NTU	EPA180.1	
6/2/2015 6:48	Turbidity		31.4	NTU	EPA180.1	
6/3/2015 6:40	Turbidity		7.41	NTU	EPA180.1	
6/4/2015 6:46	Turbidity		7.365	NTU	EPA180.1	
6/5/2015 6:43	Turbidity		3.28	NTU	EPA180.1	
6/6/2015 6:40	Turbidity		12.1	NTU	EPA180.1	
6/7/2015 6:41	Turbidity		5.59	NTU	EPA180.1	
6/8/2015 6:48	Turbidity		10.1	NTU	EPA180.1	
6/9/2015 6:52	Turbidity		24.1	NTU	EPA180.1	
6/10/2015 6:42	Turbidity		3.13	NTU	EPA180.1	
6/11/2015 6:45	Turbidity		3.19	NTU	EPA180.1	
6/12/2015 6:48	Turbidity		2.82	NTU	EPA180.1	
6/13/2015 6:49	Turbidity		5.37	NTU	EPA180.1	
6/14/2015	Turbidity		5.49	NTU	EPA180.1	
6/15/2015 6:54	Turbidity		6.87	NTU	EPA180.1	
6/16/2015 6:58	Turbidity		6.3	NTU	EPA180.1	
6/17/2015 6:56	Turbidity		6.55	NTU	EPA180.1	
6/18/2015 6:49	Turbidity		4.96	NTU	EPA180.1	
6/19/2015 6:54	Turbidity		36.2	NTU	EPA180.1	
6/20/2015 6:44	Turbidity		4.6	NTU	EPA180.1	
6/21/2015 7:01	Turbidity		3.72	NTU	EPA180.1	
6/22/2015 6:38	Turbidity		3.75	NTU	EPA180.1	
6/23/2015 6:54	Turbidity		66.5	NTU	EPA180.1	
6/24/2015 6:51	Turbidity		6.27	NTU	EPA180.1	
6/25/2015 6:50	Turbidity		3.37	NTU	EPA180.1	
6/26/2015 6:40	Turbidity		2.11	NTU	EPA180.1	
6/27/2015 6:45	Turbidity		10.9	NTU	EPA180.1	
6/28/2015 6:52	Turbidity		34.2	NTU	EPA180.1	
6/29/2015 6:46	Turbidity		8.02	NTU	EPA180.1	
6/30/2015 6:51	Turbidity		9.47	NTU	EPA180.1	
7/1/2015 6:53	Turbidity		18.6	NTU	EPA180.1	
7/2/2015 6:55	Turbidity		4.36	NTU	EPA180.1	
7/3/2015 6:40	Turbidity		5.27	NTU	EPA180.1	
7/4/2015 6:43	Turbidity		5.79	NTU	EPA180.1	
7/5/2015 6:40	Turbidity		3.34	NTU	EPA180.1	
7/6/2015 6:45	Turbidity		3.57	NTU	EPA180.1	
7/7/2015 6:54	Turbidity		3.68	NTU	EPA180.1	
7/8/2015 6:48	Turbidity		25	NTU	EPA180.1	
7/9/2015 7:03	Turbidity		5.37	NTU	EPA180.1	
7/10/2015 6:45	Turbidity		12.4	NTU	EPA180.1	
7/11/2015 6:58	Turbidity		3.74	NTU	EPA180.1	
7/12/2015 7:08	Turbidity		3.24	NTU	EPA180.1	
7/13/2015 6:42	Turbidity		5.35	NTU	EPA180.1	
7/14/2015 6:43	Turbidity		77.1	NTU	EPA180.1	
7/15/2015	Turbidity		100.5	NTU	EPA180.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
7/16/2015 6:42	Turbidity		6.72	NTU	EPA180.1	
7/17/2015 6:43	Turbidity		4.9	NTU	EPA180.1	
7/18/2015 6:45	Turbidity		32.9	NTU	EPA180.1	
7/19/2015 6:35	Turbidity		18.3	NTU	EPA180.1	
7/20/2015 6:52	Turbidity		17.3	NTU	EPA180.1	
7/21/2015 6:47	Turbidity		2.14	NTU	EPA180.1	
7/22/2015 6:50	Turbidity		25.8	NTU	EPA180.1	
7/23/2015 6:50	Turbidity		1.62	NTU	EPA180.1	
7/24/2015 7:08	Turbidity		3.96	NTU	EPA180.1	
7/25/2015 6:47	Turbidity		1.45	NTU	EPA180.1	
7/26/2015 6:47	Turbidity		20.6	NTU	EPA180.1	
7/27/2015 6:52	Turbidity		1.28	NTU	EPA180.1	
7/28/2015 6:51	Turbidity		1.06	NTU	EPA180.1	
7/29/2015 6:55	Turbidity		1.5	NTU	EPA180.1	
7/30/2015 6:45	Turbidity		34.3	NTU	EPA180.1	
7/31/2015 6:56	Turbidity		30.4	NTU	EPA180.1	
8/1/2015 6:42	Turbidity		38.8	NTU	EPA180.1	
8/2/2015 6:40	Turbidity		16.8	NTU	EPA180.1	
8/3/2015 6:46	Turbidity		25.4	NTU	EPA180.1	
8/4/2015 6:46	Turbidity		19.8	NTU	EPA180.1	
8/5/2015 7:00	Turbidity		10.35	NTU	EPA180.1	
8/6/2015 6:50	Turbidity		2.69	NTU	EPA180.1	
8/7/2015 6:53	Turbidity		1.47	NTU	EPA180.1	
8/8/2015 6:50	Turbidity		2.41	NTU	EPA180.1	
8/9/2015 6:46	Turbidity		4.59	NTU	EPA180.1	
8/10/2015 6:55	Turbidity		3.22	NTU	EPA180.1	
8/12/2015 7:14	Turbidity		5.91	NTU	EPA180.1	
8/13/2015 6:58	Turbidity		4.62	NTU	EPA180.1	
8/14/2015 6:51	Turbidity		8.78	NTU	EPA180.1	
8/15/2015 6:40	Turbidity		3.31	NTU	EPA180.1	
8/16/2015 6:41	Turbidity		2.19	NTU	EPA180.1	
8/17/2015 6:53	Turbidity		2.94	NTU	EPA180.1	
8/18/2015 6:52	Turbidity		2.95	NTU	EPA180.1	
8/19/2015 6:44	Turbidity		1.525	NTU	EPA180.1	
8/20/2015 6:48	Turbidity		3.5	NTU	EPA180.1	
8/21/2015 6:47	Turbidity		22	NTU	EPA180.1	
8/22/2015 6:42	Turbidity		3.75	NTU	EPA180.1	
8/23/2015 6:47	Turbidity		1.93	NTU	EPA180.1	
8/24/2015 6:50	Turbidity		17.8	NTU	EPA180.1	
8/25/2015 6:49	Turbidity		29.9	NTU	EPA180.1	
8/26/2015 7:04	Turbidity		13.4	NTU	EPA180.1	
8/27/2015 6:48	Turbidity		5.54	NTU	EPA180.1	
8/28/2015 6:59	Turbidity		1.85	NTU	EPA180.1	
8/29/2015 6:58	Turbidity		1.67	NTU	EPA180.1	
8/30/2015 6:45	Turbidity		2.09	NTU	EPA180.1	



Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/31/2015 6:51	Turbidity		1.57	NTU	EPA180.1	
9/1/2015 6:53	Turbidity		1.88	NTU	EPA180.1	
9/2/2015 6:48	Turbidity		2.7	NTU	EPA180.1	
9/3/2015 6:53	Turbidity		3.79	NTU	EPA180.1	
9/4/2015 6:42	Turbidity		5.73	NTU	EPA180.1	
9/5/2015 6:39	Turbidity		1.95	NTU	EPA180.1	
9/6/2015 7:06	Turbidity		6.28	NTU	EPA180.1	
9/7/2015 6:41	Turbidity		3.615	NTU	EPA180.1	
9/8/2015 6:49	Turbidity		3.99	NTU	EPA180.1	
9/9/2015 6:46	Turbidity		7.05	NTU	EPA180.1	
9/10/2015 6:45	Turbidity		5.46	NTU	EPA180.1	
9/14/2015 8:57	Turbidity		31.6	NTU	EPA180.1	
9/15/2015 9:19	Turbidity		6.295	NTU	EPA180.1	
9/16/2015 8:54	Turbidity		2.97	NTU	EPA180.1	
9/17/2015 9:05	Turbidity		7.02	NTU	EPA180.1	
9/21/2015 9:35	Turbidity		2.92	NTU	EPA180.1	
9/22/2015 9:12	Turbidity		4.93	NTU	EPA180.1	
9/23/2015 8:52	Turbidity		2.92	NTU	EPA180.1	
9/24/2015 9:08	Turbidity		3	NTU	EPA180.1	
9/28/2015 9:20	Turbidity		3.24	NTU	EPA180.1	
9/29/2015 9:04	Turbidity		2.81	NTU	EPA180.1	
9/30/2015 9:00	Turbidity		28.2	NTU	EPA180.1	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/4/2015 6:48	E. coli		526	MPN/100 mL	SM9223 Colilert
5/5/2015 6:42	E. coli		318	MPN/100 mL	SM9223 Colilert
5/6/2015 6:42	E. coli		9140	MPN/100 mL	SM9223 Colilert
5/7/2015 6:47	E. coli		479	MPN/100 mL	SM9223 Colilert
5/11/2015 6:56	E. coli		246	MPN/100 mL	SM9223 Colilert
5/12/2015 6:59	E. coli		10080	MPN/100 mL	SM9223 Colilert
5/13/2015 6:48	E. coli		942	MPN/100 mL	SM9223 Colilert
5/14/2015 6:53	E. coli		504	MPN/100 mL	SM9223 Colilert
5/15/2015 6:41	E. coli		521	MPN/100 mL	SM9223 Colilert
5/16/2015	E. coli		5446	MPN/100 mL	SM9223 Colilert
5/17/2015 6:42	E. coli		550	MPN/100 mL	SM9223 Colilert
5/18/2015 6:51	E. coli		974	MPN/100 mL	SM9223 Colilert
5/19/2015 6:54	E. coli		820	MPN/100 mL	SM9223 Colilert
5/20/2015 6:57	E. coli		610	MPN/100 mL	SM9223 Colilert
5/21/2015 6:46	E. coli		581	MPN/100 mL	SM9223 Colilert
5/22/2015 6:40	E. coli		430	MPN/100 mL	SM9223 Colilert
5/23/2015 6:31	E. coli	>	24196	MPN/100 mL	SM9223 Colilert
5/24/2015 6:40	E. coli		580	MPN/100 mL	SM9223 Colilert
5/25/2015 6:36	E. coli		196	MPN/100 mL	SM9223 Colilert
5/26/2015 6:42	E. coli		398	MPN/100 mL	SM9223 Colilert
5/27/2015 6:55	E. coli		25493	MPN/100 mL	SM9223 Colilert
5/28/2015 6:36	E. coli		5540	MPN/100 mL	SM9223 Colilert
5/29/2015 6:39	E. coli		580	MPN/100 mL	SM9223 Colilert
5/30/2015 6:33	E. coli		230	MPN/100 mL	SM9223 Colilert
5/31/2015 6:32	E. coli		20600	MPN/100 mL	SM9223 Colilert
6/1/2015 6:31	E. coli		3460	MPN/100 mL	SM9223 Colilert
6/2/2015 6:36	E. coli		2680	MPN/100 mL	SM9223 Colilert
6/3/2015 6:26	E. coli		1122	MPN/100 mL	SM9223 Colilert
6/4/2015 6:34	E. coli		700	MPN/100 mL	SM9223 Colilert
6/5/2015 6:30	E. coli		336	MPN/100 mL	SM9223 Colilert
6/6/2015 6:23	E. coli		2014	MPN/100 mL	SM9223 Colilert
6/7/2015 6:30	E. coli		504	MPN/100 mL	SM9223 Colilert
6/8/2015 6:36	E. coli		464	MPN/100 mL	SM9223 Colilert
6/9/2015 6:38	E. coli		1658	MPN/100 mL	SM9223 Colilert
6/10/2015 6:32	E. coli		550	MPN/100 mL	SM9223 Colilert
6/11/2015 6:30	E. coli		11260	MPN/100 mL	SM9223 Colilert
6/12/2015 6:38	E. coli		1460	MPN/100 mL	SM9223 Colilert
6/13/2015 6:35	E. coli		6975	MPN/100 mL	SM9223 Colilert
6/14/2015	E. coli		2260	MPN/100 mL	SM9223 Colilert
6/15/2015 6:40	E. coli		6270	MPN/100 mL	SM9223 Colilert
6/16/2015 6:38	E. coli		4100	MPN/100 mL	SM9223 Colilert
6/17/2015 6:45	E. coli		68670	MPN/100 mL	SM9223 Colilert
6/18/2015 6:37	E. coli		864	MPN/100 mL	SM9223 Colilert
6/19/2015 6:45	E. coli		370	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/20/2015 6:33	E. coli		220	MPN/100 mL	SM9223 Colilert
6/21/2015 6:51	E. coli		336	MPN/100 mL	SM9223 Colilert
6/22/2015 6:25	E. coli		3076	MPN/100 mL	SM9223 Colilert
6/23/2015 6:40	E. coli		63200	MPN/100 mL	SM9223 Colilert
6/24/2015 6:41	E. coli		3730	MPN/100 mL	SM9223 Colilert
6/25/2015 6:38	E. coli		1310	MPN/100 mL	SM9223 Colilert
6/26/2015 6:28	E. coli		786	MPN/100 mL	SM9223 Colilert
6/27/2015 6:35	E. coli		620	MPN/100 mL	SM9223 Colilert
6/28/2015 6:40	E. coli		10830	MPN/100 mL	SM9223 Colilert
6/29/2015 6:38	E. coli		2562	MPN/100 mL	SM9223 Colilert
6/30/2015 6:41	E. coli		1065	MPN/100 mL	SM9223 Colilert
7/1/2015 6:43	E. coli		6595	MPN/100 mL	SM9223 Colilert
7/2/2015 6:45	E. coli		359.5	MPN/100 mL	SM9223 Colilert
7/3/2015 6:30	E. coli		388	MPN/100 mL	SM9223 Colilert
7/4/2015 6:34	E. coli		240	MPN/100 mL	SM9223 Colilert
7/5/2015 6:30	E. coli		323	MPN/100 mL	SM9223 Colilert
7/6/2015 6:33	E. coli		2247	MPN/100 mL	SM9223 Colilert
7/7/2015 6:43	E. coli		816	MPN/100 mL	SM9223 Colilert
7/8/2015 6:36	E. coli		5300	MPN/100 mL	SM9223 Colilert
7/9/2015 6:52	E. coli		1480	MPN/100 mL	SM9223 Colilert
7/10/2015 6:30	E. coli		5480	MPN/100 mL	SM9223 Colilert
7/11/2015 6:40	E. coli		840	MPN/100 mL	SM9223 Colilert
7/12/2015 6:42	E. coli		672	MPN/100 mL	SM9223 Colilert
7/13/2015 6:32	E. coli		3745	MPN/100 mL	SM9223 Colilert
7/14/2015 6:33	E. coli		1210	MPN/100 mL	SM9223 Colilert
7/15/2015	E. coli		3840	MPN/100 mL	SM9223 Colilert
7/16/2015 6:32	E. coli		600	MPN/100 mL	SM9223 Colilert
7/17/2015 6:35	E. coli		275	MPN/100 mL	SM9223 Colilert
7/18/2015 8:00	E. coli		644	MPN/100 mL	SM9223 Colilert
7/19/2015 6:27	E. coli		712	MPN/100 mL	SM9223 Colilert
7/20/2015 6:43	E. coli		216	MPN/100 mL	SM9223 Colilert
7/21/2015 6:36	E. coli		1449	MPN/100 mL	SM9223 Colilert
7/22/2015 6:40	E. coli		430	MPN/100 mL	SM9223 Colilert
7/23/2015 6:40	E. coli		622	MPN/100 mL	SM9223 Colilert
7/24/2015 7:00	E. coli		323	MPN/100 mL	SM9223 Colilert
7/25/2015 6:34	E. coli		323	MPN/100 mL	SM9223 Colilert
7/26/2015 6:38	E. coli		438	MPN/100 mL	SM9223 Colilert
7/27/2015 6:42	E. coli		36	MPN/100 mL	SM9223 Colilert
7/28/2015 6:43	E. coli		254	MPN/100 mL	SM9223 Colilert
7/29/2015 6:44	E. coli		309	MPN/100 mL	SM9223 Colilert
7/30/2015 6:35	E. coli		13958	MPN/100 mL	SM9223 Colilert
7/31/2015 6:45	E. coli		649	MPN/100 mL	SM9223 Colilert
8/1/2015 6:33	E. coli		1045	MPN/100 mL	SM9223 Colilert
8/2/2015 6:32	E. coli		554	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/3/2015 6:36	E. coli		27375	MPN/100 mL	SM9223 Colilert
8/4/2015 6:38	E. coli		46040	MPN/100 mL	SM9223 Colilert
8/5/2015 6:50	E. coli		2600	MPN/100 mL	SM9223 Colilert
8/6/2015 6:40	E. coli		1043	MPN/100 mL	SM9223 Colilert
8/7/2015 6:41	E. coli		602	MPN/100 mL	SM9223 Colilert
8/8/2015 6:39	E. coli		805	MPN/100 mL	SM9223 Colilert
8/9/2015 6:36	E. coli		215	MPN/100 mL	SM9223 Colilert
8/10/2015 6:41	E. coli		2359	MPN/100 mL	SM9223 Colilert
8/11/2015 6:37	E. coli		3285	MPN/100 mL	SM9223 Colilert
8/12/2015 6:54	E. coli		34480	MPN/100 mL	SM9223 Colilert
8/13/2015 6:45	E. coli		2970	MPN/100 mL	SM9223 Colilert
8/14/2015 6:43	E. coli		1354	MPN/100 mL	SM9223 Colilert
8/15/2015	E. coli		15380	MPN/100 mL	SM9223 Colilert
8/16/2015 6:33	E. coli		3025	MPN/100 mL	SM9223 Colilert
8/17/2015 6:45	E. coli		1281	MPN/100 mL	SM9223 Colilert
8/18/2015 6:44	E. coli		1230	MPN/100 mL	SM9223 Colilert
8/19/2015 6:32	E. coli		1775	MPN/100 mL	SM9223 Colilert
8/20/2015 6:40	E. coli		410	MPN/100 mL	SM9223 Colilert
8/21/2015 6:39	E. coli		1296	MPN/100 mL	SM9223 Colilert
8/22/2015 6:35	E. coli		538	MPN/100 mL	SM9223 Colilert
8/23/2015 6:37	E. coli		719	MPN/100 mL	SM9223 Colilert
8/24/2015 6:42	E. coli		2222	MPN/100 mL	SM9223 Colilert
8/25/2015 6:39	E. coli		2090	MPN/100 mL	SM9223 Colilert
8/26/2015 6:51	E. coli		99315	MPN/100 mL	SM9223 Colilert
8/27/2015 6:40	E. coli		4455	MPN/100 mL	SM9223 Colilert
8/28/2015 6:48	E. coli		1697.5	MPN/100 mL	SM9223 Colilert
8/29/2015 6:48	E. coli		792	MPN/100 mL	SM9223 Colilert
8/30/2015 6:37	E. coli		6260	MPN/100 mL	SM9223 Colilert
8/31/2015 6:44	E. coli		10462	MPN/100 mL	SM9223 Colilert
9/1/2015 6:44	E. coli		1820	MPN/100 mL	SM9223 Colilert
9/2/2015 6:43	E. coli		690	MPN/100 mL	SM9223 Colilert
9/3/2015 6:42	E. coli		275	MPN/100 mL	SM9223 Colilert
9/4/2015 6:34	E. coli		1870	MPN/100 mL	SM9223 Colilert
9/5/2015 6:29	E. coli		345	MPN/100 mL	SM9223 Colilert
9/6/2015 6:50	E. coli		132	MPN/100 mL	SM9223 Colilert
9/7/2015 6:33	E. coli		465	MPN/100 mL	SM9223 Colilert
9/8/2015 6:41	E. coli		323	MPN/100 mL	SM9223 Colilert
9/9/2015 6:37	E. coli		231	MPN/100 mL	SM9223 Colilert
9/10/2015 6:35	E. coli		331	MPN/100 mL	SM9223 Colilert
9/14/2015 8:46	E. coli		1720	MPN/100 mL	SM9223 Colilert
9/15/2015 9:07	E. coli		1670	MPN/100 mL	SM9223 Colilert
9/16/2015 8:45	E. coli		571	MPN/100 mL	SM9223 Colilert
9/17/2015 8:57	E. coli		318	MPN/100 mL	SM9223 Colilert
9/21/2015 9:24	E. coli		782	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/22/2015 9:05	E. coli		480	MPN/100 mL	SM9223 Colilert
9/23/2015 8:44	E. coli		311	MPN/100 mL	SM9223 Colilert
9/24/2015 8:59	E. coli		214	MPN/100 mL	SM9223 Colilert
9/28/2015 9:08	E. coli		272	MPN/100 mL	SM9223 Colilert
9/29/2015 8:53	E. coli		160	MPN/100 mL	SM9223 Colilert
9/30/2015 8:50	E. coli		7701	MPN/100 mL	SM9223 Colilert
10/1/2015 8:48	E. coli		2613	MPN/100 mL	SM9223 Colilert
5/4/2015 6:48	Field Cond		1207	umhos/cm	SM 2510A
5/5/2015 6:42	Field Cond		1223	umhos/cm	SM 2510A
5/6/2015 6:42	Field Cond		773	umhos/cm	SM 2510A
5/7/2015 6:47	Field Cond		1210	umhos/cm	SM 2510A
5/11/2015 6:56	Field Cond		1390	umhos/cm	SM 2510A
5/12/2015 6:59	Field Cond		1049	umhos/cm	SM 2510A
5/13/2015 6:48	Field Cond		1131	umhos/cm	SM 2510A
5/14/2015 6:53	Field Cond		1181	umhos/cm	SM 2510A
5/15/2015 6:41	Field Cond		1054	umhos/cm	SM 2510A
5/16/2015	Field Cond		928	umhos/cm	SM 2510A
5/17/2015 6:42	Field Cond		1135	umhos/cm	SM 2510A
5/18/2015 6:51	Field Cond		892	umhos/cm	SM 2510A
5/19/2015 6:54	Field Cond		1290	umhos/cm	SM 2510A
5/20/2015 6:57	Field Cond		1293	umhos/cm	SM 2510A
5/21/2015 6:46	Field Cond		1231	umhos/cm	SM 2510A
5/22/2015 6:40	Field Cond		1155	umhos/cm	SM 2510A
5/23/2015 6:31	Field Cond		1199	umhos/cm	SM 2510A
5/24/2015 6:40	Field Cond		1289	umhos/cm	SM 2510A
5/25/2015 6:36	Field Cond		1266	umhos/cm	SM 2510A
5/26/2015 6:42	Field Cond		1287	umhos/cm	SM 2510A
5/27/2015 6:55	Field Cond		1285	umhos/cm	SM 2510A
5/28/2015 6:36	Field Cond		980	umhos/cm	SM 2510A
5/29/2015 6:39	Field Cond		1140	umhos/cm	SM 2510A
5/30/2015 6:33	Field Cond		1248	umhos/cm	SM 2510A
5/31/2015 6:32	Field Cond		622	umhos/cm	SM 2510A
6/1/2015 6:31	Field Cond		721	umhos/cm	SM 2510A
6/2/2015 6:36	Field Cond		986	umhos/cm	SM 2510A
6/3/2015 6:26	Field Cond		1130	umhos/cm	SM 2510A
6/4/2015 6:34	Field Cond		1262	umhos/cm	SM 2510A
6/5/2015 6:30	Field Cond		1337	umhos/cm	SM 2510A
6/6/2015 6:23	Field Cond		1343	umhos/cm	SM 2510A
6/7/2015 6:30	Field Cond		1337	umhos/cm	SM 2510A
6/8/2015 6:36	Field Cond		1325	umhos/cm	SM 2510A
6/9/2015 6:38	Field Cond		1291	umhos/cm	SM 2510A
6/10/2015 6:32	Field Cond		1342	umhos/cm	SM 2510A
6/11/2015 6:30	Field Cond		1005	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/12/2015 6:38	Field Cond		1090	umhos/cm	SM 2510A
6/13/2015 6:35	Field Cond		590	umhos/cm	SM 2510A
6/14/2015	Field Cond		824	umhos/cm	SM 2510A
6/15/2015 6:40	Field Cond		600	umhos/cm	SM 2510A
6/16/2015 6:38	Field Cond		590	umhos/cm	SM 2510A
6/17/2015 6:45	Field Cond		831	umhos/cm	SM 2510A
6/18/2015 6:37	Field Cond		1140	umhos/cm	SM 2510A
6/19/2015 6:45	Field Cond		1213	umhos/cm	SM 2510A
6/20/2015 6:33	Field Cond		1192	umhos/cm	SM 2510A
6/21/2015 6:51	Field Cond		1254	umhos/cm	SM 2510A
6/22/2015 6:25	Field Cond		1138	umhos/cm	SM 2510A
6/23/2015 6:40	Field Cond		287	umhos/cm	SM 2510A
6/24/2015 6:41	Field Cond		661	umhos/cm	SM 2510A
6/25/2015 6:38	Field Cond		840	umhos/cm	SM 2510A
6/26/2015 6:28	Field Cond		1010	umhos/cm	SM 2510A
6/27/2015 6:35	Field Cond		1059	umhos/cm	SM 2510A
6/28/2015 6:40	Field Cond		554	umhos/cm	SM 2510A
6/29/2015 6:38	Field Cond		730	umhos/cm	SM 2510A
6/30/2015 6:41	Field Cond		966	umhos/cm	SM 2510A
7/1/2015 6:43	Field Cond		937	umhos/cm	SM 2510A
7/2/2015 6:45	Field Cond		945	umhos/cm	SM 2510A
7/3/2015 6:30	Field Cond		966	umhos/cm	SM 2510A
7/4/2015 6:34	Field Cond		1052	umhos/cm	SM 2510A
7/5/2015 6:30	Field Cond		1100	umhos/cm	SM 2510A
7/6/2015 6:33	Field Cond		1153	umhos/cm	SM 2510A
7/7/2015 6:43	Field Cond		1196	umhos/cm	SM 2510A
7/8/2015 6:36	Field Cond		680	umhos/cm	SM 2510A
7/9/2015 6:52	Field Cond		835	umhos/cm	SM 2510A
7/10/2015 6:30	Field Cond		557	umhos/cm	SM 2510A
7/11/2015 6:40	Field Cond		759	umhos/cm	SM 2510A
7/12/2015 6:42	Field Cond		897	umhos/cm	SM 2510A
7/13/2015 6:32	Field Cond		939	umhos/cm	SM 2510A
7/14/2015 6:33	Field Cond		816	umhos/cm	SM 2510A
7/15/2015	Field Cond		602	umhos/cm	SM 2510A
7/16/2015 6:32	Field Cond		786	umhos/cm	SM 2510A
7/17/2015 6:35	Field Cond		902	umhos/cm	SM 2510A
7/18/2015 8:00	Field Cond		974	umhos/cm	SM 2510A
7/19/2015 6:27	Field Cond		1030	umhos/cm	SM 2510A
7/20/2015 6:43	Field Cond		1072	umhos/cm	SM 2510A
7/21/2015 6:36	Field Cond		1067	umhos/cm	SM 2510A
7/22/2015 6:40	Field Cond		1098	umhos/cm	SM 2510A
7/23/2015 6:40	Field Cond		1129	umhos/cm	SM 2510A
7/24/2015 7:00	Field Cond		1143	umhos/cm	SM 2510A
7/25/2015 6:34	Field Cond		1240	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/26/2015 6:38	Field Cond		1226	umhos/cm	SM 2510A
7/27/2015 6:42	Field Cond		1306	umhos/cm	SM 2510A
7/28/2015 6:43	Field Cond		1309	umhos/cm	SM 2510A
7/29/2015 6:44	Field Cond		1236	umhos/cm	SM 2510A
7/30/2015 6:35	Field Cond		1093	umhos/cm	SM 2510A
7/31/2015 6:45	Field Cond		1095	umhos/cm	SM 2510A
8/1/2015 6:33	Field Cond		1052	umhos/cm	SM 2510A
8/2/2015 6:32	Field Cond		1041	umhos/cm	SM 2510A
8/3/2015 6:36	Field Cond		867	umhos/cm	SM 2510A
8/4/2015 6:38	Field Cond		764	umhos/cm	SM 2510A
8/5/2015 6:50	Field Cond		898	umhos/cm	SM 2510A
8/6/2015 6:40	Field Cond		987	umhos/cm	SM 2510A
8/7/2015 6:41	Field Cond		1054	umhos/cm	SM 2510A
8/8/2015 6:39	Field Cond		1105	umhos/cm	SM 2510A
8/9/2015 6:36	Field Cond		1165	umhos/cm	SM 2510A
8/10/2015 6:41	Field Cond		1171	umhos/cm	SM 2510A
8/11/2015 6:37	Field Cond		1135	umhos/cm	SM 2510A
8/12/2015 6:54	Field Cond		945	umhos/cm	SM 2510A
8/13/2015 6:45	Field Cond		1035	umhos/cm	SM 2510A
8/14/2015 6:43	Field Cond		1043	umhos/cm	SM 2510A
8/15/2015	Field Cond		986	umhos/cm	SM 2510A
8/16/2015 6:33	Field Cond		1208	umhos/cm	SM 2510A
8/17/2015 6:45	Field Cond		1196	umhos/cm	SM 2510A
8/18/2015 6:44	Field Cond		1149	umhos/cm	SM 2510A
8/19/2015 6:32	Field Cond		1359	umhos/cm	SM 2510A
8/20/2015 6:40	Field Cond		1222	umhos/cm	SM 2510A
8/21/2015 6:39	Field Cond		962	umhos/cm	SM 2510A
8/22/2015 6:35	Field Cond		947	umhos/cm	SM 2510A
8/23/2015 6:37	Field Cond		894	umhos/cm	SM 2510A
8/24/2015 6:42	Field Cond		1174	umhos/cm	SM 2510A
8/25/2015 6:39	Field Cond		964	umhos/cm	SM 2510A
8/26/2015 6:51	Field Cond		672	umhos/cm	SM 2510A
8/27/2015 6:40	Field Cond		954	umhos/cm	SM 2510A
8/28/2015 6:48	Field Cond		1006	umhos/cm	SM 2510A
8/29/2015 6:48	Field Cond		1135	umhos/cm	SM 2510A
8/30/2015 6:37	Field Cond		411	umhos/cm	SM 2510A
8/31/2015 6:44	Field Cond		856	umhos/cm	SM 2510A
9/1/2015 6:44	Field Cond		976	umhos/cm	SM 2510A
9/2/2015 6:43	Field Cond		1028	umhos/cm	SM 2510A
9/3/2015 6:42	Field Cond		986	umhos/cm	SM 2510A
9/4/2015 6:34	Field Cond		1085	umhos/cm	SM 2510A
9/5/2015 6:29	Field Cond		934	umhos/cm	SM 2510A
9/6/2015 6:50	Field Cond		1038	umhos/cm	SM 2510A
9/7/2015 6:33	Field Cond		1080	umhos/cm	SM 2510A



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/8/2015 6:41	Field Cond		348	umhos/cm	SM 2510A
9/9/2015 6:37	Field Cond		1062	umhos/cm	SM 2510A
9/10/2015 6:35	Field Cond		1080	umhos/cm	SM 2510A
9/14/2015 8:46	Field Cond		785	umhos/cm	SM 2510A
9/15/2015 9:07	Field Cond		870	umhos/cm	SM 2510A
9/16/2015 8:45	Field Cond		905	umhos/cm	SM 2510A
9/17/2015 8:57	Field Cond		959	umhos/cm	SM 2510A
9/21/2015 9:24	Field Cond		682.2	umhos/cm	SM 2510A
9/22/2015 9:05	Field Cond		888	umhos/cm	SM 2510A
9/23/2015 8:44	Field Cond		943	umhos/cm	SM 2510A
9/24/2015 8:59	Field Cond		987	umhos/cm	SM 2510A
9/28/2015 9:08	Field Cond		1030	umhos/cm	SM 2510A
9/29/2015 8:53	Field Cond		1024	umhos/cm	SM 2510A
9/30/2015 8:50	Field Cond		784	umhos/cm	SM 2510A
10/1/2015 8:48	Field Cond		815	umhos/cm	SM 2510A
5/4/2015 6:48	Field Temp		15.6	C	EPA 170.1
5/5/2015 6:42	Field Temp		15.4	C	EPA 170.1
5/6/2015 6:42	Field Temp		14.5	C	EPA 170.1
5/7/2015 6:47	Field Temp		14.7	C	EPA 170.1
5/11/2015 6:56	Field Temp		19.5	C	EPA 170.1
5/12/2015 6:59	Field Temp		18.3	C	EPA 170.1
5/13/2015 6:48	Field Temp		13.7	C	EPA 170.1
5/14/2015 6:53	Field Temp		10.7	C	EPA 170.1
5/15/2015 6:41	Field Temp		13.7	C	EPA 170.1
5/16/2015	Field Temp		16.3	C	EPA 170.1
5/17/2015 6:42	Field Temp		16.8	C	EPA 170.1
5/18/2015 6:51	Field Temp		19.2	C	EPA 170.1
5/19/2015 6:54	Field Temp		18.2	C	EPA 170.1
5/20/2015 6:57	Field Temp		13.6	C	EPA 170.1
5/21/2015 6:46	Field Temp		12.6	C	EPA 170.1
5/22/2015 6:40	Field Temp		12.7	C	EPA 170.1
5/23/2015 6:31	Field Temp		12.4	C	EPA 170.1
5/24/2015 6:40	Field Temp		14.2	C	EPA 170.1
5/25/2015 6:36	Field Temp		16.8	C	EPA 170.1
5/26/2015 6:42	Field Temp		18.5	C	EPA 170.1
5/27/2015 6:55	Field Temp		19.3	C	EPA 170.1
5/28/2015 6:36	Field Temp		18.6	C	EPA 170.1
5/29/2015 6:39	Field Temp		18.7	C	EPA 170.1
5/30/2015 6:33	Field Temp		20	C	EPA 170.1
5/31/2015 6:32	Field Temp		17.6	C	EPA 170.1
6/1/2015 6:31	Field Temp		13.6	C	EPA 170.1
6/2/2015 6:36	Field Temp		12.9	C	EPA 170.1
6/3/2015 6:26	Field Temp		14.1	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/4/2015 6:34	Field Temp		16.6	C	EPA 170.1
6/5/2015 6:30	Field Temp		18.3	C	EPA 170.1
6/6/2015 6:23	Field Temp		18.8	C	EPA 170.1
6/7/2015 6:30	Field Temp		16.7	C	EPA 170.1
6/8/2015 6:36	Field Temp		19.9	C	EPA 170.1
6/9/2015 6:38	Field Temp		18.3	C	EPA 170.1
6/10/2015 6:32	Field Temp		18.6	C	EPA 170.1
6/11/2015 6:30	Field Temp		19.9	C	EPA 170.1
6/12/2015 6:38	Field Temp		20.1	C	EPA 170.1
6/13/2015 6:35	Field Temp		18.8	C	EPA 170.1
6/14/2015	Field Temp		19.7	C	EPA 170.1
6/15/2015 6:40	Field Temp		20.8	C	EPA 170.1
6/16/2015 6:38	Field Temp		20	C	EPA 170.1
6/17/2015 6:45	Field Temp		18.4	C	EPA 170.1
6/18/2015 6:37	Field Temp		19.3	C	EPA 170.1
6/19/2015 6:45	Field Temp		20.2	C	EPA 170.1
6/20/2015 6:33	Field Temp		18.7	C	EPA 170.1
6/21/2015 6:51	Field Temp		20	C	EPA 170.1
6/22/2015 6:25	Field Temp		19.6	C	EPA 170.1
6/23/2015 6:40	Field Temp		21.9	C	EPA 170.1
6/24/2015 6:41	Field Temp		18.8	C	EPA 170.1
6/25/2015 6:38	Field Temp		18.3	C	EPA 170.1
6/26/2015 6:28	Field Temp		17.7	C	EPA 170.1
6/27/2015 6:35	Field Temp		19.2	C	EPA 170.1
6/28/2015 6:40	Field Temp		18.5	C	EPA 170.1
6/29/2015 6:38	Field Temp		16.6	C	EPA 170.1
6/30/2015 6:41	Field Temp		17.6	C	EPA 170.1
7/1/2015 6:43	Field Temp		18.6	C	EPA 170.1
7/2/2015 6:45	Field Temp		18.6	C	EPA 170.1
7/3/2015 6:30	Field Temp		18.1	C	EPA 170.1
7/4/2015 6:34	Field Temp		18.2	C	EPA 170.1
7/5/2015 6:30	Field Temp		18.6	C	EPA 170.1
7/6/2015 6:33	Field Temp		19.6	C	EPA 170.1
7/7/2015 6:43	Field Temp		21.4	C	EPA 170.1
7/8/2015 6:36	Field Temp		19.9	C	EPA 170.1
7/9/2015 6:52	Field Temp		19.2	C	EPA 170.1
7/10/2015 6:30	Field Temp		19.2	C	EPA 170.1
7/11/2015 6:40	Field Temp		18.2	C	EPA 170.1
7/12/2015 6:42	Field Temp		19.7	C	EPA 170.1
7/13/2015 6:32	Field Temp		19.2	C	EPA 170.1
7/14/2015 6:33	Field Temp		20.7	C	EPA 170.1
7/15/2015	Field Temp		20.7	C	EPA 170.1
7/16/2015 6:32	Field Temp		17.7	C	EPA 170.1
7/17/2015 6:35	Field Temp		20.3	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/18/2015 8:00	Field Temp		21.9	C	EPA 170.1
7/19/2015 6:27	Field Temp		23.6	C	EPA 170.1
7/20/2015 6:43	Field Temp		23.2	C	EPA 170.1
7/21/2015 6:36	Field Temp		23.2	C	EPA 170.1
7/22/2015 6:40	Field Temp		21.2	C	EPA 170.1
7/23/2015 6:40	Field Temp		20.4	C	EPA 170.1
7/24/2015 7:00	Field Temp		20.9	C	EPA 170.1
7/25/2015 6:34	Field Temp		21.7	C	EPA 170.1
7/26/2015 6:38	Field Temp		23.3	C	EPA 170.1
7/27/2015 6:42	Field Temp		22.4	C	EPA 170.1
7/28/2015 6:43	Field Temp		22.9	C	EPA 170.1
7/29/2015 6:44	Field Temp		23.1	C	EPA 170.1
7/30/2015 6:35	Field Temp		23.8	C	EPA 170.1
7/31/2015 6:45	Field Temp		23	C	EPA 170.1
8/1/2015 6:33	Field Temp		22.4	C	EPA 170.1
8/2/2015 6:32	Field Temp		22.4	C	EPA 170.1
8/3/2015 6:36	Field Temp		21.6	C	EPA 170.1
8/4/2015 6:38	Field Temp		20.6	C	EPA 170.1
8/5/2015 6:50	Field Temp		21.1	C	EPA 170.1
8/6/2015 6:40	Field Temp		20.6	C	EPA 170.1
8/7/2015 6:41	Field Temp		19.7	C	EPA 170.1
8/8/2015 6:39	Field Temp		20.8	C	EPA 170.1
8/9/2015 6:36	Field Temp		21.3	C	EPA 170.1
8/10/2015 6:41	Field Temp		22.2	C	EPA 170.1
8/11/2015 6:37	Field Temp		22	C	EPA 170.1
8/12/2015 6:54	Field Temp		20.8	C	EPA 170.1
8/13/2015 6:45	Field Temp		19.4	C	EPA 170.1
8/14/2015 6:43	Field Temp		21	C	EPA 170.1
8/15/2015	Field Temp		22	C	EPA 170.1
8/16/2015 6:33	Field Temp		22.1	C	EPA 170.1
8/17/2015 6:45	Field Temp		23	C	EPA 170.1
8/18/2015 6:44	Field Temp		23.8	C	EPA 170.1
8/19/2015 6:32	Field Temp		22.4	C	EPA 170.1
8/20/2015 6:40	Field Temp		23.7	C	EPA 170.1
8/21/2015 6:39	Field Temp		20.7	C	EPA 170.1
8/22/2015 6:35	Field Temp		19.7	C	EPA 170.1
8/23/2015 6:37	Field Temp		19.7	C	EPA 170.1
8/24/2015 6:42	Field Temp		20.5	C	EPA 170.1
8/25/2015 6:39	Field Temp		19.4	C	EPA 170.1
8/26/2015 6:51	Field Temp		17.5	C	EPA 170.1
8/27/2015 6:40	Field Temp		17	C	EPA 170.1
8/28/2015 6:48	Field Temp		17.4	C	EPA 170.1
8/29/2015 6:48	Field Temp		18.7	C	EPA 170.1
8/30/2015 6:37	Field Temp		20.3	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/31/2015 6:44	Field Temp		21.1	C	EPA 170.1
9/1/2015 6:44	Field Temp		21.9	C	EPA 170.1
9/2/2015 6:43	Field Temp		22.7	C	EPA 170.1
9/3/2015 6:42	Field Temp		23.2	C	EPA 170.1
9/4/2015 6:34	Field Temp		22.8	C	EPA 170.1
9/5/2015 6:29	Field Temp		22.3	C	EPA 170.1
9/6/2015 6:50	Field Temp		22.7	C	EPA 170.1
9/7/2015 6:33	Field Temp		23.1	C	EPA 170.1
9/8/2015 6:41	Field Temp		25.2	C	EPA 170.1
9/9/2015 6:37	Field Temp		23.4	C	EPA 170.1
9/10/2015 6:35	Field Temp		21.3	C	EPA 170.1
9/14/2015 8:46	Field Temp		15.5	C	EPA 170.1
9/15/2015 9:07	Field Temp		17.1	C	EPA 170.1
9/16/2015 8:45	Field Temp		17.7	C	EPA 170.1
9/17/2015 8:57	Field Temp		18.5	C	EPA 170.1
9/21/2015 9:24	Field Temp		15.7	C	EPA 170.1
9/22/2015 9:05	Field Temp		16.1	C	EPA 170.1
9/23/2015 8:44	Field Temp		16.3	C	EPA 170.1
9/24/2015 8:59	Field Temp		16.6	C	EPA 170.1
9/28/2015 9:08	Field Temp		18.7	C	EPA 170.1
9/29/2015 8:53	Field Temp		20.1	C	EPA 170.1
9/30/2015 8:50	Field Temp		18	C	EPA 170.1
10/1/2015 8:48	Field Temp		15.2	C	EPA 170.1
5/4/2015 6:48	pH		6.4	S.U.	
5/5/2015 6:42	pH		7.32	S.U.	
5/6/2015 6:42	pH		6.94	S.U.	
5/7/2015 6:47	pH		7.55	S.U.	
5/11/2015 6:56	pH		7.59	S.U.	
5/12/2015 6:59	pH		7.71	S.U.	
5/13/2015 6:48	pH		7.76	S.U.	
5/14/2015 6:53	pH		7.82	S.U.	
5/15/2015 6:41	pH		7.02	S.U.	
5/16/2015	pH		7.83	S.U.	
5/17/2015 6:42	pH		7.57	S.U.	
5/18/2015 6:51	pH		7.61	S.U.	
5/19/2015 6:54	pH		6.76	S.U.	
5/20/2015 6:57	pH		6.96	S.U.	
5/21/2015 6:46	pH		6.98	S.U.	
5/22/2015 6:40	pH		7.87	S.U.	
5/23/2015 6:31	pH		6.69	S.U.	
5/24/2015 6:40	pH		6.91	S.U.	
5/25/2015 6:36	pH		6.54	S.U.	
5/26/2015 6:42	pH		7.83	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/27/2015 6:55	pH		6.98	S.U.	
5/28/2015 6:36	pH		6.82	S.U.	
5/29/2015 6:39	pH		7.02	S.U.	
5/30/2015 6:33	pH		7.63	S.U.	
5/31/2015 6:32	pH		7.78	S.U.	
6/1/2015 6:31	pH		6.07	S.U.	
6/2/2015 6:36	pH		8.02	S.U.	
6/3/2015 6:26	pH		8.04	S.U.	
6/4/2015 6:34	pH		7.99	S.U.	
6/5/2015 6:30	pH		7.85	S.U.	
6/6/2015 6:23	pH		6.11	S.U.	
6/7/2015 6:30	pH		6.44	S.U.	
6/8/2015 6:36	pH		6.25	S.U.	
6/9/2015 6:38	pH		7.88	S.U.	
6/10/2015 6:32	pH		7.67	S.U.	
6/11/2015 6:30	pH		7.8	S.U.	
6/12/2015 6:38	pH		7.75	S.U.	
6/13/2015 6:35	pH		7.76	S.U.	
6/14/2015	pH		7.84	S.U.	
6/15/2015 6:40	pH		7.91	S.U.	
6/16/2015 6:38	pH		7.03	S.U.	
6/17/2015 6:45	pH		7.92	S.U.	
6/18/2015 6:37	pH		7.82	S.U.	
6/19/2015 6:45	pH		7.49	S.U.	
6/20/2015 6:33	pH		7.69	S.U.	
6/21/2015 6:51	pH		7.16	S.U.	
6/22/2015 6:25	pH		7.44	S.U.	
6/23/2015 6:40	pH		7.92	S.U.	
6/24/2015 6:41	pH		7.81	S.U.	
6/25/2015 6:38	pH		7.68	S.U.	
6/26/2015 6:28	pH		7.81	S.U.	
6/27/2015 6:35	pH		7.62	S.U.	
6/28/2015 6:40	pH		7.63	S.U.	
6/29/2015 6:38	pH		7.55	S.U.	
6/30/2015 6:41	pH		7.59	S.U.	
7/1/2015 6:43	pH		7.55	S.U.	
7/2/2015 6:45	pH		7.49	S.U.	
7/3/2015 6:30	pH		7.5	S.U.	
7/4/2015 6:34	pH		7.65	S.U.	
7/5/2015 6:30	pH		7.5	S.U.	
7/6/2015 6:33	pH		7.64	S.U.	
7/7/2015 6:43	pH		7.53	S.U.	
7/8/2015 6:36	pH		7.39	S.U.	
7/9/2015 6:52	pH		7.55	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/10/2015 6:30	pH		7.47	S.U.	
7/11/2015 6:40	pH		7.55	S.U.	
7/12/2015 6:42	pH		7.4	S.U.	
7/13/2015 6:32	pH		7.58	S.U.	
7/14/2015 6:33	pH		7.31	S.U.	
7/15/2015	pH		7.21	S.U.	
7/16/2015 6:32	pH		7.3	S.U.	
7/17/2015 6:35	pH		7.26	S.U.	
7/18/2015 8:00	pH		7.34	S.U.	
7/19/2015 6:27	pH		7.38	S.U.	
7/20/2015 6:43	pH		7.15	S.U.	
7/21/2015 6:36	pH		7.33	S.U.	
7/22/2015 6:40	pH		6.88	S.U.	
7/23/2015 6:40	pH		7.35	S.U.	
7/24/2015 7:00	pH		7.23	S.U.	
7/25/2015 6:34	pH		7.41	S.U.	
7/26/2015 6:38	pH		6.13	S.U.	
7/27/2015 6:42	pH		7.03	S.U.	
7/28/2015 6:43	pH		7.06	S.U.	
7/29/2015 6:44	pH		6.93	S.U.	
7/30/2015 6:35	pH		7.2	S.U.	
7/31/2015 6:45	pH		7.02	S.U.	
8/1/2015 6:33	pH		6.95	S.U.	
8/2/2015 6:32	pH		7.03	S.U.	
8/3/2015 6:36	pH		6.89	S.U.	
8/4/2015 6:38	pH		7.13	S.U.	
8/5/2015 6:50	pH		7.01	S.U.	
8/6/2015 6:40	pH		6.9	S.U.	
8/7/2015 6:41	pH		7.31	S.U.	
8/8/2015 6:39	pH		7.23	S.U.	
8/9/2015 6:36	pH		7.25	S.U.	
8/10/2015 6:41	pH		6.88	S.U.	
8/11/2015 6:37	pH		7.24	S.U.	
8/12/2015 6:54	pH		7.27	S.U.	
8/13/2015 6:45	pH		6.91	S.U.	
8/14/2015 6:43	pH		7.03	S.U.	
8/15/2015	pH		7.11	S.U.	
8/16/2015 6:33	pH		7.11	S.U.	
8/17/2015 6:45	pH		7.14	S.U.	
8/18/2015 6:44	pH		7.33	S.U.	
8/19/2015 6:32	pH		6.88	S.U.	
8/20/2015 6:40	pH		6.89	S.U.	
8/21/2015 6:39	pH		7.01	S.U.	
8/22/2015 6:35	pH		7.33	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/23/2015 6:37	pH		6.72	S.U.	
8/24/2015 6:42	pH		6.64	S.U.	
8/25/2015 6:39	pH		7.28	S.U.	
8/26/2015 6:51	pH		7.36	S.U.	
8/27/2015 6:40	pH		7.22	S.U.	
8/28/2015 6:48	pH		6.9	S.U.	
8/29/2015 6:48	pH		7.97	S.U.	
8/30/2015 6:37	pH		7.63	S.U.	
8/31/2015 6:44	pH		7.78	S.U.	
9/1/2015 6:44	pH		7.7	S.U.	
9/2/2015 6:43	pH		7.69	S.U.	
9/3/2015 6:42	pH		7.05	S.U.	
9/4/2015 6:34	pH		7.08	S.U.	
9/5/2015 6:29	pH		6.94	S.U.	
9/6/2015 6:50	pH		7.05	S.U.	
9/7/2015 6:33	pH		6.88	S.U.	
9/8/2015 6:41	pH		7.91	S.U.	
9/9/2015 6:37	pH		6.86	S.U.	
9/10/2015 6:35	pH		6.77	S.U.	
9/14/2015 8:46	pH		7.2	S.U.	
9/15/2015 9:07	pH		7.45	S.U.	
9/16/2015 8:45	pH		7.02	S.U.	
9/17/2015 8:57	pH		7.03	S.U.	
9/21/2015 9:24	pH		7.91	S.U.	
9/22/2015 9:05	pH		6.47	S.U.	
9/23/2015 8:44	pH		7.13	S.U.	
9/24/2015 8:59	pH		6.87	S.U.	
9/28/2015 9:08	pH		7.35	S.U.	
9/29/2015 8:53	pH		7.05	S.U.	
9/30/2015 8:50	pH		7.13	S.U.	
10/1/2015 8:48	pH		7.31	S.U.	
5/17/2015 6:42	Turbidity		2.08	NTU	EPA 180.1
5/4/2015 6:48	Turbidity		1.62	NTU	EPA180.1
5/5/2015 6:42	Turbidity		1.61	NTU	EPA180.1
5/6/2015 6:42	Turbidity		85	NTU	EPA180.1
5/7/2015 6:47	Turbidity		2.99	NTU	EPA180.1
5/11/2015 6:56	Turbidity		1.38	NTU	EPA180.1
5/12/2015 6:59	Turbidity		17.2	NTU	EPA180.1
5/13/2015 6:48	Turbidity		2.08	NTU	EPA180.1
5/14/2015 6:53	Turbidity		2.17	NTU	EPA180.1
5/15/2015 6:41	Turbidity		1.61	NTU	EPA180.1
5/16/2015	Turbidity		20	NTU	EPA180.1



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/18/2015 6:51	Turbidity		6.14	NTU	EPA180.1
5/19/2015 6:54	Turbidity		1.99	NTU	EPA180.1
5/20/2015 6:57	Turbidity		1.8	NTU	EPA180.1
5/21/2015 6:46	Turbidity		1.44	NTU	EPA180.1
5/22/2015 6:40	Turbidity		1.87	NTU	EPA180.1
5/23/2015 6:31	Turbidity		2.05	NTU	EPA180.1
5/24/2015 6:40	Turbidity		1.41	NTU	EPA180.1
5/25/2015 6:36	Turbidity		1.72	NTU	EPA180.1
5/26/2015 6:42	Turbidity		1.2	NTU	EPA180.1
5/27/2015 6:55	Turbidity		13.8	NTU	EPA180.1
5/28/2015 6:36	Turbidity		18.8	NTU	EPA180.1
5/29/2015 6:39	Turbidity		3.17	NTU	EPA180.1
5/30/2015 6:33	Turbidity		2.58	NTU	EPA180.1
5/31/2015 6:32	Turbidity		195	NTU	EPA180.1
6/1/2015 6:31	Turbidity		35.4	NTU	EPA180.1
6/2/2015 6:36	Turbidity		13.1	NTU	EPA180.1
6/3/2015 6:26	Turbidity		5.81	NTU	EPA180.1
6/4/2015 6:34	Turbidity		3.22	NTU	EPA180.1
6/5/2015 6:30	Turbidity		3.15	NTU	EPA180.1
6/6/2015 6:23	Turbidity		2.51	NTU	EPA180.1
6/7/2015 6:30	Turbidity		2.25	NTU	EPA180.1
6/8/2015 6:36	Turbidity		2.54	NTU	EPA180.1
6/9/2015 6:38	Turbidity		3.03	NTU	EPA180.1
6/10/2015 6:32	Turbidity		3.42	NTU	EPA180.1
6/11/2015 6:30	Turbidity		26.5	NTU	EPA180.1
6/12/2015 6:38	Turbidity		3.96	NTU	EPA180.1
6/13/2015 6:35	Turbidity		34.9	NTU	EPA180.1
6/14/2015	Turbidity		12.8	NTU	EPA180.1
6/15/2015 6:40	Turbidity		39	NTU	EPA180.1
6/16/2015 6:38	Turbidity		106.5	NTU	EPA180.1
6/17/2015 6:45	Turbidity		11.7	NTU	EPA180.1
6/18/2015 6:37	Turbidity		6	NTU	EPA180.1
6/19/2015 6:45	Turbidity		4.47	NTU	EPA180.1
6/20/2015 6:33	Turbidity		2.9	NTU	EPA180.1
6/21/2015 6:51	Turbidity		2.08	NTU	EPA180.1
6/22/2015 6:25	Turbidity		3.77	NTU	EPA180.1
6/23/2015 6:40	Turbidity		25.8	NTU	EPA180.1
6/24/2015 6:41	Turbidity		20.2	NTU	EPA180.1
6/25/2015 6:38	Turbidity		6.82	NTU	EPA180.1
6/26/2015 6:28	Turbidity		3.19	NTU	EPA180.1
6/27/2015 6:35	Turbidity		5.47	NTU	EPA180.1
6/28/2015 6:40	Turbidity		64.2	NTU	EPA180.1
6/29/2015 6:38	Turbidity		19.75	NTU	EPA180.1
6/30/2015 6:41	Turbidity		7.35	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/1/2015 6:43	Turbidity		88.5	NTU	EPA180.1
7/2/2015 6:45	Turbidity		4.425	NTU	EPA180.1
7/3/2015 6:30	Turbidity		3.27	NTU	EPA180.1
7/4/2015 6:34	Turbidity		2.77	NTU	EPA180.1
7/5/2015 6:30	Turbidity		2.07	NTU	EPA180.1
7/6/2015 6:33	Turbidity		2.3	NTU	EPA180.1
7/7/2015 6:43	Turbidity		1.4	NTU	EPA180.1
7/8/2015 6:36	Turbidity		13.1	NTU	EPA180.1
7/9/2015 6:52	Turbidity		4.22	NTU	EPA180.1
7/10/2015 6:30	Turbidity		17.5	NTU	EPA180.1
7/11/2015 6:40	Turbidity		23.1	NTU	EPA180.1
7/12/2015 6:42	Turbidity		15.8	NTU	EPA180.1
7/13/2015 6:32	Turbidity		28	NTU	EPA180.1
7/14/2015 6:33	Turbidity		2.84	NTU	EPA180.1
7/15/2015	Turbidity		13.9	NTU	EPA180.1
7/16/2015 6:32	Turbidity		3.22	NTU	EPA180.1
7/17/2015 6:35	Turbidity		3.08	NTU	EPA180.1
7/18/2015 8:00	Turbidity		1.65	NTU	EPA180.1
7/19/2015 6:27	Turbidity		2.22	NTU	EPA180.1
7/20/2015 6:43	Turbidity		1.31	NTU	EPA180.1
7/21/2015 6:36	Turbidity		2.34	NTU	EPA180.1
7/22/2015 6:40	Turbidity		1.49	NTU	EPA180.1
7/23/2015 6:40	Turbidity		1.24	NTU	EPA180.1
7/24/2015 7:00	Turbidity		1.21	NTU	EPA180.1
7/25/2015 6:34	Turbidity		1.2	NTU	EPA180.1
7/26/2015 6:38	Turbidity		1.11	NTU	EPA180.1
7/27/2015 6:42	Turbidity		1.3	NTU	EPA180.1
7/28/2015 6:43	Turbidity		1.27	NTU	EPA180.1
7/29/2015 6:44	Turbidity		2.01	NTU	EPA180.1
7/30/2015 6:35	Turbidity		2.85	NTU	EPA180.1
7/31/2015 6:45	Turbidity		1.63	NTU	EPA180.1
8/1/2015 6:33	Turbidity		1.72	NTU	EPA180.1
8/2/2015 6:32	Turbidity		1.58	NTU	EPA180.1
8/3/2015 6:36	Turbidity		10.6	NTU	EPA180.1
8/4/2015 6:38	Turbidity		18.35	NTU	EPA180.1
8/5/2015 6:50	Turbidity		3.33	NTU	EPA180.1
8/6/2015 6:40	Turbidity		2.15	NTU	EPA180.1
8/7/2015 6:41	Turbidity		1.56	NTU	EPA180.1
8/8/2015 6:39	Turbidity		1.64	NTU	EPA180.1
8/9/2015 6:36	Turbidity		1.515	NTU	EPA180.1
8/10/2015 6:41	Turbidity		2.32	NTU	EPA180.1
8/11/2015 6:37	Turbidity		2.95	NTU	EPA180.1
8/12/2015 6:54	Turbidity		98	NTU	EPA180.1
8/13/2015 6:45	Turbidity		2.61	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/14/2015 6:43	Turbidity		1.8	NTU	EPA180.1
8/15/2015	Turbidity		4.55	NTU	EPA180.1
8/16/2015 6:33	Turbidity		2.44	NTU	EPA180.1
8/17/2015 6:45	Turbidity		2.59	NTU	EPA180.1
8/18/2015 6:44	Turbidity		1.53	NTU	EPA180.1
8/19/2015 6:32	Turbidity		2.21	NTU	EPA180.1
8/20/2015 6:40	Turbidity		1.78	NTU	EPA180.1
8/21/2015 6:39	Turbidity		1.91	NTU	EPA180.1
8/22/2015 6:35	Turbidity		1.72	NTU	EPA180.1
8/23/2015 6:37	Turbidity		1.75	NTU	EPA180.1
8/24/2015 6:42	Turbidity		4.56	NTU	EPA180.1
8/25/2015 6:39	Turbidity		2.16	NTU	EPA180.1
8/26/2015 6:51	Turbidity		9.77	NTU	EPA180.1
8/27/2015 6:40	Turbidity		2.04	NTU	EPA180.1
8/28/2015 6:48	Turbidity		1.61	NTU	EPA180.1
8/29/2015 6:48	Turbidity		1.08	NTU	EPA180.1
8/30/2015 6:37	Turbidity		29.35	NTU	EPA180.1
8/31/2015 6:44	Turbidity		3.22	NTU	EPA180.1
9/1/2015 6:44	Turbidity		2.24	NTU	EPA180.1
9/2/2015 6:43	Turbidity		1.72	NTU	EPA180.1
9/3/2015 6:42	Turbidity		2.47	NTU	EPA180.1
9/4/2015 6:34	Turbidity		4.22	NTU	EPA180.1
9/5/2015 6:29	Turbidity		1.89	NTU	EPA180.1
9/6/2015 6:50	Turbidity		1.75	NTU	EPA180.1
9/7/2015 6:33	Turbidity		1.89	NTU	EPA180.1
9/8/2015 6:41	Turbidity		1064	NTU	EPA180.1
9/9/2015 6:37	Turbidity		1.6	NTU	EPA180.1
9/10/2015 6:35	Turbidity		1.37	NTU	EPA180.1
9/14/2015 8:46	Turbidity		10.7	NTU	EPA180.1
9/15/2015 9:07	Turbidity		7.31	NTU	EPA180.1
9/16/2015 8:45	Turbidity		6.7	NTU	EPA180.1
9/17/2015 8:57	Turbidity		6.82	NTU	EPA180.1
9/21/2015 9:24	Turbidity		1.36	NTU	EPA180.1
9/22/2015 9:05	Turbidity		2.01	NTU	EPA180.1
9/23/2015 8:44	Turbidity		1.75	NTU	EPA180.1
9/24/2015 8:59	Turbidity		1.49	NTU	EPA180.1
9/28/2015 9:08	Turbidity		1.08	NTU	EPA180.1
9/29/2015 8:53	Turbidity		1.29	NTU	EPA180.1
9/30/2015 8:50	Turbidity		5.47	NTU	EPA180.1
10/1/2015 8:48	Turbidity		2.02	NTU	EPA180.1