

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/2/2016 9:20	E. coli		102.5	MPN/100 mL	SM9223 Colilert
5/3/2016 8:58	E. coli		1203	MPN/100 mL	SM9223 Colilert
5/4/2016 8:55	E. coli		55	MPN/100 mL	SM9223 Colilert
5/5/2016 8:58	E. coli		62	MPN/100 mL	SM9223 Colilert
5/9/2016 9:03	E. coli		39	MPN/100 mL	SM9223 Colilert
5/10/2016 8:56	E. coli		2	MPN/100 mL	SM9223 Colilert
5/11/2016 8:54	E. coli		74	MPN/100 mL	SM9223 Colilert
5/12/2016 9:02	E. coli		12	MPN/100 mL	SM9223 Colilert
5/16/2016 8:44	E. coli		144	MPN/100 mL	SM9223 Colilert
5/17/2016 8:49	E. coli		60	MPN/100 mL	SM9223 Colilert
5/18/2016 8:50	E. coli		24	MPN/100 mL	SM9223 Colilert
5/19/2016 8:53	E. coli		8	MPN/100 mL	SM9223 Colilert
5/23/2016 6:52	E. coli		32	MPN/100 mL	SM9223 Colilert
5/24/2016 6:50	E. coli		4	MPN/100 mL	SM9223 Colilert
5/25/2016 6:50	E. coli		2	MPN/100 mL	SM9223 Colilert
5/26/2016 6:49	E. coli		80	MPN/100 mL	SM9223 Colilert
5/27/2016 6:52	E. coli		2	MPN/100 mL	SM9223 Colilert
5/28/2016 6:42	E. coli		8	MPN/100 mL	SM9223 Colilert
5/29/2016 6:36	E. coli		138	MPN/100 mL	SM9223 Colilert
5/30/2016 6:57	E. coli		12	MPN/100 mL	SM9223 Colilert
5/31/2016 6:59	E. coli		101	MPN/100 mL	SM9223 Colilert
6/1/2016 6:42	E. coli		90	MPN/100 mL	SM9223 Colilert
6/2/2016 6:51	E. coli		17	MPN/100 mL	SM9223 Colilert
6/3/2016 6:39	E. coli	~	22	MPN/100 mL	SM9223 Colilert
6/4/2016 6:48	E. coli		3	MPN/100 mL	SM9223 Colilert
6/5/2016 6:43	E. coli		18	MPN/100 mL	SM9223 Colilert
6/6/2016 6:37	E. coli		922	MPN/100 mL	SM9223 Colilert
6/7/2016 6:45	E. coli		48	MPN/100 mL	SM9223 Colilert
6/8/2016 6:53	E. coli		387	MPN/100 mL	SM9223 Colilert
6/9/2016 6:42	E. coli		41	MPN/100 mL	SM9223 Colilert
6/10/2016 6:46	E. coli		86	MPN/100 mL	SM9223 Colilert
6/11/2016 6:48	E. coli		31	MPN/100 mL	SM9223 Colilert
6/12/2016 6:38	E. coli		12	MPN/100 mL	SM9223 Colilert
6/13/2016 6:53	E. coli		49	MPN/100 mL	SM9223 Colilert
6/14/2016 7:09	E. coli		14	MPN/100 mL	SM9223 Colilert
6/15/2016 6:56	E. coli		12	MPN/100 mL	SM9223 Colilert
6/16/2016 6:45	E. coli		64	MPN/100 mL	SM9223 Colilert
6/17/2016 6:51	E. coli		43	MPN/100 mL	SM9223 Colilert
6/18/2016 6:53	E. coli		86	MPN/100 mL	SM9223 Colilert
6/19/2016 6:41	E. coli		8	MPN/100 mL	SM9223 Colilert
6/20/2016 6:47	E. coli		14.5	MPN/100 mL	SM9223 Colilert
6/21/2016 6:41	E. coli		61	MPN/100 mL	SM9223 Colilert
6/22/2016 6:45	E. coli		20	MPN/100 mL	SM9223 Colilert
6/23/2016 6:37	E. coli		4	MPN/100 mL	SM9223 Colilert
6/24/2016 6:35	E. coli		99	MPN/100 mL	SM9223 Colilert
6/25/2016 6:55	E. coli		20	MPN/100 mL	SM9223 Colilert
6/26/2016 6:30	E. coli		10	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/27/2016 6:45	E. coli		23	MPN/100 mL	SM9223 Colilert
6/28/2016 7:03	E. coli		65	MPN/100 mL	SM9223 Colilert
6/29/2016 7:58	E. coli		18	MPN/100 mL	SM9223 Colilert
6/30/2016 6:58	E. coli		12	MPN/100 mL	SM9223 Colilert
7/1/2016 6:40	E. coli		4	MPN/100 mL	SM9223 Colilert
7/2/2016 6:43	E. coli		17	MPN/100 mL	SM9223 Colilert
7/3/2016 6:35	E. coli		10	MPN/100 mL	SM9223 Colilert
7/4/2016 6:29	E. coli		11	MPN/100 mL	SM9223 Colilert
7/5/2016 7:42	E. coli		28	MPN/100 mL	SM9223 Colilert
7/6/2016 7:46	E. coli		84	MPN/100 mL	SM9223 Colilert
7/7/2016 7:51	E. coli		20	MPN/100 mL	SM9223 Colilert
7/8/2016 7:53	E. coli		134	MPN/100 mL	SM9223 Colilert
7/9/2016 7:51	E. coli		870	MPN/100 mL	SM9223 Colilert
7/10/2016 6:49	E. coli		66	MPN/100 mL	SM9223 Colilert
7/11/2016 7:44	E. coli		5	MPN/100 mL	SM9223 Colilert
7/12/2016 8:02	E. coli		46	MPN/100 mL	SM9223 Colilert
7/13/2016 7:55	E. coli		21	MPN/100 mL	SM9223 Colilert
7/14/2016 8:15	E. coli		774	MPN/100 mL	SM9223 Colilert
7/15/2016 8:23	E. coli		13	MPN/100 mL	SM9223 Colilert
7/16/2016 6:53	E. coli		22	MPN/100 mL	SM9223 Colilert
7/17/2016 7:01	E. coli		30	MPN/100 mL	SM9223 Colilert
7/18/2016 6:53	E. coli		622.5	MPN/100 mL	SM9223 Colilert
7/19/2016 6:51	E. coli		29	MPN/100 mL	SM9223 Colilert
7/20/2016 6:56	E. coli		17	MPN/100 mL	SM9223 Colilert
7/21/2016 6:47	E. coli		2	MPN/100 mL	SM9223 Colilert
7/22/2016 8:06	E. coli		411	MPN/100 mL	SM9223 Colilert
7/23/2016 6:50	E. coli		13	MPN/100 mL	SM9223 Colilert
7/24/2016 6:35	E. coli		10	MPN/100 mL	SM9223 Colilert
7/25/2016 7:02	E. coli		1553	MPN/100 mL	SM9223 Colilert
7/26/2016 6:46	E. coli		236	MPN/100 mL	SM9223 Colilert
7/27/2016 6:56	E. coli		25	MPN/100 mL	SM9223 Colilert
7/28/2016 6:56	E. coli		27	MPN/100 mL	SM9223 Colilert
7/29/2016 7:02	E. coli		82	MPN/100 mL	SM9223 Colilert
7/30/2016 6:46	E. coli		41	MPN/100 mL	SM9223 Colilert
7/31/2016 7:00	E. coli		40	MPN/100 mL	SM9223 Colilert
8/1/2016 6:45	E. coli		11	MPN/100 mL	SM9223 Colilert
8/2/2016 6:43	E. coli		12	MPN/100 mL	SM9223 Colilert
8/3/2016 6:58	E. coli		36	MPN/100 mL	SM9223 Colilert
8/4/2016 6:47	E. coli		16	MPN/100 mL	SM9223 Colilert
8/5/2016 6:50	E. coli		18	MPN/100 mL	SM9223 Colilert
8/6/2016 6:41	E. coli		69	MPN/100 mL	SM9223 Colilert
8/7/2016 6:42	E. coli		17	MPN/100 mL	SM9223 Colilert
8/8/2016 6:45	E. coli		52	MPN/100 mL	SM9223 Colilert
8/9/2016 7:01	E. coli		9	MPN/100 mL	SM9223 Colilert
8/10/2016 6:47	E. coli		22	MPN/100 mL	SM9223 Colilert
8/11/2016 6:46	E. coli		90	MPN/100 mL	SM9223 Colilert
8/12/2016 6:30	E. coli		796	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/13/2016 6:50	E. coli		75	MPN/100 mL	SM9223 Colilert
8/14/2016 6:45	E. coli		134	MPN/100 mL	SM9223 Colilert
8/15/2016 6:43	E. coli		12	MPN/100 mL	SM9223 Colilert
8/16/2016 6:42	E. coli		59	MPN/100 mL	SM9223 Colilert
8/17/2016 6:42	E. coli		155	MPN/100 mL	SM9223 Colilert
8/18/2016 6:42	E. coli		219	MPN/100 mL	SM9223 Colilert
8/19/2016 6:50	E. coli		47.5	MPN/100 mL	SM9223 Colilert
8/20/2016 6:39	E. coli		41	MPN/100 mL	SM9223 Colilert
8/21/2016 6:40	E. coli		224	MPN/100 mL	SM9223 Colilert
8/22/2016 6:45	E. coli		90	MPN/100 mL	SM9223 Colilert
8/23/2016 6:41	E. coli		12	MPN/100 mL	SM9223 Colilert
8/24/2016 6:55	E. coli		8	MPN/100 mL	SM9223 Colilert
8/25/2016 6:41	E. coli		506	MPN/100 mL	SM9223 Colilert
8/26/2016 6:47	E. coli		131	MPN/100 mL	SM9223 Colilert
8/27/2016 6:48	E. coli		26	MPN/100 mL	SM9223 Colilert
8/28/2016 6:56	E. coli		164	MPN/100 mL	SM9223 Colilert
8/29/2016 6:48	E. coli		79	MPN/100 mL	SM9223 Colilert
8/30/2016 6:49	E. coli		6	MPN/100 mL	SM9223 Colilert
8/31/2016 6:53	E. coli		45	MPN/100 mL	SM9223 Colilert
9/1/2016 6:45	E. coli		73	MPN/100 mL	SM9223 Colilert
9/2/2016 6:43	E. coli		36	MPN/100 mL	SM9223 Colilert
9/3/2016 6:40	E. coli		31	MPN/100 mL	SM9223 Colilert
9/4/2016 6:46	E. coli		7	MPN/100 mL	SM9223 Colilert
9/5/2016 6:45	E. coli		3	MPN/100 mL	SM9223 Colilert
9/6/2016 6:46	E. coli		99	MPN/100 mL	SM9223 Colilert
9/7/2016 6:50	E. coli		78	MPN/100 mL	SM9223 Colilert
9/8/2016 8:47	E. coli		15	MPN/100 mL	SM9223 Colilert
9/12/2016 9:05	E. coli		68	MPN/100 mL	SM9223 Colilert
9/13/2016 8:45	E. coli		119	MPN/100 mL	SM9223 Colilert
9/14/2016 8:46	E. coli		70	MPN/100 mL	SM9223 Colilert
9/15/2016 8:49	E. coli		12	MPN/100 mL	SM9223 Colilert
9/19/2016 8:46	E. coli		30	MPN/100 mL	SM9223 Colilert
9/20/2016 8:43	E. coli		20	MPN/100 mL	SM9223 Colilert
9/21/2016 8:56	E. coli		72	MPN/100 mL	SM9223 Colilert
9/22/2016 8:56	E. coli		28	MPN/100 mL	SM9223 Colilert
9/26/2016 8:54	E. coli		3	MPN/100 mL	SM9223 Colilert
9/27/2016 8:54	E. coli		20	MPN/100 mL	SM9223 Colilert
9/28/2016 8:45	E. coli		5	MPN/100 mL	SM9223 Colilert
9/29/2016 8:54	E. coli		82	MPN/100 mL	SM9223 Colilert
5/2/2016 9:20	Field Cond		431	umhos/cm	SM 2510A
5/3/2016 8:58	Field Cond		515	umhos/cm	SM 2510A
5/4/2016 8:55	Field Cond		516	umhos/cm	SM 2510A
5/5/2016 8:58	Field Cond		486	umhos/cm	SM 2510A
5/9/2016 9:03	Field Cond		372	umhos/cm	SM 2510A
5/10/2016 8:56	Field Cond		354	umhos/cm	SM 2510A
5/11/2016 8:54	Field Cond		345	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/12/2016 9:02	Field Cond		337	umhos/cm	SM 2510A
5/16/2016 8:44	Field Cond		397	umhos/cm	SM 2510A
5/17/2016 8:49	Field Cond		353	umhos/cm	SM 2510A
5/18/2016 8:50	Field Cond		375	umhos/cm	SM 2510A
5/19/2016 8:53	Field Cond		362	umhos/cm	SM 2510A
5/23/2016 6:52	Field Cond		367	umhos/cm	SM 2510A
5/24/2016 6:50	Field Cond		351	umhos/cm	SM 2510A
5/25/2016 6:50	Field Cond		350	umhos/cm	SM 2510A
5/26/2016 6:49	Field Cond		360	umhos/cm	SM 2510A
5/27/2016 6:52	Field Cond		364	umhos/cm	SM 2510A
5/28/2016 6:42	Field Cond		349	umhos/cm	SM 2510A
5/29/2016 6:36	Field Cond		353	umhos/cm	SM 2510A
5/30/2016 6:57	Field Cond		338	umhos/cm	SM 2510A
5/31/2016 6:59	Field Cond		301	umhos/cm	SM 2510A
6/1/2016 6:42	Field Cond		305	umhos/cm	SM 2510A
6/2/2016 6:51	Field Cond		366	umhos/cm	SM 2510A
6/3/2016 6:39	Field Cond		328	umhos/cm	SM 2510A
6/4/2016 6:48	Field Cond		294	umhos/cm	SM 2510A
6/5/2016 6:43	Field Cond		303	umhos/cm	SM 2510A
6/6/2016 6:37	Field Cond		308	umhos/cm	SM 2510A
6/7/2016 6:45	Field Cond		306	umhos/cm	SM 2510A
6/8/2016 6:53	Field Cond		338	umhos/cm	SM 2510A
6/9/2016 6:42	Field Cond		325	umhos/cm	SM 2510A
6/10/2016 6:46	Field Cond		312.3	umhos/cm	SM 2510A
6/11/2016 6:48	Field Cond		315	umhos/cm	SM 2510A
6/12/2016 6:38	Field Cond		301	umhos/cm	SM 2510A
6/13/2016 6:53	Field Cond		313	umhos/cm	SM 2510A
6/14/2016 7:09	Field Cond		324	umhos/cm	SM 2510A
6/15/2016 6:56	Field Cond		358	umhos/cm	SM 2510A
6/16/2016 6:45	Field Cond		314	umhos/cm	SM 2510A
6/17/2016 6:51	Field Cond		311	umhos/cm	SM 2510A
6/18/2016 6:53	Field Cond		375	umhos/cm	SM 2510A
6/19/2016 6:41	Field Cond		331	umhos/cm	SM 2510A
6/20/2016 6:47	Field Cond		311	umhos/cm	SM 2510A
6/21/2016 6:41	Field Cond		330	umhos/cm	SM 2510A
6/22/2016 6:45	Field Cond		295	umhos/cm	SM 2510A
6/23/2016 6:37	Field Cond		230	umhos/cm	SM 2510A
6/24/2016 6:35	Field Cond		338	umhos/cm	SM 2510A
6/25/2016 6:55	Field Cond		425	umhos/cm	SM 2510A
6/26/2016 6:30	Field Cond		365	umhos/cm	SM 2510A
6/27/2016 6:45	Field Cond		334	umhos/cm	SM 2510A
6/28/2016 7:03	Field Cond		321	umhos/cm	SM 2510A
6/29/2016 7:58	Field Cond		357	umhos/cm	SM 2510A
6/30/2016 6:58	Field Cond		319	umhos/cm	SM 2510A
7/1/2016 6:40	Field Cond		317	umhos/cm	SM 2510A
7/2/2016 6:43	Field Cond		287	umhos/cm	SM 2510A
7/3/2016 6:35	Field Cond		291	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/4/2016 6:29	Field Cond		303	umhos/cm	SM 2510A
7/5/2016 7:42	Field Cond		323	umhos/cm	SM 2510A
7/6/2016 7:46	Field Cond		314	umhos/cm	SM 2510A
7/7/2016 7:51	Field Cond		308	umhos/cm	SM 2510A
7/8/2016 7:53	Field Cond		291	umhos/cm	SM 2510A
7/9/2016 7:51	Field Cond		283	umhos/cm	SM 2510A
7/10/2016 6:49	Field Cond		304	umhos/cm	SM 2510A
7/11/2016 7:44	Field Cond		302	umhos/cm	SM 2510A
7/12/2016 8:02	Field Cond		311	umhos/cm	SM 2510A
7/13/2016 7:55	Field Cond		341	umhos/cm	SM 2510A
7/14/2016 8:15	Field Cond		322	umhos/cm	SM 2510A
7/15/2016 8:23	Field Cond		310	umhos/cm	SM 2510A
7/16/2016 6:53	Field Cond		299	umhos/cm	SM 2510A
7/17/2016 7:01	Field Cond		360	umhos/cm	SM 2510A
7/18/2016 6:53	Field Cond		383	umhos/cm	SM 2510A
7/19/2016 6:51	Field Cond		309	umhos/cm	SM 2510A
7/20/2016 6:56	Field Cond		326	umhos/cm	SM 2510A
7/21/2016 6:47	Field Cond		347	umhos/cm	SM 2510A
7/22/2016 8:06	Field Cond		339	umhos/cm	SM 2510A
7/23/2016 6:50	Field Cond		303	umhos/cm	SM 2510A
7/24/2016 6:35	Field Cond		295	umhos/cm	SM 2510A
7/25/2016 7:02	Field Cond		297	umhos/cm	SM 2510A
7/26/2016 6:46	Field Cond		294	umhos/cm	SM 2510A
7/27/2016 6:56	Field Cond		310	umhos/cm	SM 2510A
7/28/2016 6:56	Field Cond		332	umhos/cm	SM 2510A
7/29/2016 7:02	Field Cond		305	umhos/cm	SM 2510A
7/30/2016 6:46	Field Cond		322	umhos/cm	SM 2510A
7/31/2016 7:00	Field Cond		322	umhos/cm	SM 2510A
8/1/2016 6:45	Field Cond		302	umhos/cm	SM 2510A
8/2/2016 6:43	Field Cond		291	umhos/cm	SM 2510A
8/3/2016 6:58	Field Cond		339	umhos/cm	SM 2510A
8/4/2016 6:47	Field Cond		345	umhos/cm	SM 2510A
8/5/2016 6:50	Field Cond		346.8	umhos/cm	SM 2510A
8/6/2016 6:41	Field Cond		314	umhos/cm	SM 2510A
8/7/2016 6:42	Field Cond		313	umhos/cm	SM 2510A
8/8/2016 6:45	Field Cond		374	umhos/cm	SM 2510A
8/9/2016 7:01	Field Cond		411	umhos/cm	SM 2510A
8/10/2016 6:47	Field Cond		356	umhos/cm	SM 2510A
8/11/2016 6:46	Field Cond		349	umhos/cm	SM 2510A
8/12/2016 6:30	Field Cond		338	umhos/cm	SM 2510A
8/13/2016 6:50	Field Cond		393	umhos/cm	SM 2510A
8/14/2016 6:45	Field Cond		337	umhos/cm	SM 2510A
8/15/2016 6:43	Field Cond		218	umhos/cm	SM 2510A
8/16/2016 6:42	Field Cond		321	umhos/cm	SM 2510A
8/17/2016 6:42	Field Cond		338	umhos/cm	SM 2510A
8/18/2016 6:42	Field Cond		333	umhos/cm	SM 2510A
8/19/2016 6:50	Field Cond		322	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/20/2016 6:39	Field Cond		3323	umhos/cm	SM 2510A
8/21/2016 6:40	Field Cond		345	umhos/cm	SM 2510A
8/22/2016 6:45	Field Cond		303	umhos/cm	SM 2510A
8/23/2016 6:41	Field Cond		304	umhos/cm	SM 2510A
8/24/2016 6:55	Field Cond		307	umhos/cm	SM 2510A
8/25/2016 6:41	Field Cond		323	umhos/cm	SM 2510A
8/26/2016 6:47	Field Cond		314	umhos/cm	SM 2510A
8/27/2016 6:48	Field Cond		291	umhos/cm	SM 2510A
8/28/2016 6:56	Field Cond		308	umhos/cm	SM 2510A
8/29/2016 6:48	Field Cond		240	umhos/cm	SM 2510A
8/30/2016 6:49	Field Cond		404	umhos/cm	SM 2510A
8/31/2016 6:53	Field Cond		391	umhos/cm	SM 2510A
9/1/2016 6:45	Field Cond		352	umhos/cm	SM 2510A
9/2/2016 6:43	Field Cond		359	umhos/cm	SM 2510A
9/3/2016 6:40	Field Cond		402	umhos/cm	SM 2510A
9/4/2016 6:46	Field Cond		408	umhos/cm	SM 2510A
9/5/2016 6:45	Field Cond		324	umhos/cm	SM 2510A
9/6/2016 6:46	Field Cond		240	umhos/cm	SM 2510A
9/7/2016 6:50	Field Cond		285	umhos/cm	SM 2510A
9/8/2016 8:47	Field Cond		296	umhos/cm	SM 2510A
9/12/2016 9:05	Field Cond		295	umhos/cm	SM 2510A
9/13/2016 8:45	Field Cond		240	umhos/cm	SM 2510A
9/14/2016 8:46	Field Cond		294	umhos/cm	SM 2510A
9/15/2016 8:49	Field Cond		414	umhos/cm	SM 2510A
9/19/2016 8:46	Field Cond		322	umhos/cm	SM 2510A
9/20/2016 8:43	Field Cond		305	umhos/cm	SM 2510A
9/21/2016 8:56	Field Cond		304	umhos/cm	SM 2510A
9/22/2016 8:56	Field Cond		313	umhos/cm	SM 2510A
9/26/2016 8:54	Field Cond		359	umhos/cm	SM 2510A
9/27/2016 8:54	Field Cond		307	umhos/cm	SM 2510A
9/28/2016 8:45	Field Cond		335	umhos/cm	SM 2510A
9/29/2016 8:54	Field Cond		281	umhos/cm	SM 2510A
5/2/2016 9:20	Field Temp		10.7	C	EPA 170.1
5/3/2016 8:58	Field Temp		11.5	C	EPA 170.1
5/4/2016 8:55	Field Temp		12.9	C	EPA 170.1
5/5/2016 8:58	Field Temp		11.6	C	EPA 170.1
5/9/2016 9:03	Field Temp		12.9	C	EPA 170.1
5/10/2016 8:56	Field Temp		12	C	EPA 170.1
5/11/2016 8:54	Field Temp		12.3	C	EPA 170.1
5/12/2016 9:02	Field Temp		12.4	C	EPA 170.1
5/16/2016 8:44	Field Temp		11.9	C	EPA 170.1
5/17/2016 8:49	Field Temp		12.5	C	EPA 170.1
5/18/2016 8:50	Field Temp		14.6	C	EPA 170.1
5/19/2016 8:53	Field Temp		13.8	C	EPA 170.1
5/23/2016 6:52	Field Temp		14.9	C	EPA 170.1
5/24/2016 6:50	Field Temp		15.3	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/25/2016 6:50	Field Temp		16.2	C	EPA 170.1
5/26/2016 6:49	Field Temp		16	C	EPA 170.1
5/27/2016 6:52	Field Temp		16.8	C	EPA 170.1
5/28/2016 6:42	Field Temp		17.9	C	EPA 170.1
5/29/2016 6:36	Field Temp		18.8	C	EPA 170.1
5/30/2016 6:57	Field Temp		18.4	C	EPA 170.1
5/31/2016 6:59	Field Temp		19.3	C	EPA 170.1
6/1/2016 6:42	Field Temp		19.7	C	EPA 170.1
6/2/2016 6:51	Field Temp		19.6	C	EPA 170.1
6/3/2016 6:39	Field Temp		20.7	C	EPA 170.1
6/4/2016 6:48	Field Temp		20.8	C	EPA 170.1
6/5/2016 6:43	Field Temp		16.8	C	EPA 170.1
6/6/2016 6:37	Field Temp		17	C	EPA 170.1
6/7/2016 6:45	Field Temp		18.3	C	EPA 170.1
6/8/2016 6:53	Field Temp		16.8	C	EPA 170.1
6/9/2016 6:42	Field Temp		17.7	C	EPA 170.1
6/10/2016 6:46	Field Temp		19.6	C	EPA 170.1
6/11/2016 6:48	Field Temp		20.6	C	EPA 170.1
6/12/2016 6:38	Field Temp		20.3	C	EPA 170.1
6/13/2016 6:53	Field Temp		20	C	EPA 170.1
6/14/2016 7:09	Field Temp		20.5	C	EPA 170.1
6/15/2016 6:56	Field Temp		20.4	C	EPA 170.1
6/16/2016 6:45	Field Temp		20.9	C	EPA 170.1
6/17/2016 6:51	Field Temp		21.3	C	EPA 170.1
6/18/2016 6:53	Field Temp		20.5	C	EPA 170.1
6/19/2016 6:41	Field Temp		20.4	C	EPA 170.1
6/20/2016 6:47	Field Temp		20.9	C	EPA 170.1
6/21/2016 6:41	Field Temp		21.2	C	EPA 170.1
6/22/2016 6:45	Field Temp		21.1	C	EPA 170.1
6/23/2016 6:37	Field Temp		22.8	C	EPA 170.1
6/24/2016 6:35	Field Temp		21.1	C	EPA 170.1
6/25/2016 6:55	Field Temp		22	C	EPA 170.1
6/26/2016 6:30	Field Temp		22.2	C	EPA 170.1
6/27/2016 6:45	Field Temp		22.6	C	EPA 170.1
6/28/2016 7:03	Field Temp		23.7	C	EPA 170.1
6/29/2016 7:58	Field Temp		22.2	C	EPA 170.1
6/30/2016 6:58	Field Temp		22.5	C	EPA 170.1
7/1/2016 6:40	Field Temp		23.2	C	EPA 170.1
7/2/2016 6:43	Field Temp		22.5	C	EPA 170.1
7/3/2016 6:35	Field Temp		22.5	C	EPA 170.1
7/4/2016 6:29	Field Temp		22.6	C	EPA 170.1
7/5/2016 7:42	Field Temp		23.1	C	EPA 170.1
7/6/2016 7:46	Field Temp		23.4	C	EPA 170.1
7/7/2016 7:51	Field Temp		23.7	C	EPA 170.1
7/8/2016 7:53	Field Temp		24.3	C	EPA 170.1
7/9/2016 7:51	Field Temp		24.6	C	EPA 170.1
7/10/2016 6:49	Field Temp		23.5	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/11/2016 7:44	Field Temp		24.3	C	EPA 170.1
7/12/2016 8:02	Field Temp		24.5	C	EPA 170.1
7/13/2016 7:55	Field Temp		24.9	C	EPA 170.1
7/14/2016 8:15	Field Temp		24.7	C	EPA 170.1
7/15/2016 8:23	Field Temp		25.2	C	EPA 170.1
7/16/2016 6:53	Field Temp		24.8	C	EPA 170.1
7/17/2016 7:01	Field Temp		23.9	C	EPA 170.1
7/18/2016 6:53	Field Temp		23.9	C	EPA 170.1
7/19/2016 6:51	Field Temp		24.4	C	EPA 170.1
7/20/2016 6:56	Field Temp		24.1	C	EPA 170.1
7/21/2016 6:47	Field Temp		23.5	C	EPA 170.1
7/23/2016 6:50	Field Temp		26	C	EPA 170.1
7/24/2016 6:35	Field Temp		26.1	C	EPA 170.1
7/25/2016 7:02	Field Temp		25	C	EPA 170.1
7/26/2016 6:46	Field Temp		25.4	C	EPA 170.1
7/27/2016 6:56	Field Temp		25.4	C	EPA 170.1
7/28/2016 6:56	Field Temp		25.7	C	EPA 170.1
7/29/2016 7:02	Field Temp		25.2	C	EPA 170.1
7/30/2016 6:46	Field Temp		25.8	C	EPA 170.1
7/31/2016 7:00	Field Temp		25.1	C	EPA 170.1
8/1/2016 6:45	Field Temp		25.1	C	EPA 170.1
8/2/2016 6:43	Field Temp		26.3	C	EPA 170.1
8/3/2016 6:58	Field Temp		25.3	C	EPA 170.1
8/4/2016 6:47	Field Temp		25.4	C	EPA 170.1
8/5/2016 6:50	Field Temp		24.6	C	EPA 170.1
8/6/2016 6:41	Field Temp		25.6	C	EPA 170.1
8/7/2016 6:42	Field Temp		25.4	C	EPA 170.1
8/8/2016 6:45	Field Temp		25.3	C	EPA 170.1
8/9/2016 7:01	Field Temp		24.6	C	EPA 170.1
8/11/2016 6:46	Field Temp		25.1	C	EPA 170.1
8/12/2016 6:30	Field Temp		26	C	EPA 170.1
8/13/2016 6:50	Field Temp		26.6	C	EPA 170.1
8/14/2016 6:45	Field Temp		25.9	C	EPA 170.1
8/15/2016 6:43	Field Temp		25.6	C	EPA 170.1
8/16/2016 6:42	Field Temp		25.4	C	EPA 170.1
8/17/2016 6:42	Field Temp		25.2	C	EPA 170.1
8/18/2016 6:42	Field Temp		25	C	EPA 170.1
8/19/2016 6:50	Field Temp		25	C	EPA 170.1
8/20/2016 6:39	Field Temp		25.8	C	EPA 170.1
8/21/2016 6:40	Field Temp		24.5	C	EPA 170.1
8/22/2016 6:45	Field Temp		23.7	C	EPA 170.1
8/23/2016 6:41	Field Temp		24.5	C	EPA 170.1
8/24/2016 6:55	Field Temp		24.7	C	EPA 170.1
8/25/2016 6:41	Field Temp		24.5	C	EPA 170.1
8/26/2016 6:47	Field Temp		24.7	C	EPA 170.1
8/27/2016 6:48	Field Temp		24.9	C	EPA 170.1
8/28/2016 6:56	Field Temp		24.8	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/29/2016 6:48	Field Temp		26.4	C	EPA 170.1
8/30/2016 6:49	Field Temp		24.9	C	EPA 170.1
8/31/2016 6:53	Field Temp		25.7	C	EPA 170.1
9/1/2016 6:45	Field Temp		24.4	C	EPA 170.1
9/2/2016 6:43	Field Temp		23.8	C	EPA 170.1
9/3/2016 6:40	Field Temp		23.2	C	EPA 170.1
9/4/2016 6:46	Field Temp		23.1	C	EPA 170.1
9/5/2016 6:45	Field Temp		23.2	C	EPA 170.1
9/6/2016 6:46	Field Temp		24	C	EPA 170.1
9/7/2016 6:50	Field Temp		24.5	C	EPA 170.1
9/8/2016 8:47	Field Temp		25.5	C	EPA 170.1
9/12/2016 9:05	Field Temp		22.9	C	EPA 170.1
9/13/2016 8:45	Field Temp		23	C	EPA 170.1
9/14/2016 8:46	Field Temp		23.4	C	EPA 170.1
9/15/2016 8:49	Field Temp		22.5	C	EPA 170.1
9/19/2016 8:46	Field Temp		23	C	EPA 170.1
9/20/2016 8:43	Field Temp		23.2	C	EPA 170.1
9/21/2016 8:56	Field Temp		23.3	C	EPA 170.1
9/22/2016 8:56	Field Temp		23.4	C	EPA 170.1
9/26/2016 8:54	Field Temp		21.5	C	EPA 170.1
9/27/2016 8:54	Field Temp		20.3	C	EPA 170.1
9/28/2016 8:45	Field Temp		19.9	C	EPA 170.1
9/29/2016 8:54	Field Temp		20.6	C	EPA 170.1
5/2/2016 9:20	pH		8.29	S.U.	
5/3/2016 8:58	pH		7.86	S.U.	
5/4/2016 8:55	pH		8.12	S.U.	
5/5/2016 8:58	pH		8.29	S.U.	
5/9/2016 9:03	pH		8.6	S.U.	
5/10/2016 8:56	pH		8.84	S.U.	
5/11/2016 8:54	pH		8.48	S.U.	
5/12/2016 9:02	pH		8.9	S.U.	
5/16/2016 8:44	pH		8.07	S.U.	
5/17/2016 8:49	pH		8.34	S.U.	
5/18/2016 8:50	pH		7.93	S.U.	
5/19/2016 8:53	pH		7.48	S.U.	
5/23/2016 6:52	pH		8.06	S.U.	
5/24/2016 6:50	pH		7.93	S.U.	
5/25/2016 6:50	pH		8.19	S.U.	
5/26/2016 6:49	pH		8.33	S.U.	
5/27/2016 6:52	pH		8.31	S.U.	
5/28/2016 6:42	pH		8.2	S.U.	
5/29/2016 6:36	pH		7.97	S.U.	
5/30/2016 6:57	pH		8.35	S.U.	
5/31/2016 6:59	pH		8.24	S.U.	
6/1/2016 6:42	pH		8.37	S.U.	
6/2/2016 6:51	pH		7.34	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/3/2016 6:39	pH		8.18	S.U.	
6/4/2016 6:48	pH		8.44	S.U.	
6/5/2016 6:43	pH		7.87	S.U.	
6/6/2016 6:37	pH		8.06	S.U.	
6/7/2016 6:45	pH		7.78	S.U.	
6/8/2016 6:53	pH		7.79	S.U.	
6/9/2016 6:42	pH		7.75	S.U.	
6/10/2016 6:46	pH		8	S.U.	
6/11/2016 6:48	pH		8.02	S.U.	
6/12/2016 6:38	pH		7.76	S.U.	
6/13/2016 6:53	pH		7.56	S.U.	
6/14/2016 7:09	pH		7.76	S.U.	
6/15/2016 6:56	pH		7.67	S.U.	
6/16/2016 6:45	pH		7.91	S.U.	
6/17/2016 6:51	pH		7.61	S.U.	
6/18/2016 6:53	pH		7.76	S.U.	
6/19/2016 6:41	pH		7.7	S.U.	
6/20/2016 6:47	pH		7.19	S.U.	
6/21/2016 6:41	pH		7.8	S.U.	
6/22/2016 6:45	pH		7.19	S.U.	
6/23/2016 6:37	pH		8.24	S.U.	
6/24/2016 6:35	pH		7.61	S.U.	
6/25/2016 6:55	pH		7.85	S.U.	
6/26/2016 6:30	pH		7.51	S.U.	
6/27/2016 6:45	pH		7.96	S.U.	
6/28/2016 7:03	pH		8.11	S.U.	
6/29/2016 7:58	pH		8.02	S.U.	
6/30/2016 6:58	pH		7.8	S.U.	
7/1/2016 6:40	pH		8.03	S.U.	
7/2/2016 6:43	pH		8.16	S.U.	
7/3/2016 6:35	pH		8.05	S.U.	
7/4/2016 6:29	pH		7.98	S.U.	
7/5/2016 7:42	pH		8.12	S.U.	
7/6/2016 7:46	pH		8.22	S.U.	
7/7/2016 7:51	pH		8.44	S.U.	
7/8/2016 7:53	pH		7.61	S.U.	
7/9/2016 7:51	pH		8.11	S.U.	
7/10/2016 6:49	pH		7.37	S.U.	
7/11/2016 7:44	pH		8.12	S.U.	
7/12/2016 8:02	pH		8.27	S.U.	
7/13/2016 7:55	pH		8.21	S.U.	
7/14/2016 8:15	pH		7.83	S.U.	
7/15/2016 8:23	pH		8.26	S.U.	
7/16/2016 6:53	pH		7.78	S.U.	
7/17/2016 7:01	pH		7.27	S.U.	
7/18/2016 6:53	pH		7.76	S.U.	
7/19/2016 6:51	pH		7.16	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/20/2016 6:56	pH		7.6	S.U.	
7/21/2016 6:47	pH		7.93	S.U.	
7/22/2016 8:06	pH		8.31	S.U.	
7/23/2016 6:50	pH		8.1	S.U.	
7/24/2016 6:35	pH		8.38	S.U.	
7/25/2016 7:02	pH		8.21	S.U.	
7/26/2016 6:46	pH		8.19	S.U.	
7/27/2016 6:56	pH		8.08	S.U.	
7/28/2016 6:56	pH		8.36	S.U.	
7/29/2016 7:02	pH		8.11	S.U.	
7/30/2016 6:46	pH		7.88	S.U.	
7/31/2016 7:00	pH		7.67	S.U.	
8/1/2016 6:45	pH		7.31	S.U.	
8/2/2016 6:43	pH		8.22	S.U.	
8/3/2016 6:58	pH		7.58	S.U.	
8/4/2016 6:47	pH		8.19	S.U.	
8/5/2016 6:50	pH		8.28	S.U.	
8/6/2016 6:41	pH		7.99	S.U.	
8/7/2016 6:42	pH		7.89	S.U.	
8/8/2016 6:45	pH		7.84	S.U.	
8/9/2016 7:01	pH		7.27	S.U.	
8/10/2016 6:47	pH		7.33	S.U.	
8/11/2016 6:46	pH		7.05	S.U.	
8/12/2016 6:30	pH		7.55	S.U.	
8/13/2016 6:50	pH		6.9	S.U.	
8/14/2016 6:45	pH		6.83	S.U.	
8/15/2016 6:43	pH		7.51	S.U.	
8/16/2016 6:42	pH		7.85	S.U.	
8/17/2016 6:42	pH		7.85	S.U.	
8/18/2016 6:42	pH		6.93	S.U.	
8/19/2016 6:50	pH		7.41	S.U.	
8/20/2016 6:39	pH		7.6	S.U.	
8/21/2016 6:40	pH		6.76	S.U.	
8/22/2016 6:45	pH		7.59	S.U.	
8/23/2016 6:41	pH		7.6	S.U.	
8/24/2016 6:55	pH		7.97	S.U.	
8/25/2016 6:41	pH		7.01	S.U.	
8/26/2016 6:47	pH		7.89	S.U.	
8/27/2016 6:48	pH		7.24	S.U.	
8/28/2016 6:56	pH		7.43	S.U.	
8/29/2016 6:48	pH		7.07	S.U.	
8/30/2016 6:49	pH		7.63	S.U.	
8/31/2016 6:53	pH		7.18	S.U.	
9/1/2016 6:45	pH		7.07	S.U.	
9/2/2016 6:43	pH		7.07	S.U.	
9/3/2016 6:40	pH		7.05	S.U.	
9/4/2016 6:46	pH		7.09	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/5/2016 6:45	pH		7.38	S.U.	
9/6/2016 6:46	pH		7.01	S.U.	
9/7/2016 6:50	pH		7.29	S.U.	
9/8/2016 8:47	pH		7.25	S.U.	
9/12/2016 9:05	pH		7.4	S.U.	
9/13/2016 8:45	pH		7.12	S.U.	
9/14/2016 8:46	pH		6.72	S.U.	
9/15/2016 8:49	pH		6.72	S.U.	
9/19/2016 8:46	pH		7.53	S.U.	
9/20/2016 8:43	pH		7.19	S.U.	
9/21/2016 8:56	pH		7.63	S.U.	
9/22/2016 8:56	pH		7.31	S.U.	
9/26/2016 8:54	pH		6.97	S.U.	
9/27/2016 8:54	pH		7.16	S.U.	
9/28/2016 8:45	pH		7.55	S.U.	
9/29/2016 8:54	pH		7.02	S.U.	
5/2/2016 9:20	Turbidity		22.9	NTU	EPA180.1
5/3/2016 8:58	Turbidity		4.6	NTU	EPA180.1
5/4/2016 8:55	Turbidity		4.5	NTU	EPA180.1
5/5/2016 8:58	Turbidity		7.86	NTU	EPA180.1
5/9/2016 9:03	Turbidity		7.83	NTU	EPA180.1
5/10/2016 8:56	Turbidity		5.7	NTU	EPA180.1
5/11/2016 8:54	Turbidity		14	NTU	EPA180.1
5/12/2016 9:02	Turbidity		9.26	NTU	EPA180.1
5/16/2016 8:44	Turbidity		35.3	NTU	EPA180.1
5/17/2016 8:49	Turbidity		26	NTU	EPA180.1
5/18/2016 8:50	Turbidity		13.8	NTU	EPA180.1
5/19/2016 8:53	Turbidity		7.67	NTU	EPA180.1
5/23/2016 6:52	Turbidity		5.65	NTU	EPA180.1
5/24/2016 6:50	Turbidity		4.21	NTU	EPA180.1
5/25/2016 6:50	Turbidity		3.19	NTU	EPA180.1
5/26/2016 6:49	Turbidity		3.36	NTU	EPA180.1
5/27/2016 6:52	Turbidity		1.72	NTU	EPA180.1
5/28/2016 6:42	Turbidity		2.23	NTU	EPA180.1
5/29/2016 6:36	Turbidity		3.57	NTU	EPA180.1
5/30/2016 6:57	Turbidity		2.8	NTU	EPA180.1
5/31/2016 6:59	Turbidity		1.64	NTU	EPA180.1
6/1/2016 6:42	Turbidity		5.35	NTU	EPA180.1
6/2/2016 6:51	Turbidity		4.89	NTU	EPA180.1
6/3/2016 6:39	Turbidity		5.17	NTU	EPA180.1
6/4/2016 6:48	Turbidity		1.21	NTU	EPA180.1
6/5/2016 6:43	Turbidity		3.26	NTU	EPA180.1
6/6/2016 6:37	Turbidity		13.9	NTU	EPA180.1
6/7/2016 6:45	Turbidity		4.46	NTU	EPA180.1
6/8/2016 6:53	Turbidity		58	NTU	EPA180.1
6/9/2016 6:42	Turbidity		27.3	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/10/2016 6:46	Turbidity		6.68	NTU	EPA180.1
6/11/2016 6:48	Turbidity		6.23	NTU	EPA180.1
6/12/2016 6:38	Turbidity		4.46	NTU	EPA180.1
6/13/2016 6:53	Turbidity		13.5	NTU	EPA180.1
6/14/2016 7:09	Turbidity		3.38	NTU	EPA180.1
6/15/2016 6:56	Turbidity		4.22	NTU	EPA180.1
6/16/2016 6:45	Turbidity		4.42	NTU	EPA180.1
6/17/2016 6:51	Turbidity		5.41	NTU	EPA180.1
6/18/2016 6:53	Turbidity		5.41	NTU	EPA180.1
6/19/2016 6:41	Turbidity		4.07	NTU	EPA180.1
6/20/2016 6:47	Turbidity		2.67	NTU	EPA180.1
6/21/2016 6:41	Turbidity		8.18	NTU	EPA180.1
6/22/2016 6:45	Turbidity		5.65	NTU	EPA180.1
6/23/2016 6:37	Turbidity		3.62	NTU	EPA180.1
6/24/2016 6:35	Turbidity		4.4	NTU	EPA180.1
6/25/2016 6:55	Turbidity		3.97	NTU	EPA180.1
6/26/2016 6:30	Turbidity		3.31	NTU	EPA180.1
6/27/2016 6:45	Turbidity		5.42	NTU	EPA180.1
6/28/2016 7:03	Turbidity		9.79	NTU	EPA180.1
6/29/2016 7:58	Turbidity		8.96	NTU	EPA180.1
6/30/2016 6:58	Turbidity		6.9	NTU	EPA180.1
7/1/2016 6:40	Turbidity		2.1	NTU	EPA180.1
7/2/2016 6:43	Turbidity		5.57	NTU	EPA180.1
7/3/2016 6:35	Turbidity		2.78	NTU	EPA180.1
7/4/2016 6:29	Turbidity		2.68	NTU	EPA180.1
7/5/2016 7:42	Turbidity		3.79	NTU	EPA180.1
7/6/2016 7:46	Turbidity		5.06	NTU	EPA180.1
7/7/2016 7:51	Turbidity		2.76	NTU	EPA180.1
7/8/2016 7:53	Turbidity		11.8	NTU	EPA180.1
7/9/2016 7:51	Turbidity		17.2	NTU	EPA180.1
7/10/2016 6:49	Turbidity		15.8	NTU	EPA180.1
7/11/2016 7:44	Turbidity		4.8	NTU	EPA180.1
7/12/2016 8:02	Turbidity		2.26	NTU	EPA180.1
7/13/2016 7:55	Turbidity		2.98	NTU	EPA180.1
7/14/2016 8:15	Turbidity		9.53	NTU	EPA180.1
7/15/2016 8:23	Turbidity		7.47	NTU	EPA180.1
7/16/2016 6:53	Turbidity		8.24	NTU	EPA180.1
7/17/2016 7:01	Turbidity		2.41	NTU	EPA180.1
7/18/2016 6:53	Turbidity		6.25	NTU	EPA180.1
7/19/2016 6:51	Turbidity		5.7	NTU	EPA180.1
7/20/2016 6:56	Turbidity		2.87	NTU	EPA180.1
7/21/2016 6:47	Turbidity		2.3	NTU	EPA180.1
7/22/2016 8:06	Turbidity		3.48	NTU	EPA180.1
7/23/2016 6:50	Turbidity		2.86	NTU	EPA180.1
7/24/2016 6:35	Turbidity		1.6	NTU	EPA180.1
7/25/2016 7:02	Turbidity		4.01	NTU	EPA180.1
7/26/2016 6:46	Turbidity		6.07	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/27/2016 6:56	Turbidity		2.68	NTU	EPA180.1
7/28/2016 6:56	Turbidity		2.04	NTU	EPA180.1
7/29/2016 7:02	Turbidity		2.31	NTU	EPA180.1
7/30/2016 6:46	Turbidity		1.98	NTU	EPA180.1
7/31/2016 7:00	Turbidity		5.33	NTU	EPA180.1
8/1/2016 6:45	Turbidity		4.52	NTU	EPA180.1
8/2/2016 6:43	Turbidity		1.88	NTU	EPA180.1
8/3/2016 6:58	Turbidity		3.59	NTU	EPA180.1
8/4/2016 6:47	Turbidity		2.43	NTU	EPA180.1
8/5/2016 6:50	Turbidity		2.56	NTU	EPA180.1
8/6/2016 6:41	Turbidity		20.2	NTU	EPA180.1
8/7/2016 6:42	Turbidity		3.96	NTU	EPA180.1
8/8/2016 6:45	Turbidity		4.4	NTU	EPA180.1
8/9/2016 7:01	Turbidity		3.57	NTU	EPA180.1
8/10/2016 6:47	Turbidity		3.57	NTU	EPA180.1
8/11/2016 6:46	Turbidity		2.84	NTU	EPA180.1
8/12/2016 6:30	Turbidity		3.01	NTU	EPA180.1
8/13/2016 6:50	Turbidity		2.44	NTU	EPA180.1
8/14/2016 6:45	Turbidity		7.74	NTU	EPA180.1
8/15/2016 6:43	Turbidity		3.04	NTU	EPA180.1
8/16/2016 6:42	Turbidity		2.61	NTU	EPA180.1
8/17/2016 6:42	Turbidity		7.2	NTU	EPA180.1
8/18/2016 6:42	Turbidity		9.42	NTU	EPA180.1
8/19/2016 6:50	Turbidity		2.87	NTU	EPA180.1
8/20/2016 6:39	Turbidity		3.71	NTU	EPA180.1
8/21/2016 6:40	Turbidity		15.1	NTU	EPA180.1
8/22/2016 6:45	Turbidity		27	NTU	EPA180.1
8/23/2016 6:41	Turbidity		4.46	NTU	EPA180.1
8/24/2016 6:55	Turbidity		3.51	NTU	EPA180.1
8/25/2016 6:41	Turbidity		10.2	NTU	EPA180.1
8/26/2016 6:47	Turbidity		12.6	NTU	EPA180.1
8/27/2016 6:48	Turbidity		2.49	NTU	EPA180.1
8/28/2016 6:56	Turbidity		5.71	NTU	EPA180.1
8/29/2016 6:48	Turbidity		7.72	NTU	EPA180.1
8/30/2016 6:49	Turbidity		4.08	NTU	EPA180.1
8/31/2016 6:53	Turbidity		3.56	NTU	EPA180.1
9/1/2016 6:45	Turbidity		17.5	NTU	EPA180.1
9/2/2016 6:43	Turbidity		23.8	NTU	EPA180.1
9/3/2016 6:40	Turbidity		6.17	NTU	EPA180.1
9/4/2016 6:46	Turbidity		5.91	NTU	EPA180.1
9/5/2016 6:45	Turbidity		2.79	NTU	EPA180.1
9/6/2016 6:46	Turbidity		4.62	NTU	EPA180.1
9/7/2016 6:50	Turbidity		3.34	NTU	EPA180.1
9/8/2016 8:47	Turbidity		2.865	NTU	EPA180.1
9/12/2016 9:05	Turbidity		5.22	NTU	EPA180.1
9/13/2016 8:45	Turbidity		3.54	NTU	EPA180.1
9/14/2016 8:46	Turbidity		5.09	NTU	EPA180.1

**Edgewater East Site**

Sample Date	Parameter	Code	Result	Units	Method
9/15/2016 8:49	Turbidity		4.95	NTU	EPA180.1
9/19/2016 8:46	Turbidity		2.34	NTU	EPA180.1
9/20/2016 8:43	Turbidity		3.2	NTU	EPA180.1
9/21/2016 8:56	Turbidity		4.29	NTU	EPA180.1
9/22/2016 8:56	Turbidity		2.85	NTU	EPA180.1
9/26/2016 8:54	Turbidity		3.31	NTU	EPA180.1
9/27/2016 8:54	Turbidity		5.25	NTU	EPA180.1
9/28/2016 8:45	Turbidity		4.38	NTU	EPA180.1
9/29/2016 8:54	Turbidity		5.61	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/2/2016 10:07	E. coli		2747	MPN/100 mL	SM9223 Colilert
5/3/2016 9:43	E. coli		115	MPN/100 mL	SM9223 Colilert
5/4/2016 9:37	E. coli		32	MPN/100 mL	SM9223 Colilert
5/5/2016 9:45	E. coli		84	MPN/100 mL	SM9223 Colilert
5/9/2016 9:41	E. coli		14	MPN/100 mL	SM9223 Colilert
5/10/2016 9:33	E. coli	<	2	MPN/100 mL	SM9223 Colilert
5/11/2016 9:31	E. coli		4	MPN/100 mL	SM9223 Colilert
5/12/2016 9:41	E. coli		81	MPN/100 mL	SM9223 Colilert
5/16/2016 9:15	E. coli		3466	MPN/100 mL	SM9223 Colilert
5/17/2016 9:24	E. coli		80	MPN/100 mL	SM9223 Colilert
5/18/2016 9:20	E. coli		15	MPN/100 mL	SM9223 Colilert
5/19/2016 9:25	E. coli		3	MPN/100 mL	SM9223 Colilert
5/23/2016 7:25	E. coli		31	MPN/100 mL	SM9223 Colilert
5/24/2016 7:23	E. coli	<	1	MPN/100 mL	SM9223 Colilert
5/25/2016 7:24	E. coli		101	MPN/100 mL	SM9223 Colilert
5/26/2016 7:19	E. coli		17	MPN/100 mL	SM9223 Colilert
5/27/2016 7:27	E. coli		172	MPN/100 mL	SM9223 Colilert
5/28/2016 7:13	E. coli		16	MPN/100 mL	SM9223 Colilert
5/29/2016 7:12	E. coli		44	MPN/100 mL	SM9223 Colilert
5/30/2016 7:29	E. coli		122	MPN/100 mL	SM9223 Colilert
5/31/2016 7:37	E. coli		208	MPN/100 mL	SM9223 Colilert
6/1/2016 7:13	E. coli		1267	MPN/100 mL	SM9223 Colilert
6/2/2016 7:20	E. coli		144	MPN/100 mL	SM9223 Colilert
6/3/2016 7:11	E. coli		60	MPN/100 mL	SM9223 Colilert
6/4/2016 7:23	E. coli		20	MPN/100 mL	SM9223 Colilert
6/5/2016 7:17	E. coli		1642	MPN/100 mL	SM9223 Colilert
6/6/2016 7:11	E. coli		1741	MPN/100 mL	SM9223 Colilert
6/7/2016 7:21	E. coli		94	MPN/100 mL	SM9223 Colilert
6/8/2016 7:39	E. coli		689	MPN/100 mL	SM9223 Colilert
6/9/2016 7:14	E. coli		63	MPN/100 mL	SM9223 Colilert
6/10/2016 7:20	E. coli		17	MPN/100 mL	SM9223 Colilert
6/11/2016 7:25	E. coli		278	MPN/100 mL	SM9223 Colilert
6/12/2016 7:14	E. coli		248	MPN/100 mL	SM9223 Colilert
6/13/2016 7:25	E. coli		75	MPN/100 mL	SM9223 Colilert
6/14/2016 7:41	E. coli		47	MPN/100 mL	SM9223 Colilert
6/15/2016 7:26	E. coli		28	MPN/100 mL	SM9223 Colilert
6/16/2016 7:16	E. coli		105	MPN/100 mL	SM9223 Colilert
6/17/2016 7:22	E. coli		93	MPN/100 mL	SM9223 Colilert
6/18/2016 7:22	E. coli		18	MPN/100 mL	SM9223 Colilert
6/19/2016 7:14	E. coli		18	MPN/100 mL	SM9223 Colilert
6/20/2016 7:26	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
6/21/2016 7:14	E. coli		299	MPN/100 mL	SM9223 Colilert
6/22/2016 7:19	E. coli		155	MPN/100 mL	SM9223 Colilert
6/23/2016 7:11	E. coli		86	MPN/100 mL	SM9223 Colilert
6/24/2016 7:16	E. coli		41	MPN/100 mL	SM9223 Colilert



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/25/2016 7:27	E. coli		64	MPN/100 mL	SM9223 Colilert
6/26/2016 7:01	E. coli		8	MPN/100 mL	SM9223 Colilert
6/27/2016 7:16	E. coli		248	MPN/100 mL	SM9223 Colilert
6/28/2016 7:54	E. coli		613	MPN/100 mL	SM9223 Colilert
6/29/2016 7:28	E. coli		124	MPN/100 mL	SM9223 Colilert
6/30/2016 7:50	E. coli		12	MPN/100 mL	SM9223 Colilert
7/1/2016 7:13	E. coli		11	MPN/100 mL	SM9223 Colilert
7/2/2016 7:15	E. coli		35	MPN/100 mL	SM9223 Colilert
7/3/2016 7:25	E. coli		13	MPN/100 mL	SM9223 Colilert
7/4/2016 6:50	E. coli		21	MPN/100 mL	SM9223 Colilert
7/5/2016 7:10	E. coli		74	MPN/100 mL	SM9223 Colilert
7/6/2016 7:18	E. coli		450	MPN/100 mL	SM9223 Colilert
7/7/2016 7:22	E. coli		386	MPN/100 mL	SM9223 Colilert
7/8/2016 7:14	E. coli	>	4839	MPN/100 mL	SM9223 Colilert
7/9/2016 7:20	E. coli		1870	MPN/100 mL	SM9223 Colilert
7/10/2016 7:22	E. coli		172	MPN/100 mL	SM9223 Colilert
7/11/2016 7:12	E. coli		19	MPN/100 mL	SM9223 Colilert
7/12/2016 7:32	E. coli		48	MPN/100 mL	SM9223 Colilert
7/13/2016 6:44	E. coli		1203	MPN/100 mL	SM9223 Colilert
7/14/2016 6:51	E. coli		1248.5	MPN/100 mL	SM9223 Colilert
7/15/2016 7:48	E. coli		195	MPN/100 mL	SM9223 Colilert
7/16/2016 7:27	E. coli		21	MPN/100 mL	SM9223 Colilert
7/17/2016 7:49	E. coli		125	MPN/100 mL	SM9223 Colilert
7/18/2016 7:32	E. coli		336	MPN/100 mL	SM9223 Colilert
7/19/2016 7:17	E. coli		82	MPN/100 mL	SM9223 Colilert
7/20/2016 7:22	E. coli		20.5	MPN/100 mL	SM9223 Colilert
7/21/2016 6:50	E. coli		7	MPN/100 mL	SM9223 Colilert
7/22/2016 7:36	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/23/2016 7:19	E. coli		38	MPN/100 mL	SM9223 Colilert
7/24/2016 7:34	E. coli		10	MPN/100 mL	SM9223 Colilert
7/25/2016 7:32	E. coli		40	MPN/100 mL	SM9223 Colilert
7/26/2016 7:25	E. coli		267	MPN/100 mL	SM9223 Colilert
7/27/2016 7:33	E. coli		13	MPN/100 mL	SM9223 Colilert
7/28/2016 7:25	E. coli		13	MPN/100 mL	SM9223 Colilert
7/29/2016 7:33	E. coli		80	MPN/100 mL	SM9223 Colilert
7/30/2016 7:32	E. coli		84	MPN/100 mL	SM9223 Colilert
7/31/2016 8:01	E. coli		24	MPN/100 mL	SM9223 Colilert
8/1/2016 7:18	E. coli		19	MPN/100 mL	SM9223 Colilert
8/2/2016 7:13	E. coli		10	MPN/100 mL	SM9223 Colilert
8/3/2016 7:28	E. coli		40	MPN/100 mL	SM9223 Colilert
8/4/2016 7:16	E. coli		28	MPN/100 mL	SM9223 Colilert
8/5/2016 7:20	E. coli		61	MPN/100 mL	SM9223 Colilert
8/6/2016 7:15	E. coli		1816	MPN/100 mL	SM9223 Colilert
8/7/2016 7:11	E. coli		30	MPN/100 mL	SM9223 Colilert
8/8/2016 7:16	E. coli		14	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/9/2016 7:30	E. coli		8	MPN/100 mL	SM9223 Colilert
8/10/2016 7:16	E. coli		413	MPN/100 mL	SM9223 Colilert
8/11/2016 7:14	E. coli		64	MPN/100 mL	SM9223 Colilert
8/12/2016 7:10	E. coli		373	MPN/100 mL	SM9223 Colilert
8/13/2016 7:20	E. coli		68	MPN/100 mL	SM9223 Colilert
8/14/2016 7:25	E. coli		621	MPN/100 mL	SM9223 Colilert
8/15/2016 7:14	E. coli		49	MPN/100 mL	SM9223 Colilert
8/16/2016 7:15	E. coli		43	MPN/100 mL	SM9223 Colilert
8/17/2016 7:17	E. coli		37	MPN/100 mL	SM9223 Colilert
8/18/2016 7:15	E. coli		160	MPN/100 mL	SM9223 Colilert
8/19/2016 7:27	E. coli		13	MPN/100 mL	SM9223 Colilert
8/20/2016 7:06	E. coli		30	MPN/100 mL	SM9223 Colilert
8/21/2016 7:10	E. coli		480	MPN/100 mL	SM9223 Colilert
8/22/2016 7:17	E. coli		16	MPN/100 mL	SM9223 Colilert
8/23/2016 7:15	E. coli		10	MPN/100 mL	SM9223 Colilert
8/24/2016 7:30	E. coli		11	MPN/100 mL	SM9223 Colilert
8/25/2016 7:18	E. coli		2306	MPN/100 mL	SM9223 Colilert
8/26/2016 7:17	E. coli		124	MPN/100 mL	SM9223 Colilert
8/27/2016 7:16	E. coli		76	MPN/100 mL	SM9223 Colilert
8/28/2016 7:32	E. coli		118	MPN/100 mL	SM9223 Colilert
8/29/2016 7:16	E. coli		211	MPN/100 mL	SM9223 Colilert
8/30/2016 7:23	E. coli		10	MPN/100 mL	SM9223 Colilert
8/31/2016 7:23	E. coli		32	MPN/100 mL	SM9223 Colilert
9/1/2016 7:15	E. coli		732	MPN/100 mL	SM9223 Colilert
9/2/2016 7:14	E. coli		110	MPN/100 mL	SM9223 Colilert
9/3/2016 7:11	E. coli		16	MPN/100 mL	SM9223 Colilert
9/4/2016 7:15	E. coli		6	MPN/100 mL	SM9223 Colilert
9/5/2016 7:18	E. coli		8	MPN/100 mL	SM9223 Colilert
9/6/2016 7:17	E. coli		649	MPN/100 mL	SM9223 Colilert
9/7/2016 7:28	E. coli		403	MPN/100 mL	SM9223 Colilert
9/8/2016 9:20	E. coli		321	MPN/100 mL	SM9223 Colilert
9/12/2016 9:34	E. coli		345	MPN/100 mL	SM9223 Colilert
9/13/2016 9:16	E. coli		32	MPN/100 mL	SM9223 Colilert
9/14/2016 9:16	E. coli		525	MPN/100 mL	SM9223 Colilert
9/15/2016 9:19	E. coli		16	MPN/100 mL	SM9223 Colilert
9/19/2016 9:22	E. coli		47	MPN/100 mL	SM9223 Colilert
9/20/2016 9:15	E. coli		28	MPN/100 mL	SM9223 Colilert
9/21/2016 9:33	E. coli		12	MPN/100 mL	SM9223 Colilert
9/22/2016 9:26	E. coli		8	MPN/100 mL	SM9223 Colilert
9/26/2016 9:28	E. coli		3	MPN/100 mL	SM9223 Colilert
9/27/2016 9:25	E. coli		105	MPN/100 mL	SM9223 Colilert
9/28/2016 9:16	E. coli		71	MPN/100 mL	SM9223 Colilert
9/29/2016 9:23	E. coli		20	MPN/100 mL	SM9223 Colilert
5/2/2016 10:07	Field Cond		530	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/3/2016 9:43	Field Cond		365	umhos/cm	SM 2510A
5/4/2016 9:37	Field Cond		352	umhos/cm	SM 2510A
5/5/2016 9:45	Field Cond		334	umhos/cm	SM 2510A
5/9/2016 9:41	Field Cond		404	umhos/cm	SM 2510A
5/10/2016 9:33	Field Cond		375	umhos/cm	SM 2510A
5/11/2016 9:31	Field Cond		359	umhos/cm	SM 2510A
5/12/2016 9:41	Field Cond		365	umhos/cm	SM 2510A
5/16/2016 9:15	Field Cond		437	umhos/cm	SM 2510A
5/17/2016 9:24	Field Cond		368	umhos/cm	SM 2510A
5/18/2016 9:20	Field Cond		346	umhos/cm	SM 2510A
5/19/2016 9:25	Field Cond		327	umhos/cm	SM 2510A
5/23/2016 7:25	Field Cond		314	umhos/cm	SM 2510A
5/24/2016 7:23	Field Cond		347	umhos/cm	SM 2510A
5/25/2016 7:24	Field Cond		373	umhos/cm	SM 2510A
5/26/2016 7:19	Field Cond		393	umhos/cm	SM 2510A
5/27/2016 7:27	Field Cond		403	umhos/cm	SM 2510A
5/28/2016 7:13	Field Cond		388	umhos/cm	SM 2510A
5/29/2016 7:12	Field Cond		352	umhos/cm	SM 2510A
5/30/2016 7:29	Field Cond		361	umhos/cm	SM 2510A
5/31/2016 7:37	Field Cond		323	umhos/cm	SM 2510A
6/1/2016 7:13	Field Cond		322	umhos/cm	SM 2510A
6/2/2016 7:20	Field Cond		355	umhos/cm	SM 2510A
6/3/2016 7:11	Field Cond		352	umhos/cm	SM 2510A
6/4/2016 7:23	Field Cond		330	umhos/cm	SM 2510A
6/5/2016 7:17	Field Cond		365	umhos/cm	SM 2510A
6/6/2016 7:11	Field Cond		328	umhos/cm	SM 2510A
6/7/2016 7:21	Field Cond		323	umhos/cm	SM 2510A
6/8/2016 7:39	Field Cond		342	umhos/cm	SM 2510A
6/9/2016 7:14	Field Cond		352	umhos/cm	SM 2510A
6/10/2016 7:20	Field Cond		297.2	umhos/cm	SM 2510A
6/11/2016 7:25	Field Cond		321	umhos/cm	SM 2510A
6/12/2016 7:14	Field Cond		301	umhos/cm	SM 2510A
6/13/2016 7:25	Field Cond		311	umhos/cm	SM 2510A
6/14/2016 7:41	Field Cond		303	umhos/cm	SM 2510A
6/15/2016 7:26	Field Cond		314	umhos/cm	SM 2510A
6/16/2016 7:16	Field Cond		301	umhos/cm	SM 2510A
6/17/2016 7:22	Field Cond		315	umhos/cm	SM 2510A
6/18/2016 7:22	Field Cond		299	umhos/cm	SM 2510A
6/19/2016 7:14	Field Cond		307	umhos/cm	SM 2510A
6/20/2016 7:26	Field Cond		303	umhos/cm	SM 2510A
6/21/2016 7:14	Field Cond		328	umhos/cm	SM 2510A
6/22/2016 7:19	Field Cond		307	umhos/cm	SM 2510A
6/23/2016 7:11	Field Cond		233	umhos/cm	SM 2510A
6/24/2016 7:16	Field Cond		330	umhos/cm	SM 2510A
6/25/2016 7:27	Field Cond		314	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/26/2016 7:01	Field Cond		318	umhos/cm	SM 2510A
6/27/2016 7:16	Field Cond		317	umhos/cm	SM 2510A
6/28/2016 7:54	Field Cond		322	umhos/cm	SM 2510A
6/29/2016 7:28	Field Cond		319	umhos/cm	SM 2510A
6/30/2016 7:50	Field Cond		318	umhos/cm	SM 2510A
7/1/2016 7:13	Field Cond		316	umhos/cm	SM 2510A
7/2/2016 7:15	Field Cond		298	umhos/cm	SM 2510A
7/3/2016 7:25	Field Cond		291	umhos/cm	SM 2510A
7/4/2016 6:50	Field Cond		293	umhos/cm	SM 2510A
7/5/2016 7:10	Field Cond		279	umhos/cm	SM 2510A
7/6/2016 7:18	Field Cond		283	umhos/cm	SM 2510A
7/7/2016 7:22	Field Cond		284	umhos/cm	SM 2510A
7/8/2016 7:14	Field Cond		275	umhos/cm	SM 2510A
7/9/2016 7:20	Field Cond		274	umhos/cm	SM 2510A
7/10/2016 7:22	Field Cond		295	umhos/cm	SM 2510A
7/11/2016 7:12	Field Cond		294	umhos/cm	SM 2510A
7/12/2016 7:32	Field Cond		291	umhos/cm	SM 2510A
7/13/2016 6:44	Field Cond		298	umhos/cm	SM 2510A
7/14/2016 6:51	Field Cond		308	umhos/cm	SM 2510A
7/15/2016 7:48	Field Cond		323	umhos/cm	SM 2510A
7/16/2016 7:27	Field Cond		307	umhos/cm	SM 2510A
7/17/2016 7:49	Field Cond		305	umhos/cm	SM 2510A
7/18/2016 7:32	Field Cond		308	umhos/cm	SM 2510A
7/19/2016 7:17	Field Cond		286	umhos/cm	SM 2510A
7/20/2016 7:22	Field Cond		282	umhos/cm	SM 2510A
7/21/2016 6:50	Field Cond		281	umhos/cm	SM 2510A
7/22/2016 7:36	Field Cond		317.9	umhos/cm	SM 2510A
7/23/2016 7:19	Field Cond		299	umhos/cm	SM 2510A
7/24/2016 7:34	Field Cond		283	umhos/cm	SM 2510A
7/25/2016 7:32	Field Cond		300	umhos/cm	SM 2510A
7/26/2016 7:25	Field Cond		308	umhos/cm	SM 2510A
7/27/2016 7:33	Field Cond		285	umhos/cm	SM 2510A
7/28/2016 7:25	Field Cond		287	umhos/cm	SM 2510A
7/29/2016 7:33	Field Cond		285	umhos/cm	SM 2510A
7/30/2016 7:32	Field Cond		306	umhos/cm	SM 2510A
7/31/2016 8:01	Field Cond		282	umhos/cm	SM 2510A
8/1/2016 7:18	Field Cond		286	umhos/cm	SM 2510A
8/2/2016 7:13	Field Cond		291	umhos/cm	SM 2510A
8/3/2016 7:28	Field Cond		285	umhos/cm	SM 2510A
8/4/2016 7:16	Field Cond		293	umhos/cm	SM 2510A
8/5/2016 7:20	Field Cond		301.1	umhos/cm	SM 2510A
8/6/2016 7:15	Field Cond		332	umhos/cm	SM 2510A
8/7/2016 7:11	Field Cond		285	umhos/cm	SM 2510A
8/8/2016 7:16	Field Cond		299	umhos/cm	SM 2510A
8/9/2016 7:30	Field Cond		291	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/10/2016 7:16	Field Cond		299	umhos/cm	SM 2510A
8/11/2016 7:14	Field Cond		299	umhos/cm	SM 2510A
8/12/2016 7:10	Field Cond		297	umhos/cm	SM 2510A
8/13/2016 7:20	Field Cond		329	umhos/cm	SM 2510A
8/14/2016 7:25	Field Cond		334	umhos/cm	SM 2510A
8/15/2016 7:14	Field Cond		323	umhos/cm	SM 2510A
8/16/2016 7:15	Field Cond		314	umhos/cm	SM 2510A
8/17/2016 7:17	Field Cond		322	umhos/cm	SM 2510A
8/18/2016 7:15	Field Cond		316	umhos/cm	SM 2510A
8/19/2016 7:27	Field Cond		306	umhos/cm	SM 2510A
8/20/2016 7:06	Field Cond		301	umhos/cm	SM 2510A
8/21/2016 7:10	Field Cond		300	umhos/cm	SM 2510A
8/22/2016 7:17	Field Cond		302	umhos/cm	SM 2510A
8/23/2016 7:15	Field Cond		289	umhos/cm	SM 2510A
8/24/2016 7:30	Field Cond		281	umhos/cm	SM 2510A
8/25/2016 7:18	Field Cond		291	umhos/cm	SM 2510A
8/26/2016 7:17	Field Cond		292	umhos/cm	SM 2510A
8/27/2016 7:16	Field Cond		287	umhos/cm	SM 2510A
8/28/2016 7:32	Field Cond		288	umhos/cm	SM 2510A
8/29/2016 7:16	Field Cond		283	umhos/cm	SM 2510A
8/30/2016 7:23	Field Cond		285	umhos/cm	SM 2510A
8/31/2016 7:23	Field Cond		284	umhos/cm	SM 2510A
9/1/2016 7:15	Field Cond		285	umhos/cm	SM 2510A
9/2/2016 7:14	Field Cond		291	umhos/cm	SM 2510A
9/3/2016 7:11	Field Cond		280	umhos/cm	SM 2510A
9/4/2016 7:15	Field Cond		290	umhos/cm	SM 2510A
9/5/2016 7:18	Field Cond		285	umhos/cm	SM 2510A
9/6/2016 7:17	Field Cond		284	umhos/cm	SM 2510A
9/7/2016 7:28	Field Cond		278	umhos/cm	SM 2510A
9/12/2016 9:34	Field Cond		294	umhos/cm	SM 2510A
9/13/2016 9:16	Field Cond		290	umhos/cm	SM 2510A
9/14/2016 9:16	Field Cond		288	umhos/cm	SM 2510A
9/15/2016 9:19	Field Cond		285	umhos/cm	SM 2510A
9/19/2016 9:22	Field Cond		285	umhos/cm	SM 2510A
9/20/2016 9:15	Field Cond		281	umhos/cm	SM 2510A
9/21/2016 9:33	Field Cond		281	umhos/cm	SM 2510A
9/22/2016 9:26	Field Cond		287	umhos/cm	SM 2510A
9/26/2016 9:28	Field Cond		276	umhos/cm	SM 2510A
9/27/2016 9:25	Field Cond		284	umhos/cm	SM 2510A
9/28/2016 9:16	Field Cond		300	umhos/cm	SM 2510A
9/29/2016 9:23	Field Cond		285	umhos/cm	SM 2510A
5/2/2016 10:07	Field Temp		11.9	C	EPA 170.1
5/3/2016 9:43	Field Temp		11.4	C	EPA 170.1
5/4/2016 9:37	Field Temp		13.7	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/5/2016 9:45	Field Temp		11.7	C	EPA 170.1
5/9/2016 9:41	Field Temp		13.3	C	EPA 170.1
5/10/2016 9:33	Field Temp		12.2	C	EPA 170.1
5/11/2016 9:31	Field Temp		12.4	C	EPA 170.1
5/12/2016 9:41	Field Temp		13	C	EPA 170.1
5/16/2016 9:15	Field Temp		12.2	C	EPA 170.1
5/17/2016 9:24	Field Temp		13.2	C	EPA 170.1
5/18/2016 9:20	Field Temp		14.5	C	EPA 170.1
5/19/2016 9:25	Field Temp		14.5	C	EPA 170.1
5/23/2016 7:25	Field Temp		13.5	C	EPA 170.1
5/24/2016 7:23	Field Temp		15.1	C	EPA 170.1
5/25/2016 7:24	Field Temp		15.4	C	EPA 170.1
5/26/2016 7:19	Field Temp		16.2	C	EPA 170.1
5/27/2016 7:27	Field Temp		17.1	C	EPA 170.1
5/28/2016 7:13	Field Temp		17.9	C	EPA 170.1
5/29/2016 7:12	Field Temp		18.7	C	EPA 170.1
5/30/2016 7:29	Field Temp		18.8	C	EPA 170.1
5/31/2016 7:37	Field Temp		19.8	C	EPA 170.1
6/1/2016 7:13	Field Temp		18.3	C	EPA 170.1
6/2/2016 7:20	Field Temp		16.9	C	EPA 170.1
6/3/2016 7:11	Field Temp		19.3	C	EPA 170.1
6/4/2016 7:23	Field Temp		20.3	C	EPA 170.1
6/5/2016 7:17	Field Temp		18.4	C	EPA 170.1
6/6/2016 7:11	Field Temp		18.1	C	EPA 170.1
6/7/2016 7:21	Field Temp		18.6	C	EPA 170.1
6/8/2016 7:39	Field Temp		16.7	C	EPA 170.1
6/9/2016 7:14	Field Temp		17.7	C	EPA 170.1
6/10/2016 7:20	Field Temp		19.5	C	EPA 170.1
6/11/2016 7:25	Field Temp		19.7	C	EPA 170.1
6/12/2016 7:14	Field Temp		18.9	C	EPA 170.1
6/13/2016 7:25	Field Temp		19.9	C	EPA 170.1
6/14/2016 7:41	Field Temp		19.9	C	EPA 170.1
6/15/2016 7:26	Field Temp		20.1	C	EPA 170.1
6/16/2016 7:16	Field Temp		20.5	C	EPA 170.1
6/17/2016 7:22	Field Temp		20.7	C	EPA 170.1
6/18/2016 7:22	Field Temp		19.6	C	EPA 170.1
6/19/2016 7:14	Field Temp		19.5	C	EPA 170.1
6/20/2016 7:26	Field Temp		21	C	EPA 170.1
6/21/2016 7:14	Field Temp		21.2	C	EPA 170.1
6/22/2016 7:19	Field Temp		21.3	C	EPA 170.1
6/23/2016 7:11	Field Temp		21.8	C	EPA 170.1
6/24/2016 7:16	Field Temp		21.6	C	EPA 170.1
6/25/2016 7:27	Field Temp		21.7	C	EPA 170.1
6/26/2016 7:01	Field Temp		21.9	C	EPA 170.1
6/27/2016 7:16	Field Temp		22.6	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/28/2016 7:54	Field Temp		23.5	C	EPA 170.1
6/29/2016 7:28	Field Temp		22.1	C	EPA 170.1
6/30/2016 7:50	Field Temp		22.9	C	EPA 170.1
7/1/2016 7:13	Field Temp		22.8	C	EPA 170.1
7/2/2016 7:15	Field Temp		22.2	C	EPA 170.1
7/3/2016 7:25	Field Temp		22.1	C	EPA 170.1
7/4/2016 6:50	Field Temp		22.4	C	EPA 170.1
7/5/2016 7:10	Field Temp		22.2	C	EPA 170.1
7/6/2016 7:18	Field Temp		23.3	C	EPA 170.1
7/7/2016 7:22	Field Temp		23.5	C	EPA 170.1
7/8/2016 7:14	Field Temp		24.1	C	EPA 170.1
7/9/2016 7:20	Field Temp		23.8	C	EPA 170.1
7/10/2016 7:22	Field Temp		23.8	C	EPA 170.1
7/11/2016 7:12	Field Temp		24.2	C	EPA 170.1
7/12/2016 7:32	Field Temp		23.9	C	EPA 170.1
7/13/2016 6:44	Field Temp		24.8	C	EPA 170.1
7/14/2016 6:51	Field Temp		24.6	C	EPA 170.1
7/15/2016 7:48	Field Temp		25.1	C	EPA 170.1
7/16/2016 7:27	Field Temp		25	C	EPA 170.1
7/17/2016 7:49	Field Temp		24.3	C	EPA 170.1
7/18/2016 7:32	Field Temp		24.4	C	EPA 170.1
7/19/2016 7:17	Field Temp		24.6	C	EPA 170.1
7/20/2016 7:22	Field Temp		24.3	C	EPA 170.1
7/21/2016 6:50	Field Temp		24.1	C	EPA 170.1
7/22/2016 7:36	Field Temp		24.9	C	EPA 170.1
7/23/2016 7:19	Field Temp		25.7	C	EPA 170.1
7/24/2016 7:34	Field Temp		25.8	C	EPA 170.1
7/25/2016 7:32	Field Temp		25.8	C	EPA 170.1
7/26/2016 7:25	Field Temp		25.4	C	EPA 170.1
7/27/2016 7:33	Field Temp		25	C	EPA 170.1
7/28/2016 7:25	Field Temp		25.8	C	EPA 170.1
7/29/2016 7:33	Field Temp		25.2	C	EPA 170.1
7/30/2016 7:32	Field Temp		25.3	C	EPA 170.1
7/31/2016 8:01	Field Temp		25.2	C	EPA 170.1
8/1/2016 7:18	Field Temp		25.7	C	EPA 170.1
8/2/2016 7:13	Field Temp		25.5	C	EPA 170.1
8/3/2016 7:28	Field Temp		25.4	C	EPA 170.1
8/4/2016 7:16	Field Temp		25.3	C	EPA 170.1
8/5/2016 7:20	Field Temp		24.9	C	EPA 170.1
8/6/2016 7:15	Field Temp		25.4	C	EPA 170.1
8/7/2016 7:11	Field Temp		25.2	C	EPA 170.1
8/8/2016 7:16	Field Temp		25.1	C	EPA 170.1
8/9/2016 7:30	Field Temp		24.8	C	EPA 170.1
8/10/2016 7:16	Field Temp		25.3	C	EPA 170.1
8/11/2016 7:14	Field Temp		25.8	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/12/2016 7:10	Field Temp		25.9	C	EPA 170.1
8/13/2016 7:20	Field Temp		26.8	C	EPA 170.1
8/14/2016 7:25	Field Temp		26.1	C	EPA 170.1
8/15/2016 7:14	Field Temp		26.1	C	EPA 170.1
8/16/2016 7:15	Field Temp		26	C	EPA 170.1
8/17/2016 7:17	Field Temp		25.9	C	EPA 170.1
8/18/2016 7:15	Field Temp		25.1	C	EPA 170.1
8/19/2016 7:27	Field Temp		25.7	C	EPA 170.1
8/20/2016 7:06	Field Temp		26	C	EPA 170.1
8/21/2016 7:10	Field Temp		24.7	C	EPA 170.1
8/22/2016 7:17	Field Temp		24.7	C	EPA 170.1
8/23/2016 7:15	Field Temp		24.7	C	EPA 170.1
8/24/2016 7:30	Field Temp		24.8	C	EPA 170.1
8/25/2016 7:18	Field Temp		25	C	EPA 170.1
8/26/2016 7:17	Field Temp		25.2	C	EPA 170.1
8/27/2016 7:16	Field Temp		25.4	C	EPA 170.1
8/28/2016 7:32	Field Temp		25	C	EPA 170.1
8/29/2016 7:16	Field Temp		26.1	C	EPA 170.1
8/30/2016 7:23	Field Temp		24.9	C	EPA 170.1
8/31/2016 7:23	Field Temp		25.1	C	EPA 170.1
9/1/2016 7:15	Field Temp		23.8	C	EPA 170.1
9/2/2016 7:14	Field Temp		23.5	C	EPA 170.1
9/3/2016 7:11	Field Temp		22.5	C	EPA 170.1
9/4/2016 7:15	Field Temp		22.5	C	EPA 170.1
9/5/2016 7:18	Field Temp		23.3	C	EPA 170.1
9/6/2016 7:17	Field Temp		23.4	C	EPA 170.1
9/7/2016 7:28	Field Temp		24.6	C	EPA 170.1
9/12/2016 9:34	Field Temp		24.1	C	EPA 170.1
9/13/2016 9:16	Field Temp		23.6	C	EPA 170.1
9/14/2016 9:16	Field Temp		23.4	C	EPA 170.1
9/15/2016 9:19	Field Temp		23	C	EPA 170.1
9/19/2016 9:22	Field Temp		23	C	EPA 170.1
9/20/2016 9:15	Field Temp		23.3	C	EPA 170.1
9/21/2016 9:33	Field Temp		23.3	C	EPA 170.1
9/22/2016 9:26	Field Temp		23.8	C	EPA 170.1
9/26/2016 9:28	Field Temp		22.1	C	EPA 170.1
9/27/2016 9:25	Field Temp		20.6	C	EPA 170.1
9/28/2016 9:16	Field Temp		20.6	C	EPA 170.1
9/29/2016 9:23	Field Temp		20.8	C	EPA 170.1
5/2/2016 10:07	pH		7.99	S.U.	
5/3/2016 9:43	pH		7.98	S.U.	
5/4/2016 9:37	pH		8.03	S.U.	
5/5/2016 9:45	pH		8.05	S.U.	
5/9/2016 9:41	pH		8.98	S.U.	



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/10/2016 9:33	pH		8.73	S.U.	
5/11/2016 9:31	pH		8.48	S.U.	
5/12/2016 9:41	pH		8.65	S.U.	
5/16/2016 9:15	pH		8.3	S.U.	
5/17/2016 9:24	pH		8.67	S.U.	
5/18/2016 9:20	pH		8.15	S.U.	
5/19/2016 9:25	pH		8.39	S.U.	
5/23/2016 7:25	pH		7.98	S.U.	
5/24/2016 7:23	pH		8.2	S.U.	
5/25/2016 7:24	pH		8.23	S.U.	
5/26/2016 7:19	pH		8.27	S.U.	
5/27/2016 7:27	pH		8.31	S.U.	
5/28/2016 7:13	pH		8.21	S.U.	
5/29/2016 7:12	pH		8.33	S.U.	
5/30/2016 7:29	pH		8.25	S.U.	
5/31/2016 7:37	pH		8.22	S.U.	
6/1/2016 7:13	pH		8.11	S.U.	
6/2/2016 7:20	pH		7.62	S.U.	
6/3/2016 7:11	pH		8.29	S.U.	
6/4/2016 7:23	pH		8.32	S.U.	
6/5/2016 7:17	pH		7.96	S.U.	
6/6/2016 7:11	pH		8.01	S.U.	
6/7/2016 7:21	pH		7.64	S.U.	
6/8/2016 7:39	pH		7.98	S.U.	
6/9/2016 7:14	pH		7.53	S.U.	
6/10/2016 7:20	pH		8.14	S.U.	
6/11/2016 7:25	pH		8.01	S.U.	
6/12/2016 7:14	pH		7.94	S.U.	
6/13/2016 7:25	pH		7.9	S.U.	
6/14/2016 7:41	pH		7.8	S.U.	
6/15/2016 7:26	pH		7.79	S.U.	
6/16/2016 7:16	pH		7.62	S.U.	
6/17/2016 7:22	pH		7.75	S.U.	
6/18/2016 7:22	pH		7.61	S.U.	
6/19/2016 7:14	pH		7.54	S.U.	
6/20/2016 7:26	pH		7.82	S.U.	
6/21/2016 7:14	pH		7.9	S.U.	
6/22/2016 7:19	pH		7.25	S.U.	
6/23/2016 7:11	pH		8.15	S.U.	
6/24/2016 7:16	pH		7.77	S.U.	
6/25/2016 7:27	pH		8.2	S.U.	
6/26/2016 7:01	pH		7.91	S.U.	
6/27/2016 7:16	pH		7.86	S.U.	
6/28/2016 7:54	pH		8.16	S.U.	
6/29/2016 7:28	pH		8.01	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/30/2016 7:50	pH		8.05	S.U.	
7/1/2016 7:13	pH		7.96	S.U.	
7/2/2016 7:15	pH		8.12	S.U.	
7/3/2016 7:25	pH		7.98	S.U.	
7/4/2016 6:50	pH		7.7	S.U.	
7/5/2016 7:10	pH		7.55	S.U.	
7/6/2016 7:18	pH		8.1	S.U.	
7/7/2016 7:22	pH		8.24	S.U.	
7/8/2016 7:14	pH		7.33	S.U.	
7/9/2016 7:20	pH		8.03	S.U.	
7/10/2016 7:22	pH		7.72	S.U.	
7/11/2016 7:12	pH		8.1	S.U.	
7/12/2016 7:32	pH		8.21	S.U.	
7/13/2016 6:44	pH		8.07	S.U.	
7/14/2016 6:51	pH		7.12	S.U.	
7/15/2016 7:48	pH		7.95	S.U.	
7/16/2016 7:27	pH		7.96	S.U.	
7/17/2016 7:49	pH		7.61	S.U.	
7/18/2016 7:32	pH		7.63	S.U.	
7/19/2016 7:17	pH		7.7	S.U.	
7/20/2016 7:22	pH		8.32	S.U.	
7/21/2016 6:50	pH		7.8	S.U.	
7/22/2016 7:36	pH		8.06	S.U.	
7/23/2016 7:19	pH		7.92	S.U.	
7/24/2016 7:34	pH		8.38	S.U.	
7/25/2016 7:32	pH		8.07	S.U.	
7/26/2016 7:25	pH		8.17	S.U.	
7/27/2016 7:33	pH		8.15	S.U.	
7/28/2016 7:25	pH		8.23	S.U.	
7/29/2016 7:33	pH		8.03	S.U.	
7/30/2016 7:32	pH		7.78	S.U.	
7/31/2016 8:01	pH		8.01	S.U.	
8/1/2016 7:18	pH		7.81	S.U.	
8/2/2016 7:13	pH		8	S.U.	
8/3/2016 7:28	pH		8.02	S.U.	
8/4/2016 7:16	pH		7.99	S.U.	
8/5/2016 7:20	pH		8.02	S.U.	
8/6/2016 7:15	pH		7.78	S.U.	
8/7/2016 7:11	pH		7.89	S.U.	
8/8/2016 7:16	pH		7.78	S.U.	
8/9/2016 7:30	pH		7.8	S.U.	
8/10/2016 7:16	pH		7.78	S.U.	
8/11/2016 7:14	pH		7.67	S.U.	
8/12/2016 7:10	pH		7.72	S.U.	
8/13/2016 7:20	pH		7.03	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/14/2016 7:25	pH		6.82	S.U.	
8/15/2016 7:14	pH		7.14	S.U.	
8/16/2016 7:15	pH		7.84	S.U.	
8/17/2016 7:17	pH		7.51	S.U.	
8/18/2016 7:15	pH		7.01	S.U.	
8/19/2016 7:27	pH		7.5	S.U.	
8/20/2016 7:06	pH		7.59	S.U.	
8/21/2016 7:10	pH		7.35	S.U.	
8/22/2016 7:17	pH		7.75	S.U.	
8/23/2016 7:15	pH		7.5	S.U.	
8/24/2016 7:30	pH		7.83	S.U.	
8/25/2016 7:18	pH		7.3	S.U.	
8/26/2016 7:17	pH		7.63	S.U.	
8/27/2016 7:16	pH		7.61	S.U.	
8/28/2016 7:32	pH		7.56	S.U.	
8/29/2016 7:16	pH		7.57	S.U.	
8/30/2016 7:23	pH		7.34	S.U.	
8/31/2016 7:23	pH		7.28	S.U.	
9/1/2016 7:15	pH		7.33	S.U.	
9/2/2016 7:14	pH		7.15	S.U.	
9/3/2016 7:11	pH		7.15	S.U.	
9/4/2016 7:15	pH		7.04	S.U.	
9/5/2016 7:18	pH		7.21	S.U.	
9/6/2016 7:17	pH		7.14	S.U.	
9/7/2016 7:28	pH		7.26	S.U.	
9/12/2016 9:34	pH		7.6	S.U.	
9/13/2016 9:16	pH		7.45	S.U.	
9/14/2016 9:16	pH		7.29	S.U.	
9/15/2016 9:19	pH		7.03	S.U.	
9/19/2016 9:22	pH		7.22	S.U.	
9/20/2016 9:15	pH		7.19	S.U.	
9/21/2016 9:33	pH		7.68	S.U.	
9/22/2016 9:26	pH		7.36	S.U.	
9/26/2016 9:28	pH		7.46	S.U.	
9/27/2016 9:25	pH		7.15	S.U.	
9/28/2016 9:16	pH		7.34	S.U.	
9/29/2016 9:23	pH		7.35	S.U.	
5/2/2016 10:07	Turbidity		8.62	NTU	EPA180.1
5/3/2016 9:43	Turbidity		12.5	NTU	EPA180.1
5/4/2016 9:37	Turbidity		7.11	NTU	EPA180.1
5/5/2016 9:45	Turbidity		5.18	NTU	EPA180.1
5/9/2016 9:41	Turbidity		4.72	NTU	EPA180.1
5/10/2016 9:33	Turbidity		4.32	NTU	EPA180.1
5/11/2016 9:31	Turbidity		5.92	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/12/2016 9:41	Turbidity		2.95	NTU	EPA180.1
5/16/2016 9:15	Turbidity		36.3	NTU	EPA180.1
5/17/2016 9:24	Turbidity		13.2	NTU	EPA180.1
5/18/2016 9:20	Turbidity		6.235	NTU	EPA180.1
5/19/2016 9:25	Turbidity		2.99	NTU	EPA180.1
5/23/2016 7:25	Turbidity		5.02	NTU	EPA180.1
5/24/2016 7:23	Turbidity		1.68	NTU	EPA180.1
5/25/2016 7:24	Turbidity		2.82	NTU	EPA180.1
5/26/2016 7:19	Turbidity		2.07	NTU	EPA180.1
5/27/2016 7:27	Turbidity		1.96	NTU	EPA180.1
5/28/2016 7:13	Turbidity		1.95	NTU	EPA180.1
5/29/2016 7:12	Turbidity		1.4	NTU	EPA180.1
5/30/2016 7:29	Turbidity		3.99	NTU	EPA180.1
5/31/2016 7:37	Turbidity		1.9	NTU	EPA180.1
6/1/2016 7:13	Turbidity		5.52	NTU	EPA180.1
6/2/2016 7:20	Turbidity		3.42	NTU	EPA180.1
6/3/2016 7:11	Turbidity		2.11	NTU	EPA180.1
6/4/2016 7:23	Turbidity		9.68	NTU	EPA180.1
6/5/2016 7:17	Turbidity		14.8	NTU	EPA180.1
6/6/2016 7:11	Turbidity		13.1	NTU	EPA180.1
6/7/2016 7:21	Turbidity		3.55	NTU	EPA180.1
6/8/2016 7:39	Turbidity		63.9	NTU	EPA180.1
6/9/2016 7:14	Turbidity		15.7	NTU	EPA180.1
6/10/2016 7:20	Turbidity		2	NTU	EPA180.1
6/11/2016 7:25	Turbidity		10.355	NTU	EPA180.1
6/12/2016 7:14	Turbidity		15.5	NTU	EPA180.1
6/13/2016 7:25	Turbidity		10.3	NTU	EPA180.1
6/14/2016 7:41	Turbidity		2.18	NTU	EPA180.1
6/15/2016 7:26	Turbidity		1.98	NTU	EPA180.1
6/16/2016 7:16	Turbidity		2.53	NTU	EPA180.1
6/17/2016 7:22	Turbidity		2.93	NTU	EPA180.1
6/18/2016 7:22	Turbidity		1.76	NTU	EPA180.1
6/19/2016 7:14	Turbidity		1.86	NTU	EPA180.1
6/20/2016 7:26	Turbidity		2.79	NTU	EPA180.1
6/21/2016 7:14	Turbidity		10.36	NTU	EPA180.1
6/22/2016 7:19	Turbidity		11.1	NTU	EPA180.1
6/23/2016 7:11	Turbidity		2.02	NTU	EPA180.1
6/24/2016 7:16	Turbidity		2.34	NTU	EPA180.1
6/25/2016 7:27	Turbidity		1.75	NTU	EPA180.1
6/26/2016 7:01	Turbidity		1.22	NTU	EPA180.1
6/27/2016 7:16	Turbidity		4.02	NTU	EPA180.1
6/28/2016 7:54	Turbidity		11.3	NTU	EPA180.1
6/29/2016 7:28	Turbidity		7.22	NTU	EPA180.1
6/30/2016 7:50	Turbidity		2.51	NTU	EPA180.1
7/1/2016 7:13	Turbidity		1.7	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/2/2016 7:15	Turbidity		3.82	NTU	EPA180.1
7/3/2016 7:25	Turbidity		1.63	NTU	EPA180.1
7/4/2016 6:50	Turbidity		1.3	NTU	EPA180.1
7/5/2016 7:10	Turbidity		1.8	NTU	EPA180.1
7/6/2016 7:18	Turbidity		2.13	NTU	EPA180.1
7/7/2016 7:22	Turbidity		1.6	NTU	EPA180.1
7/8/2016 7:14	Turbidity		28.4	NTU	EPA180.1
7/9/2016 7:20	Turbidity		19.15	NTU	EPA180.1
7/10/2016 7:22	Turbidity		11.3	NTU	EPA180.1
7/11/2016 7:12	Turbidity		2.27	NTU	EPA180.1
7/12/2016 7:32	Turbidity		1.31	NTU	EPA180.1
7/13/2016 6:44	Turbidity		2.22	NTU	EPA180.1
7/14/2016 6:51	Turbidity		10.115	NTU	EPA180.1
7/15/2016 7:48	Turbidity		8.77	NTU	EPA180.1
7/16/2016 7:27	Turbidity		4.2	NTU	EPA180.1
7/17/2016 7:49	Turbidity		0.99	NTU	EPA180.1
7/18/2016 7:32	Turbidity		11.1	NTU	EPA180.1
7/19/2016 7:17	Turbidity		4.26	NTU	EPA180.1
7/20/2016 7:22	Turbidity		1.42	NTU	EPA180.1
7/21/2016 6:50	Turbidity		0.91	NTU	EPA180.1
7/22/2016 7:36	Turbidity		11.5	NTU	EPA180.1
7/23/2016 7:19	Turbidity		2.12	NTU	EPA180.1
7/24/2016 7:34	Turbidity		0.82	NTU	EPA180.1
7/25/2016 7:32	Turbidity		3.37	NTU	EPA180.1
7/26/2016 7:25	Turbidity		9.53	NTU	EPA180.1
7/27/2016 7:33	Turbidity		0.66	NTU	EPA180.1
7/28/2016 7:25	Turbidity		0.82	NTU	EPA180.1
7/29/2016 7:33	Turbidity		1.05	NTU	EPA180.1
7/30/2016 7:32	Turbidity		1.4	NTU	EPA180.1
7/31/2016 8:01	Turbidity		1.37	NTU	EPA180.1
8/1/2016 7:18	Turbidity		2.4	NTU	EPA180.1
8/2/2016 7:13	Turbidity		1.17	NTU	EPA180.1
8/3/2016 7:28	Turbidity		1.02	NTU	EPA180.1
8/4/2016 7:16	Turbidity		0.99	NTU	EPA180.1
8/5/2016 7:20	Turbidity		1.17	NTU	EPA180.1
8/6/2016 7:15	Turbidity		36.1	NTU	EPA180.1
8/7/2016 7:11	Turbidity		2.03	NTU	EPA180.1
8/8/2016 7:16	Turbidity		2.09	NTU	EPA180.1
8/9/2016 7:30	Turbidity		1.555	NTU	EPA180.1
8/10/2016 7:16	Turbidity		2.57	NTU	EPA180.1
8/11/2016 7:14	Turbidity		1.48	NTU	EPA180.1
8/12/2016 7:10	Turbidity		6.73	NTU	EPA180.1
8/13/2016 7:20	Turbidity		2.25	NTU	EPA180.1
8/14/2016 7:25	Turbidity		19.2	NTU	EPA180.1
8/15/2016 7:14	Turbidity		1.88	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/16/2016 7:15	Turbidity		1.28	NTU	EPA180.1
8/17/2016 7:17	Turbidity		2.22	NTU	EPA180.1
8/18/2016 7:15	Turbidity		17.2	NTU	EPA180.1
8/19/2016 7:27	Turbidity		2.01	NTU	EPA180.1
8/20/2016 7:06	Turbidity		2.5	NTU	EPA180.1
8/21/2016 7:10	Turbidity		25.6	NTU	EPA180.1
8/22/2016 7:17	Turbidity		8.81	NTU	EPA180.1
8/23/2016 7:15	Turbidity		2.96	NTU	EPA180.1
8/24/2016 7:30	Turbidity		1.34	NTU	EPA180.1
8/25/2016 7:18	Turbidity		29.2	NTU	EPA180.1
8/26/2016 7:17	Turbidity		5.43	NTU	EPA180.1
8/27/2016 7:16	Turbidity		2.11	NTU	EPA180.1
8/28/2016 7:32	Turbidity		1.89	NTU	EPA180.1
8/29/2016 7:16	Turbidity		4.55	NTU	EPA180.1
8/30/2016 7:23	Turbidity		0.92	NTU	EPA180.1
8/31/2016 7:23	Turbidity		1.58	NTU	EPA180.1
9/1/2016 7:15	Turbidity		34.8	NTU	EPA180.1
9/2/2016 7:14	Turbidity		21.3	NTU	EPA180.1
9/3/2016 7:11	Turbidity		3.54	NTU	EPA180.1
9/4/2016 7:15	Turbidity		4.33	NTU	EPA180.1
9/5/2016 7:18	Turbidity		1.48	NTU	EPA180.1
9/6/2016 7:17	Turbidity		3.34	NTU	EPA180.1
9/7/2016 7:28	Turbidity		2.64	NTU	EPA180.1
9/12/2016 9:34	Turbidity		3.12	NTU	EPA180.1
9/13/2016 9:16	Turbidity		2.07	NTU	EPA180.1
9/14/2016 9:16	Turbidity		14	NTU	EPA180.1
9/15/2016 9:19	Turbidity		2.66	NTU	EPA180.1
9/19/2016 9:22	Turbidity		1.85	NTU	EPA180.1
9/20/2016 9:15	Turbidity		2.22	NTU	EPA180.1
9/21/2016 9:33	Turbidity		1.48	NTU	EPA180.1
9/22/2016 9:26	Turbidity		1.67	NTU	EPA180.1
9/26/2016 9:28	Turbidity		2.48	NTU	EPA180.1
9/27/2016 9:25	Turbidity		14.95	NTU	EPA180.1
9/28/2016 9:16	Turbidity		3.34	NTU	EPA180.1
9/29/2016 9:23	Turbidity		13.1	NTU	EPA180.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/2/2016 10:25	E. coli		1565	MPN/100 mL	SM9223 Colilert
5/3/2016 10:01	E. coli		115	MPN/100 mL	SM9223 Colilert
5/4/2016 9:52	E. coli		24	MPN/100 mL	SM9223 Colilert
5/5/2016 10:01	E. coli		53	MPN/100 mL	SM9223 Colilert
5/9/2016 10:00	E. coli		23	MPN/100 mL	SM9223 Colilert
5/10/2016 9:54	E. coli	<	3	MPN/100 mL	SM9223 Colilert
5/11/2016 9:49	E. coli		2	MPN/100 mL	SM9223 Colilert
5/12/2016 9:57	E. coli		8	MPN/100 mL	SM9223 Colilert
5/16/2016 9:37	E. coli		4839	MPN/100 mL	SM9223 Colilert
5/17/2016 9:40	E. coli		96	MPN/100 mL	SM9223 Colilert
5/18/2016 9:40	E. coli		27	MPN/100 mL	SM9223 Colilert
5/19/2016 9:38	E. coli		8	MPN/100 mL	SM9223 Colilert
5/23/2016 7:42	E. coli		28	MPN/100 mL	SM9223 Colilert
5/24/2016 7:39	E. coli		6	MPN/100 mL	SM9223 Colilert
5/25/2016 7:39	E. coli		236	MPN/100 mL	SM9223 Colilert
5/26/2016 7:33	E. coli		93	MPN/100 mL	SM9223 Colilert
5/27/2016 7:44	E. coli		17	MPN/100 mL	SM9223 Colilert
5/28/2016 7:31	E. coli		14	MPN/100 mL	SM9223 Colilert
5/29/2016 7:28	E. coli		68	MPN/100 mL	SM9223 Colilert
5/30/2016 7:47	E. coli		168	MPN/100 mL	SM9223 Colilert
5/31/2016 7:50	E. coli		1046	MPN/100 mL	SM9223 Colilert
6/1/2016 7:29	E. coli		1733	MPN/100 mL	SM9223 Colilert
6/2/2016 7:50	E. coli		361	MPN/100 mL	SM9223 Colilert
6/3/2016 7:34	E. coli		35	MPN/100 mL	SM9223 Colilert
6/4/2016 7:40	E. coli		162	MPN/100 mL	SM9223 Colilert
6/5/2016 7:33	E. coli		980	MPN/100 mL	SM9223 Colilert
6/6/2016 7:28	E. coli		1174.5	MPN/100 mL	SM9223 Colilert
6/7/2016 7:41	E. coli		2662	MPN/100 mL	SM9223 Colilert
6/8/2016 8:00	E. coli		714	MPN/100 mL	SM9223 Colilert
6/9/2016 7:28	E. coli		586	MPN/100 mL	SM9223 Colilert
6/10/2016 7:39	E. coli		111	MPN/100 mL	SM9223 Colilert
6/11/2016 7:49	E. coli		579	MPN/100 mL	SM9223 Colilert
6/12/2016 7:34	E. coli		128	MPN/100 mL	SM9223 Colilert
6/13/2016 7:43	E. coli		108	MPN/100 mL	SM9223 Colilert
6/14/2016 7:58	E. coli		150	MPN/100 mL	SM9223 Colilert
6/15/2016 7:45	E. coli		30	MPN/100 mL	SM9223 Colilert
6/16/2016 8:06	E. coli		2911	MPN/100 mL	SM9223 Colilert
6/17/2016 7:38	E. coli		212	MPN/100 mL	SM9223 Colilert
6/18/2016 7:53	E. coli		29	MPN/100 mL	SM9223 Colilert
6/19/2016 7:32	E. coli		105	MPN/100 mL	SM9223 Colilert
6/20/2016 7:45	E. coli		387	MPN/100 mL	SM9223 Colilert
6/21/2016 7:30	E. coli		308	MPN/100 mL	SM9223 Colilert
6/22/2016 7:33	E. coli		155	MPN/100 mL	SM9223 Colilert
6/23/2016 7:27	E. coli		22	MPN/100 mL	SM9223 Colilert
6/24/2016 7:32	E. coli		46	MPN/100 mL	SM9223 Colilert

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2016 7:43	E. coli		5.5	MPN/100 mL	SM9223 Colilert
6/26/2016 7:15	E. coli		6	MPN/100 mL	SM9223 Colilert
6/27/2016 7:33	E. coli		770	MPN/100 mL	SM9223 Colilert
6/28/2016 8:15	E. coli		28	MPN/100 mL	SM9223 Colilert
6/29/2016 7:12	E. coli		52	MPN/100 mL	SM9223 Colilert
6/30/2016 8:06	E. coli		6	MPN/100 mL	SM9223 Colilert
7/1/2016 7:24	E. coli		13	MPN/100 mL	SM9223 Colilert
7/2/2016 7:30	E. coli		29	MPN/100 mL	SM9223 Colilert
7/3/2016 7:10	E. coli		41	MPN/100 mL	SM9223 Colilert
7/4/2016 7:09	E. coli		38	MPN/100 mL	SM9223 Colilert
7/5/2016 6:57	E. coli		248	MPN/100 mL	SM9223 Colilert
7/6/2016 6:58	E. coli		548	MPN/100 mL	SM9223 Colilert
7/7/2016 7:00	E. coli		140	MPN/100 mL	SM9223 Colilert
7/8/2016 6:57	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/9/2016 6:59	E. coli		626	MPN/100 mL	SM9223 Colilert
7/10/2016 7:37	E. coli		190	MPN/100 mL	SM9223 Colilert
7/11/2016 6:56	E. coli		36	MPN/100 mL	SM9223 Colilert
7/12/2016 7:09	E. coli		90	MPN/100 mL	SM9223 Colilert
7/13/2016 7:00	E. coli		1643	MPN/100 mL	SM9223 Colilert
7/14/2016 7:09	E. coli		1541	MPN/100 mL	SM9223 Colilert
7/15/2016 7:17	E. coli		528	MPN/100 mL	SM9223 Colilert
7/16/2016 7:45	E. coli		41	MPN/100 mL	SM9223 Colilert
7/17/2016 8:14	E. coli		158	MPN/100 mL	SM9223 Colilert
7/18/2016 7:14	E. coli		1146	MPN/100 mL	SM9223 Colilert
7/19/2016 7:03	E. coli		209	MPN/100 mL	SM9223 Colilert
7/20/2016 7:06	E. coli		84	MPN/100 mL	SM9223 Colilert
7/21/2016 7:02	E. coli		272	MPN/100 mL	SM9223 Colilert
7/22/2016 7:17	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/23/2016 7:33	E. coli		138	MPN/100 mL	SM9223 Colilert
7/24/2016 7:20	E. coli		121	MPN/100 mL	SM9223 Colilert
7/25/2016 7:48	E. coli		133	MPN/100 mL	SM9223 Colilert
7/26/2016 7:43	E. coli		242	MPN/100 mL	SM9223 Colilert
7/27/2016 7:51	E. coli		28	MPN/100 mL	SM9223 Colilert
7/28/2016 7:46	E. coli		23	MPN/100 mL	SM9223 Colilert
7/29/2016 7:52	E. coli		236	MPN/100 mL	SM9223 Colilert
7/30/2016 7:55	E. coli		52	MPN/100 mL	SM9223 Colilert
7/31/2016 8:20	E. coli		115	MPN/100 mL	SM9223 Colilert
8/1/2016 7:33	E. coli		42	MPN/100 mL	SM9223 Colilert
8/2/2016	E. coli		12	MPN/100 mL	SM9223 Colilert
8/3/2016 7:42	E. coli		24	MPN/100 mL	SM9223 Colilert
8/4/2016 7:30	E. coli		8.5	MPN/100 mL	SM9223 Colilert
8/5/2016 7:38	E. coli		344	MPN/100 mL	SM9223 Colilert
8/6/2016 7:30	E. coli		1150	MPN/100 mL	SM9223 Colilert
8/7/2016 7:23	E. coli		291	MPN/100 mL	SM9223 Colilert
8/8/2016 7:31	E. coli		26	MPN/100 mL	SM9223 Colilert



Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
8/9/2016 7:43	E. coli		2	MPN/100 mL	SM9223 Colilert
8/10/2016 7:30	E. coli		202	MPN/100 mL	SM9223 Colilert
8/11/2016 7:26	E. coli		174	MPN/100 mL	SM9223 Colilert
8/12/2016 7:25	E. coli		1174	MPN/100 mL	SM9223 Colilert
8/13/2016 7:30	E. coli		39	MPN/100 mL	SM9223 Colilert
8/14/2016 7:40	E. coli		464	MPN/100 mL	SM9223 Colilert
8/15/2016 7:27	E. coli		186	MPN/100 mL	SM9223 Colilert
8/16/2016 7:30	E. coli		52	MPN/100 mL	SM9223 Colilert
8/17/2016 7:28	E. coli		13	MPN/100 mL	SM9223 Colilert
8/18/2016 7:30	E. coli		384	MPN/100 mL	SM9223 Colilert
8/19/2016 7:38	E. coli		32	MPN/100 mL	SM9223 Colilert
8/20/2016 7:18	E. coli		93	MPN/100 mL	SM9223 Colilert
8/21/2016 7:25	E. coli		922	MPN/100 mL	SM9223 Colilert
8/22/2016 7:28	E. coli		21	MPN/100 mL	SM9223 Colilert
8/23/2016 7:24	E. coli		10	MPN/100 mL	SM9223 Colilert
8/24/2016 7:44	E. coli		4	MPN/100 mL	SM9223 Colilert
8/25/2016 7:40	E. coli		4082	MPN/100 mL	SM9223 Colilert
8/26/2016 7:30	E. coli		241	MPN/100 mL	SM9223 Colilert
8/27/2016 7:28	E. coli		90	MPN/100 mL	SM9223 Colilert
8/28/2016 7:51	E. coli		71	MPN/100 mL	SM9223 Colilert
8/29/2016 7:25	E. coli		1046	MPN/100 mL	SM9223 Colilert
8/30/2016 7:35	E. coli		7	MPN/100 mL	SM9223 Colilert
8/31/2016 7:35	E. coli		10	MPN/100 mL	SM9223 Colilert
9/1/2016 7:28	E. coli		980	MPN/100 mL	SM9223 Colilert
9/2/2016 7:28	E. coli		133	MPN/100 mL	SM9223 Colilert
9/3/2016 7:25	E. coli		34	MPN/100 mL	SM9223 Colilert
9/4/2016 7:25	E. coli		11	MPN/100 mL	SM9223 Colilert
9/5/2016 7:28	E. coli		10	MPN/100 mL	SM9223 Colilert
9/6/2016 7:30	E. coli		461	MPN/100 mL	SM9223 Colilert
9/7/2016 7:40	E. coli		1540	MPN/100 mL	SM9223 Colilert
9/8/2016 9:31	E. coli		690	MPN/100 mL	SM9223 Colilert
9/12/2016 9:48	E. coli		488	MPN/100 mL	SM9223 Colilert
9/13/2016 9:28	E. coli		36	MPN/100 mL	SM9223 Colilert
9/14/2016 9:30	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
9/15/2016 9:33	E. coli		17	MPN/100 mL	SM9223 Colilert
9/19/2016 9:33	E. coli		42.5	MPN/100 mL	SM9223 Colilert
9/20/2016 9:27	E. coli		16	MPN/100 mL	SM9223 Colilert
9/21/2016 9:45	E. coli		15	MPN/100 mL	SM9223 Colilert
9/22/2016 9:37	E. coli		14	MPN/100 mL	SM9223 Colilert
9/26/2016 9:40	E. coli		6	MPN/100 mL	SM9223 Colilert
9/27/2016 9:44	E. coli		99	MPN/100 mL	SM9223 Colilert
9/28/2016 9:30	E. coli		34	MPN/100 mL	SM9223 Colilert
9/29/2016 9:33	E. coli		110	MPN/100 mL	SM9223 Colilert
5/2/2016 10:25	Field Cond		426	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/3/2016 10:01	Field Cond		369	umhos/cm	SM 2510A
5/4/2016 9:52	Field Cond		140	umhos/cm	SM 2510A
5/5/2016 10:01	Field Cond		840	umhos/cm	SM 2510A
5/9/2016 10:00	Field Cond		421	umhos/cm	SM 2510A
5/10/2016 9:54	Field Cond		381	umhos/cm	SM 2510A
5/11/2016 9:49	Field Cond		384	umhos/cm	SM 2510A
5/12/2016 9:57	Field Cond		369	umhos/cm	SM 2510A
5/16/2016 9:37	Field Cond		440	umhos/cm	SM 2510A
5/17/2016 9:40	Field Cond		382	umhos/cm	SM 2510A
5/18/2016 9:40	Field Cond		365	umhos/cm	SM 2510A
5/19/2016 9:38	Field Cond		349	umhos/cm	SM 2510A
5/23/2016 7:42	Field Cond		320	umhos/cm	SM 2510A
5/24/2016 7:39	Field Cond		321	umhos/cm	SM 2510A
5/25/2016 7:39	Field Cond		374	umhos/cm	SM 2510A
5/26/2016 7:33	Field Cond		388	umhos/cm	SM 2510A
5/27/2016 7:44	Field Cond		405	umhos/cm	SM 2510A
5/28/2016 7:31	Field Cond		389	umhos/cm	SM 2510A
5/29/2016 7:28	Field Cond		351	umhos/cm	SM 2510A
5/30/2016 7:47	Field Cond		360	umhos/cm	SM 2510A
5/31/2016 7:50	Field Cond		327	umhos/cm	SM 2510A
6/1/2016 7:29	Field Cond		317	umhos/cm	SM 2510A
6/2/2016 7:50	Field Cond		354	umhos/cm	SM 2510A
6/3/2016 7:34	Field Cond		328	umhos/cm	SM 2510A
6/4/2016 7:40	Field Cond		327	umhos/cm	SM 2510A
6/5/2016 7:33	Field Cond		188	umhos/cm	SM 2510A
6/6/2016 7:28	Field Cond		330	umhos/cm	SM 2510A
6/7/2016 7:41	Field Cond		323	umhos/cm	SM 2510A
6/8/2016 8:00	Field Cond		340	umhos/cm	SM 2510A
6/9/2016 7:28	Field Cond		356	umhos/cm	SM 2510A
6/10/2016 7:39	Field Cond		301	umhos/cm	SM 2510A
6/11/2016 7:49	Field Cond		314	umhos/cm	SM 2510A
6/12/2016 7:34	Field Cond		314	umhos/cm	SM 2510A
6/13/2016 7:43	Field Cond		313	umhos/cm	SM 2510A
6/14/2016 7:58	Field Cond		317	umhos/cm	SM 2510A
6/15/2016 7:45	Field Cond		350	umhos/cm	SM 2510A
6/16/2016 8:06	Field Cond		304	umhos/cm	SM 2510A
6/17/2016 7:38	Field Cond		319	umhos/cm	SM 2510A
6/18/2016 7:53	Field Cond		316	umhos/cm	SM 2510A
6/19/2016 7:32	Field Cond		301	umhos/cm	SM 2510A
6/20/2016 7:45	Field Cond		306	umhos/cm	SM 2510A
6/21/2016 7:30	Field Cond		325	umhos/cm	SM 2510A
6/22/2016 7:33	Field Cond		307	umhos/cm	SM 2510A
6/23/2016 7:27	Field Cond		231	umhos/cm	SM 2510A
6/24/2016 7:32	Field Cond		334	umhos/cm	SM 2510A
6/25/2016 7:43	Field Cond		320	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2016 7:15	Field Cond		321	umhos/cm	SM 2510A
6/27/2016 7:33	Field Cond		315	umhos/cm	SM 2510A
6/28/2016 8:15	Field Cond		316	umhos/cm	SM 2510A
6/29/2016 7:12	Field Cond		325	umhos/cm	SM 2510A
6/30/2016 8:06	Field Cond		319	umhos/cm	SM 2510A
7/1/2016 7:24	Field Cond		316	umhos/cm	SM 2510A
7/2/2016 7:30	Field Cond		298	umhos/cm	SM 2510A
7/3/2016 7:10	Field Cond		289	umhos/cm	SM 2510A
7/4/2016 7:09	Field Cond		304	umhos/cm	SM 2510A
7/5/2016 6:57	Field Cond		282	umhos/cm	SM 2510A
7/6/2016 6:58	Field Cond		288	umhos/cm	SM 2510A
7/7/2016 7:00	Field Cond		283	umhos/cm	SM 2510A
7/8/2016 6:57	Field Cond		297	umhos/cm	SM 2510A
7/9/2016 6:59	Field Cond		287	umhos/cm	SM 2510A
7/10/2016 7:37	Field Cond		294	umhos/cm	SM 2510A
7/11/2016 6:56	Field Cond		298	umhos/cm	SM 2510A
7/12/2016 7:09	Field Cond		309	umhos/cm	SM 2510A
7/13/2016 7:00	Field Cond		297	umhos/cm	SM 2510A
7/14/2016 7:09	Field Cond		314	umhos/cm	SM 2510A
7/15/2016 7:17	Field Cond		328	umhos/cm	SM 2510A
7/16/2016 7:45	Field Cond		305	umhos/cm	SM 2510A
7/17/2016 8:14	Field Cond		305	umhos/cm	SM 2510A
7/18/2016 7:14	Field Cond		314	umhos/cm	SM 2510A
7/19/2016 7:03	Field Cond		284	umhos/cm	SM 2510A
7/20/2016 7:06	Field Cond		282	umhos/cm	SM 2510A
7/21/2016 7:02	Field Cond		287	umhos/cm	SM 2510A
7/22/2016 7:17	Field Cond		321.5	umhos/cm	SM 2510A
7/23/2016 7:33	Field Cond		293	umhos/cm	SM 2510A
7/24/2016 7:20	Field Cond		296	umhos/cm	SM 2510A
7/25/2016 7:48	Field Cond		297	umhos/cm	SM 2510A
7/26/2016 7:43	Field Cond		303	umhos/cm	SM 2510A
7/27/2016 7:51	Field Cond		291	umhos/cm	SM 2510A
7/28/2016 7:46	Field Cond		282	umhos/cm	SM 2510A
7/29/2016 7:52	Field Cond		291	umhos/cm	SM 2510A
7/30/2016 7:55	Field Cond		283	umhos/cm	SM 2510A
7/31/2016 8:20	Field Cond		286	umhos/cm	SM 2510A
8/1/2016 7:33	Field Cond		279	umhos/cm	SM 2510A
8/2/2016	Field Cond		285	umhos/cm	SM 2510A
8/3/2016 7:42	Field Cond		284	umhos/cm	SM 2510A
8/4/2016 7:30	Field Cond		305	umhos/cm	SM 2510A
8/5/2016 7:38	Field Cond		301.7	umhos/cm	SM 2510A
8/6/2016 7:30	Field Cond		323	umhos/cm	SM 2510A
8/7/2016 7:23	Field Cond		283	umhos/cm	SM 2510A
8/8/2016 7:31	Field Cond		299	umhos/cm	SM 2510A
8/9/2016 7:43	Field Cond		287	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
8/10/2016 7:30	Field Cond		300	umhos/cm	SM 2510A
8/11/2016 7:26	Field Cond		298	umhos/cm	SM 2510A
8/12/2016 7:25	Field Cond		299	umhos/cm	SM 2510A
8/13/2016 7:30	Field Cond		326	umhos/cm	SM 2510A
8/14/2016 7:40	Field Cond		322	umhos/cm	SM 2510A
8/15/2016 7:27	Field Cond		317	umhos/cm	SM 2510A
8/16/2016 7:30	Field Cond		316	umhos/cm	SM 2510A
8/17/2016 7:28	Field Cond		321	umhos/cm	SM 2510A
8/18/2016 7:30	Field Cond		312	umhos/cm	SM 2510A
8/19/2016 7:38	Field Cond		308	umhos/cm	SM 2510A
8/20/2016 7:18	Field Cond		300	umhos/cm	SM 2510A
8/21/2016 7:25	Field Cond		299	umhos/cm	SM 2510A
8/22/2016 7:28	Field Cond		305	umhos/cm	SM 2510A
8/23/2016 7:24	Field Cond		288	umhos/cm	SM 2510A
8/24/2016 7:44	Field Cond		286	umhos/cm	SM 2510A
8/25/2016 7:40	Field Cond		284	umhos/cm	SM 2510A
8/26/2016 7:30	Field Cond		293	umhos/cm	SM 2510A
8/27/2016 7:28	Field Cond		288	umhos/cm	SM 2510A
8/28/2016 7:51	Field Cond		297	umhos/cm	SM 2510A
8/29/2016 7:25	Field Cond		289	umhos/cm	SM 2510A
8/30/2016 7:35	Field Cond		285	umhos/cm	SM 2510A
8/31/2016 7:35	Field Cond		283	umhos/cm	SM 2510A
9/1/2016 7:28	Field Cond		286	umhos/cm	SM 2510A
9/2/2016 7:28	Field Cond		283	umhos/cm	SM 2510A
9/3/2016 7:25	Field Cond		280	umhos/cm	SM 2510A
9/4/2016 7:25	Field Cond		290	umhos/cm	SM 2510A
9/5/2016 7:28	Field Cond		281	umhos/cm	SM 2510A
9/6/2016 7:30	Field Cond		282	umhos/cm	SM 2510A
9/7/2016 7:40	Field Cond		275	umhos/cm	SM 2510A
9/8/2016 9:31	Field Cond		281	umhos/cm	SM 2510A
9/12/2016 9:48	Field Cond		295	umhos/cm	SM 2510A
9/13/2016 9:28	Field Cond		291	umhos/cm	SM 2510A
9/14/2016 9:30	Field Cond		287	umhos/cm	SM 2510A
9/15/2016 9:33	Field Cond		287	umhos/cm	SM 2510A
9/19/2016 9:33	Field Cond		285	umhos/cm	SM 2510A
9/20/2016 9:27	Field Cond		283	umhos/cm	SM 2510A
9/21/2016 9:45	Field Cond		279	umhos/cm	SM 2510A
9/22/2016 9:37	Field Cond		286	umhos/cm	SM 2510A
9/26/2016 9:40	Field Cond		280	umhos/cm	SM 2510A
9/27/2016 9:44	Field Cond		300	umhos/cm	SM 2510A
9/28/2016 9:30	Field Cond		295	umhos/cm	SM 2510A
9/29/2016 9:33	Field Cond		288	umhos/cm	SM 2510A
5/2/2016 10:25	Field Temp		11.3	C	EPA 170.1
5/3/2016 10:01	Field Temp		11.6	C	EPA 170.1

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
5/4/2016 9:52	Field Temp		12.8	C	EPA 170.1	
5/5/2016 10:01	Field Temp		11.6	C	EPA 170.1	
5/9/2016 10:00	Field Temp		13.3	C	EPA 170.1	
5/10/2016 9:54	Field Temp		12.3	C	EPA 170.1	
5/11/2016 9:49	Field Temp		12.4	C	EPA 170.1	
5/12/2016 9:57	Field Temp		13.1	C	EPA 170.1	
5/16/2016 9:37	Field Temp		11.8	C	EPA 170.1	
5/17/2016 9:40	Field Temp		12.8	C	EPA 170.1	
5/18/2016 9:40	Field Temp		14	C	EPA 170.1	
5/19/2016 9:38	Field Temp		13.9	C	EPA 170.1	
5/23/2016 7:42	Field Temp		13.4	C	EPA 170.1	
5/24/2016 7:39	Field Temp		15.1	C	EPA 170.1	
5/25/2016 7:39	Field Temp		15.5	C	EPA 170.1	
5/26/2016 7:33	Field Temp		16.3	C	EPA 170.1	
5/27/2016 7:44	Field Temp		17.4	C	EPA 170.1	
5/28/2016 7:31	Field Temp		17	C	EPA 170.1	
5/29/2016 7:28	Field Temp		18.8	C	EPA 170.1	
5/30/2016 7:47	Field Temp		18.9	C	EPA 170.1	
5/31/2016 7:50	Field Temp		19.8	C	EPA 170.1	
6/1/2016 7:29	Field Temp		18.3	C	EPA 170.1	
6/2/2016 7:50	Field Temp		17	C	EPA 170.1	
6/3/2016 7:34	Field Temp		19.6	C	EPA 170.1	
6/4/2016 7:40	Field Temp		20.5	C	EPA 170.1	
6/5/2016 7:33	Field Temp		18.4	C	EPA 170.1	
6/6/2016 7:28	Field Temp		17.8	C	EPA 170.1	
6/7/2016 7:41	Field Temp		18.4	C	EPA 170.1	
6/8/2016 8:00	Field Temp		16.7	C	EPA 170.1	
6/9/2016 7:28	Field Temp		17.7	C	EPA 170.1	
6/10/2016 7:39	Field Temp		19.6	C	EPA 170.1	
6/11/2016 7:49	Field Temp		19.8	C	EPA 170.1	
6/12/2016 7:34	Field Temp		19.1	C	EPA 170.1	
6/13/2016 7:43	Field Temp		20.2	C	EPA 170.1	
6/14/2016 7:58	Field Temp		19.9	C	EPA 170.1	
6/15/2016 7:45	Field Temp		20.2	C	EPA 170.1	
6/16/2016 8:06	Field Temp		20.6	C	EPA 170.1	
6/17/2016 7:38	Field Temp		20.8	C	EPA 170.1	
6/18/2016 7:53	Field Temp		19.9	C	EPA 170.1	
6/19/2016 7:32	Field Temp		19.9	C	EPA 170.1	
6/20/2016 7:45	Field Temp		21.9	C	EPA 170.1	
6/21/2016 7:30	Field Temp		21.5	C	EPA 170.1	
6/22/2016 7:33	Field Temp		20.7	C	EPA 170.1	
6/23/2016 7:27	Field Temp		21.8	C	EPA 170.1	
6/24/2016 7:32	Field Temp		21.6	C	EPA 170.1	
6/25/2016 7:43	Field Temp		21.9	C	EPA 170.1	
6/26/2016 7:15	Field Temp		21.7	C	EPA 170.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/27/2016 7:33	Field Temp		22.7	C	EPA 170.1	
6/28/2016 8:15	Field Temp		23.5	C	EPA 170.1	
6/29/2016 7:12	Field Temp		22.4	C	EPA 170.1	
6/30/2016 8:06	Field Temp		23.2	C	EPA 170.1	
7/1/2016 7:24	Field Temp		22.7	C	EPA 170.1	
7/2/2016 7:30	Field Temp		22.3	C	EPA 170.1	
7/3/2016 7:10	Field Temp		22.1	C	EPA 170.1	
7/4/2016 7:09	Field Temp		22.4	C	EPA 170.1	
7/5/2016 6:57	Field Temp		22.4	C	EPA 170.1	
7/6/2016 6:58	Field Temp		23.4	C	EPA 170.1	
7/7/2016 7:00	Field Temp		23.6	C	EPA 170.1	
7/8/2016 6:57	Field Temp		23.9	C	EPA 170.1	
7/9/2016 6:59	Field Temp		23.9	C	EPA 170.1	
7/10/2016 7:37	Field Temp		23.5	C	EPA 170.1	
7/11/2016 6:56	Field Temp		24.2	C	EPA 170.1	
7/12/2016 7:09	Field Temp		24.1	C	EPA 170.1	
7/13/2016 7:00	Field Temp		24.9	C	EPA 170.1	
7/14/2016 7:09	Field Temp		24.7	C	EPA 170.1	
7/15/2016 7:17	Field Temp		24.9	C	EPA 170.1	
7/16/2016 7:45	Field Temp		25.1	C	EPA 170.1	
7/17/2016 8:14	Field Temp		24.1	C	EPA 170.1	
7/18/2016 7:14	Field Temp		24.3	C	EPA 170.1	
7/19/2016 7:03	Field Temp		24.6	C	EPA 170.1	
7/20/2016 7:06	Field Temp		24.3	C	EPA 170.1	
7/21/2016 7:02	Field Temp		24.3	C	EPA 170.1	
7/22/2016 7:17	Field Temp		24.8	C	EPA 170.1	
7/23/2016 7:33	Field Temp		25.9	C	EPA 170.1	
7/24/2016 7:20	Field Temp		29.7	C	EPA 170.1	
7/25/2016 7:48	Field Temp		25.6	C	EPA 170.1	
7/26/2016 7:43	Field Temp		25.8	C	EPA 170.1	
7/27/2016 7:51	Field Temp		25.4	C	EPA 170.1	
7/28/2016 7:46	Field Temp		25.8	C	EPA 170.1	
7/29/2016 7:52	Field Temp		25.3	C	EPA 170.1	
7/30/2016 7:55	Field Temp		25.3	C	EPA 170.1	
7/31/2016 8:20	Field Temp		25.2	C	EPA 170.1	
8/1/2016 7:33	Field Temp		25.7	C	EPA 170.1	
8/2/2016	Field Temp		25.5	C	EPA 170.1	
8/3/2016 7:42	Field Temp		25.4	C	EPA 170.1	
8/4/2016 7:30	Field Temp		25.3	C	EPA 170.1	
8/5/2016 7:38	Field Temp		24.8	C	EPA 170.1	
8/6/2016 7:30	Field Temp		25.4	C	EPA 170.1	
8/7/2016 7:23	Field Temp		25	C	EPA 170.1	
8/8/2016 7:31	Field Temp		25	C	EPA 170.1	
8/9/2016 7:43	Field Temp		24.9	C	EPA 170.1	
8/10/2016 7:30	Field Temp		25.2	C	EPA 170.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/11/2016 7:26	Field Temp		25.8	C	EPA 170.1	
8/12/2016 7:25	Field Temp		25.9	C	EPA 170.1	
8/13/2016 7:30	Field Temp		27.1	C	EPA 170.1	
8/14/2016 7:40	Field Temp		26.1	C	EPA 170.1	
8/15/2016 7:27	Field Temp		26	C	EPA 170.1	
8/16/2016 7:30	Field Temp		25.6	C	EPA 170.1	
8/17/2016 7:28	Field Temp		25.7	C	EPA 170.1	
8/18/2016 7:30	Field Temp		25.2	C	EPA 170.1	
8/19/2016 7:38	Field Temp		25.7	C	EPA 170.1	
8/20/2016 7:18	Field Temp		25.8	C	EPA 170.1	
8/21/2016 7:25	Field Temp		24.6	C	EPA 170.1	
8/22/2016 7:28	Field Temp		24.9	C	EPA 170.1	
8/23/2016 7:24	Field Temp		24.7	C	EPA 170.1	
8/24/2016 7:44	Field Temp		24.8	C	EPA 170.1	
8/25/2016 7:40	Field Temp		25.3	C	EPA 170.1	
8/26/2016 7:30	Field Temp		25	C	EPA 170.1	
8/27/2016 7:28	Field Temp		24.9	C	EPA 170.1	
8/28/2016 7:51	Field Temp		25.7	C	EPA 170.1	
8/29/2016 7:25	Field Temp		26.1	C	EPA 170.1	
8/30/2016 7:35	Field Temp		24.8	C	EPA 170.1	
8/31/2016 7:35	Field Temp		25.3	C	EPA 170.1	
9/1/2016 7:28	Field Temp		24	C	EPA 170.1	
9/2/2016 7:28	Field Temp		23.1	C	EPA 170.1	
9/3/2016 7:25	Field Temp		22.4	C	EPA 170.1	
9/4/2016 7:25	Field Temp		22.4	C	EPA 170.1	
9/5/2016 7:28	Field Temp		23.2	C	EPA 170.1	
9/6/2016 7:30	Field Temp		23.4	C	EPA 170.1	
9/7/2016 7:40	Field Temp		24.5	C	EPA 170.1	
9/8/2016 9:31	Field Temp		25.2	C	EPA 170.1	
9/12/2016 9:48	Field Temp		24	C	EPA 170.1	
9/13/2016 9:28	Field Temp		23.6	C	EPA 170.1	
9/14/2016 9:30	Field Temp		23.5	C	EPA 170.1	
9/15/2016 9:33	Field Temp		22.6	C	EPA 170.1	
9/19/2016 9:33	Field Temp		23.1	C	EPA 170.1	
9/20/2016 9:27	Field Temp		23.3	C	EPA 170.1	
9/21/2016 9:45	Field Temp		22.8	C	EPA 170.1	
9/22/2016 9:37	Field Temp		23.4	C	EPA 170.1	
9/26/2016 9:40	Field Temp		21.8	C	EPA 170.1	
9/27/2016 9:44	Field Temp		20.2	C	EPA 170.1	
9/28/2016 9:30	Field Temp		20.6	C	EPA 170.1	
9/29/2016 9:33	Field Temp		20.7	C	EPA 170.1	
5/2/2016 10:25	pH		8.11	S.U.		
5/3/2016 10:01	pH		8.05	S.U.		
5/4/2016 9:52	pH		7.98	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
5/5/2016 10:01	pH		8.12	S.U.		
5/9/2016 10:00	pH		9.02	S.U.		
5/10/2016 9:54	pH		8.3	S.U.		
5/11/2016 9:49	pH		8.48	S.U.		
5/12/2016 9:57	pH		8.65	S.U.		
5/16/2016 9:37	pH		8.36	S.U.		
5/17/2016 9:40	pH		8.39	S.U.		
5/18/2016 9:40	pH		8.52	S.U.		
5/19/2016 9:38	pH		8.49	S.U.		
5/23/2016 7:42	pH		7.98	S.U.		
5/24/2016 7:39	pH		8.2	S.U.		
5/25/2016 7:39	pH		8.25	S.U.		
5/26/2016 7:33	pH		8.3	S.U.		
5/27/2016 7:44	pH		8.32	S.U.		
5/28/2016 7:31	pH		8.32	S.U.		
5/29/2016 7:28	pH		8.38	S.U.		
5/30/2016 7:47	pH		8.33	S.U.		
5/31/2016 7:50	pH		8.27	S.U.		
6/1/2016 7:29	pH		8.24	S.U.		
6/2/2016 7:50	pH		7.6	S.U.		
6/3/2016 7:34	pH		8.23	S.U.		
6/4/2016 7:40	pH		8.33	S.U.		
6/5/2016 7:33	pH		8.03	S.U.		
6/6/2016 7:28	pH		8.15	S.U.		
6/7/2016 7:41	pH		8.05	S.U.		
6/8/2016 8:00	pH		8.16	S.U.		
6/9/2016 7:28	pH		7.78	S.U.		
6/10/2016 7:39	pH		8.19	S.U.		
6/11/2016 7:49	pH		8.01	S.U.		
6/12/2016 7:34	pH		7.76	S.U.		
6/13/2016 7:43	pH		8.01	S.U.		
6/14/2016 7:58	pH		7.75	S.U.		
6/15/2016 7:45	pH		7.79	S.U.		
6/16/2016 8:06	pH		7.77	S.U.		
6/17/2016 7:38	pH		7.7	S.U.		
6/18/2016 7:53	pH		7.62	S.U.		
6/19/2016 7:32	pH		7.62	S.U.		
6/20/2016 7:45	pH		7.82	S.U.		
6/21/2016 7:30	pH		7.88	S.U.		
6/22/2016 7:33	pH		7.81	S.U.		
6/23/2016 7:27	pH		8.05	S.U.		
6/24/2016 7:32	pH		8	S.U.		
6/25/2016 7:43	pH		8.14	S.U.		
6/26/2016 7:15	pH		8.03	S.U.		
6/27/2016 7:33	pH		8.01	S.U.		



Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/28/2016 8:15	pH		8.24	S.U.		
6/29/2016 7:12	pH		7.87	S.U.		
6/30/2016 8:06	pH		8.07	S.U.		
7/1/2016 7:24	pH		8.03	S.U.		
7/2/2016 7:30	pH		8.23	S.U.		
7/3/2016 7:10	pH		7.91	S.U.		
7/4/2016 7:09	pH		8.04	S.U.		
7/5/2016 6:57	pH		7.68	S.U.		
7/6/2016 6:58	pH		7.75	S.U.		
7/7/2016 7:00	pH		8.18	S.U.		
7/8/2016 6:57	pH		7.47	S.U.		
7/9/2016 6:59	pH		7.52	S.U.		
7/10/2016 7:37	pH		7.92	S.U.		
7/11/2016 6:56	pH		7.93	S.U.		
7/12/2016 7:09	pH		7.97	S.U.		
7/13/2016 7:00	pH		8.16	S.U.		
7/14/2016 7:09	pH		7.45	S.U.		
7/15/2016 7:17	pH		7.74	S.U.		
7/16/2016 7:45	pH		8.09	S.U.		
7/17/2016 8:14	pH		7.51	S.U.		
7/18/2016 7:14	pH		7.49	S.U.		
7/19/2016 7:03	pH		7.49	S.U.		
7/20/2016 7:06	pH		8.17	S.U.		
7/21/2016 7:02	pH		8.1	S.U.		
7/22/2016 7:17	pH		8.09	S.U.		
7/23/2016 7:33	pH		7.68	S.U.		
7/24/2016 7:20	pH		8.38	S.U.		
7/25/2016 7:48	pH		8.17	S.U.		
7/26/2016 7:43	pH		8.18	S.U.		
7/27/2016 7:51	pH		8.21	S.U.		
7/28/2016 7:46	pH		8.28	S.U.		
7/29/2016 7:52	pH		7.83	S.U.		
7/30/2016 7:55	pH		7.88	S.U.		
7/31/2016 8:20	pH		7.85	S.U.		
8/1/2016 7:33	pH		8.04	S.U.		
8/2/2016	pH		8.13	S.U.		
8/3/2016 7:42	pH		8.04	S.U.		
8/4/2016 7:30	pH		7.99	S.U.		
8/5/2016 7:38	pH		8	S.U.		
8/6/2016 7:30	pH		7.78	S.U.		
8/7/2016 7:23	pH		7.85	S.U.		
8/8/2016 7:31	pH		7.74	S.U.		
8/9/2016 7:43	pH		7.49	S.U.		
8/10/2016 7:30	pH		7.77	S.U.		
8/11/2016 7:26	pH		7.9	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/12/2016 7:25	pH		7.84	S.U.		
8/13/2016 7:30	pH		6.96	S.U.		
8/14/2016 7:40	pH		6.8	S.U.		
8/15/2016 7:27	pH		7.49	S.U.		
8/16/2016 7:30	pH		7.86	S.U.		
8/17/2016 7:28	pH		7.54	S.U.		
8/18/2016 7:30	pH		6.9	S.U.		
8/19/2016 7:38	pH		7.73	S.U.		
8/20/2016 7:18	pH		7.76	S.U.		
8/21/2016 7:25	pH		7.18	S.U.		
8/22/2016 7:28	pH		7.75	S.U.		
8/23/2016 7:24	pH		7.74	S.U.		
8/24/2016 7:44	pH		7.76	S.U.		
8/25/2016 7:40	pH		7.53	S.U.		
8/26/2016 7:30	pH		7.58	S.U.		
8/27/2016 7:28	pH		7.67	S.U.		
8/28/2016 7:51	pH		7.65	S.U.		
8/29/2016 7:25	pH		7.6	S.U.		
8/30/2016 7:35	pH		7.33	S.U.		
8/31/2016 7:35	pH		7.46	S.U.		
9/1/2016 7:28	pH		7.25	S.U.		
9/2/2016 7:28	pH		7.09	S.U.		
9/3/2016 7:25	pH		7.13	S.U.		
9/4/2016 7:25	pH		7.18	S.U.		
9/5/2016 7:28	pH		7.24	S.U.		
9/6/2016 7:30	pH		7.28	S.U.		
9/7/2016 7:40	pH		7.5	S.U.		
9/8/2016 9:31	pH		7.24	S.U.		
9/12/2016 9:48	pH		7.6	S.U.		
9/13/2016 9:28	pH		7.58	S.U.		
9/14/2016 9:30	pH		7.43	S.U.		
9/15/2016 9:33	pH		7.12	S.U.		
9/19/2016 9:33	pH		7.33	S.U.		
9/20/2016 9:27	pH		7.56	S.U.		
9/21/2016 9:45	pH		7.53	S.U.		
9/22/2016 9:37	pH		7.65	S.U.		
9/26/2016 9:40	pH		7.61	S.U.		
9/27/2016 9:44	pH		7.08	S.U.		
9/28/2016 9:30	pH		7.35	S.U.		
9/29/2016 9:33	pH		7.02	S.U.		
5/2/2016 10:25	Turbidity		17.8	NTU	EPA180.1	
5/3/2016 10:01	Turbidity		11	NTU	EPA180.1	
5/4/2016 9:52	Turbidity		7.07	NTU	EPA180.1	
5/5/2016 10:01	Turbidity		4.89	NTU	EPA180.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
5/9/2016 10:00	Turbidity		4.91	NTU	EPA180.1	
5/10/2016 9:54	Turbidity		3.01	NTU	EPA180.1	
5/11/2016 9:49	Turbidity		5.24	NTU	EPA180.1	
5/12/2016 9:57	Turbidity		2.8	NTU	EPA180.1	
5/16/2016 9:37	Turbidity		33.7	NTU	EPA180.1	
5/17/2016 9:40	Turbidity		13.6	NTU	EPA180.1	
5/18/2016 9:40	Turbidity		7.07	NTU	EPA180.1	
5/19/2016 9:38	Turbidity		3.84	NTU	EPA180.1	
5/23/2016 7:42	Turbidity		4.35	NTU	EPA180.1	
5/24/2016 7:39	Turbidity		1.57	NTU	EPA180.1	
5/25/2016 7:39	Turbidity		2.45	NTU	EPA180.1	
5/26/2016 7:33	Turbidity		1.92	NTU	EPA180.1	
5/27/2016 7:44	Turbidity		1.96	NTU	EPA180.1	
5/28/2016 7:31	Turbidity		1.77	NTU	EPA180.1	
5/29/2016 7:28	Turbidity		1.32	NTU	EPA180.1	
5/30/2016 7:47	Turbidity		3.23	NTU	EPA180.1	
5/31/2016 7:50	Turbidity		2.09	NTU	EPA180.1	
6/1/2016 7:29	Turbidity		3.07	NTU	EPA180.1	
6/2/2016 7:50	Turbidity		5.83	NTU	EPA180.1	
6/3/2016 7:34	Turbidity		4.52	NTU	EPA180.1	
6/4/2016 7:40	Turbidity		2.31	NTU	EPA180.1	
6/5/2016 7:33	Turbidity		50.6	NTU	EPA180.1	
6/7/2016 7:41	Turbidity		11.1	NTU	EPA180.1	
6/8/2016 8:00	Turbidity		77.3	NTU	EPA180.1	
6/9/2016 7:28	Turbidity		37.5	NTU	EPA180.1	
6/10/2016 7:39	Turbidity		4.26	NTU	EPA180.1	
6/11/2016 7:49	Turbidity		14.4	NTU	EPA180.1	
6/12/2016 7:34	Turbidity		8.59	NTU	EPA180.1	
6/13/2016 7:43	Turbidity		8.04	NTU	EPA180.1	
6/14/2016 7:58	Turbidity		1.86	NTU	EPA180.1	
6/15/2016 7:45	Turbidity		1.51	NTU	EPA180.1	
6/16/2016 8:06	Turbidity		3.74	NTU	EPA180.1	
6/17/2016 7:38	Turbidity		2.48	NTU	EPA180.1	
6/18/2016 7:53	Turbidity		1.27	NTU	EPA180.1	
6/19/2016 7:32	Turbidity		2.27	NTU	EPA180.1	
6/20/2016 7:45	Turbidity		4.17	NTU	EPA180.1	
6/21/2016 7:30	Turbidity		6	NTU	EPA180.1	
6/22/2016 7:33	Turbidity		15.7	NTU	EPA180.1	
6/23/2016 7:27	Turbidity		1.13	NTU	EPA180.1	
6/24/2016 7:32	Turbidity		1.95	NTU	EPA180.1	
6/25/2016 7:43	Turbidity		1.7	NTU	EPA180.1	
6/26/2016 7:15	Turbidity		1.41	NTU	EPA180.1	
6/27/2016 7:33	Turbidity		3.79	NTU	EPA180.1	
6/28/2016 8:15	Turbidity		3.11	NTU	EPA180.1	
6/29/2016 7:12	Turbidity		6.7	NTU	EPA180.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
6/30/2016 8:06	Turbidity		2.45	NTU	EPA180.1	
7/1/2016 7:24	Turbidity		1.69	NTU	EPA180.1	
7/2/2016 7:30	Turbidity		3.73	NTU	EPA180.1	
7/3/2016 7:10	Turbidity		1.55	NTU	EPA180.1	
7/4/2016 7:09	Turbidity		1.62	NTU	EPA180.1	
7/5/2016 6:57	Turbidity		2.29	NTU	EPA180.1	
7/6/2016 6:58	Turbidity		2.28	NTU	EPA180.1	
7/7/2016 7:00	Turbidity		1.16	NTU	EPA180.1	
7/8/2016 6:57	Turbidity		12.7	NTU	EPA180.1	
7/9/2016 6:59	Turbidity		16.7	NTU	EPA180.1	
7/10/2016 7:37	Turbidity		13.2	NTU	EPA180.1	
7/11/2016 6:56	Turbidity		1.92	NTU	EPA180.1	
7/12/2016 7:09	Turbidity		1.36	NTU	EPA180.1	
7/13/2016 7:00	Turbidity		3.94	NTU	EPA180.1	
7/14/2016 7:09	Turbidity		25.2	NTU	EPA180.1	
7/15/2016 7:17	Turbidity		18.55	NTU	EPA180.1	
7/16/2016 7:45	Turbidity		2.4	NTU	EPA180.1	
7/17/2016 8:14	Turbidity		0.92	NTU	EPA180.1	
7/18/2016 7:14	Turbidity		14.3	NTU	EPA180.1	
7/19/2016 7:03	Turbidity		2.49	NTU	EPA180.1	
7/20/2016 7:06	Turbidity		0.91	NTU	EPA180.1	
7/21/2016 7:02	Turbidity		1.35	NTU	EPA180.1	
7/22/2016 7:17	Turbidity		15.3	NTU	EPA180.1	
7/23/2016 7:33	Turbidity		2.57	NTU	EPA180.1	
7/24/2016 7:20	Turbidity		0.95	NTU	EPA180.1	
7/25/2016 7:48	Turbidity		2.82	NTU	EPA180.1	
7/26/2016 7:43	Turbidity		4.13	NTU	EPA180.1	
7/27/2016 7:51	Turbidity		0.82	NTU	EPA180.1	
7/28/2016 7:46	Turbidity		0.81	NTU	EPA180.1	
7/29/2016 7:52	Turbidity		1.22	NTU	EPA180.1	
7/30/2016 7:55	Turbidity		1.17	NTU	EPA180.1	
7/31/2016 8:20	Turbidity		1.5	NTU	EPA180.1	
8/1/2016 7:33	Turbidity		1.35	NTU	EPA180.1	
8/2/2016	Turbidity		0.97	NTU	EPA180.1	
8/3/2016 7:42	Turbidity		1.2	NTU	EPA180.1	
8/4/2016 7:30	Turbidity		1.125	NTU	EPA180.1	
8/5/2016 7:38	Turbidity		2.22	NTU	EPA180.1	
8/6/2016 7:30	Turbidity		25.4	NTU	EPA180.1	
8/7/2016 7:23	Turbidity		2.71	NTU	EPA180.1	
8/8/2016 7:31	Turbidity		1.78	NTU	EPA180.1	
8/9/2016 7:43	Turbidity		1.44	NTU	EPA180.1	
8/10/2016 7:30	Turbidity		2.76	NTU	EPA180.1	
8/11/2016 7:26	Turbidity		1.77	NTU	EPA180.1	
8/12/2016 7:25	Turbidity		7.97	NTU	EPA180.1	
8/13/2016 7:30	Turbidity		1.36	NTU	EPA180.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	Method	
8/14/2016 7:40	Turbidity		29.9	NTU	EPA180.1	
8/15/2016 7:27	Turbidity		2.06	NTU	EPA180.1	
8/16/2016 7:30	Turbidity		2	NTU	EPA180.1	
8/17/2016 7:28	Turbidity		2.06	NTU	EPA180.1	
8/18/2016 7:30	Turbidity		10.8	NTU	EPA180.1	
8/19/2016 7:38	Turbidity		1.49	NTU	EPA180.1	
8/20/2016 7:18	Turbidity		2.53	NTU	EPA180.1	
8/21/2016 7:25	Turbidity		18.8	NTU	EPA180.1	
8/22/2016 7:28	Turbidity		6.44	NTU	EPA180.1	
8/23/2016 7:24	Turbidity		3.94	NTU	EPA180.1	
8/24/2016 7:44	Turbidity		1.375	NTU	EPA180.1	
8/25/2016 7:40	Turbidity		31.7	NTU	EPA180.1	
8/26/2016 7:30	Turbidity		8.94	NTU	EPA180.1	
8/27/2016 7:28	Turbidity		1.88	NTU	EPA180.1	
8/28/2016 7:51	Turbidity		1.8	NTU	EPA180.1	
8/29/2016 7:25	Turbidity		3.02	NTU	EPA180.1	
8/30/2016 7:35	Turbidity		0.96	NTU	EPA180.1	
8/31/2016 7:35	Turbidity		1.54	NTU	EPA180.1	
9/1/2016 7:28	Turbidity		22.3	NTU	EPA180.1	
9/2/2016 7:28	Turbidity		10.6	NTU	EPA180.1	
9/3/2016 7:25	Turbidity		3.01	NTU	EPA180.1	
9/4/2016 7:25	Turbidity		2.48	NTU	EPA180.1	
9/5/2016 7:28	Turbidity		1.36	NTU	EPA180.1	
9/6/2016 7:30	Turbidity		5.01	NTU	EPA180.1	
9/7/2016 7:40	Turbidity		5.21	NTU	EPA180.1	
9/8/2016 9:31	Turbidity		9.38	NTU	EPA180.1	
9/12/2016 9:48	Turbidity		3.18	NTU	EPA180.1	
9/13/2016 9:28	Turbidity		2.18	NTU	EPA180.1	
9/14/2016 9:30	Turbidity		7.76	NTU	EPA180.1	
9/15/2016 9:33	Turbidity		2.96	NTU	EPA180.1	
9/19/2016 9:33	Turbidity		1.965	NTU	EPA180.1	
9/20/2016 9:27	Turbidity		2.01	NTU	EPA180.1	
9/21/2016 9:45	Turbidity		1.05	NTU	EPA180.1	
9/22/2016 9:37	Turbidity		1.59	NTU	EPA180.1	
9/26/2016 9:40	Turbidity		3.07	NTU	EPA180.1	
9/27/2016 9:44	Turbidity		27	NTU	EPA180.1	
9/28/2016 9:30	Turbidity		3.25	NTU	EPA180.1	
9/29/2016 9:33	Turbidity		7.34	NTU	EPA180.1	

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
5/2/2016 10:22	E. coli		2442	MPN/100 mL	SM9223 Colilert
5/3/2016 9:55	E. coli		124	MPN/100 mL	SM9223 Colilert
5/4/2016 9:50	E. coli		18	MPN/100 mL	SM9223 Colilert
5/5/2016 9:58	E. coli		74	MPN/100 mL	SM9223 Colilert
5/9/2016 9:56	E. coli		9	MPN/100 mL	SM9223 Colilert
5/10/2016 9:50	E. coli		2	MPN/100 mL	SM9223 Colilert
5/11/2016 9:46	E. coli		9	MPN/100 mL	SM9223 Colilert
5/12/2016 9:53	E. coli		65	MPN/100 mL	SM9223 Colilert
5/16/2016 9:33	E. coli	>	4839	MPN/100 mL	SM9223 Colilert
5/17/2016 9:36	E. coli		79	MPN/100 mL	SM9223 Colilert
5/18/2016 9:34	E. coli		27	MPN/100 mL	SM9223 Colilert
5/19/2016 9:35	E. coli		6	MPN/100 mL	SM9223 Colilert
5/23/2016 7:37	E. coli		69	MPN/100 mL	SM9223 Colilert
5/24/2016 7:36	E. coli	<	1	MPN/100 mL	SM9223 Colilert
5/25/2016 7:36	E. coli		201	MPN/100 mL	SM9223 Colilert
5/26/2016 7:30	E. coli		387	MPN/100 mL	SM9223 Colilert
5/27/2016 7:40	E. coli		24	MPN/100 mL	SM9223 Colilert
5/28/2016 7:10	E. coli		13	MPN/100 mL	SM9223 Colilert
5/29/2016 7:24	E. coli		49	MPN/100 mL	SM9223 Colilert
5/30/2016 7:43	E. coli		58	MPN/100 mL	SM9223 Colilert
5/31/2016 7:47	E. coli		517	MPN/100 mL	SM9223 Colilert
6/1/2016 7:26	E. coli		1986	MPN/100 mL	SM9223 Colilert
6/2/2016 7:47	E. coli		88	MPN/100 mL	SM9223 Colilert
6/3/2016 7:30	E. coli		79	MPN/100 mL	SM9223 Colilert
6/4/2016 7:37	E. coli		2420	MPN/100 mL	SM9223 Colilert
6/5/2016 7:30	E. coli		1733	MPN/100 mL	SM9223 Colilert
6/6/2016 7:25	E. coli		1462	MPN/100 mL	SM9223 Colilert
6/7/2016 7:35	E. coli		2586	MPN/100 mL	SM9223 Colilert
6/8/2016 7:51	E. coli		646	MPN/100 mL	SM9223 Colilert
6/9/2016 7:24	E. coli		30	MPN/100 mL	SM9223 Colilert
6/10/2016 7:35	E. coli		41	MPN/100 mL	SM9223 Colilert
6/11/2016 7:46	E. coli		365	MPN/100 mL	SM9223 Colilert
6/12/2016 7:30	E. coli		579	MPN/100 mL	SM9223 Colilert
6/13/2016 7:40	E. coli		96	MPN/100 mL	SM9223 Colilert
6/14/2016 7:55	E. coli		18	MPN/100 mL	SM9223 Colilert
6/15/2016 7:42	E. coli		20	MPN/100 mL	SM9223 Colilert
6/16/2016 8:03	E. coli		508	MPN/100 mL	SM9223 Colilert
6/17/2016 7:35	E. coli		396	MPN/100 mL	SM9223 Colilert
6/18/2016 7:50	E. coli		25	MPN/100 mL	SM9223 Colilert
6/19/2016 7:29	E. coli		50	MPN/100 mL	SM9223 Colilert
6/20/2016 7:42	E. coli		147	MPN/100 mL	SM9223 Colilert
6/21/2016 7:26	E. coli		185	MPN/100 mL	SM9223 Colilert
6/22/2016 7:30	E. coli		461	MPN/100 mL	SM9223 Colilert
6/23/2016 7:23	E. coli		13	MPN/100 mL	SM9223 Colilert
6/24/2016 7:32	E. coli		26	MPN/100 mL	SM9223 Colilert

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
6/25/2016 7:40	E. coli		3	MPN/100 mL	SM9223 Colilert
6/26/2016 7:12	E. coli		13	MPN/100 mL	SM9223 Colilert
6/27/2016 7:30	E. coli		1046	MPN/100 mL	SM9223 Colilert
6/28/2016 8:12	E. coli		276	MPN/100 mL	SM9223 Colilert
6/29/2016 7:15	E. coli		111	MPN/100 mL	SM9223 Colilert
6/30/2016 8:03	E. coli		8	MPN/100 mL	SM9223 Colilert
7/1/2016 7:21	E. coli		7	MPN/100 mL	SM9223 Colilert
7/2/2016 7:26	E. coli		15	MPN/100 mL	SM9223 Colilert
7/3/2016 7:14	E. coli		16	MPN/100 mL	SM9223 Colilert
7/4/2016 7:05	E. coli		31	MPN/100 mL	SM9223 Colilert
7/5/2016 7:00	E. coli		18	MPN/100 mL	SM9223 Colilert
7/6/2016 7:07	E. coli		81	MPN/100 mL	SM9223 Colilert
7/7/2016 7:08	E. coli		120	MPN/100 mL	SM9223 Colilert
7/8/2016 7:02	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/9/2016 7:08	E. coli		558	MPN/100 mL	SM9223 Colilert
7/10/2016 7:39	E. coli		179	MPN/100 mL	SM9223 Colilert
7/11/2016 6:59	E. coli		29	MPN/100 mL	SM9223 Colilert
7/12/2016 7:12	E. coli		32	MPN/100 mL	SM9223 Colilert
7/13/2016 6:57	E. coli		345	MPN/100 mL	SM9223 Colilert
7/14/2016 7:06	E. coli		2897	MPN/100 mL	SM9223 Colilert
7/15/2016 7:20	E. coli		430	MPN/100 mL	SM9223 Colilert
7/16/2016 7:42	E. coli		30	MPN/100 mL	SM9223 Colilert
7/17/2016 8:11	E. coli		148	MPN/100 mL	SM9223 Colilert
7/18/2016 7:23	E. coli		427	MPN/100 mL	SM9223 Colilert
7/19/2016 7:07	E. coli		132	MPN/100 mL	SM9223 Colilert
7/20/2016 7:12	E. coli		46	MPN/100 mL	SM9223 Colilert
7/21/2016 6:58	E. coli		20	MPN/100 mL	SM9223 Colilert
7/22/2016 7:22	E. coli	>	2420	MPN/100 mL	SM9223 Colilert
7/23/2016 7:24	E. coli		52	MPN/100 mL	SM9223 Colilert
7/24/2016 7:24	E. coli		48	MPN/100 mL	SM9223 Colilert
7/25/2016 7:45	E. coli		96	MPN/100 mL	SM9223 Colilert
7/26/2016 7:40	E. coli		192	MPN/100 mL	SM9223 Colilert
7/27/2016 7:48	E. coli		27	MPN/100 mL	SM9223 Colilert
7/28/2016 7:43	E. coli		43	MPN/100 mL	SM9223 Colilert
7/29/2016 7:49	E. coli		2420	MPN/100 mL	SM9223 Colilert
7/30/2016 7:52	E. coli		48	MPN/100 mL	SM9223 Colilert
7/31/2016 8:17	E. coli		34	MPN/100 mL	SM9223 Colilert
8/1/2016 7:29	E. coli		46	MPN/100 mL	SM9223 Colilert
8/2/2016	E. coli		23	MPN/100 mL	SM9223 Colilert
8/3/2016 7:39	E. coli		67	MPN/100 mL	SM9223 Colilert
8/4/2016 7:25	E. coli		32	MPN/100 mL	SM9223 Colilert
8/5/2016 7:35	E. coli		28	MPN/100 mL	SM9223 Colilert
8/6/2016 7:26	E. coli		1454	MPN/100 mL	SM9223 Colilert
8/7/2016 7:20	E. coli		27	MPN/100 mL	SM9223 Colilert
8/8/2016 7:28	E. coli		18	MPN/100 mL	SM9223 Colilert

## Villa Angela-West

Sample Date	Parameter	Code	Result	Units	Method
8/9/2016 7:40	E. coli		8	MPN/100 mL	SM9223 Colilert
8/10/2016 7:27	E. coli		275	MPN/100 mL	SM9223 Colilert
8/11/2016 7:23	E. coli		157	MPN/100 mL	SM9223 Colilert
8/12/2016 7:22	E. coli		273	MPN/100 mL	SM9223 Colilert
8/13/2016 7:27	E. coli		54	MPN/100 mL	SM9223 Colilert
8/14/2016 7:37	E. coli		558	MPN/100 mL	SM9223 Colilert
8/15/2016 7:23	E. coli		56	MPN/100 mL	SM9223 Colilert
8/16/2016 7:27	E. coli		38	MPN/100 mL	SM9223 Colilert
8/17/2016 7:24	E. coli		28	MPN/100 mL	SM9223 Colilert
8/18/2016 7:25	E. coli		230	MPN/100 mL	SM9223 Colilert
8/19/2016 7:34	E. coli		11	MPN/100 mL	SM9223 Colilert
8/20/2016 7:15	E. coli		168	MPN/100 mL	SM9223 Colilert
8/21/2016 7:20	E. coli		718	MPN/100 mL	SM9223 Colilert
8/22/2016 7:25	E. coli		281	MPN/100 mL	SM9223 Colilert
8/23/2016 7:24	E. coli		18	MPN/100 mL	SM9223 Colilert
8/24/2016 7:41	E. coli		15	MPN/100 mL	SM9223 Colilert
8/25/2016 7:36	E. coli		5231	MPN/100 mL	SM9223 Colilert
8/26/2016 7:27	E. coli		458	MPN/100 mL	SM9223 Colilert
8/27/2016 7:23	E. coli		65	MPN/100 mL	SM9223 Colilert
8/28/2016 7:48	E. coli		40	MPN/100 mL	SM9223 Colilert
8/29/2016 7:20	E. coli		517	MPN/100 mL	SM9223 Colilert
8/30/2016 7:32	E. coli		6	MPN/100 mL	SM9223 Colilert
8/31/2016 7:30	E. coli		14	MPN/100 mL	SM9223 Colilert
9/1/2016 7:25	E. coli		613	MPN/100 mL	SM9223 Colilert
9/2/2016 7:23	E. coli		148	MPN/100 mL	SM9223 Colilert
9/3/2016 7:21	E. coli		22	MPN/100 mL	SM9223 Colilert
9/4/2016 7:20	E. coli		10	MPN/100 mL	SM9223 Colilert
9/5/2016 7:25	E. coli		61	MPN/100 mL	SM9223 Colilert
9/6/2016 7:25	E. coli		517	MPN/100 mL	SM9223 Colilert
9/7/2016 7:37	E. coli		456	MPN/100 mL	SM9223 Colilert
9/8/2016 9:27	E. coli		131	MPN/100 mL	SM9223 Colilert
9/12/2016 9:45	E. coli		411	MPN/100 mL	SM9223 Colilert
9/13/2016 9:25	E. coli		26	MPN/100 mL	SM9223 Colilert
9/14/2016 9:27	E. coli		1414	MPN/100 mL	SM9223 Colilert
9/15/2016 9:30	E. coli		24	MPN/100 mL	SM9223 Colilert
9/19/2016 9:30	E. coli		42	MPN/100 mL	SM9223 Colilert
9/20/2016 9:24	E. coli		17	MPN/100 mL	SM9223 Colilert
9/21/2016 9:41	E. coli		4	MPN/100 mL	SM9223 Colilert
9/22/2016 9:34	E. coli		4	MPN/100 mL	SM9223 Colilert
9/26/2016 9:37	E. coli		4	MPN/100 mL	SM9223 Colilert
9/27/2016 9:40	E. coli		91	MPN/100 mL	SM9223 Colilert
9/28/2016 9:27	E. coli		36	MPN/100 mL	SM9223 Colilert
9/29/2016 9:30	E. coli		131	MPN/100 mL	SM9223 Colilert



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/2/2016 10:39	E. coli		12040	MPN/100 mL	SM9223 Colilert
5/3/2016 10:22	E. coli		1486	MPN/100 mL	SM9223 Colilert
5/4/2016 10:11	E. coli		544	MPN/100 mL	SM9223 Colilert
5/5/2016 10:19	E. coli		315	MPN/100 mL	SM9223 Colilert
5/9/2016 10:18	E. coli		236	MPN/100 mL	SM9223 Colilert
5/10/2016 10:12	E. coli		145	MPN/100 mL	SM9223 Colilert
5/11/2016 10:07	E. coli		110	MPN/100 mL	SM9223 Colilert
5/12/2016 10:12	E. coli		152	MPN/100 mL	SM9223 Colilert
5/16/2016 9:52	E. coli		1090	MPN/100 mL	SM9223 Colilert
5/17/2016 9:51	E. coli		32	MPN/100 mL	SM9223 Colilert
5/18/2016 9:51	E. coli		529	MPN/100 mL	SM9223 Colilert
5/19/2016 9:51	E. coli		369	MPN/100 mL	SM9223 Colilert
5/23/2016 8:07	E. coli		712	MPN/100 mL	SM9223 Colilert
5/24/2016 8:00	E. coli		305	MPN/100 mL	SM9223 Colilert
5/25/2016 8:00	E. coli		292	MPN/100 mL	SM9223 Colilert
5/26/2016 7:47	E. coli		334	MPN/100 mL	SM9223 Colilert
5/27/2016 8:03	E. coli		512	MPN/100 mL	SM9223 Colilert
5/28/2016 7:48	E. coli		309	MPN/100 mL	SM9223 Colilert
5/29/2016 7:45	E. coli		932	MPN/100 mL	SM9223 Colilert
5/30/2016 8:06	E. coli		32440	MPN/100 mL	SM9223 Colilert
5/31/2016 8:04	E. coli		8664	MPN/100 mL	SM9223 Colilert
6/1/2016 7:48	E. coli		860	MPN/100 mL	SM9223 Colilert
6/2/2016 8:03	E. coli		985	MPN/100 mL	SM9223 Colilert
6/3/2016 7:50	E. coli		279	MPN/100 mL	SM9223 Colilert
6/4/2016 7:58	E. coli		670	MPN/100 mL	SM9223 Colilert
6/5/2016 7:47	E. coli		4611	MPN/100 mL	SM9223 Colilert
6/6/2016 7:58	E. coli		3770	MPN/100 mL	SM9223 Colilert
6/7/2016 7:56	E. coli		1505	MPN/100 mL	SM9223 Colilert
6/8/2016 8:23	E. coli		1553	MPN/100 mL	SM9223 Colilert
6/9/2016 7:43	E. coli		538	MPN/100 mL	SM9223 Colilert
6/10/2016 7:53	E. coli		666	MPN/100 mL	SM9223 Colilert
6/11/2016 8:10	E. coli		426	MPN/100 mL	SM9223 Colilert
6/12/2016 7:52	E. coli		521	MPN/100 mL	SM9223 Colilert
6/13/2016 7:58	E. coli		54	MPN/100 mL	SM9223 Colilert
6/14/2016 8:15	E. coli		301	MPN/100 mL	SM9223 Colilert
6/15/2016 7:54	E. coli		465	MPN/100 mL	SM9223 Colilert
6/16/2016 8:20	E. coli		4286	MPN/100 mL	SM9223 Colilert
6/17/2016 7:50	E. coli		1254	MPN/100 mL	SM9223 Colilert
6/18/2016 8:20	E. coli		754	MPN/100 mL	SM9223 Colilert
6/19/2016 7:48	E. coli		471	MPN/100 mL	SM9223 Colilert
6/20/2016 8:04	E. coli		542	MPN/100 mL	SM9223 Colilert
6/21/2016 7:47	E. coli	>	24196	MPN/100 mL	SM9223 Colilert
6/22/2016 7:49	E. coli		2634	MPN/100 mL	SM9223 Colilert
6/23/2016 7:41	E. coli		1117	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/24/2016 7:45	E. coli		700	MPN/100 mL	SM9223 Colilert
6/25/2016 8:03	E. coli		596	MPN/100 mL	SM9223 Colilert
6/26/2016 7:28	E. coli		642	MPN/100 mL	SM9223 Colilert
6/27/2016 7:41	E. coli		959	MPN/100 mL	SM9223 Colilert
6/28/2016 8:26	E. coli		594	MPN/100 mL	SM9223 Colilert
6/29/2016 6:59	E. coli		504	MPN/100 mL	SM9223 Colilert
6/30/2016 8:20	E. coli		46	MPN/100 mL	SM9223 Colilert
7/1/2016 7:36	E. coli		808	MPN/100 mL	SM9223 Colilert
7/2/2016 7:46	E. coli		1354	MPN/100 mL	SM9223 Colilert
7/3/2016 7:00	E. coli		670	MPN/100 mL	SM9223 Colilert
7/4/2016 7:21	E. coli		432	MPN/100 mL	SM9223 Colilert
7/5/2016 6:43	E. coli		6879	MPN/100 mL	SM9223 Colilert
7/6/2016 6:46	E. coli		1785	MPN/100 mL	SM9223 Colilert
7/7/2016 6:40	E. coli		3448	MPN/100 mL	SM9223 Colilert
7/8/2016 6:44	E. coli	>	24196	MPN/100 mL	SM9223 Colilert
7/9/2016 6:40	E. coli		2100	MPN/100 mL	SM9223 Colilert
7/10/2016 7:51	E. coli		736	MPN/100 mL	SM9223 Colilert
7/11/2016 6:43	E. coli		856	MPN/100 mL	SM9223 Colilert
7/12/2016 6:55	E. coli		311	MPN/100 mL	SM9223 Colilert
7/13/2016 7:26	E. coli		816	MPN/100 mL	SM9223 Colilert
7/14/2016 7:40	E. coli		7980	MPN/100 mL	SM9223 Colilert
7/15/2016 6:59	E. coli		2720	MPN/100 mL	SM9223 Colilert
7/16/2016 8:00	E. coli		1366	MPN/100 mL	SM9223 Colilert
7/17/2016 8:33	E. coli		2282	MPN/100 mL	SM9223 Colilert
7/18/2016 7:00	E. coli		5180	MPN/100 mL	SM9223 Colilert
7/19/2016 6:52	E. coli		1204	MPN/100 mL	SM9223 Colilert
7/20/2016 6:50	E. coli		1497	MPN/100 mL	SM9223 Colilert
7/21/2016 7:15	E. coli		265	MPN/100 mL	SM9223 Colilert
7/22/2016 6:59	E. coli		583	MPN/100 mL	SM9223 Colilert
7/23/2016 7:49	E. coli		933	MPN/100 mL	SM9223 Colilert
7/24/2016 7:06	E. coli		459	MPN/100 mL	SM9223 Colilert
7/25/2016 8:01	E. coli		483	MPN/100 mL	SM9223 Colilert
7/26/2016 7:56	E. coli		220	MPN/100 mL	SM9223 Colilert
7/27/2016 8:10	E. coli		240	MPN/100 mL	SM9223 Colilert
7/28/2016 8:00	E. coli		323	MPN/100 mL	SM9223 Colilert
7/29/2016 8:13	E. coli		241	MPN/100 mL	SM9223 Colilert
7/30/2016 8:11	E. coli		13760	MPN/100 mL	SM9223 Colilert
7/31/2016 8:40	E. coli		1326	MPN/100 mL	SM9223 Colilert
8/1/2016 7:47	E. coli		2142	MPN/100 mL	SM9223 Colilert
8/2/2016 7:42	E. coli		839	MPN/100 mL	SM9223 Colilert
8/3/2016 7:59	E. coli		457	MPN/100 mL	SM9223 Colilert
8/4/2016 7:52	E. coli		627	MPN/100 mL	SM9223 Colilert
8/5/2016 7:56	E. coli		360	MPN/100 mL	SM9223 Colilert
8/6/2016 7:44	E. coli		3030	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/7/2016 7:34	E. coli		546	MPN/100 mL	SM9223 Colilert
8/8/2016 7:45	E. coli		408	MPN/100 mL	SM9223 Colilert
8/9/2016 7:54	E. coli		266	MPN/100 mL	SM9223 Colilert
8/10/2016 7:42	E. coli		16328	MPN/100 mL	SM9223 Colilert
8/11/2016 7:49	E. coli		2685	MPN/100 mL	SM9223 Colilert
8/12/2016 7:38	E. coli		5595	MPN/100 mL	SM9223 Colilert
8/13/2016 7:50	E. coli		3350	MPN/100 mL	SM9223 Colilert
8/14/2016 8:00	E. coli		1960	MPN/100 mL	SM9223 Colilert
8/15/2016 7:41	E. coli		945	MPN/100 mL	SM9223 Colilert
8/16/2016 7:44	E. coli		648	MPN/100 mL	SM9223 Colilert
8/17/2016 7:41	E. coli		974	MPN/100 mL	SM9223 Colilert
8/18/2016 7:42	E. coli		512	MPN/100 mL	SM9223 Colilert
8/19/2016 7:50	E. coli		544	MPN/100 mL	SM9223 Colilert
8/20/2016 7:32	E. coli		5226	MPN/100 mL	SM9223 Colilert
8/21/2016 7:40	E. coli		482	MPN/100 mL	SM9223 Colilert
8/22/2016 7:41	E. coli		4790	MPN/100 mL	SM9223 Colilert
8/23/2016 7:50	E. coli		384	MPN/100 mL	SM9223 Colilert
8/24/2016 7:58	E. coli		402	MPN/100 mL	SM9223 Colilert
8/25/2016 7:56	E. coli		11620	MPN/100 mL	SM9223 Colilert
8/26/2016 7:43	E. coli		2850	MPN/100 mL	SM9223 Colilert
8/27/2016 7:40	E. coli		717	MPN/100 mL	SM9223 Colilert
8/28/2016 8:12	E. coli		1723	MPN/100 mL	SM9223 Colilert
8/29/2016 7:39	E. coli		244	MPN/100 mL	SM9223 Colilert
8/30/2016 7:48	E. coli		185	MPN/100 mL	SM9223 Colilert
8/31/2016 7:46	E. coli		450	MPN/100 mL	SM9223 Colilert
9/1/2016 7:40	E. coli		5794	MPN/100 mL	SM9223 Colilert
9/2/2016 7:36	E. coli		840	MPN/100 mL	SM9223 Colilert
9/3/2016 7:35	E. coli		668.5	MPN/100 mL	SM9223 Colilert
9/4/2016 7:35	E. coli		638	MPN/100 mL	SM9223 Colilert
9/5/2016 7:41	E. coli		279	MPN/100 mL	SM9223 Colilert
9/6/2016 7:39	E. coli		493	MPN/100 mL	SM9223 Colilert
9/7/2016 7:51	E. coli	>	241960	MPN/100 mL	SM9223 Colilert
9/8/2016 9:42	E. coli		2680	MPN/100 mL	SM9223 Colilert
9/12/2016 10:00	E. coli		480	MPN/100 mL	SM9223 Colilert
9/13/2016 9:38	E. coli		216	MPN/100 mL	SM9223 Colilert
9/14/2016 9:40	E. coli		201	MPN/100 mL	SM9223 Colilert
9/15/2016 9:42	E. coli		161	MPN/100 mL	SM9223 Colilert
9/19/2016 9:49	E. coli		2318	MPN/100 mL	SM9223 Colilert
9/20/2016 9:37	E. coli		481	MPN/100 mL	SM9223 Colilert
9/21/2016 9:57	E. coli		327	MPN/100 mL	SM9223 Colilert
9/22/2016 9:50	E. coli		246	MPN/100 mL	SM9223 Colilert
9/26/2016 9:51	E. coli		161	MPN/100 mL	SM9223 Colilert
9/27/2016 9:55	E. coli		2282	MPN/100 mL	SM9223 Colilert
9/28/2016 9:40	E. coli		1054	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/29/2016 9:43	E. coli		4611	MPN/100 mL	SM9223 Colilert
5/2/2016 10:39	Field Cond		486	umhos/cm	SM 2510A
5/3/2016 10:22	Field Cond		906	umhos/cm	SM 2510A
5/4/2016 10:11	Field Cond		1037	umhos/cm	SM 2510A
5/5/2016 10:19	Field Cond		1129	umhos/cm	SM 2510A
5/9/2016 10:18	Field Cond		1258	umhos/cm	SM 2510A
5/10/2016 10:12	Field Cond		1299	umhos/cm	SM 2510A
5/11/2016 10:07	Field Cond		1288	umhos/cm	SM 2510A
5/12/2016 10:12	Field Cond		1278	umhos/cm	SM 2510A
5/16/2016 9:52	Field Cond		1100	umhos/cm	SM 2510A
5/17/2016 9:51	Field Cond		1251	umhos/cm	SM 2510A
5/18/2016 9:51	Field Cond		1280	umhos/cm	SM 2510A
5/19/2016 9:51	Field Cond		1355	umhos/cm	SM 2510A
5/23/2016 8:07	Field Cond		1425	umhos/cm	SM 2510A
5/24/2016 8:00	Field Cond		1533	umhos/cm	SM 2510A
5/25/2016 8:00	Field Cond		1462	umhos/cm	SM 2510A
5/26/2016 7:47	Field Cond		1542	umhos/cm	SM 2510A
5/27/2016 8:03	Field Cond		1481	umhos/cm	SM 2510A
5/28/2016 7:48	Field Cond		1497	umhos/cm	SM 2510A
5/29/2016 7:45	Field Cond		1551	umhos/cm	SM 2510A
5/30/2016 8:06	Field Cond		692	umhos/cm	SM 2510A
5/31/2016 8:04	Field Cond		884	umhos/cm	SM 2510A
6/1/2016 7:48	Field Cond		1004	umhos/cm	SM 2510A
6/2/2016 8:03	Field Cond		1108	umhos/cm	SM 2510A
6/3/2016 7:50	Field Cond		1170	umhos/cm	SM 2510A
6/4/2016 7:58	Field Cond		1164	umhos/cm	SM 2510A
6/5/2016 7:47	Field Cond		1260	umhos/cm	SM 2510A
6/6/2016 7:58	Field Cond		890	umhos/cm	SM 2510A
6/7/2016 7:56	Field Cond		1008	umhos/cm	SM 2510A
6/8/2016 8:23	Field Cond		858	umhos/cm	SM 2510A
6/9/2016 7:43	Field Cond		1081	umhos/cm	SM 2510A
6/10/2016 7:53	Field Cond		1080	umhos/cm	SM 2510A
6/11/2016 8:10	Field Cond		1127	umhos/cm	SM 2510A
6/12/2016 7:52	Field Cond		1152	umhos/cm	SM 2510A
6/13/2016 7:58	Field Cond		1186	umhos/cm	SM 2510A
6/14/2016 8:15	Field Cond		1133	umhos/cm	SM 2510A
6/15/2016 7:54	Field Cond		1103	umhos/cm	SM 2510A
6/16/2016 8:20	Field Cond		1077	umhos/cm	SM 2510A
6/17/2016 7:50	Field Cond		1172	umhos/cm	SM 2510A
6/18/2016 8:20	Field Cond		1155	umhos/cm	SM 2510A
6/19/2016 7:48	Field Cond		1130	umhos/cm	SM 2510A
6/20/2016 8:04	Field Cond		1104	umhos/cm	SM 2510A
6/21/2016 7:47	Field Cond		903	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/22/2016 7:49	Field Cond		1164	umhos/cm	SM 2510A
6/23/2016 7:41	Field Cond		887	umhos/cm	SM 2510A
6/24/2016 7:45	Field Cond		1145	umhos/cm	SM 2510A
6/25/2016 8:03	Field Cond		1127	umhos/cm	SM 2510A
6/26/2016 7:28	Field Cond		1132	umhos/cm	SM 2510A
6/27/2016 7:41	Field Cond		1067	umhos/cm	SM 2510A
6/28/2016 8:26	Field Cond		1241	umhos/cm	SM 2510A
6/29/2016 6:59	Field Cond		1127	umhos/cm	SM 2510A
6/30/2016 8:20	Field Cond		1087	umhos/cm	SM 2510A
7/1/2016 7:36	Field Cond		1086	umhos/cm	SM 2510A
7/2/2016 7:46	Field Cond		1052	umhos/cm	SM 2510A
7/3/2016 7:00	Field Cond		1039	umhos/cm	SM 2510A
7/4/2016 7:21	Field Cond		1051	umhos/cm	SM 2510A
7/5/2016 6:43	Field Cond		950	umhos/cm	SM 2510A
7/6/2016 6:46	Field Cond		1047	umhos/cm	SM 2510A
7/7/2016 6:40	Field Cond		1175	umhos/cm	SM 2510A
7/8/2016 6:44	Field Cond		854	umhos/cm	SM 2510A
7/9/2016 6:40	Field Cond		876	umhos/cm	SM 2510A
7/10/2016 7:51	Field Cond		987	umhos/cm	SM 2510A
7/11/2016 6:43	Field Cond		1015	umhos/cm	SM 2510A
7/12/2016 6:55	Field Cond		1010	umhos/cm	SM 2510A
7/13/2016 7:26	Field Cond		1037	umhos/cm	SM 2510A
7/14/2016 7:40	Field Cond		1045	umhos/cm	SM 2510A
7/15/2016 6:59	Field Cond		1055	umhos/cm	SM 2510A
7/16/2016 8:00	Field Cond		997	umhos/cm	SM 2510A
7/17/2016 8:33	Field Cond		883	umhos/cm	SM 2510A
7/18/2016 7:00	Field Cond		924	umhos/cm	SM 2510A
7/19/2016 6:52	Field Cond		813	umhos/cm	SM 2510A
7/20/2016 6:50	Field Cond		830	umhos/cm	SM 2510A
7/21/2016 7:15	Field Cond		445	umhos/cm	SM 2510A
7/22/2016 6:59	Field Cond		1006	umhos/cm	SM 2510A
7/23/2016 7:49	Field Cond		1004	umhos/cm	SM 2510A
7/24/2016 7:06	Field Cond		1055	umhos/cm	SM 2510A
7/25/2016 8:01	Field Cond		993	umhos/cm	SM 2510A
7/26/2016 7:56	Field Cond		983	umhos/cm	SM 2510A
7/27/2016 8:10	Field Cond		943	umhos/cm	SM 2510A
7/28/2016 8:00	Field Cond		950	umhos/cm	SM 2510A
7/29/2016 8:13	Field Cond		918	umhos/cm	SM 2510A
7/30/2016 8:11	Field Cond		704	umhos/cm	SM 2510A
7/31/2016 8:40	Field Cond		660	umhos/cm	SM 2510A
8/1/2016 7:47	Field Cond		991	umhos/cm	SM 2510A
8/2/2016 7:42	Field Cond		947	umhos/cm	SM 2510A
8/3/2016 7:59	Field Cond		945	umhos/cm	SM 2510A
8/4/2016 7:52	Field Cond		955	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/5/2016 7:56	Field Cond		977.6	umhos/cm	SM 2510A
8/6/2016 7:44	Field Cond		766	umhos/cm	SM 2510A
8/7/2016 7:34	Field Cond		831	umhos/cm	SM 2510A
8/8/2016 7:45	Field Cond		964	umhos/cm	SM 2510A
8/9/2016 7:54	Field Cond		845	umhos/cm	SM 2510A
8/10/2016 7:42	Field Cond		688	umhos/cm	SM 2510A
8/11/2016 7:49	Field Cond		898	umhos/cm	SM 2510A
8/12/2016 7:38	Field Cond		532	umhos/cm	SM 2510A
8/13/2016 7:50	Field Cond		853	umhos/cm	SM 2510A
8/14/2016 8:00	Field Cond		691	umhos/cm	SM 2510A
8/15/2016 7:41	Field Cond		671	umhos/cm	SM 2510A
8/16/2016 7:44	Field Cond		885	umhos/cm	SM 2510A
8/17/2016 7:41	Field Cond		823	umhos/cm	SM 2510A
8/18/2016 7:42	Field Cond		904	umhos/cm	SM 2510A
8/19/2016 7:50	Field Cond		899	umhos/cm	SM 2510A
8/20/2016 7:32	Field Cond		669	umhos/cm	SM 2510A
8/21/2016 7:40	Field Cond		805	umhos/cm	SM 2510A
8/22/2016 7:41	Field Cond		604	umhos/cm	SM 2510A
8/23/2016 7:50	Field Cond		685	umhos/cm	SM 2510A
8/24/2016 7:58	Field Cond		770	umhos/cm	SM 2510A
8/25/2016 7:56	Field Cond		457	umhos/cm	SM 2510A
8/26/2016 7:43	Field Cond		749	umhos/cm	SM 2510A
8/27/2016 7:40	Field Cond		830	umhos/cm	SM 2510A
8/28/2016 8:12	Field Cond		825	umhos/cm	SM 2510A
8/29/2016 7:39	Field Cond		900	umhos/cm	SM 2510A
8/30/2016 7:48	Field Cond		942	umhos/cm	SM 2510A
8/31/2016 7:46	Field Cond		962	umhos/cm	SM 2510A
9/1/2016 7:40	Field Cond		716	umhos/cm	SM 2510A
9/2/2016 7:36	Field Cond		844	umhos/cm	SM 2510A
9/3/2016 7:35	Field Cond		893	umhos/cm	SM 2510A
9/4/2016 7:35	Field Cond		901	umhos/cm	SM 2510A
9/5/2016 7:41	Field Cond		915	umhos/cm	SM 2510A
9/6/2016 7:39	Field Cond		902	umhos/cm	SM 2510A
9/7/2016 7:51	Field Cond		743	umhos/cm	SM 2510A
9/8/2016 9:42	Field Cond		698	umhos/cm	SM 2510A
9/12/2016 10:00	Field Cond		728	umhos/cm	SM 2510A
9/13/2016 9:38	Field Cond		809	umhos/cm	SM 2510A
9/14/2016 9:40	Field Cond		841	umhos/cm	SM 2510A
9/15/2016 9:42	Field Cond		879	umhos/cm	SM 2510A
9/19/2016 9:49	Field Cond		781	umhos/cm	SM 2510A
9/20/2016 9:37	Field Cond		846	umhos/cm	SM 2510A
9/21/2016 9:57	Field Cond		893	umhos/cm	SM 2510A
9/22/2016 9:50	Field Cond		933	umhos/cm	SM 2510A
9/26/2016 9:51	Field Cond		1062	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/27/2016 9:55	Field Cond		918	umhos/cm	SM 2510A
9/28/2016 9:40	Field Cond		921	umhos/cm	SM 2510A
9/29/2016 9:43	Field Cond		889	umhos/cm	SM 2510A
5/2/2016 10:39	Field Temp		10.8	C	EPA 170.1
5/3/2016 10:22	Field Temp		10.2	C	EPA 170.1
5/4/2016 10:11	Field Temp		12.6	C	EPA 170.1
5/5/2016 10:19	Field Temp		11.8	C	EPA 170.1
5/9/2016 10:18	Field Temp		13.5	C	EPA 170.1
5/10/2016 10:12	Field Temp		12.1	C	EPA 170.1
5/11/2016 10:07	Field Temp		14.5	C	EPA 170.1
5/12/2016 10:12	Field Temp		16.7	C	EPA 170.1
5/16/2016 9:52	Field Temp		10	C	EPA 170.1
5/17/2016 9:51	Field Temp		12.2	C	EPA 170.1
5/18/2016 9:51	Field Temp		13.3	C	EPA 170.1
5/19/2016 9:51	Field Temp		12.8	C	EPA 170.1
5/23/2016 8:07	Field Temp		14.2	C	EPA 170.1
5/24/2016 8:00	Field Temp		15	C	EPA 170.1
5/25/2016 8:00	Field Temp		17	C	EPA 170.1
5/26/2016 7:47	Field Temp		19.3	C	EPA 170.1
5/27/2016 8:03	Field Temp		20.1	C	EPA 170.1
5/28/2016 7:48	Field Temp		21.3	C	EPA 170.1
5/29/2016 7:45	Field Temp		21.5	C	EPA 170.1
5/30/2016 8:06	Field Temp		18.6	C	EPA 170.1
5/31/2016 8:04	Field Temp		19.2	C	EPA 170.1
6/1/2016 7:48	Field Temp		18.7	C	EPA 170.1
6/2/2016 8:03	Field Temp		21	C	EPA 170.1
6/3/2016 7:50	Field Temp		20.4	C	EPA 170.1
6/4/2016 7:58	Field Temp		19.6	C	EPA 170.1
6/5/2016 7:47	Field Temp		19.4	C	EPA 170.1
6/6/2016 7:58	Field Temp		17.9	C	EPA 170.1
6/7/2016 7:56	Field Temp		18.6	C	EPA 170.1
6/8/2016 8:23	Field Temp		15.6	C	EPA 170.1
6/9/2016 7:43	Field Temp		15.4	C	EPA 170.1
6/10/2016 7:53	Field Temp		17.4	C	EPA 170.1
6/11/2016 8:10	Field Temp		20.4	C	EPA 170.1
6/12/2016 7:52	Field Temp		20.6	C	EPA 170.1
6/13/2016 7:58	Field Temp		18.2	C	EPA 170.1
6/14/2016 8:15	Field Temp		18.1	C	EPA 170.1
6/15/2016 7:54	Field Temp		19.5	C	EPA 170.1
6/16/2016 8:20	Field Temp		20.9	C	EPA 170.1
6/17/2016 7:50	Field Temp		20.1	C	EPA 170.1
6/18/2016 8:20	Field Temp		20.1	C	EPA 170.1
6/19/2016 7:48	Field Temp		20.8	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/20/2016 8:04	Field Temp		21.5	C	EPA 170.1
6/21/2016 7:47	Field Temp		21.3	C	EPA 170.1
6/22/2016 7:49	Field Temp		20.8	C	EPA 170.1
6/23/2016 7:41	Field Temp		22.3	C	EPA 170.1
6/24/2016 7:45	Field Temp		19.6	C	EPA 170.1
6/25/2016 8:03	Field Temp		20.2	C	EPA 170.1
6/26/2016 7:28	Field Temp		21.7	C	EPA 170.1
6/27/2016 7:41	Field Temp		23.4	C	EPA 170.1
6/28/2016 8:26	Field Temp		22.7	C	EPA 170.1
6/29/2016 6:59	Field Temp		19.6	C	EPA 170.1
6/30/2016 8:20	Field Temp		19.6	C	EPA 170.1
7/1/2016 7:36	Field Temp		20.5	C	EPA 170.1
7/2/2016 7:46	Field Temp		19.2	C	EPA 170.1
7/3/2016 7:00	Field Temp		18.9	C	EPA 170.1
7/4/2016 7:21	Field Temp		19.1	C	EPA 170.1
7/5/2016 6:43	Field Temp		20.2	C	EPA 170.1
7/6/2016 6:46	Field Temp		22.1	C	EPA 170.1
7/7/2016 6:40	Field Temp		22.3	C	EPA 170.1
7/8/2016 6:44	Field Temp		22.9	C	EPA 170.1
7/9/2016 6:40	Field Temp		23.8	C	EPA 170.1
7/10/2016 7:51	Field Temp		22.1	C	EPA 170.1
7/11/2016 6:43	Field Temp		21.9	C	EPA 170.1
7/12/2016 6:55	Field Temp		23	C	EPA 170.1
7/13/2016 7:26	Field Temp		24.9	C	EPA 170.1
7/14/2016 7:40	Field Temp		23.5	C	EPA 170.1
7/15/2016 6:59	Field Temp		23.8	C	EPA 170.1
7/16/2016 8:00	Field Temp		23.3	C	EPA 170.1
7/17/2016 8:33	Field Temp		20.4	C	EPA 170.1
7/18/2016 7:00	Field Temp		23	C	EPA 170.1
7/19/2016 6:52	Field Temp		22.3	C	EPA 170.1
7/20/2016 6:50	Field Temp		21.5	C	EPA 170.1
7/21/2016 7:15	Field Temp		21.6	C	EPA 170.1
7/22/2016 6:59	Field Temp		23.6	C	EPA 170.1
7/23/2016 7:49	Field Temp		25.1	C	EPA 170.1
7/24/2016 7:06	Field Temp		24.6	C	EPA 170.1
7/25/2016 8:01	Field Temp		24.6	C	EPA 170.1
7/26/2016 7:56	Field Temp		24	C	EPA 170.1
7/27/2016 8:10	Field Temp		23.1	C	EPA 170.1
7/28/2016 8:00	Field Temp		23.5	C	EPA 170.1
7/29/2016 8:13	Field Temp		23.4	C	EPA 170.1
7/30/2016 8:11	Field Temp		22.3	C	EPA 170.1
7/31/2016 8:40	Field Temp		22	C	EPA 170.1
8/1/2016 7:47	Field Temp		22.5	C	EPA 170.1
8/2/2016 7:42	Field Temp		23	C	EPA 170.1



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/3/2016 7:59	Field Temp		22.7	C	EPA 170.1
8/4/2016 7:52	Field Temp		23.3	C	EPA 170.1
8/5/2016 7:56	Field Temp		23.4	C	EPA 170.1
8/6/2016 7:44	Field Temp		23.3	C	EPA 170.1
8/7/2016 7:34	Field Temp		21.9	C	EPA 170.1
8/8/2016 7:45	Field Temp		21.8	C	EPA 170.1
8/9/2016 7:54	Field Temp		22	C	EPA 170.1
8/10/2016 7:42	Field Temp		23.1	C	EPA 170.1
8/11/2016 7:49	Field Temp		24.8	C	EPA 170.1
8/12/2016 7:38	Field Temp		34.2	C	EPA 170.1
8/13/2016 7:50	Field Temp		25.1	C	EPA 170.1
8/14/2016 8:00	Field Temp		24.5	C	EPA 170.1
8/15/2016 7:41	Field Temp		23.2	C	EPA 170.1
8/16/2016 7:44	Field Temp		23.3	C	EPA 170.1
8/17/2016 7:41	Field Temp		22.8	C	EPA 170.1
8/18/2016 7:42	Field Temp		23.3	C	EPA 170.1
8/19/2016 7:50	Field Temp		22.9	C	EPA 170.1
8/20/2016 7:32	Field Temp		22.9	C	EPA 170.1
8/21/2016 7:40	Field Temp		23.7	C	EPA 170.1
8/22/2016 7:41	Field Temp		20.7	C	EPA 170.1
8/23/2016 7:50	Field Temp		19.8	C	EPA 170.1
8/24/2016 7:58	Field Temp		20.8	C	EPA 170.1
8/25/2016 7:56	Field Temp		24	C	EPA 170.1
8/26/2016 7:43	Field Temp		23.3	C	EPA 170.1
8/27/2016 7:40	Field Temp		22	C	EPA 170.1
8/28/2016 8:12	Field Temp		23.2	C	EPA 170.1
8/29/2016 7:39	Field Temp		24.2	C	EPA 170.1
8/30/2016 7:48	Field Temp		21.8	C	EPA 170.1
8/31/2016 7:46	Field Temp		23.4	C	EPA 170.1
9/1/2016 7:40	Field Temp		21.1	C	EPA 170.1
9/2/2016 7:36	Field Temp		20.4	C	EPA 170.1
9/3/2016 7:35	Field Temp		19	C	EPA 170.1
9/4/2016 7:35	Field Temp		18.9	C	EPA 170.1
9/5/2016 7:41	Field Temp		19.7	C	EPA 170.1
9/6/2016 7:39	Field Temp		21.2	C	EPA 170.1
9/7/2016 7:51	Field Temp		23.2	C	EPA 170.1
9/8/2016 9:42	Field Temp		24.2	C	EPA 170.1
9/12/2016 10:00	Field Temp		18.6	C	EPA 170.1
9/13/2016 9:38	Field Temp		19.1	C	EPA 170.1
9/14/2016 9:40	Field Temp		20	C	EPA 170.1
9/15/2016 9:42	Field Temp		17.8	C	EPA 170.1
9/19/2016 9:49	Field Temp		20.4	C	EPA 170.1
9/20/2016 9:37	Field Temp		19.8	C	EPA 170.1
9/21/2016 9:57	Field Temp		19.8	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/22/2016 9:50	Field Temp		20.3	C	EPA 170.1
9/26/2016 9:51	Field Temp		17.4	C	EPA 170.1
9/27/2016 9:55	Field Temp		15.3	C	EPA 170.1
9/28/2016 9:40	Field Temp		15.7	C	EPA 170.1
9/29/2016 9:43	Field Temp		16.8	C	EPA 170.1
5/2/2016 10:39	pH		8.1	S.U.	
5/3/2016 10:22	pH		8.18	S.U.	
5/4/2016 10:11	pH		8.29	S.U.	
5/5/2016 10:19	pH		8.34	S.U.	
5/9/2016 10:18	pH		8.43	S.U.	
5/10/2016 10:12	pH		8.79	S.U.	
5/11/2016 10:07	pH		8.27	S.U.	
5/12/2016 10:12	pH		8.23	S.U.	
5/16/2016 9:52	pH		8.24	S.U.	
5/17/2016 9:51	pH		8.1	S.U.	
5/18/2016 9:51	pH		8.37	S.U.	
5/19/2016 9:51	pH		8.31	S.U.	
5/23/2016 8:07	pH		7.72	S.U.	
5/24/2016 8:00	pH		7.83	S.U.	
5/25/2016 8:00	pH		7.8	S.U.	
5/26/2016 7:47	pH		7.74	S.U.	
5/27/2016 8:03	pH		7.6	S.U.	
5/28/2016 7:48	pH		7.89	S.U.	
5/29/2016 7:45	pH		7.7	S.U.	
5/30/2016 8:06	pH		7.84	S.U.	
5/31/2016 8:04	pH		7.77	S.U.	
6/1/2016 7:48	pH		7.8	S.U.	
6/2/2016 8:03	pH		7.53	S.U.	
6/3/2016 7:50	pH		7.66	S.U.	
6/4/2016 7:58	pH		7.77	S.U.	
6/5/2016 7:47	pH		7.79	S.U.	
6/6/2016 7:58	pH		7.74	S.U.	
6/7/2016 7:56	pH		7.74	S.U.	
6/8/2016 8:23	pH		7.89	S.U.	
6/9/2016 7:43	pH		7.73	S.U.	
6/10/2016 7:53	pH		7.79	S.U.	
6/11/2016 8:10	pH		7.74	S.U.	
6/12/2016 7:52	pH		7.54	S.U.	
6/13/2016 7:58	pH		7.55	S.U.	
6/14/2016 8:15	pH		7.66	S.U.	
6/15/2016 7:54	pH		7.48	S.U.	
6/16/2016 8:20	pH		7.41	S.U.	
6/17/2016 7:50	pH		7.58	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/18/2016 8:20	pH		7.53	S.U.	
6/19/2016 7:48	pH		7.5	S.U.	
6/20/2016 8:04	pH		7.56	S.U.	
6/21/2016 7:47	pH		7.45	S.U.	
6/22/2016 7:49	pH		7.5	S.U.	
6/23/2016 7:41	pH		7.7	S.U.	
6/24/2016 7:45	pH		7.72	S.U.	
6/25/2016 8:03	pH		7.79	S.U.	
6/26/2016 7:28	pH		7.72	S.U.	
6/27/2016 7:41	pH		7.74	S.U.	
6/28/2016 8:26	pH		7.72	S.U.	
6/29/2016 6:59	pH		7.24	S.U.	
6/30/2016 8:20	pH		7.7	S.U.	
7/1/2016 7:36	pH		7.61	S.U.	
7/2/2016 7:46	pH		7.8	S.U.	
7/3/2016 7:00	pH		7.58	S.U.	
7/4/2016 7:21	pH		7.72	S.U.	
7/5/2016 6:43	pH		7.36	S.U.	
7/6/2016 6:46	pH		6.83	S.U.	
7/7/2016 6:40	pH		7.48	S.U.	
7/8/2016 6:44	pH		6.75	S.U.	
7/9/2016 6:40	pH		7.28	S.U.	
7/10/2016 7:51	pH		7.73	S.U.	
7/11/2016 6:43	pH		7.14	S.U.	
7/12/2016 6:55	pH		7.3	S.U.	
7/13/2016 7:26	pH		7.66	S.U.	
7/14/2016 7:40	pH		7.51	S.U.	
7/15/2016 6:59	pH		7.23	S.U.	
7/16/2016 8:00	pH		7.62	S.U.	
7/17/2016 8:33	pH		7.63	S.U.	
7/18/2016 7:00	pH		7.22	S.U.	
7/19/2016 6:52	pH		6.76	S.U.	
7/20/2016 6:50	pH		7.55	S.U.	
7/21/2016 7:15	pH		7.6	S.U.	
7/22/2016 6:59	pH		7.52	S.U.	
7/23/2016 7:49	pH		7.6	S.U.	
7/24/2016 7:06	pH		7.61	S.U.	
7/25/2016 8:01	pH		7.64	S.U.	
7/26/2016 7:56	pH		7.66	S.U.	
7/27/2016 8:10	pH		7.62	S.U.	
7/28/2016 8:00	pH		7.68	S.U.	
7/29/2016 8:13	pH		7.47	S.U.	
7/30/2016 8:11	pH		7.63	S.U.	
7/31/2016 8:40	pH		7.57	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/1/2016 7:47	pH		7.64	S.U.	
8/2/2016 7:42	pH		7.58	S.U.	
8/3/2016 7:59	pH		7.53	S.U.	
8/4/2016 7:52	pH		7.53	S.U.	
8/5/2016 7:56	pH		7.71	S.U.	
8/6/2016 7:44	pH		7.57	S.U.	
8/7/2016 7:34	pH		7.59	S.U.	
8/8/2016 7:45	pH		7.48	S.U.	
8/9/2016 7:54	pH		7.4	S.U.	
8/10/2016 7:42	pH		7.45	S.U.	
8/11/2016 7:49	pH		7.68	S.U.	
8/12/2016 7:38	pH		7.34	S.U.	
8/13/2016 7:50	pH		7.36	S.U.	
8/14/2016 8:00	pH		6.91	S.U.	
8/15/2016 7:41	pH		7.31	S.U.	
8/16/2016 7:44	pH		7.51	S.U.	
8/17/2016 7:41	pH		7.16	S.U.	
8/18/2016 7:42	pH		7.03	S.U.	
8/19/2016 7:50	pH		7.05	S.U.	
8/20/2016 7:32	pH		7.23	S.U.	
8/21/2016 7:40	pH		7.12	S.U.	
8/22/2016 7:41	pH		7.63	S.U.	
8/23/2016 7:50	pH		7.48	S.U.	
8/24/2016 7:58	pH		7.45	S.U.	
8/25/2016 7:56	pH		7.14	S.U.	
8/26/2016 7:43	pH		7.44	S.U.	
8/27/2016 7:40	pH		7.32	S.U.	
8/28/2016 8:12	pH		7.29	S.U.	
8/29/2016 7:39	pH		7.36	S.U.	
8/30/2016 7:48	pH		7.39	S.U.	
8/31/2016 7:46	pH		7.02	S.U.	
9/1/2016 7:40	pH		7.1	S.U.	
9/2/2016 7:36	pH		7.19	S.U.	
9/3/2016 7:35	pH		7.26	S.U.	
9/4/2016 7:35	pH		7.14	S.U.	
9/5/2016 7:41	pH		7.27	S.U.	
9/6/2016 7:39	pH		7.17	S.U.	
9/7/2016 7:51	pH		6.99	S.U.	
9/8/2016 9:42	pH		7.11	S.U.	
9/12/2016 10:00	pH		7.53	S.U.	
9/13/2016 9:38	pH		7.22	S.U.	
9/14/2016 9:40	pH		7.17	S.U.	
9/15/2016 9:42	pH		7.08	S.U.	
9/19/2016 9:49	pH		7.34	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/20/2016 9:37	pH		7.36	S.U.	
9/21/2016 9:57	pH		7.43	S.U.	
9/22/2016 9:50	pH		7.42	S.U.	
9/26/2016 9:51	pH		7.18	S.U.	
9/27/2016 9:55	pH		7.3	S.U.	
9/28/2016 9:40	pH		7.29	S.U.	
9/29/2016 9:43	pH		7.25	S.U.	
5/2/2016 10:39	Turbidity		196	NTU	EPA180.1
5/3/2016 10:22	Turbidity		12.2	NTU	EPA180.1
5/4/2016 10:11	Turbidity		5.24	NTU	EPA180.1
5/5/2016 10:19	Turbidity		2.9	NTU	EPA180.1
5/9/2016 10:18	Turbidity		1.49	NTU	EPA180.1
5/10/2016 10:12	Turbidity		4.49	NTU	EPA180.1
5/11/2016 10:07	Turbidity		1.33	NTU	EPA180.1
5/12/2016 10:12	Turbidity		2.89	NTU	EPA180.1
5/16/2016 9:52	Turbidity		5.96	NTU	EPA180.1
5/17/2016 9:51	Turbidity		5.18	NTU	EPA180.1
5/18/2016 9:51	Turbidity		1.99	NTU	EPA180.1
5/19/2016 9:51	Turbidity		1.4	NTU	EPA180.1
5/23/2016 8:07	Turbidity		2.1	NTU	EPA180.1
5/24/2016 8:00	Turbidity		2.73	NTU	EPA180.1
5/25/2016 8:00	Turbidity		1.68	NTU	EPA180.1
5/26/2016 7:47	Turbidity		2.345	NTU	EPA180.1
5/27/2016 8:03	Turbidity		2.44	NTU	EPA180.1
5/28/2016 7:48	Turbidity		2.02	NTU	EPA180.1
5/29/2016 7:45	Turbidity		2.49	NTU	EPA180.1
5/30/2016 8:06	Turbidity		63.2	NTU	EPA180.1
5/31/2016 8:04	Turbidity		3.82	NTU	EPA180.1
6/1/2016 7:48	Turbidity		2.58	NTU	EPA180.1
6/2/2016 8:03	Turbidity		2.6	NTU	EPA180.1
6/3/2016 7:50	Turbidity		2.34	NTU	EPA180.1
6/4/2016 7:58	Turbidity		2.41	NTU	EPA180.1
6/5/2016 7:47	Turbidity		5.12	NTU	EPA180.1
6/6/2016 7:58	Turbidity		4.85	NTU	EPA180.1
6/7/2016 7:56	Turbidity		1.63	NTU	EPA180.1
6/8/2016 8:23	Turbidity		3.66	NTU	EPA180.1
6/9/2016 7:43	Turbidity		1.94	NTU	EPA180.1
6/10/2016 7:53	Turbidity		1.49	NTU	EPA180.1
6/11/2016 8:10	Turbidity		1.72	NTU	EPA180.1
6/12/2016 7:52	Turbidity		2.14	NTU	EPA180.1
6/13/2016 7:58	Turbidity		4.08	NTU	EPA180.1
6/14/2016 8:15	Turbidity		3.42	NTU	EPA180.1
6/15/2016 7:54	Turbidity		1.725	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/16/2016 8:20	Turbidity		6.97	NTU	EPA180.1
6/17/2016 7:50	Turbidity		1.82	NTU	EPA180.1
6/18/2016 8:20	Turbidity		1.84	NTU	EPA180.1
6/19/2016 7:48	Turbidity		2.34	NTU	EPA180.1
6/20/2016 8:04	Turbidity		1.91	NTU	EPA180.1
6/21/2016 7:47	Turbidity		17.7	NTU	EPA180.1
6/22/2016 7:49	Turbidity		2.25	NTU	EPA180.1
6/23/2016 7:41	Turbidity		2.55	NTU	EPA180.1
6/24/2016 7:45	Turbidity		6.98	NTU	EPA180.1
6/25/2016 8:03	Turbidity		1.85	NTU	EPA180.1
6/26/2016 7:28	Turbidity		2.72	NTU	EPA180.1
6/27/2016 7:41	Turbidity		2.35	NTU	EPA180.1
6/28/2016 8:26	Turbidity		2.01	NTU	EPA180.1
6/29/2016 6:59	Turbidity		2.16	NTU	EPA180.1
6/30/2016 8:20	Turbidity		3.94	NTU	EPA180.1
7/1/2016 7:36	Turbidity		2.49	NTU	EPA180.1
7/2/2016 7:46	Turbidity		2.13	NTU	EPA180.1
7/3/2016 7:00	Turbidity		1.93	NTU	EPA180.1
7/4/2016 7:21	Turbidity		1.89	NTU	EPA180.1
7/5/2016 6:43	Turbidity		6.005	NTU	EPA180.1
7/6/2016 6:46	Turbidity		2.57	NTU	EPA180.1
7/7/2016 6:40	Turbidity		4.26	NTU	EPA180.1
7/8/2016 6:44	Turbidity		16.1	NTU	EPA180.1
7/9/2016 6:40	Turbidity		2.81	NTU	EPA180.1
7/10/2016 7:51	Turbidity		1.96	NTU	EPA180.1
7/11/2016 6:43	Turbidity		2.03	NTU	EPA180.1
7/12/2016 6:55	Turbidity		2.1	NTU	EPA180.1
7/13/2016 7:26	Turbidity		2.54	NTU	EPA180.1
7/14/2016 7:40	Turbidity		8.97	NTU	EPA180.1
7/15/2016 6:59	Turbidity		2.82	NTU	EPA180.1
7/16/2016 8:00	Turbidity		2.61	NTU	EPA180.1
7/17/2016 8:33	Turbidity		2.44	NTU	EPA180.1
7/18/2016 7:00	Turbidity		4.41	NTU	EPA180.1
7/19/2016 6:52	Turbidity		3.1	NTU	EPA180.1
7/20/2016 6:50	Turbidity		3.13	NTU	EPA180.1
7/21/2016 7:15	Turbidity		2.19	NTU	EPA180.1
7/22/2016 6:59	Turbidity		4.37	NTU	EPA180.1
7/23/2016 7:49	Turbidity		2.19	NTU	EPA180.1
7/24/2016 7:06	Turbidity		2.02	NTU	EPA180.1
7/25/2016 8:01	Turbidity		2.225	NTU	EPA180.1
7/26/2016 7:56	Turbidity		2.09	NTU	EPA180.1
7/27/2016 8:10	Turbidity		2.03	NTU	EPA180.1
7/28/2016 8:00	Turbidity		2.07	NTU	EPA180.1
7/29/2016 8:13	Turbidity		2.35	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/30/2016 8:11	Turbidity		45.6	NTU	EPA180.1
7/31/2016 8:40	Turbidity		4.86	NTU	EPA180.1
8/1/2016 7:47	Turbidity		21.9	NTU	EPA180.1
8/2/2016 7:42	Turbidity		6.12	NTU	EPA180.1
8/3/2016 7:59	Turbidity		3.53	NTU	EPA180.1
8/4/2016 7:52	Turbidity		3.5	NTU	EPA180.1
8/5/2016 7:56	Turbidity		3.03	NTU	EPA180.1
8/6/2016 7:44	Turbidity		22.6	NTU	EPA180.1
8/7/2016 7:34	Turbidity		3.85	NTU	EPA180.1
8/8/2016 7:45	Turbidity		3.47	NTU	EPA180.1
8/9/2016 7:54	Turbidity		3.2	NTU	EPA180.1
8/10/2016 7:42	Turbidity		34.2	NTU	EPA180.1
8/11/2016 7:49	Turbidity		9.76	NTU	EPA180.1
8/12/2016 7:38	Turbidity		79.3	NTU	EPA180.1
8/13/2016 7:50	Turbidity		10.9	NTU	EPA180.1
8/14/2016 8:00	Turbidity		11.5	NTU	EPA180.1
8/15/2016 7:41	Turbidity		10.9	NTU	EPA180.1
8/16/2016 7:44	Turbidity		14.8	NTU	EPA180.1
8/17/2016 7:41	Turbidity		4.13	NTU	EPA180.1
8/18/2016 7:42	Turbidity		2.11	NTU	EPA180.1
8/19/2016 7:50	Turbidity		2.03	NTU	EPA180.1
8/20/2016 7:32	Turbidity		16.1	NTU	EPA180.1
8/21/2016 7:40	Turbidity		3.38	NTU	EPA180.1
8/22/2016 7:41	Turbidity		19.3	NTU	EPA180.1
8/23/2016 7:50	Turbidity		3.99	NTU	EPA180.1
8/24/2016 7:58	Turbidity		1.77	NTU	EPA180.1
8/25/2016 7:56	Turbidity		20.1	NTU	EPA180.1
8/26/2016 7:43	Turbidity		8.67	NTU	EPA180.1
8/27/2016 7:40	Turbidity		3.71	NTU	EPA180.1
8/28/2016 8:12	Turbidity		3.03	NTU	EPA180.1
8/29/2016 7:39	Turbidity		2.32	NTU	EPA180.1
8/31/2016 7:46	Turbidity		2.27	NTU	EPA180.1
9/1/2016 7:40	Turbidity		5.7	NTU	EPA180.1
9/2/2016 7:36	Turbidity		2.59	NTU	EPA180.1
9/3/2016 7:35	Turbidity		2.22	NTU	EPA180.1
9/4/2016 7:35	Turbidity		1.91	NTU	EPA180.1
9/5/2016 7:41	Turbidity		1.93	NTU	EPA180.1
9/6/2016 7:39	Turbidity		3.88	NTU	EPA180.1
9/7/2016 7:51	Turbidity		53.7	NTU	EPA180.1
9/8/2016 9:42	Turbidity		5.79	NTU	EPA180.1
9/12/2016 10:00	Turbidity		2.75	NTU	EPA180.1
9/13/2016 9:38	Turbidity		2.23	NTU	EPA180.1
9/14/2016 9:40	Turbidity		1.76	NTU	EPA180.1
9/15/2016 9:42	Turbidity		1.96	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/19/2016 9:49	Turbidity		2.56	NTU	EPA180.1
9/20/2016 9:37	Turbidity		2.4	NTU	EPA180.1
9/21/2016 9:57	Turbidity		2.09	NTU	EPA180.1
9/22/2016 9:50	Turbidity		1.73	NTU	EPA180.1
9/26/2016 9:51	Turbidity		1.23	NTU	EPA180.1
9/27/2016 9:55	Turbidity		2.7	NTU	EPA180.1
9/28/2016 9:40	Turbidity		1.88	NTU	EPA180.1
9/29/2016 9:43	Turbidity		6.39	NTU	EPA180.1