

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/1/2018 9:55	E. coli		1.5	MPN/100 mL	1	SM9223 Colilert
5/2/2018 8:55	E. coli		2	MPN/100 mL	1	SM9223 Colilert
5/3/2018 11:45	E. coli		6	MPN/100 mL	1	SM9223 Colilert
5/7/2018 11:06	E. coli		18	MPN/100 mL	1	SM9223 Colilert
5/8/2018 11:13	E. coli		10	MPN/100 mL	1	SM9223 Colilert
5/9/2018 9:21	E. coli		1	MPN/100 mL	1	SM9223 Colilert
5/10/2018 10:20	E. coli		11	MPN/100 mL	1	SM9223 Colilert
5/14/2018 8:59	E. coli		13	MPN/100 mL	1	SM9223 Colilert
5/15/2018 8:44	E. coli		54	MPN/100 mL	1	SM9223 Colilert
5/16/2018 8:59	E. coli		61	MPN/100 mL	1	SM9223 Colilert
5/17/2018 8:59	E. coli		33	MPN/100 mL	1	SM9223 Colilert
5/21/2018 6:36	E. coli		50	MPN/100 mL	1	SM9223 Colilert
5/22/2018 6:40	E. coli		128	MPN/100 mL	1	SM9223 Colilert
5/23/2018 6:33	E. coli		52	MPN/100 mL	1	SM9223 Colilert
5/24/2018 6:34	E. coli		16	MPN/100 mL	1	SM9223 Colilert
5/25/2018 6:34	E. coli		58	MPN/100 mL	1	SM9223 Colilert
5/26/2018 6:36	E. coli		19	MPN/100 mL	1	SM9223 Colilert
5/27/2018 6:35	E. coli		4	MPN/100 mL	1	SM9223 Colilert
5/28/2018 6:32	E. coli		28	MPN/100 mL	1	SM9223 Colilert
5/29/2018 6:31	E. coli		33	MPN/100 mL	1	SM9223 Colilert
5/30/2018 6:33	E. coli		82	MPN/100 mL	1	SM9223 Colilert
5/31/2018 6:32	E. coli		4	MPN/100 mL	1	SM9223 Colilert
6/1/2018 6:41	E. coli		204.5	MPN/100 mL	1	SM9223 Colilert
6/2/2018 6:37	E. coli		314	MPN/100 mL	1	SM9223 Colilert
6/3/2018 6:37	E. coli		80	MPN/100 mL	1	SM9223 Colilert
6/4/2018 6:57	E. coli		639	MPN/100 mL	1	SM9223 Colilert
6/5/2018 6:42	E. coli		768	MPN/100 mL	1	SM9223 Colilert
6/6/2018 6:27	E. coli		92	MPN/100 mL	1	SM9223 Colilert
6/7/2018 6:25	E. coli		10	MPN/100 mL	1	SM9223 Colilert
6/8/2018 6:33	E. coli		14	MPN/100 mL	1	SM9223 Colilert
6/9/2018 6:36	E. coli		23	MPN/100 mL	1	SM9223 Colilert
6/10/2018 6:31	E. coli		30	MPN/100 mL	1	SM9223 Colilert
6/11/2018 6:42	E. coli		26	MPN/100 mL	1	SM9223 Colilert
6/12/2018 6:36	E. coli		5	MPN/100 mL	1	SM9223 Colilert
6/13/2018 7:42	E. coli		42	MPN/100 mL	1	SM9223 Colilert
6/14/2018 6:40	E. coli		10	MPN/100 mL	1	SM9223 Colilert
6/15/2018 6:32	E. coli		130	MPN/100 mL	1	SM9223 Colilert
6/16/2018 6:43	E. coli		3	MPN/100 mL	1	SM9223 Colilert
6/17/2018 6:30	E. coli		3	MPN/100 mL	1	SM9223 Colilert
6/18/2018 6:35	E. coli		1	MPN/100 mL	1	SM9223 Colilert
6/19/2018 6:40	E. coli		100	MPN/100 mL	1	SM9223 Colilert
6/20/2018 6:45	E. coli		921	MPN/100 mL	1	SM9223 Colilert
6/21/2018 6:35	E. coli		214	MPN/100 mL	1	SM9223 Colilert
6/22/2018 6:31	E. coli		71	MPN/100 mL	1	SM9223 Colilert
6/23/2018 6:35	E. coli		17	MPN/100 mL	1	SM9223 Colilert
6/24/2018 6:26	E. coli		6	MPN/100 mL	1	SM9223 Colilert
6/25/2018 6:37	E. coli		52	MPN/100 mL	1	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/26/2018 6:49	E. coli		14	MPN/100 mL	1	SM9223 Colilert
6/27/2018 6:35	E. coli		12	MPN/100 mL	1	SM9223 Colilert
6/28/2018 6:38	E. coli		127	MPN/100 mL	1	SM9223 Colilert
6/29/2018 6:34	E. coli		16	MPN/100 mL	1	SM9223 Colilert
6/30/2018 6:40	E. coli		4	MPN/100 mL	1	SM9223 Colilert
7/1/2018 6:35	E. coli		2	MPN/100 mL	1	SM9223 Colilert
7/2/2018 6:29	E. coli		1	MPN/100 mL	1	SM9223 Colilert
7/3/2018 7:25	E. coli		5	MPN/100 mL	1	SM9223 Colilert
7/4/2018 6:25	E. coli		4	MPN/100 mL	1	SM9223 Colilert
7/5/2018 6:40	E. coli		28	MPN/100 mL	1	SM9223 Colilert
7/6/2018 6:34	E. coli		756	MPN/100 mL	1	SM9223 Colilert
7/8/2018 6:19	E. coli		90	MPN/100 mL	1	SM9223 Colilert
7/9/2018 6:30	E. coli		16	MPN/100 mL	1	SM9223 Colilert
7/10/2018 6:38	E. coli		10	MPN/100 mL	1	SM9223 Colilert
7/11/2018 6:46	E. coli		49	MPN/100 mL	1	SM9223 Colilert
7/12/2018 6:37	E. coli		2	MPN/100 mL	1	SM9223 Colilert
7/13/2018 6:40	E. coli		8	MPN/100 mL	1	SM9223 Colilert
7/14/2018 6:26	E. coli		9	MPN/100 mL	1	SM9223 Colilert
7/15/2018 6:31	E. coli		197	MPN/100 mL	1	SM9223 Colilert
7/16/2018 6:35	E. coli		10	MPN/100 mL	1	SM9223 Colilert
7/17/2018 6:45	E. coli		411	MPN/100 mL	1	SM9223 Colilert
7/18/2018 6:51	E. coli		25	MPN/100 mL	1	SM9223 Colilert
7/19/2018 6:44	E. coli		2	MPN/100 mL	1	SM9223 Colilert
7/20/2018 7:07	E. coli		10	MPN/100 mL	1	SM9223 Colilert
7/21/2018 6:38	E. coli		5	MPN/100 mL	1	SM9223 Colilert
7/22/2018 6:32	E. coli		2	MPN/100 mL	1	SM9223 Colilert
7/23/2018 6:21	E. coli		16	MPN/100 mL	1	SM9223 Colilert
7/24/2018 6:22	E. coli		179	MPN/100 mL	1	SM9223 Colilert
7/25/2018 6:29	E. coli		10	MPN/100 mL	1	SM9223 Colilert
7/26/2018 6:27	E. coli		5	MPN/100 mL	1	SM9223 Colilert
7/27/2018 6:30	E. coli		118	MPN/100 mL	1	SM9223 Colilert
7/28/2018 6:31	E. coli		461	MPN/100 mL	1	SM9223 Colilert
7/29/2018 6:30	E. coli		144	MPN/100 mL	1	SM9223 Colilert
7/30/2018 6:45	E. coli		15	MPN/100 mL	1	SM9223 Colilert
7/31/2018 6:44	E. coli		23	MPN/100 mL	1	SM9223 Colilert
8/1/2018 6:39	E. coli		32	MPN/100 mL	1	SM9223 Colilert
8/2/2018 6:50	E. coli		162	MPN/100 mL	1	SM9223 Colilert
8/3/2018 6:39	E. coli		34	MPN/100 mL	1	SM9223 Colilert
8/4/2018 6:35	E. coli		21	MPN/100 mL	1	SM9223 Colilert
8/5/2018 6:31	E. coli		16	MPN/100 mL	1	SM9223 Colilert
8/6/2018 6:30	E. coli		980	MPN/100 mL	1	SM9223 Colilert
8/7/2018 6:36	E. coli		2254	MPN/100 mL	1	SM9223 Colilert
8/8/2018 6:35	E. coli		158	MPN/100 mL	1	SM9223 Colilert
8/9/2018 6:35	E. coli		131	MPN/100 mL	1	SM9223 Colilert
8/10/2018 6:43	E. coli		75	MPN/100 mL	1	SM9223 Colilert
8/11/2018 6:40	E. coli		30	MPN/100 mL	1	SM9223 Colilert
8/12/2018 6:39	E. coli		56	MPN/100 mL	1	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/14/2018 6:38	E. coli		20	MPN/100 mL	1	SM9223 Colilert
8/15/2018 6:50	E. coli		411	MPN/100 mL	1	SM9223 Colilert
8/16/2018 6:39	E. coli		29	MPN/100 mL	1	SM9223 Colilert
8/17/2018 6:41	E. coli		49	MPN/100 mL	1	SM9223 Colilert
8/18/2018 6:42	E. coli		818	MPN/100 mL	1	SM9223 Colilert
8/19/2018 6:28	E. coli		30	MPN/100 mL	1	SM9223 Colilert
8/20/2018 6:41	E. coli		14	MPN/100 mL	1	SM9223 Colilert
8/21/2018 6:50	E. coli		19	MPN/100 mL	1	SM9223 Colilert
8/22/2018 6:38	E. coli		1162	MPN/100 mL	1	SM9223 Colilert
8/23/2018 6:38	E. coli		262	MPN/100 mL	1	SM9223 Colilert
8/24/2018 6:38	E. coli		91	MPN/100 mL	1	SM9223 Colilert
8/25/2018 6:20	E. coli		56	MPN/100 mL	1	SM9223 Colilert
8/26/2018 6:24	E. coli		146	MPN/100 mL	1	SM9223 Colilert
8/27/2018 6:30	E. coli		18	MPN/100 mL	1	SM9223 Colilert
8/28/2018 6:48	E. coli		18	MPN/100 mL	1	SM9223 Colilert
8/29/2018 6:33	E. coli		26	MPN/100 mL	1	SM9223 Colilert
8/30/2018 6:42	E. coli		102	MPN/100 mL	1	SM9223 Colilert
8/31/2018 6:33	E. coli		866	MPN/100 mL	1	SM9223 Colilert
9/1/2018 6:38	E. coli		126	MPN/100 mL	1	SM9223 Colilert
9/2/2018 6:52	E. coli		41	MPN/100 mL	1	SM9223 Colilert
9/3/2018 6:29	E. coli		16	MPN/100 mL	1	SM9223 Colilert
9/4/2018 6:38	E. coli		36	MPN/100 mL	1	SM9223 Colilert
9/5/2018 6:44	E. coli		25	MPN/100 mL	1	SM9223 Colilert
9/6/2018 6:35	E. coli		249	MPN/100 mL	1	SM9223 Colilert
9/10/2018 8:56	E. coli		69	MPN/100 mL	1	SM9223 Colilert
9/11/2018 8:57	E. coli		30	MPN/100 mL	1	SM9223 Colilert
9/12/2018 9:10	E. coli		9	MPN/100 mL	1	SM9223 Colilert
9/13/2018 8:58	E. coli		58	MPN/100 mL	1	SM9223 Colilert
9/17/2018 9:01	E. coli		40	MPN/100 mL	1	SM9223 Colilert
9/18/2018 9:02	E. coli		12	MPN/100 mL	1	SM9223 Colilert
9/19/2018 9:10	E. coli		478	MPN/100 mL	1	SM9223 Colilert
9/20/2018 8:54	E. coli		12	MPN/100 mL	1	SM9223 Colilert
9/24/2018 8:59	E. coli		32	MPN/100 mL	1	SM9223 Colilert
9/25/2018 8:55	E. coli		62	MPN/100 mL	1	SM9223 Colilert
9/26/2018 9:10	E. coli		1234	MPN/100 mL	1	SM9223 Colilert
9/27/2018 9:06	E. coli		1410	MPN/100 mL	1	SM9223 Colilert
10/1/2018 8:50	E. coli		68	MPN/100 mL	1	SM9223 Colilert
5/1/2018 9:55	Field Cond		388	umhos/cm		SM 2510A
5/2/2018 8:55	Field Cond		356	umhos/cm		SM 2510A
5/3/2018 11:45	Field Cond		291	umhos/cm		SM 2510A
5/7/2018 11:06	Field Cond		316	umhos/cm		SM 2510A
5/8/2018 11:13	Field Cond		379	umhos/cm		SM 2510A
5/9/2018 9:21	Field Cond		340	umhos/cm		SM 2510A
5/10/2018 10:20	Field Cond		328	umhos/cm		SM 2510A
5/14/2018 8:59	Field Cond		383	umhos/cm		SM 2510A
5/15/2018 8:44	Field Cond		368	umhos/cm		SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/16/2018 8:59	Field Cond		364	umhos/cm		SM 2510A
5/17/2018 8:59	Field Cond		383	umhos/cm		SM 2510A
5/21/2018 6:36	Field Cond		354	umhos/cm		SM 2510A
5/22/2018 6:40	Field Cond		376	umhos/cm		SM 2510A
5/23/2018 6:33	Field Cond		369	umhos/cm		SM 2510A
5/24/2018 6:34	Field Cond		355	umhos/cm		SM 2510A
5/25/2018 6:34	Field Cond		364	umhos/cm		SM 2510A
5/26/2018 6:36	Field Cond		360	umhos/cm		SM 2510A
5/27/2018 6:35	Field Cond		335	umhos/cm		SM 2510A
5/28/2018 6:32	Field Cond		367	umhos/cm		SM 2510A
5/29/2018 6:31	Field Cond		370	umhos/cm		SM 2510A
5/30/2018 6:33	Field Cond		378	umhos/cm		SM 2510A
5/31/2018 6:32	Field Cond		345	umhos/cm		SM 2510A
6/1/2018 6:41	Field Cond		332	umhos/cm		SM 2510A
6/2/2018 6:37	Field Cond		317	umhos/cm		SM 2510A
6/3/2018 6:37	Field Cond		319	umhos/cm		SM 2510A
6/4/2018 6:57	Field Cond		320	umhos/cm		SM 2510A
6/5/2018 6:42	Field Cond		376	umhos/cm		SM 2510A
6/6/2018 6:27	Field Cond		357	umhos/cm		SM 2510A
6/7/2018 6:25	Field Cond		345	umhos/cm		SM 2510A
6/8/2018 6:33	Field Cond		364	umhos/cm		SM 2510A
6/9/2018 6:36	Field Cond		380	umhos/cm		SM 2510A
6/10/2018 6:31	Field Cond		371	umhos/cm		SM 2510A
6/11/2018 6:42	Field Cond		277	umhos/cm		SM 2510A
6/12/2018 6:36	Field Cond		294	umhos/cm		SM 2510A
6/13/2018 7:42	Field Cond		276	umhos/cm		SM 2510A
6/14/2018 6:40	Field Cond		309	umhos/cm		SM 2510A
6/15/2018 6:32	Field Cond		301	umhos/cm		SM 2510A
6/16/2018 6:43	Field Cond		292	umhos/cm		SM 2510A
6/17/2018 6:30	Field Cond		287	umhos/cm		SM 2510A
6/18/2018 6:35	Field Cond		301	umhos/cm		SM 2510A
6/19/2018 6:40	Field Cond		280	umhos/cm		SM 2510A
6/20/2018 6:45	Field Cond		412	umhos/cm		SM 2510A
6/21/2018 6:35	Field Cond		331	umhos/cm		SM 2510A
6/22/2018 6:31	Field Cond		340	umhos/cm		SM 2510A
6/23/2018 6:35	Field Cond		311	umhos/cm		SM 2510A
6/24/2018 6:26	Field Cond		312	umhos/cm		SM 2510A
6/25/2018 6:37	Field Cond		314	umhos/cm		SM 2510A
6/26/2018 6:49	Field Cond		354	umhos/cm		SM 2510A
6/27/2018 6:35	Field Cond		340	umhos/cm		SM 2510A
6/28/2018 6:38	Field Cond		297	umhos/cm		SM 2510A
6/29/2018 6:34	Field Cond		300	umhos/cm		SM 2510A
6/30/2018 6:40	Field Cond		300	umhos/cm		SM 2510A
7/1/2018 6:35	Field Cond		293	umhos/cm		SM 2510A
7/2/2018 6:29	Field Cond		313	umhos/cm		SM 2510A
7/3/2018 7:25	Field Cond		316	umhos/cm		SM 2510A
7/4/2018 6:25	Field Cond		298	umhos/cm		SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/5/2018 6:40	Field Cond		335	umhos/cm		SM 2510A
7/6/2018 6:34	Field Cond		322	umhos/cm		SM 2510A
7/8/2018 6:19	Field Cond		423	umhos/cm		SM 2510A
7/9/2018 6:30	Field Cond		408	umhos/cm		SM 2510A
7/10/2018 6:38	Field Cond		356	umhos/cm		SM 2510A
7/11/2018 6:46	Field Cond		317	umhos/cm		SM 2510A
7/12/2018 6:37	Field Cond		330	umhos/cm		SM 2510A
7/13/2018 6:40	Field Cond		323	umhos/cm		SM 2510A
7/14/2018 6:26	Field Cond		312	umhos/cm		SM 2510A
7/15/2018 6:31	Field Cond		318	umhos/cm		SM 2510A
7/16/2018 6:35	Field Cond		320	umhos/cm		SM 2510A
7/17/2018 6:45	Field Cond		325	umhos/cm		SM 2510A
7/18/2018 6:51	Field Cond		416	umhos/cm		SM 2510A
7/19/2018 6:44	Field Cond		317	umhos/cm		SM 2510A
7/20/2018 7:07	Field Cond		352	umhos/cm		SM 2510A
7/21/2018 6:38	Field Cond		320	umhos/cm		SM 2510A
7/22/2018 6:32	Field Cond		351	umhos/cm		SM 2510A
7/23/2018 6:21	Field Cond		328	umhos/cm		SM 2510A
7/24/2018 6:22	Field Cond		308	umhos/cm		SM 2510A
7/25/2018 6:29	Field Cond		316	umhos/cm		SM 2510A
7/26/2018 6:27	Field Cond		323	umhos/cm		SM 2510A
7/27/2018 6:30	Field Cond		326	umhos/cm		SM 2510A
7/28/2018 6:31	Field Cond		350	umhos/cm		SM 2510A
7/29/2018 6:30	Field Cond		314	umhos/cm		SM 2510A
7/30/2018 6:45	Field Cond		324	umhos/cm		SM 2510A
7/31/2018 6:44	Field Cond		325	umhos/cm		SM 2510A
8/1/2018 6:39	Field Cond		318	umhos/cm		SM 2510A
8/2/2018 6:50	Field Cond		319	umhos/cm		SM 2510A
8/3/2018 6:39	Field Cond		321	umhos/cm		SM 2510A
8/4/2018 6:35	Field Cond		328	umhos/cm		SM 2510A
8/5/2018 6:31	Field Cond		356	umhos/cm		SM 2510A
8/6/2018 6:30	Field Cond		390	umhos/cm		SM 2510A
8/7/2018 6:36	Field Cond		378	umhos/cm		SM 2510A
8/8/2018 6:35	Field Cond		375	umhos/cm		SM 2510A
8/9/2018 6:35	Field Cond		357	umhos/cm		SM 2510A
8/10/2018 6:43	Field Cond		356	umhos/cm		SM 2510A
8/11/2018 6:40	Field Cond		420	umhos/cm		SM 2510A
8/12/2018 6:39	Field Cond		425	umhos/cm		SM 2510A
8/13/2018 6:39	Field Cond		393	umhos/cm		SM 2510A
8/14/2018 6:38	Field Cond		390	umhos/cm		SM 2510A
8/15/2018 6:50	Field Cond		364	umhos/cm		SM 2510A
8/16/2018 6:39	Field Cond		322	umhos/cm		SM 2510A
8/17/2018 6:41	Field Cond		333	umhos/cm		SM 2510A
8/18/2018 6:42	Field Cond		338	umhos/cm		SM 2510A
8/19/2018 6:28	Field Cond		450	umhos/cm		SM 2510A
8/20/2018 6:41	Field Cond		476	umhos/cm		SM 2510A
8/21/2018 6:50	Field Cond		330	umhos/cm		SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/22/2018 6:38	Field Cond		325	umhos/cm		SM 2510A
8/23/2018 6:38	Field Cond		357	umhos/cm		SM 2510A
8/24/2018 6:38	Field Cond		331	umhos/cm		SM 2510A
8/25/2018 6:20	Field Cond		309	umhos/cm		SM 2510A
8/26/2018 6:24	Field Cond		325	umhos/cm		SM 2510A
8/27/2018 6:30	Field Cond		354	umhos/cm		SM 2510A
8/28/2018 6:48	Field Cond		375	umhos/cm		SM 2510A
8/29/2018 6:33	Field Cond		350	umhos/cm		SM 2510A
8/30/2018 6:42	Field Cond		339	umhos/cm		SM 2510A
8/31/2018 6:33	Field Cond		425	umhos/cm		SM 2510A
9/1/2018 6:38	Field Cond		460	umhos/cm		SM 2510A
9/2/2018 6:52	Field Cond		414	umhos/cm		SM 2510A
9/3/2018 6:29	Field Cond		360	umhos/cm		SM 2510A
9/4/2018 6:38	Field Cond		344	umhos/cm		SM 2510A
9/5/2018 6:44	Field Cond		368	umhos/cm		SM 2510A
9/6/2018 6:35	Field Cond		328	umhos/cm		SM 2510A
9/10/2018 8:56	Field Cond		323	umhos/cm		SM 2510A
9/11/2018 8:57	Field Cond		307	umhos/cm		SM 2510A
9/12/2018 9:10	Field Cond		298	umhos/cm		SM 2510A
9/13/2018 8:58	Field Cond		317	umhos/cm		SM 2510A
9/17/2018 9:01	Field Cond		307	umhos/cm		SM 2510A
9/18/2018 9:02	Field Cond		316	umhos/cm		SM 2510A
9/19/2018 9:10	Field Cond		309	umhos/cm		SM 2510A
9/20/2018 8:54	Field Cond		329	umhos/cm		SM 2510A
9/24/2018 8:59	Field Cond		414	umhos/cm		SM 2510A
9/25/2018 8:55	Field Cond		370	umhos/cm		SM 2510A
9/26/2018 9:10	Field Cond		332	umhos/cm		SM 2510A
9/27/2018 9:06	Field Cond		342	umhos/cm		SM 2510A
10/1/2018 8:50	Field Cond		320	umhos/cm		SM 2510A
5/1/2018 9:55	Field Temp		53.2	C		EPA 170.1
5/2/2018 8:55	Field Temp		53.8	C		EPA 170.1
5/3/2018 11:45	Field Temp		19.7	C		EPA 170.1
5/7/2018 11:06	Field Temp		15.5	C		EPA 170.1
5/8/2018 11:13	Field Temp		16.3	C		EPA 170.1
5/9/2018 9:21	Field Temp		15.5	C		EPA 170.1
5/10/2018 10:20	Field Temp		13.8	C		EPA 170.1
5/14/2018 8:59	Field Temp		15.2	C		EPA 170.1
5/15/2018 8:44	Field Temp		16.4	C		EPA 170.1
5/16/2018 8:59	Field Temp		14.9	C		EPA 170.1
5/17/2018 8:59	Field Temp		16.4	C		EPA 170.1
5/21/2018 6:36	Field Temp		15.1	C		EPA 170.1
5/22/2018 6:40	Field Temp		14.8	C		EPA 170.1
5/23/2018 6:33	Field Temp		15.2	C		EPA 170.1
5/24/2018 6:34	Field Temp		16.8	C		EPA 170.1
5/25/2018 6:34	Field Temp		17	C		EPA 170.1
5/26/2018 6:36	Field Temp		18.2	C		EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/27/2018 6:35	Field Temp		18.6	C		EPA 170.1
5/28/2018 6:32	Field Temp		21.7	C		EPA 170.1
5/29/2018 6:31	Field Temp		20.8	C		EPA 170.1
5/30/2018 6:33	Field Temp		18.9	C		EPA 170.1
5/31/2018 6:32	Field Temp		15.8	C		EPA 170.1
6/1/2018 6:41	Field Temp		16.8	C		EPA 170.1
6/2/2018 6:37	Field Temp		17.2	C		EPA 170.1
6/3/2018 6:37	Field Temp		17.6	C		EPA 170.1
6/4/2018 6:57	Field Temp		18	C		EPA 170.1
6/5/2018 6:42	Field Temp		18.6	C		EPA 170.1
6/6/2018 6:27	Field Temp		17.3	C		EPA 170.1
6/7/2018 6:25	Field Temp		18	C		EPA 170.1
6/8/2018 6:33	Field Temp		19.1	C		EPA 170.1
6/9/2018 6:36	Field Temp		20.1	C		EPA 170.1
6/10/2018 6:31	Field Temp		19.6	C		EPA 170.1
6/11/2018 6:42	Field Temp		18.1	C		EPA 170.1
6/12/2018 6:36	Field Temp		17.1	C		EPA 170.1
6/13/2018 7:42	Field Temp		20	C		EPA 170.1
6/14/2018 6:40	Field Temp		19.2	C		EPA 170.1
6/15/2018 6:32	Field Temp		20.2	C		EPA 170.1
6/16/2018 6:43	Field Temp		20.8	C		EPA 170.1
6/17/2018 6:30	Field Temp		21.4	C		EPA 170.1
6/18/2018 6:35	Field Temp		23.3	C		EPA 170.1
6/19/2018 6:40	Field Temp		23.1	C		EPA 170.1
6/20/2018 6:45	Field Temp		22.9	C		EPA 170.1
6/21/2018 6:35	Field Temp		20.3	C		EPA 170.1
6/22/2018 6:31	Field Temp		18.2	C		EPA 170.1
6/23/2018 6:35	Field Temp		15.7	C		EPA 170.1
6/24/2018 6:26	Field Temp		19.9	C		EPA 170.1
6/25/2018 6:37	Field Temp		20.4	C		EPA 170.1
6/26/2018 6:49	Field Temp		18.5	C		EPA 170.1
6/27/2018 6:35	Field Temp		20.3	C		EPA 170.1
6/28/2018 6:38	Field Temp		21	C		EPA 170.1
6/29/2018 6:34	Field Temp		22.2	C		EPA 170.1
6/30/2018 6:40	Field Temp		24.1	C		EPA 170.1
7/1/2018 6:35	Field Temp		23.8	C		EPA 170.1
7/2/2018 6:29	Field Temp		24.8	C		EPA 170.1
7/3/2018 7:25	Field Temp		25.9	C		EPA 170.1
7/4/2018 6:25	Field Temp		25.1	C		EPA 170.1
7/5/2018 6:40	Field Temp		25.6	C		EPA 170.1
7/6/2018 6:34	Field Temp		24.9	C		EPA 170.1
7/8/2018 6:19	Field Temp		22.7	C		EPA 170.1
7/9/2018 6:30	Field Temp		23.8	C		EPA 170.1
7/10/2018 6:38	Field Temp		24.4	C		EPA 170.1
7/11/2018 6:46	Field Temp		24	C		EPA 170.1
7/12/2018 6:37	Field Temp		23.4	C		EPA 170.1
7/13/2018 6:40	Field Temp		23.1	C		EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/14/2018 6:26	Field Temp		23.7	C		EPA 170.1
7/15/2018 6:31	Field Temp		25	C		EPA 170.1
7/16/2018 6:35	Field Temp		25.2	C		EPA 170.1
7/17/2018 6:45	Field Temp		25.2	C		EPA 170.1
7/18/2018 6:51	Field Temp		24.2	C		EPA 170.1
7/19/2018 6:44	Field Temp		23.3	C		EPA 170.1
7/20/2018 7:07	Field Temp		22.2	C		EPA 170.1
7/21/2018 6:38	Field Temp		22.9	C		EPA 170.1
7/22/2018 6:32	Field Temp		21.4	C		EPA 170.1
7/23/2018 6:21	Field Temp		22.9	C		EPA 170.1
7/24/2018 6:22	Field Temp		22.6	C		EPA 170.1
7/25/2018 6:29	Field Temp		23.2	C		EPA 170.1
7/26/2018 6:27	Field Temp		23	C		EPA 170.1
7/27/2018 6:30	Field Temp		20.2	C		EPA 170.1
7/28/2018 6:31	Field Temp		22.4	C		EPA 170.1
7/29/2018 6:30	Field Temp		20.7	C		EPA 170.1
7/30/2018 6:45	Field Temp		22.1	C		EPA 170.1
7/31/2018 6:44	Field Temp		22.3	C		EPA 170.1
8/1/2018 6:39	Field Temp		23.1	C		EPA 170.1
8/2/2018 6:50	Field Temp		22.5	C		EPA 170.1
8/3/2018 6:39	Field Temp		23.9	C		EPA 170.1
8/4/2018 6:35	Field Temp		24	C		EPA 170.1
8/5/2018 6:31	Field Temp		24.4	C		EPA 170.1
8/6/2018 6:30	Field Temp		24.6	C		EPA 170.1
8/7/2018 6:36	Field Temp		24.4	C		EPA 170.1
8/8/2018 6:35	Field Temp		24.5	C		EPA 170.1
8/9/2018 6:35	Field Temp		22.7	C		EPA 170.1
8/10/2018 6:43	Field Temp		25.3	C		EPA 170.1
8/11/2018 6:40	Field Temp		21.2	C		EPA 170.1
8/12/2018 6:39	Field Temp		20.4	C		EPA 170.1
8/13/2018 6:39	Field Temp		24.2	C		EPA 170.1
8/14/2018 6:38	Field Temp		24.9	C		EPA 170.1
8/15/2018 6:50	Field Temp		24.5	C		EPA 170.1
8/16/2018 6:39	Field Temp		25.2	C		EPA 170.1
8/17/2018 6:41	Field Temp		24.9	C		EPA 170.1
8/18/2018 6:42	Field Temp		24.4	C		EPA 170.1
8/19/2018 6:28	Field Temp		23.6	C		EPA 170.1
8/20/2018 6:41	Field Temp		23.3	C		EPA 170.1
8/21/2018 6:50	Field Temp		23.6	C		EPA 170.1
8/22/2018 6:38	Field Temp		22.8	C		EPA 170.1
8/23/2018 6:38	Field Temp		21.2	C		EPA 170.1
8/24/2018 6:38	Field Temp		20.9	C		EPA 170.1
8/25/2018 6:20	Field Temp		22.9	C		EPA 170.1
8/26/2018 6:24	Field Temp		22.9	C		EPA 170.1
8/27/2018 6:30	Field Temp		24.3	C		EPA 170.1
8/28/2018 6:48	Field Temp		24	C		EPA 170.1
8/29/2018 6:33	Field Temp		24.8	C		EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/30/2018 6:42	Field Temp		24.1	C		EPA 170.1
8/31/2018 6:33	Field Temp		22.8	C		EPA 170.1
9/1/2018 6:38	Field Temp		23.2	C		EPA 170.1
9/2/2018 6:52	Field Temp		24.4	C		EPA 170.1
9/3/2018 6:29	Field Temp		24.6	C		EPA 170.1
9/4/2018 6:38	Field Temp		24.8	C		EPA 170.1
9/5/2018 6:44	Field Temp		24.2	C		EPA 170.1
9/6/2018 6:35	Field Temp		23.9	C		EPA 170.1
9/10/2018 8:56	Field Temp		19.8	C		EPA 170.1
9/11/2018 8:57	Field Temp		18.9	C		EPA 170.1
9/12/2018 9:10	Field Temp		20.7	C		EPA 170.1
9/13/2018 8:58	Field Temp		21.8	C		EPA 170.1
9/17/2018 9:01	Field Temp		22.4	C		EPA 170.1
9/18/2018 9:02	Field Temp		22.5	C		EPA 170.1
9/19/2018 9:10	Field Temp		20.8	C		EPA 170.1
9/20/2018 8:54	Field Temp		20.1	C		EPA 170.1
9/24/2018 8:59	Field Temp		19.2	C		EPA 170.1
9/25/2018 8:55	Field Temp		20.9	C		EPA 170.1
9/26/2018 9:10	Field Temp		21.7	C		EPA 170.1
9/27/2018 9:06	Field Temp		18.2	C		EPA 170.1
10/1/2018 8:50	Field Temp		19.4	C		EPA 170.1
5/1/2018 9:55	pH		7.3	S.U.		
5/2/2018 8:55	pH		6.9	S.U.		
5/3/2018 11:45	pH		8.2	S.U.		
5/7/2018 11:06	pH		7.8	S.U.		
5/8/2018 11:13	pH		8.2	S.U.		
5/9/2018 9:21	pH		7.5	S.U.		
5/10/2018 10:20	pH		8.1	S.U.		
5/14/2018 8:59	pH		7.8	S.U.		
5/15/2018 8:44	pH		8.2	S.U.		
5/16/2018 8:59	pH		8.1	S.U.		
5/17/2018 8:59	pH		8.4	S.U.		
5/21/2018 6:36	pH		7.5	S.U.		
5/22/2018 6:40	pH		7.5	S.U.		
5/23/2018 6:33	pH		7.6	S.U.		
5/24/2018 6:34	pH		8.2	S.U.		
5/25/2018 6:34	pH		8.3	S.U.		
5/26/2018 6:36	pH		8.2	S.U.		
5/27/2018 6:35	pH		8.6	S.U.		
5/28/2018 6:32	pH		8.3	S.U.		
5/29/2018 6:31	pH		8.3	S.U.		
5/30/2018 6:33	pH		7.8	S.U.		
5/31/2018 6:32	pH		7.4	S.U.		
6/1/2018 6:41	pH		7.6	S.U.		
6/2/2018 6:37	pH		7.7	S.U.		
6/3/2018 6:37	pH		7.8	S.U.		

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/4/2018 6:57	pH		8	S.U.		
6/5/2018 6:42	pH		7.9	S.U.		
6/6/2018 6:27	pH		8	S.U.		
6/7/2018 6:25	pH		8	S.U.		
6/8/2018 6:33	pH		7.8	S.U.		
6/9/2018 6:36	pH		7.8	S.U.		
6/10/2018 6:31	pH		7.7	S.U.		
6/11/2018 6:42	pH		7.8	S.U.		
6/12/2018 6:36	pH		7.8	S.U.		
6/13/2018 7:42	pH		7.6	S.U.		
6/14/2018 6:40	pH		7.2	S.U.		
6/15/2018 6:32	pH		7.4	S.U.		
6/16/2018 6:43	pH		7.6	S.U.		
6/17/2018 6:30	pH		7.6	S.U.		
6/18/2018 6:35	pH		7.3	S.U.		
6/19/2018 6:40	pH		7.6	S.U.		
6/20/2018 6:45	pH		7.2	S.U.		
6/21/2018 6:35	pH		7.1	S.U.		
6/22/2018 6:31	pH		7	S.U.		
6/23/2018 6:35	pH		6.6	S.U.		
6/24/2018 6:26	pH		7.2	S.U.		
6/25/2018 6:37	pH		7	S.U.		
6/26/2018 6:49	pH		7.2	S.U.		
6/27/2018 6:35	pH		6.9	S.U.		
6/28/2018 6:38	pH		7.1	S.U.		
6/29/2018 6:34	pH		7.2	S.U.		
6/30/2018 6:40	pH		7.1	S.U.		
7/1/2018 6:35	pH		8	S.U.		
7/2/2018 6:29	pH		7.5	S.U.		
7/3/2018 7:25	pH		7.9	S.U.		
7/4/2018 6:25	pH		7.8	S.U.		
7/5/2018 6:40	pH		7.7	S.U.		
7/6/2018 6:34	pH		7.7	S.U.		
7/8/2018 6:19	pH		7.2	S.U.		
7/9/2018 6:30	pH		6.9	S.U.		
7/10/2018 6:38	pH		7.2	S.U.		
7/11/2018 6:46	pH		7	S.U.		
7/12/2018 6:37	pH		6.8	S.U.		
7/13/2018 6:40	pH		7.2	S.U.		
7/14/2018 6:26	pH		6.8	S.U.		
7/15/2018 6:31	pH		7	S.U.		
7/16/2018 6:35	pH		7.4	S.U.		
7/17/2018 6:45	pH		7.7	S.U.		
7/18/2018 6:51	pH		7.3	S.U.		
7/19/2018 6:44	pH		7.7	S.U.		
7/20/2018 7:07	pH		8	S.U.		
7/21/2018 6:38	pH		7.6	S.U.		

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/22/2018 6:32	pH		7.7	S.U.		
7/23/2018 6:21	pH		7.5	S.U.		
7/24/2018 6:22	pH		7.3	S.U.		
7/25/2018 6:29	pH		7.6	S.U.		
7/26/2018 6:27	pH		7.7	S.U.		
7/27/2018 6:30	pH		7.4	S.U.		
7/28/2018 6:31	pH		7.9	S.U.		
7/29/2018 6:30	pH		7.6	S.U.		
7/30/2018 6:45	pH		7.7	S.U.		
7/31/2018 6:44	pH		7.5	S.U.		
8/1/2018 6:39	pH		7.8	S.U.		
8/2/2018 6:50	pH		6.9	S.U.		
8/3/2018 6:39	pH		7.7	S.U.		
8/4/2018 6:35	pH		7.2	S.U.		
8/5/2018 6:31	pH		7.4	S.U.		
8/6/2018 6:30	pH		7.3	S.U.		
8/7/2018 6:36	pH		6.7	S.U.		
8/8/2018 6:35	pH		6.7	S.U.		
8/9/2018 6:35	pH		6.9	S.U.		
8/10/2018 6:43	pH		6.7	S.U.		
8/11/2018 6:40	pH		7.2	S.U.		
8/12/2018 6:39	pH		8.3	S.U.		
8/13/2018 6:39	pH		6.8	S.U.		
8/14/2018 6:38	pH		7.2	S.U.		
8/15/2018 6:50	pH		6.9	S.U.		
8/16/2018 6:39	pH		7.2	S.U.		
8/17/2018 6:41	pH		6.9	S.U.		
8/18/2018 6:42	pH		7.2	S.U.		
8/19/2018 6:28	pH		7.1	S.U.		
8/20/2018 6:41	pH		6.7	S.U.		
8/21/2018 6:50	pH		6.9	S.U.		
8/22/2018 6:38	pH		6.9	S.U.		
8/23/2018 6:38	pH		6.6	S.U.		
8/24/2018 6:38	pH		7.1	S.U.		
8/25/2018 6:20	pH		7	S.U.		
8/26/2018 6:24	pH		6.9	S.U.		
8/27/2018 6:30	pH		6.7	S.U.		
8/28/2018 6:48	pH		6.9	S.U.		
8/29/2018 6:33	pH		6.7	S.U.		
8/30/2018 6:42	pH		6.9	S.U.		
8/31/2018 6:33	pH		6.3	S.U.		
9/1/2018 6:38	pH		6.4	S.U.		
9/2/2018 6:52	pH		6.5	S.U.		
9/3/2018 6:29	pH		6.7	S.U.		
9/4/2018 6:38	pH		6.6	S.U.		
9/5/2018 6:44	pH		7.9	S.U.		
9/6/2018 6:35	pH		7.4	S.U.		

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
9/10/2018 8:56	pH		7.2	S.U.		
9/11/2018 8:57	pH		7.1	S.U.		
9/12/2018 9:10	pH		6.8	S.U.		
9/13/2018 8:58	pH		6.7	S.U.		
9/17/2018 9:01	pH		7	S.U.		
9/18/2018 9:02	pH		6.8	S.U.		
9/19/2018 9:10	pH		6.8	S.U.		
9/20/2018 8:54	pH		6.7	S.U.		
9/24/2018 8:59	pH		6.6	S.U.		
9/25/2018 8:55	pH		6.9	S.U.		
9/26/2018 9:10	pH		7.2	S.U.		
9/27/2018 9:06	pH		6.9	S.U.		
10/1/2018 8:50	pH		6.8	S.U.		
5/1/2018 9:55	Turbidity		11.65	NTU		EPA180.1
5/2/2018 8:55	Turbidity		8.6	NTU		EPA180.1
5/3/2018 11:45	Turbidity		11.2	NTU		EPA180.1
5/7/2018 11:06	Turbidity		12.4	NTU		EPA180.1
5/8/2018 11:13	Turbidity		8	NTU		EPA180.1
5/9/2018 9:21	Turbidity		4.6	NTU		EPA180.1
5/10/2018 10:20	Turbidity		7.6	NTU		EPA180.1
5/14/2018 8:59	Turbidity		6.8	NTU		EPA180.1
5/15/2018 8:44	Turbidity		6.8	NTU		EPA180.1
5/16/2018 8:59	Turbidity		7.9	NTU		EPA180.1
5/17/2018 8:59	Turbidity		7	NTU		EPA180.1
5/21/2018 6:36	Turbidity		16.4	NTU		EPA180.1
5/22/2018 6:40	Turbidity		19.8	NTU		EPA180.1
5/23/2018 6:33	Turbidity		22.6	NTU		EPA180.1
5/24/2018 6:34	Turbidity		6.5	NTU		EPA180.1
5/25/2018 6:34	Turbidity		12.8	NTU		EPA180.1
5/26/2018 6:36	Turbidity		9.3	NTU		EPA180.1
5/27/2018 6:35	Turbidity		4.5	NTU		EPA180.1
5/28/2018 6:32	Turbidity		6.4	NTU		EPA180.1
5/29/2018 6:31	Turbidity		5.8	NTU		EPA180.1
5/30/2018 6:33	Turbidity		11.5	NTU		EPA180.1
5/31/2018 6:32	Turbidity		10.8	NTU		EPA180.1
6/1/2018 6:41	Turbidity		4.95	NTU		EPA180.1
6/2/2018 6:37	Turbidity		26.9	NTU		EPA180.1
6/3/2018 6:37	Turbidity		11.2	NTU		EPA180.1
6/4/2018 6:57	Turbidity		28.6	NTU		EPA180.1
6/5/2018 6:42	Turbidity		37.9	NTU		EPA180.1
6/6/2018 6:27	Turbidity		21.7	NTU		EPA180.1
6/7/2018 6:25	Turbidity		7.8	NTU		EPA180.1
6/8/2018 6:33	Turbidity		4.3	NTU		EPA180.1
6/9/2018 6:36	Turbidity		5.7	NTU		EPA180.1
6/10/2018 6:31	Turbidity		15.5	NTU		EPA180.1
6/11/2018 6:42	Turbidity		17.3	NTU		EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/12/2018 6:36	Turbidity		15.4	NTU		EPA180.1
6/13/2018 7:42	Turbidity		11.1	NTU		EPA180.1
6/14/2018 6:40	Turbidity		14.2	NTU		EPA180.1
6/15/2018 6:32	Turbidity		11.1	NTU		EPA180.1
6/16/2018 6:43	Turbidity		1.8	NTU		EPA180.1
6/17/2018 6:30	Turbidity		1.5	NTU		EPA180.1
6/18/2018 6:35	Turbidity		2.4	NTU		EPA180.1
6/19/2018 6:40	Turbidity		11.4	NTU		EPA180.1
6/20/2018 6:45	Turbidity		7.6	NTU		EPA180.1
6/21/2018 6:35	Turbidity		13.9	NTU		EPA180.1
6/22/2018 6:31	Turbidity		38.3	NTU		EPA180.1
6/23/2018 6:35	Turbidity		28.8	NTU		EPA180.1
6/24/2018 6:26	Turbidity		2.7	NTU		EPA180.1
6/25/2018 6:37	Turbidity		15.6	NTU		EPA180.1
6/26/2018 6:49	Turbidity		8.5	NTU		EPA180.1
6/27/2018 6:35	Turbidity		8.4	NTU		EPA180.1
6/28/2018 6:38	Turbidity		28.7	NTU		EPA180.1
6/29/2018 6:34	Turbidity		6.1	NTU		EPA180.1
6/30/2018 6:40	Turbidity		5.8	NTU		EPA180.1
7/1/2018 6:35	Turbidity		4.5	NTU		EPA180.1
7/2/2018 6:29	Turbidity		4.4	NTU		EPA180.1
7/3/2018 7:25	Turbidity		2.7	NTU		EPA180.1
7/4/2018 6:25	Turbidity		4	NTU		EPA180.1
7/5/2018 6:40	Turbidity		4.6	NTU		EPA180.1
7/6/2018 6:34	Turbidity		39	NTU		EPA180.1
7/8/2018 6:19	Turbidity		9.6	NTU		EPA180.1
7/9/2018 6:30	Turbidity		7	NTU		EPA180.1
7/10/2018 6:38	Turbidity		4.7	NTU		EPA180.1
7/11/2018 6:46	Turbidity		19.9	NTU		EPA180.1
7/12/2018 6:37	Turbidity		6	NTU		EPA180.1
7/13/2018 6:40	Turbidity		3.6	NTU		EPA180.1
7/14/2018 6:26	Turbidity		5.5	NTU		EPA180.1
7/15/2018 6:31	Turbidity		4.3	NTU		EPA180.1
7/16/2018 6:35	Turbidity		3.3	NTU		EPA180.1
7/17/2018 6:45	Turbidity		10.6	NTU		EPA180.1
7/18/2018 6:51	Turbidity		9.7	NTU		EPA180.1
7/19/2018 6:44	Turbidity		5.8	NTU		EPA180.1
7/20/2018 7:07	Turbidity		4.7	NTU		EPA180.1
7/21/2018 6:38	Turbidity		3.5	NTU		EPA180.1
7/22/2018 6:32	Turbidity		2.9	NTU		EPA180.1
7/23/2018 6:21	Turbidity		4.9	NTU		EPA180.1
7/24/2018 6:22	Turbidity		5.5	NTU		EPA180.1
7/25/2018 6:29	Turbidity		2.2	NTU		EPA180.1
7/26/2018 6:27	Turbidity		2.7	NTU		EPA180.1
7/27/2018 6:30	Turbidity		10	NTU		EPA180.1
7/28/2018 6:31	Turbidity		15.8	NTU		EPA180.1
7/29/2018 6:30	Turbidity		7.6	NTU		EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/30/2018 6:45	Turbidity		3.7	NTU		EPA180.1
7/31/2018 6:44	Turbidity		2.6	NTU		EPA180.1
8/1/2018 6:39	Turbidity		3	NTU		EPA180.1
8/2/2018 6:50	Turbidity		5.5	NTU		EPA180.1
8/3/2018 6:39	Turbidity		2.5	NTU		EPA180.1
8/4/2018 6:35	Turbidity		2.5	NTU		EPA180.1
8/5/2018 6:31	Turbidity		3.1	NTU		EPA180.1
8/6/2018 6:30	Turbidity		2.9	NTU		EPA180.1
8/7/2018 6:36	Turbidity		15.9	NTU		EPA180.1
8/8/2018 6:35	Turbidity		6.6	NTU		EPA180.1
8/9/2018 6:35	Turbidity		7.5	NTU		EPA180.1
8/10/2018 6:43	Turbidity		10.8	NTU		EPA180.1
8/11/2018 6:40	Turbidity		3.6	NTU		EPA180.1
8/12/2018 6:39	Turbidity		11.8	NTU		EPA180.1
8/13/2018 6:39	Turbidity		5.2	NTU		EPA180.1
8/14/2018 6:38	Turbidity		3.8	NTU		EPA180.1
8/15/2018 6:50	Turbidity		6.9	NTU		EPA180.1
8/16/2018 6:39	Turbidity		4	NTU		EPA180.1
8/17/2018 6:41	Turbidity		2.9	NTU		EPA180.1
8/18/2018 6:42	Turbidity		6.3	NTU		EPA180.1
8/19/2018 6:28	Turbidity		8.4	NTU		EPA180.1
8/20/2018 6:41	Turbidity		5.4	NTU		EPA180.1
8/21/2018 6:50	Turbidity		7.6	NTU		EPA180.1
8/22/2018 6:38	Turbidity		48.4	NTU		EPA180.1
8/23/2018 6:38	Turbidity		37.7	NTU		EPA180.1
8/24/2018 6:38	Turbidity		13.6	NTU		EPA180.1
8/25/2018 6:20	Turbidity		3.3	NTU		EPA180.1
8/26/2018 6:24	Turbidity		3.8	NTU		EPA180.1
8/27/2018 6:30	Turbidity		3.6	NTU		EPA180.1
8/28/2018 6:48	Turbidity		2.5	NTU		EPA180.1
8/29/2018 6:33	Turbidity		2.7	NTU		EPA180.1
8/30/2018 6:42	Turbidity		9.9	NTU		EPA180.1
8/31/2018 6:33	Turbidity		4.4	NTU		EPA180.1
9/1/2018 6:38	Turbidity		4.25	NTU		EPA180.1
9/2/2018 6:52	Turbidity		3.7	NTU		EPA180.1
9/3/2018 6:29	Turbidity		3.2	NTU		EPA180.1
9/4/2018 6:38	Turbidity		4.7	NTU		EPA180.1
9/5/2018 6:44	Turbidity		3.6	NTU		EPA180.1
9/6/2018 6:35	Turbidity		4.4	NTU		EPA180.1
9/10/2018 8:56	Turbidity		19.2	NTU		EPA180.1
9/11/2018 8:57	Turbidity		19.3	NTU		EPA180.1
9/12/2018 9:10	Turbidity		6.9	NTU		EPA180.1
9/13/2018 8:58	Turbidity		8	NTU		EPA180.1
9/17/2018 9:01	Turbidity		6.5	NTU		EPA180.1
9/18/2018 9:02	Turbidity		5.2	NTU		EPA180.1
9/19/2018 9:10	Turbidity		10.9	NTU		EPA180.1
9/20/2018 8:54	Turbidity		6.5	NTU		EPA180.1



Edgewater East Site

Sample Date	Parameter	Code	Result	Units	MDL	Method
9/24/2018 8:59	Turbidity		10.3	NTU		EPA180.1
9/25/2018 8:55	Turbidity		14.7	NTU		EPA180.1
9/26/2018 9:10	Turbidity		17.6	NTU		EPA180.1
9/27/2018 9:06	Turbidity		26.3	NTU		EPA180.1
10/1/2018 8:50	Turbidity		12.2	NTU		EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/1/2018 9:25	E. coli		19	MPN/100 mL	1	SM9223 Colilert
5/2/2018 9:45	E. coli		25	MPN/100 mL	1	SM9223 Colilert
5/3/2018 10:05	E. coli		50	MPN/100 mL	1	SM9223 Colilert
5/7/2018 10:25	E. coli		69	MPN/100 mL	1	SM9223 Colilert
5/8/2018 13:00	E. coli		2	MPN/100 mL	1	SM9223 Colilert
5/9/2018 10:34	E. coli		8	MPN/100 mL	1	SM9223 Colilert
5/10/2018 9:40	E. coli		44	MPN/100 mL	1	SM9223 Colilert
5/14/2018 11:05	E. coli		263	MPN/100 mL	1	SM9223 Colilert
5/15/2018 9:44	E. coli		271	MPN/100 mL	1	SM9223 Colilert
5/16/2018 9:59	E. coli		99	MPN/100 mL	1	SM9223 Colilert
5/17/2018 10:08	E. coli		17	MPN/100 mL	1	SM9223 Colilert
5/21/2018 7:31	E. coli	>	2420	MPN/100 mL	1	SM9223 Colilert
5/22/2018 7:33	E. coli		484	MPN/100 mL	1	SM9223 Colilert
5/23/2018 7:23	E. coli		373	MPN/100 mL	1	SM9223 Colilert
5/24/2018 7:32	E. coli		70	MPN/100 mL	1	SM9223 Colilert
5/25/2018 7:28	E. coli		24	MPN/100 mL	1	SM9223 Colilert
5/26/2018 7:28	E. coli		52	MPN/100 mL	1	SM9223 Colilert
5/27/2018 7:26	E. coli		22	MPN/100 mL	1	SM9223 Colilert
5/28/2018 7:45	E. coli		50	MPN/100 mL	1	SM9223 Colilert
5/29/2018 7:29	E. coli		12	MPN/100 mL	1	SM9223 Colilert
5/30/2018 7:28	E. coli		38	MPN/100 mL	1	SM9223 Colilert
5/31/2018 7:31	E. coli		5	MPN/100 mL	1	SM9223 Colilert
6/1/2018 7:47	E. coli		34	MPN/100 mL	1	SM9223 Colilert
6/2/2018 7:36	E. coli		403	MPN/100 mL	1	SM9223 Colilert
6/3/2018 7:37	E. coli		92	MPN/100 mL	1	SM9223 Colilert
6/4/2018 7:47	E. coli		5199	MPN/100 mL	1	SM9223 Colilert
6/5/2018 7:41	E. coli		616	MPN/100 mL	1	SM9223 Colilert
6/6/2018 7:33	E. coli		181	MPN/100 mL	1	SM9223 Colilert
6/7/2018 9:02	E. coli		41	MPN/100 mL	1	SM9223 Colilert
6/8/2018 7:37	E. coli		16	MPN/100 mL	1	SM9223 Colilert
6/9/2018 7:39	E. coli		30	MPN/100 mL	1	SM9223 Colilert
6/10/2018 7:26	E. coli		202	MPN/100 mL	1	SM9223 Colilert
6/11/2018 7:34	E. coli		48	MPN/100 mL	1	SM9223 Colilert
6/12/2018 7:37	E. coli		32	MPN/100 mL	1	SM9223 Colilert
6/13/2018 6:53	E. coli		50	MPN/100 mL	1	SM9223 Colilert
6/14/2018 7:40	E. coli		201	MPN/100 mL	1	SM9223 Colilert
6/15/2018 7:30	E. coli		14	MPN/100 mL	1	SM9223 Colilert
6/16/2018 7:35	E. coli		12	MPN/100 mL	1	SM9223 Colilert
6/17/2018 7:27	E. coli		12	MPN/100 mL	1	SM9223 Colilert
6/18/2018 7:33	E. coli		31	MPN/100 mL	1	SM9223 Colilert
6/19/2018 7:38	E. coli		293	MPN/100 mL	1	SM9223 Colilert
6/20/2018 7:41	E. coli		49	MPN/100 mL	1	SM9223 Colilert
6/21/2018 7:36	E. coli		77	MPN/100 mL	1	SM9223 Colilert
6/22/2018 7:30	E. coli		262	MPN/100 mL	1	SM9223 Colilert
6/23/2018 7:30	E. coli		61	MPN/100 mL	1	SM9223 Colilert
6/24/2018 7:20	E. coli		106	MPN/100 mL	1	SM9223 Colilert
6/25/2018 7:30	E. coli		38	MPN/100 mL	1	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/26/2018 7:28	E. coli		41	MPN/100 mL	1	SM9223 Colilert
6/27/2018 7:17	E. coli		48	MPN/100 mL	1	SM9223 Colilert
6/28/2018 7:25	E. coli		1180	MPN/100 mL	1	SM9223 Colilert
6/29/2018 7:23	E. coli		275	MPN/100 mL	1	SM9223 Colilert
6/30/2018 7:58	E. coli		236	MPN/100 mL	1	SM9223 Colilert
7/1/2018 7:52	E. coli		14	MPN/100 mL	1	SM9223 Colilert
7/2/2018 7:39	E. coli		770	MPN/100 mL	1	SM9223 Colilert
7/3/2018 8:43	E. coli		24	MPN/100 mL	1	SM9223 Colilert
7/4/2018 7:50	E. coli		387	MPN/100 mL	1	SM9223 Colilert
7/5/2018 7:47	E. coli		97	MPN/100 mL	1	SM9223 Colilert
7/6/2018 7:44	E. coli		3106	MPN/100 mL	1	SM9223 Colilert
7/7/2018 7:18	E. coli		276	MPN/100 mL	1	SM9223 Colilert
7/8/2018 7:29	E. coli		17	MPN/100 mL	1	SM9223 Colilert
7/9/2018 7:40	E. coli		397	MPN/100 mL	1	SM9223 Colilert
7/10/2018 7:35	E. coli		59	MPN/100 mL	1	SM9223 Colilert
7/11/2018 7:47	E. coli		58	MPN/100 mL	1	SM9223 Colilert
7/12/2018 7:34	E. coli		16	MPN/100 mL	1	SM9223 Colilert
7/13/2018 7:53	E. coli		7	MPN/100 mL	1	SM9223 Colilert
7/14/2018 7:40	E. coli		4	MPN/100 mL	1	SM9223 Colilert
7/15/2018 7:37	E. coli		2	MPN/100 mL	1	SM9223 Colilert
7/16/2018 7:46	E. coli		32	MPN/100 mL	1	SM9223 Colilert
7/17/2018 7:50	E. coli		3080	MPN/100 mL	1	SM9223 Colilert
7/18/2018 7:40	E. coli		127	MPN/100 mL	1	SM9223 Colilert
7/19/2018 7:37	E. coli		29	MPN/100 mL	1	SM9223 Colilert
7/20/2018 7:55	E. coli		29	MPN/100 mL	1	SM9223 Colilert
7/21/2018 7:41	E. coli		6	MPN/100 mL	1	SM9223 Colilert
7/22/2018 7:47	E. coli		13	MPN/100 mL	1	SM9223 Colilert
7/23/2018 7:36	E. coli		25	MPN/100 mL	1	SM9223 Colilert
7/24/2018 7:25	E. coli		280	MPN/100 mL	1	SM9223 Colilert
7/25/2018 7:33	E. coli		167	MPN/100 mL	1	SM9223 Colilert
7/26/2018 7:39	E. coli		70	MPN/100 mL	1	SM9223 Colilert
7/27/2018 7:34	E. coli		646	MPN/100 mL	1	SM9223 Colilert
7/28/2018 7:25	E. coli		542	MPN/100 mL	1	SM9223 Colilert
7/29/2018 7:30	E. coli		25	MPN/100 mL	1	SM9223 Colilert
7/30/2018 7:45	E. coli		4	MPN/100 mL	1	SM9223 Colilert
7/31/2018 7:33	E. coli		34	MPN/100 mL	1	SM9223 Colilert
8/1/2018 7:34	E. coli		2240	MPN/100 mL	1	SM9223 Colilert
8/2/2018 7:42	E. coli		46	MPN/100 mL	1	SM9223 Colilert
8/3/2018 7:33	E. coli		9.5	MPN/100 mL	1	SM9223 Colilert
8/4/2018 7:28	E. coli		104	MPN/100 mL	1	SM9223 Colilert
8/5/2018 7:26	E. coli		34	MPN/100 mL	1	SM9223 Colilert
8/6/2018 7:35	E. coli		1842	MPN/100 mL	1	SM9223 Colilert
8/7/2018 7:51	E. coli		1741	MPN/100 mL	1	SM9223 Colilert
8/8/2018 8:16	E. coli		432	MPN/100 mL	1	SM9223 Colilert
8/9/2018 8:08	E. coli		78	MPN/100 mL	1	SM9223 Colilert
8/10/2018 7:40	E. coli		82	MPN/100 mL	1	SM9223 Colilert
8/11/2018 7:12	E. coli		17	MPN/100 mL	1	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/12/2018 7:05	E. coli		727	MPN/100 mL	1	SM9223 Colilert
8/13/2018 7:38	E. coli		6	MPN/100 mL	1	SM9223 Colilert
8/14/2018 7:43	E. coli		58	MPN/100 mL	1	SM9223 Colilert
8/15/2018 7:55	E. coli		48	MPN/100 mL	1	SM9223 Colilert
8/16/2018 7:33	E. coli		548	MPN/100 mL	1	SM9223 Colilert
8/17/2018 7:38	E. coli		236	MPN/100 mL	1	SM9223 Colilert
8/18/2018 7:41	E. coli		1414	MPN/100 mL	1	SM9223 Colilert
8/19/2018 7:28	E. coli		18	MPN/100 mL	1	SM9223 Colilert
8/20/2018 7:33	E. coli		6	MPN/100 mL	1	SM9223 Colilert
8/21/2018 7:48	E. coli		118	MPN/100 mL	1	SM9223 Colilert
8/22/2018 7:48	E. coli	>	3196.5	MPN/100 mL	1	SM9223 Colilert
8/23/2018 7:33	E. coli		821	MPN/100 mL	1	SM9223 Colilert
8/24/2018 7:32	E. coli		13	MPN/100 mL	1	SM9223 Colilert
8/25/2018 7:20	E. coli		24	MPN/100 mL	1	SM9223 Colilert
8/26/2018 7:15	E. coli		30	MPN/100 mL	1	SM9223 Colilert
8/27/2018 7:15	E. coli		39	MPN/100 mL	1	SM9223 Colilert
8/28/2018 7:40	E. coli		1414	MPN/100 mL	1	SM9223 Colilert
8/29/2018 7:20	E. coli		22	MPN/100 mL	1	SM9223 Colilert
8/30/2018 7:40	E. coli		405	MPN/100 mL	1	SM9223 Colilert
8/31/2018 7:18	E. coli		110	MPN/100 mL	1	SM9223 Colilert
9/1/2018 7:28	E. coli		80	MPN/100 mL	1	SM9223 Colilert
9/2/2018 7:34	E. coli		73	MPN/100 mL	1	SM9223 Colilert
9/3/2018 7:19	E. coli		15	MPN/100 mL	1	SM9223 Colilert
9/4/2018 7:25	E. coli		31	MPN/100 mL	1	SM9223 Colilert
9/5/2018 7:43	E. coli		43	MPN/100 mL	1	SM9223 Colilert
9/6/2018 7:23	E. coli		472	MPN/100 mL	1	SM9223 Colilert
9/10/2018 9:52	E. coli		2442	MPN/100 mL	1	SM9223 Colilert
9/11/2018 10:18	E. coli		42	MPN/100 mL	1	SM9223 Colilert
9/12/2018 10:15	E. coli		43	MPN/100 mL	1	SM9223 Colilert
9/13/2018 10:00	E. coli		32.5	MPN/100 mL	1	SM9223 Colilert
9/17/2018 10:13	E. coli		25	MPN/100 mL	1	SM9223 Colilert
9/18/2018 9:54	E. coli	>	2420	MPN/100 mL	1	SM9223 Colilert
9/19/2018 9:55	E. coli		1034	MPN/100 mL	1	SM9223 Colilert
9/20/2018 9:49	E. coli		24	MPN/100 mL	1	SM9223 Colilert
9/24/2018 9:58	E. coli		16	MPN/100 mL	1	SM9223 Colilert
9/25/2018 10:00	E. coli		65	MPN/100 mL	1	SM9223 Colilert
9/26/2018 10:25	E. coli		7945	MPN/100 mL	1	SM9223 Colilert
9/27/2018 9:57	E. coli		1462	MPN/100 mL	1	SM9223 Colilert
10/1/2018 10:05	E. coli		54	MPN/100 mL	1	SM9223 Colilert
10/2/2018 9:30	E. coli		90	MPN/100 mL	1	SM9223 Colilert
10/3/2018 9:24	E. coli		19	MPN/100 mL	1	SM9223 Colilert
10/4/2018 9:47	E. coli		585.5	MPN/100 mL	1	SM9223 Colilert
10/8/2018 9:38	E. coli		82	MPN/100 mL	1	SM9223 Colilert
10/9/2018 9:53	E. coli		46	MPN/100 mL	1	SM9223 Colilert
10/10/2018 10:04	E. coli		22	MPN/100 mL	1	SM9223 Colilert
10/11/2018 9:38	E. coli		922	MPN/100 mL	1	SM9223 Colilert
10/15/2018 9:23	E. coli		332	MPN/100 mL	1	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
10/16/2018 9:19	E. coli		79	MPN/100 mL	1	SM9223 Colilert
10/17/2018 9:30	E. coli		86	MPN/100 mL	1	SM9223 Colilert
10/18/2018 9:33	E. coli		36	MPN/100 mL	1	SM9223 Colilert
10/22/2018 9:55	E. coli		72	MPN/100 mL	1	SM9223 Colilert
10/23/2018 9:22	E. coli		26	MPN/100 mL	1	SM9223 Colilert
10/24/2018 9:25	E. coli		22	MPN/100 mL	1	SM9223 Colilert
10/25/2018 9:39	E. coli		4	MPN/100 mL	1	SM9223 Colilert
10/29/2018 10:00	E. coli	>	4839	MPN/100 mL	1	SM9223 Colilert
10/30/2018 9:32	E. coli		384	MPN/100 mL	1	SM9223 Colilert
10/31/2018 9:23	E. coli		140	MPN/100 mL	1	SM9223 Colilert
5/1/2018 9:25	Field Cond		346	umhos/cm		SM 2510A
5/2/2018 9:45	Field Cond		398	umhos/cm		SM 2510A
5/3/2018 10:05	Field Cond		397	umhos/cm		SM 2510A
5/7/2018 10:25	Field Cond		368	umhos/cm		SM 2510A
5/8/2018 13:00	Field Cond		356	umhos/cm		SM 2510A
5/9/2018 10:34	Field Cond		347	umhos/cm		SM 2510A
5/10/2018 9:40	Field Cond		410	umhos/cm		SM 2510A
5/14/2018 11:05	Field Cond		324	umhos/cm		SM 2510A
5/15/2018 9:44	Field Cond		376	umhos/cm		SM 2510A
5/16/2018 9:59	Field Cond		363	umhos/cm		SM 2510A
5/17/2018 10:08	Field Cond		347	umhos/cm		SM 2510A
5/21/2018 7:31	Field Cond		401	umhos/cm		SM 2510A
5/22/2018 7:33	Field Cond		379	umhos/cm		SM 2510A
5/23/2018 7:23	Field Cond		423	umhos/cm		SM 2510A
5/24/2018 7:32	Field Cond		392	umhos/cm		SM 2510A
5/25/2018 7:28	Field Cond		420	umhos/cm		SM 2510A
5/26/2018 7:28	Field Cond		397	umhos/cm		SM 2510A
5/27/2018 7:26	Field Cond		381	umhos/cm		SM 2510A
5/28/2018 7:45	Field Cond		386	umhos/cm		SM 2510A
5/29/2018 7:29	Field Cond		378	umhos/cm		SM 2510A
5/30/2018 7:28	Field Cond		412	umhos/cm		SM 2510A
5/31/2018 7:31	Field Cond		362	umhos/cm		SM 2510A
6/1/2018 7:47	Field Cond		345	umhos/cm		SM 2510A
6/2/2018 7:36	Field Cond		358	umhos/cm		SM 2510A
6/3/2018 7:37	Field Cond		328	umhos/cm		SM 2510A
6/4/2018 7:47	Field Cond		350	umhos/cm		SM 2510A
6/5/2018 7:41	Field Cond		361	umhos/cm		SM 2510A
6/6/2018 7:33	Field Cond		362	umhos/cm		SM 2510A
6/7/2018 9:02	Field Cond		351	umhos/cm		SM 2510A
6/8/2018 7:37	Field Cond		363	umhos/cm		SM 2510A
6/9/2018 7:39	Field Cond		361	umhos/cm		SM 2510A
6/10/2018 7:26	Field Cond		389	umhos/cm		SM 2510A
6/11/2018 7:34	Field Cond		320	umhos/cm		SM 2510A
6/12/2018 7:37	Field Cond		305	umhos/cm		SM 2510A
6/13/2018 6:53	Field Cond		300	umhos/cm		SM 2510A
6/14/2018 7:40	Field Cond		321	umhos/cm		SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/15/2018 7:30	Field Cond		295	umhos/cm		SM 2510A
6/16/2018 7:35	Field Cond		301	umhos/cm		SM 2510A
6/17/2018 7:27	Field Cond		291	umhos/cm		SM 2510A
6/18/2018 7:33	Field Cond		300	umhos/cm		SM 2510A
6/19/2018 7:38	Field Cond		311	umhos/cm		SM 2510A
6/20/2018 7:41	Field Cond		323	umhos/cm		SM 2510A
6/21/2018 7:36	Field Cond		329	umhos/cm		SM 2510A
6/22/2018 7:30	Field Cond		342	umhos/cm		SM 2510A
6/23/2018 7:30	Field Cond		310	umhos/cm		SM 2510A
6/24/2018 7:20	Field Cond		311	umhos/cm		SM 2510A
6/25/2018 7:30	Field Cond		333	umhos/cm		SM 2510A
6/26/2018 7:28	Field Cond		315	umhos/cm		SM 2510A
6/27/2018 7:17	Field Cond		323	umhos/cm		SM 2510A
6/28/2018 7:25	Field Cond		312	umhos/cm		SM 2510A
6/29/2018 7:23	Field Cond		298	umhos/cm		SM 2510A
6/30/2018 7:58	Field Cond		297	umhos/cm		SM 2510A
7/1/2018 7:52	Field Cond		296	umhos/cm		SM 2510A
7/2/2018 7:39	Field Cond		313	umhos/cm		SM 2510A
7/3/2018 8:43	Field Cond		314	umhos/cm		SM 2510A
7/4/2018 7:50	Field Cond		302	umhos/cm		SM 2510A
7/5/2018 7:47	Field Cond		341	umhos/cm		SM 2510A
7/6/2018 7:44	Field Cond		347	umhos/cm		SM 2510A
7/7/2018 7:18	Field Cond		332	umhos/cm		SM 2510A
7/8/2018 7:29	Field Cond		346	umhos/cm		SM 2510A
7/9/2018 7:40	Field Cond		337	umhos/cm		SM 2510A
7/10/2018 7:35	Field Cond		326	umhos/cm		SM 2510A
7/11/2018 7:47	Field Cond		305	umhos/cm		SM 2510A
7/12/2018 7:34	Field Cond		329	umhos/cm		SM 2510A
7/13/2018 7:53	Field Cond		310	umhos/cm		SM 2510A
7/14/2018 7:40	Field Cond		296	umhos/cm		SM 2510A
7/15/2018 7:37	Field Cond		297	umhos/cm		SM 2510A
7/16/2018 7:46	Field Cond		300	umhos/cm		SM 2510A
7/17/2018 7:50	Field Cond		301	umhos/cm		SM 2510A
7/18/2018 7:40	Field Cond		303	umhos/cm		SM 2510A
7/19/2018 7:37	Field Cond		304	umhos/cm		SM 2510A
7/20/2018 7:55	Field Cond		296	umhos/cm		SM 2510A
7/21/2018 7:41	Field Cond		297	umhos/cm		SM 2510A
7/22/2018 7:47	Field Cond		293	umhos/cm		SM 2510A
7/23/2018 7:36	Field Cond		282	umhos/cm		SM 2510A
7/24/2018 7:25	Field Cond		283	umhos/cm		SM 2510A
7/25/2018 7:33	Field Cond		302	umhos/cm		SM 2510A
7/26/2018 7:39	Field Cond		304	umhos/cm		SM 2510A
7/27/2018 7:34	Field Cond		312	umhos/cm		SM 2510A
7/28/2018 7:25	Field Cond		347	umhos/cm		SM 2510A
7/29/2018 7:30	Field Cond		315	umhos/cm		SM 2510A
7/30/2018 7:45	Field Cond		323	umhos/cm		SM 2510A
7/31/2018 7:33	Field Cond		327	umhos/cm		SM 2510A



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/1/2018 7:34	Field Cond		325	umhos/cm		SM 2510A
8/2/2018 7:42	Field Cond		318	umhos/cm		SM 2510A
8/3/2018 7:33	Field Cond		310	umhos/cm		SM 2510A
8/4/2018 7:28	Field Cond		312	umhos/cm		SM 2510A
8/5/2018 7:26	Field Cond		307	umhos/cm		SM 2510A
8/6/2018 7:35	Field Cond		323	umhos/cm		SM 2510A
8/7/2018 7:51	Field Cond		315	umhos/cm		SM 2510A
8/8/2018 8:16	Field Cond		337	umhos/cm		SM 2510A
8/9/2018 8:08	Field Cond		334	umhos/cm		SM 2510A
8/10/2018 7:40	Field Cond		335	umhos/cm		SM 2510A
8/11/2018 7:12	Field Cond		314	umhos/cm		SM 2510A
8/12/2018 7:05	Field Cond		320	umhos/cm		SM 2510A
8/13/2018 7:38	Field Cond		316	umhos/cm		SM 2510A
8/14/2018 7:43	Field Cond		319	umhos/cm		SM 2510A
8/15/2018 7:55	Field Cond		300	umhos/cm		SM 2510A
8/16/2018 7:33	Field Cond		305	umhos/cm		SM 2510A
8/17/2018 7:38	Field Cond		303	umhos/cm		SM 2510A
8/18/2018 7:41	Field Cond		300	umhos/cm		SM 2510A
8/19/2018 7:28	Field Cond		298	umhos/cm		SM 2510A
8/20/2018 7:33	Field Cond		310	umhos/cm		SM 2510A
8/21/2018 7:48	Field Cond		329	umhos/cm		SM 2510A
8/22/2018 7:48	Field Cond		311	umhos/cm		SM 2510A
8/23/2018 7:33	Field Cond		310	umhos/cm		SM 2510A
8/24/2018 7:32	Field Cond		304	umhos/cm		SM 2510A
8/25/2018 7:20	Field Cond		307	umhos/cm		SM 2510A
8/26/2018 7:15	Field Cond		303	umhos/cm		SM 2510A
8/27/2018 7:15	Field Cond		322	umhos/cm		SM 2510A
8/28/2018 7:40	Field Cond		320	umhos/cm		SM 2510A
8/29/2018 7:20	Field Cond		334	umhos/cm		SM 2510A
8/30/2018 7:40	Field Cond		353	umhos/cm		SM 2510A
8/31/2018 7:18	Field Cond		336	umhos/cm		SM 2510A
9/1/2018 7:28	Field Cond		341	umhos/cm		SM 2510A
9/2/2018 7:34	Field Cond		335	umhos/cm		SM 2510A
9/3/2018 7:19	Field Cond		303	umhos/cm		SM 2510A
9/4/2018 7:25	Field Cond		312	umhos/cm		SM 2510A
9/5/2018 7:43	Field Cond		306	umhos/cm		SM 2510A
9/6/2018 7:23	Field Cond		311	umhos/cm		SM 2510A
9/10/2018 9:52	Field Cond		322	umhos/cm		SM 2510A
9/11/2018 10:18	Field Cond		299	umhos/cm		SM 2510A
9/12/2018 10:15	Field Cond		294	umhos/cm		SM 2510A
9/13/2018 10:00	Field Cond		288	umhos/cm		SM 2510A
9/17/2018 10:13	Field Cond		298	umhos/cm		SM 2510A
9/18/2018 9:54	Field Cond		303	umhos/cm		SM 2510A
9/19/2018 9:55	Field Cond		315	umhos/cm		SM 2510A
9/20/2018 9:49	Field Cond		305	umhos/cm		SM 2510A
9/24/2018 9:58	Field Cond		341	umhos/cm		SM 2510A
9/25/2018 10:00	Field Cond		300	umhos/cm		SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
9/26/2018 10:25	Field Cond		290	umhos/cm		SM 2510A
9/27/2018 9:57	Field Cond		330	umhos/cm		SM 2510A
10/1/2018 10:05	Field Cond		339	umhos/cm		SM 2510A
10/2/2018 9:30	Field Cond		337	umhos/cm		SM 2510A
10/3/2018 9:24	Field Cond		360	umhos/cm		SM 2510A
10/4/2018 9:47	Field Cond		338	umhos/cm		SM 2510A
10/8/2018 9:38	Field Cond		328	umhos/cm		SM 2510A
10/9/2018 9:53	Field Cond		313	umhos/cm		SM 2510A
10/10/2018 10:04	Field Cond		323	umhos/cm		SM 2510A
10/11/2018 9:38	Field Cond		331	umhos/cm		SM 2510A
10/15/2018 9:23	Field Cond		305	umhos/cm		SM 2510A
10/16/2018 9:19	Field Cond		355	umhos/cm		SM 2510A
10/17/2018 9:30	Field Cond		322	umhos/cm		SM 2510A
10/18/2018 9:33	Field Cond		335	umhos/cm		SM 2510A
10/22/2018 9:55	Field Cond		288	umhos/cm		SM 2510A
10/23/2018 9:22	Field Cond		284	umhos/cm		SM 2510A
10/24/2018 9:25	Field Cond		340	umhos/cm		SM 2510A
10/25/2018 9:39	Field Cond		302	umhos/cm		SM 2510A
10/29/2018 10:00	Field Cond		312	umhos/cm		SM 2510A
10/30/2018 9:32	Field Cond		319	umhos/cm		SM 2510A
10/31/2018 9:23	Field Cond		337	umhos/cm		SM 2510A
5/1/2018 9:25	Field Temp		48.6	C		EPA 170.1
5/2/2018 9:45	Field Temp		53.9	C		EPA 170.1
5/3/2018 10:05	Field Temp		19.5	C		EPA 170.1
5/7/2018 10:25	Field Temp		12.7	C		EPA 170.1
5/8/2018 13:00	Field Temp		14.8	C		EPA 170.1
5/9/2018 10:34	Field Temp		14.3	C		EPA 170.1
5/10/2018 9:40	Field Temp		13.7	C		EPA 170.1
5/14/2018 11:05	Field Temp		12.2	C		EPA 170.1
5/15/2018 9:44	Field Temp		14.3	C		EPA 170.1
5/16/2018 9:59	Field Temp		12.8	C		EPA 170.1
5/17/2018 10:08	Field Temp		12.6	C		EPA 170.1
5/21/2018 7:31	Field Temp		13.8	C		EPA 170.1
5/22/2018 7:33	Field Temp		14.5	C		EPA 170.1
5/23/2018 7:23	Field Temp		14.3	C		EPA 170.1
5/24/2018 7:32	Field Temp		16	C		EPA 170.1
5/25/2018 7:28	Field Temp		16.8	C		EPA 170.1
5/26/2018 7:28	Field Temp		18.8	C		EPA 170.1
5/27/2018 7:26	Field Temp		19.5	C		EPA 170.1
5/28/2018 7:45	Field Temp		20.9	C		EPA 170.1
5/29/2018 7:29	Field Temp		22.1	C		EPA 170.1
5/30/2018 7:28	Field Temp		16.6	C		EPA 170.1
5/31/2018 7:31	Field Temp		18.6	C		EPA 170.1
6/1/2018 7:47	Field Temp		19.5	C		EPA 170.1
6/2/2018 7:36	Field Temp		18.6	C		EPA 170.1
6/3/2018 7:37	Field Temp		15.8	C		EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/4/2018 7:47	Field Temp		17.8	C		EPA 170.1
6/5/2018 7:41	Field Temp		17.9	C		EPA 170.1
6/6/2018 7:33	Field Temp		17.4	C		EPA 170.1
6/7/2018 9:02	Field Temp		17.7	C		EPA 170.1
6/8/2018 7:37	Field Temp		21.1	C		EPA 170.1
6/9/2018 7:39	Field Temp		19.3	C		EPA 170.1
6/10/2018 7:26	Field Temp		18.8	C		EPA 170.1
6/11/2018 7:34	Field Temp		18.2	C		EPA 170.1
6/12/2018 7:37	Field Temp		17.9	C		EPA 170.1
6/13/2018 6:53	Field Temp		20.3	C		EPA 170.1
6/14/2018 7:40	Field Temp		19.2	C		EPA 170.1
6/15/2018 7:30	Field Temp		19.9	C		EPA 170.1
6/16/2018 7:35	Field Temp		20.6	C		EPA 170.1
6/17/2018 7:27	Field Temp		21.3	C		EPA 170.1
6/18/2018 7:33	Field Temp		23.1	C		EPA 170.1
6/19/2018 7:38	Field Temp		22.9	C		EPA 170.1
6/20/2018 7:41	Field Temp		21.7	C		EPA 170.1
6/21/2018 7:36	Field Temp		19.4	C		EPA 170.1
6/22/2018 7:30	Field Temp		17.4	C		EPA 170.1
6/23/2018 7:30	Field Temp		16.9	C		EPA 170.1
6/24/2018 7:20	Field Temp		19.9	C		EPA 170.1
6/25/2018 7:30	Field Temp		20.3	C		EPA 170.1
6/26/2018 7:28	Field Temp		19.5	C		EPA 170.1
6/27/2018 7:17	Field Temp		20.7	C		EPA 170.1
6/28/2018 7:25	Field Temp		20.6	C		EPA 170.1
6/29/2018 7:23	Field Temp		21.8	C		EPA 170.1
6/30/2018 7:58	Field Temp		23	C		EPA 170.1
7/1/2018 7:52	Field Temp		24.8	C		EPA 170.1
7/2/2018 7:39	Field Temp		25.4	C		EPA 170.1
7/3/2018 8:43	Field Temp		26.1	C		EPA 170.1
7/4/2018 7:50	Field Temp		25.1	C		EPA 170.1
7/5/2018 7:47	Field Temp		25.9	C		EPA 170.1
7/6/2018 7:44	Field Temp		24.5	C		EPA 170.1
7/7/2018 7:18	Field Temp		23.5	C		EPA 170.1
7/8/2018 7:29	Field Temp		21.9	C		EPA 170.1
7/9/2018 7:40	Field Temp		22.3	C		EPA 170.1
7/10/2018 7:35	Field Temp		23.8	C		EPA 170.1
7/11/2018 7:47	Field Temp		23.6	C		EPA 170.1
7/12/2018 7:34	Field Temp		23.2	C		EPA 170.1
7/13/2018 7:53	Field Temp		23.6	C		EPA 170.1
7/14/2018 7:40	Field Temp		23.7	C		EPA 170.1
7/15/2018 7:37	Field Temp		25.1	C		EPA 170.1
7/16/2018 7:46	Field Temp		24.8	C		EPA 170.1
7/17/2018 7:50	Field Temp		25.6	C		EPA 170.1
7/18/2018 7:40	Field Temp		23.4	C		EPA 170.1
7/19/2018 7:37	Field Temp		23.4	C		EPA 170.1
7/20/2018 7:55	Field Temp		24	C		EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/21/2018 7:41	Field Temp		23.4	C		EPA 170.1
7/22/2018 7:47	Field Temp		22.6	C		EPA 170.1
7/23/2018 7:36	Field Temp		25	C		EPA 170.1
7/24/2018 7:25	Field Temp		25.9	C		EPA 170.1
7/25/2018 7:33	Field Temp		24.9	C		EPA 170.1
7/26/2018 7:39	Field Temp		25.1	C		EPA 170.1
7/27/2018 7:34	Field Temp		23.7	C		EPA 170.1
7/28/2018 7:25	Field Temp		22.8	C		EPA 170.1
7/29/2018 7:30	Field Temp		23.5	C		EPA 170.1
7/30/2018 7:45	Field Temp		24	C		EPA 170.1
7/31/2018 7:33	Field Temp		24	C		EPA 170.1
8/1/2018 7:34	Field Temp		23.3	C		EPA 170.1
8/2/2018 7:42	Field Temp		23.5	C		EPA 170.1
8/3/2018 7:33	Field Temp		23.9	C		EPA 170.1
8/4/2018 7:28	Field Temp		24	C		EPA 170.1
8/5/2018 7:26	Field Temp		24.6	C		EPA 170.1
8/6/2018 7:35	Field Temp		25.7	C		EPA 170.1
8/7/2018 7:51	Field Temp		25.1	C		EPA 170.1
8/8/2018 8:16	Field Temp		25.4	C		EPA 170.1
8/9/2018 8:08	Field Temp		25.4	C		EPA 170.1
8/10/2018 7:40	Field Temp		25.4	C		EPA 170.1
8/11/2018 7:12	Field Temp		23.8	C		EPA 170.1
8/12/2018 7:05	Field Temp		24	C		EPA 170.1
8/13/2018 7:38	Field Temp		24.4	C		EPA 170.1
8/14/2018 7:43	Field Temp		24.7	C		EPA 170.1
8/15/2018 7:55	Field Temp		25	C		EPA 170.1
8/16/2018 7:33	Field Temp		25.3	C		EPA 170.1
8/17/2018 7:38	Field Temp		25.2	C		EPA 170.1
8/18/2018 7:41	Field Temp		24.8	C		EPA 170.1
8/19/2018 7:28	Field Temp		24.5	C		EPA 170.1
8/20/2018 7:33	Field Temp		24.1	C		EPA 170.1
8/21/2018 7:48	Field Temp		24.2	C		EPA 170.1
8/22/2018 7:48	Field Temp		23.1	C		EPA 170.1
8/23/2018 7:33	Field Temp		22.6	C		EPA 170.1
8/24/2018 7:32	Field Temp		23.1	C		EPA 170.1
8/25/2018 7:20	Field Temp		23.2	C		EPA 170.1
8/26/2018 7:15	Field Temp		23.5	C		EPA 170.1
8/27/2018 7:15	Field Temp		24.5	C		EPA 170.1
8/28/2018 7:40	Field Temp		24.5	C		EPA 170.1
8/29/2018 7:20	Field Temp		24.8	C		EPA 170.1
8/30/2018 7:40	Field Temp		23.9	C		EPA 170.1
8/31/2018 7:18	Field Temp		23.5	C		EPA 170.1
9/1/2018 7:28	Field Temp		23.7	C		EPA 170.1
9/2/2018 7:34	Field Temp		24.6	C		EPA 170.1
9/3/2018 7:19	Field Temp		24.8	C		EPA 170.1
9/4/2018 7:25	Field Temp		25.3	C		EPA 170.1
9/5/2018 7:43	Field Temp		25.6	C		EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
9/6/2018 7:23	Field Temp		26	C		EPA 170.1
9/10/2018 9:52	Field Temp		21	C		EPA 170.1
9/11/2018 10:18	Field Temp		21.5	C		EPA 170.1
9/12/2018 10:15	Field Temp		22.7	C		EPA 170.1
9/13/2018 10:00	Field Temp		25.3	C		EPA 170.1
9/17/2018 10:13	Field Temp		24.8	C		EPA 170.1
9/18/2018 9:54	Field Temp		24.6	C		EPA 170.1
9/19/2018 9:55	Field Temp		22.4	C		EPA 170.1
9/20/2018 9:49	Field Temp		25	C		EPA 170.1
9/24/2018 9:58	Field Temp		20.4	C		EPA 170.1
9/25/2018 10:00	Field Temp		22.2	C		EPA 170.1
9/26/2018 10:25	Field Temp		21.6	C		EPA 170.1
9/27/2018 9:57	Field Temp		22.8	C		EPA 170.1
10/1/2018 10:05	Field Temp		21.4	C		EPA 170.1
10/2/2018 9:30	Field Temp		23.2	C		EPA 170.1
10/3/2018 9:24	Field Temp		22	C		EPA 170.1
10/4/2018 9:47	Field Temp		23.2	C		EPA 170.1
10/8/2018 9:38	Field Temp		23.1	C		EPA 170.1
10/9/2018 9:53	Field Temp		24.5	C		EPA 170.1
10/10/2018 10:04	Field Temp		23.7	C		EPA 170.1
10/11/2018 9:38	Field Temp		17.7	C		EPA 170.1
10/15/2018 9:23	Field Temp		17.1	C		EPA 170.1
10/16/2018 9:19	Field Temp		13.4	C		EPA 170.1
10/17/2018 9:30	Field Temp		15.3	C		EPA 170.1
10/18/2018 9:33	Field Temp		12.3	C		EPA 170.1
10/22/2018 9:55	Field Temp		12.4	C		EPA 170.1
10/23/2018 9:22	Field Temp		12.9	C		EPA 170.1
10/24/2018 9:25	Field Temp		11.5	C		EPA 170.1
10/25/2018 9:39	Field Temp		12.5	C		EPA 170.1
10/29/2018 10:00	Field Temp		11.2	C		EPA 170.1
10/30/2018 9:32	Field Temp		11.5	C		EPA 170.1
10/31/2018 9:23	Field Temp		12.7	C		EPA 170.1
5/1/2018 9:25	pH		7.4	S.U.		
5/2/2018 9:45	pH		7.3	S.U.		
5/3/2018 10:05	pH		7.9	S.U.		
5/7/2018 10:25	pH		7.9	S.U.		
5/8/2018 13:00	pH		8.1	S.U.		
5/9/2018 10:34	pH		7.9	S.U.		
5/10/2018 9:40	pH		8.2	S.U.		
5/14/2018 11:05	pH		7.9	S.U.		
5/15/2018 9:44	pH		8.1	S.U.		
5/16/2018 9:59	pH		8.1	S.U.		
5/17/2018 10:08	pH		8	S.U.		
5/21/2018 7:31	pH		7.8	S.U.		
5/22/2018 7:33	pH		7.8	S.U.		
5/23/2018 7:23	pH		7.7	S.U.		

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/24/2018 7:32	pH		8	S.U.		
5/25/2018 7:28	pH		8.3	S.U.		
5/26/2018 7:28	pH		8.4	S.U.		
5/27/2018 7:26	pH		8.4	S.U.		
5/28/2018 7:45	pH		8.4	S.U.		
5/29/2018 7:29	pH		8.6	S.U.		
5/30/2018 7:28	pH		7.8	S.U.		
5/31/2018 7:31	pH		8	S.U.		
6/1/2018 7:47	pH		8.3	S.U.		
6/2/2018 7:36	pH		8.1	S.U.		
6/3/2018 7:37	pH		7.6	S.U.		
6/4/2018 7:47	pH		8.2	S.U.		
6/5/2018 7:41	pH		8.1	S.U.		
6/6/2018 7:33	pH		7.9	S.U.		
6/7/2018 9:02	pH		7.9	S.U.		
6/8/2018 7:37	pH		7.8	S.U.		
6/9/2018 7:39	pH		7.8	S.U.		
6/10/2018 7:26	pH		7.7	S.U.		
6/11/2018 7:34	pH		7.8	S.U.		
6/12/2018 7:37	pH		7.8	S.U.		
6/13/2018 6:53	pH		7.8	S.U.		
6/14/2018 7:40	pH		7.8	S.U.		
6/15/2018 7:30	pH		7.9	S.U.		
6/16/2018 7:35	pH		7.8	S.U.		
6/17/2018 7:27	pH		7.9	S.U.		
6/18/2018 7:33	pH		7.7	S.U.		
6/19/2018 7:38	pH		7.8	S.U.		
6/20/2018 7:41	pH		7.6	S.U.		
6/21/2018 7:36	pH		7.4	S.U.		
6/22/2018 7:30	pH		7.4	S.U.		
6/23/2018 7:30	pH		7.4	S.U.		
6/24/2018 7:20	pH		7.6	S.U.		
6/25/2018 7:30	pH		7.6	S.U.		
6/26/2018 7:28	pH		7.7	S.U.		
6/27/2018 7:17	pH		7.6	S.U.		
6/28/2018 7:25	pH		7.7	S.U.		
6/29/2018 7:23	pH		7.5	S.U.		
6/30/2018 7:58	pH		7.8	S.U.		
7/1/2018 7:52	pH		8.2	S.U.		
7/2/2018 7:39	pH		8.1	S.U.		
7/3/2018 8:43	pH		8.2	S.U.		
7/4/2018 7:50	pH		8.2	S.U.		
7/5/2018 7:47	pH		7.8	S.U.		
7/6/2018 7:44	pH		7.9	S.U.		
7/7/2018 7:18	pH		7.4	S.U.		
7/8/2018 7:29	pH		7.1	S.U.		
7/9/2018 7:40	pH		7.2	S.U.		



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/10/2018 7:35	pH		7.4	S.U.		
7/11/2018 7:47	pH		7.5	S.U.		
7/12/2018 7:34	pH		7.2	S.U.		
7/13/2018 7:53	pH		7.2	S.U.		
7/14/2018 7:40	pH		7.4	S.U.		
7/15/2018 7:37	pH		7.9	S.U.		
7/16/2018 7:46	pH		7.6	S.U.		
7/17/2018 7:50	pH		7.8	S.U.		
7/18/2018 7:40	pH		7.5	S.U.		
7/19/2018 7:37	pH		7.7	S.U.		
7/20/2018 7:55	pH		7.9	S.U.		
7/21/2018 7:41	pH		7.8	S.U.		
7/22/2018 7:47	pH		8	S.U.		
7/23/2018 7:36	pH		7.7	S.U.		
7/24/2018 7:25	pH		7.4	S.U.		
7/25/2018 7:33	pH		7.8	S.U.		
7/26/2018 7:39	pH		8	S.U.		
7/27/2018 7:34	pH		7.9	S.U.		
7/28/2018 7:25	pH		8	S.U.		
7/29/2018 7:30	pH		8	S.U.		
7/30/2018 7:45	pH		8	S.U.		
7/31/2018 7:33	pH		7.7	S.U.		
8/1/2018 7:34	pH		7.8	S.U.		
8/2/2018 7:42	pH		7.4	S.U.		
8/3/2018 7:33	pH		7.7	S.U.		
8/4/2018 7:28	pH		7.5	S.U.		
8/5/2018 7:26	pH		7.7	S.U.		
8/6/2018 7:35	pH		7.4	S.U.		
8/7/2018 7:51	pH		7.6	S.U.		
8/8/2018 8:16	pH		7.7	S.U.		
8/9/2018 8:08	pH		7.7	S.U.		
8/10/2018 7:40	pH		7.4	S.U.		
8/11/2018 7:12	pH		7.3	S.U.		
8/12/2018 7:05	pH		7.3	S.U.		
8/13/2018 7:38	pH		7	S.U.		
8/14/2018 7:43	pH		7.1	S.U.		
8/15/2018 7:55	pH		7.3	S.U.		
8/16/2018 7:33	pH		7.3	S.U.		
8/17/2018 7:38	pH		7.2	S.U.		
8/18/2018 7:41	pH		7.4	S.U.		
8/19/2018 7:28	pH		7.1	S.U.		
8/20/2018 7:33	pH		7.1	S.U.		
8/21/2018 7:48	pH		6.9	S.U.		
8/22/2018 7:48	pH		7.2	S.U.		
8/23/2018 7:33	pH		6.9	S.U.		
8/24/2018 7:32	pH		7.2	S.U.		
8/25/2018 7:20	pH		7.2	S.U.		

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/26/2018 7:15	pH		7.1	S.U.		
8/27/2018 7:15	pH		7	S.U.		
8/28/2018 7:40	pH		7	S.U.		
8/29/2018 7:20	pH		7.1	S.U.		
8/30/2018 7:40	pH		7	S.U.		
8/31/2018 7:18	pH		6.7	S.U.		
9/1/2018 7:28	pH		6.7	S.U.		
9/2/2018 7:34	pH		6.7	S.U.		
9/3/2018 7:19	pH		7.1	S.U.		
9/4/2018 7:25	pH		6.8	S.U.		
9/5/2018 7:43	pH		7.8	S.U.		
9/6/2018 7:23	pH		7.6	S.U.		
9/10/2018 9:52	pH		7.2	S.U.		
9/11/2018 10:18	pH		7.5	S.U.		
9/12/2018 10:15	pH		7.5	S.U.		
9/13/2018 10:00	pH		7.2	S.U.		
9/17/2018 10:13	pH		7.4	S.U.		
9/18/2018 9:54	pH		7.3	S.U.		
9/19/2018 9:55	pH		7.4	S.U.		
9/20/2018 9:49	pH		7.2	S.U.		
9/24/2018 9:58	pH		7.3	S.U.		
9/25/2018 10:00	pH		7.4	S.U.		
9/26/2018 10:25	pH		7.3	S.U.		
9/27/2018 9:57	pH		7.3	S.U.		
10/1/2018 10:05	pH		7.3	S.U.		
10/2/2018 9:30	pH		7.4	S.U.		
10/3/2018 9:24	pH		7	S.U.		
10/4/2018 9:47	pH		7	S.U.		
10/8/2018 9:38	pH		6.6	S.U.		
10/9/2018 9:53	pH		7.1	S.U.		
10/10/2018 10:04	pH		7	S.U.		
10/11/2018 9:38	pH		7.2	S.U.		
10/15/2018 9:23	pH		7	S.U.		
10/16/2018 9:19	pH		7.4	S.U.		
10/17/2018 9:30	pH		6.9	S.U.		
10/18/2018 9:33	pH		8.3	S.U.		
10/22/2018 9:55	pH		8.3	S.U.		
10/23/2018 9:22	pH		8.2	S.U.		
10/24/2018 9:25	pH		8.1	S.U.		
10/25/2018 9:39	pH		8	S.U.		
10/29/2018 10:00	pH		8.2	S.U.		
10/30/2018 9:32	pH		8	S.U.		
10/31/2018 9:23	pH		8.1	S.U.		
5/1/2018 9:25	Turbidity		7	NTU		EPA180.1
5/2/2018 9:45	Turbidity		9.8	NTU		EPA180.1
5/3/2018 10:05	Turbidity		8.8	NTU		EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/7/2018 10:25	Turbidity		7.3	NTU		EPA180.1
5/8/2018 13:00	Turbidity		4.4	NTU		EPA180.1
5/9/2018 10:34	Turbidity		3.8	NTU		EPA180.1
5/10/2018 9:40	Turbidity		7.2	NTU		EPA180.1
5/14/2018 11:05	Turbidity		6.1	NTU		EPA180.1
5/15/2018 9:44	Turbidity		5.7	NTU		EPA180.1
5/16/2018 9:59	Turbidity		3.35	NTU		EPA180.1
5/17/2018 10:08	Turbidity		3.1	NTU		EPA180.1
5/21/2018 7:31	Turbidity		11.6	NTU		EPA180.1
5/22/2018 7:33	Turbidity		6.7	NTU		EPA180.1
5/23/2018 7:23	Turbidity		7.3	NTU		EPA180.1
5/24/2018 7:32	Turbidity		4.4	NTU		EPA180.1
5/25/2018 7:28	Turbidity		4.5	NTU		EPA180.1
5/26/2018 7:28	Turbidity		7	NTU		EPA180.1
5/27/2018 7:26	Turbidity		5.4	NTU		EPA180.1
5/28/2018 7:45	Turbidity		5.2	NTU		EPA180.1
5/29/2018 7:29	Turbidity		3.9	NTU		EPA180.1
5/30/2018 7:28	Turbidity		6.1	NTU		EPA180.1
5/31/2018 7:31	Turbidity		5	NTU		EPA180.1
6/1/2018 7:47	Turbidity		4.3	NTU		EPA180.1
6/2/2018 7:36	Turbidity		53	NTU		EPA180.1
6/3/2018 7:37	Turbidity		4.4	NTU		EPA180.1
6/4/2018 7:47	Turbidity		8.2	NTU		EPA180.1
6/5/2018 7:41	Turbidity		41.9	NTU		EPA180.1
6/6/2018 7:33	Turbidity		15.2	NTU		EPA180.1
6/7/2018 9:02	Turbidity		5.7	NTU		EPA180.1
6/8/2018 7:37	Turbidity		2.5	NTU		EPA180.1
6/9/2018 7:39	Turbidity		2.8	NTU		EPA180.1
6/10/2018 7:26	Turbidity		3.6	NTU		EPA180.1
6/11/2018 7:34	Turbidity		5.5	NTU		EPA180.1
6/12/2018 7:37	Turbidity		3.8	NTU		EPA180.1
6/13/2018 6:53	Turbidity		4.4	NTU		EPA180.1
6/14/2018 7:40	Turbidity		4.8	NTU		EPA180.1
6/15/2018 7:30	Turbidity		2.7	NTU		EPA180.1
6/16/2018 7:35	Turbidity		2.3	NTU		EPA180.1
6/17/2018 7:27	Turbidity		1.5	NTU		EPA180.1
6/18/2018 7:33	Turbidity		2	NTU		EPA180.1
6/19/2018 7:38	Turbidity		5.7	NTU		EPA180.1
6/20/2018 7:41	Turbidity		3.2	NTU		EPA180.1
6/21/2018 7:36	Turbidity		4.1	NTU		EPA180.1
6/22/2018 7:30	Turbidity		11.2	NTU		EPA180.1
6/23/2018 7:30	Turbidity		7	NTU		EPA180.1
6/24/2018 7:20	Turbidity		3.2	NTU		EPA180.1
6/25/2018 7:30	Turbidity		6.2	NTU		EPA180.1
6/26/2018 7:28	Turbidity		2.4	NTU		EPA180.1
6/27/2018 7:17	Turbidity		3.5	NTU		EPA180.1
6/28/2018 7:25	Turbidity		65.6	NTU		EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/29/2018 7:23	Turbidity		2.8	NTU		EPA180.1
6/30/2018 7:58	Turbidity		3.2	NTU		EPA180.1
7/1/2018 7:52	Turbidity		2.7	NTU		EPA180.1
7/2/2018 7:39	Turbidity		3.7	NTU		EPA180.1
7/3/2018 8:43	Turbidity		3.6	NTU		EPA180.1
7/4/2018 7:50	Turbidity		2.6	NTU		EPA180.1
7/5/2018 7:47	Turbidity		3.1	NTU		EPA180.1
7/6/2018 7:44	Turbidity		65.6	NTU		EPA180.1
7/7/2018 7:18	Turbidity		34.1	NTU		EPA180.1
7/8/2018 7:29	Turbidity		7	NTU		EPA180.1
7/9/2018 7:40	Turbidity		5.8	NTU		EPA180.1
7/10/2018 7:35	Turbidity		3.9	NTU		EPA180.1
7/11/2018 7:47	Turbidity		22.2	NTU		EPA180.1
7/12/2018 7:34	Turbidity		6	NTU		EPA180.1
7/13/2018 7:53	Turbidity		3.7	NTU		EPA180.1
7/14/2018 7:40	Turbidity		2.4	NTU		EPA180.1
7/15/2018 7:37	Turbidity		1.65	NTU		EPA180.1
7/16/2018 7:46	Turbidity		2.1	NTU		EPA180.1
7/17/2018 7:50	Turbidity		15.1	NTU		EPA180.1
7/18/2018 7:40	Turbidity		14.7	NTU		EPA180.1
7/19/2018 7:37	Turbidity		5.4	NTU		EPA180.1
7/20/2018 7:55	Turbidity		2.7	NTU		EPA180.1
7/21/2018 7:41	Turbidity		2.2	NTU		EPA180.1
7/22/2018 7:47	Turbidity		2.1	NTU		EPA180.1
7/23/2018 7:36	Turbidity		2.8	NTU		EPA180.1
7/24/2018 7:25	Turbidity		3.8	NTU		EPA180.1
7/25/2018 7:33	Turbidity		5.2	NTU		EPA180.1
7/26/2018 7:39	Turbidity		2.6	NTU		EPA180.1
7/27/2018 7:34	Turbidity		21.1	NTU		EPA180.1
7/28/2018 7:25	Turbidity		17.7	NTU		EPA180.1
7/29/2018 7:30	Turbidity		2.5	NTU		EPA180.1
7/30/2018 7:45	Turbidity		2.1	NTU		EPA180.1
7/31/2018 7:33	Turbidity		2.1	NTU		EPA180.1
8/1/2018 7:34	Turbidity		4.1	NTU		EPA180.1
8/2/2018 7:42	Turbidity		3.3	NTU		EPA180.1
8/3/2018 7:33	Turbidity		1.9	NTU		EPA180.1
8/4/2018 7:28	Turbidity		1.4	NTU		EPA180.1
8/5/2018 7:26	Turbidity		1.6	NTU		EPA180.1
8/6/2018 7:35	Turbidity		2.7	NTU		EPA180.1
8/7/2018 7:51	Turbidity		9.6	NTU		EPA180.1
8/8/2018 8:16	Turbidity		11.7	NTU		EPA180.1
8/9/2018 8:08	Turbidity		3.3	NTU		EPA180.1
8/10/2018 7:40	Turbidity		3.6	NTU		EPA180.1
8/11/2018 7:12	Turbidity		1.9	NTU		EPA180.1
8/12/2018 7:05	Turbidity		6.3	NTU		EPA180.1
8/13/2018 7:38	Turbidity		1.9	NTU		EPA180.1
8/14/2018 7:43	Turbidity		5	NTU		EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/15/2018 7:55	Turbidity		3.8	NTU		EPA180.1
8/16/2018 7:33	Turbidity		4.6	NTU		EPA180.1
8/17/2018 7:38	Turbidity		6.2	NTU		EPA180.1
8/18/2018 7:41	Turbidity		16.3	NTU		EPA180.1
8/19/2018 7:28	Turbidity		2.2	NTU		EPA180.1
8/20/2018 7:33	Turbidity		2.4	NTU		EPA180.1
8/21/2018 7:48	Turbidity		3	NTU		EPA180.1
8/22/2018 7:48	Turbidity		39.8	NTU		EPA180.1
8/23/2018 7:33	Turbidity		22	NTU		EPA180.1
8/24/2018 7:32	Turbidity		2.8	NTU		EPA180.1
8/25/2018 7:20	Turbidity		1.8	NTU		EPA180.1
8/26/2018 7:15	Turbidity		2.4	NTU		EPA180.1
8/27/2018 7:15	Turbidity		1.9	NTU		EPA180.1
8/28/2018 7:40	Turbidity		12.5	NTU		EPA180.1
8/29/2018 7:20	Turbidity		11.8	NTU		EPA180.1
8/30/2018 7:40	Turbidity		24.3	NTU		EPA180.1
8/31/2018 7:18	Turbidity		3	NTU		EPA180.1
9/1/2018 7:28	Turbidity		3.2	NTU		EPA180.1
9/2/2018 7:34	Turbidity		10.8	NTU		EPA180.1
9/3/2018 7:19	Turbidity		3.5	NTU		EPA180.1
9/4/2018 7:25	Turbidity		3	NTU		EPA180.1
9/5/2018 7:43	Turbidity		2.4	NTU		EPA180.1
9/6/2018 7:23	Turbidity		2.6	NTU		EPA180.1
9/10/2018 9:52	Turbidity		14.9	NTU		EPA180.1
9/11/2018 10:18	Turbidity		19.2	NTU		EPA180.1
9/12/2018 10:15	Turbidity		8.5	NTU		EPA180.1
9/13/2018 10:00	Turbidity		7.2	NTU		EPA180.1
9/17/2018 10:13	Turbidity		3.4	NTU		EPA180.1
9/18/2018 9:54	Turbidity		11.5	NTU		EPA180.1
9/19/2018 9:55	Turbidity		34.1	NTU		EPA180.1
9/20/2018 9:49	Turbidity		5	NTU		EPA180.1
9/24/2018 9:58	Turbidity		6.4	NTU		EPA180.1
9/25/2018 10:00	Turbidity		6.8	NTU		EPA180.1
9/26/2018 10:25	Turbidity		100	NTU		EPA180.1
9/27/2018 9:57	Turbidity		11.1	NTU		EPA180.1
10/1/2018 10:05	Turbidity		11.2	NTU		EPA180.1
10/2/2018 9:30	Turbidity		13.8	NTU		EPA180.1
10/3/2018 9:24	Turbidity		5.7	NTU		EPA180.1
10/4/2018 9:47	Turbidity		19.15	NTU		EPA180.1
10/8/2018 9:38	Turbidity		11	NTU		EPA180.1
10/9/2018 9:53	Turbidity		2.6	NTU		EPA180.1
10/10/2018 10:04	Turbidity		2.6	NTU		EPA180.1
10/11/2018 9:38	Turbidity		47.6	NTU		EPA180.1
10/15/2018 9:23	Turbidity		12.1	NTU		EPA180.1
10/16/2018 9:19	Turbidity		38.4	NTU		EPA180.1
10/17/2018 9:30	Turbidity		57.3	NTU		EPA180.1
10/18/2018 9:33	Turbidity		38.5	NTU		EPA180.1

Euclid Beach - East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
10/22/2018 9:55	Turbidity		49.5	NTU		EPA180.1
10/23/2018 9:22	Turbidity		46.9	NTU		EPA180.1
10/24/2018 9:25	Turbidity		57	NTU		EPA180.1
10/25/2018 9:39	Turbidity		15.25	NTU		EPA180.1
10/29/2018 10:00	Turbidity		41.8	NTU		EPA180.1
10/30/2018 9:32	Turbidity		24.3	NTU		EPA180.1
10/31/2018 9:23	Turbidity		21.4	NTU		EPA180.1



Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
5/1/2018 9:15	E. coli		14.5	MPN/100 mL	1	SM9223 Colilert
5/2/2018 9:35	E. coli		30	MPN/100 mL	1	SM9223 Colilert
5/3/2018 9:45	E. coli		13	MPN/100 mL	1	SM9223 Colilert
5/7/2018 10:15	E. coli		36	MPN/100 mL	1	SM9223 Colilert
5/8/2018 12:38	E. coli		20	MPN/100 mL	1	SM9223 Colilert
5/9/2018 10:16	E. coli		9	MPN/100 mL	1	SM9223 Colilert
5/10/2018 9:22	E. coli		34	MPN/100 mL	1	SM9223 Colilert
5/14/2018 10:26	E. coli		1159	MPN/100 mL	1	SM9223 Colilert
5/15/2018 9:30	E. coli		381	MPN/100 mL	1	SM9223 Colilert
5/16/2018 9:45	E. coli		96	MPN/100 mL	1	SM9223 Colilert
5/17/2018 9:54	E. coli		38	MPN/100 mL	1	SM9223 Colilert
5/21/2018 7:20	E. coli		2420	MPN/100 mL	1	SM9223 Colilert
5/22/2018 7:23	E. coli		292	MPN/100 mL	1	SM9223 Colilert
5/23/2018 7:13	E. coli		646	MPN/100 mL	1	SM9223 Colilert
5/24/2018 7:18	E. coli		81	MPN/100 mL	1	SM9223 Colilert
5/25/2018 7:17	E. coli		21	MPN/100 mL	1	SM9223 Colilert
5/26/2018 7:17	E. coli		54	MPN/100 mL	1	SM9223 Colilert
5/27/2018 7:14	E. coli		41	MPN/100 mL	1	SM9223 Colilert
5/28/2018 7:29	E. coli		261	MPN/100 mL	1	SM9223 Colilert
5/29/2018 7:17	E. coli		56	MPN/100 mL	1	SM9223 Colilert
5/30/2018 7:16	E. coli		732	MPN/100 mL	1	SM9223 Colilert
5/31/2018 7:17	E. coli		112	MPN/100 mL	1	SM9223 Colilert
6/1/2018 7:32	E. coli		54	MPN/100 mL	1	SM9223 Colilert
6/2/2018 7:26	E. coli		387	MPN/100 mL	1	SM9223 Colilert
6/3/2018 7:25	E. coli		25	MPN/100 mL	1	SM9223 Colilert
6/4/2018 7:35	E. coli		4185	MPN/100 mL	1	SM9223 Colilert
6/5/2018 7:27	E. coli		384	MPN/100 mL	1	SM9223 Colilert
6/6/2018 7:18	E. coli		134	MPN/100 mL	1	SM9223 Colilert
6/7/2018 7:14	E. coli		94	MPN/100 mL	1	SM9223 Colilert
6/8/2018 7:20	E. coli		33	MPN/100 mL	1	SM9223 Colilert
6/9/2018 7:24	E. coli		217	MPN/100 mL	1	SM9223 Colilert
6/10/2018 7:12	E. coli		25	MPN/100 mL	1	SM9223 Colilert
6/11/2018 7:24	E. coli		98	MPN/100 mL	1	SM9223 Colilert
6/12/2018 7:23	E. coli		27	MPN/100 mL	1	SM9223 Colilert
6/13/2018 6:44	E. coli		40	MPN/100 mL	1	SM9223 Colilert
6/14/2018 7:25	E. coli		50	MPN/100 mL	1	SM9223 Colilert
6/15/2018 7:18	E. coli		12	MPN/100 mL	1	SM9223 Colilert
6/16/2018 7:25	E. coli		93	MPN/100 mL	1	SM9223 Colilert
6/17/2018 7:16	E. coli		16	MPN/100 mL	1	SM9223 Colilert
6/18/2018 7:22	E. coli		135	MPN/100 mL	1	SM9223 Colilert
6/19/2018 7:26	E. coli		4813	MPN/100 mL	1	SM9223 Colilert
6/20/2018 7:30	E. coli		117	MPN/100 mL	1	SM9223 Colilert
6/21/2018 7:24	E. coli		86	MPN/100 mL	1	SM9223 Colilert
6/22/2018 7:18	E. coli		2318	MPN/100 mL	1	SM9223 Colilert
6/23/2018 7:19	E. coli		26	MPN/100 mL	1	SM9223 Colilert
6/24/2018 7:04	E. coli		128	MPN/100 mL	1	SM9223 Colilert
6/25/2018 7:17	E. coli		27	MPN/100 mL	1	SM9223 Colilert

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/26/2018 7:20	E. coli		20	MPN/100 mL	1	SM9223 Colilert
6/27/2018 7:10	E. coli		58	MPN/100 mL	1	SM9223 Colilert
6/28/2018 7:16	E. coli		944	MPN/100 mL	1	SM9223 Colilert
6/29/2018 7:13	E. coli		306	MPN/100 mL	1	SM9223 Colilert
6/30/2018 7:40	E. coli		293	MPN/100 mL	1	SM9223 Colilert
7/2/2018 7:22	E. coli		110	MPN/100 mL	1	SM9223 Colilert
7/3/2018 8:25	E. coli		6	MPN/100 mL	1	SM9223 Colilert
7/4/2018 7:29	E. coli		135	MPN/100 mL	1	SM9223 Colilert
7/5/2018 7:31	E. coli		80	MPN/100 mL	1	SM9223 Colilert
7/6/2018 7:26	E. coli		7945	MPN/100 mL	1	SM9223 Colilert
7/7/2018 7:02	E. coli		345	MPN/100 mL	1	SM9223 Colilert
7/8/2018 7:13	E. coli		37	MPN/100 mL	1	SM9223 Colilert
7/9/2018 7:21	E. coli		45	MPN/100 mL	1	SM9223 Colilert
7/10/2018 7:23	E. coli		75	MPN/100 mL	1	SM9223 Colilert
7/11/2018 7:31	E. coli		114	MPN/100 mL	1	SM9223 Colilert
7/12/2018 7:23	E. coli		24	MPN/100 mL	1	SM9223 Colilert
7/13/2018 7:36	E. coli		22	MPN/100 mL	1	SM9223 Colilert
7/14/2018 7:17	E. coli		10	MPN/100 mL	1	SM9223 Colilert
7/15/2018 7:22	E. coli		8	MPN/100 mL	1	SM9223 Colilert
7/16/2018 7:25	E. coli		62	MPN/100 mL	1	SM9223 Colilert
7/17/2018 7:34	E. coli		1230	MPN/100 mL	1	SM9223 Colilert
7/18/2018 7:31	E. coli		245	MPN/100 mL	1	SM9223 Colilert
7/19/2018 7:26	E. coli		34	MPN/100 mL	1	SM9223 Colilert
7/20/2018 7:41	E. coli		16	MPN/100 mL	1	SM9223 Colilert
7/21/2018 7:22	E. coli		10	MPN/100 mL	1	SM9223 Colilert
7/22/2018 7:34	E. coli		39	MPN/100 mL	1	SM9223 Colilert
7/23/2018 7:14	E. coli		12	MPN/100 mL	1	SM9223 Colilert
7/24/2018 7:12	E. coli		26	MPN/100 mL	1	SM9223 Colilert
7/25/2018 7:22	E. coli		63	MPN/100 mL	1	SM9223 Colilert
7/26/2018 7:22	E. coli		518	MPN/100 mL	1	SM9223 Colilert
7/27/2018 7:19	E. coli		913	MPN/100 mL	1	SM9223 Colilert
7/28/2018 7:15	E. coli		363	MPN/100 mL	1	SM9223 Colilert
7/29/2018 7:15	E. coli		34	MPN/100 mL	1	SM9223 Colilert
7/30/2018 7:30	E. coli		44	MPN/100 mL	1	SM9223 Colilert
7/31/2018 7:23	E. coli		28	MPN/100 mL	1	SM9223 Colilert
8/1/2018 7:22	E. coli		8812	MPN/100 mL	1	SM9223 Colilert
8/2/2018 7:32	E. coli		84	MPN/100 mL	1	SM9223 Colilert
8/3/2018 7:18	E. coli		21	MPN/100 mL	1	SM9223 Colilert
8/4/2018 7:18	E. coli		236	MPN/100 mL	1	SM9223 Colilert
8/5/2018 7:15	E. coli		23	MPN/100 mL	1	SM9223 Colilert
8/6/2018 7:21	E. coli		901	MPN/100 mL	1	SM9223 Colilert
8/7/2018 7:35	E. coli		1421	MPN/100 mL	1	SM9223 Colilert
8/8/2018 7:50	E. coli		481.5	MPN/100 mL	1	SM9223 Colilert
8/9/2018 7:54	E. coli		107	MPN/100 mL	1	SM9223 Colilert
8/10/2018 7:27	E. coli		73	MPN/100 mL	1	SM9223 Colilert
8/11/2018 6:55	E. coli		56	MPN/100 mL	1	SM9223 Colilert
8/12/2018 6:52	E. coli		365	MPN/100 mL	1	SM9223 Colilert

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
8/13/2018 7:24	E. coli		11	MPN/100 mL	1	SM9223 Colilert
8/14/2018 7:30	E. coli		509	MPN/100 mL	1	SM9223 Colilert
8/15/2018 7:40	E. coli		68	MPN/100 mL	1	SM9223 Colilert
8/16/2018 7:22	E. coli		333	MPN/100 mL	1	SM9223 Colilert
8/17/2018 7:26	E. coli		872	MPN/100 mL	1	SM9223 Colilert
8/18/2018 7:27	E. coli		659	MPN/100 mL	1	SM9223 Colilert
8/19/2018 7:17	E. coli		30	MPN/100 mL	1	SM9223 Colilert
8/20/2018 7:23	E. coli		10	MPN/100 mL	1	SM9223 Colilert
8/21/2018 7:37	E. coli		16	MPN/100 mL	1	SM9223 Colilert
8/22/2018 7:30	E. coli		1553	MPN/100 mL	1	SM9223 Colilert
8/23/2018 7:19	E. coli		80	MPN/100 mL	1	SM9223 Colilert
8/24/2018 7:20	E. coli		12	MPN/100 mL	1	SM9223 Colilert
8/25/2018 7:06	E. coli		13	MPN/100 mL	1	SM9223 Colilert
8/26/2018 7:03	E. coli		21	MPN/100 mL	1	SM9223 Colilert
8/27/2018 7:05	E. coli		258.5	MPN/100 mL	1	SM9223 Colilert
8/28/2018 7:29	E. coli		450	MPN/100 mL	1	SM9223 Colilert
8/29/2018 7:10	E. coli		58	MPN/100 mL	1	SM9223 Colilert
8/30/2018 7:27	E. coli		1741	MPN/100 mL	1	SM9223 Colilert
8/31/2018 7:08	E. coli		124	MPN/100 mL	1	SM9223 Colilert
9/1/2018 7:18	E. coli		76	MPN/100 mL	1	SM9223 Colilert
9/2/2018 7:25	E. coli		2240	MPN/100 mL	1	SM9223 Colilert
9/3/2018 7:08	E. coli		27	MPN/100 mL	1	SM9223 Colilert
9/4/2018 7:15	E. coli		35	MPN/100 mL	1	SM9223 Colilert
9/5/2018 7:28	E. coli		12	MPN/100 mL	1	SM9223 Colilert
9/6/2018 7:14	E. coli		1166	MPN/100 mL	1	SM9223 Colilert
9/10/2018 9:39	E. coli		1538	MPN/100 mL	1	SM9223 Colilert
9/11/2018 9:55	E. coli		48	MPN/100 mL	1	SM9223 Colilert
9/12/2018 10:00	E. coli		166	MPN/100 mL	1	SM9223 Colilert
9/13/2018 9:42	E. coli		6	MPN/100 mL	1	SM9223 Colilert
9/17/2018 9:56	E. coli		12	MPN/100 mL	1	SM9223 Colilert
9/18/2018 9:42	E. coli		1298	MPN/100 mL	1	SM9223 Colilert
9/19/2018 9:40	E. coli		110	MPN/100 mL	1	SM9223 Colilert
9/20/2018 9:36	E. coli		38	MPN/100 mL	1	SM9223 Colilert
9/24/2018 9:42	E. coli		8	MPN/100 mL	1	SM9223 Colilert
9/25/2018 9:45	E. coli		34	MPN/100 mL	1	SM9223 Colilert
9/26/2018 10:15	E. coli		7766	MPN/100 mL	1	SM9223 Colilert
9/27/2018 9:47	E. coli		420	MPN/100 mL	1	SM9223 Colilert
10/1/2018 9:50	E. coli		8	MPN/100 mL	1	SM9223 Colilert
10/2/2018 9:20	E. coli		80	MPN/100 mL	1	SM9223 Colilert
10/3/2018 9:10	E. coli		14	MPN/100 mL	1	SM9223 Colilert
10/4/2018 9:36	E. coli		1089	MPN/100 mL	1	SM9223 Colilert
10/8/2018 9:27	E. coli		133	MPN/100 mL	1	SM9223 Colilert
10/9/2018 9:33	E. coli		44	MPN/100 mL	1	SM9223 Colilert
10/10/2018 9:50	E. coli		16	MPN/100 mL	1	SM9223 Colilert
10/11/2018 9:20	E. coli		611	MPN/100 mL	1	SM9223 Colilert
10/15/2018 9:15	E. coli		93	MPN/100 mL	1	SM9223 Colilert
10/16/2018 9:06	E. coli		72	MPN/100 mL	1	SM9223 Colilert

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
10/17/2018 9:15	E. coli		58	MPN/100 mL	1	SM9223 Colilert
10/18/2018 9:09	E. coli		18.5	MPN/100 mL	1	SM9223 Colilert
10/22/2018 9:45	E. coli		54	MPN/100 mL	1	SM9223 Colilert
10/23/2018 9:09	E. coli		30	MPN/100 mL	1	SM9223 Colilert
10/24/2018 9:09	E. coli		17	MPN/100 mL	1	SM9223 Colilert
10/25/2018 9:24	E. coli		2	MPN/100 mL	1	SM9223 Colilert
10/29/2018 9:40	E. coli	>	4839	MPN/100 mL	1	SM9223 Colilert
10/30/2018 9:20	E. coli		305	MPN/100 mL	1	SM9223 Colilert
10/31/2018 9:13	E. coli		136	MPN/100 mL	1	SM9223 Colilert
5/1/2018 9:15	Field Cond		369	umhos/cm		SM 2510A
5/2/2018 9:35	Field Cond		391	umhos/cm		SM 2510A
5/3/2018 9:45	Field Cond		382	umhos/cm		SM 2510A
5/7/2018 10:15	Field Cond		372	umhos/cm		SM 2510A
5/8/2018 12:38	Field Cond		554	umhos/cm		SM 2510A
5/9/2018 10:16	Field Cond		359	umhos/cm		SM 2510A
5/10/2018 9:22	Field Cond		391	umhos/cm		SM 2510A
5/14/2018 10:26	Field Cond		395	umhos/cm		SM 2510A
5/15/2018 9:30	Field Cond		370	umhos/cm		SM 2510A
5/16/2018 9:45	Field Cond		363	umhos/cm		SM 2510A
5/17/2018 9:54	Field Cond		365	umhos/cm		SM 2510A
5/21/2018 7:20	Field Cond		396	umhos/cm		SM 2510A
5/22/2018 7:23	Field Cond		383	umhos/cm		SM 2510A
5/23/2018 7:13	Field Cond		499	umhos/cm		SM 2510A
5/24/2018 7:18	Field Cond		395	umhos/cm		SM 2510A
5/25/2018 7:17	Field Cond		452	umhos/cm		SM 2510A
5/26/2018 7:17	Field Cond		443	umhos/cm		SM 2510A
5/27/2018 7:14	Field Cond		414	umhos/cm		SM 2510A
5/28/2018 7:29	Field Cond		393	umhos/cm		SM 2510A
5/29/2018 7:17	Field Cond		383	umhos/cm		SM 2510A
5/30/2018 7:16	Field Cond		424	umhos/cm		SM 2510A
5/31/2018 7:17	Field Cond		396	umhos/cm		SM 2510A
6/1/2018 7:32	Field Cond		372	umhos/cm		SM 2510A
6/2/2018 7:26	Field Cond		362	umhos/cm		SM 2510A
6/3/2018 7:25	Field Cond		341	umhos/cm		SM 2510A
6/4/2018 7:35	Field Cond		359	umhos/cm		SM 2510A
6/5/2018 7:27	Field Cond		367	umhos/cm		SM 2510A
6/6/2018 7:18	Field Cond		385	umhos/cm		SM 2510A
6/7/2018 7:14	Field Cond		375	umhos/cm		SM 2510A
6/8/2018 7:20	Field Cond		376	umhos/cm		SM 2510A
6/9/2018 7:24	Field Cond		382	umhos/cm		SM 2510A
6/10/2018 7:12	Field Cond		394	umhos/cm		SM 2510A
6/11/2018 7:24	Field Cond		306	umhos/cm		SM 2510A
6/12/2018 7:23	Field Cond		308	umhos/cm		SM 2510A
6/13/2018 6:44	Field Cond		305	umhos/cm		SM 2510A
6/14/2018 7:25	Field Cond		331	umhos/cm		SM 2510A
6/15/2018 7:18	Field Cond		297	umhos/cm		SM 2510A

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/16/2018 7:25	Field Cond		324	umhos/cm		SM 2510A
6/17/2018 7:16	Field Cond		295	umhos/cm		SM 2510A
6/18/2018 7:22	Field Cond		325	umhos/cm		SM 2510A
6/19/2018 7:26	Field Cond		386	umhos/cm		SM 2510A
6/20/2018 7:30	Field Cond		329	umhos/cm		SM 2510A
6/21/2018 7:24	Field Cond		331	umhos/cm		SM 2510A
6/22/2018 7:18	Field Cond		337	umhos/cm		SM 2510A
6/23/2018 7:19	Field Cond		308	umhos/cm		SM 2510A
6/24/2018 7:04	Field Cond		321	umhos/cm		SM 2510A
6/25/2018 7:17	Field Cond		336	umhos/cm		SM 2510A
6/26/2018 7:20	Field Cond		322	umhos/cm		SM 2510A
6/27/2018 7:10	Field Cond		327	umhos/cm		SM 2510A
6/28/2018 7:16	Field Cond		315	umhos/cm		SM 2510A
6/29/2018 7:13	Field Cond		323	umhos/cm		SM 2510A
6/30/2018 7:40	Field Cond		300	umhos/cm		SM 2510A
7/1/2018 7:29	Field Cond		305	umhos/cm		SM 2510A
7/2/2018 7:22	Field Cond		329	umhos/cm		SM 2510A
7/3/2018 8:25	Field Cond		331	umhos/cm		SM 2510A
7/4/2018 7:29	Field Cond		302	umhos/cm		SM 2510A
7/5/2018 7:31	Field Cond		330	umhos/cm		SM 2510A
7/6/2018 7:26	Field Cond		388	umhos/cm		SM 2510A
7/7/2018 7:02	Field Cond		338	umhos/cm		SM 2510A
7/8/2018 7:13	Field Cond		363	umhos/cm		SM 2510A
7/9/2018 7:21	Field Cond		347	umhos/cm		SM 2510A
7/10/2018 7:23	Field Cond		330	umhos/cm		SM 2510A
7/11/2018 7:31	Field Cond		310	umhos/cm		SM 2510A
7/12/2018 7:23	Field Cond		342	umhos/cm		SM 2510A
7/13/2018 7:36	Field Cond		320	umhos/cm		SM 2510A
7/14/2018 7:17	Field Cond		311	umhos/cm		SM 2510A
7/15/2018 7:22	Field Cond		293	umhos/cm		SM 2510A
7/16/2018 7:25	Field Cond		323	umhos/cm		SM 2510A
7/17/2018 7:34	Field Cond		295	umhos/cm		SM 2510A
7/18/2018 7:31	Field Cond		308	umhos/cm		SM 2510A
7/19/2018 7:26	Field Cond		317	umhos/cm		SM 2510A
7/20/2018 7:41	Field Cond		307	umhos/cm		SM 2510A
7/21/2018 7:22	Field Cond		299	umhos/cm		SM 2510A
7/22/2018 7:34	Field Cond		297	umhos/cm		SM 2510A
7/23/2018 7:14	Field Cond		284	umhos/cm		SM 2510A
7/24/2018 7:12	Field Cond		292	umhos/cm		SM 2510A
7/25/2018 7:22	Field Cond		311	umhos/cm		SM 2510A
7/26/2018 7:22	Field Cond		313	umhos/cm		SM 2510A
7/27/2018 7:19	Field Cond		317	umhos/cm		SM 2510A
7/28/2018 7:15	Field Cond		340	umhos/cm		SM 2510A
7/29/2018 7:15	Field Cond		333	umhos/cm		SM 2510A
7/30/2018 7:30	Field Cond		322	umhos/cm		SM 2510A
7/31/2018 7:23	Field Cond		332	umhos/cm		SM 2510A
8/1/2018 7:22	Field Cond		321	umhos/cm		SM 2510A

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
8/2/2018 7:32	Field Cond		333	umhos/cm		SM 2510A
8/3/2018 7:18	Field Cond		314	umhos/cm		SM 2510A
8/4/2018 7:18	Field Cond		325	umhos/cm		SM 2510A
8/5/2018 7:15	Field Cond		332	umhos/cm		SM 2510A
8/6/2018 7:21	Field Cond		355	umhos/cm		SM 2510A
8/7/2018 7:35	Field Cond		320	umhos/cm		SM 2510A
8/8/2018 7:50	Field Cond		342	umhos/cm		SM 2510A
8/9/2018 7:54	Field Cond		338	umhos/cm		SM 2510A
8/10/2018 7:27	Field Cond		344	umhos/cm		SM 2510A
8/11/2018 6:55	Field Cond		332	umhos/cm		SM 2510A
8/12/2018 6:52	Field Cond		320	umhos/cm		SM 2510A
8/13/2018 7:24	Field Cond		313	umhos/cm		SM 2510A
8/14/2018 7:30	Field Cond		332	umhos/cm		SM 2510A
8/15/2018 7:40	Field Cond		302	umhos/cm		SM 2510A
8/16/2018 7:22	Field Cond		304	umhos/cm		SM 2510A
8/17/2018 7:26	Field Cond		301	umhos/cm		SM 2510A
8/18/2018 7:27	Field Cond		312	umhos/cm		SM 2510A
8/19/2018 7:17	Field Cond		315	umhos/cm		SM 2510A
8/20/2018 7:23	Field Cond		322	umhos/cm		SM 2510A
8/21/2018 7:37	Field Cond		345	umhos/cm		SM 2510A
8/22/2018 7:30	Field Cond		319	umhos/cm		SM 2510A
8/23/2018 7:19	Field Cond		314	umhos/cm		SM 2510A
8/24/2018 7:20	Field Cond		305	umhos/cm		SM 2510A
8/25/2018 7:06	Field Cond		314	umhos/cm		SM 2510A
8/26/2018 7:03	Field Cond		309	umhos/cm		SM 2510A
8/27/2018 7:05	Field Cond		326	umhos/cm		SM 2510A
8/28/2018 7:29	Field Cond		320	umhos/cm		SM 2510A
8/29/2018 7:10	Field Cond		336	umhos/cm		SM 2510A
8/30/2018 7:27	Field Cond		362	umhos/cm		SM 2510A
8/31/2018 7:08	Field Cond		348	umhos/cm		SM 2510A
9/1/2018 7:18	Field Cond		350	umhos/cm		SM 2510A
9/2/2018 7:25	Field Cond		347	umhos/cm		SM 2510A
9/3/2018 7:08	Field Cond		311	umhos/cm		SM 2510A
9/4/2018 7:15	Field Cond		317	umhos/cm		SM 2510A
9/5/2018 7:28	Field Cond		380	umhos/cm		SM 2510A
9/6/2018 7:14	Field Cond		312	umhos/cm		SM 2510A
9/10/2018 9:39	Field Cond		360	umhos/cm		SM 2510A
9/11/2018 9:55	Field Cond		317	umhos/cm		SM 2510A
9/12/2018 10:00	Field Cond		300	umhos/cm		SM 2510A
9/13/2018 9:42	Field Cond		296	umhos/cm		SM 2510A
9/17/2018 9:56	Field Cond		336	umhos/cm		SM 2510A
9/18/2018 9:42	Field Cond		316	umhos/cm		SM 2510A
9/19/2018 9:40	Field Cond		339	umhos/cm		SM 2510A
9/20/2018 9:36	Field Cond		314	umhos/cm		SM 2510A
9/24/2018 9:42	Field Cond		322	umhos/cm		SM 2510A
9/25/2018 9:45	Field Cond		302	umhos/cm		SM 2510A
9/26/2018 10:15	Field Cond		283	umhos/cm		SM 2510A



Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
9/27/2018 9:47	Field Cond		353	umhos/cm		SM 2510A
10/1/2018 9:50	Field Cond		354	umhos/cm		SM 2510A
10/2/2018 9:20	Field Cond		350	umhos/cm		SM 2510A
10/3/2018 9:10	Field Cond		386	umhos/cm		SM 2510A
10/4/2018 9:36	Field Cond		346	umhos/cm		SM 2510A
10/8/2018 9:27	Field Cond		330	umhos/cm		SM 2510A
10/9/2018 9:33	Field Cond		315	umhos/cm		SM 2510A
10/10/2018 9:50	Field Cond		318	umhos/cm		SM 2510A
10/11/2018 9:20	Field Cond		305	umhos/cm		SM 2510A
10/15/2018 9:15	Field Cond		329	umhos/cm		SM 2510A
10/16/2018 9:06	Field Cond		330	umhos/cm		SM 2510A
10/17/2018 9:15	Field Cond		328	umhos/cm		SM 2510A
10/18/2018 9:09	Field Cond		38.3	umhos/cm		SM 2510A
10/22/2018 9:45	Field Cond		287	umhos/cm		SM 2510A
10/23/2018 9:09	Field Cond		283	umhos/cm		SM 2510A
10/24/2018 9:09	Field Cond		298	umhos/cm		SM 2510A
10/25/2018 9:24	Field Cond		320	umhos/cm		SM 2510A
10/29/2018 9:40	Field Cond		312	umhos/cm		SM 2510A
10/30/2018 9:20	Field Cond		310	umhos/cm		SM 2510A
10/31/2018 9:13	Field Cond		338	umhos/cm		SM 2510A
5/1/2018 9:15	Field Temp		48.1	C		EPA 170.1
5/2/2018 9:35	Field Temp		54.2	C		EPA 170.1
5/3/2018 9:45	Field Temp		22	C		EPA 170.1
5/7/2018 10:15	Field Temp		13.1	C		EPA 170.1
5/8/2018 12:38	Field Temp		16.3	C		EPA 170.1
5/9/2018 10:16	Field Temp		15	C		EPA 170.1
5/10/2018 9:22	Field Temp		14.1	C		EPA 170.1
5/14/2018 10:26	Field Temp		13.1	C		EPA 170.1
5/15/2018 9:30	Field Temp		14.9	C		EPA 170.1
5/16/2018 9:45	Field Temp		13.2	C		EPA 170.1
5/17/2018 9:54	Field Temp		12.9	C		EPA 170.1
5/21/2018 7:20	Field Temp		13.5	C		EPA 170.1
5/22/2018 7:23	Field Temp		15.3	C		EPA 170.1
5/23/2018 7:13	Field Temp		15.2	C		EPA 170.1
5/24/2018 7:18	Field Temp		16.5	C		EPA 170.1
5/25/2018 7:17	Field Temp		17.2	C		EPA 170.1
5/26/2018 7:17	Field Temp		19	C		EPA 170.1
5/27/2018 7:14	Field Temp		19.8	C		EPA 170.1
5/28/2018 7:29	Field Temp		23.1	C		EPA 170.1
5/29/2018 7:17	Field Temp		21.6	C		EPA 170.1
5/30/2018 7:16	Field Temp		18.2	C		EPA 170.1
5/31/2018 7:17	Field Temp		18.9	C		EPA 170.1
6/1/2018 7:32	Field Temp		20.2	C		EPA 170.1
6/2/2018 7:26	Field Temp		18.8	C		EPA 170.1
6/3/2018 7:25	Field Temp		15.7	C		EPA 170.1
6/4/2018 7:35	Field Temp		18	C		EPA 170.1



Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
6/5/2018 7:27	Field Temp		17.9	C		EPA 170.1
6/6/2018 7:18	Field Temp		17.7	C		EPA 170.1
6/7/2018 7:14	Field Temp		17.6	C		EPA 170.1
6/8/2018 7:20	Field Temp		20.4	C		EPA 170.1
6/9/2018 7:24	Field Temp		19.4	C		EPA 170.1
6/10/2018 7:12	Field Temp		19.3	C		EPA 170.1
6/11/2018 7:24	Field Temp		18.2	C		EPA 170.1
6/12/2018 7:23	Field Temp		18.1	C		EPA 170.1
6/13/2018 6:44	Field Temp		20.1	C		EPA 170.1
6/14/2018 7:25	Field Temp		19.5	C		EPA 170.1
6/15/2018 7:18	Field Temp		20.2	C		EPA 170.1
6/16/2018 7:25	Field Temp		20.6	C		EPA 170.1
6/17/2018 7:16	Field Temp		21.3	C		EPA 170.1
6/18/2018 7:22	Field Temp		23.1	C		EPA 170.1
6/19/2018 7:26	Field Temp		23	C		EPA 170.1
6/20/2018 7:30	Field Temp		21.8	C		EPA 170.1
6/21/2018 7:24	Field Temp		19.4	C		EPA 170.1
6/22/2018 7:18	Field Temp		17.5	C		EPA 170.1
6/23/2018 7:19	Field Temp		16.9	C		EPA 170.1
6/24/2018 7:04	Field Temp		20.2	C		EPA 170.1
6/25/2018 7:17	Field Temp		20.5	C		EPA 170.1
6/26/2018 7:20	Field Temp		19.7	C		EPA 170.1
6/27/2018 7:10	Field Temp		20.6	C		EPA 170.1
6/28/2018 7:16	Field Temp		20.7	C		EPA 170.1
6/29/2018 7:13	Field Temp		21.8	C		EPA 170.1
6/30/2018 7:40	Field Temp		23.5	C		EPA 170.1
7/1/2018 7:29	Field Temp		24.9	C		EPA 170.1
7/2/2018 7:22	Field Temp		25.6	C		EPA 170.1
7/3/2018 8:25	Field Temp		26.3	C		EPA 170.1
7/4/2018 7:29	Field Temp		25.2	C		EPA 170.1
7/5/2018 7:31	Field Temp		26.3	C		EPA 170.1
7/6/2018 7:26	Field Temp		23.7	C		EPA 170.1
7/7/2018 7:02	Field Temp		23.6	C		EPA 170.1
7/8/2018 7:13	Field Temp		21.5	C		EPA 170.1
7/9/2018 7:21	Field Temp		22.4	C		EPA 170.1
7/10/2018 7:23	Field Temp		24	C		EPA 170.1
7/11/2018 7:31	Field Temp		23.7	C		EPA 170.1
7/12/2018 7:23	Field Temp		23.2	C		EPA 170.1
7/13/2018 7:36	Field Temp		22.5	C		EPA 170.1
7/14/2018 7:17	Field Temp		24	C		EPA 170.1
7/15/2018 7:22	Field Temp		24.7	C		EPA 170.1
7/16/2018 7:25	Field Temp		25.4	C		EPA 170.1
7/17/2018 7:34	Field Temp		25.9	C		EPA 170.1
7/18/2018 7:31	Field Temp		23.7	C		EPA 170.1
7/19/2018 7:26	Field Temp		23.3	C		EPA 170.1
7/20/2018 7:41	Field Temp		24.5	C		EPA 170.1
7/21/2018 7:22	Field Temp		23.5	C		EPA 170.1

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/22/2018 7:34	Field Temp		23	C		EPA 170.1
7/23/2018 7:14	Field Temp		25.5	C		EPA 170.1
7/24/2018 7:12	Field Temp		25.4	C		EPA 170.1
7/25/2018 7:22	Field Temp		24.4	C		EPA 170.1
7/26/2018 7:22	Field Temp		24.8	C		EPA 170.1
7/27/2018 7:19	Field Temp		22.6	C		EPA 170.1
7/28/2018 7:15	Field Temp		23.9	C		EPA 170.1
7/29/2018 7:15	Field Temp		21.1	C		EPA 170.1
7/30/2018 7:30	Field Temp		24.3	C		EPA 170.1
7/31/2018 7:23	Field Temp		23.8	C		EPA 170.1
8/1/2018 7:22	Field Temp		23.8	C		EPA 170.1
8/2/2018 7:32	Field Temp		23.5	C		EPA 170.1
8/3/2018 7:18	Field Temp		23.9	C		EPA 170.1
8/4/2018 7:18	Field Temp		24	C		EPA 170.1
8/5/2018 7:15	Field Temp		24.7	C		EPA 170.1
8/6/2018 7:21	Field Temp		25.7	C		EPA 170.1
8/7/2018 7:35	Field Temp		25.2	C		EPA 170.1
8/8/2018 7:50	Field Temp		25.3	C		EPA 170.1
8/9/2018 7:54	Field Temp		24.9	C		EPA 170.1
8/10/2018 7:27	Field Temp		25.3	C		EPA 170.1
8/11/2018 6:55	Field Temp		23.6	C		EPA 170.1
8/12/2018 6:52	Field Temp		24.1	C		EPA 170.1
8/13/2018 7:24	Field Temp		24.1	C		EPA 170.1
8/14/2018 7:30	Field Temp		24.7	C		EPA 170.1
8/15/2018 7:40	Field Temp		24.6	C		EPA 170.1
8/16/2018 7:22	Field Temp		25.5	C		EPA 170.1
8/17/2018 7:26	Field Temp		25.1	C		EPA 170.1
8/18/2018 7:27	Field Temp		24.9	C		EPA 170.1
8/19/2018 7:17	Field Temp		24.4	C		EPA 170.1
8/20/2018 7:23	Field Temp		24	C		EPA 170.1
8/21/2018 7:37	Field Temp		24.2	C		EPA 170.1
8/22/2018 7:30	Field Temp		23.2	C		EPA 170.1
8/23/2018 7:19	Field Temp		22.2	C		EPA 170.1
8/24/2018 7:20	Field Temp		23.2	C		EPA 170.1
8/25/2018 7:06	Field Temp		23.2	C		EPA 170.1
8/26/2018 7:03	Field Temp		23.4	C		EPA 170.1
8/27/2018 7:05	Field Temp		24.4	C		EPA 170.1
8/28/2018 7:29	Field Temp		24.5	C		EPA 170.1
8/29/2018 7:10	Field Temp		24.8	C		EPA 170.1
8/30/2018 7:27	Field Temp		23.9	C		EPA 170.1
8/31/2018 7:08	Field Temp		23.4	C		EPA 170.1
9/1/2018 7:18	Field Temp		23.5	C		EPA 170.1
9/2/2018 7:25	Field Temp		24.6	C		EPA 170.1
9/3/2018 7:08	Field Temp		24.9	C		EPA 170.1
9/4/2018 7:15	Field Temp		25.3	C		EPA 170.1
9/5/2018 7:28	Field Temp		25.5	C		EPA 170.1
9/6/2018 7:14	Field Temp		26.1	C		EPA 170.1

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
9/10/2018 9:39	Field Temp		21.1	C		EPA 170.1
9/11/2018 9:55	Field Temp		20.9	C		EPA 170.1
9/12/2018 10:00	Field Temp		22.6	C		EPA 170.1
9/13/2018 9:42	Field Temp		24.4	C		EPA 170.1
9/17/2018 9:56	Field Temp		24.7	C		EPA 170.1
9/18/2018 9:42	Field Temp		25.3	C		EPA 170.1
9/19/2018 9:40	Field Temp		23	C		EPA 170.1
9/20/2018 9:36	Field Temp		24	C		EPA 170.1
9/24/2018 9:42	Field Temp		19.9	C		EPA 170.1
9/25/2018 9:45	Field Temp		22.4	C		EPA 170.1
9/26/2018 10:15	Field Temp		23.5	C		EPA 170.1
9/27/2018 9:47	Field Temp		20.7	C		EPA 170.1
10/1/2018 9:50	Field Temp		20.9	C		EPA 170.1
10/2/2018 9:20	Field Temp		22.1	C		EPA 170.1
10/3/2018 9:10	Field Temp		21.3	C		EPA 170.1
10/4/2018 9:36	Field Temp		23.3	C		EPA 170.1
10/8/2018 9:27	Field Temp		23.2	C		EPA 170.1
10/9/2018 9:33	Field Temp		25.8	C		EPA 170.1
10/10/2018 9:50	Field Temp		26.8	C		EPA 170.1
10/11/2018 9:20	Field Temp		19	C		EPA 170.1
10/15/2018 9:15	Field Temp		17.2	C		EPA 170.1
10/16/2018 9:06	Field Temp		14.3	C		EPA 170.1
10/17/2018 9:15	Field Temp		14.6	C		EPA 170.1
10/18/2018 9:09	Field Temp		12.1	C		EPA 170.1
10/22/2018 9:45	Field Temp		12.3	C		EPA 170.1
10/23/2018 9:09	Field Temp		12.8	C		EPA 170.1
10/24/2018 9:09	Field Temp		11.8	C		EPA 170.1
10/25/2018 9:24	Field Temp		11.9	C		EPA 170.1
10/29/2018 9:40	Field Temp		11.1	C		EPA 170.1
10/30/2018 9:20	Field Temp		11.4	C		EPA 170.1
10/31/2018 9:13	Field Temp		12.6	C		EPA 170.1
5/1/2018 9:15	pH		7.4	S.U.		
5/2/2018 9:35	pH		7.3	S.U.		
5/3/2018 9:45	pH		7.6	S.U.		
5/7/2018 10:15	pH		8.1	S.U.		
5/8/2018 12:38	pH		7.9	S.U.		
5/9/2018 10:16	pH		7.9	S.U.		
5/10/2018 9:22	pH		8.1	S.U.		
5/14/2018 10:26	pH		7.9	S.U.		
5/15/2018 9:30	pH		7.9	S.U.		
5/16/2018 9:45	pH		8.1	S.U.		
5/17/2018 9:54	pH		8	S.U.		
5/21/2018 7:20	pH		7.8	S.U.		
5/22/2018 7:23	pH		7.8	S.U.		
5/23/2018 7:13	pH		7.6	S.U.		
5/24/2018 7:18	pH		8.1	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
5/25/2018 7:17	pH		8.4	S.U.		
5/26/2018 7:17	pH		8.4	S.U.		
5/27/2018 7:14	pH		8.2	S.U.		
5/28/2018 7:29	pH		8.3	S.U.		
5/29/2018 7:17	pH		8.7	S.U.		
5/30/2018 7:16	pH		7.8	S.U.		
5/31/2018 7:17	pH		8	S.U.		
6/1/2018 7:32	pH		8.3	S.U.		
6/2/2018 7:26	pH		8.2	S.U.		
6/3/2018 7:25	pH		7.7	S.U.		
6/4/2018 7:35	pH		8.1	S.U.		
6/5/2018 7:27	pH		8	S.U.		
6/6/2018 7:18	pH		7.9	S.U.		
6/7/2018 7:14	pH		8	S.U.		
6/8/2018 7:20	pH		7.8	S.U.		
6/9/2018 7:24	pH		7.9	S.U.		
6/10/2018 7:12	pH		7.7	S.U.		
6/11/2018 7:24	pH		7.8	S.U.		
6/12/2018 7:23	pH		7.8	S.U.		
6/13/2018 6:44	pH		7.9	S.U.		
6/14/2018 7:25	pH		7.8	S.U.		
6/15/2018 7:18	pH		7.9	S.U.		
6/16/2018 7:25	pH		7.9	S.U.		
6/17/2018 7:16	pH		7.8	S.U.		
6/18/2018 7:22	pH		7.7	S.U.		
6/19/2018 7:26	pH		7.7	S.U.		
6/20/2018 7:30	pH		7.5	S.U.		
6/21/2018 7:24	pH		7.4	S.U.		
6/22/2018 7:18	pH		7.4	S.U.		
6/23/2018 7:19	pH		7.5	S.U.		
6/24/2018 7:04	pH		7.5	S.U.		
6/25/2018 7:17	pH		7.7	S.U.		
6/26/2018 7:20	pH		7.8	S.U.		
6/27/2018 7:10	pH		7.6	S.U.		
6/28/2018 7:16	pH		7.5	S.U.		
6/29/2018 7:13	pH		7.5	S.U.		
6/30/2018 7:40	pH		7.7	S.U.		
7/1/2018 7:29	pH		8.1	S.U.		
7/2/2018 7:22	pH		7.8	S.U.		
7/3/2018 8:25	pH		8	S.U.		
7/4/2018 7:29	pH		8.3	S.U.		
7/5/2018 7:31	pH		7.9	S.U.		
7/6/2018 7:26	pH		7.7	S.U.		
7/7/2018 7:02	pH		7.2	S.U.		
7/8/2018 7:13	pH		7.2	S.U.		
7/9/2018 7:21	pH		7.3	S.U.		
7/10/2018 7:23	pH		7.5	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
7/11/2018 7:31	pH		7.6	S.U.		
7/12/2018 7:23	pH		7.2	S.U.		
7/13/2018 7:36	pH		7.3	S.U.		
7/14/2018 7:17	pH		7.4	S.U.		
7/15/2018 7:22	pH		7.9	S.U.		
7/16/2018 7:25	pH		7.4	S.U.		
7/17/2018 7:34	pH		7.6	S.U.		
7/18/2018 7:31	pH		7.6	S.U.		
7/19/2018 7:26	pH		7.7	S.U.		
7/20/2018 7:41	pH		7.9	S.U.		
7/21/2018 7:22	pH		7.7	S.U.		
7/22/2018 7:34	pH		8	S.U.		
7/23/2018 7:14	pH		7.8	S.U.		
7/24/2018 7:12	pH		7.4	S.U.		
7/25/2018 7:22	pH		7.7	S.U.		
7/26/2018 7:22	pH		8	S.U.		
7/27/2018 7:19	pH		7.7	S.U.		
7/28/2018 7:15	pH		7.8	S.U.		
7/29/2018 7:15	pH		8	S.U.		
7/30/2018 7:30	pH		7.9	S.U.		
7/31/2018 7:23	pH		7.8	S.U.		
8/1/2018 7:22	pH		7.7	S.U.		
8/2/2018 7:32	pH		7.3	S.U.		
8/3/2018 7:18	pH		7.6	S.U.		
8/4/2018 7:18	pH		7.5	S.U.		
8/5/2018 7:15	pH		7.4	S.U.		
8/6/2018 7:21	pH		7	S.U.		
8/7/2018 7:35	pH		7.4	S.U.		
8/8/2018 7:50	pH		7.4	S.U.		
8/9/2018 7:54	pH		7.4	S.U.		
8/10/2018 7:27	pH		7.4	S.U.		
8/11/2018 6:55	pH		7	S.U.		
8/12/2018 6:52	pH		7.1	S.U.		
8/13/2018 7:24	pH		7.2	S.U.		
8/14/2018 7:30	pH		7.1	S.U.		
8/15/2018 7:40	pH		7.1	S.U.		
8/16/2018 7:22	pH		7.2	S.U.		
8/17/2018 7:26	pH		7.2	S.U.		
8/18/2018 7:27	pH		7.3	S.U.		
8/19/2018 7:17	pH		7.2	S.U.		
8/20/2018 7:23	pH		7.1	S.U.		
8/21/2018 7:37	pH		7	S.U.		
8/22/2018 7:30	pH		6.9	S.U.		
8/23/2018 7:19	pH		6.8	S.U.		
8/24/2018 7:20	pH		7.3	S.U.		
8/25/2018 7:06	pH		7	S.U.		
8/26/2018 7:03	pH		7.1	S.U.		

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
8/27/2018 7:05	pH		7	S.U.		
8/28/2018 7:29	pH		7	S.U.		
8/29/2018 7:10	pH		6.9	S.U.		
8/30/2018 7:27	pH		6.9	S.U.		
8/31/2018 7:08	pH		6.6	S.U.		
9/1/2018 7:18	pH		6.7	S.U.		
9/2/2018 7:25	pH		6.6	S.U.		
9/3/2018 7:08	pH		7	S.U.		
9/4/2018 7:15	pH		6.7	S.U.		
9/5/2018 7:28	pH		7.9	S.U.		
9/6/2018 7:14	pH		7.5	S.U.		
9/10/2018 9:39	pH		7.2	S.U.		
9/11/2018 9:55	pH		7.4	S.U.		
9/12/2018 10:00	pH		7.5	S.U.		
9/13/2018 9:42	pH		7.2	S.U.		
9/17/2018 9:56	pH		7.4	S.U.		
9/18/2018 9:42	pH		7.4	S.U.		
9/19/2018 9:40	pH		7.4	S.U.		
9/20/2018 9:36	pH		7.2	S.U.		
9/24/2018 9:42	pH		7.2	S.U.		
9/25/2018 9:45	pH		7.3	S.U.		
9/26/2018 10:15	pH		7.2	S.U.		
9/27/2018 9:47	pH		7.1	S.U.		
10/1/2018 9:50	pH		7.2	S.U.		
10/2/2018 9:20	pH		7.2	S.U.		
10/3/2018 9:10	pH		6.9	S.U.		
10/4/2018 9:36	pH		6.9	S.U.		
10/8/2018 9:27	pH		6.5	S.U.		
10/9/2018 9:33	pH		7	S.U.		
10/10/2018 9:50	pH		6.9	S.U.		
10/11/2018 9:20	pH		7.3	S.U.		
10/15/2018 9:15	pH		6.8	S.U.		
10/16/2018 9:06	pH		7	S.U.		
10/17/2018 9:15	pH		6.8	S.U.		
10/18/2018 9:09	pH		6.9	S.U.		
10/22/2018 9:45	pH		8.2	S.U.		
10/23/2018 9:09	pH		7.8	S.U.		
10/24/2018 9:09	pH		7.9	S.U.		
10/25/2018 9:24	pH		7.9	S.U.		
10/29/2018 9:40	pH		8.1	S.U.		
10/30/2018 9:20	pH		7.9	S.U.		
10/31/2018 9:13	pH		8.1	S.U.		
5/1/2018 9:15	Turbidity		7.15	NTU		EPA180.1
5/2/2018 9:35	Turbidity		9.2	NTU		EPA180.1
5/3/2018 9:45	Turbidity		9.7	NTU		EPA180.1
5/7/2018 10:15	Turbidity		7.5	NTU		EPA180.1

Villa Angela-East							
Sample Date	Parameter	Code	Result	Units	MDL	Method	
5/8/2018 12:38	Turbidity		4.7	NTU		EPA180.1	
5/9/2018 10:16	Turbidity		3.9	NTU		EPA180.1	
5/10/2018 9:22	Turbidity		7.7	NTU		EPA180.1	
5/14/2018 10:26	Turbidity		7.8	NTU		EPA180.1	
5/15/2018 9:30	Turbidity		5.3	NTU		EPA180.1	
5/16/2018 9:45	Turbidity		3.4	NTU		EPA180.1	
5/17/2018 9:54	Turbidity		3	NTU		EPA180.1	
5/21/2018 7:20	Turbidity		11	NTU		EPA180.1	
5/22/2018 7:23	Turbidity		7.1	NTU		EPA180.1	
5/23/2018 7:13	Turbidity		9	NTU		EPA180.1	
5/24/2018 7:18	Turbidity		4.05	NTU		EPA180.1	
5/25/2018 7:17	Turbidity		4.6	NTU		EPA180.1	
5/26/2018 7:17	Turbidity		6.4	NTU		EPA180.1	
5/27/2018 7:14	Turbidity		5.7	NTU		EPA180.1	
5/28/2018 7:29	Turbidity		5.8	NTU		EPA180.1	
5/29/2018 7:17	Turbidity		3.9	NTU		EPA180.1	
5/30/2018 7:16	Turbidity		5.8	NTU		EPA180.1	
5/31/2018 7:17	Turbidity		6.3	NTU		EPA180.1	
6/1/2018 7:32	Turbidity		4.4	NTU		EPA180.1	
6/2/2018 7:26	Turbidity		54	NTU		EPA180.1	
6/3/2018 7:25	Turbidity		4.8	NTU		EPA180.1	
6/4/2018 7:35	Turbidity		64.4	NTU		EPA180.1	
6/5/2018 7:27	Turbidity		31.2	NTU		EPA180.1	
6/6/2018 7:18	Turbidity		16.2	NTU		EPA180.1	
6/7/2018 7:14	Turbidity		5.3	NTU		EPA180.1	
6/8/2018 7:20	Turbidity		2.7	NTU		EPA180.1	
6/9/2018 7:24	Turbidity		2.7	NTU		EPA180.1	
6/10/2018 7:12	Turbidity		3.4	NTU		EPA180.1	
6/11/2018 7:24	Turbidity		4.6	NTU		EPA180.1	
6/12/2018 7:23	Turbidity		3.5	NTU		EPA180.1	
6/13/2018 6:44	Turbidity		4.6	NTU		EPA180.1	
6/14/2018 7:25	Turbidity		5.4	NTU		EPA180.1	
6/15/2018 7:18	Turbidity		2.1	NTU		EPA180.1	
6/16/2018 7:25	Turbidity		1.9	NTU		EPA180.1	
6/17/2018 7:16	Turbidity		1.7	NTU		EPA180.1	
6/18/2018 7:22	Turbidity		2.3	NTU		EPA180.1	
6/19/2018 7:26	Turbidity		5.1	NTU		EPA180.1	
6/20/2018 7:30	Turbidity		3.3	NTU		EPA180.1	
6/21/2018 7:24	Turbidity		3.9	NTU		EPA180.1	
6/22/2018 7:18	Turbidity		11.9	NTU		EPA180.1	
6/23/2018 7:19	Turbidity		3.9	NTU		EPA180.1	
6/24/2018 7:04	Turbidity		3.6	NTU		EPA180.1	
6/25/2018 7:17	Turbidity		3.7	NTU		EPA180.1	
6/26/2018 7:20	Turbidity		3.5	NTU		EPA180.1	
6/27/2018 7:10	Turbidity		3.9	NTU		EPA180.1	
6/28/2018 7:16	Turbidity		45.1	NTU		EPA180.1	
6/29/2018 7:13	Turbidity		2.4	NTU		EPA180.1	



Villa Angela-East							
Sample Date	Parameter	Code	Result	Units	MDL	Method	
6/30/2018 7:40	Turbidity		3.1	NTU		EPA180.1	
7/1/2018 7:29	Turbidity		2.5	NTU		EPA180.1	
7/2/2018 7:22	Turbidity		5.1	NTU		EPA180.1	
7/3/2018 8:25	Turbidity		2.1	NTU		EPA180.1	
7/4/2018 7:29	Turbidity		2.1	NTU		EPA180.1	
7/5/2018 7:31	Turbidity		2.3	NTU		EPA180.1	
7/6/2018 7:26	Turbidity		94.1	NTU		EPA180.1	
7/7/2018 7:02	Turbidity		31.4	NTU		EPA180.1	
7/8/2018 7:13	Turbidity		5.6	NTU		EPA180.1	
7/9/2018 7:21	Turbidity		7.2	NTU		EPA180.1	
7/10/2018 7:23	Turbidity		5	NTU		EPA180.1	
7/11/2018 7:31	Turbidity		18.4	NTU		EPA180.1	
7/12/2018 7:23	Turbidity		4.5	NTU		EPA180.1	
7/13/2018 7:36	Turbidity		3.3	NTU		EPA180.1	
7/14/2018 7:17	Turbidity		2.3	NTU		EPA180.1	
7/15/2018 7:22	Turbidity		1.9	NTU		EPA180.1	
7/16/2018 7:25	Turbidity		3.4	NTU		EPA180.1	
7/17/2018 7:34	Turbidity		8.4	NTU		EPA180.1	
7/18/2018 7:31	Turbidity		15.7	NTU		EPA180.1	
7/19/2018 7:26	Turbidity		5.8	NTU		EPA180.1	
7/20/2018 7:41	Turbidity		3.3	NTU		EPA180.1	
7/21/2018 7:22	Turbidity		2.45	NTU		EPA180.1	
7/22/2018 7:34	Turbidity		2.2	NTU		EPA180.1	
7/23/2018 7:14	Turbidity		3.7	NTU		EPA180.1	
7/24/2018 7:12	Turbidity		3.4	NTU		EPA180.1	
7/25/2018 7:22	Turbidity		2.8	NTU		EPA180.1	
7/26/2018 7:22	Turbidity		2.7	NTU		EPA180.1	
7/27/2018 7:19	Turbidity		25.1	NTU		EPA180.1	
7/28/2018 7:15	Turbidity		18.9	NTU		EPA180.1	
7/29/2018 7:15	Turbidity		2.8	NTU		EPA180.1	
7/30/2018 7:30	Turbidity		1.8	NTU		EPA180.1	
7/31/2018 7:23	Turbidity		1.5	NTU		EPA180.1	
8/1/2018 7:22	Turbidity		4.8	NTU		EPA180.1	
8/2/2018 7:32	Turbidity		3.3	NTU		EPA180.1	
8/3/2018 7:18	Turbidity		1.7	NTU		EPA180.1	
8/4/2018 7:18	Turbidity		1.9	NTU		EPA180.1	
8/5/2018 7:15	Turbidity		1.6	NTU		EPA180.1	
8/6/2018 7:21	Turbidity		2.9	NTU		EPA180.1	
8/7/2018 7:35	Turbidity		10.6	NTU		EPA180.1	
8/8/2018 7:50	Turbidity		9.45	NTU		EPA180.1	
8/9/2018 7:54	Turbidity		6.2	NTU		EPA180.1	
8/10/2018 7:27	Turbidity		2.5	NTU		EPA180.1	
8/11/2018 6:55	Turbidity		2	NTU		EPA180.1	
8/12/2018 6:52	Turbidity		7.1	NTU		EPA180.1	
8/13/2018 7:24	Turbidity		1.8	NTU		EPA180.1	
8/14/2018 7:30	Turbidity		4.6	NTU		EPA180.1	
8/15/2018 7:40	Turbidity		4.8	NTU		EPA180.1	

Villa Angela-East							
Sample Date	Parameter	Code	Result	Units	MDL	Method	
8/16/2018 7:22	Turbidity		3.9	NTU		EPA180.1	
8/17/2018 7:26	Turbidity		6.2	NTU		EPA180.1	
8/18/2018 7:27	Turbidity		9.8	NTU		EPA180.1	
8/19/2018 7:17	Turbidity		2.9	NTU		EPA180.1	
8/20/2018 7:23	Turbidity		2.5	NTU		EPA180.1	
8/21/2018 7:37	Turbidity		3	NTU		EPA180.1	
8/22/2018 7:30	Turbidity		47.2	NTU		EPA180.1	
8/23/2018 7:19	Turbidity		20.6	NTU		EPA180.1	
8/24/2018 7:20	Turbidity		3.2	NTU		EPA180.1	
8/25/2018 7:06	Turbidity		2.2	NTU		EPA180.1	
8/26/2018 7:03	Turbidity		3.2	NTU		EPA180.1	
8/27/2018 7:05	Turbidity		3.4	NTU		EPA180.1	
8/28/2018 7:29	Turbidity		8.8	NTU		EPA180.1	
8/29/2018 7:10	Turbidity		10.5	NTU		EPA180.1	
8/30/2018 7:27	Turbidity		25.9	NTU		EPA180.1	
8/31/2018 7:08	Turbidity		2.8	NTU		EPA180.1	
9/1/2018 7:18	Turbidity		3.1	NTU		EPA180.1	
9/2/2018 7:25	Turbidity		9.7	NTU		EPA180.1	
9/3/2018 7:08	Turbidity		3.5	NTU		EPA180.1	
9/4/2018 7:15	Turbidity		3.4	NTU		EPA180.1	
9/5/2018 7:28	Turbidity		2.5	NTU		EPA180.1	
9/6/2018 7:14	Turbidity		4.1	NTU		EPA180.1	
9/10/2018 9:39	Turbidity		12.2	NTU		EPA180.1	
9/11/2018 9:55	Turbidity		12.4	NTU		EPA180.1	
9/12/2018 10:00	Turbidity		7.7	NTU		EPA180.1	
9/13/2018 9:42	Turbidity		5.5	NTU		EPA180.1	
9/17/2018 9:56	Turbidity		3.1	NTU		EPA180.1	
9/18/2018 9:42	Turbidity		4.8	NTU		EPA180.1	
9/19/2018 9:40	Turbidity		7.8	NTU		EPA180.1	
9/20/2018 9:36	Turbidity		5.5	NTU		EPA180.1	
9/24/2018 9:42	Turbidity		5.3	NTU		EPA180.1	
9/25/2018 9:45	Turbidity		4.5	NTU		EPA180.1	
9/26/2018 10:15	Turbidity		46.2	NTU		EPA180.1	
9/27/2018 9:47	Turbidity		11.6	NTU		EPA180.1	
10/1/2018 9:50	Turbidity		7.7	NTU		EPA180.1	
10/2/2018 9:20	Turbidity		11.3	NTU		EPA180.1	
10/3/2018 9:10	Turbidity		4.7	NTU		EPA180.1	
10/4/2018 9:36	Turbidity		20.2	NTU		EPA180.1	
10/8/2018 9:27	Turbidity		4.6	NTU		EPA180.1	
10/9/2018 9:33	Turbidity		3.6	NTU		EPA180.1	
10/10/2018 9:50	Turbidity		3.6	NTU		EPA180.1	
10/11/2018 9:20	Turbidity		45.6	NTU		EPA180.1	
10/15/2018 9:15	Turbidity		8.5	NTU		EPA180.1	
10/16/2018 9:06	Turbidity		41	NTU		EPA180.1	
10/17/2018 9:15	Turbidity		68.6	NTU		EPA180.1	
10/18/2018 9:09	Turbidity		39.4	NTU		EPA180.1	
10/22/2018 9:45	Turbidity		39.5	NTU		EPA180.1	

Villa Angela-East						
Sample Date	Parameter	Code	Result	Units	MDL	Method
10/23/2018 9:09	Turbidity		48.4	NTU		EPA180.1
10/24/2018 9:09	Turbidity		53.2	NTU		EPA180.1
10/25/2018 9:24	Turbidity		12	NTU		EPA180.1
10/29/2018 9:40	Turbidity		52.9	NTU		EPA180.1
10/30/2018 9:20	Turbidity		20.2	NTU		EPA180.1
10/31/2018 9:13	Turbidity		23.2	NTU		EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/1/2018 9:00	E. coli		86	MPN/100 mL	1	SM9223 Colilert
5/2/2018 9:25	E. coli		129	MPN/100 mL	1	SM9223 Colilert
5/3/2018 9:30	E. coli		22398	MPN/100 mL	1	SM9223 Colilert
5/7/2018 9:55	E. coli		5600	MPN/100 mL	1	SM9223 Colilert
5/8/2018 12:10	E. coli		222	MPN/100 mL	1	SM9223 Colilert
5/9/2018 9:56	E. coli		2586	MPN/100 mL	1	SM9223 Colilert
5/10/2018 9:05	E. coli		8215	MPN/100 mL	1	SM9223 Colilert
5/14/2018 10:10	E. coli		2205	MPN/100 mL	1	SM9223 Colilert
5/15/2018 9:18	E. coli		1280	MPN/100 mL	1	SM9223 Colilert
5/16/2018 9:30	E. coli		992	MPN/100 mL	1	SM9223 Colilert
5/17/2018 9:38	E. coli		349	MPN/100 mL	1	SM9223 Colilert
5/21/2018 7:06	E. coli		2518	MPN/100 mL	1	SM9223 Colilert
5/22/2018 7:11	E. coli		20460	MPN/100 mL	1	SM9223 Colilert
5/23/2018 7:01	E. coli		630	MPN/100 mL	1	SM9223 Colilert
5/24/2018 7:04	E. coli		432	MPN/100 mL	1	SM9223 Colilert
5/25/2018 7:02	E. coli		780	MPN/100 mL	1	SM9223 Colilert
5/26/2018 7:04	E. coli		448	MPN/100 mL	1	SM9223 Colilert
5/27/2018 7:03	E. coli		594	MPN/100 mL	1	SM9223 Colilert
5/28/2018 7:13	E. coli		1860	MPN/100 mL	1	SM9223 Colilert
5/29/2018 7:01	E. coli		2306	MPN/100 mL	1	SM9223 Colilert
5/30/2018 7:02	E. coli		882	MPN/100 mL	1	SM9223 Colilert
5/31/2018 7:03	E. coli		1095	MPN/100 mL	1	SM9223 Colilert
6/1/2018 7:19	E. coli		5450	MPN/100 mL	1	SM9223 Colilert
6/2/2018 7:10	E. coli		1797.5	MPN/100 mL	1	SM9223 Colilert
6/3/2018 7:10	E. coli		1230	MPN/100 mL	1	SM9223 Colilert
6/4/2018 7:21	E. coli		23090	MPN/100 mL	1	SM9223 Colilert
6/5/2018 7:13	E. coli		16275	MPN/100 mL	1	SM9223 Colilert
6/6/2018 7:01	E. coli		2130	MPN/100 mL	1	SM9223 Colilert
6/7/2018 6:59	E. coli		1166	MPN/100 mL	1	SM9223 Colilert
6/8/2018 7:07	E. coli		766	MPN/100 mL	1	SM9223 Colilert
6/9/2018 7:06	E. coli		766	MPN/100 mL	1	SM9223 Colilert
6/10/2018 6:59	E. coli		41060	MPN/100 mL	1	SM9223 Colilert
6/11/2018 7:11	E. coli		3310	MPN/100 mL	1	SM9223 Colilert
6/12/2018 7:08	E. coli		2560	MPN/100 mL	1	SM9223 Colilert
6/13/2018 6:34	E. coli		1230	MPN/100 mL	1	SM9223 Colilert
6/14/2018 7:15	E. coli		1352	MPN/100 mL	1	SM9223 Colilert
6/15/2018 7:05	E. coli		618	MPN/100 mL	1	SM9223 Colilert
6/16/2018 7:11	E. coli		366	MPN/100 mL	1	SM9223 Colilert
6/17/2018 7:03	E. coli		710	MPN/100 mL	1	SM9223 Colilert
6/18/2018 7:08	E. coli		1672	MPN/100 mL	1	SM9223 Colilert
6/19/2018 7:11	E. coli		36540	MPN/100 mL	1	SM9223 Colilert
6/20/2018 7:16	E. coli		2460	MPN/100 mL	1	SM9223 Colilert
6/21/2018 7:08	E. coli		1340	MPN/100 mL	1	SM9223 Colilert
6/22/2018 7:02	E. coli		1870	MPN/100 mL	1	SM9223 Colilert
6/23/2018 7:08	E. coli		1055	MPN/100 mL	1	SM9223 Colilert
6/24/2018 6:56	E. coli		2070	MPN/100 mL	1	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/25/2018 7:06	E. coli		750	MPN/100 mL	1	SM9223 Colilert
6/26/2018 7:12	E. coli		754	MPN/100 mL	1	SM9223 Colilert
6/27/2018 7:02	E. coli		1210	MPN/100 mL	1	SM9223 Colilert
6/28/2018 7:04	E. coli		6200	MPN/100 mL	1	SM9223 Colilert
6/29/2018 7:02	E. coli		1990	MPN/100 mL	1	SM9223 Colilert
6/30/2018 7:29	E. coli		1040	MPN/100 mL	1	SM9223 Colilert
7/1/2018 7:16	E. coli		422	MPN/100 mL	1	SM9223 Colilert
7/2/2018 7:07	E. coli		568	MPN/100 mL	1	SM9223 Colilert
7/3/2018 8:15	E. coli		24196	MPN/100 mL	1	SM9223 Colilert
7/4/2018 7:15	E. coli		2247	MPN/100 mL	10	SM9223 Colilert
7/5/2018 7:18	E. coli		1248	MPN/100 mL	1	SM9223 Colilert
7/6/2018 7:10	E. coli		11120	MPN/100 mL	1	SM9223 Colilert
7/7/2018 6:45	E. coli		1378	MPN/100 mL	1	SM9223 Colilert
7/8/2018 6:59	E. coli		506	MPN/100 mL	1	SM9223 Colilert
7/9/2018 7:08	E. coli		518	MPN/100 mL	1	SM9223 Colilert
7/10/2018 7:08	E. coli		622	MPN/100 mL	1	SM9223 Colilert
7/11/2018 7:20	E. coli		594	MPN/100 mL	1	SM9223 Colilert
7/12/2018 7:09	E. coli		906	MPN/100 mL	1	SM9223 Colilert
7/13/2018 7:22	E. coli		557	MPN/100 mL	1	SM9223 Colilert
7/14/2018 7:02	E. coli		441	MPN/100 mL	1	SM9223 Colilert
7/15/2018 7:05	E. coli		556	MPN/100 mL	1	SM9223 Colilert
7/16/2018 7:08	E. coli		565	MPN/100 mL	1	SM9223 Colilert
7/17/2018 7:20	E. coli		8230	MPN/100 mL	1	SM9223 Colilert
7/18/2018 7:22	E. coli		2560	MPN/100 mL	1	SM9223 Colilert
7/19/2018 7:14	E. coli		620	MPN/100 mL	1	SM9223 Colilert
7/20/2018 7:39	E. coli		200	MPN/100 mL	1	SM9223 Colilert
7/21/2018 7:09	E. coli		630	MPN/100 mL	1	SM9223 Colilert
7/22/2018 7:21	E. coli		410	MPN/100 mL	1	SM9223 Colilert
7/23/2018 6:59	E. coli		2180	MPN/100 mL	1	SM9223 Colilert
7/24/2018 6:53	E. coli		5040	MPN/100 mL	1	SM9223 Colilert
7/25/2018 7:04	E. coli		740	MPN/100 mL	1	SM9223 Colilert
7/26/2018 7:06	E. coli		84	MPN/100 mL	1	SM9223 Colilert
7/27/2018 7:03	E. coli		7100	MPN/100 mL	1	SM9223 Colilert
7/28/2018 7:04	E. coli		5040	MPN/100 mL	1	SM9223 Colilert
7/29/2018 6:58	E. coli		1150	MPN/100 mL	1	SM9223 Colilert
7/30/2018 7:20	E. coli		200	MPN/100 mL	1	SM9223 Colilert
7/31/2018 7:12	E. coli		410	MPN/100 mL	1	SM9223 Colilert
8/1/2018 7:10	E. coli		1090	MPN/100 mL	1	SM9223 Colilert
8/2/2018 7:19	E. coli		100	MPN/100 mL	1	SM9223 Colilert
8/3/2018 7:06	E. coli		2750	MPN/100 mL	1	SM9223 Colilert
8/4/2018 7:06	E. coli		402	MPN/100 mL	1	SM9223 Colilert
8/5/2018 7:05	E. coli		196	MPN/100 mL	1	SM9223 Colilert
8/6/2018 7:07	E. coli		310	MPN/100 mL	1	SM9223 Colilert
8/7/2018 7:20	E. coli		12760	MPN/100 mL	1	SM9223 Colilert
8/8/2018 7:43	E. coli		1460	MPN/100 mL	1	SM9223 Colilert
8/9/2018 7:38	E. coli		24066	MPN/100 mL	1	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/10/2018 7:16	E. coli		654	MPN/100 mL	1	SM9223 Colilert
8/11/2018 6:40	E. coli		346	MPN/100 mL	1	SM9223 Colilert
8/12/2018 6:45	E. coli		296	MPN/100 mL	1	SM9223 Colilert
8/13/2018 7:10	E. coli		292	MPN/100 mL	1	SM9223 Colilert
8/14/2018 7:15	E. coli		35	MPN/100 mL	1	SM9223 Colilert
8/15/2018 7:20	E. coli		550	MPN/100 mL	1	SM9223 Colilert
8/16/2018 7:09	E. coli		310	MPN/100 mL	1	SM9223 Colilert
8/17/2018 7:13	E. coli		342.5	MPN/100 mL	1	SM9223 Colilert
8/18/2018 7:12	E. coli		418	MPN/100 mL	1	SM9223 Colilert
8/19/2018 7:00	E. coli		104	MPN/100 mL	1	SM9223 Colilert
8/20/2018 7:11	E. coli		200	MPN/100 mL	1	SM9223 Colilert
8/21/2018 7:24	E. coli		81640	MPN/100 mL	1	SM9223 Colilert
8/22/2018 7:10	E. coli		3830	MPN/100 mL	1	SM9223 Colilert
8/23/2018 7:07	E. coli		410	MPN/100 mL	1	SM9223 Colilert
8/24/2018 7:07	E. coli		310	MPN/100 mL	1	SM9223 Colilert
8/25/2018 6:52	E. coli		518	MPN/100 mL	1	SM9223 Colilert
8/26/2018 6:51	E. coli		620	MPN/100 mL	1	SM9223 Colilert
8/27/2018 6:55	E. coli		860	MPN/100 mL	1	SM9223 Colilert
8/28/2018 7:20	E. coli		1220	MPN/100 mL	1	SM9223 Colilert
8/29/2018 6:58	E. coli		1710	MPN/100 mL	1	SM9223 Colilert
8/30/2018 7:16	E. coli		7380	MPN/100 mL	1	SM9223 Colilert
8/31/2018 6:58	E. coli		2280	MPN/100 mL	1	SM9223 Colilert
9/1/2018 7:08	E. coli		1015	MPN/100 mL	1	SM9223 Colilert
9/2/2018 7:16	E. coli		490	MPN/100 mL	1	SM9223 Colilert
9/3/2018 6:58	E. coli		605	MPN/100 mL	1	SM9223 Colilert
9/4/2018 7:05	E. coli		33	MPN/100 mL	1	SM9223 Colilert
9/5/2018 7:15	E. coli		3121	MPN/100 mL	1	SM9223 Colilert
9/6/2018 7:02	E. coli		3665	MPN/100 mL	1	SM9223 Colilert
9/10/2018 9:28	E. coli		6020	MPN/100 mL	1	SM9223 Colilert
9/11/2018 9:37	E. coli		1260	MPN/100 mL	1	SM9223 Colilert
9/12/2018 9:45	E. coli		520	MPN/100 mL	1	SM9223 Colilert
9/13/2018 9:30	E. coli		426	MPN/100 mL	1	SM9223 Colilert
9/17/2018 9:41	E. coli		402	MPN/100 mL	1	SM9223 Colilert
9/18/2018 9:31	E. coli		316	MPN/100 mL	1	SM9223 Colilert
9/19/2018 9:30	E. coli		375	MPN/100 mL	1	SM9223 Colilert
9/20/2018 9:26	E. coli		375	MPN/100 mL	1	SM9223 Colilert
9/24/2018 9:34	E. coli		170	MPN/100 mL	1	SM9223 Colilert
9/25/2018 9:30	E. coli		8925	MPN/100 mL	1	SM9223 Colilert
9/26/2018 10:05	E. coli		32550	MPN/100 mL	1	SM9223 Colilert
9/27/2018 9:35	E. coli		2410	MPN/100 mL	1	SM9223 Colilert
10/1/2018 9:30	E. coli		260	MPN/100 mL	1	SM9223 Colilert
10/2/2018 9:10	E. coli		205	MPN/100 mL	1	SM9223 Colilert
10/3/2018 8:53	E. coli		1725	MPN/100 mL	1	SM9223 Colilert
10/4/2018 9:00	E. coli		455	MPN/100 mL	1	SM9223 Colilert
10/8/2018 9:11	E. coli		1200	MPN/100 mL	1	SM9223 Colilert
10/9/2018 9:06	E. coli		430	MPN/100 mL	1	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
10/10/2018 9:22	E. coli		430	MPN/100 mL	1	SM9223 Colilert
10/11/2018 8:59	E. coli		667.5	MPN/100 mL	1	SM9223 Colilert
10/15/2018 9:00	E. coli		1080	MPN/100 mL	1	SM9223 Colilert
10/16/2018 8:52	E. coli		430	MPN/100 mL	1	SM9223 Colilert
10/17/2018 9:00	E. coli		200	MPN/100 mL	1	SM9223 Colilert
10/18/2018 8:52	E. coli		155	MPN/100 mL	1	SM9223 Colilert
10/22/2018 9:30	E. coli		100	MPN/100 mL	1	SM9223 Colilert
10/23/2018 8:52	E. coli		50	MPN/100 mL	1	SM9223 Colilert
10/24/2018 8:56	E. coli	<	50	MPN/100 mL	50	SM9223 Colilert
10/25/2018 9:00	E. coli		137	MPN/100 mL	1	SM9223 Colilert
10/29/2018 9:27	E. coli		5570	MPN/100 mL	1	SM9223 Colilert
10/30/2018 9:03	E. coli		1180	MPN/100 mL	1	SM9223 Colilert
10/31/2018 9:00	E. coli		740	MPN/100 mL	1	SM9223 Colilert
5/1/2018 9:00	Field Cond		1350	umhos/cm		SM 2510A
5/2/2018 9:25	Field Cond		1357	umhos/cm		SM 2510A
5/3/2018 9:30	Field Cond		853	umhos/cm		SM 2510A
5/7/2018 9:55	Field Cond		1176	umhos/cm		SM 2510A
5/8/2018 12:10	Field Cond		1323	umhos/cm		SM 2510A
5/9/2018 9:56	Field Cond		1184	umhos/cm		SM 2510A
5/10/2018 9:05	Field Cond		1201	umhos/cm		SM 2510A
5/14/2018 10:10	Field Cond		888	umhos/cm		SM 2510A
5/15/2018 9:18	Field Cond		863	umhos/cm		SM 2510A
5/16/2018 9:30	Field Cond		1095	umhos/cm		SM 2510A
5/17/2018 9:38	Field Cond		1170	umhos/cm		SM 2510A
5/21/2018 7:06	Field Cond		872	umhos/cm		SM 2510A
5/22/2018 7:11	Field Cond		686	umhos/cm		SM 2510A
5/23/2018 7:01	Field Cond		921	umhos/cm		SM 2510A
5/24/2018 7:04	Field Cond		1087	umhos/cm		SM 2510A
5/25/2018 7:02	Field Cond		1197	umhos/cm		SM 2510A
5/26/2018 7:04	Field Cond		1231	umhos/cm		SM 2510A
5/27/2018 7:03	Field Cond		1262	umhos/cm		SM 2510A
5/28/2018 7:13	Field Cond		1266	umhos/cm		SM 2510A
5/29/2018 7:01	Field Cond		1288	umhos/cm		SM 2510A
5/30/2018 7:02	Field Cond		1281	umhos/cm		SM 2510A
5/31/2018 7:03	Field Cond		1299	umhos/cm		SM 2510A
6/1/2018 7:19	Field Cond		1277	umhos/cm		SM 2510A
6/2/2018 7:10	Field Cond		1383	umhos/cm		SM 2510A
6/3/2018 7:10	Field Cond		1193	umhos/cm		SM 2510A
6/4/2018 7:21	Field Cond		697	umhos/cm		SM 2510A
6/5/2018 7:13	Field Cond		861	umhos/cm		SM 2510A
6/6/2018 7:01	Field Cond		946	umhos/cm		SM 2510A
6/7/2018 6:59	Field Cond		1016	umhos/cm		SM 2510A
6/8/2018 7:07	Field Cond		1111	umhos/cm		SM 2510A
6/9/2018 7:06	Field Cond		1113	umhos/cm		SM 2510A
6/10/2018 6:59	Field Cond		1157	umhos/cm		SM 2510A



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/11/2018 7:11	Field Cond		780	umhos/cm		SM 2510A
6/12/2018 7:08	Field Cond		944	umhos/cm		SM 2510A
6/13/2018 6:34	Field Cond		958	umhos/cm		SM 2510A
6/14/2018 7:15	Field Cond		1078	umhos/cm		SM 2510A
6/15/2018 7:05	Field Cond		1100	umhos/cm		SM 2510A
6/16/2018 7:11	Field Cond		1165	umhos/cm		SM 2510A
6/17/2018 7:03	Field Cond		721	umhos/cm		SM 2510A
6/18/2018 7:08	Field Cond		1203	umhos/cm		SM 2510A
6/19/2018 7:11	Field Cond		853	umhos/cm		SM 2510A
6/20/2018 7:16	Field Cond		1017	umhos/cm		SM 2510A
6/21/2018 7:08	Field Cond		868	umhos/cm		SM 2510A
6/22/2018 7:02	Field Cond		1000	umhos/cm		SM 2510A
6/23/2018 7:08	Field Cond		1005	umhos/cm		SM 2510A
6/24/2018 6:56	Field Cond		1030	umhos/cm		SM 2510A
6/25/2018 7:06	Field Cond		1246	umhos/cm		SM 2510A
6/26/2018 7:12	Field Cond		1167	umhos/cm		SM 2510A
6/27/2018 7:02	Field Cond		1108	umhos/cm		SM 2510A
6/28/2018 7:04	Field Cond		686	umhos/cm		SM 2510A
6/29/2018 7:02	Field Cond		883	umhos/cm		SM 2510A
6/30/2018 7:29	Field Cond		973	umhos/cm		SM 2510A
7/1/2018 7:16	Field Cond		952	umhos/cm		SM 2510A
7/2/2018 7:07	Field Cond		1084	umhos/cm		SM 2510A
7/3/2018 8:15	Field Cond		1102	umhos/cm		SM 2510A
7/4/2018 7:15	Field Cond		914	umhos/cm		SM 2510A
7/5/2018 7:18	Field Cond		1055	umhos/cm		SM 2510A
7/6/2018 7:10	Field Cond		595	umhos/cm		SM 2510A
7/7/2018 6:45	Field Cond		857	umhos/cm		SM 2510A
7/8/2018 6:59	Field Cond		983	umhos/cm		SM 2510A
7/9/2018 7:08	Field Cond		1122	umhos/cm		SM 2510A
7/10/2018 7:08	Field Cond		1082	umhos/cm		SM 2510A
7/11/2018 7:20	Field Cond		1091	umhos/cm		SM 2510A
7/12/2018 7:09	Field Cond		1112	umhos/cm		SM 2510A
7/13/2018 7:22	Field Cond		1108	umhos/cm		SM 2510A
7/14/2018 7:02	Field Cond		1101	umhos/cm		SM 2510A
7/15/2018 7:05	Field Cond		996	umhos/cm		SM 2510A
7/16/2018 7:08	Field Cond		1064	umhos/cm		SM 2510A
7/17/2018 7:20	Field Cond		741	umhos/cm		SM 2510A
7/18/2018 7:22	Field Cond		858	umhos/cm		SM 2510A
7/19/2018 7:14	Field Cond		904	umhos/cm		SM 2510A
7/20/2018 7:39	Field Cond		882	umhos/cm		SM 2510A
7/21/2018 7:09	Field Cond		934	umhos/cm		SM 2510A
7/22/2018 7:21	Field Cond		938	umhos/cm		SM 2510A
7/23/2018 6:59	Field Cond		998	umhos/cm		SM 2510A
7/24/2018 6:53	Field Cond		650	umhos/cm		SM 2510A
7/25/2018 7:04	Field Cond		920	umhos/cm		SM 2510A
7/26/2018 7:06	Field Cond		898	umhos/cm		SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/27/2018 7:03	Field Cond		518	umhos/cm		SM 2510A
7/28/2018 7:04	Field Cond		639	umhos/cm		SM 2510A
7/29/2018 6:58	Field Cond		725	umhos/cm		SM 2510A
7/30/2018 7:20	Field Cond		826	umhos/cm		SM 2510A
7/31/2018 7:12	Field Cond		916	umhos/cm		SM 2510A
8/1/2018 7:10	Field Cond		998	umhos/cm		SM 2510A
8/2/2018 7:19	Field Cond		1222	umhos/cm		SM 2510A
8/3/2018 7:06	Field Cond		948	umhos/cm		SM 2510A
8/4/2018 7:06	Field Cond		896	umhos/cm		SM 2510A
8/5/2018 7:05	Field Cond		1016	umhos/cm		SM 2510A
8/6/2018 7:07	Field Cond		1130	umhos/cm		SM 2510A
8/7/2018 7:20	Field Cond		475	umhos/cm		SM 2510A
8/8/2018 7:43	Field Cond		831	umhos/cm		SM 2510A
8/9/2018 7:38	Field Cond		666	umhos/cm		SM 2510A
8/10/2018 7:16	Field Cond		877	umhos/cm		SM 2510A
8/11/2018 6:40	Field Cond		911	umhos/cm		SM 2510A
8/12/2018 6:45	Field Cond		920	umhos/cm		SM 2510A
8/13/2018 7:10	Field Cond		931	umhos/cm		SM 2510A
8/14/2018 7:15	Field Cond		949	umhos/cm		SM 2510A
8/15/2018 7:20	Field Cond		940	umhos/cm		SM 2510A
8/16/2018 7:09	Field Cond		994	umhos/cm		SM 2510A
8/17/2018 7:13	Field Cond		1146	umhos/cm		SM 2510A
8/18/2018 7:12	Field Cond		1068	umhos/cm		SM 2510A
8/19/2018 7:00	Field Cond		1002	umhos/cm		SM 2510A
8/20/2018 7:11	Field Cond		984	umhos/cm		SM 2510A
8/21/2018 7:24	Field Cond		345	umhos/cm		SM 2510A
8/22/2018 7:10	Field Cond		666	umhos/cm		SM 2510A
8/23/2018 7:07	Field Cond		745	umhos/cm		SM 2510A
8/24/2018 7:07	Field Cond		875	umhos/cm		SM 2510A
8/25/2018 6:52	Field Cond		904	umhos/cm		SM 2510A
8/26/2018 6:51	Field Cond		919	umhos/cm		SM 2510A
8/27/2018 6:55	Field Cond		989	umhos/cm		SM 2510A
8/28/2018 7:20	Field Cond		1020	umhos/cm		SM 2510A
8/29/2018 6:58	Field Cond		1091	umhos/cm		SM 2510A
8/30/2018 7:16	Field Cond		576	umhos/cm		SM 2510A
8/31/2018 6:58	Field Cond		779	umhos/cm		SM 2510A
9/1/2018 7:08	Field Cond		863	umhos/cm		SM 2510A
9/2/2018 7:16	Field Cond		948	umhos/cm		SM 2510A
9/3/2018 6:58	Field Cond		936	umhos/cm		SM 2510A
9/4/2018 7:05	Field Cond		956	umhos/cm		SM 2510A
9/5/2018 7:15	Field Cond		1010	umhos/cm		SM 2510A
9/6/2018 7:02	Field Cond		609	umhos/cm		SM 2510A
9/10/2018 9:28	Field Cond		459	umhos/cm		SM 2510A
9/11/2018 9:37	Field Cond		778	umhos/cm		SM 2510A
9/12/2018 9:45	Field Cond		882	umhos/cm		SM 2510A
9/13/2018 9:30	Field Cond		899	umhos/cm		SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
9/17/2018 9:41	Field Cond		1053	umhos/cm		SM 2510A
9/18/2018 9:31	Field Cond		1056	umhos/cm		SM 2510A
9/19/2018 9:30	Field Cond		1014	umhos/cm		SM 2510A
9/20/2018 9:26	Field Cond		1022	umhos/cm		SM 2510A
9/24/2018 9:34	Field Cond		969	umhos/cm		SM 2510A
9/25/2018 9:30	Field Cond		472	umhos/cm		SM 2510A
9/26/2018 10:05	Field Cond		303	umhos/cm		SM 2510A
9/27/2018 9:35	Field Cond		700	umhos/cm		SM 2510A
10/1/2018 9:30	Field Cond		894	umhos/cm		SM 2510A
10/2/2018 9:10	Field Cond		1000	umhos/cm		SM 2510A
10/3/2018 8:53	Field Cond		1330	umhos/cm		SM 2510A
10/4/2018 9:00	Field Cond		999	umhos/cm		SM 2510A
10/8/2018 9:11	Field Cond		718	umhos/cm		SM 2510A
10/9/2018 9:06	Field Cond		823	umhos/cm		SM 2510A
10/10/2018 9:22	Field Cond		920	umhos/cm		SM 2510A
10/11/2018 8:59	Field Cond		958	umhos/cm		SM 2510A
10/15/2018 9:00	Field Cond		866	umhos/cm		SM 2510A
10/16/2018 8:52	Field Cond		907	umhos/cm		SM 2510A
10/17/2018 9:00	Field Cond		970	umhos/cm		SM 2510A
10/18/2018 8:52	Field Cond		1038	umhos/cm		SM 2510A
10/22/2018 9:30	Field Cond		843	umhos/cm		SM 2510A
10/23/2018 8:52	Field Cond		887	umhos/cm		SM 2510A
10/24/2018 8:56	Field Cond		932	umhos/cm		SM 2510A
10/25/2018 9:00	Field Cond		978	umhos/cm		SM 2510A
10/29/2018 9:27	Field Cond		448	umhos/cm		SM 2510A
10/30/2018 9:03	Field Cond		698	umhos/cm		SM 2510A
10/31/2018 9:00	Field Cond		936	umhos/cm		SM 2510A
5/1/2018 9:00	Field Temp		54.1	C		EPA 170.1
5/2/2018 9:25	Field Temp		61.5	C		EPA 170.1
5/3/2018 9:30	Field Temp		21.1	C		EPA 170.1
5/7/2018 9:55	Field Temp		16.2	C		EPA 170.1
5/8/2018 12:10	Field Temp		17.9	C		EPA 170.1
5/9/2018 9:56	Field Temp		18	C		EPA 170.1
5/10/2018 9:05	Field Temp		18	C		EPA 170.1
5/14/2018 10:10	Field Temp		15.3	C		EPA 170.1
5/15/2018 9:18	Field Temp		18.5	C		EPA 170.1
5/16/2018 9:30	Field Temp		16.3	C		EPA 170.1
5/17/2018 9:38	Field Temp		17.3	C		EPA 170.1
5/21/2018 7:06	Field Temp		15.1	C		EPA 170.1
5/22/2018 7:11	Field Temp		18.2	C		EPA 170.1
5/23/2018 7:01	Field Temp		16.9	C		EPA 170.1
5/24/2018 7:04	Field Temp		16	C		EPA 170.1
5/25/2018 7:02	Field Temp		17.4	C		EPA 170.1
5/26/2018 7:04	Field Temp		19	C		EPA 170.1
5/27/2018 7:03	Field Temp		20.2	C		EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/28/2018 7:13	Field Temp		21.8	C		EPA 170.1
5/29/2018 7:01	Field Temp		22.6	C		EPA 170.1
5/30/2018 7:02	Field Temp		23	C		EPA 170.1
5/31/2018 7:03	Field Temp		22.5	C		EPA 170.1
6/1/2018 7:19	Field Temp		23	C		EPA 170.1
6/2/2018 7:10	Field Temp		20.2	C		EPA 170.1
6/3/2018 7:10	Field Temp		19.1	C		EPA 170.1
6/4/2018 7:21	Field Temp		18.8	C		EPA 170.1
6/5/2018 7:13	Field Temp		17.8	C		EPA 170.1
6/6/2018 7:01	Field Temp		15.8	C		EPA 170.1
6/7/2018 6:59	Field Temp		15.8	C		EPA 170.1
6/8/2018 7:07	Field Temp		19.1	C		EPA 170.1
6/9/2018 7:06	Field Temp		20.8	C		EPA 170.1
6/10/2018 6:59	Field Temp		20	C		EPA 170.1
6/11/2018 7:11	Field Temp		18.5	C		EPA 170.1
6/12/2018 7:08	Field Temp		18.7	C		EPA 170.1
6/13/2018 6:34	Field Temp		20.7	C		EPA 170.1
6/14/2018 7:15	Field Temp		20.1	C		EPA 170.1
6/15/2018 7:05	Field Temp		19.6	C		EPA 170.1
6/16/2018 7:11	Field Temp		20.2	C		EPA 170.1
6/17/2018 7:03	Field Temp		20.9	C		EPA 170.1
6/18/2018 7:08	Field Temp		24.1	C		EPA 170.1
6/19/2018 7:11	Field Temp		22.6	C		EPA 170.1
6/20/2018 7:16	Field Temp		21.7	C		EPA 170.1
6/21/2018 7:08	Field Temp		19.6	C		EPA 170.1
6/22/2018 7:02	Field Temp		20.6	C		EPA 170.1
6/23/2018 7:08	Field Temp		20.5	C		EPA 170.1
6/24/2018 6:56	Field Temp		21.1	C		EPA 170.1
6/25/2018 7:06	Field Temp		20.8	C		EPA 170.1
6/26/2018 7:12	Field Temp		18.8	C		EPA 170.1
6/27/2018 7:02	Field Temp		21.4	C		EPA 170.1
6/28/2018 7:04	Field Temp		21.1	C		EPA 170.1
6/29/2018 7:02	Field Temp		21.4	C		EPA 170.1
6/30/2018 7:29	Field Temp		24.6	C		EPA 170.1
7/1/2018 7:16	Field Temp		24.4	C		EPA 170.1
7/2/2018 7:07	Field Temp		25.3	C		EPA 170.1
7/3/2018 8:15	Field Temp		25.4	C		EPA 170.1
7/4/2018 7:15	Field Temp		23.7	C		EPA 170.1
7/5/2018 7:18	Field Temp		25.6	C		EPA 170.1
7/6/2018 7:10	Field Temp		22.6	C		EPA 170.1
7/7/2018 6:45	Field Temp		19.9	C		EPA 170.1
7/8/2018 6:59	Field Temp		20.6	C		EPA 170.1
7/9/2018 7:08	Field Temp		21.8	C		EPA 170.1
7/10/2018 7:08	Field Temp		23.2	C		EPA 170.1
7/11/2018 7:20	Field Temp		22	C		EPA 170.1
7/12/2018 7:09	Field Temp		21.2	C		EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/13/2018 7:22	Field Temp		21.4	C		EPA 170.1
7/14/2018 7:02	Field Temp		23.1	C		EPA 170.1
7/15/2018 7:05	Field Temp		24.3	C		EPA 170.1
7/16/2018 7:08	Field Temp		25.1	C		EPA 170.1
7/17/2018 7:20	Field Temp		24.1	C		EPA 170.1
7/18/2018 7:22	Field Temp		22.1	C		EPA 170.1
7/19/2018 7:14	Field Temp		22.5	C		EPA 170.1
7/20/2018 7:39	Field Temp		24.5	C		EPA 170.1
7/21/2018 7:09	Field Temp		24.3	C		EPA 170.1
7/22/2018 7:21	Field Temp		24.7	C		EPA 170.1
7/23/2018 6:59	Field Temp		22.8	C		EPA 170.1
7/24/2018 6:53	Field Temp		25.1	C		EPA 170.1
7/25/2018 7:04	Field Temp		24.6	C		EPA 170.1
7/26/2018 7:06	Field Temp		24.4	C		EPA 170.1
7/27/2018 7:03	Field Temp		22.7	C		EPA 170.1
7/28/2018 7:04	Field Temp		23.3	C		EPA 170.1
7/29/2018 6:58	Field Temp		22.7	C		EPA 170.1
7/30/2018 7:20	Field Temp		24.6	C		EPA 170.1
7/31/2018 7:12	Field Temp		23.5	C		EPA 170.1
8/1/2018 7:10	Field Temp		24.7	C		EPA 170.1
8/2/2018 7:19	Field Temp		21.2	C		EPA 170.1
8/3/2018 7:06	Field Temp		22.1	C		EPA 170.1
8/4/2018 7:06	Field Temp		22.2	C		EPA 170.1
8/5/2018 7:05	Field Temp		23.3	C		EPA 170.1
8/6/2018 7:07	Field Temp		24.4	C		EPA 170.1
8/7/2018 7:20	Field Temp		23.1	C		EPA 170.1
8/8/2018 7:43	Field Temp		23.2	C		EPA 170.1
8/9/2018 7:38	Field Temp		22.6	C		EPA 170.1
8/10/2018 7:16	Field Temp		23.6	C		EPA 170.1
8/11/2018 6:40	Field Temp		21.2	C		EPA 170.1
8/12/2018 6:45	Field Temp		21.5	C		EPA 170.1
8/13/2018 7:10	Field Temp		22.1	C		EPA 170.1
8/14/2018 7:15	Field Temp		23	C		EPA 170.1
8/15/2018 7:20	Field Temp		23.2	C		EPA 170.1
8/16/2018 7:09	Field Temp		24	C		EPA 170.1
8/17/2018 7:13	Field Temp		23.6	C		EPA 170.1
8/18/2018 7:12	Field Temp		23.1	C		EPA 170.1
8/19/2018 7:00	Field Temp		22.2	C		EPA 170.1
8/20/2018 7:11	Field Temp		21	C		EPA 170.1
8/21/2018 7:24	Field Temp		24.2	C		EPA 170.1
8/22/2018 7:10	Field Temp		21.7	C		EPA 170.1
8/23/2018 7:07	Field Temp		18.7	C		EPA 170.1
8/24/2018 7:07	Field Temp		19.5	C		EPA 170.1
8/25/2018 6:52	Field Temp		20.9	C		EPA 170.1
8/26/2018 6:51	Field Temp		21.6	C		EPA 170.1
8/27/2018 6:55	Field Temp		23.6	C		EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/28/2018 7:20	Field Temp		24.1	C		EPA 170.1
8/29/2018 6:58	Field Temp		24.7	C		EPA 170.1
8/30/2018 7:16	Field Temp		22.5	C		EPA 170.1
8/31/2018 6:58	Field Temp		20.7	C		EPA 170.1
9/1/2018 7:08	Field Temp		21.2	C		EPA 170.1
9/2/2018 7:16	Field Temp		23.7	C		EPA 170.1
9/3/2018 6:58	Field Temp		24.1	C		EPA 170.1
9/4/2018 7:05	Field Temp		24.6	C		EPA 170.1
9/5/2018 7:15	Field Temp		26.2	C		EPA 170.1
9/6/2018 7:02	Field Temp		26.7	C		EPA 170.1
9/10/2018 9:28	Field Temp		21.5	C		EPA 170.1
9/11/2018 9:37	Field Temp		20.6	C		EPA 170.1
9/12/2018 9:45	Field Temp		21.5	C		EPA 170.1
9/13/2018 9:30	Field Temp		23.1	C		EPA 170.1
9/17/2018 9:41	Field Temp		24.3	C		EPA 170.1
9/18/2018 9:31	Field Temp		24.8	C		EPA 170.1
9/19/2018 9:30	Field Temp		22.8	C		EPA 170.1
9/20/2018 9:26	Field Temp		21.7	C		EPA 170.1
9/24/2018 9:34	Field Temp		18.7	C		EPA 170.1
9/25/2018 9:30	Field Temp		22.2	C		EPA 170.1
9/26/2018 10:05	Field Temp		25	C		EPA 170.1
9/27/2018 9:35	Field Temp		19.7	C		EPA 170.1
10/1/2018 9:30	Field Temp		20	C		EPA 170.1
10/2/2018 9:10	Field Temp		22.4	C		EPA 170.1
10/3/2018 8:53	Field Temp		18.1	C		EPA 170.1
10/4/2018 9:00	Field Temp		22	C		EPA 170.1
10/8/2018 9:11	Field Temp		21	C		EPA 170.1
10/9/2018 9:06	Field Temp		23.9	C		EPA 170.1
10/10/2018 9:22	Field Temp		22.2	C		EPA 170.1
10/11/2018 8:59	Field Temp		19.9	C		EPA 170.1
10/15/2018 9:00	Field Temp		15.8	C		EPA 170.1
10/16/2018 8:52	Field Temp		11.5	C		EPA 170.1
10/17/2018 9:00	Field Temp		11.6	C		EPA 170.1
10/18/2018 8:52	Field Temp		11.8	C		EPA 170.1
10/22/2018 9:30	Field Temp		7.6	C		EPA 170.1
10/23/2018 8:52	Field Temp		8.7	C		EPA 170.1
10/24/2018 8:56	Field Temp		8.6	C		EPA 170.1
10/25/2018 9:00	Field Temp		7.9	C		EPA 170.1
10/29/2018 9:27	Field Temp		10.1	C		EPA 170.1
10/30/2018 9:03	Field Temp		9	C		EPA 170.1
10/31/2018 9:00	Field Temp		12	C		EPA 170.1
5/1/2018 9:00	pH		7.2	S.U.		
5/2/2018 9:25	pH		7.1	S.U.		
5/3/2018 9:30	pH		7.5	S.U.		
5/7/2018 9:55	pH		8	S.U.		

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
5/8/2018 12:10	pH		8.4	S.U.		
5/9/2018 9:56	pH		8	S.U.		
5/10/2018 9:05	pH		7.7	S.U.		
5/14/2018 10:10	pH		7.9	S.U.		
5/15/2018 9:18	pH		8	S.U.		
5/16/2018 9:30	pH		8.2	S.U.		
5/17/2018 9:38	pH		8	S.U.		
5/21/2018 7:06	pH		7.6	S.U.		
5/22/2018 7:11	pH		7.6	S.U.		
5/23/2018 7:01	pH		7.5	S.U.		
5/24/2018 7:04	pH		7.6	S.U.		
5/25/2018 7:02	pH		7.6	S.U.		
5/26/2018 7:04	pH		7.4	S.U.		
5/27/2018 7:03	pH		7.4	S.U.		
5/28/2018 7:13	pH		7.6	S.U.		
5/29/2018 7:01	pH		7.66	S.U.		
5/30/2018 7:02	pH		7.5	S.U.		
5/31/2018 7:03	pH		7.5	S.U.		
6/1/2018 7:19	pH		7.5	S.U.		
6/2/2018 7:10	pH		7.5	S.U.		
6/3/2018 7:10	pH		7.5	S.U.		
6/4/2018 7:21	pH		7.7	S.U.		
6/5/2018 7:13	pH		7.6	S.U.		
6/6/2018 7:01	pH		7.6	S.U.		
6/7/2018 6:59	pH		7.6	S.U.		
6/8/2018 7:07	pH		7.5	S.U.		
6/9/2018 7:06	pH		7.6	S.U.		
6/10/2018 6:59	pH		7.6	S.U.		
6/11/2018 7:11	pH		7.7	S.U.		
6/12/2018 7:08	pH		7.5	S.U.		
6/13/2018 6:34	pH		7.5	S.U.		
6/14/2018 7:15	pH		7.2	S.U.		
6/15/2018 7:05	pH		7.3	S.U.		
6/16/2018 7:11	pH		7.4	S.U.		
6/17/2018 7:03	pH		7.4	S.U.		
6/18/2018 7:08	pH		7.2	S.U.		
6/19/2018 7:11	pH		7.4	S.U.		
6/20/2018 7:16	pH		7.3	S.U.		
6/21/2018 7:08	pH		7.5	S.U.		
6/22/2018 7:02	pH		7.3	S.U.		
6/23/2018 7:08	pH		7.3	S.U.		
6/24/2018 6:56	pH		7.2	S.U.		
6/25/2018 7:06	pH		7.2	S.U.		
6/26/2018 7:12	pH		7.3	S.U.		
6/27/2018 7:02	pH		7.1	S.U.		
6/28/2018 7:04	pH		7.2	S.U.		



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/29/2018 7:02	pH		7.2	S.U.		
6/30/2018 7:29	pH		7	S.U.		
7/1/2018 7:16	pH		7.2	S.U.		
7/2/2018 7:07	pH		7.2	S.U.		
7/3/2018 8:15	pH		7.3	S.U.		
7/4/2018 7:15	pH		7.1	S.U.		
7/5/2018 7:18	pH		7.1	S.U.		
7/6/2018 7:10	pH		7.2	S.U.		
7/7/2018 6:45	pH		7	S.U.		
7/8/2018 6:59	pH		7.1	S.U.		
7/9/2018 7:08	pH		7	S.U.		
7/10/2018 7:08	pH		7	S.U.		
7/11/2018 7:20	pH		7	S.U.		
7/12/2018 7:09	pH		6.8	S.U.		
7/13/2018 7:22	pH		6.9	S.U.		
7/14/2018 7:02	pH		6.9	S.U.		
7/15/2018 7:05	pH		6.9	S.U.		
7/16/2018 7:08	pH		7	S.U.		
7/17/2018 7:20	pH		7.2	S.U.		
7/18/2018 7:22	pH		7.3	S.U.		
7/19/2018 7:14	pH		7.4	S.U.		
7/20/2018 7:39	pH		7.5	S.U.		
7/21/2018 7:09	pH		7.4	S.U.		
7/22/2018 7:21	pH		7.5	S.U.		
7/23/2018 6:59	pH		7.5	S.U.		
7/24/2018 6:53	pH		7.2	S.U.		
7/25/2018 7:04	pH		7.3	S.U.		
7/26/2018 7:06	pH		7.3	S.U.		
7/27/2018 7:03	pH		7.2	S.U.		
7/28/2018 7:04	pH		7.3	S.U.		
7/29/2018 6:58	pH		7.4	S.U.		
7/30/2018 7:20	pH		7.4	S.U.		
7/31/2018 7:12	pH		7.2	S.U.		
8/1/2018 7:10	pH		7.4	S.U.		
8/2/2018 7:19	pH		6.9	S.U.		
8/3/2018 7:06	pH		7.1	S.U.		
8/4/2018 7:06	pH		7.1	S.U.		
8/5/2018 7:05	pH		7.1	S.U.		
8/6/2018 7:07	pH		7	S.U.		
8/7/2018 7:20	pH		6.9	S.U.		
8/8/2018 7:43	pH		7.2	S.U.		
8/9/2018 7:38	pH		6.8	S.U.		
8/10/2018 7:16	pH		6.8	S.U.		
8/11/2018 6:40	pH		6.7	S.U.		
8/12/2018 6:45	pH		6.6	S.U.		
8/13/2018 7:10	pH		6.8	S.U.		

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
8/14/2018 7:15	pH		7	S.U.		
8/15/2018 7:20	pH		6.8	S.U.		
8/16/2018 7:09	pH		7	S.U.		
8/17/2018 7:13	pH		6.9	S.U.		
8/18/2018 7:12	pH		6.9	S.U.		
8/19/2018 7:00	pH		6.9	S.U.		
8/20/2018 7:11	pH		6.9	S.U.		
8/21/2018 7:24	pH		7	S.U.		
8/22/2018 7:10	pH		6.7	S.U.		
8/23/2018 7:07	pH		6.7	S.U.		
8/24/2018 7:07	pH		7.1	S.U.		
8/25/2018 6:52	pH		6.6	S.U.		
8/26/2018 6:51	pH		6.9	S.U.		
8/27/2018 6:55	pH		6.7	S.U.		
8/28/2018 7:20	pH		6.7	S.U.		
8/29/2018 6:58	pH		6.5	S.U.		
8/30/2018 7:16	pH		6.7	S.U.		
8/31/2018 6:58	pH		6.4	S.U.		
9/1/2018 7:08	pH		6.6	S.U.		
9/2/2018 7:16	pH		6.4	S.U.		
9/3/2018 6:58	pH		6.7	S.U.		
9/4/2018 7:05	pH		6.5	S.U.		
9/5/2018 7:15	pH		7.3	S.U.		
9/6/2018 7:02	pH		7	S.U.		
9/10/2018 9:28	pH		7.2	S.U.		
9/11/2018 9:37	pH		7.5	S.U.		
9/12/2018 9:45	pH		7.3	S.U.		
9/13/2018 9:30	pH		7.2	S.U.		
9/17/2018 9:41	pH		7.3	S.U.		
9/18/2018 9:31	pH		7.2	S.U.		
9/19/2018 9:30	pH		7.1	S.U.		
9/20/2018 9:26	pH		7	S.U.		
9/24/2018 9:34	pH		6.9	S.U.		
9/25/2018 9:30	pH		7.2	S.U.		
9/26/2018 10:05	pH		6.9	S.U.		
9/27/2018 9:35	pH		7	S.U.		
10/1/2018 9:30	pH		7	S.U.		
10/2/2018 9:10	pH		7.1	S.U.		
10/3/2018 8:53	pH		6.9	S.U.		
10/4/2018 9:00	pH		6.7	S.U.		
10/8/2018 9:11	pH		6.6	S.U.		
10/9/2018 9:06	pH		6.9	S.U.		
10/10/2018 9:22	pH		6.9	S.U.		
10/11/2018 8:59	pH		7	S.U.		
10/15/2018 9:00	pH		6.7	S.U.		
10/16/2018 8:52	pH		6.8	S.U.		

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
10/17/2018 9:00	pH		6.6	S.U.		
10/18/2018 8:52	pH		6.4	S.U.		
10/22/2018 9:30	pH		8	S.U.		
10/23/2018 8:52	pH		7.9	S.U.		
10/24/2018 8:56	pH		7.7	S.U.		
10/25/2018 9:00	pH		7.9	S.U.		
10/29/2018 9:27	pH		7.6	S.U.		
10/30/2018 9:03	pH		7.7	S.U.		
10/31/2018 9:00	pH		8	S.U.		
5/1/2018 9:00	Turbidity		1.6	NTU		EPA180.1
5/2/2018 9:25	Turbidity		2.2	NTU		EPA180.1
5/3/2018 9:30	Turbidity		53.2	NTU		EPA180.1
5/7/2018 9:55	Turbidity		1.5	NTU		EPA180.1
5/8/2018 12:10	Turbidity		1.55	NTU		EPA180.1
5/9/2018 9:56	Turbidity		6.3	NTU		EPA180.1
5/10/2018 9:05	Turbidity		4.4	NTU		EPA180.1
5/14/2018 10:10	Turbidity		5.5	NTU		EPA180.1
5/15/2018 9:18	Turbidity		10.2	NTU		EPA180.1
5/16/2018 9:30	Turbidity		3.8	NTU		EPA180.1
5/17/2018 9:38	Turbidity		1.9	NTU		EPA180.1
5/21/2018 7:06	Turbidity		10.2	NTU		EPA180.1
5/22/2018 7:11	Turbidity		72.7	NTU		EPA180.1
5/23/2018 7:01	Turbidity		8.4	NTU		EPA180.1
5/24/2018 7:04	Turbidity		4.8	NTU		EPA180.1
5/25/2018 7:02	Turbidity		2.6	NTU		EPA180.1
5/26/2018 7:04	Turbidity		3.2	NTU		EPA180.1
5/27/2018 7:03	Turbidity		2.4	NTU		EPA180.1
5/28/2018 7:13	Turbidity		2.4	NTU		EPA180.1
5/29/2018 7:01	Turbidity		1.8	NTU		EPA180.1
5/30/2018 7:02	Turbidity		2.3	NTU		EPA180.1
5/31/2018 7:03	Turbidity		2.2	NTU		EPA180.1
6/1/2018 7:19	Turbidity		1.9	NTU		EPA180.1
6/2/2018 7:10	Turbidity		2	NTU		EPA180.1
6/3/2018 7:10	Turbidity		1.6	NTU		EPA180.1
6/4/2018 7:21	Turbidity		15.4	NTU		EPA180.1
6/5/2018 7:13	Turbidity		16.2	NTU		EPA180.1
6/6/2018 7:01	Turbidity		2.6	NTU		EPA180.1
6/7/2018 6:59	Turbidity		1.7	NTU		EPA180.1
6/8/2018 7:07	Turbidity		1.8	NTU		EPA180.1
6/9/2018 7:06	Turbidity		1.8	NTU		EPA180.1
6/10/2018 6:59	Turbidity		14.3	NTU		EPA180.1
6/11/2018 7:11	Turbidity		3.6	NTU		EPA180.1
6/12/2018 7:08	Turbidity		2	NTU		EPA180.1
6/13/2018 6:34	Turbidity		1.7	NTU		EPA180.1
6/14/2018 7:15	Turbidity		2.1	NTU		EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
6/15/2018 7:05	Turbidity		2	NTU		EPA180.1
6/16/2018 7:11	Turbidity		2	NTU		EPA180.1
6/17/2018 7:03	Turbidity		1.9	NTU		EPA180.1
6/18/2018 7:08	Turbidity		2.2	NTU		EPA180.1
6/19/2018 7:11	Turbidity		44.1	NTU		EPA180.1
6/20/2018 7:16	Turbidity		2.6	NTU		EPA180.1
6/21/2018 7:08	Turbidity		4.2	NTU		EPA180.1
6/22/2018 7:02	Turbidity		2.5	NTU		EPA180.1
6/23/2018 7:08	Turbidity		2.2	NTU		EPA180.1
6/24/2018 6:56	Turbidity		3.5	NTU		EPA180.1
6/25/2018 7:06	Turbidity		2.9	NTU		EPA180.1
6/26/2018 7:12	Turbidity		2.7	NTU		EPA180.1
6/27/2018 7:02	Turbidity		2.1	NTU		EPA180.1
6/28/2018 7:04	Turbidity		19.6	NTU		EPA180.1
6/29/2018 7:02	Turbidity		3.5	NTU		EPA180.1
6/30/2018 7:29	Turbidity		4.7	NTU		EPA180.1
7/1/2018 7:16	Turbidity		2.3	NTU		EPA180.1
7/2/2018 7:07	Turbidity		1.9	NTU		EPA180.1
7/3/2018 8:15	Turbidity		3	NTU		EPA180.1
7/4/2018 7:15	Turbidity		7.5	NTU		EPA180.1
7/5/2018 7:18	Turbidity		2.9	NTU		EPA180.1
7/6/2018 7:10	Turbidity		93.4	NTU		EPA180.1
7/7/2018 6:45	Turbidity		5.4	NTU		EPA180.1
7/8/2018 6:59	Turbidity		2.5	NTU		EPA180.1
7/9/2018 7:08	Turbidity		2.1	NTU		EPA180.1
7/10/2018 7:08	Turbidity		2.1	NTU		EPA180.1
7/11/2018 7:20	Turbidity		2.4	NTU		EPA180.1
7/12/2018 7:09	Turbidity		2.9	NTU		EPA180.1
7/13/2018 7:22	Turbidity		1.9	NTU		EPA180.1
7/14/2018 7:02	Turbidity		1.4	NTU		EPA180.1
7/15/2018 7:05	Turbidity		1.6	NTU		EPA180.1
7/16/2018 7:08	Turbidity		1.5	NTU		EPA180.1
7/17/2018 7:20	Turbidity		25.8	NTU		EPA180.1
7/18/2018 7:22	Turbidity		2.8	NTU		EPA180.1
7/19/2018 7:14	Turbidity		1.5	NTU		EPA180.1
7/20/2018 7:39	Turbidity		1.3	NTU		EPA180.1
7/21/2018 7:09	Turbidity		2.4	NTU		EPA180.1
7/22/2018 7:21	Turbidity		1.8	NTU		EPA180.1
7/23/2018 6:59	Turbidity		2.1	NTU		EPA180.1
7/24/2018 6:53	Turbidity		18	NTU		EPA180.1
7/25/2018 7:04	Turbidity		2.4	NTU		EPA180.1
7/26/2018 7:06	Turbidity		2	NTU		EPA180.1
7/27/2018 7:03	Turbidity		37.8	NTU		EPA180.1
7/28/2018 7:04	Turbidity		34.8	NTU		EPA180.1
7/29/2018 6:58	Turbidity		4.05	NTU		EPA180.1
7/30/2018 7:20	Turbidity		2.1	NTU		EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
7/31/2018 7:12	Turbidity		2.9	NTU		EPA180.1
8/1/2018 7:10	Turbidity		1.8	NTU		EPA180.1
8/2/2018 7:19	Turbidity		2.9	NTU		EPA180.1
8/3/2018 7:06	Turbidity		3.6	NTU		EPA180.1
8/4/2018 7:06	Turbidity		6.6	NTU		EPA180.1
8/5/2018 7:05	Turbidity		2.8	NTU		EPA180.1
8/6/2018 7:07	Turbidity		2.7	NTU		EPA180.1
8/7/2018 7:20	Turbidity		100.5	NTU		EPA180.1
8/8/2018 7:43	Turbidity		4.3	NTU		EPA180.1
8/9/2018 7:38	Turbidity		47.7	NTU		EPA180.1
8/10/2018 7:16	Turbidity		3.4	NTU		EPA180.1
8/11/2018 6:40	Turbidity		2.7	NTU		EPA180.1
8/12/2018 6:45	Turbidity		1.8	NTU		EPA180.1
8/13/2018 7:10	Turbidity		1.6	NTU		EPA180.1
8/14/2018 7:15	Turbidity		2.2	NTU		EPA180.1
8/15/2018 7:20	Turbidity		2.8	NTU		EPA180.1
8/16/2018 7:09	Turbidity		2.2	NTU		EPA180.1
8/17/2018 7:13	Turbidity		1.85	NTU		EPA180.1
8/18/2018 7:12	Turbidity		5.6	NTU		EPA180.1
8/19/2018 7:00	Turbidity		2.7	NTU		EPA180.1
8/20/2018 7:11	Turbidity		1.8	NTU		EPA180.1
8/21/2018 7:24	Turbidity		55	NTU		EPA180.1
8/22/2018 7:10	Turbidity		12.1	NTU		EPA180.1
8/23/2018 7:07	Turbidity		2.6	NTU		EPA180.1
8/24/2018 7:07	Turbidity		1.6	NTU		EPA180.1
8/25/2018 6:52	Turbidity		1.4	NTU		EPA180.1
8/26/2018 6:51	Turbidity		1.7	NTU		EPA180.1
8/27/2018 6:55	Turbidity		2.5	NTU		EPA180.1
8/28/2018 7:20	Turbidity		5.5	NTU		EPA180.1
8/29/2018 6:58	Turbidity		2.7	NTU		EPA180.1
8/30/2018 7:16	Turbidity		15	NTU		EPA180.1
8/31/2018 6:58	Turbidity		3.7	NTU		EPA180.1
9/1/2018 7:08	Turbidity		2.6	NTU		EPA180.1
9/2/2018 7:16	Turbidity		2.1	NTU		EPA180.1
9/3/2018 6:58	Turbidity		1.8	NTU		EPA180.1
9/4/2018 7:05	Turbidity		1.9	NTU		EPA180.1
9/5/2018 7:15	Turbidity		2.25	NTU		EPA180.1
9/6/2018 7:02	Turbidity		13.1	NTU		EPA180.1
9/10/2018 9:28	Turbidity		45.3	NTU		EPA180.1
9/11/2018 9:37	Turbidity		5.4	NTU		EPA180.1
9/12/2018 9:45	Turbidity		2.5	NTU		EPA180.1
9/13/2018 9:30	Turbidity		10.3	NTU		EPA180.1
9/17/2018 9:41	Turbidity		1.3	NTU		EPA180.1
9/18/2018 9:31	Turbidity		1.9	NTU		EPA180.1
9/19/2018 9:30	Turbidity		3.6	NTU		EPA180.1
9/20/2018 9:26	Turbidity		3.5	NTU		EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	MDL	Method
9/24/2018 9:34	Turbidity		1.7	NTU		EPA180.1
9/25/2018 9:30	Turbidity		24.3	NTU		EPA180.1
9/26/2018 10:05	Turbidity		372	NTU		EPA180.1
9/27/2018 9:35	Turbidity		7.3	NTU		EPA180.1
10/1/2018 9:30	Turbidity		27.7	NTU		EPA180.1
10/2/2018 9:10	Turbidity		3	NTU		EPA180.1
10/3/2018 8:53	Turbidity		4	NTU		EPA180.1
10/4/2018 9:00	Turbidity		3.3	NTU		EPA180.1
10/8/2018 9:11	Turbidity		4.8	NTU		EPA180.1
10/9/2018 9:06	Turbidity		2.6	NTU		EPA180.1
10/10/2018 9:22	Turbidity		1.6	NTU		EPA180.1
10/11/2018 8:59	Turbidity		2	NTU		EPA180.1
10/15/2018 9:00	Turbidity		3.7	NTU		EPA180.1
10/16/2018 8:52	Turbidity		2.9	NTU		EPA180.1
10/17/2018 9:00	Turbidity		2.5	NTU		EPA180.1
10/18/2018 8:52	Turbidity		3.2	NTU		EPA180.1
10/22/2018 9:30	Turbidity		2.3	NTU		EPA180.1
10/23/2018 8:52	Turbidity		1.8	NTU		EPA180.1
10/24/2018 8:56	Turbidity		1.9	NTU		EPA180.1
10/25/2018 9:00	Turbidity		1.6	NTU		EPA180.1
10/29/2018 9:27	Turbidity		52	NTU		EPA180.1
10/30/2018 9:03	Turbidity		11	NTU		EPA180.1
10/31/2018 9:00	Turbidity		6.3	NTU		EPA180.1