

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/1/2019 8:55	E. coli		284.5	MPN/100 mL	SM9223 Colilert
5/2/2019 9:40	E. coli		76	MPN/100 mL	SM9223 Colilert
5/6/2019 9:48	E. coli		10	MPN/100 mL	SM9223 Colilert
5/7/2019 10:07	E. coli		133	MPN/100 mL	SM9223 Colilert
5/8/2019 9:12	E. coli		32	MPN/100 mL	SM9223 Colilert
5/9/2019 8:45	E. coli		20	MPN/100 mL	SM9223 Colilert
5/13/2019 9:02	E. coli		27	MPN/100 mL	SM9223 Colilert
5/14/2019 8:55	E. coli		504	MPN/100 mL	SM9223 Colilert
5/15/2019 9:09	E. coli		78	MPN/100 mL	SM9223 Colilert
5/16/2019 8:52	E. coli		53	MPN/100 mL	SM9223 Colilert
5/20/2019 6:26	E. coli		3	MPN/100 mL	SM9223 Colilert
5/21/2019 6:35	E. coli		80	MPN/100 mL	SM9223 Colilert
5/22/2019 7:20	E. coli		8	MPN/100 mL	SM9223 Colilert
5/23/2019 6:48	E. coli		12	MPN/100 mL	SM9223 Colilert
5/24/2019 6:35	E. coli		52	MPN/100 mL	SM9223 Colilert
5/25/2019 6:25	E. coli		25	MPN/100 mL	SM9223 Colilert
5/26/2019 6:34	E. coli		6	MPN/100 mL	SM9223 Colilert
5/27/2019 6:35	E. coli		12	MPN/100 mL	SM9223 Colilert
5/29/2019 6:32	E. coli		458	MPN/100 mL	SM9223 Colilert
5/30/2019 7:22	E. coli		66	MPN/100 mL	SM9223 Colilert
5/31/2019 6:40	E. coli		69	MPN/100 mL	SM9223 Colilert
6/1/2019 6:53	E. coli		50	MPN/100 mL	SM9223 Colilert
6/2/2019 6:36	E. coli		42	MPN/100 mL	SM9223 Colilert
6/3/2019 6:54	E. coli		74	MPN/100 mL	SM9223 Colilert
6/4/2019 6:37	E. coli		50	MPN/100 mL	SM9223 Colilert
6/5/2019 6:32	E. coli		14	MPN/100 mL	SM9223 Colilert
6/6/2019 6:44	E. coli		172	MPN/100 mL	SM9223 Colilert
6/7/2019 6:40	E. coli		59	MPN/100 mL	SM9223 Colilert
6/8/2019 6:42	E. coli		156	MPN/100 mL	SM9223 Colilert
6/9/2019 6:30	E. coli		46	MPN/100 mL	SM9223 Colilert
6/10/2019 6:52	E. coli		16	MPN/100 mL	SM9223 Colilert
6/11/2019 6:43	E. coli		1594	MPN/100 mL	SM9223 Colilert
6/12/2019 6:47	E. coli		26	MPN/100 mL	SM9223 Colilert
6/13/2019 6:45	E. coli		8	MPN/100 mL	SM9223 Colilert
6/14/2019 6:55	E. coli		3540	MPN/100 mL	SM9223 Colilert
6/15/2019 6:47	E. coli		54	MPN/100 mL	SM9223 Colilert
6/16/2019 6:45	E. coli		154	MPN/100 mL	SM9223 Colilert
6/17/2019 6:51	E. coli		270	MPN/100 mL	SM9223 Colilert
6/18/2019 6:43	E. coli		72	MPN/100 mL	SM9223 Colilert
6/19/2019 6:59	E. coli		10	MPN/100 mL	SM9223 Colilert
6/20/2019 6:45	E. coli		25	MPN/100 mL	SM9223 Colilert
6/21/2019 6:37	E. coli		8305	MPN/100 mL	SM9223 Colilert
6/22/2019 6:37	E. coli		530	MPN/100 mL	SM9223 Colilert
6/23/2019 6:34	E. coli		90	MPN/100 mL	SM9223 Colilert
6/24/2019 6:53	E. coli		190	MPN/100 mL	SM9223 Colilert
6/25/2019 6:41	E. coli		187	MPN/100 mL	SM9223 Colilert
6/26/2019 7:01	E. coli		57	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/27/2019 6:37	E. coli		22	MPN/100 mL	SM9223 Colilert
6/28/2019 6:43	E. coli		22	MPN/100 mL	SM9223 Colilert
6/29/2019 6:41	E. coli		153	MPN/100 mL	SM9223 Colilert
6/30/2019 6:52	E. coli		74	MPN/100 mL	SM9223 Colilert
7/1/2019 6:46	E. coli		118	MPN/100 mL	SM9223 Colilert
7/2/2019 6:49	E. coli		8	MPN/100 mL	SM9223 Colilert
7/3/2019 6:41	E. coli		39	MPN/100 mL	SM9223 Colilert
7/4/2019 6:55	E. coli		8	MPN/100 mL	SM9223 Colilert
7/5/2019 6:50	E. coli		14	MPN/100 mL	SM9223 Colilert
7/6/2019 6:43	E. coli		68	MPN/100 mL	SM9223 Colilert
7/7/2019 6:29	E. coli		814	MPN/100 mL	SM9223 Colilert
7/8/2019 6:54	E. coli		73	MPN/100 mL	SM9223 Colilert
7/9/2019 6:40	E. coli		16	MPN/100 mL	SM9223 Colilert
7/10/2019 6:50	E. coli		37	MPN/100 mL	SM9223 Colilert
7/11/2019 7:00	E. coli		192	MPN/100 mL	SM9223 Colilert
7/12/2019 6:50	E. coli		152	MPN/100 mL	SM9223 Colilert
7/13/2019 6:48	E. coli		22	MPN/100 mL	SM9223 Colilert
7/14/2019 6:48	E. coli		82	MPN/100 mL	SM9223 Colilert
7/15/2019 6:55	E. coli		24	MPN/100 mL	SM9223 Colilert
7/16/2019 6:45	E. coli		15	MPN/100 mL	SM9223 Colilert
7/17/2019 6:52	E. coli		27	MPN/100 mL	SM9223 Colilert
7/18/2019 6:53	E. coli		171	MPN/100 mL	SM9223 Colilert
7/19/2019 6:52	E. coli		23	MPN/100 mL	SM9223 Colilert
7/20/2019 6:58	E. coli		110	MPN/100 mL	SM9223 Colilert
7/21/2019 6:54	E. coli		380	MPN/100 mL	SM9223 Colilert
7/22/2019 6:47	E. coli		20	MPN/100 mL	SM9223 Colilert
7/23/2019 6:46	E. coli		336	MPN/100 mL	SM9223 Colilert
7/24/2019 6:55	E. coli		44.5	MPN/100 mL	SM9223 Colilert
7/25/2019 6:44	E. coli		19	MPN/100 mL	SM9223 Colilert
7/26/2019 6:48	E. coli		11	MPN/100 mL	SM9223 Colilert
7/27/2019 6:39	E. coli		10	MPN/100 mL	SM9223 Colilert
7/28/2019 7:16	E. coli		19	MPN/100 mL	SM9223 Colilert
7/29/2019 6:47	E. coli		24	MPN/100 mL	SM9223 Colilert
7/30/2019 6:49	E. coli		40	MPN/100 mL	SM9223 Colilert
7/31/2019 6:42	E. coli		687	MPN/100 mL	SM9223 Colilert
8/1/2019 6:43	E. coli		18	MPN/100 mL	SM9223 Colilert
8/2/2019 6:43	E. coli		69	MPN/100 mL	SM9223 Colilert
8/3/2019 8:19	E. coli		16	MPN/100 mL	SM9223 Colilert
8/4/2019 8:22	E. coli		6	MPN/100 mL	SM9223 Colilert
8/5/2019 6:44	E. coli		10	MPN/100 mL	SM9223 Colilert
8/6/2019 6:46	E. coli		68	MPN/100 mL	SM9223 Colilert
8/7/2019 6:58	E. coli		286	MPN/100 mL	SM9223 Colilert
8/8/2019 7:04	E. coli		36	MPN/100 mL	SM9223 Colilert
8/9/2019 6:55	E. coli		153	MPN/100 mL	SM9223 Colilert
8/10/2019 7:45	E. coli		52	MPN/100 mL	SM9223 Colilert
8/11/2019 7:22	E. coli		14	MPN/100 mL	SM9223 Colilert
8/12/2019 6:54	E. coli		22.5	MPN/100 mL	SM9223 Colilert

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/13/2019 6:47	E. coli		54	MPN/100 mL	SM9223 Colilert
8/14/2019 6:59	E. coli		400	MPN/100 mL	SM9223 Colilert
8/15/2019 6:44	E. coli		26	MPN/100 mL	SM9223 Colilert
8/16/2019 6:47	E. coli		16	MPN/100 mL	SM9223 Colilert
8/17/2019 7:03	E. coli		240	MPN/100 mL	SM9223 Colilert
8/18/2019 7:02	E. coli		33	MPN/100 mL	SM9223 Colilert
8/19/2019 6:43	E. coli		196	MPN/100 mL	SM9223 Colilert
8/20/2019 6:44	E. coli		35	MPN/100 mL	SM9223 Colilert
8/21/2019 6:40	E. coli		102	MPN/100 mL	SM9223 Colilert
8/22/2019 6:37	E. coli		60	MPN/100 mL	SM9223 Colilert
8/23/2019 6:35	E. coli		30	MPN/100 mL	SM9223 Colilert
8/24/2019 6:34	E. coli		166	MPN/100 mL	SM9223 Colilert
8/25/2019 6:17	E. coli		12	MPN/100 mL	SM9223 Colilert
8/26/2019 6:50	E. coli		4	MPN/100 mL	SM9223 Colilert
8/27/2019 6:51	E. coli		10	MPN/100 mL	SM9223 Colilert
8/28/2019 7:09	E. coli		149	MPN/100 mL	SM9223 Colilert
8/29/2019 6:45	E. coli		137	MPN/100 mL	SM9223 Colilert
8/30/2019 6:50	E. coli		52	MPN/100 mL	SM9223 Colilert
8/31/2019 6:33	E. coli		90.5	MPN/100 mL	SM9223 Colilert
9/1/2019 6:36	E. coli		13	MPN/100 mL	SM9223 Colilert
9/2/2019 6:54	E. coli		31	MPN/100 mL	SM9223 Colilert
9/3/2019 9:00	E. coli		6	MPN/100 mL	SM9223 Colilert
9/4/2019 9:00	E. coli		1733	MPN/100 mL	SM9223 Colilert
9/5/2019 8:58	E. coli		135	MPN/100 mL	SM9223 Colilert
9/9/2019 9:10	E. coli		8	MPN/100 mL	SM9223 Colilert
9/10/2019 9:20	E. coli		13	MPN/100 mL	SM9223 Colilert
9/11/2019 9:03	E. coli		28	MPN/100 mL	SM9223 Colilert
9/12/2019 9:05	E. coli		770	MPN/100 mL	SM9223 Colilert
9/16/2019 9:10	E. coli		26	MPN/100 mL	SM9223 Colilert
9/17/2019 9:05	E. coli		57	MPN/100 mL	SM9223 Colilert
9/18/2019 8:50	E. coli		25	MPN/100 mL	SM9223 Colilert
9/19/2019 9:00	E. coli		34	MPN/100 mL	SM9223 Colilert
9/23/2019 9:55	E. coli		52	MPN/100 mL	SM9223 Colilert
9/24/2019 9:08	E. coli		249	MPN/100 mL	SM9223 Colilert
9/25/2019 8:50	E. coli		15	MPN/100 mL	SM9223 Colilert
9/26/2019 9:10	E. coli		88	MPN/100 mL	SM9223 Colilert
9/30/2019 8:50	E. coli		36	MPN/100 mL	SM9223 Colilert
5/1/2019 8:55	Field Cond		484	umhos/cm	SM 2510A
5/2/2019 9:40	Field Cond		390	umhos/cm	SM 2510A
5/6/2019 9:48	Field Cond		421	umhos/cm	SM 2510A
5/7/2019 10:07	Field Cond		467	umhos/cm	SM 2510A
5/8/2019 9:12	Field Cond		553	umhos/cm	SM 2510A
5/9/2019 8:45	Field Cond		416	umhos/cm	SM 2510A
5/13/2019 9:02	Field Cond		474	umhos/cm	SM 2510A
5/14/2019 8:55	Field Cond		498	umhos/cm	SM 2510A
5/15/2019 9:09	Field Cond		494	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/16/2019 8:52	Field Cond		500	umhos/cm	SM 2510A
5/20/2019 6:26	Field Cond		328	umhos/cm	SM 2510A
5/22/2019 7:20	Field Cond		401	umhos/cm	SM 2510A
5/23/2019 6:48	Field Cond		365	umhos/cm	SM 2510A
5/24/2019 6:35	Field Cond		358	umhos/cm	SM 2510A
5/25/2019 6:25	Field Cond		356	umhos/cm	SM 2510A
5/26/2019 6:34	Field Cond		345	umhos/cm	SM 2510A
5/27/2019 6:35	Field Cond		327	umhos/cm	SM 2510A
5/28/2019 6:35	Field Cond		292	umhos/cm	SM 2510A
5/29/2019 6:32	Field Cond		290	umhos/cm	SM 2510A
5/30/2019 7:22	Field Cond		278	umhos/cm	SM 2510A
5/31/2019 6:40	Field Cond		308	umhos/cm	SM 2510A
6/1/2019 6:53	Field Cond		296	umhos/cm	SM 2510A
6/2/2019 6:36	Field Cond		275	umhos/cm	SM 2510A
6/3/2019 6:54	Field Cond		285	umhos/cm	SM 2510A
6/4/2019 6:37	Field Cond		287	umhos/cm	SM 2510A
6/5/2019 6:32	Field Cond		297	umhos/cm	SM 2510A
6/6/2019 6:44	Field Cond		297	umhos/cm	SM 2510A
6/7/2019 6:40	Field Cond		300	umhos/cm	SM 2510A
6/8/2019 6:42	Field Cond		335	umhos/cm	SM 2510A
6/9/2019 6:30	Field Cond		297	umhos/cm	SM 2510A
6/10/2019 6:52	Field Cond		299	umhos/cm	SM 2510A
6/11/2019 6:43	Field Cond		338	umhos/cm	SM 2510A
6/12/2019 6:47	Field Cond		289	umhos/cm	SM 2510A
6/13/2019 6:45	Field Cond		288	umhos/cm	SM 2510A
6/14/2019 6:55	Field Cond		293	umhos/cm	SM 2510A
6/15/2019 6:47	Field Cond		307	umhos/cm	SM 2510A
6/16/2019 6:45	Field Cond		320	umhos/cm	SM 2510A
6/17/2019 6:51	Field Cond		310	umhos/cm	SM 2510A
6/18/2019 6:43	Field Cond		330	umhos/cm	SM 2510A
6/19/2019 6:59	Field Cond		311	umhos/cm	SM 2510A
6/20/2019 6:45	Field Cond		322	umhos/cm	SM 2510A
6/21/2019 6:37	Field Cond		340	umhos/cm	SM 2510A
6/22/2019 6:37	Field Cond		322	umhos/cm	SM 2510A
6/23/2019 6:34	Field Cond		319	umhos/cm	SM 2510A
6/24/2019 6:53	Field Cond		455	umhos/cm	SM 2510A
6/25/2019 6:41	Field Cond		348	umhos/cm	SM 2510A
6/26/2019 7:01	Field Cond		170	umhos/cm	SM 2510A
6/27/2019 6:37	Field Cond		316	umhos/cm	SM 2510A
6/28/2019 6:43	Field Cond		340	umhos/cm	SM 2510A
6/29/2019 6:41	Field Cond		292	umhos/cm	SM 2510A
6/30/2019 6:52	Field Cond		313	umhos/cm	SM 2510A
7/1/2019 6:46	Field Cond		307	umhos/cm	SM 2510A
7/2/2019 6:49	Field Cond		310	umhos/cm	SM 2510A
7/3/2019 6:41	Field Cond		332	umhos/cm	SM 2510A
7/4/2019 6:55	Field Cond		349	umhos/cm	SM 2510A
7/5/2019 6:50	Field Cond		324	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/6/2019 6:43	Field Cond		330	umhos/cm	SM 2510A
7/7/2019 6:29	Field Cond		351	umhos/cm	SM 2510A
7/8/2019 6:54	Field Cond		414	umhos/cm	SM 2510A
7/9/2019 6:40	Field Cond		367	umhos/cm	SM 2510A
7/10/2019 6:50	Field Cond		360	umhos/cm	SM 2510A
7/11/2019 7:00	Field Cond		364	umhos/cm	SM 2510A
7/12/2019 6:50	Field Cond		337	umhos/cm	SM 2510A
7/13/2019 6:48	Field Cond		323	umhos/cm	SM 2510A
7/14/2019 6:48	Field Cond		280	umhos/cm	SM 2510A
7/15/2019 6:55	Field Cond		316	umhos/cm	SM 2510A
7/16/2019 6:45	Field Cond		324	umhos/cm	SM 2510A
7/17/2019 6:52	Field Cond		320	umhos/cm	SM 2510A
7/18/2019 6:53	Field Cond		272	umhos/cm	SM 2510A
7/19/2019 6:52	Field Cond		311	umhos/cm	SM 2510A
7/20/2019 6:58	Field Cond		316	umhos/cm	SM 2510A
7/21/2019 6:54	Field Cond		346	umhos/cm	SM 2510A
7/22/2019 6:47	Field Cond		324	umhos/cm	SM 2510A
7/23/2019 6:46	Field Cond		343	umhos/cm	SM 2510A
7/24/2019 6:55	Field Cond		328	umhos/cm	SM 2510A
7/25/2019 6:44	Field Cond		318	umhos/cm	SM 2510A
7/26/2019 6:48	Field Cond		308	umhos/cm	SM 2510A
7/27/2019 6:39	Field Cond		320	umhos/cm	SM 2510A
7/28/2019 7:16	Field Cond		271	umhos/cm	SM 2510A
7/29/2019 6:47	Field Cond		326	umhos/cm	SM 2510A
7/30/2019 6:49	Field Cond		314	umhos/cm	SM 2510A
7/31/2019 6:42	Field Cond		319	umhos/cm	SM 2510A
8/1/2019 6:43	Field Cond		359	umhos/cm	SM 2510A
8/2/2019 6:43	Field Cond		380	umhos/cm	SM 2510A
8/3/2019 8:19	Field Cond		398	umhos/cm	SM 2510A
8/4/2019 8:22	Field Cond		367	umhos/cm	SM 2510A
8/5/2019 6:44	Field Cond		338	umhos/cm	SM 2510A
8/6/2019 6:46	Field Cond		314	umhos/cm	SM 2510A
8/7/2019 6:58	Field Cond		326	umhos/cm	SM 2510A
8/8/2019 7:04	Field Cond		354	umhos/cm	SM 2510A
8/9/2019 6:55	Field Cond		342	umhos/cm	SM 2510A
8/10/2019 7:45	Field Cond		337	umhos/cm	SM 2510A
8/11/2019 7:22	Field Cond		334	umhos/cm	SM 2510A
8/12/2019 6:54	Field Cond		321	umhos/cm	SM 2510A
8/13/2019 6:47	Field Cond		330	umhos/cm	SM 2510A
8/14/2019 6:59	Field Cond		343	umhos/cm	SM 2510A
8/15/2019 6:44	Field Cond		339	umhos/cm	SM 2510A
8/16/2019 6:47	Field Cond		365	umhos/cm	SM 2510A
8/17/2019 7:03	Field Cond		343	umhos/cm	SM 2510A
8/18/2019 7:02	Field Cond		395	umhos/cm	SM 2510A
8/19/2019 6:43	Field Cond		322	umhos/cm	SM 2510A
8/20/2019 6:44	Field Cond		338	umhos/cm	SM 2510A
8/21/2019 6:40	Field Cond		316	umhos/cm	SM 2510A

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/24/2019 6:34	Field Cond		391	umhos/cm	SM 2510A
8/25/2019 6:17	Field Cond		429	umhos/cm	SM 2510A
8/26/2019 6:50	Field Cond		363	umhos/cm	SM 2510A
8/27/2019 6:51	Field Cond		322	umhos/cm	SM 2510A
8/28/2019 7:09	Field Cond		321	umhos/cm	SM 2510A
8/29/2019 6:45	Field Cond		310	umhos/cm	SM 2510A
8/30/2019 6:50	Field Cond		294	umhos/cm	SM 2510A
8/31/2019 6:33	Field Cond		309	umhos/cm	SM 2510A
9/1/2019 6:36	Field Cond		338	umhos/cm	SM 2510A
9/2/2019 6:54	Field Cond		339	umhos/cm	SM 2510A
9/3/2019 9:00	Field Cond		320	umhos/cm	SM 2510A
9/4/2019 9:00	Field Cond		310	umhos/cm	SM 2510A
9/5/2019 8:58	Field Cond		303	umhos/cm	SM 2510A
9/9/2019 9:10	Field Cond		327	umhos/cm	SM 2510A
9/10/2019 9:20	Field Cond		442	umhos/cm	SM 2510A
9/11/2019 9:03	Field Cond		367	umhos/cm	SM 2510A
9/12/2019 9:05	Field Cond		335	umhos/cm	SM 2510A
9/16/2019 9:10	Field Cond		304	umhos/cm	SM 2510A
9/17/2019 9:05	Field Cond		313	umhos/cm	SM 2510A
9/18/2019 8:50	Field Cond		385	umhos/cm	SM 2510A
9/19/2019 9:00	Field Cond		315	umhos/cm	SM 2510A
9/23/2019 9:55	Field Cond		327	umhos/cm	SM 2510A
9/24/2019 9:08	Field Cond		333	umhos/cm	SM 2510A
9/25/2019 8:50	Field Cond		329	umhos/cm	SM 2510A
9/26/2019 9:10	Field Cond		332	umhos/cm	SM 2510A
5/1/2019 8:55	Field Temp		11.8	C	EPA 170.1
5/2/2019 9:40	Field Temp		11.7	C	EPA 170.1
5/6/2019 9:48	Field Temp		13	C	EPA 170.1
5/7/2019 10:07	Field Temp		14.3	C	EPA 170.1
5/8/2019 9:12	Field Temp		14.3	C	EPA 170.1
5/9/2019 8:45	Field Temp		14.4	C	EPA 170.1
5/13/2019 9:02	Field Temp		12	C	EPA 170.1
5/14/2019 8:55	Field Temp		11.3	C	EPA 170.1
5/15/2019 9:09	Field Temp		13.9	C	EPA 170.1
5/16/2019 8:52	Field Temp		14.7	C	EPA 170.1
5/20/2019 6:26	Field Temp		15.7	C	EPA 170.1
5/22/2019 7:20	Field Temp		14.1	C	EPA 170.1
5/23/2019 6:48	Field Temp		16.7	C	EPA 170.1
5/24/2019 6:35	Field Temp		14.7	C	EPA 170.1
5/25/2019 6:25	Field Temp		15.8	C	EPA 170.1
5/26/2019 6:34	Field Temp		18	C	EPA 170.1
5/27/2019 6:35	Field Temp		15.9	C	EPA 170.1
5/28/2019 6:35	Field Temp		17.5	C	EPA 170.1
5/29/2019 6:32	Field Temp		17	C	EPA 170.1
5/30/2019 7:22	Field Temp		17.6	C	EPA 170.1
5/31/2019 6:40	Field Temp		17.9	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/1/2019 6:53	Field Temp		17.7	C	EPA 170.1
6/2/2019 6:36	Field Temp		18.5	C	EPA 170.1
6/3/2019 6:54	Field Temp		16.9	C	EPA 170.1
6/4/2019 6:37	Field Temp		17.2	C	EPA 170.1
6/5/2019 6:32	Field Temp		18.6	C	EPA 170.1
6/6/2019 6:44	Field Temp		18.7	C	EPA 170.1
6/7/2019 6:40	Field Temp		19.1	C	EPA 170.1
6/8/2019 6:42	Field Temp		18.2	C	EPA 170.1
6/9/2019 6:30	Field Temp		17.8	C	EPA 170.1
6/10/2019 6:52	Field Temp		15.2	C	EPA 170.1
6/11/2019 6:43	Field Temp		14.7	C	EPA 170.1
6/12/2019 6:47	Field Temp		16.4	C	EPA 170.1
6/13/2019 6:45	Field Temp		16.8	C	EPA 170.1
6/14/2019 6:55	Field Temp		16.2	C	EPA 170.1
6/15/2019 6:47	Field Temp		17.7	C	EPA 170.1
6/16/2019 6:45	Field Temp		18.9	C	EPA 170.1
6/17/2019 6:51	Field Temp		18.1	C	EPA 170.1
6/18/2019 6:43	Field Temp		19	C	EPA 170.1
6/19/2019 6:59	Field Temp		20.2	C	EPA 170.1
6/20/2019 6:45	Field Temp		21.3	C	EPA 170.1
6/21/2019 6:37	Field Temp		19.1	C	EPA 170.1
6/22/2019 6:37	Field Temp		18.7	C	EPA 170.1
6/24/2019 6:53	Field Temp		19.2	C	EPA 170.1
6/25/2019 6:41	Field Temp		19.5	C	EPA 170.1
6/26/2019 7:01	Field Temp		20.9	C	EPA 170.1
6/27/2019 6:37	Field Temp		22.1	C	EPA 170.1
6/28/2019 6:43	Field Temp		21.4	C	EPA 170.1
6/29/2019 6:41	Field Temp		22.8	C	EPA 170.1
6/30/2019 6:52	Field Temp		22.4	C	EPA 170.1
7/1/2019 6:46	Field Temp		22	C	EPA 170.1
7/2/2019 6:49	Field Temp		22.5	C	EPA 170.1
7/3/2019 6:41	Field Temp		23.9	C	EPA 170.1
7/4/2019 6:55	Field Temp		24.9	C	EPA 170.1
7/5/2019 6:50	Field Temp		24.9	C	EPA 170.1
7/6/2019 6:43	Field Temp		24.8	C	EPA 170.1
7/7/2019 6:29	Field Temp		25.3	C	EPA 170.1
7/8/2019 6:54	Field Temp		23	C	EPA 170.1
7/9/2019 6:40	Field Temp		20.4	C	EPA 170.1
7/10/2019 6:50	Field Temp		22.4	C	EPA 170.1
7/11/2019 7:00	Field Temp		22	C	EPA 170.1
7/12/2019 6:50	Field Temp		22.8	C	EPA 170.1
7/13/2019 6:48	Field Temp		22.5	C	EPA 170.1
7/14/2019 6:48	Field Temp		23.6	C	EPA 170.1
7/15/2019 6:55	Field Temp		23.1	C	EPA 170.1
7/16/2019 6:45	Field Temp		25.1	C	EPA 170.1
7/17/2019 6:52	Field Temp		24.5	C	EPA 170.1
7/18/2019 6:53	Field Temp		24.5	C	EPA 170.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/19/2019 6:52	Field Temp		25.5	C	EPA 170.1
7/20/2019 6:58	Field Temp		26.1	C	EPA 170.1
7/21/2019 6:54	Field Temp		26.3	C	EPA 170.1
7/22/2019 6:47	Field Temp		25.3	C	EPA 170.1
7/23/2019 6:46	Field Temp		23.7	C	EPA 170.1
7/24/2019 6:55	Field Temp		23.4	C	EPA 170.1
7/25/2019 6:44	Field Temp		23.1	C	EPA 170.1
7/26/2019 6:48	Field Temp		24.2	C	EPA 170.1
7/27/2019 6:39	Field Temp		24.6	C	EPA 170.1
7/28/2019 7:16	Field Temp		24.3	C	EPA 170.1
7/29/2019 6:47	Field Temp		24.1	C	EPA 170.1
7/30/2019 6:49	Field Temp		24.6	C	EPA 170.1
7/31/2019 6:42	Field Temp		25.1	C	EPA 170.1
8/1/2019 6:43	Field Temp		25	C	EPA 170.1
8/2/2019 6:43	Field Temp		24.2	C	EPA 170.1
8/3/2019 8:19	Field Temp		25.7	C	EPA 170.1
8/4/2019 8:22	Field Temp		25.3	C	EPA 170.1
8/5/2019 6:44	Field Temp		24.9	C	EPA 170.1
8/6/2019 6:46	Field Temp		25.2	C	EPA 170.1
8/7/2019 6:58	Field Temp		23.8	C	EPA 170.1
8/8/2019 7:04	Field Temp		24.2	C	EPA 170.1
8/9/2019 6:55	Field Temp		23.3	C	EPA 170.1
8/10/2019 7:45	Field Temp		24.5	C	EPA 170.1
8/11/2019 7:22	Field Temp		22.6	C	EPA 170.1
8/12/2019 6:54	Field Temp		24.5	C	EPA 170.1
8/13/2019 6:47	Field Temp		24.3	C	EPA 170.1
8/14/2019 6:59	Field Temp		24	C	EPA 170.1
8/15/2019 6:44	Field Temp		23.8	C	EPA 170.1
8/16/2019 6:47	Field Temp		23.9	C	EPA 170.1
8/17/2019 7:03	Field Temp		24.4	C	EPA 170.1
8/18/2019 7:02	Field Temp		24	C	EPA 170.1
8/19/2019 6:43	Field Temp		23.8	C	EPA 170.1
8/20/2019 6:44	Field Temp		24.7	C	EPA 170.1
8/21/2019 6:40	Field Temp		24.7	C	EPA 170.1
8/24/2019 6:34	Field Temp		23.2	C	EPA 170.1
8/25/2019 6:17	Field Temp		22.1	C	EPA 170.1
8/26/2019 6:50	Field Temp		22.2	C	EPA 170.1
8/27/2019 6:51	Field Temp		19.4	C	EPA 170.1
8/28/2019 7:09	Field Temp		21.4	C	EPA 170.1
8/29/2019 6:45	Field Temp		18.6	C	EPA 170.1
8/30/2019 6:50	Field Temp		22.1	C	EPA 170.1
8/31/2019 6:33	Field Temp		21.8	C	EPA 170.1
9/1/2019 6:36	Field Temp		21.9	C	EPA 170.1
9/2/2019 6:54	Field Temp		21.7	C	EPA 170.1
9/3/2019 9:00	Field Temp		22.5	C	EPA 170.1
9/4/2019 9:00	Field Temp		22.2	C	EPA 170.1
9/5/2019 8:58	Field Temp		21.4	C	EPA 170.1



## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
9/9/2019 9:10	Field Temp		21.6	C	EPA 170.1
9/10/2019 9:20	Field Temp		21.6	C	EPA 170.1
9/11/2019 9:03	Field Temp		23.2	C	EPA 170.1
9/12/2019 9:05	Field Temp		23.5	C	EPA 170.1
9/16/2019 9:10	Field Temp		22.8	C	EPA 170.1
9/17/2019 9:05	Field Temp		22.2	C	EPA 170.1
9/18/2019 8:50	Field Temp		20.5	C	EPA 170.1
9/19/2019 9:00	Field Temp		20.3	C	EPA 170.1
9/23/2019 9:55	Field Temp		22.7	C	EPA 170.1
9/24/2019 9:08	Field Temp		20.6	C	EPA 170.1
9/25/2019 8:50	Field Temp		20.8	C	EPA 170.1
9/26/2019 9:10	Field Temp		20.9	C	EPA 170.1
5/1/2019 8:55	pH		7.5	S.U.	
5/2/2019 9:40	pH		8	S.U.	
5/6/2019 9:48	pH		7.9	S.U.	
5/7/2019 10:07	pH		7.2	S.U.	
5/8/2019 9:12	pH		7.9	S.U.	
5/9/2019 8:45	pH		7.7	S.U.	
5/13/2019 9:02	pH		7.9	S.U.	
5/14/2019 8:55	pH		7.4	S.U.	
5/15/2019 9:09	pH		7.9	S.U.	
5/16/2019 8:52	pH		8	S.U.	
5/20/2019 6:26	pH		8.1	S.U.	
5/22/2019 7:20	pH		7.5	S.U.	
5/23/2019 6:48	pH		7.3	S.U.	
5/24/2019 6:35	pH		8.7	S.U.	
5/25/2019 6:25	pH		8.5	S.U.	
5/26/2019 6:34	pH		7.6	S.U.	
5/27/2019 6:35	pH		8.6	S.U.	
5/28/2019 6:35	pH		7.3	S.U.	
5/29/2019 6:32	pH		7.2	S.U.	
5/30/2019 7:22	pH		7.5	S.U.	
5/31/2019 6:40	pH		7.1	S.U.	
6/1/2019 6:53	pH		7.2	S.U.	
6/2/2019 6:36	pH		7	S.U.	
6/3/2019 6:54	pH		7.6	S.U.	
6/4/2019 6:37	pH		7.3	S.U.	
6/5/2019 6:32	pH		7.4	S.U.	
6/6/2019 6:44	pH		7.3	S.U.	
6/7/2019 6:40	pH		7.2	S.U.	
6/8/2019 6:42	pH		6.9	S.U.	
6/9/2019 6:30	pH		7.1	S.U.	
6/10/2019 6:52	pH		6.7	S.U.	
6/11/2019 6:43	pH		6.86	S.U.	
6/12/2019 6:47	pH		6.8	S.U.	
6/13/2019 6:45	pH		6.8	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/14/2019 6:55	pH		6.9	S.U.	
6/15/2019 6:47	pH		6.9	S.U.	
6/16/2019 6:45	pH		7	S.U.	
6/17/2019 6:51	pH		7.2	S.U.	
6/18/2019 6:43	pH		7.1	S.U.	
6/19/2019 6:59	pH		7.3	S.U.	
6/20/2019 6:45	pH		3.2	S.U.	
6/21/2019 6:37	pH		7	S.U.	
6/22/2019 6:37	pH		6.5	S.U.	
6/23/2019 6:34	pH		6.5	S.U.	
6/24/2019 6:53	pH		7.4	S.U.	
6/25/2019 6:41	pH		7.1	S.U.	
6/26/2019 7:01	pH		7.3	S.U.	
6/27/2019 6:37	pH		5.8	S.U.	
6/28/2019 6:43	pH		7.3	S.U.	
6/29/2019 6:41	pH		6.9	S.U.	
6/30/2019 6:52	pH		7.1	S.U.	
7/1/2019 6:46	pH		7.1	S.U.	
7/2/2019 6:49	pH		6.8	S.U.	
7/3/2019 6:41	pH		7.1	S.U.	
7/4/2019 6:55	pH		7	S.U.	
7/5/2019 6:50	pH		6.9	S.U.	
7/6/2019 6:43	pH		6.8	S.U.	
7/7/2019 6:29	pH		7.1	S.U.	
7/8/2019 6:54	pH		6.6	S.U.	
7/9/2019 6:40	pH		6.44	S.U.	
7/10/2019 6:50	pH		6.21	S.U.	
7/11/2019 7:00	pH		6.35	S.U.	
7/12/2019 6:50	pH		6.7	S.U.	
7/13/2019 6:48	pH		7.03	S.U.	
7/14/2019 6:48	pH		6.5	S.U.	
7/15/2019 6:55	pH		6.1	S.U.	
7/16/2019 6:45	pH		7.1	S.U.	
7/17/2019 6:52	pH		6.1	S.U.	
7/18/2019 6:53	pH		6	S.U.	
7/19/2019 6:52	pH		7.1	S.U.	
7/20/2019 6:58	pH		7.2	S.U.	
7/21/2019 6:54	pH		7.1	S.U.	
7/22/2019 6:47	pH		7.1	S.U.	
7/23/2019 6:46	pH		7	S.U.	
7/24/2019 6:55	pH		7.2	S.U.	
7/25/2019 6:44	pH		7.4	S.U.	
7/26/2019 6:48	pH		7.4	S.U.	
7/27/2019 6:39	pH		7.5	S.U.	
7/28/2019 7:16	pH		7.4	S.U.	
7/29/2019 6:47	pH		7.4	S.U.	
7/30/2019 6:49	pH		7.5	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
7/31/2019 6:42	pH		7.5	S.U.	
8/1/2019 6:43	pH		7.4	S.U.	
8/2/2019 6:43	pH		7.4	S.U.	
8/3/2019 8:19	pH		7.6	S.U.	
8/4/2019 8:22	pH		7.7	S.U.	
8/5/2019 6:44	pH		7.3	S.U.	
8/6/2019 6:46	pH		7.5	S.U.	
8/7/2019 6:58	pH		7.5	S.U.	
8/8/2019 7:04	pH		7.6	S.U.	
8/9/2019 6:55	pH		7.4	S.U.	
8/10/2019 7:45	pH		5.5	S.U.	
8/11/2019 7:22	pH		6.1	S.U.	
8/12/2019 6:54	pH		5.6	S.U.	
8/13/2019 6:47	pH		5.9	S.U.	
8/14/2019 6:59	pH		6.1	S.U.	
8/15/2019 6:44	pH		8	S.U.	
8/16/2019 6:47	pH		7.5	S.U.	
8/17/2019 7:03	pH		7.7	S.U.	
8/18/2019 7:02	pH		7.3	S.U.	
8/19/2019 6:43	pH		7.5	S.U.	
8/20/2019 6:44	pH		7.4	S.U.	
8/21/2019 6:40	pH		7.6	S.U.	
8/24/2019 6:34	pH		7.7	S.U.	
8/25/2019 6:17	pH		8	S.U.	
8/26/2019 6:50	pH		7.7	S.U.	
8/27/2019 6:51	pH		7.8	S.U.	
8/28/2019 7:09	pH		7.8	S.U.	
8/29/2019 6:45	pH		7.8	S.U.	
8/30/2019 6:50	pH		7.6	S.U.	
8/31/2019 6:33	pH		8.1	S.U.	
9/1/2019 6:36	pH		8	S.U.	
9/2/2019 6:54	pH		7.3	S.U.	
9/3/2019 9:00	pH		7.4	S.U.	
9/4/2019 9:00	pH		7.2	S.U.	
9/5/2019 8:58	pH		7.8	S.U.	
9/9/2019 9:10	pH		7.1	S.U.	
9/10/2019 9:20	pH		6.8	S.U.	
9/11/2019 9:03	pH		7.4	S.U.	
9/12/2019 9:05	pH		7.1	S.U.	
9/16/2019 9:10	pH		7.8	S.U.	
9/17/2019 9:05	pH		7.4	S.U.	
9/18/2019 8:50	pH		8.3	S.U.	
9/19/2019 9:00	pH		7.6	S.U.	
9/23/2019 9:55	pH		6.8	S.U.	
9/24/2019 9:08	pH		7.3	S.U.	
9/25/2019 8:50	pH		8.3	S.U.	
9/26/2019 9:10	pH		7.4	S.U.	

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
5/1/2019 8:55	Turbidity		30.5	NTU	EPA180.1
5/2/2019 9:40	Turbidity		22.3	NTU	EPA180.1
5/6/2019 9:48	Turbidity		10.5	NTU	EPA180.1
5/7/2019 10:07	Turbidity		38.4	NTU	EPA180.1
5/8/2019 9:12	Turbidity		16.3	NTU	EPA180.1
5/9/2019 8:45	Turbidity		47.1	NTU	EPA180.1
5/13/2019 9:02	Turbidity		25.4	NTU	EPA180.1
5/14/2019 8:55	Turbidity		60.1	NTU	EPA180.1
5/15/2019 9:09	Turbidity		25.9	NTU	EPA180.1
5/16/2019 8:52	Turbidity		35.6	NTU	EPA180.1
5/20/2019 6:26	Turbidity		24.7	NTU	EPA180.1
5/22/2019 7:20	Turbidity		15.1	NTU	EPA180.1
5/23/2019 6:48	Turbidity		16.05	NTU	EPA180.1
5/24/2019 6:35	Turbidity		29	NTU	EPA180.1
5/25/2019 6:25	Turbidity		13.6	NTU	EPA180.1
5/26/2019 6:34	Turbidity		17.9	NTU	EPA180.1
5/27/2019 6:35	Turbidity		8.46	NTU	EPA180.1
5/28/2019 6:35	Turbidity		7.31	NTU	EPA180.1
5/29/2019 6:32	Turbidity		20.1	NTU	EPA180.1
5/30/2019 7:22	Turbidity		7.55	NTU	EPA180.1
5/31/2019 6:40	Turbidity		6.6	NTU	EPA180.1
6/1/2019 6:53	Turbidity		5.8	NTU	EPA180.1
6/2/2019 6:36	Turbidity		9.63	NTU	EPA180.1
6/3/2019 6:54	Turbidity		18	NTU	EPA180.1
6/4/2019 6:37	Turbidity		10.4	NTU	EPA180.1
6/5/2019 6:32	Turbidity		7.2	NTU	EPA180.1
6/6/2019 6:44	Turbidity		19.2	NTU	EPA180.1
6/7/2019 6:40	Turbidity		9.2	NTU	EPA180.1
6/8/2019 6:42	Turbidity		15.4	NTU	EPA180.1
6/9/2019 6:30	Turbidity		68.9	NTU	EPA180.1
6/10/2019 6:52	Turbidity		24.6	NTU	EPA180.1
6/11/2019 6:43	Turbidity		62.2	NTU	EPA180.1
6/12/2019 6:47	Turbidity		6.12	NTU	EPA180.1
6/13/2019 6:45	Turbidity		4.3	NTU	EPA180.1
6/14/2019 6:55	Turbidity		131	NTU	EPA180.1
6/15/2019 6:47	Turbidity		11.5	NTU	EPA180.1
6/16/2019 6:45	Turbidity		7.555	NTU	EPA180.1
6/17/2019 6:51	Turbidity		13.3	NTU	EPA180.1
6/18/2019 6:43	Turbidity		4.2	NTU	EPA180.1
6/19/2019 6:59	Turbidity		3	NTU	EPA180.1
6/20/2019 6:45	Turbidity		3.2	NTU	EPA180.1
6/21/2019 6:37	Turbidity		120	NTU	EPA180.1
6/22/2019 6:37	Turbidity		23.4	NTU	EPA180.1
6/23/2019 6:34	Turbidity		12	NTU	EPA180.1
6/24/2019 6:53	Turbidity		20.1	NTU	EPA180.1
6/25/2019 6:41	Turbidity		17	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 7:01	Turbidity		8	NTU	EPA180.1
6/27/2019 6:37	Turbidity		4.4	NTU	EPA180.1
6/28/2019 6:43	Turbidity		3.8	NTU	EPA180.1
6/29/2019 6:41	Turbidity		7.2	NTU	EPA180.1
6/30/2019 6:52	Turbidity		6.2	NTU	EPA180.1
7/1/2019 6:46	Turbidity		16	NTU	EPA180.1
7/2/2019 6:49	Turbidity		2.3	NTU	EPA180.1
7/3/2019 6:41	Turbidity		15.3	NTU	EPA180.1
7/4/2019 6:55	Turbidity		2.9	NTU	EPA180.1
7/5/2019 6:50	Turbidity		3.05	NTU	EPA180.1
7/6/2019 6:43	Turbidity		2.2	NTU	EPA180.1
7/7/2019 6:29	Turbidity		23.9	NTU	EPA180.1
7/8/2019 6:54	Turbidity		42.1	NTU	EPA180.1
7/9/2019 6:40	Turbidity		16.1	NTU	EPA180.1
7/10/2019 6:50	Turbidity		12.9	NTU	EPA180.1
7/11/2019 7:00	Turbidity		13.1	NTU	EPA180.1
7/12/2019 6:50	Turbidity		29.8	NTU	EPA180.1
7/13/2019 6:48	Turbidity		6.5	NTU	EPA180.1
7/14/2019 6:48	Turbidity		13.7	NTU	EPA180.1
7/15/2019 6:55	Turbidity		5.2	NTU	EPA180.1
7/16/2019 6:45	Turbidity		4.8	NTU	EPA180.1
7/17/2019 6:52	Turbidity		4.8	NTU	EPA180.1
7/18/2019 6:53	Turbidity		11.1	NTU	EPA180.1
7/19/2019 6:52	Turbidity		3.4	NTU	EPA180.1
7/20/2019 6:58	Turbidity		4.1	NTU	EPA180.1
7/21/2019 6:54	Turbidity		23.4	NTU	EPA180.1
7/22/2019 6:47	Turbidity		9.2	NTU	EPA180.1
7/23/2019 6:46	Turbidity		47.9	NTU	EPA180.1
7/24/2019 6:55	Turbidity		35.5	NTU	EPA180.1
7/25/2019 6:44	Turbidity		13.5	NTU	EPA180.1
7/26/2019 6:48	Turbidity		3.9	NTU	EPA180.1
7/27/2019 6:39	Turbidity		3.5	NTU	EPA180.1
7/28/2019 7:16	Turbidity		3.4	NTU	EPA180.1
7/29/2019 6:47	Turbidity		6	NTU	EPA180.1
7/30/2019 6:49	Turbidity		5.7	NTU	EPA180.1
7/31/2019 6:42	Turbidity		18.4	NTU	EPA180.1
8/1/2019 6:43	Turbidity		8	NTU	EPA180.1
8/2/2019 6:43	Turbidity		13.4	NTU	EPA180.1
8/3/2019 8:19	Turbidity		3.5	NTU	EPA180.1
8/4/2019 8:22	Turbidity		2.9	NTU	EPA180.1
8/5/2019 6:44	Turbidity		2.4	NTU	EPA180.1
8/6/2019 6:46	Turbidity		2.7	NTU	EPA180.1
8/7/2019 6:58	Turbidity		4.7	NTU	EPA180.1
8/8/2019 7:04	Turbidity		2.4	NTU	EPA180.1
8/9/2019 6:55	Turbidity		31.3	NTU	EPA180.1
8/10/2019 7:45	Turbidity		20.9	NTU	EPA180.1
8/11/2019 7:22	Turbidity		5.5	NTU	EPA180.1

## Edgewater East Site

Sample Date	Parameter	Code	Result	Units	Method
8/12/2019 6:54	Turbidity		3.05	NTU	EPA180.1
8/13/2019 6:47	Turbidity		2.7	NTU	EPA180.1
8/14/2019 6:59	Turbidity		5.5	NTU	EPA180.1
8/15/2019 6:44	Turbidity		3.1	NTU	EPA180.1
8/16/2019 6:47	Turbidity		3.9	NTU	EPA180.1
8/17/2019 7:03	Turbidity		3.5	NTU	EPA180.1
8/18/2019 7:02	Turbidity		3.9	NTU	EPA180.1
8/19/2019 6:43	Turbidity		12	NTU	EPA180.1
8/20/2019 6:44	Turbidity		2.8	NTU	EPA180.1
8/21/2019 6:40	Turbidity		6.9	NTU	EPA180.1
8/24/2019 6:34	Turbidity		15.6	NTU	EPA180.1
8/25/2019 6:17	Turbidity		4.9	NTU	EPA180.1
8/26/2019 6:50	Turbidity		3.8	NTU	EPA180.1
8/27/2019 6:51	Turbidity		5.9	NTU	EPA180.1
8/28/2019 7:09	Turbidity		3.4	NTU	EPA180.1
8/29/2019 6:45	Turbidity		13.7	NTU	EPA180.1
8/30/2019 6:50	Turbidity		8.4	NTU	EPA180.1
8/31/2019 6:33	Turbidity		3.3	NTU	EPA180.1
9/1/2019 6:36	Turbidity		3.7	NTU	EPA180.1
9/2/2019 6:54	Turbidity		3.6	NTU	EPA180.1
9/3/2019 9:00	Turbidity		2.6	NTU	EPA180.1
9/4/2019 9:00	Turbidity		8.3	NTU	EPA180.1
9/5/2019 8:58	Turbidity		4.6	NTU	EPA180.1
9/9/2019 9:10	Turbidity		2.8	NTU	EPA180.1
9/10/2019 9:20	Turbidity		3.8	NTU	EPA180.1
9/11/2019 9:03	Turbidity		3.6	NTU	EPA180.1
9/12/2019 9:05	Turbidity		3.8	NTU	EPA180.1
9/16/2019 9:10	Turbidity		2.9	NTU	EPA180.1
9/17/2019 9:05	Turbidity		5.8	NTU	EPA180.1
9/18/2019 8:50	Turbidity		8.6	NTU	EPA180.1
9/19/2019 9:00	Turbidity		2.9	NTU	EPA180.1
9/23/2019 9:55	Turbidity		5.2	NTU	EPA180.1
9/24/2019 9:08	Turbidity		62.5	NTU	EPA180.1
9/25/2019 8:50	Turbidity		9.3	NTU	EPA180.1
9/26/2019 9:10	Turbidity		15.3	NTU	EPA180.1



Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/1/2019 9:40	E. coli		1462	MPN/100 mL	SM9223 Colilert
5/2/2019 9:00	E. coli		76	MPN/100 mL	SM9223 Colilert
5/6/2019 9:03	E. coli		12	MPN/100 mL	SM9223 Colilert
5/7/2019 11:05	E. coli		346	MPN/100 mL	SM9223 Colilert
5/8/2019 9:55	E. coli		49	MPN/100 mL	SM9223 Colilert
5/9/2019 9:30	E. coli		34	MPN/100 mL	SM9223 Colilert
5/13/2019 9:53	E. coli		126	MPN/100 mL	SM9223 Colilert
5/14/2019 9:43	E. coli		131	MPN/100 mL	SM9223 Colilert
5/15/2019 9:54	E. coli		22	MPN/100 mL	SM9223 Colilert
5/16/2019 9:40	E. coli		17	MPN/100 mL	SM9223 Colilert
5/20/2019 7:10	E. coli		113	MPN/100 mL	SM9223 Colilert
5/21/2019 7:20	E. coli		96	MPN/100 mL	SM9223 Colilert
5/22/2019 8:25	E. coli		615	MPN/100 mL	SM9223 Colilert
5/23/2019 7:41	E. coli		36	MPN/100 mL	SM9223 Colilert
5/24/2019 7:30	E. coli		10	MPN/100 mL	SM9223 Colilert
5/25/2019 7:08	E. coli		27	MPN/100 mL	SM9223 Colilert
5/26/2019 7:16	E. coli		17	MPN/100 mL	SM9223 Colilert
5/27/2019 7:18	E. coli		731	MPN/100 mL	SM9223 Colilert
5/28/2019 7:20	E. coli		117	MPN/100 mL	SM9223 Colilert
5/29/2019 7:17	E. coli		992	MPN/100 mL	SM9223 Colilert
5/30/2019 8:21	E. coli		138	MPN/100 mL	SM9223 Colilert
5/31/2019 7:44	E. coli		304	MPN/100 mL	SM9223 Colilert
6/1/2019 7:39	E. coli		198	MPN/100 mL	SM9223 Colilert
6/2/2019 7:19	E. coli		91	MPN/100 mL	SM9223 Colilert
6/3/2019 7:40	E. coli		449	MPN/100 mL	SM9223 Colilert
6/4/2019 7:17	E. coli		73	MPN/100 mL	SM9223 Colilert
6/5/2019 7:18	E. coli		88	MPN/100 mL	SM9223 Colilert
6/6/2019 7:36	E. coli		5199	MPN/100 mL	SM9223 Colilert
6/7/2019 7:27	E. coli		1102	MPN/100 mL	SM9223 Colilert
6/8/2019 7:24	E. coli		59	MPN/100 mL	SM9223 Colilert
6/9/2019 7:15	E. coli		54	MPN/100 mL	SM9223 Colilert
6/10/2019 7:34	E. coli		44	MPN/100 mL	SM9223 Colilert
6/11/2019 7:32	E. coli	>	9678	MPN/100 mL	SM9223 Colilert
6/12/2019 7:31	E. coli		546	MPN/100 mL	SM9223 Colilert
6/13/2019 7:27	E. coli		95	MPN/100 mL	SM9223 Colilert
6/14/2019 7:45	E. coli		1421	MPN/100 mL	SM9223 Colilert
6/15/2019 7:28	E. coli		241	MPN/100 mL	SM9223 Colilert
6/16/2019 7:35	E. coli		30	MPN/100 mL	SM9223 Colilert
6/17/2019 7:38	E. coli		2098	MPN/100 mL	SM9223 Colilert
6/18/2019 7:23	E. coli		182	MPN/100 mL	SM9223 Colilert
6/19/2019 7:38	E. coli		319	MPN/100 mL	SM9223 Colilert
6/20/2019 7:30	E. coli		92	MPN/100 mL	SM9223 Colilert
6/21/2019 7:23	E. coli		683	MPN/100 mL	SM9223 Colilert
6/22/2019 7:19	E. coli		435	MPN/100 mL	SM9223 Colilert
6/23/2019 7:16	E. coli		213	MPN/100 mL	SM9223 Colilert
6/24/2019 7:38	E. coli		1379	MPN/100 mL	SM9223 Colilert
6/25/2019 7:20	E. coli		1404	MPN/100 mL	SM9223 Colilert

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 7:45	E. coli		301	MPN/100 mL	SM9223 Colilert
6/27/2019 7:19	E. coli		79	MPN/100 mL	SM9223 Colilert
6/28/2019 7:25	E. coli		80	MPN/100 mL	SM9223 Colilert
6/29/2019 7:17	E. coli		1450	MPN/100 mL	SM9223 Colilert
6/30/2019 7:41	E. coli		91.5	MPN/100 mL	SM9223 Colilert
7/1/2019 7:28	E. coli		129	MPN/100 mL	SM9223 Colilert
7/2/2019 7:30	E. coli		48	MPN/100 mL	SM9223 Colilert
7/3/2019 7:30	E. coli		63	MPN/100 mL	SM9223 Colilert
7/4/2019 7:37	E. coli		109	MPN/100 mL	SM9223 Colilert
7/5/2019 7:48	E. coli		2382	MPN/100 mL	SM9223 Colilert
7/6/2019 7:25	E. coli		1178	MPN/100 mL	SM9223 Colilert
7/7/2019 7:03	E. coli		256	MPN/100 mL	SM9223 Colilert
7/8/2019 7:37	E. coli		74	MPN/100 mL	SM9223 Colilert
7/9/2019 7:20	E. coli		12	MPN/100 mL	SM9223 Colilert
7/10/2019 7:30	E. coli		13	MPN/100 mL	SM9223 Colilert
7/11/2019 7:45	E. coli		398	MPN/100 mL	SM9223 Colilert
7/12/2019 7:30	E. coli		216	MPN/100 mL	SM9223 Colilert
7/13/2019 4:45	E. coli		210	MPN/100 mL	SM9223 Colilert
7/14/2019 7:38	E. coli		65	MPN/100 mL	SM9223 Colilert
7/15/2019 7:40	E. coli		4	MPN/100 mL	SM9223 Colilert
7/16/2019 7:30	E. coli		123	MPN/100 mL	SM9223 Colilert
7/17/2019 7:36	E. coli		75	MPN/100 mL	SM9223 Colilert
7/18/2019 7:36	E. coli		48	MPN/100 mL	SM9223 Colilert
7/19/2019 7:27	E. coli		358.5	MPN/100 mL	SM9223 Colilert
7/20/2019 7:50	E. coli		2318	MPN/100 mL	SM9223 Colilert
7/21/2019 7:36	E. coli		890	MPN/100 mL	SM9223 Colilert
7/22/2019 7:26	E. coli		388	MPN/100 mL	SM9223 Colilert
7/23/2019 7:31	E. coli		420	MPN/100 mL	SM9223 Colilert
7/24/2019 7:24	E. coli		69	MPN/100 mL	SM9223 Colilert
7/25/2019 7:26	E. coli		34	MPN/100 mL	SM9223 Colilert
7/26/2019 7:25	E. coli		8	MPN/100 mL	SM9223 Colilert
7/27/2019 7:14	E. coli		32	MPN/100 mL	SM9223 Colilert
7/28/2019 7:54	E. coli		1842	MPN/100 mL	SM9223 Colilert
7/29/2019 7:26	E. coli		47	MPN/100 mL	SM9223 Colilert
7/30/2019 7:31	E. coli		76	MPN/100 mL	SM9223 Colilert
7/31/2019 7:22	E. coli		66	MPN/100 mL	SM9223 Colilert
8/1/2019 7:22	E. coli		37	MPN/100 mL	SM9223 Colilert
8/2/2019 7:25	E. coli		87	MPN/100 mL	SM9223 Colilert
8/3/2019 7:06	E. coli		27	MPN/100 mL	SM9223 Colilert
8/4/2019 6:53	E. coli		29	MPN/100 mL	SM9223 Colilert
8/5/2019 7:24	E. coli		551	MPN/100 mL	SM9223 Colilert
8/6/2019 7:27	E. coli		2827	MPN/100 mL	SM9223 Colilert
8/7/2019 7:57	E. coli		150	MPN/100 mL	SM9223 Colilert
8/8/2019 7:52	E. coli		1226	MPN/100 mL	SM9223 Colilert
8/9/2019 7:50	E. coli		133	MPN/100 mL	SM9223 Colilert
8/10/2019 6:55	E. coli		49	MPN/100 mL	SM9223 Colilert
8/11/2019 8:15	E. coli		9	MPN/100 mL	SM9223 Colilert

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
8/12/2019 7:35	E. coli		30	MPN/100 mL	SM9223 Colilert
8/13/2019 7:30	E. coli		205	MPN/100 mL	SM9223 Colilert
8/14/2019 7:44	E. coli		29	MPN/100 mL	SM9223 Colilert
8/15/2019 7:26	E. coli		26	MPN/100 mL	SM9223 Colilert
8/16/2019 7:44	E. coli		11	MPN/100 mL	SM9223 Colilert
8/17/2019 8:05	E. coli		13	MPN/100 mL	SM9223 Colilert
8/18/2019 7:43	E. coli		85	MPN/100 mL	SM9223 Colilert
8/19/2019 7:24	E. coli		551	MPN/100 mL	SM9223 Colilert
8/20/2019 7:25	E. coli		116	MPN/100 mL	SM9223 Colilert
8/21/2019 7:22	E. coli		113	MPN/100 mL	SM9223 Colilert
8/22/2019 7:23	E. coli		207	MPN/100 mL	SM9223 Colilert
8/23/2019 7:20	E. coli		56	MPN/100 mL	SM9223 Colilert
8/24/2019 7:11	E. coli		22	MPN/100 mL	SM9223 Colilert
8/25/2019 6:52	E. coli		4	MPN/100 mL	SM9223 Colilert
8/26/2019 7:27	E. coli		5	MPN/100 mL	SM9223 Colilert
8/27/2019 7:31	E. coli		13	MPN/100 mL	SM9223 Colilert
8/28/2019 7:47	E. coli		3973	MPN/100 mL	SM9223 Colilert
8/29/2019 7:39	E. coli		44	MPN/100 mL	SM9223 Colilert
8/30/2019 7:28	E. coli		102	MPN/100 mL	SM9223 Colilert
8/31/2019 7:14	E. coli		29	MPN/100 mL	SM9223 Colilert
9/1/2019 7:12	E. coli		4	MPN/100 mL	SM9223 Colilert
9/2/2019 7:27	E. coli		579	MPN/100 mL	SM9223 Colilert
9/3/2019 9:46	E. coli		29	MPN/100 mL	SM9223 Colilert
9/4/2019 9:52	E. coli		45	MPN/100 mL	SM9223 Colilert
9/5/2019 9:39	E. coli		1	MPN/100 mL	SM9223 Colilert
9/9/2019 10:03	E. coli		2	MPN/100 mL	SM9223 Colilert
9/10/2019 10:15	E. coli		12	MPN/100 mL	SM9223 Colilert
9/11/2019 10:05	E. coli		20	MPN/100 mL	SM9223 Colilert
9/12/2019 9:50	E. coli		556	MPN/100 mL	SM9223 Colilert
9/16/2019 9:45	E. coli		102	MPN/100 mL	SM9223 Colilert
9/17/2019 9:43	E. coli		21	MPN/100 mL	SM9223 Colilert
9/18/2019 9:50	E. coli		11	MPN/100 mL	SM9223 Colilert
9/19/2019 9:44	E. coli		13	MPN/100 mL	SM9223 Colilert
9/23/2019 10:47	E. coli		225	MPN/100 mL	SM9223 Colilert
9/24/2019 9:46	E. coli		152	MPN/100 mL	SM9223 Colilert
9/25/2019 9:35	E. coli		15	MPN/100 mL	SM9223 Colilert
9/26/2019 9:55	E. coli		58	MPN/100 mL	SM9223 Colilert
9/30/2019 9:39	E. coli		4	MPN/100 mL	SM9223 Colilert
5/1/2019 9:40	Field Cond		456	umhos/cm	SM 2510A
5/2/2019 9:00	Field Cond		389	umhos/cm	SM 2510A
5/6/2019 9:03	Field Cond		390	umhos/cm	SM 2510A
5/7/2019 11:05	Field Cond		471	umhos/cm	SM 2510A
5/8/2019 9:55	Field Cond		403	umhos/cm	SM 2510A
5/9/2019 9:30	Field Cond		340	umhos/cm	SM 2510A
5/13/2019 9:53	Field Cond		394	umhos/cm	SM 2510A
5/14/2019 9:43	Field Cond		450	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/15/2019 9:54	Field Cond		435	umhos/cm	SM 2510A
5/16/2019 9:40	Field Cond		461	umhos/cm	SM 2510A
5/20/2019 7:10	Field Cond		383	umhos/cm	SM 2510A
5/22/2019 8:25	Field Cond		459	umhos/cm	SM 2510A
5/23/2019 7:41	Field Cond		403	umhos/cm	SM 2510A
5/24/2019 7:30	Field Cond		395	umhos/cm	SM 2510A
5/25/2019 7:08	Field Cond		397	umhos/cm	SM 2510A
5/26/2019 7:16	Field Cond		386	umhos/cm	SM 2510A
5/27/2019 7:18	Field Cond		458	umhos/cm	SM 2510A
5/28/2019 7:20	Field Cond		326	umhos/cm	SM 2510A
5/29/2019 7:17	Field Cond		336	umhos/cm	SM 2510A
5/30/2019 8:21	Field Cond		301	umhos/cm	SM 2510A
5/31/2019 7:44	Field Cond		315	umhos/cm	SM 2510A
6/1/2019 7:39	Field Cond		324	umhos/cm	SM 2510A
6/2/2019 7:19	Field Cond		319	umhos/cm	SM 2510A
6/3/2019 7:40	Field Cond		345	umhos/cm	SM 2510A
6/4/2019 7:17	Field Cond		344	umhos/cm	SM 2510A
6/5/2019 7:18	Field Cond		367	umhos/cm	SM 2510A
6/6/2019 7:36	Field Cond		353	umhos/cm	SM 2510A
6/7/2019 7:27	Field Cond		383	umhos/cm	SM 2510A
6/8/2019 7:24	Field Cond		364	umhos/cm	SM 2510A
6/9/2019 7:15	Field Cond		312	umhos/cm	SM 2510A
6/10/2019 7:34	Field Cond		306	umhos/cm	SM 2510A
6/11/2019 7:32	Field Cond		350	umhos/cm	SM 2510A
6/12/2019 7:31	Field Cond		310	umhos/cm	SM 2510A
6/13/2019 7:27	Field Cond		318	umhos/cm	SM 2510A
6/14/2019 7:45	Field Cond		339	umhos/cm	SM 2510A
6/15/2019 7:28	Field Cond		307	umhos/cm	SM 2510A
6/16/2019 7:35	Field Cond		312	umhos/cm	SM 2510A
6/17/2019 7:38	Field Cond		300	umhos/cm	SM 2510A
6/18/2019 7:23	Field Cond		314	umhos/cm	SM 2510A
6/19/2019 7:38	Field Cond		361	umhos/cm	SM 2510A
6/20/2019 7:30	Field Cond		343	umhos/cm	SM 2510A
6/21/2019 7:23	Field Cond		368	umhos/cm	SM 2510A
6/22/2019 7:19	Field Cond		335	umhos/cm	SM 2510A
6/23/2019 7:16	Field Cond		336	umhos/cm	SM 2510A
6/24/2019 7:38	Field Cond		437	umhos/cm	SM 2510A
6/25/2019 7:20	Field Cond		364	umhos/cm	SM 2510A
6/26/2019 7:45	Field Cond		377	umhos/cm	SM 2510A
6/27/2019 7:19	Field Cond		322	umhos/cm	SM 2510A
6/28/2019 7:25	Field Cond		380	umhos/cm	SM 2510A
6/29/2019 7:17	Field Cond		313	umhos/cm	SM 2510A
6/30/2019 7:41	Field Cond		325	umhos/cm	SM 2510A
7/1/2019 7:28	Field Cond		335	umhos/cm	SM 2510A
7/2/2019 7:30	Field Cond		342	umhos/cm	SM 2510A
7/3/2019 7:30	Field Cond		333	umhos/cm	SM 2510A
7/4/2019 7:37	Field Cond		351	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
7/5/2019 7:48	Field Cond		401	umhos/cm	SM 2510A
7/6/2019 7:25	Field Cond		337	umhos/cm	SM 2510A
7/7/2019 7:03	Field Cond		343	umhos/cm	SM 2510A
7/8/2019 7:37	Field Cond		367	umhos/cm	SM 2510A
7/9/2019 7:20	Field Cond		350	umhos/cm	SM 2510A
7/10/2019 7:30	Field Cond		346	umhos/cm	SM 2510A
7/11/2019 7:45	Field Cond		347	umhos/cm	SM 2510A
7/12/2019 7:30	Field Cond		352	umhos/cm	SM 2510A
7/13/2019 4:45	Field Cond		352	umhos/cm	SM 2510A
7/14/2019 7:38	Field Cond		289	umhos/cm	SM 2510A
7/15/2019 7:40	Field Cond		316	umhos/cm	SM 2510A
7/16/2019 7:30	Field Cond		332	umhos/cm	SM 2510A
7/17/2019 7:36	Field Cond		310	umhos/cm	SM 2510A
7/18/2019 7:36	Field Cond		270	umhos/cm	SM 2510A
7/19/2019 7:27	Field Cond		327	umhos/cm	SM 2510A
7/20/2019 7:50	Field Cond		317	umhos/cm	SM 2510A
7/21/2019 7:36	Field Cond		328	umhos/cm	SM 2510A
7/22/2019 7:26	Field Cond		329	umhos/cm	SM 2510A
7/23/2019 7:31	Field Cond		342	umhos/cm	SM 2510A
7/24/2019 7:24	Field Cond		332	umhos/cm	SM 2510A
7/25/2019 7:26	Field Cond		322	umhos/cm	SM 2510A
7/26/2019 7:25	Field Cond		343	umhos/cm	SM 2510A
7/27/2019 7:14	Field Cond		331	umhos/cm	SM 2510A
7/28/2019 7:54	Field Cond		271	umhos/cm	SM 2510A
7/30/2019 7:31	Field Cond		322	umhos/cm	SM 2510A
7/31/2019 7:22	Field Cond		334	umhos/cm	SM 2510A
8/1/2019 7:22	Field Cond		337	umhos/cm	SM 2510A
8/2/2019 7:25	Field Cond		326	umhos/cm	SM 2510A
8/3/2019 7:06	Field Cond		329	umhos/cm	SM 2510A
8/4/2019 6:53	Field Cond		320	umhos/cm	SM 2510A
8/5/2019 7:24	Field Cond		324	umhos/cm	SM 2510A
8/6/2019 7:27	Field Cond		312	umhos/cm	SM 2510A
8/7/2019 7:57	Field Cond		318	umhos/cm	SM 2510A
8/8/2019 7:52	Field Cond		319	umhos/cm	SM 2510A
8/9/2019 7:50	Field Cond		320	umhos/cm	SM 2510A
8/10/2019 6:55	Field Cond		159	umhos/cm	SM 2510A
8/11/2019 8:15	Field Cond		344	umhos/cm	SM 2510A
8/12/2019 7:35	Field Cond		320	umhos/cm	SM 2510A
8/13/2019 7:30	Field Cond		318	umhos/cm	SM 2510A
8/14/2019 7:44	Field Cond		326	umhos/cm	SM 2510A
8/15/2019 7:26	Field Cond		295	umhos/cm	SM 2510A
8/16/2019 7:44	Field Cond		322	umhos/cm	SM 2510A
8/17/2019 8:05	Field Cond		306	umhos/cm	SM 2510A
8/18/2019 7:43	Field Cond		335	umhos/cm	SM 2510A
8/19/2019 7:24	Field Cond		309	umhos/cm	SM 2510A
8/20/2019 7:25	Field Cond		325	umhos/cm	SM 2510A
8/21/2019 7:22	Field Cond		300	umhos/cm	SM 2510A

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
8/24/2019 7:11	Field Cond		295	umhos/cm	SM 2510A
8/25/2019 6:52	Field Cond		298	umhos/cm	SM 2510A
8/26/2019 7:27	Field Cond		305	umhos/cm	SM 2510A
8/27/2019 7:31	Field Cond		306	umhos/cm	SM 2510A
8/28/2019 7:47	Field Cond		302	umhos/cm	SM 2510A
8/29/2019 7:39	Field Cond		321	umhos/cm	SM 2510A
8/30/2019 7:28	Field Cond		303	umhos/cm	SM 2510A
8/31/2019 7:14	Field Cond		320	umhos/cm	SM 2510A
9/1/2019 7:12	Field Cond		311	umhos/cm	SM 2510A
9/2/2019 7:27	Field Cond		315	umhos/cm	SM 2510A
9/3/2019 9:46	Field Cond		322	umhos/cm	SM 2510A
9/4/2019 9:52	Field Cond		317	umhos/cm	SM 2510A
9/5/2019 9:39	Field Cond		307	umhos/cm	SM 2510A
9/9/2019 10:03	Field Cond		264	umhos/cm	SM 2510A
9/10/2019 10:15	Field Cond		385	umhos/cm	SM 2510A
9/11/2019 10:05	Field Cond		316	umhos/cm	SM 2510A
9/12/2019 9:50	Field Cond		309	umhos/cm	SM 2510A
9/16/2019 9:45	Field Cond		323	umhos/cm	SM 2510A
9/17/2019 9:43	Field Cond		329	umhos/cm	SM 2510A
9/18/2019 9:50	Field Cond		307	umhos/cm	SM 2510A
9/19/2019 9:44	Field Cond		323	umhos/cm	SM 2510A
9/23/2019 10:47	Field Cond		309	umhos/cm	SM 2510A
9/24/2019 9:46	Field Cond		412	umhos/cm	SM 2510A
9/25/2019 9:35	Field Cond		367	umhos/cm	SM 2510A
9/26/2019 9:55	Field Cond		363	umhos/cm	SM 2510A
5/1/2019 9:40	Field Temp		12.8	C	EPA 170.1
5/2/2019 9:00	Field Temp		10.5	C	EPA 170.1
5/6/2019 9:03	Field Temp		11.7	C	EPA 170.1
5/7/2019 11:05	Field Temp		11.9	C	EPA 170.1
5/8/2019 9:55	Field Temp		11.7	C	EPA 170.1
5/9/2019 9:30	Field Temp		13.4	C	EPA 170.1
5/13/2019 9:53	Field Temp		12.4	C	EPA 170.1
5/14/2019 9:43	Field Temp		11.3	C	EPA 170.1
5/15/2019 9:54	Field Temp		14	C	EPA 170.1
5/16/2019 9:40	Field Temp		15.2	C	EPA 170.1
5/20/2019 7:10	Field Temp		15.5	C	EPA 170.1
5/22/2019 8:25	Field Temp		13.8	C	EPA 170.1
5/23/2019 7:41	Field Temp		16.9	C	EPA 170.1
5/24/2019 7:30	Field Temp		14.9	C	EPA 170.1
5/25/2019 7:08	Field Temp		15.4	C	EPA 170.1
5/26/2019 7:16	Field Temp		16.8	C	EPA 170.1
5/27/2019 7:18	Field Temp		14.8	C	EPA 170.1
5/28/2019 7:20	Field Temp		17.3	C	EPA 170.1
5/29/2019 7:17	Field Temp		17	C	EPA 170.1
5/30/2019 8:21	Field Temp		16.6	C	EPA 170.1
5/31/2019 7:44	Field Temp		17.6	C	EPA 170.1



## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
6/1/2019 7:39	Field Temp		18.3	C	EPA 170.1
6/2/2019 7:19	Field Temp		17.7	C	EPA 170.1
6/3/2019 7:40	Field Temp		16.3	C	EPA 170.1
6/4/2019 7:17	Field Temp		16.2	C	EPA 170.1
6/5/2019 7:18	Field Temp		19.2	C	EPA 170.1
6/6/2019 7:36	Field Temp		17	C	EPA 170.1
6/7/2019 7:27	Field Temp		18.5	C	EPA 170.1
6/8/2019 7:24	Field Temp		17.3	C	EPA 170.1
6/9/2019 7:15	Field Temp		16.7	C	EPA 170.1
6/10/2019 7:34	Field Temp		17.8	C	EPA 170.1
6/11/2019 7:32	Field Temp		17.1	C	EPA 170.1
6/12/2019 7:31	Field Temp		17.6	C	EPA 170.1
6/13/2019 7:27	Field Temp		17.5	C	EPA 170.1
6/14/2019 7:45	Field Temp		16.6	C	EPA 170.1
6/15/2019 7:28	Field Temp		17.3	C	EPA 170.1
6/16/2019 7:35	Field Temp		18.3	C	EPA 170.1
6/17/2019 7:38	Field Temp		18	C	EPA 170.1
6/18/2019 7:23	Field Temp		18	C	EPA 170.1
6/19/2019 7:38	Field Temp		19.4	C	EPA 170.1
6/20/2019 7:30	Field Temp		18.9	C	EPA 170.1
6/21/2019 7:23	Field Temp		17.8	C	EPA 170.1
6/22/2019 7:19	Field Temp		18.9	C	EPA 170.1
6/23/2019 7:16	Field Temp		17.7	C	EPA 170.1
6/24/2019 7:38	Field Temp		19.5	C	EPA 170.1
6/25/2019 7:20	Field Temp		20.2	C	EPA 170.1
6/26/2019 7:45	Field Temp		21	C	EPA 170.1
6/27/2019 7:19	Field Temp		21.5	C	EPA 170.1
6/28/2019 7:25	Field Temp		21.6	C	EPA 170.1
6/29/2019 7:17	Field Temp		22.3	C	EPA 170.1
6/30/2019 7:41	Field Temp		22.4	C	EPA 170.1
7/1/2019 7:28	Field Temp		22	C	EPA 170.1
7/2/2019 7:30	Field Temp		23.7	C	EPA 170.1
7/3/2019 7:30	Field Temp		23.7	C	EPA 170.1
7/4/2019 7:37	Field Temp		24.4	C	EPA 170.1
7/5/2019 7:48	Field Temp		24.3	C	EPA 170.1
7/6/2019 7:25	Field Temp		25.1	C	EPA 170.1
7/7/2019 7:03	Field Temp		25.1	C	EPA 170.1
7/8/2019 7:37	Field Temp		20	C	EPA 170.1
7/9/2019 7:20	Field Temp		18.2	C	EPA 170.1
7/10/2019 7:30	Field Temp		19.1	C	EPA 170.1
7/11/2019 7:45	Field Temp		21.6	C	EPA 170.1
7/12/2019 7:30	Field Temp		20.5	C	EPA 170.1
7/13/2019 4:45	Field Temp		22	C	EPA 170.1
7/14/2019 7:38	Field Temp		23.2	C	EPA 170.1
7/15/2019 7:40	Field Temp		24.1	C	EPA 170.1
7/16/2019 7:30	Field Temp		24.5	C	EPA 170.1
7/17/2019 7:36	Field Temp		24.6	C	EPA 170.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
7/18/2019 7:36	Field Temp		25.5	C	EPA 170.1
7/19/2019 7:27	Field Temp		25.8	C	EPA 170.1
7/20/2019 7:50	Field Temp		25.7	C	EPA 170.1
7/21/2019 7:36	Field Temp		26.3	C	EPA 170.1
7/22/2019 7:26	Field Temp		24.7	C	EPA 170.1
7/23/2019 7:31	Field Temp		23.2	C	EPA 170.1
7/24/2019 7:24	Field Temp		23.3	C	EPA 170.1
7/25/2019 7:26	Field Temp		23.7	C	EPA 170.1
7/26/2019 7:25	Field Temp		23.6	C	EPA 170.1
7/27/2019 7:14	Field Temp		24.4	C	EPA 170.1
7/28/2019 7:54	Field Temp		24.5	C	EPA 170.1
7/30/2019 7:31	Field Temp		24.8	C	EPA 170.1
7/31/2019 7:22	Field Temp		25.1	C	EPA 170.1
8/1/2019 7:22	Field Temp		24.4	C	EPA 170.1
8/2/2019 7:25	Field Temp		24.2	C	EPA 170.1
8/3/2019 7:06	Field Temp		23.9	C	EPA 170.1
8/4/2019 6:53	Field Temp		24	C	EPA 170.1
8/5/2019 7:24	Field Temp		24.5	C	EPA 170.1
8/6/2019 7:27	Field Temp		25	C	EPA 170.1
8/7/2019 7:57	Field Temp		24.8	C	EPA 170.1
8/8/2019 7:52	Field Temp		24.6	C	EPA 170.1
8/9/2019 7:50	Field Temp		23.8	C	EPA 170.1
8/10/2019 6:55	Field Temp		24.1	C	EPA 170.1
8/11/2019 8:15	Field Temp		24.6	C	EPA 170.1
8/12/2019 7:35	Field Temp		24.5	C	EPA 170.1
8/13/2019 7:30	Field Temp		24.5	C	EPA 170.1
8/14/2019 7:44	Field Temp		24.3	C	EPA 170.1
8/15/2019 7:26	Field Temp		24.1	C	EPA 170.1
8/16/2019 7:44	Field Temp		24.2	C	EPA 170.1
8/17/2019 8:05	Field Temp		24.6	C	EPA 170.1
8/18/2019 7:43	Field Temp		24.7	C	EPA 170.1
8/19/2019 7:24	Field Temp		24.1	C	EPA 170.1
8/20/2019 7:25	Field Temp		24.5	C	EPA 170.1
8/21/2019 7:22	Field Temp		24.8	C	EPA 170.1
8/24/2019 7:11	Field Temp		23.4	C	EPA 170.1
8/25/2019 6:52	Field Temp		21.7	C	EPA 170.1
8/26/2019 7:27	Field Temp		22.1	C	EPA 170.1
8/27/2019 7:31	Field Temp		22.1	C	EPA 170.1
8/28/2019 7:47	Field Temp		22.2	C	EPA 170.1
8/29/2019 7:39	Field Temp		21.4	C	EPA 170.1
8/30/2019 7:28	Field Temp		22.2	C	EPA 170.1
8/31/2019 7:14	Field Temp		21.9	C	EPA 170.1
9/1/2019 7:12	Field Temp		21.8	C	EPA 170.1
9/2/2019 7:27	Field Temp		21.8	C	EPA 170.1
9/3/2019 9:46	Field Temp		23.2	C	EPA 170.1
9/4/2019 9:52	Field Temp		22.8	C	EPA 170.1
9/5/2019 9:39	Field Temp		22.1	C	EPA 170.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
9/9/2019 10:03	Field Temp		21.9	C	EPA 170.1
9/10/2019 10:15	Field Temp		22.3	C	EPA 170.1
9/11/2019 10:05	Field Temp		23.6	C	EPA 170.1
9/12/2019 9:50	Field Temp		23.2	C	EPA 170.1
9/16/2019 9:45	Field Temp		22.8	C	EPA 170.1
9/17/2019 9:43	Field Temp		22.1	C	EPA 170.1
9/18/2019 9:50	Field Temp		22	C	EPA 170.1
9/19/2019 9:44	Field Temp		21.1	C	EPA 170.1
9/23/2019 10:47	Field Temp		22.2	C	EPA 170.1
9/24/2019 9:46	Field Temp		21.3	C	EPA 170.1
9/25/2019 9:35	Field Temp		21.5	C	EPA 170.1
9/26/2019 9:55	Field Temp		21.4	C	EPA 170.1
5/1/2019 9:40	pH		7.8	S.U.	
5/2/2019 9:00	pH		7.9	S.U.	
5/6/2019 9:03	pH		8	S.U.	
5/7/2019 11:05	pH		8	S.U.	
5/8/2019 9:55	pH		8.2	S.U.	
5/9/2019 9:30	pH		8	S.U.	
5/13/2019 9:53	pH		8	S.U.	
5/14/2019 9:43	pH		7.4	S.U.	
5/15/2019 9:54	pH		8.1	S.U.	
5/16/2019 9:40	pH		8	S.U.	
5/20/2019 7:10	pH		8.1	S.U.	
5/22/2019 8:25	pH		7.2	S.U.	
5/23/2019 7:41	pH		7.1	S.U.	
5/24/2019 7:30	pH		8.2	S.U.	
5/25/2019 7:08	pH		8.3	S.U.	
5/26/2019 7:16	pH		7.6	S.U.	
5/27/2019 7:18	pH		8.2	S.U.	
5/28/2019 7:20	pH		7.3	S.U.	
5/29/2019 7:17	pH		7.2	S.U.	
5/30/2019 8:21	pH		7.2	S.U.	
5/31/2019 7:44	pH		7.1	S.U.	
6/1/2019 7:39	pH		7.4	S.U.	
6/2/2019 7:19	pH		7.1	S.U.	
6/3/2019 7:40	pH		7.4	S.U.	
6/4/2019 7:17	pH		7.5	S.U.	
6/5/2019 7:18	pH		7.5	S.U.	
6/6/2019 7:36	pH		7.1	S.U.	
6/7/2019 7:27	pH		7.3	S.U.	
6/8/2019 7:24	pH		7.4	S.U.	
6/9/2019 7:15	pH		7.2	S.U.	
6/10/2019 7:34	pH		7	S.U.	
6/11/2019 7:32	pH		6.9	S.U.	
6/12/2019 7:31	pH		7	S.U.	
6/13/2019 7:27	pH		7	S.U.	

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/14/2019 7:45	pH		6.9	S.U.	
6/15/2019 7:28	pH		6.9	S.U.	
6/16/2019 7:35	pH		6.9	S.U.	
6/17/2019 7:38	pH		7	S.U.	
6/18/2019 7:23	pH		7.2	S.U.	
6/19/2019 7:38	pH		7.1	S.U.	
6/20/2019 7:30	pH		7	S.U.	
6/21/2019 7:23	pH		7	S.U.	
6/22/2019 7:19	pH		6.8	S.U.	
6/23/2019 7:16	pH		6.8	S.U.	
6/24/2019 7:38	pH		7.6	S.U.	
6/25/2019 7:20	pH		7.2	S.U.	
6/26/2019 7:45	pH		7.4	S.U.	
6/27/2019 7:19	pH		6.1	S.U.	
6/28/2019 7:25	pH		7.4	S.U.	
6/29/2019 7:17	pH		7.2	S.U.	
6/30/2019 7:41	pH		7.1	S.U.	
7/1/2019 7:28	pH		7.1	S.U.	
7/2/2019 7:30	pH		7.1	S.U.	
7/3/2019 7:30	pH		7	S.U.	
7/4/2019 7:37	pH		7	S.U.	
7/5/2019 7:48	pH		7	S.U.	
7/6/2019 7:25	pH		6.8	S.U.	
7/7/2019 7:03	pH		7	S.U.	
7/8/2019 7:37	pH		6.4	S.U.	
7/9/2019 7:20	pH		6.45	S.U.	
7/10/2019 7:30	pH		6.39	S.U.	
7/11/2019 7:45	pH		6.64	S.U.	
7/12/2019 7:30	pH		6.6	S.U.	
7/13/2019 4:45	pH		6.9	S.U.	
7/14/2019 7:38	pH		6.5	S.U.	
7/15/2019 7:40	pH		6.4	S.U.	
7/16/2019 7:30	pH		6.9	S.U.	
7/17/2019 7:36	pH		6.1	S.U.	
7/18/2019 7:36	pH		6	S.U.	
7/19/2019 7:27	pH		7.3	S.U.	
7/20/2019 7:50	pH		7.1	S.U.	
7/21/2019 7:36	pH		7.5	S.U.	
7/22/2019 7:26	pH		7.2	S.U.	
7/23/2019 7:31	pH		7.1	S.U.	
7/24/2019 7:24	pH		7.1	S.U.	
7/25/2019 7:26	pH		7.3	S.U.	
7/26/2019 7:25	pH		7.4	S.U.	
7/27/2019 7:14	pH		7.4	S.U.	
7/28/2019 7:54	pH		7.5	S.U.	
7/30/2019 7:31	pH		7.5	S.U.	
7/31/2019 7:22	pH		7.6	S.U.	

## Villa Angela-East

Sample Date	Parameter	Code	Result	Units	Method
8/1/2019 7:22	pH		7.3	S.U.	
8/2/2019 7:25	pH		7.3	S.U.	
8/3/2019 7:06	pH		7.3	S.U.	
8/4/2019 6:53	pH		7.5	S.U.	
8/5/2019 7:24	pH		7.4	S.U.	
8/6/2019 7:27	pH		7.5	S.U.	
8/7/2019 7:57	pH		7.5	S.U.	
8/8/2019 7:52	pH		7.6	S.U.	
8/9/2019 7:50	pH		7.4	S.U.	
8/10/2019 6:55	pH		5.5	S.U.	
8/11/2019 8:15	pH		5.9	S.U.	
8/12/2019 7:35	pH		5.9	S.U.	
8/13/2019 7:30	pH		6.2	S.U.	
8/14/2019 7:44	pH		6.2	S.U.	
8/15/2019 7:26	pH		8	S.U.	
8/16/2019 7:44	pH		7.6	S.U.	
8/17/2019 8:05	pH		7.8	S.U.	
8/18/2019 7:43	pH		7.5	S.U.	
8/19/2019 7:24	pH		7.6	S.U.	
8/20/2019 7:25	pH		7.8	S.U.	
8/21/2019 7:22	pH		7.8	S.U.	
8/24/2019 7:11	pH		8.1	S.U.	
8/25/2019 6:52	pH		8.2	S.U.	
8/26/2019 7:27	pH		8.1	S.U.	
8/27/2019 7:31	pH		8.1	S.U.	
8/28/2019 7:47	pH		8	S.U.	
8/29/2019 7:39	pH		7.7	S.U.	
8/30/2019 7:28	pH		7.8	S.U.	
8/31/2019 7:14	pH		8	S.U.	
9/1/2019 7:12	pH		8.1	S.U.	
9/2/2019 7:27	pH		7.7	S.U.	
9/3/2019 9:46	pH		7.6	S.U.	
9/4/2019 9:52	pH		7.4	S.U.	
9/5/2019 9:39	pH		7.9	S.U.	
9/9/2019 10:03	pH		7.5	S.U.	
9/10/2019 10:15	pH		6.5	S.U.	
9/11/2019 10:05	pH		7.7	S.U.	
9/12/2019 9:50	pH		6.9	S.U.	
9/16/2019 9:45	pH		7.8	S.U.	
9/17/2019 9:43	pH		7.7	S.U.	
9/18/2019 9:50	pH		8.1	S.U.	
9/19/2019 9:44	pH		7.7	S.U.	
9/23/2019 10:47	pH		6.9	S.U.	
9/24/2019 9:46	pH		7.6	S.U.	
9/25/2019 9:35	pH		8	S.U.	
9/26/2019 9:55	pH		7.6	S.U.	

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
5/1/2019 9:40	Turbidity		21.2	NTU	EPA180.1
5/2/2019 9:00	Turbidity		8.3	NTU	EPA180.1
5/6/2019 9:03	Turbidity		6	NTU	EPA180.1
5/7/2019 11:05	Turbidity		48.3	NTU	EPA180.1
5/8/2019 9:55	Turbidity		12.35	NTU	EPA180.1
5/9/2019 9:30	Turbidity		24.7	NTU	EPA180.1
5/13/2019 9:53	Turbidity		20.9	NTU	EPA180.1
5/14/2019 9:43	Turbidity		51.4	NTU	EPA180.1
5/15/2019 9:54	Turbidity		11.1	NTU	EPA180.1
5/16/2019 9:40	Turbidity		8.04	NTU	EPA180.1
5/20/2019 7:10	Turbidity		13.1	NTU	EPA180.1
5/22/2019 8:25	Turbidity		7.4	NTU	EPA180.1
5/23/2019 7:41	Turbidity		7.085	NTU	EPA180.1
5/24/2019 7:30	Turbidity		12.4	NTU	EPA180.1
5/25/2019 7:08	Turbidity		7.8	NTU	EPA180.1
5/26/2019 7:16	Turbidity		11.5	NTU	EPA180.1
5/27/2019 7:18	Turbidity		8.28	NTU	EPA180.1
5/28/2019 7:20	Turbidity		9.34	NTU	EPA180.1
5/29/2019 7:17	Turbidity		8.85	NTU	EPA180.1
5/30/2019 8:21	Turbidity		5.9	NTU	EPA180.1
5/31/2019 7:44	Turbidity		5.9	NTU	EPA180.1
6/1/2019 7:39	Turbidity		4.8	NTU	EPA180.1
6/2/2019 7:19	Turbidity		5.89	NTU	EPA180.1
6/3/2019 7:40	Turbidity		26.5	NTU	EPA180.1
6/4/2019 7:17	Turbidity		5.2	NTU	EPA180.1
6/5/2019 7:18	Turbidity		3.4	NTU	EPA180.1
6/6/2019 7:36	Turbidity		37.3	NTU	EPA180.1
6/7/2019 7:27	Turbidity		7.1	NTU	EPA180.1
6/8/2019 7:24	Turbidity		3.4	NTU	EPA180.1
6/9/2019 7:15	Turbidity		11.8	NTU	EPA180.1
6/10/2019 7:34	Turbidity		2.9	NTU	EPA180.1
6/11/2019 7:32	Turbidity		26.85	NTU	EPA180.1
6/12/2019 7:31	Turbidity		4.9	NTU	EPA180.1
6/13/2019 7:27	Turbidity		3.2	NTU	EPA180.1
6/14/2019 7:45	Turbidity		161	NTU	EPA180.1
6/15/2019 7:28	Turbidity		11.2	NTU	EPA180.1
6/16/2019 7:35	Turbidity		4.44	NTU	EPA180.1
6/17/2019 7:38	Turbidity		30	NTU	EPA180.1
6/18/2019 7:23	Turbidity		5.83	NTU	EPA180.1
6/19/2019 7:38	Turbidity		4.4	NTU	EPA180.1
6/20/2019 7:30	Turbidity		4.3	NTU	EPA180.1
6/21/2019 7:23	Turbidity		138	NTU	EPA180.1
6/22/2019 7:19	Turbidity		8.6	NTU	EPA180.1
6/23/2019 7:16	Turbidity		4.7	NTU	EPA180.1
6/24/2019 7:38	Turbidity		9.2	NTU	EPA180.1
6/25/2019 7:20	Turbidity		22.1	NTU	EPA180.1
6/26/2019 7:45	Turbidity		8.7	NTU	EPA180.1



Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
6/27/2019 7:19	Turbidity		4.3	NTU	EPA180.1
6/28/2019 7:25	Turbidity		5.1	NTU	EPA180.1
6/29/2019 7:17	Turbidity		10.3	NTU	EPA180.1
6/30/2019 7:41	Turbidity		3.25	NTU	EPA180.1
7/1/2019 7:28	Turbidity		3	NTU	EPA180.1
7/2/2019 7:30	Turbidity		2	NTU	EPA180.1
7/3/2019 7:30	Turbidity		4.4	NTU	EPA180.1
7/4/2019 7:37	Turbidity		2.3	NTU	EPA180.1
7/5/2019 7:48	Turbidity		6.8	NTU	EPA180.1
7/6/2019 7:25	Turbidity		8.1	NTU	EPA180.1
7/7/2019 7:03	Turbidity		7	NTU	EPA180.1
7/8/2019 7:37	Turbidity		21	NTU	EPA180.1
7/9/2019 7:20	Turbidity		5.3	NTU	EPA180.1
7/10/2019 7:30	Turbidity		4	NTU	EPA180.1
7/11/2019 7:45	Turbidity		7.1	NTU	EPA180.1
7/12/2019 7:30	Turbidity		46	NTU	EPA180.1
7/13/2019 4:45	Turbidity		3.8	NTU	EPA180.1
7/14/2019 7:38	Turbidity		11.8	NTU	EPA180.1
7/15/2019 7:40	Turbidity		1.8	NTU	EPA180.1
7/16/2019 7:30	Turbidity		3.3	NTU	EPA180.1
7/17/2019 7:36	Turbidity		2.7	NTU	EPA180.1
7/18/2019 7:36	Turbidity		2.2	NTU	EPA180.1
7/19/2019 7:27	Turbidity		6.9	NTU	EPA180.1
7/20/2019 7:50	Turbidity		50	NTU	EPA180.1
7/21/2019 7:36	Turbidity		24.2	NTU	EPA180.1
7/22/2019 7:26	Turbidity		9.2	NTU	EPA180.1
7/23/2019 7:31	Turbidity		73.5	NTU	EPA180.1
7/24/2019 7:24	Turbidity		26.2	NTU	EPA180.1
7/25/2019 7:26	Turbidity		9.7	NTU	EPA180.1
7/26/2019 7:25	Turbidity		2.9	NTU	EPA180.1
7/27/2019 7:14	Turbidity		2.6	NTU	EPA180.1
7/28/2019 7:54	Turbidity		9.1	NTU	EPA180.1
7/30/2019 7:31	Turbidity		6.9	NTU	EPA180.1
7/31/2019 7:22	Turbidity		3.8	NTU	EPA180.1
8/1/2019 7:22	Turbidity		5.3	NTU	EPA180.1
8/2/2019 7:25	Turbidity		2.5	NTU	EPA180.1
8/3/2019 7:06	Turbidity		1.5	NTU	EPA180.1
8/4/2019 6:53	Turbidity		1.4	NTU	EPA180.1
8/5/2019 7:24	Turbidity		1.6	NTU	EPA180.1
8/6/2019 7:27	Turbidity		4.9	NTU	EPA180.1
8/7/2019 7:57	Turbidity		2.6	NTU	EPA180.1
8/8/2019 7:52	Turbidity		5.3	NTU	EPA180.1
8/9/2019 7:50	Turbidity		11.9	NTU	EPA180.1
8/10/2019 6:55	Turbidity		9.4	NTU	EPA180.1
8/11/2019 8:15	Turbidity		1.4	NTU	EPA180.1
8/12/2019 7:35	Turbidity		1.5	NTU	EPA180.1
8/13/2019 7:30	Turbidity		3.5	NTU	EPA180.1

Villa Angela-East					
Sample Date	Parameter	Code	Result	Units	Method
8/14/2019 7:44	Turbidity		3.1	NTU	EPA180.1
8/15/2019 7:26	Turbidity		1.3	NTU	EPA180.1
8/16/2019 7:44	Turbidity		2.1	NTU	EPA180.1
8/17/2019 8:05	Turbidity		1.2	NTU	EPA180.1
8/18/2019 7:43	Turbidity		4.7	NTU	EPA180.1
8/19/2019 7:24	Turbidity		178	NTU	EPA180.1
8/20/2019 7:25	Turbidity		1.9	NTU	EPA180.1
8/21/2019 7:22	Turbidity		2.9	NTU	EPA180.1
8/24/2019 7:11	Turbidity		8.2	NTU	EPA180.1
8/25/2019 6:52	Turbidity		2.4	NTU	EPA180.1
8/26/2019 7:27	Turbidity		1.95	NTU	EPA180.1
8/27/2019 7:31	Turbidity		2.1	NTU	EPA180.1
8/28/2019 7:47	Turbidity		6	NTU	EPA180.1
8/29/2019 7:39	Turbidity		12.4	NTU	EPA180.1
8/30/2019 7:28	Turbidity		25	NTU	EPA180.1
8/31/2019 7:14	Turbidity		2.6	NTU	EPA180.1
9/1/2019 7:12	Turbidity		1.9	NTU	EPA180.1
9/2/2019 7:27	Turbidity		4.5	NTU	EPA180.1
9/3/2019 9:46	Turbidity		1.6	NTU	EPA180.1
9/4/2019 9:52	Turbidity		17.9	NTU	EPA180.1
9/5/2019 9:39	Turbidity		2.3	NTU	EPA180.1
9/9/2019 10:03	Turbidity		1.9	NTU	EPA180.1
9/10/2019 10:15	Turbidity		1.6	NTU	EPA180.1
9/11/2019 10:05	Turbidity		2.7	NTU	EPA180.1
9/12/2019 9:50	Turbidity		5	NTU	EPA180.1
9/16/2019 9:45	Turbidity		2.2	NTU	EPA180.1
9/17/2019 9:43	Turbidity		2.3	NTU	EPA180.1
9/18/2019 9:50	Turbidity		2.5	NTU	EPA180.1
9/19/2019 9:44	Turbidity		2.2	NTU	EPA180.1
9/23/2019 10:47	Turbidity		19.5	NTU	EPA180.1
9/24/2019 9:46	Turbidity		24.1	NTU	EPA180.1
9/25/2019 9:35	Turbidity		5.4	NTU	EPA180.1
9/26/2019 9:55	Turbidity		11.9	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/1/2019 9:50	E. coli		1587	MPN/100 mL	SM9223 Colilert
5/2/2019 9:13	E. coli		101	MPN/100 mL	SM9223 Colilert
5/6/2019 9:13	E. coli		21	MPN/100 mL	SM9223 Colilert
5/7/2019 11:15	E. coli		102	MPN/100 mL	SM9223 Colilert
5/8/2019 10:05	E. coli		35	MPN/100 mL	SM9223 Colilert
5/9/2019 9:40	E. coli		40	MPN/100 mL	SM9223 Colilert
5/13/2019 10:07	E. coli		108	MPN/100 mL	SM9223 Colilert
5/14/2019 9:56	E. coli		84	MPN/100 mL	SM9223 Colilert
5/15/2019 10:07	E. coli		15	MPN/100 mL	SM9223 Colilert
5/16/2019 9:55	E. coli		18	MPN/100 mL	SM9223 Colilert
5/20/2019 7:21	E. coli		247	MPN/100 mL	SM9223 Colilert
5/21/2019 7:30	E. coli		91	MPN/100 mL	SM9223 Colilert
5/22/2019 8:45	E. coli		35	MPN/100 mL	SM9223 Colilert
5/23/2019 7:57	E. coli		86	MPN/100 mL	SM9223 Colilert
5/24/2019 7:40	E. coli		85	MPN/100 mL	SM9223 Colilert
5/25/2019 7:20	E. coli		154	MPN/100 mL	SM9223 Colilert
5/26/2019 7:31	E. coli		106	MPN/100 mL	SM9223 Colilert
5/27/2019 7:33	E. coli		10	MPN/100 mL	SM9223 Colilert
5/28/2019 7:35	E. coli		198	MPN/100 mL	SM9223 Colilert
5/29/2019 7:28	E. coli		206	MPN/100 mL	SM9223 Colilert
5/30/2019 8:31	E. coli		413	MPN/100 mL	SM9223 Colilert
5/31/2019 7:55	E. coli		582	MPN/100 mL	SM9223 Colilert
6/1/2019 7:52	E. coli		688	MPN/100 mL	SM9223 Colilert
6/2/2019 7:30	E. coli		84	MPN/100 mL	SM9223 Colilert
6/3/2019 7:56	E. coli		258	MPN/100 mL	SM9223 Colilert
6/4/2019 7:27	E. coli		37	MPN/100 mL	SM9223 Colilert
6/5/2019 7:29	E. coli		14	MPN/100 mL	SM9223 Colilert
6/6/2019 7:52	E. coli		1667	MPN/100 mL	SM9223 Colilert
6/7/2019 7:41	E. coli		1226	MPN/100 mL	SM9223 Colilert
6/8/2019 7:35	E. coli		121	MPN/100 mL	SM9223 Colilert
6/9/2019 7:27	E. coli		65	MPN/100 mL	SM9223 Colilert
6/10/2019 7:44	E. coli		43	MPN/100 mL	SM9223 Colilert
6/11/2019 7:48	E. coli	>	4839	MPN/100 mL	SM9223 Colilert
6/12/2019 7:45	E. coli		479	MPN/100 mL	SM9223 Colilert
6/13/2019 7:41	E. coli		110	MPN/100 mL	SM9223 Colilert
6/14/2019 8:02	E. coli		2069	MPN/100 mL	SM9223 Colilert
6/15/2019 7:39	E. coli		120	MPN/100 mL	SM9223 Colilert
6/16/2019 7:47	E. coli		112	MPN/100 mL	SM9223 Colilert
6/17/2019 7:52	E. coli		1741	MPN/100 mL	SM9223 Colilert
6/18/2019 7:38	E. coli		319	MPN/100 mL	SM9223 Colilert
6/19/2019 7:47	E. coli		123	MPN/100 mL	SM9223 Colilert
6/20/2019 7:41	E. coli		102	MPN/100 mL	SM9223 Colilert
6/21/2019 7:47	E. coli		3922	MPN/100 mL	SM9223 Colilert
6/22/2019 7:35	E. coli		328	MPN/100 mL	SM9223 Colilert
6/23/2019 7:28	E. coli		164	MPN/100 mL	SM9223 Colilert
6/24/2019 7:51	E. coli		164	MPN/100 mL	SM9223 Colilert
6/25/2019 7:31	E. coli		1185	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 7:58	E. coli		377	MPN/100 mL	SM9223 Colilert
6/27/2019 7:32	E. coli		34	MPN/100 mL	SM9223 Colilert
6/28/2019 7:37	E. coli		58	MPN/100 mL	SM9223 Colilert
6/29/2019 7:30	E. coli		1980	MPN/100 mL	SM9223 Colilert
6/30/2019 7:51	E. coli		53	MPN/100 mL	SM9223 Colilert
7/1/2019 7:45	E. coli		38	MPN/100 mL	SM9223 Colilert
7/2/2019 7:42	E. coli		19	MPN/100 mL	SM9223 Colilert
7/3/2019 7:47	E. coli		958	MPN/100 mL	SM9223 Colilert
7/4/2019 7:57	E. coli		49	MPN/100 mL	SM9223 Colilert
7/5/2019 7:57	E. coli		42	MPN/100 mL	SM9223 Colilert
7/6/2019 7:40	E. coli		1954	MPN/100 mL	SM9223 Colilert
7/7/2019 7:12	E. coli		1313	MPN/100 mL	SM9223 Colilert
7/8/2019 7:48	E. coli		72	MPN/100 mL	SM9223 Colilert
7/9/2019 7:30	E. coli		24	MPN/100 mL	SM9223 Colilert
7/10/2019 7:40	E. coli		19	MPN/100 mL	SM9223 Colilert
7/11/2019 7:54	E. coli		4839	MPN/100 mL	SM9223 Colilert
7/12/2019 7:47	E. coli		219	MPN/100 mL	SM9223 Colilert
7/13/2019 8:00	E. coli		10	MPN/100 mL	SM9223 Colilert
7/14/2019 7:53	E. coli		109	MPN/100 mL	SM9223 Colilert
7/15/2019 7:55	E. coli		66	MPN/100 mL	SM9223 Colilert
7/16/2019 7:43	E. coli		149	MPN/100 mL	SM9223 Colilert
7/17/2019 7:55	E. coli		250	MPN/100 mL	SM9223 Colilert
7/18/2019 7:46	E. coli		160	MPN/100 mL	SM9223 Colilert
7/19/2019 7:45	E. coli		221	MPN/100 mL	SM9223 Colilert
7/20/2019 8:02	E. coli	>	48392	MPN/100 mL	SM9223 Colilert
7/21/2019 7:50	E. coli		407	MPN/100 mL	SM9223 Colilert
7/22/2019 7:40	E. coli		826	MPN/100 mL	SM9223 Colilert
7/23/2019 7:44	E. coli		364	MPN/100 mL	SM9223 Colilert
7/24/2019 7:51	E. coli		57	MPN/100 mL	SM9223 Colilert
7/25/2019 7:36	E. coli		8	MPN/100 mL	SM9223 Colilert
7/26/2019 7:35	E. coli		2	MPN/100 mL	SM9223 Colilert
7/27/2019 7:25	E. coli		32	MPN/100 mL	SM9223 Colilert
7/28/2019 8:06	E. coli		731	MPN/100 mL	SM9223 Colilert
7/29/2019 7:39	E. coli		32	MPN/100 mL	SM9223 Colilert
7/30/2019 7:44	E. coli		51	MPN/100 mL	SM9223 Colilert
7/31/2019 7:32	E. coli		27	MPN/100 mL	SM9223 Colilert
8/1/2019 7:34	E. coli		34	MPN/100 mL	SM9223 Colilert
8/2/2019 7:37	E. coli		268.5	MPN/100 mL	SM9223 Colilert
8/3/2019 7:17	E. coli		46	MPN/100 mL	SM9223 Colilert
8/4/2019 7:02	E. coli		15	MPN/100 mL	SM9223 Colilert
8/5/2019 7:33	E. coli		33	MPN/100 mL	SM9223 Colilert
8/6/2019 7:36	E. coli		498	MPN/100 mL	SM9223 Colilert
8/7/2019 8:08	E. coli		77	MPN/100 mL	SM9223 Colilert
8/8/2019 8:04	E. coli		117	MPN/100 mL	SM9223 Colilert
8/9/2019 7:59	E. coli		164	MPN/100 mL	SM9223 Colilert
8/10/2019 7:06	E. coli		46	MPN/100 mL	SM9223 Colilert
8/11/2019 8:23	E. coli		7	MPN/100 mL	SM9223 Colilert

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/12/2019 7:47	E. coli		50	MPN/100 mL	SM9223 Colilert
8/13/2019 7:43	E. coli		112	MPN/100 mL	SM9223 Colilert
8/14/2019 7:55	E. coli		147	MPN/100 mL	SM9223 Colilert
8/15/2019 7:40	E. coli		4	MPN/100 mL	SM9223 Colilert
8/16/2019 7:55	E. coli		25	MPN/100 mL	SM9223 Colilert
8/17/2019 8:19	E. coli		7	MPN/100 mL	SM9223 Colilert
8/18/2019 7:55	E. coli		106	MPN/100 mL	SM9223 Colilert
8/19/2019 7:36	E. coli		651	MPN/100 mL	SM9223 Colilert
8/20/2019 7:37	E. coli		40	MPN/100 mL	SM9223 Colilert
8/21/2019 7:34	E. coli		67.5	MPN/100 mL	SM9223 Colilert
8/22/2019 7:35	E. coli		130	MPN/100 mL	SM9223 Colilert
8/23/2019 7:33	E. coli		95	MPN/100 mL	SM9223 Colilert
8/24/2019 7:23	E. coli		133	MPN/100 mL	SM9223 Colilert
8/25/2019 7:01	E. coli		10	MPN/100 mL	SM9223 Colilert
8/26/2019 7:39	E. coli		12	MPN/100 mL	SM9223 Colilert
8/27/2019 7:42	E. coli		12	MPN/100 mL	SM9223 Colilert
8/28/2019 7:56	E. coli		1300	MPN/100 mL	SM9223 Colilert
8/29/2019 7:53	E. coli		16	MPN/100 mL	SM9223 Colilert
8/30/2019 7:39	E. coli		111	MPN/100 mL	SM9223 Colilert
8/31/2019 7:25	E. coli		9	MPN/100 mL	SM9223 Colilert
9/1/2019 7:22	E. coli		3	MPN/100 mL	SM9223 Colilert
9/2/2019 7:36	E. coli		150	MPN/100 mL	SM9223 Colilert
9/3/2019 9:53	E. coli		7	MPN/100 mL	SM9223 Colilert
9/4/2019 10:02	E. coli		75	MPN/100 mL	SM9223 Colilert
9/5/2019 9:49	E. coli		1	MPN/100 mL	SM9223 Colilert
9/9/2019 9:50	E. coli		6	MPN/100 mL	SM9223 Colilert
9/10/2019 10:30	E. coli		28	MPN/100 mL	SM9223 Colilert
9/11/2019 10:17	E. coli		14	MPN/100 mL	SM9223 Colilert
9/12/2019 10:10	E. coli		1035	MPN/100 mL	SM9223 Colilert
9/16/2019 9:55	E. coli		121	MPN/100 mL	SM9223 Colilert
9/17/2019 9:53	E. coli		43	MPN/100 mL	SM9223 Colilert
9/18/2019 9:40	E. coli		326	MPN/100 mL	SM9223 Colilert
9/19/2019 9:54	E. coli		7	MPN/100 mL	SM9223 Colilert
9/23/2019 11:10	E. coli		1226	MPN/100 mL	SM9223 Colilert
9/24/2019 9:59	E. coli		62	MPN/100 mL	SM9223 Colilert
9/25/2019 9:49	E. coli		6	MPN/100 mL	SM9223 Colilert
9/26/2019 10:03	E. coli		119	MPN/100 mL	SM9223 Colilert
9/30/2019 9:48	E. coli		12	MPN/100 mL	SM9223 Colilert
5/1/2019 9:50	Field Cond		457	umhos/cm	SM 2510A
5/2/2019 9:13	Field Cond		380	umhos/cm	SM 2510A
5/6/2019 9:13	Field Cond		360	umhos/cm	SM 2510A
5/7/2019 11:15	Field Cond		400	umhos/cm	SM 2510A
5/8/2019 10:05	Field Cond		358	umhos/cm	SM 2510A
5/9/2019 9:40	Field Cond		358	umhos/cm	SM 2510A
5/13/2019 10:07	Field Cond		384	umhos/cm	SM 2510A
5/15/2019 10:07	Field Cond		422	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/16/2019 9:55	Field Cond		417	umhos/cm	SM 2510A
5/20/2019 7:21	Field Cond		387	umhos/cm	SM 2510A
5/22/2019 8:45	Field Cond		384	umhos/cm	SM 2510A
5/23/2019 7:57	Field Cond		366	umhos/cm	SM 2510A
5/24/2019 7:40	Field Cond		410	umhos/cm	SM 2510A
5/25/2019 7:20	Field Cond		380	umhos/cm	SM 2510A
5/26/2019 7:31	Field Cond		378	umhos/cm	SM 2510A
5/27/2019 7:33	Field Cond		365	umhos/cm	SM 2510A
5/28/2019 7:35	Field Cond		326	umhos/cm	SM 2510A
5/29/2019 7:28	Field Cond		320	umhos/cm	SM 2510A
5/30/2019 8:31	Field Cond		304	umhos/cm	SM 2510A
5/31/2019 7:55	Field Cond		305	umhos/cm	SM 2510A
6/1/2019 7:52	Field Cond		325	umhos/cm	SM 2510A
6/2/2019 7:30	Field Cond		312	umhos/cm	SM 2510A
6/3/2019 7:56	Field Cond		340	umhos/cm	SM 2510A
6/4/2019 7:27	Field Cond		333	umhos/cm	SM 2510A
6/5/2019 7:29	Field Cond		329	umhos/cm	SM 2510A
6/6/2019 7:52	Field Cond		336	umhos/cm	SM 2510A
6/7/2019 7:41	Field Cond		381	umhos/cm	SM 2510A
6/8/2019 7:35	Field Cond		321	umhos/cm	SM 2510A
6/9/2019 7:27	Field Cond		318	umhos/cm	SM 2510A
6/10/2019 7:44	Field Cond		300	umhos/cm	SM 2510A
6/11/2019 7:48	Field Cond		355	umhos/cm	SM 2510A
6/12/2019 7:45	Field Cond		310	umhos/cm	SM 2510A
6/13/2019 7:41	Field Cond		309	umhos/cm	SM 2510A
6/14/2019 8:02	Field Cond		339	umhos/cm	SM 2510A
6/15/2019 7:39	Field Cond		308	umhos/cm	SM 2510A
6/16/2019 7:47	Field Cond		312	umhos/cm	SM 2510A
6/17/2019 7:52	Field Cond		304	umhos/cm	SM 2510A
6/18/2019 7:38	Field Cond		312	umhos/cm	SM 2510A
6/19/2019 7:47	Field Cond		326	umhos/cm	SM 2510A
6/20/2019 7:41	Field Cond		331	umhos/cm	SM 2510A
6/21/2019 7:47	Field Cond		335	umhos/cm	SM 2510A
6/22/2019 7:35	Field Cond		326	umhos/cm	SM 2510A
6/23/2019 7:28	Field Cond		317	umhos/cm	SM 2510A
6/24/2019 7:51	Field Cond		385	umhos/cm	SM 2510A
6/25/2019 7:31	Field Cond		360	umhos/cm	SM 2510A
6/26/2019 7:58	Field Cond		372	umhos/cm	SM 2510A
6/27/2019 7:32	Field Cond		323	umhos/cm	SM 2510A
6/28/2019 7:37	Field Cond		368	umhos/cm	SM 2510A
6/29/2019 7:30	Field Cond		287	umhos/cm	SM 2510A
6/30/2019 7:51	Field Cond		326	umhos/cm	SM 2510A
7/1/2019 7:45	Field Cond		336	umhos/cm	SM 2510A
7/2/2019 7:42	Field Cond		323	umhos/cm	SM 2510A
7/3/2019 7:47	Field Cond		306	umhos/cm	SM 2510A
7/4/2019 7:57	Field Cond		331	umhos/cm	SM 2510A
7/5/2019 7:57	Field Cond		324	umhos/cm	SM 2510A



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/6/2019 7:40	Field Cond		336	umhos/cm	SM 2510A
7/7/2019 7:12	Field Cond		326	umhos/cm	SM 2510A
7/8/2019 7:48	Field Cond		340	umhos/cm	SM 2510A
7/9/2019 7:30	Field Cond		339	umhos/cm	SM 2510A
7/10/2019 7:40	Field Cond		344	umhos/cm	SM 2510A
7/11/2019 7:54	Field Cond		346	umhos/cm	SM 2510A
7/12/2019 7:47	Field Cond		344	umhos/cm	SM 2510A
7/13/2019 8:00	Field Cond		331	umhos/cm	SM 2510A
7/14/2019 7:53	Field Cond		283	umhos/cm	SM 2510A
7/15/2019 7:55	Field Cond		311	umhos/cm	SM 2510A
7/16/2019 7:43	Field Cond		326	umhos/cm	SM 2510A
7/17/2019 7:55	Field Cond		310	umhos/cm	SM 2510A
7/18/2019 7:46	Field Cond		268	umhos/cm	SM 2510A
7/19/2019 7:45	Field Cond		316	umhos/cm	SM 2510A
7/20/2019 8:02	Field Cond		325	umhos/cm	SM 2510A
7/21/2019 7:50	Field Cond		341	umhos/cm	SM 2510A
7/22/2019 7:40	Field Cond		322	umhos/cm	SM 2510A
7/23/2019 7:44	Field Cond		336	umhos/cm	SM 2510A
7/24/2019 7:51	Field Cond		326	umhos/cm	SM 2510A
7/25/2019 7:36	Field Cond		317	umhos/cm	SM 2510A
7/26/2019 7:35	Field Cond		338	umhos/cm	SM 2510A
7/27/2019 7:25	Field Cond		350	umhos/cm	SM 2510A
7/28/2019 8:06	Field Cond		265	umhos/cm	SM 2510A
7/30/2019 7:44	Field Cond		322	umhos/cm	SM 2510A
7/31/2019 7:32	Field Cond		329	umhos/cm	SM 2510A
8/1/2019 7:34	Field Cond		327	umhos/cm	SM 2510A
8/2/2019 7:37	Field Cond		330	umhos/cm	SM 2510A
8/3/2019 7:17	Field Cond		318	umhos/cm	SM 2510A
8/4/2019 7:02	Field Cond		307	umhos/cm	SM 2510A
8/5/2019 7:33	Field Cond		308	umhos/cm	SM 2510A
8/6/2019 7:36	Field Cond		316	umhos/cm	SM 2510A
8/7/2019 8:08	Field Cond		313	umhos/cm	SM 2510A
8/8/2019 8:04	Field Cond		307	umhos/cm	SM 2510A
8/9/2019 7:59	Field Cond		311	umhos/cm	SM 2510A
8/10/2019 7:06	Field Cond		314	umhos/cm	SM 2510A
8/11/2019 8:23	Field Cond		225	umhos/cm	SM 2510A
8/12/2019 7:47	Field Cond		321	umhos/cm	SM 2510A
8/13/2019 7:43	Field Cond		318	umhos/cm	SM 2510A
8/14/2019 7:55	Field Cond		320	umhos/cm	SM 2510A
8/15/2019 7:40	Field Cond		296	umhos/cm	SM 2510A
8/16/2019 7:55	Field Cond		317	umhos/cm	SM 2510A
8/17/2019 8:19	Field Cond		302	umhos/cm	SM 2510A
8/18/2019 7:55	Field Cond		296	umhos/cm	SM 2510A
8/19/2019 7:36	Field Cond		296	umhos/cm	SM 2510A
8/20/2019 7:37	Field Cond		303	umhos/cm	SM 2510A
8/21/2019 7:34	Field Cond		297	umhos/cm	SM 2510A
8/24/2019 7:23	Field Cond		298	umhos/cm	SM 2510A

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/25/2019 7:01	Field Cond		293	umhos/cm	SM 2510A
8/26/2019 7:39	Field Cond		294	umhos/cm	SM 2510A
8/27/2019 7:42	Field Cond		302	umhos/cm	SM 2510A
8/28/2019 7:56	Field Cond		296	umhos/cm	SM 2510A
8/29/2019 7:53	Field Cond		311	umhos/cm	SM 2510A
8/30/2019 7:39	Field Cond		296	umhos/cm	SM 2510A
8/31/2019 7:25	Field Cond		309	umhos/cm	SM 2510A
9/1/2019 7:22	Field Cond		306	umhos/cm	SM 2510A
9/2/2019 7:36	Field Cond		307	umhos/cm	SM 2510A
9/3/2019 9:53	Field Cond		309	umhos/cm	SM 2510A
9/4/2019 10:02	Field Cond		311	umhos/cm	SM 2510A
9/5/2019 9:49	Field Cond		311	umhos/cm	SM 2510A
9/9/2019 9:50	Field Cond		273	umhos/cm	SM 2510A
9/10/2019 10:30	Field Cond		333	umhos/cm	SM 2510A
9/11/2019 10:17	Field Cond		295	umhos/cm	SM 2510A
9/12/2019 10:10	Field Cond		300	umhos/cm	SM 2510A
9/16/2019 9:55	Field Cond		318	umhos/cm	SM 2510A
9/17/2019 9:53	Field Cond		320	umhos/cm	SM 2510A
9/18/2019 9:40	Field Cond		311	umhos/cm	SM 2510A
9/19/2019 9:54	Field Cond		325	umhos/cm	SM 2510A
9/23/2019 11:10	Field Cond		304	umhos/cm	SM 2510A
9/24/2019 9:59	Field Cond		365	umhos/cm	SM 2510A
9/25/2019 9:49	Field Cond		357	umhos/cm	SM 2510A
9/26/2019 10:03	Field Cond		363	umhos/cm	SM 2510A
5/1/2019 9:50	Field Temp		12	C	EPA 170.1
5/2/2019 9:13	Field Temp		10.4	C	EPA 170.1
5/6/2019 9:13	Field Temp		11.3	C	EPA 170.1
5/7/2019 11:15	Field Temp		11.8	C	EPA 170.1
5/8/2019 10:05	Field Temp		11	C	EPA 170.1
5/9/2019 9:40	Field Temp		14.6	C	EPA 170.1
5/13/2019 10:07	Field Temp		10.8	C	EPA 170.1
5/15/2019 10:07	Field Temp		13.6	C	EPA 170.1
5/16/2019 9:55	Field Temp		14.9	C	EPA 170.1
5/20/2019 7:21	Field Temp		15.3	C	EPA 170.1
5/22/2019 8:45	Field Temp		13.7	C	EPA 170.1
5/23/2019 7:57	Field Temp		16.4	C	EPA 170.1
5/24/2019 7:40	Field Temp		15.1	C	EPA 170.1
5/25/2019 7:20	Field Temp		15.5	C	EPA 170.1
5/26/2019 7:31	Field Temp		17.3	C	EPA 170.1
5/27/2019 7:33	Field Temp		15.8	C	EPA 170.1
5/28/2019 7:35	Field Temp		16.7	C	EPA 170.1
5/29/2019 7:28	Field Temp		16.7	C	EPA 170.1
5/30/2019 8:31	Field Temp		16.5	C	EPA 170.1
5/31/2019 7:55	Field Temp		17.7	C	EPA 170.1
6/1/2019 7:52	Field Temp		17.8	C	EPA 170.1
6/2/2019 7:30	Field Temp		17.4	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/3/2019 7:56	Field Temp		15.8	C	EPA 170.1
6/4/2019 7:27	Field Temp		16.2	C	EPA 170.1
6/5/2019 7:29	Field Temp		18.5	C	EPA 170.1
6/6/2019 7:52	Field Temp		17.6	C	EPA 170.1
6/7/2019 7:41	Field Temp		18.2	C	EPA 170.1
6/8/2019 7:35	Field Temp		17.4	C	EPA 170.1
6/9/2019 7:27	Field Temp		16.8	C	EPA 170.1
6/10/2019 7:44	Field Temp		17.8	C	EPA 170.1
6/11/2019 7:48	Field Temp		16.9	C	EPA 170.1
6/12/2019 7:45	Field Temp		18.4	C	EPA 170.1
6/13/2019 7:41	Field Temp		17.5	C	EPA 170.1
6/14/2019 8:02	Field Temp		16.4	C	EPA 170.1
6/15/2019 7:39	Field Temp		17.5	C	EPA 170.1
6/16/2019 7:47	Field Temp		18.7	C	EPA 170.1
6/17/2019 7:52	Field Temp		17.8	C	EPA 170.1
6/18/2019 7:38	Field Temp		18.1	C	EPA 170.1
6/19/2019 7:47	Field Temp		18.8	C	EPA 170.1
6/20/2019 7:41	Field Temp		18.7	C	EPA 170.1
6/21/2019 7:47	Field Temp		17.5	C	EPA 170.1
6/22/2019 7:35	Field Temp		18.4	C	EPA 170.1
6/23/2019 7:28	Field Temp		17.7	C	EPA 170.1
6/24/2019 7:51	Field Temp		19.2	C	EPA 170.1
6/25/2019 7:31	Field Temp		19.8	C	EPA 170.1
6/26/2019 7:58	Field Temp		20.9	C	EPA 170.1
6/27/2019 7:32	Field Temp		21.8	C	EPA 170.1
6/28/2019 7:37	Field Temp		21.2	C	EPA 170.1
6/29/2019 7:30	Field Temp		22.2	C	EPA 170.1
6/30/2019 7:51	Field Temp		22.2	C	EPA 170.1
7/1/2019 7:45	Field Temp		21.8	C	EPA 170.1
7/2/2019 7:42	Field Temp		23.5	C	EPA 170.1
7/3/2019 7:47	Field Temp		23.9	C	EPA 170.1
7/4/2019 7:57	Field Temp		24.4	C	EPA 170.1
7/5/2019 7:57	Field Temp		25	C	EPA 170.1
7/6/2019 7:40	Field Temp		25.3	C	EPA 170.1
7/7/2019 7:12	Field Temp		25.3	C	EPA 170.1
7/8/2019 7:48	Field Temp		19.7	C	EPA 170.1
7/9/2019 7:30	Field Temp		18.2	C	EPA 170.1
7/10/2019 7:40	Field Temp		19.5	C	EPA 170.1
7/11/2019 7:54	Field Temp		21.1	C	EPA 170.1
7/12/2019 7:47	Field Temp		20.5	C	EPA 170.1
7/13/2019 8:00	Field Temp		21.6	C	EPA 170.1
7/14/2019 7:53	Field Temp		22.8	C	EPA 170.1
7/15/2019 7:55	Field Temp		23.9	C	EPA 170.1
7/16/2019 7:43	Field Temp		24.6	C	EPA 170.1
7/17/2019 7:55	Field Temp		24.7	C	EPA 170.1
7/18/2019 7:46	Field Temp		25	C	EPA 170.1
7/19/2019 7:45	Field Temp		25.7	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
7/20/2019 8:02	Field Temp		25.7	C	EPA 170.1
7/21/2019 7:50	Field Temp		26.3	C	EPA 170.1
7/22/2019 7:40	Field Temp		24.4	C	EPA 170.1
7/23/2019 7:44	Field Temp		23.2	C	EPA 170.1
7/24/2019 7:51	Field Temp		23	C	EPA 170.1
7/25/2019 7:36	Field Temp		23.6	C	EPA 170.1
7/26/2019 7:35	Field Temp		23.8	C	EPA 170.1
7/27/2019 7:25	Field Temp		24.2	C	EPA 170.1
7/28/2019 8:06	Field Temp		24.5	C	EPA 170.1
7/30/2019 7:44	Field Temp		24.8	C	EPA 170.1
7/31/2019 7:32	Field Temp		25.1	C	EPA 170.1
8/1/2019 7:34	Field Temp		24.4	C	EPA 170.1
8/2/2019 7:37	Field Temp		24.2	C	EPA 170.1
8/3/2019 7:17	Field Temp		24.3	C	EPA 170.1
8/4/2019 7:02	Field Temp		23.9	C	EPA 170.1
8/5/2019 7:33	Field Temp		24.5	C	EPA 170.1
8/6/2019 7:36	Field Temp		24.8	C	EPA 170.1
8/7/2019 8:08	Field Temp		24.3	C	EPA 170.1
8/8/2019 8:04	Field Temp		24.5	C	EPA 170.1
8/9/2019 7:59	Field Temp		24.1	C	EPA 170.1
8/10/2019 7:06	Field Temp		24.3	C	EPA 170.1
8/11/2019 8:23	Field Temp		24.2	C	EPA 170.1
8/12/2019 7:47	Field Temp		24.6	C	EPA 170.1
8/13/2019 7:43	Field Temp		24.7	C	EPA 170.1
8/14/2019 7:55	Field Temp		24.3	C	EPA 170.1
8/15/2019 7:40	Field Temp		24.5	C	EPA 170.1
8/16/2019 7:55	Field Temp		24.1	C	EPA 170.1
8/17/2019 8:19	Field Temp		24.4	C	EPA 170.1
8/18/2019 7:55	Field Temp		24.5	C	EPA 170.1
8/19/2019 7:36	Field Temp		24	C	EPA 170.1
8/20/2019 7:37	Field Temp		24.4	C	EPA 170.1
8/21/2019 7:34	Field Temp		24.8	C	EPA 170.1
8/24/2019 7:23	Field Temp		23.7	C	EPA 170.1
8/25/2019 7:01	Field Temp		22	C	EPA 170.1
8/26/2019 7:39	Field Temp		22.2	C	EPA 170.1
8/27/2019 7:42	Field Temp		22.2	C	EPA 170.1
8/28/2019 7:56	Field Temp		22.3	C	EPA 170.1
8/29/2019 7:53	Field Temp		21.2	C	EPA 170.1
8/30/2019 7:39	Field Temp		22.2	C	EPA 170.1
8/31/2019 7:25	Field Temp		21.6	C	EPA 170.1
9/1/2019 7:22	Field Temp		22	C	EPA 170.1
9/2/2019 7:36	Field Temp		21.5	C	EPA 170.1
9/3/2019 9:53	Field Temp		22.7	C	EPA 170.1
9/4/2019 10:02	Field Temp		22.6	C	EPA 170.1
9/5/2019 9:49	Field Temp		22.1	C	EPA 170.1
9/9/2019 9:50	Field Temp		22.3	C	EPA 170.1
9/10/2019 10:30	Field Temp		22.3	C	EPA 170.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
9/11/2019 10:17	Field Temp		23.3	C	EPA 170.1
9/12/2019 10:10	Field Temp		23.2	C	EPA 170.1
9/16/2019 9:55	Field Temp		22.4	C	EPA 170.1
9/17/2019 9:53	Field Temp		22.1	C	EPA 170.1
9/18/2019 9:40	Field Temp		21.9	C	EPA 170.1
9/19/2019 9:54	Field Temp		21.6	C	EPA 170.1
9/23/2019 11:10	Field Temp		22.2	C	EPA 170.1
9/24/2019 9:59	Field Temp		21.2	C	EPA 170.1
9/25/2019 9:49	Field Temp		21.5	C	EPA 170.1
9/26/2019 10:03	Field Temp		21.2	C	EPA 170.1
5/1/2019 9:50	pH		8	S.U.	
5/2/2019 9:13	pH		8	S.U.	
5/6/2019 9:13	pH		8	S.U.	
5/7/2019 11:15	pH		8	S.U.	
5/8/2019 10:05	pH		8.3	S.U.	
5/9/2019 9:40	pH		8	S.U.	
5/13/2019 10:07	pH		8.2	S.U.	
5/15/2019 10:07	pH		8.1	S.U.	
5/16/2019 9:55	pH		8	S.U.	
5/20/2019 7:21	pH		8.1	S.U.	
5/22/2019 8:45	pH		7.5	S.U.	
5/23/2019 7:57	pH		7.3	S.U.	
5/24/2019 7:40	pH		8.3	S.U.	
5/25/2019 7:20	pH		8.33	S.U.	
5/26/2019 7:31	pH		7.6	S.U.	
5/27/2019 7:33	pH		8.4	S.U.	
5/28/2019 7:35	pH		7.4	S.U.	
5/29/2019 7:28	pH		7.3	S.U.	
5/30/2019 8:31	pH		7.3	S.U.	
5/31/2019 7:55	pH		7.2	S.U.	
6/1/2019 7:52	pH		7.4	S.U.	
6/2/2019 7:30	pH		7.2	S.U.	
6/3/2019 7:56	pH		7.5	S.U.	
6/4/2019 7:27	pH		7.4	S.U.	
6/5/2019 7:29	pH		7.5	S.U.	
6/6/2019 7:52	pH		7.1	S.U.	
6/7/2019 7:41	pH		7.3	S.U.	
6/8/2019 7:35	pH		7.2	S.U.	
6/9/2019 7:27	pH		7	S.U.	
6/10/2019 7:44	pH		7	S.U.	
6/11/2019 7:48	pH		6.9	S.U.	
6/12/2019 7:45	pH		6.8	S.U.	
6/13/2019 7:41	pH		7	S.U.	
6/14/2019 8:02	pH		6.9	S.U.	
6/15/2019 7:39	pH		6.8	S.U.	
6/16/2019 7:47	pH		7	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/17/2019 7:52	pH		7.1	S.U.	
6/18/2019 7:38	pH		7.1	S.U.	
6/19/2019 7:47	pH		7.2	S.U.	
6/20/2019 7:41	pH		7	S.U.	
6/21/2019 7:47	pH		7	S.U.	
6/22/2019 7:35	pH		6.8	S.U.	
6/23/2019 7:28	pH		6.7	S.U.	
6/24/2019 7:51	pH		7.5	S.U.	
6/25/2019 7:31	pH		7.5	S.U.	
6/26/2019 7:58	pH		7.4	S.U.	
6/27/2019 7:32	pH		6.1	S.U.	
6/28/2019 7:37	pH		7.4	S.U.	
6/29/2019 7:30	pH		7.1	S.U.	
6/30/2019 7:51	pH		7	S.U.	
7/1/2019 7:45	pH		7.1	S.U.	
7/2/2019 7:42	pH		7	S.U.	
7/3/2019 7:47	pH		7	S.U.	
7/4/2019 7:57	pH		7	S.U.	
7/5/2019 7:57	pH		6.9	S.U.	
7/6/2019 7:40	pH		7	S.U.	
7/7/2019 7:12	pH		6.9	S.U.	
7/8/2019 7:48	pH		6.5	S.U.	
7/9/2019 7:30	pH		6.45	S.U.	
7/10/2019 7:40	pH		6.32	S.U.	
7/11/2019 7:54	pH		6.69	S.U.	
7/12/2019 7:47	pH		6.8	S.U.	
7/13/2019 8:00	pH		7.04	S.U.	
7/14/2019 7:53	pH		6.7	S.U.	
7/15/2019 7:55	pH		6.6	S.U.	
7/16/2019 7:43	pH		7.2	S.U.	
7/17/2019 7:55	pH		6.3	S.U.	
7/18/2019 7:46	pH		6.1	S.U.	
7/19/2019 7:45	pH		7.3	S.U.	
7/20/2019 8:02	pH		7.1	S.U.	
7/21/2019 7:50	pH		7.4	S.U.	
7/22/2019 7:40	pH		7.2	S.U.	
7/23/2019 7:44	pH		7.2	S.U.	
7/24/2019 7:51	pH		7.3	S.U.	
7/25/2019 7:36	pH		7.3	S.U.	
7/26/2019 7:35	pH		7.4	S.U.	
7/27/2019 7:25	pH		7.5	S.U.	
7/28/2019 8:06	pH		7.5	S.U.	
7/30/2019 7:44	pH		7.5	S.U.	
7/31/2019 7:32	pH		7.5	S.U.	
8/1/2019 7:34	pH		7.3	S.U.	
8/2/2019 7:37	pH		7.3	S.U.	
8/3/2019 7:17	pH		7.4	S.U.	

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/4/2019 7:02	pH		7.3	S.U.	
8/5/2019 7:33	pH		7.4	S.U.	
8/6/2019 7:36	pH		7.4	S.U.	
8/7/2019 8:08	pH		7.5	S.U.	
8/8/2019 8:04	pH		7.3	S.U.	
8/9/2019 7:59	pH		7.5	S.U.	
8/10/2019 7:06	pH		5.3	S.U.	
8/11/2019 8:23	pH		6	S.U.	
8/12/2019 7:47	pH		6	S.U.	
8/13/2019 7:43	pH		6.3	S.U.	
8/14/2019 7:55	pH		6.4	S.U.	
8/15/2019 7:40	pH		8.1	S.U.	
8/16/2019 7:55	pH		7.7	S.U.	
8/17/2019 8:19	pH		7.9	S.U.	
8/18/2019 7:55	pH		7.7	S.U.	
8/19/2019 7:36	pH		7.9	S.U.	
8/20/2019 7:37	pH		8	S.U.	
8/21/2019 7:34	pH		8	S.U.	
8/24/2019 7:23	pH		8.1	S.U.	
8/25/2019 7:01	pH		8.4	S.U.	
8/26/2019 7:39	pH		8	S.U.	
8/27/2019 7:42	pH		8.1	S.U.	
8/28/2019 7:56	pH		8	S.U.	
8/29/2019 7:53	pH		8	S.U.	
8/30/2019 7:39	pH		8	S.U.	
8/31/2019 7:25	pH		8	S.U.	
9/1/2019 7:22	pH		8.2	S.U.	
9/2/2019 7:36	pH		7.9	S.U.	
9/3/2019 9:53	pH		7.7	S.U.	
9/4/2019 10:02	pH		7.6	S.U.	
9/5/2019 9:49	pH		8	S.U.	
9/9/2019 9:50	pH		7.3	S.U.	
9/10/2019 10:30	pH		7	S.U.	
9/11/2019 10:17	pH		7.7	S.U.	
9/12/2019 10:10	pH		7	S.U.	
9/16/2019 9:55	pH		7.8	S.U.	
9/17/2019 9:53	pH		7.7	S.U.	
9/18/2019 9:40	pH		8.1	S.U.	
9/19/2019 9:54	pH		7.7	S.U.	
9/23/2019 11:10	pH		6.8	S.U.	
9/24/2019 9:59	pH		7.5	S.U.	
9/25/2019 9:49	pH		8	S.U.	
9/26/2019 10:03	pH		7.6	S.U.	
5/1/2019 9:50	Turbidity		28.7	NTU	EPA180.1
5/2/2019 9:13	Turbidity		9	NTU	EPA180.1
5/6/2019 9:13	Turbidity		6	NTU	EPA180.1



## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
5/7/2019 11:15	Turbidity		34.3	NTU	EPA180.1
5/8/2019 10:05	Turbidity		11.85	NTU	EPA180.1
5/9/2019 9:40	Turbidity		29.75	NTU	EPA180.1
5/13/2019 10:07	Turbidity		38.6	NTU	EPA180.1
5/14/2019 9:56	Turbidity		94.7	NTU	EPA180.1
5/15/2019 10:07	Turbidity		16.4	NTU	EPA180.1
5/16/2019 9:55	Turbidity		5.985	NTU	EPA180.1
5/20/2019 7:21	Turbidity		12.3	NTU	EPA180.1
5/22/2019 8:45	Turbidity		7.33	NTU	EPA180.1
5/23/2019 7:57	Turbidity		11.6	NTU	EPA180.1
5/24/2019 7:40	Turbidity		12.5	NTU	EPA180.1
5/25/2019 7:20	Turbidity		8.94	NTU	EPA180.1
5/26/2019 7:31	Turbidity		12.4	NTU	EPA180.1
5/27/2019 7:33	Turbidity		5.84	NTU	EPA180.1
5/28/2019 7:35	Turbidity		9.17	NTU	EPA180.1
5/29/2019 7:28	Turbidity		6.77	NTU	EPA180.1
5/30/2019 8:31	Turbidity		6.21	NTU	EPA180.1
5/31/2019 7:55	Turbidity		6.85	NTU	EPA180.1
6/1/2019 7:52	Turbidity		6.8	NTU	EPA180.1
6/2/2019 7:30	Turbidity		5.71	NTU	EPA180.1
6/3/2019 7:56	Turbidity		20.9	NTU	EPA180.1
6/4/2019 7:27	Turbidity		5.5	NTU	EPA180.1
6/5/2019 7:29	Turbidity		3.5	NTU	EPA180.1
6/6/2019 7:52	Turbidity		26.65	NTU	EPA180.1
6/7/2019 7:41	Turbidity		5.3	NTU	EPA180.1
6/8/2019 7:35	Turbidity		4.2	NTU	EPA180.1
6/9/2019 7:27	Turbidity		7.6	NTU	EPA180.1
6/10/2019 7:44	Turbidity		3.3	NTU	EPA180.1
6/11/2019 7:48	Turbidity		31.3	NTU	EPA180.1
6/12/2019 7:45	Turbidity		4.58	NTU	EPA180.1
6/13/2019 7:41	Turbidity		4	NTU	EPA180.1
6/14/2019 8:02	Turbidity		146	NTU	EPA180.1
6/15/2019 7:39	Turbidity		9.96	NTU	EPA180.1
6/16/2019 7:47	Turbidity		5.31	NTU	EPA180.1
6/17/2019 7:52	Turbidity		23.5	NTU	EPA180.1
6/18/2019 7:38	Turbidity		7.05	NTU	EPA180.1
6/19/2019 7:47	Turbidity		4.5	NTU	EPA180.1
6/20/2019 7:41	Turbidity		6.7	NTU	EPA180.1
6/21/2019 7:47	Turbidity		76	NTU	EPA180.1
6/22/2019 7:35	Turbidity		9	NTU	EPA180.1
6/23/2019 7:28	Turbidity		6.5	NTU	EPA180.1
6/24/2019 7:51	Turbidity		8.75	NTU	EPA180.1
6/25/2019 7:31	Turbidity		23.05	NTU	EPA180.1
6/26/2019 7:58	Turbidity		14.9	NTU	EPA180.1
6/27/2019 7:32	Turbidity		4.2	NTU	EPA180.1
6/28/2019 7:37	Turbidity		5.4	NTU	EPA180.1
6/29/2019 7:30	Turbidity		10.7	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
6/30/2019 7:51	Turbidity		3.6	NTU	EPA180.1
7/1/2019 7:45	Turbidity		3.9	NTU	EPA180.1
7/2/2019 7:42	Turbidity		2.4	NTU	EPA180.1
7/3/2019 7:47	Turbidity		6.2	NTU	EPA180.1
7/4/2019 7:57	Turbidity		2.3	NTU	EPA180.1
7/5/2019 7:57	Turbidity		1.8	NTU	EPA180.1
7/6/2019 7:40	Turbidity		8.5	NTU	EPA180.1
7/7/2019 7:12	Turbidity		6.5	NTU	EPA180.1
7/8/2019 7:48	Turbidity		21.4	NTU	EPA180.1
7/9/2019 7:30	Turbidity		5.1	NTU	EPA180.1
7/10/2019 7:40	Turbidity		2.9	NTU	EPA180.1
7/11/2019 7:54	Turbidity		11.9	NTU	EPA180.1
7/12/2019 7:47	Turbidity		30.7	NTU	EPA180.1
7/13/2019 8:00	Turbidity		3.3	NTU	EPA180.1
7/14/2019 7:53	Turbidity		14.2	NTU	EPA180.1
7/15/2019 7:55	Turbidity		2.5	NTU	EPA180.1
7/16/2019 7:43	Turbidity		2.8	NTU	EPA180.1
7/17/2019 7:55	Turbidity		2.9	NTU	EPA180.1
7/18/2019 7:46	Turbidity		2.8	NTU	EPA180.1
7/19/2019 7:45	Turbidity		7.3	NTU	EPA180.1
7/20/2019 8:02	Turbidity		23.9	NTU	EPA180.1
7/21/2019 7:50	Turbidity		9.3	NTU	EPA180.1
7/22/2019 7:40	Turbidity		7.2	NTU	EPA180.1
7/23/2019 7:44	Turbidity		90.5	NTU	EPA180.1
7/24/2019 7:51	Turbidity		27.8	NTU	EPA180.1
7/25/2019 7:36	Turbidity		10.4	NTU	EPA180.1
7/26/2019 7:35	Turbidity		3.3	NTU	EPA180.1
7/27/2019 7:25	Turbidity		3.2	NTU	EPA180.1
7/28/2019 8:06	Turbidity		8.4	NTU	EPA180.1
7/30/2019 7:44	Turbidity		7.7	NTU	EPA180.1
7/31/2019 7:32	Turbidity		3.6	NTU	EPA180.1
8/1/2019 7:34	Turbidity		4.6	NTU	EPA180.1
8/2/2019 7:37	Turbidity		2.35	NTU	EPA180.1
8/3/2019 7:17	Turbidity		1.8	NTU	EPA180.1
8/4/2019 7:02	Turbidity		1.8	NTU	EPA180.1
8/5/2019 7:33	Turbidity		1.2	NTU	EPA180.1
8/6/2019 7:36	Turbidity		4.4	NTU	EPA180.1
8/7/2019 8:08	Turbidity		1.7	NTU	EPA180.1
8/8/2019 8:04	Turbidity		9.5	NTU	EPA180.1
8/9/2019 7:59	Turbidity		19.4	NTU	EPA180.1
8/10/2019 7:06	Turbidity		7.9	NTU	EPA180.1
8/11/2019 8:23	Turbidity		1.5	NTU	EPA180.1
8/12/2019 7:47	Turbidity		1.5	NTU	EPA180.1
8/13/2019 7:43	Turbidity		4.3	NTU	EPA180.1
8/14/2019 7:55	Turbidity		3.1	NTU	EPA180.1
8/15/2019 7:40	Turbidity		1.5	NTU	EPA180.1
8/16/2019 7:55	Turbidity		2.1	NTU	EPA180.1

## Euclid Beach - East

Sample Date	Parameter	Code	Result	Units	Method
8/17/2019 8:19	Turbidity		1.3	NTU	EPA180.1
8/18/2019 7:55	Turbidity		4.2	NTU	EPA180.1
8/19/2019 7:36	Turbidity		16.7	NTU	EPA180.1
8/20/2019 7:37	Turbidity		1.6	NTU	EPA180.1
8/21/2019 7:34	Turbidity		2.85	NTU	EPA180.1
8/24/2019 7:23	Turbidity		15	NTU	EPA180.1
8/25/2019 7:01	Turbidity		2.3	NTU	EPA180.1
8/26/2019 7:39	Turbidity		1.9	NTU	EPA180.1
8/27/2019 7:42	Turbidity		2.3	NTU	EPA180.1
8/28/2019 7:56	Turbidity		5.5	NTU	EPA180.1
8/29/2019 7:53	Turbidity		11.9	NTU	EPA180.1
8/30/2019 7:39	Turbidity		29.8	NTU	EPA180.1
8/31/2019 7:25	Turbidity		3	NTU	EPA180.1
9/1/2019 7:22	Turbidity		2.2	NTU	EPA180.1
9/2/2019 7:36	Turbidity		6.1	NTU	EPA180.1
9/3/2019 9:53	Turbidity		1.4	NTU	EPA180.1
9/4/2019 10:02	Turbidity		16.6	NTU	EPA180.1
9/5/2019 9:49	Turbidity		2.2	NTU	EPA180.1
9/9/2019 9:50	Turbidity		2.1	NTU	EPA180.1
9/10/2019 10:30	Turbidity		2	NTU	EPA180.1
9/11/2019 10:17	Turbidity		2	NTU	EPA180.1
9/12/2019 10:10	Turbidity		5.9	NTU	EPA180.1
9/16/2019 9:55	Turbidity		2.3	NTU	EPA180.1
9/17/2019 9:53	Turbidity		2.3	NTU	EPA180.1
9/18/2019 9:40	Turbidity		1.9	NTU	EPA180.1
9/19/2019 9:54	Turbidity		1.6	NTU	EPA180.1
9/23/2019 11:10	Turbidity		12.3	NTU	EPA180.1
9/24/2019 9:59	Turbidity		19.4	NTU	EPA180.1
9/25/2019 9:49	Turbidity		4.5	NTU	EPA180.1
9/26/2019 10:03	Turbidity		13.5	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/1/2019 9:30	E. coli		100	MPN/100 mL	SM9223 Colilert
5/2/2019 8:50	E. coli		4410	MPN/100 mL	SM9223 Colilert
5/6/2019 8:55	E. coli		300	MPN/100 mL	SM9223 Colilert
5/7/2019 10:48	E. coli		379	MPN/100 mL	SM9223 Colilert
5/8/2019 9:40	E. coli		242	MPN/100 mL	SM9223 Colilert
5/9/2019 9:20	E. coli		443	MPN/100 mL	SM9223 Colilert
5/13/2019 9:39	E. coli		3570	MPN/100 mL	SM9223 Colilert
5/14/2019 9:26	E. coli		728	MPN/100 mL	SM9223 Colilert
5/15/2019 9:40	E. coli		350	MPN/100 mL	SM9223 Colilert
5/16/2019 9:25	E. coli		544	MPN/100 mL	SM9223 Colilert
5/20/2019 6:56	E. coli		1090	MPN/100 mL	SM9223 Colilert
5/21/2019 7:05	E. coli		1065	MPN/100 mL	SM9223 Colilert
5/22/2019 8:00	E. coli		172	MPN/100 mL	SM9223 Colilert
5/23/2019 7:23	E. coli		456	MPN/100 mL	SM9223 Colilert
5/24/2019 7:13	E. coli		1534	MPN/100 mL	SM9223 Colilert
5/25/2019 6:55	E. coli		512	MPN/100 mL	SM9223 Colilert
5/26/2019 7:03	E. coli		1146	MPN/100 mL	SM9223 Colilert
5/27/2019 7:05	E. coli		5725	MPN/100 mL	SM9223 Colilert
5/28/2019 7:05	E. coli		2430	MPN/100 mL	SM9223 Colilert
5/29/2019 7:07	E. coli		10810	MPN/100 mL	SM9223 Colilert
5/30/2019 8:03	E. coli		995	MPN/100 mL	SM9223 Colilert
5/31/2019 7:31	E. coli		11235	MPN/100 mL	SM9223 Colilert
6/2/2019 7:07	E. coli		10912	MPN/100 mL	SM9223 Colilert
6/3/2019 7:25	E. coli		1078	MPN/100 mL	SM9223 Colilert
6/4/2019 7:06	E. coli		805	MPN/100 mL	SM9223 Colilert
6/5/2019 7:05	E. coli		1968	MPN/100 mL	SM9223 Colilert
6/6/2019 7:18	E. coli		12405	MPN/100 mL	SM9223 Colilert
6/7/2019 7:17	E. coli		1015	MPN/100 mL	SM9223 Colilert
6/8/2019 7:13	E. coli		730	MPN/100 mL	SM9223 Colilert
6/9/2019 7:05	E. coli		370	MPN/100 mL	SM9223 Colilert
6/10/2019 7:21	E. coli		1615	MPN/100 mL	SM9223 Colilert
6/11/2019 7:18	E. coli		9675	MPN/100 mL	SM9223 Colilert
6/12/2019 7:17	E. coli		1660	MPN/100 mL	SM9223 Colilert
6/13/2019 7:15	E. coli		4150	MPN/100 mL	SM9223 Colilert
6/14/2019 7:28	E. coli		16275	MPN/100 mL	SM9223 Colilert
6/15/2019 7:14	E. coli		2070	MPN/100 mL	SM9223 Colilert
6/16/2019 7:22	E. coli		20140	MPN/100 mL	SM9223 Colilert
6/17/2019 7:23	E. coli		3930	MPN/100 mL	SM9223 Colilert
6/18/2019 7:13	E. coli		630	MPN/100 mL	SM9223 Colilert
6/19/2019 7:26	E. coli		545	MPN/100 mL	SM9223 Colilert
6/20/2019 7:15	E. coli		49817.5	MPN/100 mL	SM9223 Colilert
6/21/2019 7:09	E. coli		51720	MPN/100 mL	SM9223 Colilert
6/22/2019 7:07	E. coli		980	MPN/100 mL	SM9223 Colilert
6/23/2019 7:04	E. coli		1565	MPN/100 mL	SM9223 Colilert
6/24/2019 7:26	E. coli		540	MPN/100 mL	SM9223 Colilert
6/25/2019 7:07	E. coli		11690	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 7:31	E. coli		2275	MPN/100 mL	SM9223 Colilert
6/27/2019 7:06	E. coli		670	MPN/100 mL	SM9223 Colilert
6/28/2019 7:12	E. coli		865	MPN/100 mL	SM9223 Colilert
6/29/2019 7:07	E. coli		9330	MPN/100 mL	SM9223 Colilert
6/30/2019 7:21	E. coli		1990	MPN/100 mL	SM9223 Colilert
7/1/2019 7:13	E. coli		1005	MPN/100 mL	SM9223 Colilert
7/2/2019 7:18	E. coli		856	MPN/100 mL	SM9223 Colilert
7/3/2019 7:10	E. coli		10715	MPN/100 mL	SM9223 Colilert
7/4/2019 7:25	E. coli		995	MPN/100 mL	SM9223 Colilert
7/5/2019 7:24	E. coli		2915	MPN/100 mL	SM9223 Colilert
7/6/2019 7:08	E. coli		3840	MPN/100 mL	SM9223 Colilert
7/7/2019 6:54	E. coli		1340	MPN/100 mL	SM9223 Colilert
7/8/2019 7:24	E. coli		402	MPN/100 mL	SM9223 Colilert
7/9/2019 7:05	E. coli		1049	MPN/100 mL	SM9223 Colilert
7/10/2019 7:20	E. coli		1318	MPN/100 mL	SM9223 Colilert
7/11/2019 7:32	E. coli		1092	MPN/100 mL	SM9223 Colilert
7/12/2019 7:20	E. coli		1330	MPN/100 mL	SM9223 Colilert
7/13/2019 7:22	E. coli		780	MPN/100 mL	SM9223 Colilert
7/14/2019 7:21	E. coli		728	MPN/100 mL	SM9223 Colilert
7/15/2019 7:27	E. coli		1199	MPN/100 mL	SM9223 Colilert
7/16/2019 7:18	E. coli		2400	MPN/100 mL	SM9223 Colilert
7/17/2019 7:25	E. coli		25860	MPN/100 mL	SM9223 Colilert
7/18/2019 7:22	E. coli		1460	MPN/100 mL	SM9223 Colilert
7/19/2019 7:16	E. coli		718	MPN/100 mL	SM9223 Colilert
7/20/2019 7:35	E. coli		20530	MPN/100 mL	SM9223 Colilert
7/21/2019 7:23	E. coli		7105	MPN/100 mL	SM9223 Colilert
7/22/2019 7:13	E. coli		1560	MPN/100 mL	SM9223 Colilert
7/23/2019 7:14	E. coli		544	MPN/100 mL	SM9223 Colilert
7/24/2019 7:40	E. coli		1476	MPN/100 mL	SM9223 Colilert
7/25/2019 7:14	E. coli		322	MPN/100 mL	SM9223 Colilert
7/26/2019 7:14	E. coli		610	MPN/100 mL	SM9223 Colilert
7/27/2019 7:04	E. coli		690	MPN/100 mL	SM9223 Colilert
7/28/2019 7:48	E. coli		500	MPN/100 mL	SM9223 Colilert
7/29/2019 7:17	E. coli		516	MPN/100 mL	SM9223 Colilert
7/30/2019 7:21	E. coli		166	MPN/100 mL	SM9223 Colilert
7/31/2019 7:10	E. coli		1918	MPN/100 mL	SM9223 Colilert
8/1/2019 7:11	E. coli		1248	MPN/100 mL	SM9223 Colilert
8/2/2019 7:15	E. coli		452	MPN/100 mL	SM9223 Colilert
8/3/2019 6:45	E. coli		6152	MPN/100 mL	SM9223 Colilert
8/4/2019 6:40	E. coli		398	MPN/100 mL	SM9223 Colilert
8/5/2019 7:10	E. coli		708	MPN/100 mL	SM9223 Colilert
8/6/2019 7:15	E. coli		808	MPN/100 mL	SM9223 Colilert
8/7/2019 7:44	E. coli		5664	MPN/100 mL	SM9223 Colilert
8/8/2019 7:40	E. coli		1690	MPN/100 mL	SM9223 Colilert
8/9/2019 7:40	E. coli		602	MPN/100 mL	SM9223 Colilert
8/10/2019 6:44	E. coli	<	1	MPN/100 mL	SM9223 Colilert

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/11/2019 8:05	E. coli		362	MPN/100 mL	SM9223 Colilert
8/12/2019 7:22	E. coli		10344	MPN/100 mL	SM9223 Colilert
8/13/2019 7:16	E. coli		3970	MPN/100 mL	SM9223 Colilert
8/14/2019 7:32	E. coli		602	MPN/100 mL	SM9223 Colilert
8/15/2019 7:14	E. coli		610	MPN/100 mL	SM9223 Colilert
8/16/2019 7:18	E. coli		4877.5	MPN/100 mL	SM9223 Colilert
8/17/2019 7:54	E. coli		1545	MPN/100 mL	SM9223 Colilert
8/18/2019 7:34	E. coli		6870	MPN/100 mL	SM9223 Colilert
8/19/2019 7:14	E. coli		5510	MPN/100 mL	SM9223 Colilert
8/20/2019 7:10	E. coli		870	MPN/100 mL	SM9223 Colilert
8/21/2019 7:09	E. coli		600	MPN/100 mL	SM9223 Colilert
8/22/2019 7:10	E. coli		12405	MPN/100 mL	SM9223 Colilert
8/23/2019 7:09	E. coli		10950	MPN/100 mL	SM9223 Colilert
8/24/2019 7:02	E. coli		1518	MPN/100 mL	SM9223 Colilert
8/25/2019 6:42	E. coli		296	MPN/100 mL	SM9223 Colilert
8/26/2019 7:16	E. coli		206	MPN/100 mL	SM9223 Colilert
8/27/2019 7:21	E. coli		544	MPN/100 mL	SM9223 Colilert
8/28/2019 7:36	E. coli		1542	MPN/100 mL	SM9223 Colilert
8/29/2019 7:28	E. coli		728	MPN/100 mL	SM9223 Colilert
8/30/2019 7:18	E. coli		610	MPN/100 mL	SM9223 Colilert
8/31/2019 7:03	E. coli		490	MPN/100 mL	SM9223 Colilert
9/1/2019 7:03	E. coli		584	MPN/100 mL	SM9223 Colilert
9/2/2019 7:18	E. coli		1024	MPN/100 mL	SM9223 Colilert
9/3/2019 9:31	E. coli		667	MPN/100 mL	SM9223 Colilert
9/5/2019 9:26	E. coli		361	MPN/100 mL	SM9223 Colilert
9/9/2019 10:15	E. coli		486	MPN/100 mL	SM9223 Colilert
9/10/2019 9:58	E. coli		1626	MPN/100 mL	SM9223 Colilert
9/11/2019 9:53	E. coli		512	MPN/100 mL	SM9223 Colilert
9/12/2019 9:35	E. coli		12976	MPN/100 mL	SM9223 Colilert
9/16/2019 9:35	E. coli		794	MPN/100 mL	SM9223 Colilert
9/17/2019 9:32	E. coli		31	MPN/100 mL	SM9223 Colilert
9/18/2019 9:25	E. coli		946	MPN/100 mL	SM9223 Colilert
9/19/2019 9:30	E. coli		544	MPN/100 mL	SM9223 Colilert
9/23/2019 10:30	E. coli		40	MPN/100 mL	SM9223 Colilert
9/24/2019 9:37	E. coli		1812	MPN/100 mL	SM9223 Colilert
9/25/2019 9:20	E. coli		470	MPN/100 mL	SM9223 Colilert
9/26/2019 9:42	E. coli		319	MPN/100 mL	SM9223 Colilert
9/30/2019 9:28	E. coli		126	MPN/100 mL	SM9223 Colilert
5/1/2019 9:30	Field Cond		1066	umhos/cm	SM 2510A
5/2/2019 8:50	Field Cond		449	umhos/cm	SM 2510A
5/6/2019 8:55	Field Cond		1145	umhos/cm	SM 2510A
5/7/2019 10:48	Field Cond		1079	umhos/cm	SM 2510A
5/8/2019 9:40	Field Cond		1260	umhos/cm	SM 2510A
5/9/2019 9:20	Field Cond		1216	umhos/cm	SM 2510A
5/13/2019 9:39	Field Cond		740	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/14/2019 9:26	Field Cond		995	umhos/cm	SM 2510A
5/15/2019 9:40	Field Cond		1209	umhos/cm	SM 2510A
5/16/2019 9:25	Field Cond		1213	umhos/cm	SM 2510A
5/20/2019 6:56	Field Cond		1100	umhos/cm	SM 2510A
5/22/2019 8:00	Field Cond		1223	umhos/cm	SM 2510A
5/23/2019 7:23	Field Cond		1176	umhos/cm	SM 2510A
5/24/2019 7:13	Field Cond		1189	umhos/cm	SM 2510A
5/25/2019 6:55	Field Cond		1149	umhos/cm	SM 2510A
5/26/2019 7:03	Field Cond		1124	umhos/cm	SM 2510A
5/27/2019 7:05	Field Cond		1026	umhos/cm	SM 2510A
5/28/2019 7:05	Field Cond		882	umhos/cm	SM 2510A
5/29/2019 7:07	Field Cond		682	umhos/cm	SM 2510A
5/30/2019 8:03	Field Cond		893	umhos/cm	SM 2510A
5/31/2019 7:31	Field Cond		603	umhos/cm	SM 2510A
6/1/2019 7:29	Field Cond		802	umhos/cm	SM 2510A
6/2/2019 7:07	Field Cond		821	umhos/cm	SM 2510A
6/3/2019 7:25	Field Cond		813	umhos/cm	SM 2510A
6/4/2019 7:06	Field Cond		968	umhos/cm	SM 2510A
6/5/2019 7:05	Field Cond		1052	umhos/cm	SM 2510A
6/6/2019 7:18	Field Cond		493	umhos/cm	SM 2510A
6/7/2019 7:17	Field Cond		776	umhos/cm	SM 2510A
6/8/2019 7:13	Field Cond		910	umhos/cm	SM 2510A
6/9/2019 7:05	Field Cond		974	umhos/cm	SM 2510A
6/10/2019 7:21	Field Cond		989	umhos/cm	SM 2510A
6/11/2019 7:18	Field Cond		584	umhos/cm	SM 2510A
6/12/2019 7:17	Field Cond		795	umhos/cm	SM 2510A
6/13/2019 7:15	Field Cond		856	umhos/cm	SM 2510A
6/14/2019 7:28	Field Cond		371	umhos/cm	SM 2510A
6/15/2019 7:14	Field Cond		711	umhos/cm	SM 2510A
6/16/2019 7:22	Field Cond		324	umhos/cm	SM 2510A
6/17/2019 7:23	Field Cond		527	umhos/cm	SM 2510A
6/18/2019 7:13	Field Cond		787	umhos/cm	SM 2510A
6/19/2019 7:26	Field Cond		922	umhos/cm	SM 2510A
6/20/2019 7:15	Field Cond		497	umhos/cm	SM 2510A
6/21/2019 7:09	Field Cond		490	umhos/cm	SM 2510A
6/22/2019 7:07	Field Cond		778	umhos/cm	SM 2510A
6/23/2019 7:04	Field Cond		898	umhos/cm	SM 2510A
6/24/2019 7:26	Field Cond		1098	umhos/cm	SM 2510A
6/25/2019 7:07	Field Cond		447	umhos/cm	SM 2510A
6/26/2019 7:31	Field Cond		806	umhos/cm	SM 2510A
6/27/2019 7:06	Field Cond		877	umhos/cm	SM 2510A
6/28/2019 7:12	Field Cond		1034	umhos/cm	SM 2510A
6/29/2019 7:07	Field Cond		514	umhos/cm	SM 2510A
6/30/2019 7:21	Field Cond		793	umhos/cm	SM 2510A
7/1/2019 7:13	Field Cond		897	umhos/cm	SM 2510A
7/2/2019 7:18	Field Cond		342	umhos/cm	SM 2510A



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/3/2019 7:10	Field Cond		966	umhos/cm	SM 2510A
7/4/2019 7:25	Field Cond		878	umhos/cm	SM 2510A
7/5/2019 7:24	Field Cond		740	umhos/cm	SM 2510A
7/6/2019 7:08	Field Cond		594	umhos/cm	SM 2510A
7/7/2019 6:54	Field Cond		727	umhos/cm	SM 2510A
7/8/2019 7:24	Field Cond		1009	umhos/cm	SM 2510A
7/9/2019 7:05	Field Cond		956	umhos/cm	SM 2510A
7/10/2019 7:20	Field Cond		924	umhos/cm	SM 2510A
7/11/2019 7:32	Field Cond		1027	umhos/cm	SM 2510A
7/12/2019 7:20	Field Cond		958	umhos/cm	SM 2510A
7/13/2019 7:22	Field Cond		1013	umhos/cm	SM 2510A
7/14/2019 7:21	Field Cond		843	umhos/cm	SM 2510A
7/15/2019 7:27	Field Cond		963	umhos/cm	SM 2510A
7/16/2019 7:18	Field Cond		1015	umhos/cm	SM 2510A
7/17/2019 7:25	Field Cond		518	umhos/cm	SM 2510A
7/18/2019 7:22	Field Cond		582	umhos/cm	SM 2510A
7/19/2019 7:16	Field Cond		766	umhos/cm	SM 2510A
7/20/2019 7:35	Field Cond		349	umhos/cm	SM 2510A
7/21/2019 7:23	Field Cond		532	umhos/cm	SM 2510A
7/22/2019 7:13	Field Cond		690	umhos/cm	SM 2510A
7/23/2019 7:14	Field Cond		760	umhos/cm	SM 2510A
7/24/2019 7:40	Field Cond		803	umhos/cm	SM 2510A
7/25/2019 7:14	Field Cond		936	umhos/cm	SM 2510A
7/26/2019 7:14	Field Cond		897	umhos/cm	SM 2510A
7/27/2019 7:04	Field Cond		949	umhos/cm	SM 2510A
7/28/2019 7:48	Field Cond		795	umhos/cm	SM 2510A
7/29/2019 7:17	Field Cond		905	umhos/cm	SM 2510A
7/30/2019 7:21	Field Cond		1042	umhos/cm	SM 2510A
7/31/2019 7:10	Field Cond		655	umhos/cm	SM 2510A
8/1/2019 7:11	Field Cond		741	umhos/cm	SM 2510A
8/2/2019 7:15	Field Cond		800	umhos/cm	SM 2510A
8/3/2019 6:45	Field Cond		850	umhos/cm	SM 2510A
8/4/2019 6:40	Field Cond		854	umhos/cm	SM 2510A
8/5/2019 7:10	Field Cond		906	umhos/cm	SM 2510A
8/6/2019 7:15	Field Cond		908	umhos/cm	SM 2510A
8/7/2019 7:44	Field Cond		392	umhos/cm	SM 2510A
8/8/2019 7:40	Field Cond		679	umhos/cm	SM 2510A
8/9/2019 7:40	Field Cond		863	umhos/cm	SM 2510A
8/10/2019 6:44	Field Cond		920	umhos/cm	SM 2510A
8/11/2019 8:05	Field Cond		928	umhos/cm	SM 2510A
8/12/2019 7:22	Field Cond		945	umhos/cm	SM 2510A
8/13/2019 7:16	Field Cond		933	umhos/cm	SM 2510A
8/14/2019 7:32	Field Cond		970	umhos/cm	SM 2510A
8/15/2019 7:14	Field Cond		924	umhos/cm	SM 2510A
8/16/2019 7:18	Field Cond		695	umhos/cm	SM 2510A
8/17/2019 7:54	Field Cond		818	umhos/cm	SM 2510A

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/18/2019 7:34	Field Cond		658	umhos/cm	SM 2510A
8/19/2019 7:14	Field Cond		608	umhos/cm	SM 2510A
8/20/2019 7:10	Field Cond		642	umhos/cm	SM 2510A
8/21/2019 7:09	Field Cond		734	umhos/cm	SM 2510A
8/22/2019 7:10	Field Cond		617	umhos/cm	SM 2510A
8/23/2019 7:09	Field Cond		656	umhos/cm	SM 2510A
8/24/2019 7:02	Field Cond		746	umhos/cm	SM 2510A
8/25/2019 6:42	Field Cond		786	umhos/cm	SM 2510A
8/26/2019 7:16	Field Cond		840	umhos/cm	SM 2510A
8/27/2019 7:21	Field Cond		868	umhos/cm	SM 2510A
8/28/2019 7:36	Field Cond		906	umhos/cm	SM 2510A
8/29/2019 7:28	Field Cond		929	umhos/cm	SM 2510A
8/30/2019 7:18	Field Cond		843	umhos/cm	SM 2510A
8/31/2019 7:03	Field Cond		857	umhos/cm	SM 2510A
9/1/2019 7:03	Field Cond		859	umhos/cm	SM 2510A
9/2/2019 7:18	Field Cond		1131	umhos/cm	SM 2510A
9/3/2019 9:31	Field Cond		897	umhos/cm	SM 2510A
9/4/2019 9:37	Field Cond		862	umhos/cm	SM 2510A
9/5/2019 9:26	Field Cond		850	umhos/cm	SM 2510A
9/9/2019 10:15	Field Cond		761	umhos/cm	SM 2510A
9/10/2019 9:58	Field Cond		1055	umhos/cm	SM 2510A
9/11/2019 9:53	Field Cond		862	umhos/cm	SM 2510A
9/12/2019 9:35	Field Cond		387	umhos/cm	SM 2510A
9/16/2019 9:35	Field Cond		757	umhos/cm	SM 2510A
9/17/2019 9:32	Field Cond		876	umhos/cm	SM 2510A
9/18/2019 9:25	Field Cond		837	umhos/cm	SM 2510A
9/19/2019 9:30	Field Cond		851	umhos/cm	SM 2510A
9/23/2019 10:30	Field Cond		869	umhos/cm	SM 2510A
9/24/2019 9:37	Field Cond		977	umhos/cm	SM 2510A
9/25/2019 9:20	Field Cond		1020	umhos/cm	SM 2510A
9/26/2019 9:42	Field Cond		998	umhos/cm	SM 2510A
5/1/2019 9:30	Field Temp		12.7	C	EPA 170.1
5/2/2019 8:50	Field Temp		14.4	C	EPA 170.1
5/6/2019 8:55	Field Temp		12.7	C	EPA 170.1
5/7/2019 10:48	Field Temp		13.5	C	EPA 170.1
5/8/2019 9:40	Field Temp		12.9	C	EPA 170.1
5/9/2019 9:20	Field Temp		16.1	C	EPA 170.1
5/13/2019 9:39	Field Temp		13	C	EPA 170.1
5/14/2019 9:26	Field Temp		10.6	C	EPA 170.1
5/15/2019 9:40	Field Temp		14.1	C	EPA 170.1
5/16/2019 9:25	Field Temp		14.9	C	EPA 170.1
5/20/2019 6:56	Field Temp		18.6	C	EPA 170.1
5/22/2019 8:00	Field Temp		13.8	C	EPA 170.1
5/23/2019 7:23	Field Temp		18.1	C	EPA 170.1
5/24/2019 7:13	Field Temp		17.5	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
5/25/2019 6:55	Field Temp		17.3	C	EPA 170.1
5/26/2019 7:03	Field Temp		20.7	C	EPA 170.1
5/27/2019 7:05	Field Temp		15.9	C	EPA 170.1
5/28/2019 7:05	Field Temp		18.4	C	EPA 170.1
5/29/2019 7:07	Field Temp		18.7	C	EPA 170.1
5/30/2019 8:03	Field Temp		18.3	C	EPA 170.1
5/31/2019 7:31	Field Temp		19	C	EPA 170.1
6/1/2019 7:29	Field Temp		18.5	C	EPA 170.1
6/2/2019 7:07	Field Temp		18.2	C	EPA 170.1
6/3/2019 7:25	Field Temp		15.1	C	EPA 170.1
6/4/2019 7:06	Field Temp		14.4	C	EPA 170.1
6/5/2019 7:05	Field Temp		18.3	C	EPA 170.1
6/6/2019 7:18	Field Temp		17.7	C	EPA 170.1
6/7/2019 7:17	Field Temp		16.9	C	EPA 170.1
6/8/2019 7:13	Field Temp		18	C	EPA 170.1
6/9/2019 7:05	Field Temp		19	C	EPA 170.1
6/10/2019 7:21	Field Temp		19.7	C	EPA 170.1
6/11/2019 7:18	Field Temp		17.5	C	EPA 170.1
6/12/2019 7:17	Field Temp		17.1	C	EPA 170.1
6/13/2019 7:15	Field Temp		17.6	C	EPA 170.1
6/14/2019 7:28	Field Temp		15.2	C	EPA 170.1
6/15/2019 7:14	Field Temp		16.8	C	EPA 170.1
6/16/2019 7:22	Field Temp		18.5	C	EPA 170.1
6/17/2019 7:23	Field Temp		17.7	C	EPA 170.1
6/18/2019 7:13	Field Temp		18	C	EPA 170.1
6/19/2019 7:26	Field Temp		18.5	C	EPA 170.1
6/20/2019 7:15	Field Temp		19.6	C	EPA 170.1
6/21/2019 7:09	Field Temp		18.1	C	EPA 170.1
6/22/2019 7:07	Field Temp		16.9	C	EPA 170.1
6/23/2019 7:04	Field Temp		17.1	C	EPA 170.1
6/24/2019 7:26	Field Temp		20.1	C	EPA 170.1
6/25/2019 7:07	Field Temp		20.8	C	EPA 170.1
6/26/2019 7:31	Field Temp		20.7	C	EPA 170.1
6/27/2019 7:06	Field Temp		21.5	C	EPA 170.1
6/28/2019 7:12	Field Temp		21.8	C	EPA 170.1
6/29/2019 7:07	Field Temp		22.9	C	EPA 170.1
6/30/2019 7:21	Field Temp		22.1	C	EPA 170.1
7/1/2019 7:13	Field Temp		20.7	C	EPA 170.1
7/2/2019 7:18	Field Temp		23.7	C	EPA 170.1
7/3/2019 7:10	Field Temp		22.8	C	EPA 170.1
7/4/2019 7:25	Field Temp		23.5	C	EPA 170.1
7/5/2019 7:24	Field Temp		23.8	C	EPA 170.1
7/6/2019 7:08	Field Temp		23.3	C	EPA 170.1
7/7/2019 6:54	Field Temp		24.6	C	EPA 170.1
7/8/2019 7:24	Field Temp		22.4	C	EPA 170.1
7/9/2019 7:05	Field Temp		20.4	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 7:20	Field Temp		22.6	C	EPA 170.1
7/11/2019 7:32	Field Temp		24.3	C	EPA 170.1
7/12/2019 7:20	Field Temp		22.4	C	EPA 170.1
7/13/2019 7:22	Field Temp		21.4	C	EPA 170.1
7/14/2019 7:21	Field Temp		22.8	C	EPA 170.1
7/15/2019 7:27	Field Temp		21.6	C	EPA 170.1
7/16/2019 7:18	Field Temp		24.1	C	EPA 170.1
7/17/2019 7:25	Field Temp		22.8	C	EPA 170.1
7/18/2019 7:22	Field Temp		23.3	C	EPA 170.1
7/19/2019 7:16	Field Temp		24.7	C	EPA 170.1
7/20/2019 7:35	Field Temp		24.5	C	EPA 170.1
7/21/2019 7:23	Field Temp		25	C	EPA 170.1
7/22/2019 7:13	Field Temp		22.5	C	EPA 170.1
7/23/2019 7:14	Field Temp		21.3	C	EPA 170.1
7/24/2019 7:40	Field Temp		20.3	C	EPA 170.1
7/25/2019 7:14	Field Temp		20.9	C	EPA 170.1
7/26/2019 7:14	Field Temp		20.5	C	EPA 170.1
7/27/2019 7:04	Field Temp		22.3	C	EPA 170.1
7/28/2019 7:48	Field Temp		22.8	C	EPA 170.1
7/29/2019 7:17	Field Temp		23.8	C	EPA 170.1
7/30/2019 7:21	Field Temp		23.5	C	EPA 170.1
7/31/2019 7:10	Field Temp		22.3	C	EPA 170.1
8/1/2019 7:11	Field Temp		21.8	C	EPA 170.1
8/2/2019 7:15	Field Temp		22.1	C	EPA 170.1
8/3/2019 6:45	Field Temp		21.6	C	EPA 170.1
8/4/2019 6:40	Field Temp		21.1	C	EPA 170.1
8/5/2019 7:10	Field Temp		22.4	C	EPA 170.1
8/6/2019 7:15	Field Temp		23.1	C	EPA 170.1
8/7/2019 7:44	Field Temp		23.3	C	EPA 170.1
8/8/2019 7:40	Field Temp		21.5	C	EPA 170.1
8/9/2019 7:40	Field Temp		21.2	C	EPA 170.1
8/10/2019 6:44	Field Temp		20.6	C	EPA 170.1
8/11/2019 8:05	Field Temp		20.9	C	EPA 170.1
8/12/2019 7:22	Field Temp		21.8	C	EPA 170.1
8/13/2019 7:16	Field Temp		22.3	C	EPA 170.1
8/14/2019 7:32	Field Temp		22	C	EPA 170.1
8/15/2019 7:14	Field Temp		21.5	C	EPA 170.1
8/16/2019 7:18	Field Temp		21.6	C	EPA 170.1
8/17/2019 7:54	Field Temp		22.1	C	EPA 170.1
8/18/2019 7:34	Field Temp		22.7	C	EPA 170.1
8/19/2019 7:14	Field Temp		21.8	C	EPA 170.1
8/20/2019 7:10	Field Temp		22.1	C	EPA 170.1
8/21/2019 7:09	Field Temp		23.6	C	EPA 170.1
8/22/2019 7:10	Field Temp		22.3	C	EPA 170.1
8/23/2019 7:09	Field Temp		19	C	EPA 170.1
8/24/2019 7:02	Field Temp		19.5	C	EPA 170.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
8/25/2019 6:42	Field Temp		17.5	C	EPA 170.1
8/26/2019 7:16	Field Temp		18.3	C	EPA 170.1
8/27/2019 7:21	Field Temp		19.7	C	EPA 170.1
8/28/2019 7:36	Field Temp		19.9	C	EPA 170.1
8/29/2019 7:28	Field Temp		19.7	C	EPA 170.1
8/30/2019 7:18	Field Temp		20.3	C	EPA 170.1
8/31/2019 7:03	Field Temp		19.5	C	EPA 170.1
9/1/2019 7:03	Field Temp		19.2	C	EPA 170.1
9/2/2019 7:18	Field Temp		19.9	C	EPA 170.1
9/3/2019 9:31	Field Temp		20.3	C	EPA 170.1
9/4/2019 9:37	Field Temp		21.7	C	EPA 170.1
9/5/2019 9:26	Field Temp		18.6	C	EPA 170.1
9/9/2019 10:15	Field Temp		18.3	C	EPA 170.1
9/10/2019 9:58	Field Temp		19.4	C	EPA 170.1
9/11/2019 9:53	Field Temp		21.6	C	EPA 170.1
9/12/2019 9:35	Field Temp		22.1	C	EPA 170.1
9/16/2019 9:35	Field Temp		20.4	C	EPA 170.1
9/17/2019 9:32	Field Temp		20.6	C	EPA 170.1
9/18/2019 9:25	Field Temp		18.5	C	EPA 170.1
9/19/2019 9:30	Field Temp		17.9	C	EPA 170.1
9/23/2019 10:30	Field Temp		20.3	C	EPA 170.1
9/24/2019 9:37	Field Temp		18.9	C	EPA 170.1
9/25/2019 9:20	Field Temp		19.1	C	EPA 170.1
9/26/2019 9:42	Field Temp		19.5	C	EPA 170.1
5/1/2019 9:30	pH		7.5	S.U.	
5/2/2019 8:50	pH		7.5	S.U.	
5/6/2019 8:55	pH		7.8	S.U.	
5/7/2019 10:48	pH		7.9	S.U.	
5/8/2019 9:40	pH		8	S.U.	
5/9/2019 9:20	pH		7.9	S.U.	
5/13/2019 9:39	pH		7.9	S.U.	
5/14/2019 9:26	pH		7.5	S.U.	
5/15/2019 9:40	pH		8	S.U.	
5/16/2019 9:25	pH		7.9	S.U.	
5/20/2019 6:56	pH		7.9	S.U.	
5/22/2019 8:00	pH		7.1	S.U.	
5/23/2019 7:23	pH		7	S.U.	
5/24/2019 7:13	pH		7.8	S.U.	
5/25/2019 6:55	pH		7.7	S.U.	
5/26/2019 7:03	pH		7.3	S.U.	
5/27/2019 7:05	pH		7.5	S.U.	
5/28/2019 7:05	pH		7.1	S.U.	
5/29/2019 7:07	pH		7.1	S.U.	
5/30/2019 8:03	pH		7.1	S.U.	
5/31/2019 7:31	pH		7	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/1/2019 7:29	pH		7.1	S.U.	
6/2/2019 7:07	pH		6.9	S.U.	
6/3/2019 7:25	pH		7.3	S.U.	
6/4/2019 7:06	pH		7.3	S.U.	
6/5/2019 7:05	pH		7.3	S.U.	
6/6/2019 7:18	pH		7.1	S.U.	
6/7/2019 7:17	pH		7.2	S.U.	
6/8/2019 7:13	pH		6.8	S.U.	
6/9/2019 7:05	pH		7	S.U.	
6/10/2019 7:21	pH		6.7	S.U.	
6/11/2019 7:18	pH		6.8	S.U.	
6/12/2019 7:17	pH		6.7	S.U.	
6/13/2019 7:15	pH		6.8	S.U.	
6/14/2019 7:28	pH		6.8	S.U.	
6/15/2019 7:14	pH		6.7	S.U.	
6/16/2019 7:22	pH		7	S.U.	
6/17/2019 7:23	pH		7	S.U.	
6/18/2019 7:13	pH		7	S.U.	
6/19/2019 7:26	pH		6.9	S.U.	
6/20/2019 7:15	pH		7	S.U.	
6/21/2019 7:09	pH		7	S.U.	
6/22/2019 7:07	pH		6.5	S.U.	
6/23/2019 7:04	pH		6.6	S.U.	
6/24/2019 7:26	pH		7.4	S.U.	
6/25/2019 7:07	pH		7.2	S.U.	
6/26/2019 7:31	pH		7.2	S.U.	
6/27/2019 7:06	pH		6	S.U.	
6/28/2019 7:12	pH		7.2	S.U.	
6/29/2019 7:07	pH		7.1	S.U.	
6/30/2019 7:21	pH		6.9	S.U.	
7/1/2019 7:13	pH		6.9	S.U.	
7/2/2019 7:18	pH		7.1	S.U.	
7/3/2019 7:10	pH		6.7	S.U.	
7/4/2019 7:25	pH		6.8	S.U.	
7/5/2019 7:24	pH		6.8	S.U.	
7/6/2019 7:08	pH		6.5	S.U.	
7/7/2019 6:54	pH		6.8	S.U.	
7/8/2019 7:24	pH		6.7	S.U.	
7/9/2019 7:05	pH		6.74	S.U.	
7/10/2019 7:20	pH		6.13	S.U.	
7/11/2019 7:32	pH		6.75	S.U.	
7/12/2019 7:20	pH		6.7	S.U.	
7/13/2019 7:22	pH		6.9	S.U.	
7/14/2019 7:21	pH		6.3	S.U.	
7/15/2019 7:27	pH		6.1	S.U.	
7/16/2019 7:18	pH		6.8	S.U.	

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/17/2019 7:25	pH		5.8	S.U.	
7/18/2019 7:22	pH		5.8	S.U.	
7/19/2019 7:16	pH		6.9	S.U.	
7/20/2019 7:35	pH		6.5	S.U.	
7/21/2019 7:23	pH		7.1	S.U.	
7/22/2019 7:13	pH		7.1	S.U.	
7/23/2019 7:14	pH		7.1	S.U.	
7/24/2019 7:40	pH		7.1	S.U.	
7/25/2019 7:14	pH		7.3	S.U.	
7/26/2019 7:14	pH		7.2	S.U.	
7/27/2019 7:04	pH		7.2	S.U.	
7/28/2019 7:48	pH		7.2	S.U.	
7/29/2019 7:17	pH		7.1	S.U.	
7/30/2019 7:21	pH		7.2	S.U.	
7/31/2019 7:10	pH		7.1	S.U.	
8/1/2019 7:11	pH		7.1	S.U.	
8/2/2019 7:15	pH		7.1	S.U.	
8/3/2019 6:45	pH		7.2	S.U.	
8/4/2019 6:40	pH		7.2	S.U.	
8/5/2019 7:10	pH		7.1	S.U.	
8/6/2019 7:15	pH		7.1	S.U.	
8/7/2019 7:44	pH		6.4	S.U.	
8/8/2019 7:40	pH		7.4	S.U.	
8/9/2019 7:40	pH		7.2	S.U.	
8/10/2019 6:44	pH		5.7	S.U.	
8/11/2019 8:05	pH		5.8	S.U.	
8/12/2019 7:22	pH		5.8	S.U.	
8/13/2019 7:16	pH		5.9	S.U.	
8/14/2019 7:32	pH		6.1	S.U.	
8/15/2019 7:14	pH		7.7	S.U.	
8/16/2019 7:18	pH		7.4	S.U.	
8/17/2019 7:54	pH		7.5	S.U.	
8/18/2019 7:34	pH		7.2	S.U.	
8/19/2019 7:14	pH		7.7	S.U.	
8/20/2019 7:10	pH		7.4	S.U.	
8/21/2019 7:09	pH		7.6	S.U.	
8/22/2019 7:10	pH		7.7	S.U.	
8/23/2019 7:09	pH		7.7	S.U.	
8/24/2019 7:02	pH		7.7	S.U.	
8/25/2019 6:42	pH		8	S.U.	
8/26/2019 7:16	pH		7.6	S.U.	
8/27/2019 7:21	pH		7.7	S.U.	
8/28/2019 7:36	pH		7.7	S.U.	
8/29/2019 7:28	pH		7.5	S.U.	
8/30/2019 7:18	pH		7.6	S.U.	
8/31/2019 7:03	pH		7.8	S.U.	



Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
9/1/2019 7:03	pH		7.8	S.U.	
9/2/2019 7:18	pH		7.2	S.U.	
9/3/2019 9:31	pH		7.1	S.U.	
9/4/2019 9:37	pH		7.1	S.U.	
9/5/2019 9:26	pH		7.5	S.U.	
9/9/2019 10:15	pH		7.5	S.U.	
9/10/2019 9:58	pH		6.4	S.U.	
9/11/2019 9:53	pH		7.4	S.U.	
9/12/2019 9:35	pH		6.9	S.U.	
9/16/2019 9:35	pH		7.5	S.U.	
9/17/2019 9:32	pH		7.3	S.U.	
9/18/2019 9:25	pH		7.9	S.U.	
9/19/2019 9:30	pH		7.4	S.U.	
9/23/2019 10:30	pH		6.9	S.U.	
9/24/2019 9:37	pH		7.2	S.U.	
9/25/2019 9:20	pH		7.9	S.U.	
9/26/2019 9:42	pH		7.3	S.U.	
5/1/2019 9:30	Turbidity		7.8	NTU	EPA180.1
5/2/2019 8:50	Turbidity		475	NTU	EPA180.1
5/6/2019 8:55	Turbidity		3.7	NTU	EPA180.1
5/7/2019 10:48	Turbidity		13.2	NTU	EPA180.1
5/8/2019 9:40	Turbidity		2.265	NTU	EPA180.1
5/9/2019 9:20	Turbidity		2.82	NTU	EPA180.1
5/13/2019 9:39	Turbidity		18.3	NTU	EPA180.1
5/14/2019 9:26	Turbidity		4.4	NTU	EPA180.1
5/15/2019 9:40	Turbidity		2.36	NTU	EPA180.1
5/16/2019 9:25	Turbidity		3.06	NTU	EPA180.1
5/20/2019 6:56	Turbidity		4.06	NTU	EPA180.1
5/22/2019 8:00	Turbidity		2.54	NTU	EPA180.1
5/23/2019 7:23	Turbidity		2.24	NTU	EPA180.1
5/24/2019 7:13	Turbidity		2.8	NTU	EPA180.1
5/25/2019 6:55	Turbidity		2.6	NTU	EPA180.1
5/26/2019 7:03	Turbidity		2.87	NTU	EPA180.1
5/27/2019 7:05	Turbidity		5.98	NTU	EPA180.1
5/28/2019 7:05	Turbidity		8.33	NTU	EPA180.1
5/29/2019 7:07	Turbidity		30.5	NTU	EPA180.1
5/30/2019 8:03	Turbidity		3.97	NTU	EPA180.1
5/31/2019 7:31	Turbidity		23.2	NTU	EPA180.1
6/1/2019 7:29	Turbidity		4.355	NTU	EPA180.1
6/2/2019 7:07	Turbidity		48.1	NTU	EPA180.1
6/3/2019 7:25	Turbidity		4.6	NTU	EPA180.1
6/4/2019 7:06	Turbidity		2.6	NTU	EPA180.1
6/5/2019 7:05	Turbidity		9	NTU	EPA180.1
6/6/2019 7:18	Turbidity		54.8	NTU	EPA180.1
6/7/2019 7:17	Turbidity		15.5	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
6/8/2019 7:13	Turbidity		15.2	NTU	EPA180.1
6/9/2019 7:05	Turbidity		5.3	NTU	EPA180.1
6/10/2019 7:21	Turbidity		4.1	NTU	EPA180.1
6/11/2019 7:18	Turbidity		23.3	NTU	EPA180.1
6/12/2019 7:17	Turbidity		5.25	NTU	EPA180.1
6/13/2019 7:15	Turbidity		30.5	NTU	EPA180.1
6/14/2019 7:28	Turbidity		143	NTU	EPA180.1
6/15/2019 7:14	Turbidity		11	NTU	EPA180.1
6/16/2019 7:22	Turbidity		258	NTU	EPA180.1
6/17/2019 7:23	Turbidity		36	NTU	EPA180.1
6/18/2019 7:13	Turbidity		9.4	NTU	EPA180.1
6/19/2019 7:26	Turbidity		8.5	NTU	EPA180.1
6/20/2019 7:15	Turbidity		1234	NTU	EPA180.1
6/21/2019 7:09	Turbidity		51	NTU	EPA180.1
6/22/2019 7:07	Turbidity		12.7	NTU	EPA180.1
6/23/2019 7:04	Turbidity		8.6	NTU	EPA180.1
6/24/2019 7:26	Turbidity		4.7	NTU	EPA180.1
6/25/2019 7:07	Turbidity		68.9	NTU	EPA180.1
6/26/2019 7:31	Turbidity		8.4	NTU	EPA180.1
6/27/2019 7:06	Turbidity		5.5	NTU	EPA180.1
6/28/2019 7:12	Turbidity		5.3	NTU	EPA180.1
6/29/2019 7:07	Turbidity		25.6	NTU	EPA180.1
6/30/2019 7:21	Turbidity		4.7	NTU	EPA180.1
7/1/2019 7:13	Turbidity		6.2	NTU	EPA180.1
7/2/2019 7:18	Turbidity		2	NTU	EPA180.1
7/3/2019 7:10	Turbidity		28.3	NTU	EPA180.1
7/4/2019 7:25	Turbidity		3.1	NTU	EPA180.1
7/5/2019 7:24	Turbidity		6.6	NTU	EPA180.1
7/6/2019 7:08	Turbidity		11.8	NTU	EPA180.1
7/7/2019 6:54	Turbidity		5.7	NTU	EPA180.1
7/8/2019 7:24	Turbidity		2.51	NTU	EPA180.1
7/9/2019 7:05	Turbidity		4.45	NTU	EPA180.1
7/10/2019 7:20	Turbidity		3.2	NTU	EPA180.1
7/11/2019 7:32	Turbidity		2.4	NTU	EPA180.1
7/12/2019 7:20	Turbidity		4.5	NTU	EPA180.1
7/13/2019 7:22	Turbidity		1.7	NTU	EPA180.1
7/14/2019 7:21	Turbidity		2.9	NTU	EPA180.1
7/15/2019 7:27	Turbidity		1.5	NTU	EPA180.1
7/16/2019 7:18	Turbidity		2	NTU	EPA180.1
7/17/2019 7:25	Turbidity		113	NTU	EPA180.1
7/18/2019 7:22	Turbidity		3.7	NTU	EPA180.1
7/19/2019 7:16	Turbidity		2.1	NTU	EPA180.1
7/20/2019 7:35	Turbidity		172	NTU	EPA180.1
7/21/2019 7:23	Turbidity		28.7	NTU	EPA180.1
7/22/2019 7:13	Turbidity		5.1	NTU	EPA180.1
7/23/2019 7:14	Turbidity		3.6	NTU	EPA180.1

Euclid Creek  
River Mile 0.55 (EM5)

Sample Date	Parameter	Code	Result	Units	Method
7/24/2019 7:40	Turbidity		5.8	NTU	EPA180.1
7/25/2019 7:14	Turbidity		2.6	NTU	EPA180.1
7/26/2019 7:14	Turbidity		2.1	NTU	EPA180.1
7/27/2019 7:04	Turbidity		1.8	NTU	EPA180.1
7/28/2019 7:48	Turbidity		1.55	NTU	EPA180.1
7/29/2019 7:17	Turbidity		2.1	NTU	EPA180.1
7/30/2019 7:21	Turbidity		2.9	NTU	EPA180.1
7/31/2019 7:10	Turbidity		16.4	NTU	EPA180.1
8/1/2019 7:11	Turbidity		4	NTU	EPA180.1
8/2/2019 7:15	Turbidity		2.1	NTU	EPA180.1
8/3/2019 6:45	Turbidity		2.1	NTU	EPA180.1
8/4/2019 6:40	Turbidity		2.2	NTU	EPA180.1
8/5/2019 7:10	Turbidity		2.7	NTU	EPA180.1
8/6/2019 7:15	Turbidity		2.5	NTU	EPA180.1
8/7/2019 7:44	Turbidity		43.2	NTU	EPA180.1
8/8/2019 7:40	Turbidity		4.3	NTU	EPA180.1
8/9/2019 7:40	Turbidity		4	NTU	EPA180.1
8/10/2019 6:44	Turbidity		2.3	NTU	EPA180.1
8/11/2019 8:05	Turbidity		3.1	NTU	EPA180.1
8/12/2019 7:22	Turbidity		1.8	NTU	EPA180.1
8/13/2019 7:16	Turbidity		3.1	NTU	EPA180.1
8/14/2019 7:32	Turbidity		2.3	NTU	EPA180.1
8/15/2019 7:14	Turbidity		1.6	NTU	EPA180.1
8/16/2019 7:18	Turbidity		7.8	NTU	EPA180.1
8/17/2019 7:54	Turbidity		3.1	NTU	EPA180.1
8/18/2019 7:34	Turbidity		14.3	NTU	EPA180.1
8/19/2019 7:14	Turbidity		24.4	NTU	EPA180.1
8/20/2019 7:10	Turbidity		4.2	NTU	EPA180.1
8/21/2019 7:09	Turbidity		2.2	NTU	EPA180.1
8/22/2019 7:10	Turbidity		67.3	NTU	EPA180.1
8/23/2019 7:09	Turbidity		2.7	NTU	EPA180.1
8/24/2019 7:02	Turbidity		1.9	NTU	EPA180.1
8/25/2019 6:42	Turbidity		2.1	NTU	EPA180.1
8/26/2019 7:16	Turbidity		3.2	NTU	EPA180.1
8/27/2019 7:21	Turbidity		3.5	NTU	EPA180.1
8/28/2019 7:36	Turbidity		2.8	NTU	EPA180.1
8/29/2019 7:28	Turbidity		2.2	NTU	EPA180.1
8/30/2019 7:18	Turbidity		1.7	NTU	EPA180.1
8/31/2019 7:03	Turbidity		7.3	NTU	EPA180.1
9/1/2019 7:03	Turbidity		2.3	NTU	EPA180.1
9/2/2019 7:18	Turbidity		2.8	NTU	EPA180.1
9/3/2019 9:31	Turbidity		1.8	NTU	EPA180.1
9/4/2019 9:37	Turbidity		3.25	NTU	EPA180.1
9/5/2019 9:26	Turbidity		1.5	NTU	EPA180.1
9/9/2019 10:15	Turbidity		1.9	NTU	EPA180.1
9/10/2019 9:58	Turbidity		2	NTU	EPA180.1

Euclid Creek River Mile 0.55 (EM5)					
Sample Date	Parameter	Code	Result	Units	Method
9/11/2019 9:53	Turbidity		1.8	NTU	EPA180.1
9/12/2019 9:35	Turbidity		43	NTU	EPA180.1
9/16/2019 9:35	Turbidity		4.3	NTU	EPA180.1
9/17/2019 9:32	Turbidity		3.3	NTU	EPA180.1
9/18/2019 9:25	Turbidity		1.9	NTU	EPA180.1
9/19/2019 9:30	Turbidity		1.2	NTU	EPA180.1
9/23/2019 10:30	Turbidity		1.8	NTU	EPA180.1
9/24/2019 9:37	Turbidity		1.4	NTU	EPA180.1
9/25/2019 9:20	Turbidity		1.1	NTU	EPA180.1
9/26/2019 9:42	Turbidity		1.1	NTU	EPA180.1