

Mill Creek RM 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 10:25	Ag	<	0.2	ug/L	EPA-200.7
6/22/2006 9:19	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 8:12	Ag	<	0.2	ug/L	EPA-200.7
7/6/2006 9:10	Ag	<	0.2	ug/L	EPA-200.7
7/20/2006 7:47	Ag	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	Ag	<	0.2	ug/L	EPA-200.7
8/3/2006 9:25	Ag	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 9:10	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 10:25	Al	<	3	ug/L	EPA-200.7
6/22/2006 9:19	Al		909.25	ug/L	EPA-200.7
6/29/2006 8:12	Al		234	ug/L	EPA-200.7
7/6/2006 9:10	Al		174	ug/L	EPA-200.7
7/20/2006 7:47	Al	<	3	ug/L	EPA-200.7
7/27/2006 8:51	Al		94	ug/L	EPA-200.7
8/3/2006 9:25	Al	j	5.6	ug/L	EPA-200.7
8/17/2006 10:38	Al		109	ug/L	EPA-200.7
8/31/2006 9:10	Al		13	ug/L	EPA-200.7
6/15/2006 10:25	Alkalinity		192	mg/LCaCO3	EPA-310.2
6/22/2006 9:19	Alkalinity		84.5	mg/LCaCO3	EPA-310.2
6/29/2006 8:12	Alkalinity		168	mg/LCaCO3	EPA-310.2
7/6/2006 9:10	Alkalinity		183	mg/LCaCO3	EPA-310.2
7/20/2006 7:47	Alkalinity		179	mg/LCaCO3	EPA-310.2
7/27/2006 8:51	Alkalinity		121	mg/LCaCO3	EPA-310.2
8/3/2006 9:25	Alkalinity		197	mg/LCaCO3	EPA-310.2
8/17/2006 10:38	Alkalinity		145	mg/LCaCO3	EPA-310.2
8/31/2006 9:10	Alkalinity		139	mg/LCaCO3	EPA-310.2
6/15/2006 10:25	As	j	1	ug/L	EPA-200.7
6/22/2006 9:19	As		3.75	ug/L	EPA-200.7
6/29/2006 8:12	As		2	ug/L	EPA-200.7
7/6/2006 9:10	As		2	ug/L	EPA-200.7
7/20/2006 7:47	As		2	ug/L	EPA-200.7
7/27/2006 8:51	As		3	ug/L	EPA-200.7
8/3/2006 9:25	As	j	2	ug/L	EPA-200.7
8/17/2006 10:38	As	j	1.9	ug/L	EPA-200.7
8/31/2006 9:10	As		2.3	ug/L	EPA-200.7
6/15/2006 10:25	Be	<	0.2	ug/L	EPA-200.7
6/22/2006 9:19	Be	<	0.2	ug/L	EPA-200.7
6/29/2006 8:12	Be	<	0.2	ug/L	EPA-200.7
7/6/2006 9:10	Be	<	0.2	ug/L	EPA-200.7
7/20/2006 7:47	Be	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	Be	<	0.2	ug/L	EPA-200.7

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
8/3/2006 9:25	Be	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	Be	<	0.2	ug/L	EPA-200.7
8/31/2006 9:10	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 10:25	BOD	<	2	mg/L	SM 5210
6/22/2006 9:19	BOD		3.75	mg/L	SM 5210
6/29/2006 8:12	BOD		20	mg/L	SM 5210
7/6/2006 9:10	BOD	<	2	mg/L	SM 5210
7/20/2006 7:47	BOD	<	2	mg/L	SM 5210
7/27/2006 8:51	BOD		5	mg/L	SM 5210
8/3/2006 9:25	BOD	<	2	mg/L	SM 5210
8/17/2006 10:38	BOD	<	2	mg/L	SM 5210
8/31/2006 9:10	BOD	<	2	mg/L	SM 5210
6/15/2006 10:25	Ca		90100	ug/L	EPA-200.7
6/22/2006 9:19	Ca		36925	ug/L	EPA-200.7
6/29/2006 8:12	Ca		69400	ug/L	EPA-200.7
7/6/2006 9:10	Ca		76000	ug/L	EPA-200.7
7/20/2006 7:47	Ca		79600	ug/L	EPA-200.7
7/27/2006 8:51	Ca		57500	ug/L	EPA-200.7
8/3/2006 9:25	Ca		87800	ug/L	EPA-200.7
8/17/2006 10:38	Ca		65300	ug/L	EPA-200.7
8/31/2006 9:10	Ca		61000	ug/L	EPA-200.7
6/15/2006 10:25	CaCO3		308	mg/LCaCO3	EPA-200.7
6/22/2006 9:19	CaCO3		119.75	mg/LCaCO3	EPA-200.7
6/29/2006 8:12	CaCO3		228	mg/LCaCO3	EPA-200.7
7/6/2006 9:10	CaCO3		251	mg/LCaCO3	EPA-200.7
7/20/2006 7:47	CaCO3		267	mg/LCaCO3	EPA-200.7
7/27/2006 8:51	CaCO3		191	mg/LCaCO3	EPA-200.7
8/3/2006 9:25	CaCO3		290	mg/LCaCO3	EPA-200.7
8/17/2006 10:38	CaCO3		220	mg/LCaCO3	EPA-200.7
8/31/2006 9:10	CaCO3		201	mg/LCaCO3	EPA-200.7
6/15/2006 10:25	Cd	<	0.2	ug/L	EPA-200.7
6/22/2006 9:19	Cd	<	0.2	ug/L	EPA-200.7
6/29/2006 8:12	Cd	<	0.2	ug/L	EPA-200.7
7/6/2006 9:10	Cd	<	0.2	ug/L	EPA-200.7
7/20/2006 7:47	Cd	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	Cd	<	0.2	ug/L	EPA-200.7
8/3/2006 9:25	Cd	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	Cd	<	0.2	ug/L	EPA-200.7
8/31/2006 9:10	Cd	<	0.2	ug/L	EPA-200.7
6/15/2006 10:25	Co	<	0.2	ug/L	EPA-200.7
6/22/2006 9:19	Co	<	0.2	ug/L	EPA-200.7

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 8:12	Co	<	0.2	ug/L	EPA-200.7
7/6/2006 9:10	Co	<	0.2	ug/L	EPA-200.7
7/20/2006 7:47	Co	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	Co	<	0.2	ug/L	EPA-200.7
8/3/2006 9:25	Co	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	Co	j	0.3	ug/L	EPA-200.7
8/31/2006 9:10	Co	j	0.4	ug/L	EPA-200.7
6/15/2006 10:25	COD		3	mg/L	EPA 410.4
6/29/2006 8:12	COD		40	mg/L	EPA 410.4
7/6/2006 9:10	COD		8	mg/L	EPA 410.4
7/20/2006 7:47	COD		17	mg/L	EPA 410.4
7/27/2006 8:51	COD		25	mg/L	EPA 410.4
8/3/2006 9:25	COD		9	mg/L	EPA 410.4
8/17/2006 10:38	COD		13	mg/L	EPA 410.4
8/31/2006 9:10	COD		17	mg/L	EPA 410.4
6/22/2006 9:19	Conduct		538	mS/cm	SM 2510B
6/15/2006 10:25	Cr	<	0.3	ug/L	EPA-200.7
6/22/2006 9:19	Cr		2	ug/L	EPA-200.7
6/29/2006 8:12	Cr		4	ug/L	EPA-200.7
7/6/2006 9:10	Cr	<	0.3	ug/L	EPA-200.7
7/20/2006 7:47	Cr	<	0.3	ug/L	EPA-200.7
7/27/2006 8:51	Cr	<	0.3	ug/L	EPA-200.7
8/17/2006 10:38	Cr	j	0.5	ug/L	EPA-200.7
8/31/2006 9:10	Cr	j	0.8	ug/L	EPA-200.7
6/15/2006 10:25	Cr+6	j	2.36	ug/L	SM 3500-Cr-D
6/22/2006 9:19	Cr+6		5.93	ug/L	SM 3500-Cr-D
6/29/2006 8:12	Cr+6		2.64	ug/L	SM 3500-Cr-D
7/6/2006 9:10	Cr+6	j	2.54	ug/L	SM 3500-Cr-D
7/20/2006 7:47	Cr+6	j	2.86	ug/L	SM 3500-Cr-D
7/27/2006 8:51	Cr+6	j	2.51	ug/L	SM 3500-Cr-D
8/17/2006 10:38	Cr+6	j	1.47	ug/L	SM 3500-Cr-D
8/31/2006 9:10	Cr+6	j	3.29	ug/L	SM 3500-Cr-D
6/15/2006 10:25	Cu		4	ug/L	EPA-200.7
6/22/2006 9:19	Cu		10.5	ug/L	EPA-200.7
6/29/2006 8:12	Cu		8	ug/L	EPA-200.7
7/6/2006 9:10	Cu		5	ug/L	EPA-200.7
7/20/2006 7:47	Cu		5	ug/L	EPA-200.7
7/27/2006 8:51	Cu		5	ug/L	EPA-200.7
8/3/2006 9:25	Cu		4	ug/L	EPA-200.7
8/17/2006 10:38	Cu		4.7	ug/L	EPA-200.7
8/31/2006 9:10	Cu		4.5	ug/L	EPA-200.7

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 10:25	Fe		169	ug/L	EPA-200.7
6/22/2006 9:19	Fe		1672.5	ug/L	EPA-200.7
6/29/2006 8:12	Fe		677	ug/L	EPA-200.7
7/6/2006 9:10	Fe		563.5	ug/L	EPA-200.7
7/20/2006 7:47	Fe		129	ug/L	EPA-200.7
7/27/2006 8:51	Fe		340	ug/L	EPA-200.7
8/3/2006 9:25	Fe		158	ug/L	EPA-200.7
8/17/2006 10:38	Fe		357	ug/L	EPA-200.7
8/31/2006 9:10	Fe		171	ug/L	EPA-200.7
6/15/2006 10:25	Field Cond		1815	uS/cm	SM 2510A
6/22/2006 9:19	Field Cond		1815	uS/cm	SM 2510A
6/29/2006 8:12	Field Cond		1115	uS/cm	SM 2510A
7/6/2006 9:10	Field Cond		1255	uS/cm	SM 2510A
7/20/2006 7:47	Field Cond		1634	uS/cm	SM 2510A
7/27/2006 8:51	Field Cond		1178	uS/cm	SM 2510A
8/3/2006 9:25	Field Cond		1505	uS/cm	SM 2510A
8/17/2006 10:38	Field Cond		1070	uS/cm	SM 2510A
8/31/2006 9:10	Field Cond		1026	uS/cm	SM 2510A
6/15/2006 10:25	Field DO		10.79	mg/L	SM 4500-O G
6/22/2006 9:19	Field DO		10.79	mg/L	SM 4500-O G
6/29/2006 8:12	Field DO		8.98	mg/L	SM 4500-O G
7/6/2006 9:10	Field DO		-	mg/L	SM 4500-O G
7/27/2006 8:51	Field DO		8.51	mg/L	SM 4500-O G
8/3/2006 9:25	Field DO		7.98	mg/L	SM 4500-O G
8/17/2006 10:38	Field DO		9.7	mg/L	SM 4500-O G
8/31/2006 9:10	Field DO		8.89	mg/L	SM 4500-O G
6/15/2006 10:25	Field Temp		16.06	C	EPA 170.1
6/22/2006 9:19	Field Temp		16	C	EPA 170.1
6/29/2006 8:12	Field Temp		17.95	C	EPA 170.1
7/6/2006 9:10	Field Temp		16.97	C	EPA 170.1
7/20/2006 7:47	Field Temp		20.9	C	EPA 170.1
7/27/2006 8:51	Field Temp		22.44	C	EPA 170.1
8/3/2006 9:25	Field Temp		23.7	C	EPA 170.1
8/17/2006 10:38	Field Temp		19.59	C	EPA 170.1
8/31/2006 9:10	Field Temp		18.36	C	EPA 170.1
6/15/2006 10:25	Hg	<	0.05	ug/L	EPA 245.1
6/22/2006 9:19	Hg	<	0.05	ug/L	EPA 245.1
6/29/2006 8:12	Hg	<	0.05	ug/L	EPA 245.1
7/6/2006 9:10	Hg	<	0.05	ug/L	EPA 245.1
7/20/2006 7:47	Hg	<	0.05	ug/L	EPA 245.1
7/27/2006 8:51	Hg	<	0.05	ug/L	EPA 245.1

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
8/3/2006 9:25	Hg	<	0.05	ug/L	EPA 245.1
8/17/2006 10:38	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 9:10	Hg	<	0.05	ug/L	EPA 245.1
9/14/2006 12:00	ICI		0	N/A	
6/15/2006 10:25	K		5630	ug/L	EPA-200.7
6/22/2006 9:19	K		4397.5	ug/L	EPA-200.7
6/29/2006 8:12	K		5610	ug/L	EPA-200.7
7/6/2006 9:10	K		5545	ug/L	EPA-200.7
7/20/2006 7:47	K		5960	ug/L	EPA-200.7
7/27/2006 8:51	K		5150	ug/L	EPA-200.7
8/3/2006 9:25	K		6620	ug/L	EPA-200.7
8/17/2006 10:38	K		4910	ug/L	EPA-200.7
8/31/2006 9:10	K		5400	ug/L	EPA-200.7
6/15/2006 10:25	Mg		20100	ug/L	EPA-200.7
6/22/2006 9:19	Mg		6655	ug/L	EPA-200.7
6/29/2006 8:12	Mg		13200	ug/L	EPA-200.7
7/6/2006 9:10	Mg		14900	ug/L	EPA-200.7
7/20/2006 7:47	Mg		16600	ug/L	EPA-200.7
7/27/2006 8:51	Mg		11600	ug/L	EPA-200.7
8/3/2006 9:25	Mg		17300	ug/L	EPA-200.7
8/17/2006 10:38	Mg		13900	ug/L	EPA-200.7
8/31/2006 9:10	Mg		11900	ug/L	EPA-200.7
6/15/2006 10:25	Mn		41	ug/L	EPA-200.7
6/22/2006 9:19	Mn		53	ug/L	EPA-200.7
6/29/2006 8:12	Mn		129	ug/L	EPA-200.7
7/6/2006 9:10	Mn		64.5	ug/L	EPA-200.7
7/20/2006 7:47	Mn		55	ug/L	EPA-200.7
7/27/2006 8:51	Mn		49	ug/L	EPA-200.7
8/3/2006 9:25	Mn		52	ug/L	EPA-200.7
8/17/2006 10:38	Mn		54.2	ug/L	EPA-200.7
8/31/2006 9:10	Mn		34.1	ug/L	EPA-200.7
6/15/2006 10:25	Mo		10	ug/L	EPA-200.7
6/22/2006 9:19	Mo		4	ug/L	EPA-200.7
6/29/2006 8:12	Mo		7	ug/L	EPA-200.7
7/6/2006 9:10	Mo		7.5	ug/L	EPA-200.7
7/20/2006 7:47	Mo		10	ug/L	EPA-200.7
7/27/2006 8:51	Mo		6	ug/L	EPA-200.7
8/3/2006 9:25	Mo		11	ug/L	EPA-200.7
8/17/2006 10:38	Mo		10.2	ug/L	EPA-200.7
8/31/2006 9:10	Mo		8.6	ug/L	EPA-200.7

Mill Creek RM 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 10:25	Na		197000	ug/L	EPA-200.7
6/22/2006 9:19	Na		61950	ug/L	EPA-200.7
6/29/2006 8:12	Na		135000	ug/L	EPA-200.7
7/6/2006 9:10	Na		146500	ug/L	EPA-200.7
7/20/2006 7:47	Na		169000	ug/L	EPA-200.7
7/27/2006 8:51	Na		141000	ug/L	EPA-200.7
8/3/2006 9:25	Na		197000	ug/L	EPA-200.7
8/17/2006 10:38	Na		121000	ug/L	EPA-200.7
8/31/2006 9:10	Na		121000	ug/L	EPA-200.7
6/15/2006 10:25	NH3		0.02	mg/L	EPA-350.1
6/22/2006 9:19	NH3		0.09	mg/L	EPA-350.1
6/29/2006 8:12	NH3		0.06	mg/L	EPA-350.1
7/6/2006 9:10	NH3		0.01	mg/L	EPA-350.1
7/20/2006 7:47	NH3		0.02	mg/L	EPA-350.1
7/27/2006 8:51	NH3	<	0.01	mg/L	EPA-350.1
8/3/2006 9:25	NH3		0.04	mg/L	EPA-350.1
8/17/2006 10:38	NH3		0.02	mg/L	EPA-350.1
8/31/2006 9:10	NH3		0.03	mg/L	EPA-350.1
6/15/2006 10:25	Ni	j	1	ug/L	EPA-200.7
6/22/2006 9:19	Ni		2.5	ug/L	EPA-200.7
6/29/2006 8:12	Ni		3	ug/L	EPA-200.7
7/6/2006 9:10	Ni	j	2	ug/L	EPA-200.7
7/20/2006 7:47	Ni	j	2	ug/L	EPA-200.7
7/27/2006 8:51	Ni		2	ug/L	EPA-200.7
8/3/2006 9:25	Ni	j	1	ug/L	EPA-200.7
8/17/2006 10:38	Ni	j	1.2	ug/L	EPA-200.7
8/31/2006 9:10	Ni	j	1.5	ug/L	EPA-200.7
6/15/2006 10:25	NO2		0.02	mg/L	SM 4500-NO2-B
6/22/2006 9:19	NO2		0.03	mg/L	SM 4500-NO2-B
6/29/2006 8:12	NO2		0.02	mg/L	SM 4500-NO2-B
7/6/2006 9:10	NO2		0.02	mg/L	SM 4500-NO2-B
7/20/2006 7:47	NO2		0.03	mg/L	SM 4500-NO2-B
7/27/2006 8:51	NO2		0.02	mg/L	SM 4500-NO2-B
8/3/2006 9:25	NO2		0.04	mg/L	SM 4500-NO2-B
8/17/2006 10:38	NO2		0.01	mg/L	SM 4500-NO2-B
8/31/2006 9:10	NO2		0.02	mg/L	SM 4500-NO2-B
6/15/2006 10:25	NO3		0.38	mg/L	EPA 353.2
6/22/2006 9:19	NO3		0.61	mg/L	EPA 353.2
6/29/2006 8:12	NO3		0.75	mg/L	EPA 353.2
7/6/2006 9:10	NO3		0.56	mg/L	EPA 353.2
7/20/2006 7:47	NO3		0.25	mg/L	EPA 353.2
7/27/2006 8:51	NO3		0.34	mg/L	EPA 353.2

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
8/3/2006 9:25	NO3		0.35	mg/L	EPA 353.2
8/17/2006 10:38	NO3		0.33	mg/L	EPA 353.2
8/31/2006 9:10	NO3		0.64	mg/L	EPA 353.2
6/15/2006 10:25	NO3+NO2		0.4	mg/L	EPA 353.2
6/22/2006 9:19	NO3+NO2		0.64	mg/L	EPA 353.2
6/29/2006 8:12	NO3+NO2		0.77	mg/L	EPA 353.2
7/6/2006 9:10	NO3+NO2		0.58	mg/L	EPA 353.2
7/20/2006 7:47	NO3+NO2		0.28	mg/L	EPA 353.2
7/27/2006 8:51	NO3+NO2		0.36	mg/L	EPA 353.2
8/3/2006 9:25	NO3+NO2		0.38	mg/L	EPA 353.2
8/17/2006 10:38	NO3+NO2		0.34	mg/L	EPA 353.2
8/31/2006 9:10	NO3+NO2		0.66	mg/L	EPA 353.2
6/15/2006 10:25	Pb	<	0.5	ug/L	EPA-200.7
6/22/2006 9:19	Pb	j	1.75	ug/L	EPA-200.7
6/29/2006 8:12	Pb	j	2	ug/L	EPA-200.7
7/6/2006 9:10	Pb	<	0.5	ug/L	EPA-200.7
7/20/2006 7:47	Pb	<	0.5	ug/L	EPA-200.7
7/27/2006 8:51	Pb	<	0.5	ug/L	EPA-200.7
8/3/2006 9:25	Pb	<	0.5	ug/L	EPA-200.7
8/17/2006 10:38	Pb	<	0.5	ug/L	EPA-200.7
8/31/2006 9:10	Pb	<	0.5	ug/L	EPA-200.7
6/15/2006 10:25	pH		8.69	S.U.	
6/22/2006 9:19	pH		8.69	S.U.	
7/6/2006 9:10	pH		7.32	S.U.	
7/20/2006 7:47	pH		8.17	S.U.	
7/27/2006 8:51	pH		7.83	S.U.	
8/17/2006 10:38	pH		8.47	S.U.	
8/31/2006 9:10	pH		8.38	S.U.	
6/15/2006 10:25	Sb	<	0.2	ug/L	EPA-200.7
6/29/2006 8:12	Sb	<	0.2	ug/L	EPA-200.7
7/6/2006 9:10	Sb	<	0.2	ug/L	EPA-200.7
7/20/2006 7:47	Sb	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	Sb	<	0.2	ug/L	EPA-200.7
8/3/2006 9:25	Sb	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	Sb	<	0.2	ug/L	EPA-200.7
8/31/2006 9:10	Sb	<	0.2	ug/L	EPA-200.7
6/15/2006 10:25	Se	j	2	ug/L	EPA-200.7
6/22/2006 9:19	Se	j	1.75	ug/L	EPA-200.7
6/29/2006 8:12	Se	j	2	ug/L	EPA-200.7
7/6/2006 9:10	Se	j	2.5	ug/L	EPA-200.7
7/20/2006 7:47	Se	j	2	ug/L	EPA-200.7

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
7/27/2006 8:51	Se	j	1	ug/L	EPA-200.7
8/3/2006 9:25	Se	j	2	ug/L	EPA-200.7
8/17/2006 10:38	Se	j	2.1	ug/L	EPA-200.7
8/31/2006 9:10	Se	j	2	ug/L	EPA-200.7
6/15/2006 10:25	Sn	<	4	ug/L	EPA-200.7
6/22/2006 9:19	Sn	<	4.3	ug/L	EPA-200.7
6/29/2006 8:12	Sn	j	8	ug/L	EPA-200.7
7/6/2006 9:10	Sn	j	6.5	ug/L	EPA-200.7
7/20/2006 7:47	Sn	<	4	ug/L	EPA-200.7
7/27/2006 8:51	Sn	<	4.3	ug/L	EPA-200.7
8/3/2006 9:25	Sn	j	9.4	ug/L	EPA-200.7
8/17/2006 10:38	Sn	j	4.3	ug/L	EPA-200.7
8/31/2006 9:10	Sn	j	4.4	ug/L	EPA-200.7
6/15/2006 10:25	Soluble-P		0.08	mg/L	EPA 365.1
6/22/2006 9:19	Soluble-P		0.06	mg/L	EPA 365.1
6/29/2006 8:12	Soluble-P		0.02	mg/L	EPA 365.1
7/6/2006 9:10	Soluble-P		0.03	mg/L	EPA 365.1
7/20/2006 7:47	Soluble-P		0.06	mg/L	EPA 365.1
7/27/2006 8:51	Soluble-P		0.03	mg/L	EPA 365.1
8/3/2006 9:25	Soluble-P		0.05	mg/L	EPA 365.1
8/17/2006 10:38	Soluble-P		0.08	mg/L	EPA 365.1
8/31/2006 9:10	Soluble-P		0.04	mg/L	EPA 365.1
6/15/2006 10:25	TDS		1026	mg/L	SM2540C
6/22/2006 9:19	TDS		339.75	mg/L	SM2540C
6/29/2006 8:12	TDS		630	mg/L	SM2540C
7/6/2006 9:10	TDS		650.5	mg/L	SM2540C
7/20/2006 7:47	TDS		899	mg/L	SM2540C
7/27/2006 8:51	TDS		667	mg/L	SM2540C
8/3/2006 9:25	TDS		842	mg/L	SM2540C
8/17/2006 10:38	TDS		611	mg/L	SM2540C
8/31/2006 9:10	TDS		576	mg/L	SM2540C
6/15/2006 10:25	Ti	<	0.2	ug/L	EPA-200.7
6/22/2006 9:19	Ti		13	ug/L	EPA-200.7
6/29/2006 8:12	Ti		4	ug/L	EPA-200.7
7/6/2006 9:10	Ti		2	ug/L	EPA-200.7
7/20/2006 7:47	Ti	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	Ti	<	0.2	ug/L	EPA-200.7
8/3/2006 9:25	Ti	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	Ti	j	0.9	ug/L	EPA-200.7
8/31/2006 9:10	Ti	<	0.2	ug/L	EPA-200.7
6/15/2006 10:25	Tl		6	ug/L	EPA-200.7

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
6/22/2006 9:19	TI		4.75	ug/L	EPA-200.7
6/29/2006 8:12	TI		9	ug/L	EPA-200.7
7/6/2006 9:10	TI		11	ug/L	EPA-200.7
7/20/2006 7:47	TI		8	ug/L	EPA-200.7
7/27/2006 8:51	TI		6	ug/L	EPA-200.7
8/3/2006 9:25	TI		10	ug/L	EPA-200.7
8/17/2006 10:38	TI		8.7	ug/L	EPA-200.7
8/31/2006 9:10	TI		7.7	ug/L	EPA-200.7
6/15/2006 10:25	TMET	<	10	ug/L	EPA-200.7
6/22/2006 9:19	TMET		32	ug/L	EPA-200.7
6/29/2006 8:12	TMET		35	ug/L	EPA-200.7
7/6/2006 9:10	TMET		13	ug/L	EPA-200.7
7/20/2006 7:47	TMET		13	ug/L	EPA-200.7
7/27/2006 8:51	TMET		24	ug/L	EPA-200.7
8/3/2006 9:25	TMET		10	ug/L	EPA-200.7
8/17/2006 10:38	TMET		12.2	ug/L	EPA-200.7
8/31/2006 9:10	TMET		10.4	ug/L	EPA-200.7
6/15/2006 10:25	Total-P		0.09	mg/L	EPA 365.1
6/22/2006 9:19	Total-P		0.14	mg/L	EPA 365.1
6/29/2006 8:12	Total-P		0.05	mg/L	EPA 365.1
7/6/2006 9:10	Total-P		0.06	mg/L	EPA 365.1
7/20/2006 7:47	Total-P		0.08	mg/L	EPA 365.1
7/27/2006 8:51	Total-P		0.08	mg/L	EPA 365.1
8/3/2006 9:25	Total-P		0.05	mg/L	EPA 365.1
8/17/2006 10:38	Total-P		0.08	mg/L	EPA 365.1
8/31/2006 9:10	Total-P		0.08	mg/L	EPA 365.1
6/15/2006 10:25	TS		1070	mg/L	SM2540B
6/22/2006 9:19	TS		368.75	mg/L	SM2540B
6/29/2006 8:12	TS		683	mg/L	SM2540B
7/6/2006 9:10	TS		758	mg/L	SM2540B
7/20/2006 7:47	TS		936	mg/L	SM2540B
7/27/2006 8:51	TS		715	mg/L	SM2540B
8/3/2006 9:25	TS		916	mg/L	SM2540B
8/17/2006 10:38	TS		645	mg/L	SM2540B
8/31/2006 9:10	TS		595	mg/L	SM2540B
6/15/2006 10:25	TSS		1	mg/L	SM2540D
6/22/2006 9:19	TSS		15.5	mg/L	SM2540D
6/29/2006 8:12	TSS		10	mg/L	SM2540D
7/6/2006 9:10	TSS		12	mg/L	SM2540D
7/20/2006 7:47	TSS		1	mg/L	SM2540D
7/27/2006 8:51	TSS		4	mg/L	SM2540D
8/3/2006 9:25	TSS		1	mg/L	SM2540D

Mill Creek

RM 8.30

Sample Date	Parameter	Code	Result	Units	Method
8/17/2006 10:38	TSS		8	mg/L	SM2540D
8/31/2006 9:10	TSS		2	mg/L	SM2540D
6/15/2006 10:25	Turbidity		1.32	NTU	EPA 180.1
6/22/2006 9:19	Turbidity		22.5	NTU	EPA 180.1
6/29/2006 8:12	Turbidity		10.5	NTU	EPA 180.1
7/6/2006 9:10	Turbidity		2.53	NTU	EPA 180.1
7/20/2006 7:47	Turbidity		0.79	NTU	EPA 180.1
7/27/2006 8:51	Turbidity		4.53	NTU	EPA 180.1
8/3/2006 9:25	Turbidity		0.83	NTU	EPA 180.1
8/17/2006 10:38	Turbidity		1.2	NTU	EPA 180.1
8/31/2006 9:10	Turbidity		2.38	NTU	EPA 180.1
6/15/2006 10:25	V	<	0.2	ug/L	EPA-200.7
6/22/2006 9:19	V		2.5	ug/L	EPA-200.7
6/29/2006 8:12	V		1	ug/L	EPA-200.7
7/6/2006 9:10	V		1	ug/L	EPA-200.7
7/20/2006 7:47	V	<	0.2	ug/L	EPA-200.7
7/27/2006 8:51	V	<	0.2	ug/L	EPA-200.7
8/3/2006 9:25	V	<	0.2	ug/L	EPA-200.7
8/17/2006 10:38	V	j	0.4	ug/L	EPA-200.7
8/31/2006 9:10	V	j	0.6	ug/L	EPA-200.7
6/15/2006 10:25	Zn	<	3	ug/L	EPA-200.7
6/22/2006 9:19	Zn		16.5	ug/L	EPA-200.7
6/29/2006 8:12	Zn		20	ug/L	EPA-200.7
7/6/2006 9:10	Zn		5	ug/L	EPA-200.7
7/20/2006 7:47	Zn	j	5	ug/L	EPA-200.7
7/27/2006 8:51	Zn		16	ug/L	EPA-200.7
8/3/2006 9:25	Zn	j	4	ug/L	EPA-200.7
8/17/2006 10:38	Zn	j	5.8	ug/L	EPA-200.7
8/31/2006 9:10	Zn	j	3.6	ug/L	EPA-200.7

Mill Creek RM 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 7:40	Ag	<	0.2	ug/L	EPA-200.7
6/22/2006 8:46	Ag	<	0.2	ug/L	EPA-200.7
6/29/2006 7:30	Ag	<	0.2	ug/L	EPA-200.7
7/6/2006 8:40	Ag	<	0.2	ug/L	EPA-200.7
7/20/2006 13:34	Ag	<	0.2	ug/L	EPA-200.7
7/27/2006 8:08	Ag	<	0.2	ug/L	EPA-200.7
8/3/2006 10:08	Ag	<	0.2	ug/L	EPA-200.7
8/17/2006 11:11	Ag	<	0.2	ug/L	EPA-200.7
8/31/2006 8:39	Ag	<	0.2	ug/L	EPA-200.7
9/21/2006 8:45	Ag	<	0.2	ug/L	EPA-200.7
6/15/2006 7:40	Al		1270	ug/L	EPA-200.7
6/22/2006 8:46	Al		3960	ug/L	EPA-200.7
6/29/2006 7:30	Al		2315	ug/L	EPA-200.7
7/6/2006 8:40	Al		1790	ug/L	EPA-200.7
7/20/2006 13:34	Al		1820	ug/L	EPA-200.7
7/27/2006 8:08	Al		3850	ug/L	EPA-200.7
8/3/2006 10:08	Al		2040	ug/L	EPA-200.7
8/17/2006 11:11	Al		1650	ug/L	EPA-200.7
8/31/2006 8:39	Al		1790	ug/L	EPA-200.7
9/21/2006 8:45	Al		1630	ug/L	EPA-200.7
6/15/2006 7:40	Alkalinity		184	mg/LCaCO3	EPA-310.2
6/22/2006 8:46	Alkalinity		62	mg/LCaCO3	EPA-310.2
6/29/2006 7:30	Alkalinity		155	mg/LCaCO3	EPA-310.2
7/6/2006 8:40	Alkalinity		176	mg/LCaCO3	EPA-310.2
7/20/2006 13:34	Alkalinity		203	mg/LCaCO3	EPA-310.2
7/27/2006 8:08	Alkalinity		65	mg/LCaCO3	EPA-310.2
8/3/2006 10:08	Alkalinity		212	mg/LCaCO3	EPA-310.2
8/17/2006 11:11	Alkalinity		175.5	mg/LCaCO3	EPA-310.2
8/31/2006 8:39	Alkalinity		175	mg/LCaCO3	EPA-310.2
9/21/2006 8:45	Alkalinity		115	mg/LCaCO3	EPA-310.2
6/15/2006 7:40	As	<	0.4	ug/L	EPA-200.7
6/22/2006 8:46	As		5	ug/L	EPA-200.7
6/29/2006 7:30	As		2	ug/L	EPA-200.7
7/6/2006 8:40	As	j	1	ug/L	EPA-200.7
7/20/2006 13:34	As	<	0.4	ug/L	EPA-200.7
7/27/2006 8:08	As		5	ug/L	EPA-200.7
8/3/2006 10:08	As	<	0.4	ug/L	EPA-200.7
8/17/2006 11:11	As	j	0.4	ug/L	EPA-200.7
8/31/2006 8:39	As	j	2	ug/L	EPA-200.7
9/21/2006 8:45	As	j	1.7	ug/L	EPA-200.7
6/15/2006 7:40	Be	<	0.2	ug/L	EPA-200.7
6/22/2006 8:46	Be	<	0.2	ug/L	EPA-200.7

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
6/29/2006 7:30	Be	<	0.2	ug/L	EPA-200.7
7/6/2006 8:40	Be	<	0.2	ug/L	EPA-200.7
7/20/2006 13:34	Be	<	0.2	ug/L	EPA-200.7
7/27/2006 8:08	Be	j	0.2	ug/L	EPA-200.7
8/3/2006 10:08	Be	<	0.2	ug/L	EPA-200.7
8/17/2006 11:11	Be	<	0.2	ug/L	EPA-200.7
8/31/2006 8:39	Be	<	0.2	ug/L	EPA-200.7
9/21/2006 8:45	Be	<	0.2	ug/L	EPA-200.7
6/15/2006 7:40	BOD		6	mg/L	SM 5210
6/22/2006 8:46	BOD		5	mg/L	SM 5210
6/29/2006 7:30	BOD	<	2	mg/L	SM 5210
7/6/2006 8:40	BOD		2	mg/L	SM 5210
7/20/2006 13:34	BOD	<	2	mg/L	SM 5210
7/27/2006 8:08	BOD		10	mg/L	SM 5210
8/3/2006 10:08	BOD		7	mg/L	SM 5210
8/17/2006 11:11	BOD	<	2	mg/L	SM 5210
8/31/2006 8:39	BOD	<	2	mg/L	SM 5210
9/21/2006 8:45	BOD		2	mg/L	SM 5210
6/15/2006 7:40	Ca		91400	ug/L	EPA-200.7
6/22/2006 8:46	Ca		35200	ug/L	EPA-200.7
6/29/2006 7:30	Ca		79450	ug/L	EPA-200.7
7/6/2006 8:40	Ca		83400	ug/L	EPA-200.7
7/20/2006 13:34	Ca		100250	ug/L	EPA-200.7
7/27/2006 8:08	Ca		38250	ug/L	EPA-200.7
8/3/2006 10:08	Ca		97700	ug/L	EPA-200.7
8/17/2006 11:11	Ca		90650	ug/L	EPA-200.7
8/31/2006 8:39	Ca		85800	ug/L	EPA-200.7
9/21/2006 8:45	Ca		56000	ug/L	EPA-200.7
6/15/2006 7:40	CaCO3		352	mg/LCaCO3	EPA-200.7
6/22/2006 8:46	CaCO3		119	mg/LCaCO3	EPA-200.7
6/29/2006 7:30	CaCO3		273.5	mg/LCaCO3	EPA-200.7
7/6/2006 8:40	CaCO3		294	mg/LCaCO3	EPA-200.7
7/20/2006 13:34	CaCO3		362.5	mg/LCaCO3	EPA-200.7
7/27/2006 8:08	CaCO3		131	mg/LCaCO3	EPA-200.7
8/3/2006 10:08	CaCO3		349.5	mg/LCaCO3	EPA-200.7
8/17/2006 11:11	CaCO3		331.5	mg/LCaCO3	EPA-200.7
8/31/2006 8:39	CaCO3		302	mg/LCaCO3	EPA-200.7
9/21/2006 8:45	CaCO3		194	mg/LCaCO3	EPA-200.7
6/15/2006 7:40	Cd	<	0.2	ug/L	EPA-200.7
6/22/2006 8:46	Cd		2	ug/L	EPA-200.7
6/29/2006 7:30	Cd	<	0.2	ug/L	EPA-200.7
7/6/2006 8:40	Cd	<	0.2	ug/L	EPA-200.7

Mill Creek RM 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/20/2006 13:34	Cd	<	0.2	ug/L	EPA-200.7
7/27/2006 8:08	Cd		3	ug/L	EPA-200.7
8/3/2006 10:08	Cd	<	0.2	ug/L	EPA-200.7
8/17/2006 11:11	Cd	j	0.3	ug/L	EPA-200.7
8/31/2006 8:39	Cd	j	0.3	ug/L	EPA-200.7
9/21/2006 8:45	Cd	j	0.5	ug/L	EPA-200.7
6/15/2006 7:40	Co		1	ug/L	EPA-200.7
6/22/2006 8:46	Co		4	ug/L	EPA-200.7
6/29/2006 7:30	Co		1	ug/L	EPA-200.7
7/6/2006 8:40	Co		1	ug/L	EPA-200.7
7/20/2006 13:34	Co		1	ug/L	EPA-200.7
7/27/2006 8:08	Co		5.5	ug/L	EPA-200.7
8/3/2006 10:08	Co		1	ug/L	EPA-200.7
8/17/2006 11:11	Co		1.15	ug/L	EPA-200.7
8/31/2006 8:39	Co	j	1	ug/L	EPA-200.7
9/21/2006 8:45	Co	j	0.8	ug/L	EPA-200.7
6/15/2006 7:40	COD		11	mg/L	EPA 410.4
6/22/2006 8:46	COD		6	mg/L	EPA 410.4
6/29/2006 7:30	COD		10	mg/L	EPA 410.4
7/6/2006 8:40	COD		10	mg/L	EPA 410.4
7/20/2006 13:34	COD		10	mg/L	EPA 410.4
7/27/2006 8:08	COD		34	mg/L	EPA 410.4
8/3/2006 10:08	COD		14.5	mg/L	EPA 410.4
8/17/2006 11:11	COD		7	mg/L	EPA 410.4
8/31/2006 8:39	COD		15.5	mg/L	EPA 410.4
9/21/2006 8:45	COD		6	mg/L	EPA 410.4
6/15/2006 7:40	Cr		1	ug/L	EPA-200.7
6/22/2006 8:46	Cr		7	ug/L	EPA-200.7
6/29/2006 7:30	Cr		2	ug/L	EPA-200.7
7/6/2006 8:40	Cr		1	ug/L	EPA-200.7
7/20/2006 13:34	Cr		2	ug/L	EPA-200.7
7/27/2006 8:08	Cr		12	ug/L	EPA-200.7
8/3/2006 10:08	Cr		2	ug/L	EPA-200.7
8/17/2006 11:11	Cr		1.65	ug/L	EPA-200.7
8/31/2006 8:39	Cr		1.75	ug/L	EPA-200.7
9/21/2006 8:45	Cr		2.1	ug/L	EPA-200.7
6/15/2006 7:40	Cr+6	j	4.08	ug/L	SM 3500-Cr-D
6/22/2006 8:46	Cr+6		3.26	ug/L	SM 3500-Cr-D
6/29/2006 7:30	Cr+6	j	1.54	ug/L	SM 3500-Cr-D
7/6/2006 8:40	Cr+6	j	1.39	ug/L	SM 3500-Cr-D
7/20/2006 13:34	Cr+6	j	3.62	ug/L	SM 3500-Cr-D
7/27/2006 8:08	Cr+6	j	3.4	ug/L	SM 3500-Cr-D

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
8/3/2006 10:08	Cr+6	j	4.66	ug/L	SM 3500-Cr-D
8/17/2006 11:11	Cr+6	j	3.19	ug/L	SM 3500-Cr-D
8/31/2006 8:39	Cr+6	j	2.96	ug/L	SM 3500-Cr-D
9/21/2006 8:45	Cr+6	j	1.39	ug/L	SM 3500-Cr-D
6/15/2006 7:40	Cu		7	ug/L	EPA-200.7
6/22/2006 8:46	Cu		16	ug/L	EPA-200.7
6/29/2006 7:30	Cu		13	ug/L	EPA-200.7
7/6/2006 8:40	Cu		13	ug/L	EPA-200.7
7/20/2006 13:34	Cu		13	ug/L	EPA-200.7
7/27/2006 8:08	Cu		27	ug/L	EPA-200.7
8/3/2006 10:08	Cu		13.5	ug/L	EPA-200.7
8/17/2006 11:11	Cu		9.85	ug/L	EPA-200.7
8/31/2006 8:39	Cu		9.75	ug/L	EPA-200.7
9/21/2006 8:45	Cu		7.9	ug/L	EPA-200.7
6/15/2006 7:40	Fe		1750	ug/L	EPA-200.7
6/22/2006 8:46	Fe		7410	ug/L	EPA-200.7
6/29/2006 7:30	Fe		2045	ug/L	EPA-200.7
7/6/2006 8:40	Fe		1530	ug/L	EPA-200.7
7/20/2006 13:34	Fe		1315	ug/L	EPA-200.7
7/27/2006 8:08	Fe		7810	ug/L	EPA-200.7
8/3/2006 10:08	Fe		1550	ug/L	EPA-200.7
8/17/2006 11:11	Fe		1455	ug/L	EPA-200.7
8/31/2006 8:39	Fe		1415	ug/L	EPA-200.7
9/21/2006 8:45	Fe		1540	ug/L	EPA-200.7
6/15/2006 7:40	Field Cond		1581	uS/cm	SM 2510A
6/22/2006 8:46	Field Cond		410	uS/cm	SM 2510A
6/29/2006 7:30	Field Cond		1148	uS/cm	SM 2510A
7/6/2006 8:40	Field Cond		1209	uS/cm	SM 2510A
7/20/2006 13:34	Field Cond		1576	uS/cm	SM 2510A
7/27/2006 8:08	Field Cond		543	uS/cm	SM 2510A
8/3/2006 10:08	Field Cond		1359	uS/cm	SM 2510A
8/17/2006 11:11	Field Cond		1258	uS/cm	SM 2510A
8/31/2006 8:39	Field Cond		1207	uS/cm	SM 2510A
9/21/2006 8:45	Field Cond		777	uS/cm	SM 2510A
6/15/2006 7:40	Field DO		8.83	mg/L	SM 4500-O G
6/22/2006 8:46	Field DO		9.08	mg/L	SM 4500-O G
6/29/2006 7:30	Field DO		8.25	mg/L	SM 4500-O G
7/6/2006 8:40	Field DO		-	mg/L	SM 4500-O G
7/20/2006 13:34	Field DO		8.99	mg/L	SM 4500-O G
7/27/2006 8:08	Field DO		8.53	mg/L	SM 4500-O G
8/3/2006 10:08	Field DO		7.24	mg/L	SM 4500-O G
8/17/2006 11:11	Field DO		8.46	mg/L	SM 4500-O G

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
8/31/2006 8:39	Field DO		7.97	mg/L	SM 4500-O G
9/21/2006 8:45	Field DO		10.12	mg/L	SM 4500-O G
6/15/2006 7:40	Field Temp		16.67	C	EPA 170.1
6/22/2006 8:46	Field Temp		19.53	C	EPA 170.1
6/29/2006 7:30	Field Temp		18.21	C	EPA 170.1
7/6/2006 8:40	Field Temp		17.03	C	EPA 170.1
7/20/2006 13:34	Field Temp		24.86	C	EPA 170.1
7/27/2006 8:08	Field Temp		22.26	C	EPA 170.1
8/3/2006 10:08	Field Temp		24.5	C	EPA 170.1
8/17/2006 11:11	Field Temp		20.68	C	EPA 170.1
8/31/2006 8:39	Field Temp		18.7	C	EPA 170.1
9/21/2006 8:45	Field Temp		13.1	C	EPA 170.1
6/15/2006 7:40	Hg	<	0.05	ug/L	EPA 245.1
6/22/2006 8:46	Hg	<	0.05	ug/L	EPA 245.1
6/29/2006 7:30	Hg	<	0.05	ug/L	EPA 245.1
7/6/2006 8:40	Hg	<	0.05	ug/L	EPA 245.1
7/20/2006 13:34	Hg	<	0.05	ug/L	EPA 245.1
7/27/2006 8:08	Hg	<	0.05	ug/L	EPA 245.1
8/3/2006 10:08	Hg	<	0.05	ug/L	EPA 245.1
8/17/2006 11:11	Hg	<	0.05	ug/L	EPA 245.1
8/31/2006 8:39	Hg	<	0.05	ug/L	EPA 245.1
9/21/2006 8:45	Hg		0.11	ug/L	EPA 245.1
8/11/2006 12:00	ICI		12	N/A	
9/21/2006 12:00	ICI		28	N/A	
6/15/2006 7:40	K		14100	ug/L	EPA-200.7
6/22/2006 8:46	K		4760	ug/L	EPA-200.7
6/29/2006 7:30	K		8975	ug/L	EPA-200.7
7/6/2006 8:40	K		9690	ug/L	EPA-200.7
7/20/2006 13:34	K		13400	ug/L	EPA-200.7
7/27/2006 8:08	K		4885	ug/L	EPA-200.7
8/3/2006 10:08	K		13100	ug/L	EPA-200.7
8/17/2006 11:11	K		12650	ug/L	EPA-200.7
8/31/2006 8:39	K		11150	ug/L	EPA-200.7
9/21/2006 8:45	K		7280	ug/L	EPA-200.7
6/15/2006 7:40	Mg		30100	ug/L	EPA-200.7
6/22/2006 8:46	Mg		7640	ug/L	EPA-200.7
6/29/2006 7:30	Mg		18300	ug/L	EPA-200.7
7/6/2006 8:40	Mg		20900	ug/L	EPA-200.7
7/20/2006 13:34	Mg		27450	ug/L	EPA-200.7
7/27/2006 8:08	Mg		8670	ug/L	EPA-200.7
8/3/2006 10:08	Mg		25600	ug/L	EPA-200.7

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
8/17/2006 11:11	Mg		25650	ug/L	EPA-200.7
8/31/2006 8:39	Mg		21350	ug/L	EPA-200.7
9/21/2006 8:45	Mg		13000	ug/L	EPA-200.7
6/15/2006 7:40	Mn		252	ug/L	EPA-200.7
6/22/2006 8:46	Mn		202	ug/L	EPA-200.7
6/29/2006 7:30	Mn		184	ug/L	EPA-200.7
7/6/2006 8:40	Mn		172	ug/L	EPA-200.7
7/20/2006 13:34	Mn		199	ug/L	EPA-200.7
7/27/2006 8:08	Mn		256.5	ug/L	EPA-200.7
8/3/2006 10:08	Mn		193	ug/L	EPA-200.7
8/17/2006 11:11	Mn		246	ug/L	EPA-200.7
8/31/2006 8:39	Mn		157	ug/L	EPA-200.7
9/21/2006 8:45	Mn		94.4	ug/L	EPA-200.7
6/15/2006 7:40	Mo		6	ug/L	EPA-200.7
6/22/2006 8:46	Mo		5	ug/L	EPA-200.7
6/29/2006 7:30	Mo		7	ug/L	EPA-200.7
7/6/2006 8:40	Mo		6	ug/L	EPA-200.7
7/20/2006 13:34	Mo		7	ug/L	EPA-200.7
7/27/2006 8:08	Mo		4	ug/L	EPA-200.7
8/3/2006 10:08	Mo		7	ug/L	EPA-200.7
8/17/2006 11:11	Mo		7.1	ug/L	EPA-200.7
8/31/2006 8:39	Mo		7.7	ug/L	EPA-200.7
9/21/2006 8:45	Mo		5.9	ug/L	EPA-200.7
6/15/2006 7:40	Na		151000	ug/L	EPA-200.7
6/22/2006 8:46	Na		42200	ug/L	EPA-200.7
6/29/2006 7:30	Na		113500	ug/L	EPA-200.7
7/6/2006 8:40	Na		114000	ug/L	EPA-200.7
7/20/2006 13:34	Na		137000	ug/L	EPA-200.7
7/27/2006 8:08	Na		56700	ug/L	EPA-200.7
8/3/2006 10:08	Na		135500	ug/L	EPA-200.7
8/17/2006 11:11	Na		109500	ug/L	EPA-200.7
8/31/2006 8:39	Na		108000	ug/L	EPA-200.7
9/21/2006 8:45	Na		74100	ug/L	EPA-200.7
6/15/2006 7:40	NH3		0.47	mg/L	EPA-350.1
6/22/2006 8:46	NH3		0.19	mg/L	EPA-350.1
6/29/2006 7:30	NH3		0.37	mg/L	EPA-350.1
7/6/2006 8:40	NH3		0.42	mg/L	EPA-350.1
7/20/2006 13:34	NH3		0.3	mg/L	EPA-350.1
7/27/2006 8:08	NH3		0.09	mg/L	EPA-350.1
8/3/2006 10:08	NH3		0.32	mg/L	EPA-350.1
8/17/2006 11:11	NH3		0.45	mg/L	EPA-350.1
8/31/2006 8:39	NH3		0.44	mg/L	EPA-350.1

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
9/21/2006 8:45	NH3		0.3	mg/L	EPA-350.1
6/15/2006 7:40	Ni		5	ug/L	EPA-200.7
6/22/2006 8:46	Ni		10	ug/L	EPA-200.7
6/29/2006 7:30	Ni		5	ug/L	EPA-200.7
7/6/2006 8:40	Ni		4	ug/L	EPA-200.7
7/20/2006 13:34	Ni		5	ug/L	EPA-200.7
7/27/2006 8:08	Ni		16	ug/L	EPA-200.7
8/3/2006 10:08	Ni		5	ug/L	EPA-200.7
8/17/2006 11:11	Ni		5.45	ug/L	EPA-200.7
8/31/2006 8:39	Ni		4.1	ug/L	EPA-200.7
9/21/2006 8:45	Ni		3.1	ug/L	EPA-200.7
6/15/2006 7:40	NO2		0.22	mg/L	SM 4500-NO2-B
6/22/2006 8:46	NO2		0.05	mg/L	SM 4500-NO2-B
6/29/2006 7:30	NO2		0.06	mg/L	SM 4500-NO2-B
7/6/2006 8:40	NO2		0.07	mg/L	SM 4500-NO2-B
7/20/2006 13:34	NO2		0.16	mg/L	SM 4500-NO2-B
7/27/2006 8:08	NO2		0.06	mg/L	SM 4500-NO2-B
8/3/2006 10:08	NO2		0.22	mg/L	SM 4500-NO2-B
8/17/2006 11:11	NO2		0.18	mg/L	SM 4500-NO2-B
8/31/2006 8:39	NO2		0.09	mg/L	SM 4500-NO2-B
9/21/2006 8:45	NO2		0.06	mg/L	SM 4500-NO2-B
6/15/2006 7:40	NO3		0.96	mg/L	EPA 353.2
6/22/2006 8:46	NO3		0.73	mg/L	EPA 353.2
6/29/2006 7:30	NO3		1	mg/L	EPA 353.2
7/6/2006 8:40	NO3		0.84	mg/L	EPA 353.2
7/20/2006 13:34	NO3		0.96	mg/L	EPA 353.2
7/27/2006 8:08	NO3		0.57	mg/L	EPA 353.2
8/3/2006 10:08	NO3		1.44	mg/L	EPA 353.2
8/17/2006 11:11	NO3		0.88	mg/L	EPA 353.2
8/31/2006 8:39	NO3		1.18	mg/L	EPA 353.2
9/21/2006 8:45	NO3		0.75	mg/L	EPA 353.2
6/15/2006 7:40	NO3+NO2		1.18	mg/L	EPA 353.2
6/22/2006 8:46	NO3+NO2		0.78	mg/L	EPA 353.2
6/29/2006 7:30	NO3+NO2		1.06	mg/L	EPA 353.2
7/6/2006 8:40	NO3+NO2		0.91	mg/L	EPA 353.2
7/20/2006 13:34	NO3+NO2		1.12	mg/L	EPA 353.2
7/27/2006 8:08	NO3+NO2		0.64	mg/L	EPA 353.2
8/3/2006 10:08	NO3+NO2		1.66	mg/L	EPA 353.2
8/17/2006 11:11	NO3+NO2		1.06	mg/L	EPA 353.2
8/31/2006 8:39	NO3+NO2		1.27	mg/L	EPA 353.2
9/21/2006 8:45	NO3+NO2		0.81	mg/L	EPA 353.2

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
6/15/2006 7:40	Pb	<	0.5	ug/L	EPA-200.7
6/22/2006 8:46	Pb		8	ug/L	EPA-200.7
6/29/2006 7:30	Pb	<	0.5	ug/L	EPA-200.7
7/6/2006 8:40	Pb	<	0.5	ug/L	EPA-200.7
7/20/2006 13:34	Pb	<	0.5	ug/L	EPA-200.7
7/27/2006 8:08	Pb		17.5	ug/L	EPA-200.7
8/3/2006 10:08	Pb	<	0.5	ug/L	EPA-200.7
8/17/2006 11:11	Pb	<	0.5	ug/L	EPA-200.7
8/31/2006 8:39	Pb	<	0.5	ug/L	EPA-200.7
9/21/2006 8:45	Pb	j	0.5	ug/L	EPA-200.7
6/15/2006 7:40	pH		9.65	S.U.	
6/22/2006 8:46	pH		8.13	S.U.	
7/6/2006 8:40	pH		7.24	S.U.	
7/20/2006 13:34	pH		8.02	S.U.	
7/27/2006 8:08	pH		7.87	S.U.	
8/17/2006 11:11	pH		7.46	S.U.	
8/31/2006 8:39	pH		7.53	S.U.	
9/21/2006 8:45	pH		7	S.U.	
6/15/2006 7:40	Sb	<	0.2	ug/L	EPA-200.7
6/22/2006 8:46	Sb	j	4	ug/L	EPA-200.7
6/29/2006 7:30	Sb	j	1	ug/L	EPA-200.7
7/6/2006 8:40	Sb	<	0.2	ug/L	EPA-200.7
7/20/2006 13:34	Sb	<	0.2	ug/L	EPA-200.7
7/27/2006 8:08	Sb		3	ug/L	EPA-200.7
8/3/2006 10:08	Sb	<	0.2	ug/L	EPA-200.7
8/17/2006 11:11	Sb	<	0.2	ug/L	EPA-200.7
8/31/2006 8:39	Sb	j	0.35	ug/L	EPA-200.7
9/21/2006 8:45	Sb	j	1.4	ug/L	EPA-200.7
6/15/2006 7:40	Se	<	0.6	ug/L	EPA-200.7
6/22/2006 8:46	Se	<	0.6	ug/L	EPA-200.7
6/29/2006 7:30	Se	j	2	ug/L	EPA-200.7
7/6/2006 8:40	Se	j	2	ug/L	EPA-200.7
7/20/2006 13:34	Se	<	0.6	ug/L	EPA-200.7
7/27/2006 8:08	Se	<	0.6	ug/L	EPA-200.7
8/3/2006 10:08	Se	j	1.5	ug/L	EPA-200.7
8/17/2006 11:11	Se	j	1.3	ug/L	EPA-200.7
8/31/2006 8:39	Se	j	0.9	ug/L	EPA-200.7
9/21/2006 8:45	Se	j	2.3	ug/L	EPA-200.7
6/15/2006 7:40	Sn	<	4.3	ug/L	EPA-200.7
6/22/2006 8:46	Sn	<	4.3	ug/L	EPA-200.7
6/29/2006 7:30	Sn	j	9	ug/L	EPA-200.7
7/6/2006 8:40	Sn	j	9	ug/L	EPA-200.7

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
7/20/2006 13:34	Sn	j	5.5	ug/L	EPA-200.7
7/27/2006 8:08	Sn	<	4	ug/L	EPA-200.7
8/3/2006 10:08	Sn	j	10.5	ug/L	EPA-200.7
8/17/2006 11:11	Sn	j	5.5	ug/L	EPA-200.7
8/31/2006 8:39	Sn	j	4.45	ug/L	EPA-200.7
9/21/2006 8:45	Sn	j	6.7	ug/L	EPA-200.7
6/15/2006 7:40	Soluble-P	<	0.01	mg/L	EPA 365.1
6/22/2006 8:46	Soluble-P		0.06	mg/L	EPA 365.1
6/29/2006 7:30	Soluble-P		0.02	mg/L	EPA 365.1
7/6/2006 8:40	Soluble-P	<	0.01	mg/L	EPA 365.1
7/20/2006 13:34	Soluble-P	<	0.01	mg/L	EPA 365.1
7/27/2006 8:08	Soluble-P		0.03	mg/L	EPA 365.1
8/3/2006 10:08	Soluble-P		0.01	mg/L	EPA 365.1
8/17/2006 11:11	Soluble-P	<	0.01	mg/L	EPA 365.1
8/31/2006 8:39	Soluble-P	<	0.01	mg/L	EPA 365.1
9/21/2006 8:45	Soluble-P		0.01	mg/L	EPA 365.1
6/15/2006 7:40	TDS		980	mg/L	SM2540C
6/22/2006 8:46	TDS		284	mg/L	SM2540C
6/29/2006 7:30	TDS		622	mg/L	SM2540C
7/6/2006 8:40	TDS		642	mg/L	SM2540C
7/20/2006 13:34	TDS		879	mg/L	SM2540C
7/27/2006 8:08	TDS		337	mg/L	SM2540C
8/3/2006 10:08	TDS		782.5	mg/L	SM2540C
8/17/2006 11:11	TDS		735	mg/L	SM2540C
8/31/2006 8:39	TDS		695.5	mg/L	SM2540C
9/21/2006 8:45	TDS		426	mg/L	SM2540C
6/15/2006 7:40	Ti	<	0.2	ug/L	EPA-200.7
6/22/2006 8:46	Ti		44	ug/L	EPA-200.7
6/29/2006 7:30	Ti		4.5	ug/L	EPA-200.7
7/6/2006 8:40	Ti		2	ug/L	EPA-200.7
7/20/2006 13:34	Ti	<	0.2	ug/L	EPA-200.7
7/27/2006 8:08	Ti		46	ug/L	EPA-200.7
8/3/2006 10:08	Ti	<	0.2	ug/L	EPA-200.7
8/17/2006 11:11	Ti	<	0.2	ug/L	EPA-200.7
8/31/2006 8:39	Ti	j	0.3	ug/L	EPA-200.7
9/21/2006 8:45	Ti		4.8	ug/L	EPA-200.7
6/15/2006 7:40	TI		5	ug/L	EPA-200.7
6/22/2006 8:46	TI		6	ug/L	EPA-200.7
6/29/2006 7:30	TI		10	ug/L	EPA-200.7
7/6/2006 8:40	TI		11	ug/L	EPA-200.7
7/20/2006 13:34	TI		10	ug/L	EPA-200.7
7/27/2006 8:08	TI		5	ug/L	EPA-200.7

Mill Creek

RM 0.12

Sample Date	Parameter	Code	Result	Units	Method
8/3/2006 10:08	TI		11	ug/L	EPA-200.7
8/17/2006 11:11	TI		8.55	ug/L	EPA-200.7
8/31/2006 8:39	TI		9.15	ug/L	EPA-200.7
9/21/2006 8:45	TI		7.9	ug/L	EPA-200.7
6/15/2006 7:40	TMET		54	ug/L	EPA-200.7
6/22/2006 8:46	TMET		120	ug/L	EPA-200.7
6/29/2006 7:30	TMET		71.5	ug/L	EPA-200.7
7/6/2006 8:40	TMET		67	ug/L	EPA-200.7
7/20/2006 13:34	TMET		65.5	ug/L	EPA-200.7
7/27/2006 8:08	TMET		165.5	ug/L	EPA-200.7
8/3/2006 10:08	TMET		73	ug/L	EPA-200.7
8/17/2006 11:11	TMET		58.9	ug/L	EPA-200.7
8/31/2006 8:39	TMET		55.1	ug/L	EPA-200.7
9/21/2006 8:45	TMET		42.7	ug/L	EPA-200.7
6/15/2006 7:40	Total-P		0.02	mg/L	EPA 365.1
6/29/2006 7:30	Total-P		0.13	mg/L	EPA 365.1
7/6/2006 8:40	Total-P		0.06	mg/L	EPA 365.1
7/20/2006 13:34	Total-P		0.04	mg/L	EPA 365.1
7/27/2006 8:08	Total-P		0.33	mg/L	EPA 365.1
8/3/2006 10:08	Total-P		0.04	mg/L	EPA 365.1
8/17/2006 11:11	Total-P		0.04	mg/L	EPA 365.1
8/31/2006 8:39	Total-P		0.04	mg/L	EPA 365.1
9/21/2006 8:45	Total-P		0.06	mg/L	EPA 365.1
6/15/2006 7:40	TS		992	mg/L	SM2540B
6/22/2006 8:46	TS		434	mg/L	SM2540B
6/29/2006 7:30	TS		727	mg/L	SM2540B
7/6/2006 8:40	TS		753	mg/L	SM2540B
7/20/2006 13:34	TS		956	mg/L	SM2540B
7/27/2006 8:08	TS		538	mg/L	SM2540B
8/3/2006 10:08	TS		897.5	mg/L	SM2540B
8/17/2006 11:11	TS		839	mg/L	SM2540B
8/31/2006 8:39	TS		731	mg/L	SM2540B
9/21/2006 8:45	TS		474	mg/L	SM2540B
6/15/2006 7:40	TSS		10	mg/L	SM2540D
6/22/2006 8:46	TSS		29	mg/L	SM2540D
6/29/2006 7:30	TSS		28	mg/L	SM2540D
7/6/2006 8:40	TSS		18	mg/L	SM2540D
7/20/2006 13:34	TSS		12	mg/L	SM2540D
7/27/2006 8:08	TSS		169.5	mg/L	SM2540D
8/3/2006 10:08	TSS		15	mg/L	SM2540D
8/17/2006 11:11	TSS		11.5	mg/L	SM2540D
8/31/2006 8:39	TSS		14	mg/L	SM2540D

Mill Creek RM 0.12					
Sample Date	Parameter	Code	Result	Units	Method
9/21/2006 8:45	TSS		21	mg/L	SM2540D
6/15/2006 7:40	Turbidity		9.39	NTU	EPA 180.1
6/22/2006 8:46	Turbidity		64.2	NTU	EPA 180.1
6/29/2006 7:30	Turbidity		11.8	NTU	EPA 180.1
7/6/2006 8:40	Turbidity		3.48	NTU	EPA 180.1
7/20/2006 13:34	Turbidity		2.65	NTU	EPA 180.1
7/27/2006 8:08	Turbidity		38.9	NTU	EPA 180.1
8/3/2006 10:08	Turbidity		3.68	NTU	EPA 180.1
8/17/2006 11:11	Turbidity		3.44	NTU	EPA 180.1
8/31/2006 8:39	Turbidity		7.78	NTU	EPA 180.1
9/21/2006 8:45	Turbidity		21.6	NTU	EPA 180.1
6/15/2006 7:40	V	<	0.2	ug/L	EPA-200.7
6/22/2006 8:46	V		9	ug/L	EPA-200.7
6/29/2006 7:30	V		1	ug/L	EPA-200.7
7/6/2006 8:40	V	<	0.2	ug/L	EPA-200.7
7/20/2006 13:34	V	<	0.2	ug/L	EPA-200.7
7/27/2006 8:08	V		8	ug/L	EPA-200.7
8/3/2006 10:08	V	<	0.2	ug/L	EPA-200.7
8/17/2006 11:11	V	<	0.2	ug/L	EPA-200.7
8/31/2006 8:39	V	<	0.2	ug/L	EPA-200.7
9/21/2006 8:45	V	j	0.9	ug/L	EPA-200.7
6/15/2006 7:40	Zn		40	ug/L	EPA-200.7
6/22/2006 8:46	Zn		88	ug/L	EPA-200.7
6/29/2006 7:30	Zn		51.5	ug/L	EPA-200.7
7/6/2006 8:40	Zn		49	ug/L	EPA-200.7
7/20/2006 13:34	Zn		46.5	ug/L	EPA-200.7
7/27/2006 8:08	Zn		111	ug/L	EPA-200.7
8/3/2006 10:08	Zn		53	ug/L	EPA-200.7
8/17/2006 11:11	Zn		42.45	ug/L	EPA-200.7
8/31/2006 8:39	Zn		40	ug/L	EPA-200.7
9/21/2006 8:45	Zn		29.6	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)