

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 11:28	Ag	<	0.1	ug/L	EPA-200.7
6/26/2007 9:30	Ag	<	0.1	ug/L	EPA-200.7
7/3/2007 10:05	Ag	<	0.1	ug/L	EPA-200.7
7/11/2007 8:14	Ag	<	0.1	ug/L	EPA-200.7
7/19/2007 9:47	Ag	<	0.1	ug/L	EPA-200.7
7/26/2007 15:01	Ag	<	0.1	ug/L	EPA-200.7
8/8/2007 9:45	Ag	<	0.1	ug/L	EPA-200.7
8/15/2007 12:30	Ag	<	0.1	ug/L	EPA-200.7
8/23/2007 9:50	Ag	<	0.1	ug/L	EPA-200.7
8/30/2007 10:39	Ag	<	0.1	ug/L	EPA-200.7
9/6/2007 9:53	Ag	<	0.1	ug/L	EPA-200.7
9/13/2007 10:49	Ag	<	0.1	ug/L	EPA-200.7
9/19/2007 9:54	Ag	<	0.1	ug/L	EPA-200.7
6/18/2007 11:28	Al		21.3	ug/L	EPA-200.7
6/26/2007 9:30	Al		47.7	ug/L	EPA-200.7
7/3/2007 10:05	Al		42.3	ug/L	EPA-200.7
7/11/2007 8:14	Al		1400	ug/L	EPA-200.7
7/19/2007 9:47	Al		87	ug/L	EPA-200.7
7/26/2007 15:01	Al		33.8	ug/L	EPA-200.7
8/8/2007 9:45	Al		245	ug/L	EPA-200.7
8/15/2007 12:30	Al		43	ug/L	EPA-200.7
8/23/2007 9:50	Al		178	ug/L	EPA-200.7
8/30/2007 10:39	Al		20.3	ug/L	EPA-200.7
9/6/2007 9:53	Al		28.1	ug/L	EPA-200.7
9/13/2007 10:49	Al		52	ug/L	EPA-200.7
9/19/2007 9:54	Al		17.9	ug/L	EPA-200.7
6/18/2007 11:28	Alkalinity		160	mg/LCaCO3	EPA-310.2
6/26/2007 9:30	Alkalinity		143	mg/LCaCO3	EPA-310.2
7/3/2007 10:05	Alkalinity		148	mg/LCaCO3	EPA-310.2
7/11/2007 8:14	Alkalinity		134	mg/LCaCO3	EPA-310.2
7/19/2007 9:47	Alkalinity		109	mg/LCaCO3	EPA-310.2
7/26/2007 15:01	Alkalinity		129	mg/LCaCO3	EPA-310.2
8/8/2007 9:45	Alkalinity		113	mg/LCaCO3	EPA-310.2
8/15/2007 12:30	Alkalinity		160	mg/LCaCO3	EPA-310.2
8/23/2007 9:50	Alkalinity		163	mg/LCaCO3	EPA-310.2
8/30/2007 10:39	Alkalinity		159	mg/LCaCO3	EPA-310.2
9/6/2007 9:53	Alkalinity		153	mg/LCaCO3	EPA-310.2
9/13/2007 10:49	Alkalinity		137	mg/LCaCO3	EPA-310.2
9/19/2007 9:54	Alkalinity		146	mg/LCaCO3	EPA-310.2
6/18/2007 11:28	As	j	1.5	ug/L	EPA-200.7
6/26/2007 9:30	As		2.2	ug/L	EPA-200.7
7/3/2007 10:05	As		2.3	ug/L	EPA-200.7
7/11/2007 8:14	As		2.7	ug/L	EPA-200.7

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/19/2007 9:47	As		2.5	ug/L	EPA-200.7
7/26/2007 15:01	As		2.4	ug/L	EPA-200.7
8/8/2007 9:45	As		2.7	ug/L	EPA-200.7
8/15/2007 12:30	As		2.7	ug/L	EPA-200.7
8/23/2007 9:50	As		3	ug/L	EPA-200.7
8/30/2007 10:39	As	j	1.8	ug/L	EPA-200.7
9/6/2007 9:53	As	j	1	ug/L	EPA-200.7
9/13/2007 10:49	As		2.3	ug/L	EPA-200.7
9/19/2007 9:54	As	j	1	ug/L	EPA-200.7
6/18/2007 11:28	Be	<	0.1	ug/L	EPA-200.7
6/26/2007 9:30	Be	<	0.1	ug/L	EPA-200.7
7/3/2007 10:05	Be	<	0.1	ug/L	EPA-200.7
7/11/2007 8:14	Be	<	0.1	ug/L	EPA-200.7
7/19/2007 9:47	Be	<	0.1	ug/L	EPA-200.7
7/26/2007 15:01	Be	<	0.1	ug/L	EPA-200.7
8/8/2007 9:45	Be	<	0.1	ug/L	EPA-200.7
8/15/2007 12:30	Be	<	0.1	ug/L	EPA-200.7
8/23/2007 9:50	Be	<	0.1	ug/L	EPA-200.7
8/30/2007 10:39	Be	<	0.1	ug/L	EPA-200.7
9/6/2007 9:53	Be	<	0.1	ug/L	EPA-200.7
9/13/2007 10:49	Be	<	0.1	ug/L	EPA-200.7
9/19/2007 9:54	Be	<	0.1	ug/L	EPA-200.7
6/18/2007 11:28	BOD	<	2	mg/L	SM 5210
6/26/2007 9:30	BOD	<	2	mg/L	SM 5210
7/3/2007 10:05	BOD	<	2	mg/L	SM 5210
7/11/2007 8:14	BOD		4	mg/L	SM 5210
7/19/2007 9:47	BOD		2	mg/L	SM 5210
7/26/2007 15:01	BOD		2	mg/L	SM 5210
8/8/2007 9:45	BOD		2	mg/L	SM 5210
8/15/2007 12:30	BOD	<	2	mg/L	SM 5210
8/23/2007 9:50	BOD		2	mg/L	SM 5210
8/30/2007 10:39	BOD		2	mg/L	SM 5210
9/6/2007 9:53	BOD	<	2	mg/L	SM 5210
9/13/2007 10:49	BOD	<	2	mg/L	SM 5210
9/19/2007 9:54	BOD	<	2	mg/L	SM 5210
6/18/2007 11:28	Ca		79500	ug/L	EPA-200.7
6/26/2007 9:30	Ca		70300	ug/L	EPA-200.7
7/3/2007 10:05	Ca		76700	ug/L	EPA-200.7
7/11/2007 8:14	Ca		76800	ug/L	EPA-200.7
7/19/2007 9:47	Ca		53700	ug/L	EPA-200.7
7/26/2007 15:01	Ca		63900	ug/L	EPA-200.7
8/8/2007 9:45	Ca		56700	ug/L	EPA-200.7
8/15/2007 12:30	Ca		72200	ug/L	EPA-200.7

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 9:50	Ca		76900	ug/L	EPA-200.7
8/30/2007 10:39	Ca		76200	ug/L	EPA-200.7
9/6/2007 9:53	Ca		73200	ug/L	EPA-200.7
9/13/2007 10:49	Ca		52200	ug/L	EPA-200.7
9/19/2007 9:54	Ca		68400	ug/L	EPA-200.7
6/18/2007 11:28	CaCO3		273	mg/LCaCO3	EPA-200.7
6/26/2007 9:30	CaCO3		238	mg/LCaCO3	EPA-200.7
7/3/2007 10:05	CaCO3		263	mg/LCaCO3	EPA-200.7
7/11/2007 8:14	CaCO3		266	mg/LCaCO3	EPA-200.7
7/19/2007 9:47	CaCO3		179	mg/LCaCO3	EPA-200.7
7/26/2007 15:01	CaCO3		214	mg/LCaCO3	EPA-200.7
8/8/2007 9:45	CaCO3		184	mg/LCaCO3	EPA-200.7
8/15/2007 12:30	CaCO3		241	mg/LCaCO3	EPA-200.7
8/23/2007 9:50	CaCO3		250	mg/LCaCO3	EPA-200.7
8/30/2007 10:39	CaCO3		252	mg/LCaCO3	EPA-200.7
9/6/2007 9:53	CaCO3		248	mg/LCaCO3	EPA-200.7
9/13/2007 10:49	CaCO3		175	mg/LCaCO3	EPA-200.7
9/19/2007 9:54	CaCO3		229	mg/LCaCO3	EPA-200.7
6/18/2007 11:28	Cd	<	0.2	ug/L	EPA-200.7
6/26/2007 9:30	Cd	<	0.2	ug/L	EPA-200.7
7/3/2007 10:05	Cd	j	0.4	ug/L	EPA-200.7
7/11/2007 8:14	Cd	j	0.5	ug/L	EPA-200.7
7/19/2007 9:47	Cd	<	0.2	ug/L	EPA-200.7
7/26/2007 15:01	Cd	<	0.2	ug/L	EPA-200.7
8/8/2007 9:45	Cd	j	0.2	ug/L	EPA-200.7
8/15/2007 12:30	Cd	j	0.2	ug/L	EPA-200.7
8/23/2007 9:50	Cd	j	0.2	ug/L	EPA-200.7
8/30/2007 10:39	Cd	<	0.2	ug/L	EPA-200.7
9/6/2007 9:53	Cd	<	0.2	ug/L	EPA-200.7
9/13/2007 10:49	Cd	<	0.2	ug/L	EPA-200.7
9/19/2007 9:54	Cd	<	0.2	ug/L	EPA-200.7
6/18/2007 11:28	Co	j	0.3	ug/L	EPA-200.7
6/26/2007 9:30	Co	j	0.2	ug/L	EPA-200.7
7/3/2007 10:05	Co	j	0.2	ug/L	EPA-200.7
7/11/2007 8:14	Co		1.1	ug/L	EPA-200.7
7/19/2007 9:47	Co	j	0.2	ug/L	EPA-200.7
7/26/2007 15:01	Co	j	0.2	ug/L	EPA-200.7
8/8/2007 9:45	Co	j	0.3	ug/L	EPA-200.7
8/15/2007 12:30	Co	j	0.2	ug/L	EPA-200.7
8/23/2007 9:50	Co	j	0.4	ug/L	EPA-200.7
8/30/2007 10:39	Co	j	0.2	ug/L	EPA-200.7
9/6/2007 9:53	Co	j	0.2	ug/L	EPA-200.7
9/13/2007 10:49	Co	j	0.3	ug/L	EPA-200.7

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
9/19/2007 9:54	Co	j	0.2	ug/L	EPA-200.7
6/18/2007 11:28	COD		10	mg/L	EPA 410.4
6/26/2007 9:30	COD		18	mg/L	EPA 410.4
7/3/2007 10:05	COD		21	mg/L	EPA 410.4
7/11/2007 8:14	COD		40	mg/L	EPA 410.4
7/19/2007 9:47	COD		16	mg/L	EPA 410.4
7/26/2007 15:01	COD		13	mg/L	EPA 410.4
8/8/2007 9:45	COD		19	mg/L	EPA 410.4
8/15/2007 12:30	COD		6	mg/L	EPA 410.4
8/23/2007 9:50	COD		13	mg/L	EPA 410.4
8/30/2007 10:39	COD		20	mg/L	EPA 410.4
9/6/2007 9:53	COD		13	mg/L	EPA 410.4
9/13/2007 10:49	COD		17	mg/L	EPA 410.4
9/19/2007 9:54	COD		9	mg/L	EPA 410.4
6/18/2007 11:28	Cr	<	0.5	ug/L	EPA-200.7
6/26/2007 9:30	Cr	j	0.5	ug/L	EPA-200.7
7/3/2007 10:05	Cr	<	0.5	ug/L	EPA-200.7
7/11/2007 8:14	Cr	j	2	ug/L	EPA-200.7
7/19/2007 9:47	Cr		6.2	ug/L	EPA-200.7
7/26/2007 15:01	Cr	<	0.5	ug/L	EPA-200.7
8/8/2007 9:45	Cr	j	1.2	ug/L	EPA-200.7
8/15/2007 12:30	Cr	j	0.6	ug/L	EPA-200.7
8/23/2007 9:50	Cr	j	1.6	ug/L	EPA-200.7
8/30/2007 10:39	Cr	<	0.5	ug/L	EPA-200.7
9/6/2007 9:53	Cr	<	0.5	ug/L	EPA-200.7
9/19/2007 9:54	Cr	<	0.5	ug/L	EPA-200.7
6/18/2007 11:28	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/26/2007 9:30	Cr+6	j	1.85	ug/L	SM 3500-Cr-D
7/3/2007 10:05	Cr+6	j	1.17	ug/L	SM 3500-Cr-D
7/11/2007 8:14	Cr+6	j	1.11	ug/L	SM 3500-Cr-D
7/19/2007 9:47	Cr+6	j	2.32	ug/L	SM 3500-Cr-D
7/26/2007 15:01	Cr+6	j	3.22	ug/L	SM 3500-Cr-D
8/8/2007 9:45	Cr+6	j	3.29	ug/L	SM 3500-Cr-D
8/15/2007 12:30	Cr+6	j	1.26	ug/L	SM 3500-Cr-D
8/23/2007 9:50	Cr+6	j	2.22	ug/L	SM 3500-Cr-D
8/30/2007 10:39	Cr+6	j	1.73	ug/L	SM 3500-Cr-D
9/6/2007 9:53	Cr+6	j	1.12	ug/L	SM 3500-Cr-D
9/19/2007 9:54	Cr+6	j	1.75	ug/L	SM 3500-Cr-D
6/18/2007 11:28	Cu		4.7	ug/L	EPA-200.7
6/26/2007 9:30	Cu		3.4	ug/L	EPA-200.7
7/3/2007 10:05	Cu		3.3	ug/L	EPA-200.7
7/11/2007 8:14	Cu		5.9	ug/L	EPA-200.7

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/19/2007 9:47	Cu		5.3	ug/L	EPA-200.7
7/26/2007 15:01	Cu		2.8	ug/L	EPA-200.7
8/8/2007 9:45	Cu		5.4	ug/L	EPA-200.7
8/15/2007 12:30	Cu		3.7	ug/L	EPA-200.7
8/23/2007 9:50	Cu		6.4	ug/L	EPA-200.7
8/30/2007 10:39	Cu		3.3	ug/L	EPA-200.7
9/6/2007 9:53	Cu		3	ug/L	EPA-200.7
9/13/2007 10:49	Cu		3.1	ug/L	EPA-200.7
9/19/2007 9:54	Cu		2.5	ug/L	EPA-200.7
6/18/2007 11:28	Fe		184	ug/L	EPA-200.7
6/26/2007 9:30	Fe		195	ug/L	EPA-200.7
7/3/2007 10:05	Fe		190	ug/L	EPA-200.7
7/11/2007 8:14	Fe		2540	ug/L	EPA-200.7
7/19/2007 9:47	Fe		295	ug/L	EPA-200.7
7/26/2007 15:01	Fe		167	ug/L	EPA-200.7
8/8/2007 9:45	Fe		510	ug/L	EPA-200.7
8/15/2007 12:30	Fe		163	ug/L	EPA-200.7
8/23/2007 9:50	Fe		496	ug/L	EPA-200.7
8/30/2007 10:39	Fe		118	ug/L	EPA-200.7
9/6/2007 9:53	Fe		140	ug/L	EPA-200.7
9/13/2007 10:49	Fe		225	ug/L	EPA-200.7
9/19/2007 9:54	Fe		130	ug/L	EPA-200.7
6/18/2007 11:28	Field Cond		3670	uS/cm	SM 2510A
6/26/2007 9:30	Field Cond		1399	uS/cm	SM 2510A
7/3/2007 10:05	Field Cond		1481	uS/cm	SM 2510A
7/11/2007 8:14	Field Cond		1722	uS/cm	SM 2510A
7/19/2007 9:47	Field Cond		1090	uS/cm	SM 2510A
7/26/2007 15:01	Field Cond		1294	uS/cm	SM 2510A
8/15/2007 12:30	Field Cond		1557	uS/cm	SM 2510A
8/23/2007 9:50	Field Cond		1525	uS/cm	SM 2510A
8/30/2007 10:39	Field Cond		1565	uS/cm	SM 2510A
9/6/2007 9:53	Field Cond		1495	uS/cm	SM 2510A
9/13/2007 10:49	Field Cond		1175	uS/cm	SM 2510A
9/19/2007 9:54	Field Cond		1240	uS/cm	SM 2510A
6/18/2007 11:28	Field DO		10.5	mg/L	SM 4500-O G
6/26/2007 9:30	Field DO		9.37	mg/L	SM 4500-O G
7/3/2007 10:05	Field DO		11.76	mg/L	SM 4500-O G
7/11/2007 8:14	Field DO		7.25	mg/L	SM 4500-O G
7/19/2007 9:47	Field DO		8.04	mg/L	SM 4500-O G
7/26/2007 15:01	Field DO		11.93	mg/L	SM 4500-O G
8/15/2007 12:30	Field DO		9.4	mg/L	SM 4500-O G
8/23/2007 9:50	Field DO		8.3	mg/L	SM 4500-O G
9/13/2007	Field DO		AH	mg/L	SM 4500-O G

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
9/13/2007 10:49	Field DO		10.39	mg/L	SM 4500-O G
6/18/2007 11:28	Field Temp		21	C	EPA 170.1
6/26/2007 9:30	Field Temp		19.52	C	EPA 170.1
7/3/2007 10:05	Field Temp		16.85	C	EPA 170.1
7/11/2007 8:14	Field Temp		20.74	C	EPA 170.1
7/19/2007 9:47	Field Temp		20.65	C	EPA 170.1
7/26/2007 15:01	Field Temp		22.32	C	EPA 170.1
8/8/2007 9:45	Field Temp		23.9	C	EPA 170.1
8/15/2007 12:30	Field Temp		21.28	C	EPA 170.1
8/23/2007 9:50	Field Temp		21.29	C	EPA 170.1
8/30/2007 10:39	Field Temp		20.9	C	EPA 170.1
9/6/2007 9:53	Field Temp		19.79	C	EPA 170.1
9/13/2007	Field Temp		AH	C	EPA 170.1
9/13/2007 10:49	Field Temp		15.81	C	EPA 170.1
9/19/2007 9:54	Field Temp		17.7	C	EPA 170.1
6/15/2007 9:20	fld_flow		0.07	fps	
6/18/2007 11:28	fld_flow		0.01	fps	
6/26/2007 9:30	fld_flow		0.06	fps	
7/3/2007 10:05	fld_flow		0.13	fps	
7/11/2007 8:14	fld_flow		0.16	fps	
7/19/2007 9:47	fld_flow		0.23	fps	
7/26/2007 15:01	fld_flow		0.28	fps	
8/15/2007 12:30	fld_flow		0.1	fps	
8/23/2007 9:50	fld_flow		0.13	fps	
8/30/2007 10:39	fld_flow		0.1	fps	
9/6/2007 9:53	fld_flow		0.03	fps	
9/13/2007 10:49	fld_flow		0	fps	
9/19/2007 9:54	fld_flow		0.01	fps	
6/18/2007 11:28	Hg	<	0.05	ug/L	EPA 245.1
6/26/2007 9:30	Hg	<	0.05	ug/L	EPA 245.1
7/3/2007 10:05	Hg	<	0.05	ug/L	EPA 245.1
7/11/2007 8:14	Hg	<	0.05	ug/L	EPA 245.1
7/19/2007 9:47	Hg	<	0.05	ug/L	EPA 245.1
7/26/2007 15:01	Hg	<	0.05	ug/L	EPA 245.1
8/8/2007 9:45	Hg	<	0.05	ug/L	EPA 245.1
8/15/2007 12:30	Hg	<	0.05	ug/L	EPA 245.1
8/23/2007 9:50	Hg	<	0.05	ug/L	EPA 245.1
8/30/2007 10:39	Hg	<	0.05	ug/L	EPA 245.1
9/6/2007 9:53	Hg	<	0.05	ug/L	EPA 245.1
9/13/2007 10:49	Hg	<	0.05	ug/L	EPA 245.1
9/19/2007 9:54	Hg	<	0.05	ug/L	EPA 245.1
6/18/2007 11:28	K		5830	ug/L	EPA-200.7

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2007 9:30	K		5350	ug/L	EPA-200.7
7/3/2007 10:05	K		5210	ug/L	EPA-200.7
7/11/2007 8:14	K		6360	ug/L	EPA-200.7
7/19/2007 9:47	K		4420	ug/L	EPA-200.7
7/26/2007 15:01	K		5040	ug/L	EPA-200.7
8/8/2007 9:45	K		6360	ug/L	EPA-200.7
8/15/2007 12:30	K		6110	ug/L	EPA-200.7
8/23/2007 9:50	K		8210	ug/L	EPA-200.7
8/30/2007 10:39	K		6460	ug/L	EPA-200.7
9/6/2007 9:53	K		5920	ug/L	EPA-200.7
9/13/2007 10:49	K		5060	ug/L	EPA-200.7
9/19/2007 9:54	K		5380	ug/L	EPA-200.7
6/18/2007 11:28	Mg		18000	ug/L	EPA-200.7
6/26/2007 9:30	Mg		15300	ug/L	EPA-200.7
7/3/2007 10:05	Mg		17200	ug/L	EPA-200.7
7/11/2007 8:14	Mg		18100	ug/L	EPA-200.7
7/19/2007 9:47	Mg		10900	ug/L	EPA-200.7
7/26/2007 15:01	Mg		13300	ug/L	EPA-200.7
8/8/2007 9:45	Mg		10200	ug/L	EPA-200.7
8/15/2007 12:30	Mg		14600	ug/L	EPA-200.7
8/23/2007 9:50	Mg		14200	ug/L	EPA-200.7
8/30/2007 10:39	Mg		14900	ug/L	EPA-200.7
9/6/2007 9:53	Mg		15900	ug/L	EPA-200.7
9/13/2007 10:49	Mg		10800	ug/L	EPA-200.7
9/19/2007 9:54	Mg		14200	ug/L	EPA-200.7
6/18/2007 11:28	Mn		37.4	ug/L	EPA-200.7
6/26/2007 9:30	Mn		38	ug/L	EPA-200.7
7/3/2007 10:05	Mn		31	ug/L	EPA-200.7
7/11/2007 8:14	Mn		75.2	ug/L	EPA-200.7
7/19/2007 9:47	Mn		51.6	ug/L	EPA-200.7
7/26/2007 15:01	Mn		30.9	ug/L	EPA-200.7
8/8/2007 9:45	Mn		31.3	ug/L	EPA-200.7
8/15/2007 12:30	Mn		47.2	ug/L	EPA-200.7
8/23/2007 9:50	Mn		47	ug/L	EPA-200.7
8/30/2007 10:39	Mn		35.3	ug/L	EPA-200.7
9/6/2007 9:53	Mn		31.5	ug/L	EPA-200.7
9/13/2007 10:49	Mn		41.6	ug/L	EPA-200.7
9/19/2007 9:54	Mn		26.4	ug/L	EPA-200.7
6/18/2007 11:28	Mo		7.9	ug/L	EPA-200.7
6/26/2007 9:30	Mo		7.2	ug/L	EPA-200.7
7/3/2007 10:05	Mo		7.4	ug/L	EPA-200.7
7/11/2007 8:14	Mo		9.7	ug/L	EPA-200.7
7/19/2007 9:47	Mo		7.8	ug/L	EPA-200.7

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/26/2007 15:01	Mo		7	ug/L	EPA-200.7
8/8/2007 9:45	Mo		7.2	ug/L	EPA-200.7
8/15/2007 12:30	Mo		7.7	ug/L	EPA-200.7
8/23/2007 9:50	Mo		9.4	ug/L	EPA-200.7
8/30/2007 10:39	Mo		8.6	ug/L	EPA-200.7
9/6/2007 9:53	Mo		8.7	ug/L	EPA-200.7
9/13/2007 10:49	Mo		8.4	ug/L	EPA-200.7
9/19/2007 9:54	Mo		8.5	ug/L	EPA-200.7
6/18/2007 11:28	Na		242000	ug/L	EPA-200.7
6/26/2007 9:30	Na		188000	ug/L	EPA-200.7
7/3/2007 10:05	Na		206000	ug/L	EPA-200.7
7/11/2007 8:14	Na		207000	ug/L	EPA-200.7
7/19/2007 9:47	Na		146000	ug/L	EPA-200.7
7/26/2007 15:01	Na		174000	ug/L	EPA-200.7
8/8/2007 9:45	Na		148000	ug/L	EPA-200.7
8/15/2007 12:30	Na		194000	ug/L	EPA-200.7
8/23/2007 9:50	Na		202000	ug/L	EPA-200.7
8/30/2007 10:39	Na		219000	ug/L	EPA-200.7
9/6/2007 9:53	Na		198000	ug/L	EPA-200.7
9/13/2007 10:49	Na		144000	ug/L	EPA-200.7
9/19/2007 9:54	Na		178000	ug/L	EPA-200.7
6/18/2007 11:28	NH3		0.02	mg/L	EPA-350.1
6/26/2007 9:30	NH3		0.03	mg/L	EPA-350.1
7/3/2007 10:05	NH3		0.03	mg/L	EPA-350.1
7/11/2007 8:14	NH3		0.08	mg/L	EPA-350.1
7/19/2007 9:47	NH3		0.01	mg/L	EPA-350.1
7/26/2007 15:01	NH3		0.01	mg/L	EPA-350.1
8/8/2007 9:45	NH3		0.12	mg/L	EPA-350.1
8/15/2007 12:30	NH3		0.03	mg/L	EPA-350.1
8/23/2007 9:50	NH3		0.04	mg/L	EPA-350.1
8/30/2007 10:39	NH3		0.03	mg/L	EPA-350.1
9/6/2007 9:53	NH3	<	0.01	mg/L	EPA-350.1
9/13/2007 10:49	NH3		0.05	mg/L	EPA-350.1
9/19/2007 9:54	NH3		0.04	mg/L	EPA-350.1
6/18/2007 11:28	Ni	j	1.3	ug/L	EPA-200.7
6/26/2007 9:30	Ni	j	1.3	ug/L	EPA-200.7
7/3/2007 10:05	Ni	j	1.2	ug/L	EPA-200.7
7/11/2007 8:14	Ni		3.4	ug/L	EPA-200.7
7/19/2007 9:47	Ni		2.5	ug/L	EPA-200.7
7/26/2007 15:01	Ni	j	1.1	ug/L	EPA-200.7
8/8/2007 9:45	Ni		2.2	ug/L	EPA-200.7
8/15/2007 12:30	Ni	j	1.3	ug/L	EPA-200.7
8/23/2007 9:50	Ni		2.2	ug/L	EPA-200.7

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/30/2007 10:39	Ni	j	1.2	ug/L	EPA-200.7
9/6/2007 9:53	Ni	j	1.2	ug/L	EPA-200.7
9/13/2007 10:49	Ni	j	1.7	ug/L	EPA-200.7
9/19/2007 9:54	Ni		2.2	ug/L	EPA-200.7
6/18/2007 11:28	NO2		0.03	mg/L	SM 4500-NO2-B
6/26/2007 9:30	NO2		0.03	mg/L	SM 4500-NO2-B
7/3/2007 10:05	NO2		0.01	mg/L	SM 4500-NO2-B
7/11/2007 8:14	NO2		0.02	mg/L	SM 4500-NO2-B
7/19/2007 9:47	NO2		0.03	mg/L	SM 4500-NO2-B
7/26/2007 15:01	NO2		0.04	mg/L	SM 4500-NO2-B
8/8/2007 9:45	NO2		0.06	mg/L	SM 4500-NO2-B
8/15/2007 12:30	NO2		0.02	mg/L	SM 4500-NO2-B
8/23/2007 9:50	NO2		0.05	mg/L	SM 4500-NO2-B
8/30/2007 10:39	NO2		0.02	mg/L	SM 4500-NO2-B
9/6/2007 9:53	NO2	j	0.01	mg/L	SM 4500-NO2-B
9/13/2007 10:49	NO2		0.02	mg/L	SM 4500-NO2-B
9/19/2007 9:54	NO2	j	0.01	mg/L	SM 4500-NO2-B
6/18/2007 11:28	NO3		0.49	mg/L	EPA 353.2
6/26/2007 9:30	NO3		0.54	mg/L	EPA 353.2
7/3/2007 10:05	NO3		0.33	mg/L	EPA 353.2
7/11/2007 8:14	NO3		0.53	mg/L	EPA 353.2
7/19/2007 9:47	NO3		0.62	mg/L	EPA 353.2
7/26/2007 15:01	NO3		0.31	mg/L	EPA 353.2
8/8/2007 9:45	NO3		1.3	mg/L	EPA 353.2
8/15/2007 12:30	NO3		0.35	mg/L	EPA 353.2
8/23/2007 9:50	NO3		0.86	mg/L	EPA 353.2
8/30/2007 10:39	NO3		0.22	mg/L	EPA 353.2
9/6/2007 9:53	NO3		0.12	mg/L	EPA 353.2
9/13/2007 10:49	NO3		0.42	mg/L	EPA 353.2
9/19/2007 9:54	NO3		0.24	mg/L	EPA 353.2
6/18/2007 11:28	NO3+NO2		0.52	mg/L	EPA 353.2
6/26/2007 9:30	NO3+NO2		0.57	mg/L	EPA 353.2
7/3/2007 10:05	NO3+NO2		0.35	mg/L	EPA 353.2
7/11/2007 8:14	NO3+NO2		0.56	mg/L	EPA 353.2
7/19/2007 9:47	NO3+NO2		0.65	mg/L	EPA 353.2
7/26/2007 15:01	NO3+NO2		0.34	mg/L	EPA 353.2
8/8/2007 9:45	NO3+NO2		1.36	mg/L	EPA 353.2
8/15/2007 12:30	NO3+NO2		0.35	mg/L	EPA 353.2
8/23/2007 9:50	NO3+NO2		0.91	mg/L	EPA 353.2
8/30/2007 10:39	NO3+NO2		0.24	mg/L	EPA 353.2
9/6/2007 9:53	NO3+NO2		0.13	mg/L	EPA 353.2
9/13/2007 10:49	NO3+NO2		0.44	mg/L	EPA 353.2
9/19/2007 9:54	NO3+NO2		0.25	mg/L	EPA 353.2

Mill Creek
River Mile 8.30

Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 11:28	Pb	<	0.3	ug/L	EPA-200.7
6/26/2007 9:30	Pb	<	0.3	ug/L	EPA-200.7
7/3/2007 10:05	Pb	<	0.3	ug/L	EPA-200.7
7/11/2007 8:14	Pb	j	1.1	ug/L	EPA-200.7
7/19/2007 9:47	Pb	<	0.3	ug/L	EPA-200.7
7/26/2007 15:01	Pb	<	0.3	ug/L	EPA-200.7
8/8/2007 9:45	Pb	<	0.3	ug/L	EPA-200.7
8/15/2007 12:30	Pb	<	0.3	ug/L	EPA-200.7
8/23/2007 9:50	Pb	<	0.3	ug/L	EPA-200.7
8/30/2007 10:39	Pb	<	0.3	ug/L	EPA-200.7
9/6/2007 9:53	Pb	j	1.8	ug/L	EPA-200.7
9/13/2007 10:49	Pb	<	0.3	ug/L	EPA-200.7
9/19/2007 9:54	Pb	<	0.3	ug/L	EPA-200.7
6/18/2007 11:28	pH		8.64	S.U.	
6/26/2007 9:30	pH		7.31	S.U.	
7/3/2007 10:05	pH		8.2	S.U.	
7/11/2007 8:14	pH		8.19	S.U.	
7/19/2007 9:47	pH		8.33	S.U.	
7/26/2007 15:01	pH		9.1	S.U.	
8/8/2007 9:45	pH		7.35	S.U.	
8/15/2007 12:30	pH		8.75	S.U.	
8/23/2007 9:50	pH		8.71	S.U.	
8/30/2007 10:39	pH		8.34	S.U.	
9/6/2007 9:53	pH		8.64	S.U.	
9/13/2007	pH		AH	S.U.	
9/13/2007 10:49	pH		7	S.U.	
9/19/2007 9:54	pH		8.08	S.U.	
6/18/2007 11:28	Sb	<	0.4	ug/L	EPA-200.7
6/26/2007 9:30	Sb	<	0.4	ug/L	EPA-200.7
7/3/2007 10:05	Sb	<	0.4	ug/L	EPA-200.7
7/11/2007 8:14	Sb	j	2.3	ug/L	EPA-200.7
7/19/2007 9:47	Sb	<	0.4	ug/L	EPA-200.7
7/26/2007 15:01	Sb	<	0.4	ug/L	EPA-200.7
8/8/2007 9:45	Sb	j	0.7	ug/L	EPA-200.7
8/15/2007 12:30	Sb	<	0.4	ug/L	EPA-200.7
8/23/2007 9:50	Sb	j	1.7	ug/L	EPA-200.7
8/30/2007 10:39	Sb	<	0.4	ug/L	EPA-200.7
9/6/2007 9:53	Sb	<	0.4	ug/L	EPA-200.7
9/13/2007 10:49	Sb	<	0.4	ug/L	EPA-200.7
9/19/2007 9:54	Sb	j	0.5	ug/L	EPA-200.7
6/18/2007 11:28	Se	<	0.9	ug/L	EPA-200.7
6/26/2007 9:30	Se	j	1	ug/L	EPA-200.7

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/3/2007 10:05	Se	<	0.9	ug/L	EPA-200.7
7/11/2007 8:14	Se	<	0.9	ug/L	EPA-200.7
7/19/2007 9:47	Se	<	0.9	ug/L	EPA-200.7
7/26/2007 15:01	Se	<	0.9	ug/L	EPA-200.7
8/8/2007 9:45	Se	j	1.6	ug/L	EPA-200.7
8/15/2007 12:30	Se	j	0.9	ug/L	EPA-200.7
8/23/2007 9:50	Se	j	2.2	ug/L	EPA-200.7
8/30/2007 10:39	Se	j	1.7	ug/L	EPA-200.7
9/6/2007 9:53	Se	j	1.7	ug/L	EPA-200.7
9/13/2007 10:49	Se	j	1	ug/L	EPA-200.7
9/19/2007 9:54	Se	j	1.4	ug/L	EPA-200.7
6/18/2007 11:28	Sn	<	4.6	ug/L	EPA-200.7
6/26/2007 9:30	Sn	<	4.6	ug/L	EPA-200.7
7/3/2007 10:05	Sn	<	4.6	ug/L	EPA-200.7
7/11/2007 8:14	Sn	<	4.6	ug/L	EPA-200.7
7/19/2007 9:47	Sn	<	4.6	ug/L	EPA-200.7
7/26/2007 15:01	Sn	<	4.6	ug/L	EPA-200.7
8/8/2007 9:45	Sn	<	4.6	ug/L	EPA-200.7
8/15/2007 12:30	Sn	<	4.6	ug/L	EPA-200.7
8/23/2007 9:50	Sn	<	4.6	ug/L	EPA-200.7
8/30/2007 10:39	Sn	<	4.6	ug/L	EPA-200.7
9/6/2007 9:53	Sn	<	4.6	ug/L	EPA-200.7
9/13/2007 10:49	Sn	<	4.6	ug/L	EPA-200.7
9/19/2007 9:54	Sn	<	4.6	ug/L	EPA-200.7
6/18/2007 11:28	Soluble-P		0.06	mg/L	EPA 365.1
6/26/2007 9:30	Soluble-P		0.22	mg/L	EPA 365.1
7/3/2007 10:05	Soluble-P		0.08	mg/L	EPA 365.1
7/11/2007 8:14	Soluble-P		0.1	mg/L	EPA 365.1
7/19/2007 9:47	Soluble-P		0.06	mg/L	EPA 365.1
7/26/2007 15:01	Soluble-P		0.06	mg/L	EPA 365.1
8/8/2007 9:45	Soluble-P		0.04	mg/L	EPA 365.1
8/15/2007 12:30	Soluble-P		0.08	mg/L	EPA 365.1
8/23/2007 9:50	Soluble-P		0.06	mg/L	EPA 365.1
8/30/2007 10:39	Soluble-P		0.05	mg/L	EPA 365.1
9/6/2007 9:53	Soluble-P		0.04	mg/L	EPA 365.1
9/13/2007 10:49	Soluble-P		0.04	mg/L	EPA 365.1
9/19/2007 9:54	Soluble-P		0.04	mg/L	EPA 365.1
6/18/2007 11:28	TDS		1019	mg/L	SM2540C
6/26/2007 9:30	TDS		784	mg/L	SM2540C
7/3/2007 10:05	TDS		837	mg/L	SM2540C
7/11/2007 8:14	TDS		804	mg/L	SM2540C
7/19/2007 9:47	TDS		610	mg/L	SM2540C
7/26/2007 15:01	TDS		684	mg/L	SM2540C

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
8/8/2007 9:45	TDS		660	mg/L	SM2540C
8/15/2007 12:30	TDS		888	mg/L	SM2540C
8/23/2007 9:50	TDS		848	mg/L	SM2540C
8/30/2007 10:39	TDS		839	mg/L	SM2540C
9/6/2007 9:53	TDS		812	mg/L	SM2540C
9/13/2007 10:49	TDS		673	mg/L	SM2540C
9/19/2007 9:54	TDS		766	mg/L	SM2540C
6/18/2007 11:28	Ti	<	0.6	ug/L	EPA-200.7
6/26/2007 9:30	Ti	<	0.6	ug/L	EPA-200.7
7/3/2007 10:05	Ti	<	0.6	ug/L	EPA-200.7
7/11/2007 8:14	Ti		17.1	ug/L	EPA-200.7
7/19/2007 9:47	Ti	j	0.7	ug/L	EPA-200.7
7/26/2007 15:01	Ti	<	0.6	ug/L	EPA-200.7
8/8/2007 9:45	Ti		3.9	ug/L	EPA-200.7
8/15/2007 12:30	Ti	<	0.6	ug/L	EPA-200.7
8/23/2007 9:50	Ti		3	ug/L	EPA-200.7
8/30/2007 10:39	Ti	<	0.6	ug/L	EPA-200.7
9/6/2007 9:53	Ti	<	0.6	ug/L	EPA-200.7
9/13/2007 10:49	Ti	<	0.6	ug/L	EPA-200.7
9/19/2007 9:54	Ti	<	0.6	ug/L	EPA-200.7
6/18/2007 11:28	TI		6.7	ug/L	EPA-200.7
6/26/2007 9:30	TI		6	ug/L	EPA-200.7
7/3/2007 10:05	TI		7.4	ug/L	EPA-200.7
7/11/2007 8:14	TI		7.7	ug/L	EPA-200.7
7/19/2007 9:47	TI	j	4.5	ug/L	EPA-200.7
7/26/2007 15:01	TI		6.5	ug/L	EPA-200.7
8/8/2007 9:45	TI		6.8	ug/L	EPA-200.7
8/15/2007 12:30	TI		5.5	ug/L	EPA-200.7
8/23/2007 9:50	TI		5.7	ug/L	EPA-200.7
8/30/2007 10:39	TI		5.3	ug/L	EPA-200.7
9/6/2007 9:53	TI		6.9	ug/L	EPA-200.7
9/13/2007 10:49	TI		7.2	ug/L	EPA-200.7
9/19/2007 9:54	TI		7.2	ug/L	EPA-200.7
6/18/2007 11:28	TMET		19.5	ug/L	EPA-200.7
6/26/2007 9:30	TMET		74.1	ug/L	EPA-200.7
7/3/2007 10:05	TMET		89.3	ug/L	EPA-200.7
7/11/2007 8:14	TMET		32.1	ug/L	EPA-200.7
7/19/2007 9:47	TMET		30.2	ug/L	EPA-200.7
7/26/2007 15:01	TMET		15.8	ug/L	EPA-200.7
8/8/2007 9:45	TMET		15.5	ug/L	EPA-200.7
8/15/2007 12:30	TMET	<	10	ug/L	EPA-200.7
8/23/2007 9:50	TMET		18.2	ug/L	EPA-200.7
8/30/2007 10:39	TMET	<	10	ug/L	EPA-200.7

Mill Creek						
River Mile 8.30						
Sample Date	Parameter	Code	Result	Units	Method	
9/6/2007 9:53	TMET	<	10	ug/L	EPA-200.7	
9/13/2007 10:49	TMET		11.2	ug/L	EPA-200.7	
9/19/2007 9:54	TMET	<	10	ug/L	EPA-200.7	
6/18/2007 11:28	Total-P		0.09	mg/L	EPA 365.1	
6/26/2007 9:30	Total-P		0.17	mg/L	EPA 365.1	
7/3/2007 10:05	Total-P		0.17	mg/L	EPA 365.1	
7/11/2007 8:14	Total-P		0.2	mg/L	EPA 365.1	
7/19/2007 9:47	Total-P		0.09	mg/L	EPA 365.1	
7/26/2007 15:01	Total-P		0.11	mg/L	EPA 365.1	
8/8/2007 9:45	Total-P		0.09	mg/L	EPA 365.1	
8/15/2007 12:30	Total-P		0.23	mg/L	EPA 365.1	
8/23/2007 9:50	Total-P		0.2	mg/L	EPA 365.1	
8/30/2007 10:39	Total-P		0.07	mg/L	EPA 365.1	
9/6/2007 9:53	Total-P		0.09	mg/L	EPA 365.1	
9/13/2007 10:49	Total-P		0.05	mg/L	EPA 365.1	
9/19/2007 9:54	Total-P		0.06	mg/L	EPA 365.1	
6/18/2007 11:28	TS		1123	mg/L	SM2540B	
6/26/2007 9:30	TS		809	mg/L	SM2540B	
7/3/2007 10:05	TS		880	mg/L	SM2540B	
7/11/2007 8:14	TS		1005	mg/L	SM2540B	
7/19/2007 9:47	TS		615	mg/L	SM2540B	
7/26/2007 15:01	TS		731	mg/L	SM2540B	
8/8/2007 9:45	TS		676	mg/L	SM2540B	
8/15/2007 12:30	TS		914	mg/L	SM2540B	
8/23/2007 9:50	TS		864	mg/L	SM2540B	
8/30/2007 10:39	TS		878	mg/L	SM2540B	
9/6/2007 9:53	TS		875	mg/L	SM2540B	
9/13/2007 10:49	TS		682	mg/L	SM2540B	
9/19/2007 9:54	TS		804	mg/L	SM2540B	
6/18/2007 11:28	TSS	<	1	mg/L	SM2540D	
6/26/2007 9:30	TSS	<	1	mg/L	SM2540D	
7/3/2007 10:05	TSS		2	mg/L	SM2540D	
7/11/2007 8:14	TSS		18	mg/L	SM2540D	
7/19/2007 9:47	TSS		5	mg/L	SM2540D	
7/26/2007 15:01	TSS		4	mg/L	SM2540D	
8/8/2007 9:45	TSS		8	mg/L	SM2540D	
8/15/2007 12:30	TSS		13	mg/L	SM2540D	
8/23/2007 9:50	TSS		4	mg/L	SM2540D	
8/30/2007 10:39	TSS		1	mg/L	SM2540D	
9/6/2007 9:53	TSS		4	mg/L	SM2540D	
9/13/2007 10:49	TSS		2	mg/L	SM2540D	
9/19/2007 9:54	TSS	<	1	mg/L	SM2540D	

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 11:28	Turbidity		1.34	NTU	EPA 180.1
6/26/2007 9:30	Turbidity		2.02	NTU	EPA 180.1
7/3/2007 10:05	Turbidity		3.08	NTU	EPA 180.1
7/11/2007 8:14	Turbidity		69.4	NTU	EPA 180.1
7/26/2007 15:01	Turbidity		2.02	NTU	EPA 180.1
8/8/2007 9:45	Turbidity		10.2	NTU	EPA 180.1
8/15/2007 12:30	Turbidity		3.27	NTU	EPA 180.1
8/23/2007 9:50	Turbidity		2.72	NTU	EPA 180.1
8/30/2007 10:39	Turbidity		1.08	NTU	EPA 180.1
9/6/2007 9:53	Turbidity		0.76	NTU	EPA 180.1
9/13/2007 10:49	Turbidity		2.39	NTU	EPA 180.1
9/19/2007 9:54	Turbidity		0.66	NTU	EPA 180.1
6/18/2007 11:28	V	<	0.2	ug/L	EPA-200.7
6/26/2007 9:30	V	j	0.3	ug/L	EPA-200.7
7/3/2007 10:05	V	<	0.2	ug/L	EPA-200.7
7/11/2007 8:14	V		2.8	ug/L	EPA-200.7
7/19/2007 9:47	V	j	0.9	ug/L	EPA-200.7
7/26/2007 15:01	V	<	0.2	ug/L	EPA-200.7
8/8/2007 9:45	V		1.4	ug/L	EPA-200.7
8/15/2007 12:30	V	j	0.6	ug/L	EPA-200.7
8/23/2007 9:50	V		2.1	ug/L	EPA-200.7
8/30/2007 10:39	V	j	0.3	ug/L	EPA-200.7
9/6/2007 9:53	V	<	0.2	ug/L	EPA-200.7
9/13/2007 10:49	V	j	0.7	ug/L	EPA-200.7
9/19/2007 9:54	V	<	0.2	ug/L	EPA-200.7
6/18/2007 11:28	Zn		13.3	ug/L	EPA-200.7
6/26/2007 9:30	Zn		68.9	ug/L	EPA-200.7
7/3/2007 10:05	Zn		84.8	ug/L	EPA-200.7
7/11/2007 8:14	Zn		20.8	ug/L	EPA-200.7
7/19/2007 9:47	Zn		16.2	ug/L	EPA-200.7
7/26/2007 15:01	Zn		11.9	ug/L	EPA-200.7
8/8/2007 9:45	Zn	j	6.7	ug/L	EPA-200.7
8/15/2007 12:30	Zn	j	3.5	ug/L	EPA-200.7
8/23/2007 9:50	Zn		8	ug/L	EPA-200.7
8/30/2007 10:39	Zn	j	3.4	ug/L	EPA-200.7
9/6/2007 9:53	Zn	j	3.2	ug/L	EPA-200.7
9/13/2007 10:49	Zn	j	5.9	ug/L	EPA-200.7
9/19/2007 9:54	Zn	j	3.8	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2007 9:18	Ag	<	0.1	ug/L	EPA-200.7
6/26/2007 7:32	Ag	<	0.1	ug/L	EPA-200.7
7/3/2007 9:33	Ag	<	0.1	ug/L	EPA-200.7
7/11/2007 7:40	Ag	<	0.1	ug/L	EPA-200.7
7/19/2007 9:15	Ag	<	0.1	ug/L	EPA-200.7
7/26/2007 10:39	Ag	<	0.1	ug/L	EPA-200.7
8/8/2007 7:30	Ag	<	0.1	ug/L	EPA-200.7
8/15/2007 13:06	Ag	<	0.1	ug/L	EPA-200.7
8/23/2007 9:08	Ag	<	0.1	ug/L	EPA-200.7
8/30/2007 11:11	Ag	<	0.1	ug/L	EPA-200.7
9/6/2007 9:17	Ag	<	0.1	ug/L	EPA-200.7
9/13/2007 9:59	Ag	<	0.1	ug/L	EPA-200.7
9/19/2007 9:16	Ag	<	0.1	ug/L	EPA-200.7
6/18/2007 9:18	Al		925	ug/L	EPA-200.7
6/26/2007 7:32	Al		1100	ug/L	EPA-200.7
7/3/2007 9:33	Al		1760	ug/L	EPA-200.7
7/11/2007 7:40	Al		1050	ug/L	EPA-200.7
7/19/2007 9:15	Al		793.5	ug/L	EPA-200.7
7/26/2007 10:39	Al		596	ug/L	EPA-200.7
8/8/2007 7:30	Al		2070	ug/L	EPA-200.7
8/15/2007 13:06	Al		1040	ug/L	EPA-200.7
8/23/2007 9:08	Al		1540	ug/L	EPA-200.7
8/30/2007 11:11	Al		772.5	ug/L	EPA-200.7
9/6/2007 9:17	Al		412	ug/L	EPA-200.7
9/13/2007 9:59	Al		1060	ug/L	EPA-200.7
9/19/2007 9:16	Al		517	ug/L	EPA-200.7
6/18/2007 9:18	Alkalinity		200	mg/LCaCO3	EPA-310.2
6/26/2007 7:32	Alkalinity		193	mg/LCaCO3	EPA-310.2
7/3/2007 9:33	Alkalinity		190	mg/LCaCO3	EPA-310.2
7/11/2007 7:40	Alkalinity		174	mg/LCaCO3	EPA-310.2
7/19/2007 9:15	Alkalinity		157.5	mg/LCaCO3	EPA-310.2
7/26/2007 10:39	Alkalinity		177	mg/LCaCO3	EPA-310.2
8/8/2007 7:30	Alkalinity		97	mg/LCaCO3	EPA-310.2
8/15/2007 13:06	Alkalinity		209	mg/LCaCO3	EPA-310.2
8/23/2007 9:08	Alkalinity		191	mg/LCaCO3	EPA-310.2
8/30/2007 11:11	Alkalinity		208.5	mg/LCaCO3	EPA-310.2
9/6/2007 9:17	Alkalinity		176	mg/LCaCO3	EPA-310.2
9/13/2007 9:59	Alkalinity		175	mg/LCaCO3	EPA-310.2
9/19/2007 9:16	Alkalinity		188	mg/LCaCO3	EPA-310.2
6/18/2007 9:18	As	j	0.6	ug/L	EPA-200.7
6/26/2007 7:32	As	j	1	ug/L	EPA-200.7
7/3/2007 9:33	As	j	1.9	ug/L	EPA-200.7
7/11/2007 7:40	As	j	0.6	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/19/2007 9:15	As	j	1.6	ug/L	EPA-200.7
7/26/2007 10:39	As	j	0.9	ug/L	EPA-200.7
8/8/2007 7:30	As		3.4	ug/L	EPA-200.7
8/15/2007 13:06	As	j	0.9	ug/L	EPA-200.7
8/23/2007 9:08	As	j	1.6	ug/L	EPA-200.7
8/30/2007 11:11	As	j	0.4	ug/L	EPA-200.7
9/6/2007 9:17	As	<	0.4	ug/L	EPA-200.7
9/13/2007 9:59	As	j	1.4	ug/L	EPA-200.7
9/19/2007 9:16	As	<	0.4	ug/L	EPA-200.7
6/18/2007 9:18	Be	<	0.1	ug/L	EPA-200.7
6/26/2007 7:32	Be	<	0.1	ug/L	EPA-200.7
7/3/2007 9:33	Be	<	0.1	ug/L	EPA-200.7
7/11/2007 7:40	Be	<	0.1	ug/L	EPA-200.7
7/19/2007 9:15	Be	<	0.1	ug/L	EPA-200.7
7/26/2007 10:39	Be	<	0.1	ug/L	EPA-200.7
8/8/2007 7:30	Be	<	0.1	ug/L	EPA-200.7
8/15/2007 13:06	Be	<	0.1	ug/L	EPA-200.7
8/23/2007 9:08	Be	<	0.1	ug/L	EPA-200.7
8/30/2007 11:11	Be	<	0.1	ug/L	EPA-200.7
9/6/2007 9:17	Be	<	0.1	ug/L	EPA-200.7
9/13/2007 9:59	Be	<	0.1	ug/L	EPA-200.7
9/19/2007 9:16	Be	<	0.1	ug/L	EPA-200.7
6/18/2007 9:18	BOD		2	mg/L	SM 5210
6/26/2007 7:32	BOD	<	2	mg/L	SM 5210
7/3/2007 9:33	BOD		3	mg/L	SM 5210
7/11/2007 7:40	BOD		3	mg/L	SM 5210
7/19/2007 9:15	BOD	<	2	mg/L	SM 5210
7/26/2007 10:39	BOD	<	2	mg/L	SM 5210
8/8/2007 7:30	BOD		3	mg/L	SM 5210
8/15/2007 13:06	BOD	<	2	mg/L	SM 5210
8/23/2007 9:08	BOD		2	mg/L	SM 5210
8/30/2007 11:11	BOD	<	2	mg/L	SM 5210
9/6/2007 9:17	BOD	<	2	mg/L	SM 5210
9/13/2007 9:59	BOD	<	2	mg/L	SM 5210
9/19/2007 9:16	BOD	<	2	mg/L	SM 5210
6/18/2007 9:18	Ca		99000	ug/L	EPA-200.7
6/26/2007 7:32	Ca		98900	ug/L	EPA-200.7
7/3/2007 9:33	Ca		102000	ug/L	EPA-200.7
7/11/2007 7:40	Ca		90900	ug/L	EPA-200.7
7/19/2007 9:15	Ca		74200	ug/L	EPA-200.7
7/26/2007 10:39	Ca		87400	ug/L	EPA-200.7
8/8/2007 7:30	Ca		56200	ug/L	EPA-200.7
8/15/2007 13:06	Ca		98000	ug/L	EPA-200.7

Mill Creek					
River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 9:08	Ca		99500	ug/L	EPA-200.7
8/30/2007 11:11	Ca		104500	ug/L	EPA-200.7
9/6/2007 9:17	Ca		91600	ug/L	EPA-200.7
9/13/2007 9:59	Ca		73900	ug/L	EPA-200.7
9/19/2007 9:16	Ca		95700	ug/L	EPA-200.7
6/18/2007 9:18	CaCO3		373	mg/LCaCO3	EPA-200.7
6/26/2007 7:32	CaCO3		370	mg/LCaCO3	EPA-200.7
7/3/2007 9:33	CaCO3		385	mg/LCaCO3	EPA-200.7
7/11/2007 7:40	CaCO3		353	mg/LCaCO3	EPA-200.7
7/19/2007 9:15	CaCO3		270	mg/LCaCO3	EPA-200.7
7/26/2007 10:39	CaCO3		322	mg/LCaCO3	EPA-200.7
8/8/2007 7:30	CaCO3		192	mg/LCaCO3	EPA-200.7
8/15/2007 13:06	CaCO3		358	mg/LCaCO3	EPA-200.7
8/23/2007 9:08	CaCO3		346	mg/LCaCO3	EPA-200.7
8/30/2007 11:11	CaCO3		379	mg/LCaCO3	EPA-200.7
9/6/2007 9:17	CaCO3		345	mg/LCaCO3	EPA-200.7
9/13/2007 9:59	CaCO3		271	mg/LCaCO3	EPA-200.7
9/19/2007 9:16	CaCO3		358	mg/LCaCO3	EPA-200.7
6/18/2007 9:18	Cd	j	0.3	ug/L	EPA-200.7
6/26/2007 7:32	Cd	j	0.4	ug/L	EPA-200.7
7/3/2007 9:33	Cd	j	0.8	ug/L	EPA-200.7
7/11/2007 7:40	Cd	j	0.4	ug/L	EPA-200.7
7/19/2007 9:15	Cd	j	0.25	ug/L	EPA-200.7
7/26/2007 10:39	Cd	j	0.3	ug/L	EPA-200.7
8/8/2007 7:30	Cd	j	0.8	ug/L	EPA-200.7
8/15/2007 13:06	Cd	j	0.5	ug/L	EPA-200.7
8/23/2007 9:08	Cd	j	0.5	ug/L	EPA-200.7
8/30/2007 11:11	Cd	j	0.3	ug/L	EPA-200.7
9/6/2007 9:17	Cd	j	0.3	ug/L	EPA-200.7
9/13/2007 9:59	Cd	j	0.5	ug/L	EPA-200.7
9/19/2007 9:16	Cd	j	0.3	ug/L	EPA-200.7
6/18/2007 9:18	Co	j	1	ug/L	EPA-200.7
6/26/2007 7:32	Co	j	1	ug/L	EPA-200.7
7/3/2007 9:33	Co		1.1	ug/L	EPA-200.7
7/11/2007 7:40	Co	j	0.9	ug/L	EPA-200.7
7/19/2007 9:15	Co	j	0.4	ug/L	EPA-200.7
7/26/2007 10:39	Co	j	0.7	ug/L	EPA-200.7
8/8/2007 7:30	Co		1.9	ug/L	EPA-200.7
8/15/2007 13:06	Co		1.1	ug/L	EPA-200.7
8/23/2007 9:08	Co		1.3	ug/L	EPA-200.7
8/30/2007 11:11	Co		1.1	ug/L	EPA-200.7
9/6/2007 9:17	Co		1.2	ug/L	EPA-200.7
9/13/2007 9:59	Co		1.1	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
9/19/2007 9:16	Co		1.1	ug/L	EPA-200.7
6/18/2007 9:18	COD		18	mg/L	EPA 410.4
6/26/2007 7:32	COD		16	mg/L	EPA 410.4
7/3/2007 9:33	COD		19	mg/L	EPA 410.4
7/11/2007 7:40	COD		19	mg/L	EPA 410.4
7/19/2007 9:15	COD		9	mg/L	EPA 410.4
7/26/2007 10:39	COD		4	mg/L	EPA 410.4
8/8/2007 7:30	COD		11	mg/L	EPA 410.4
8/15/2007 13:06	COD		12	mg/L	EPA 410.4
8/23/2007 9:08	COD		16	mg/L	EPA 410.4
8/30/2007 11:11	COD		19	mg/L	EPA 410.4
9/6/2007 9:17	COD		19	mg/L	EPA 410.4
9/13/2007 9:59	COD		15	mg/L	EPA 410.4
9/19/2007 9:16	COD		16	mg/L	EPA 410.4
6/18/2007 9:18	Cr		1.1	ug/L	EPA-200.7
6/26/2007 7:32	Cr	j	1.1	ug/L	EPA-200.7
7/3/2007 9:33	Cr	j	1.6	ug/L	EPA-200.7
7/11/2007 7:40	Cr	j	1.1	ug/L	EPA-200.7
7/26/2007 10:39	Cr	j	0.5	ug/L	EPA-200.7
8/8/2007 7:30	Cr		2.9	ug/L	EPA-200.7
8/15/2007 13:06	Cr	j	0.8	ug/L	EPA-200.7
8/23/2007 9:08	Cr	j	1.4	ug/L	EPA-200.7
8/30/2007 11:11	Cr	<	0.5	ug/L	EPA-200.7
9/6/2007 9:17	Cr	<	0.5	ug/L	EPA-200.7
9/13/2007 9:59	Cr	j	0.9	ug/L	EPA-200.7
9/19/2007 9:16	Cr	<	0.5	ug/L	EPA-200.7
6/18/2007 9:18	Cr+6	<	1	ug/L	SM 3500-Cr-D
6/26/2007 7:32	Cr+6	j	1.75	ug/L	SM 3500-Cr-D
7/3/2007 9:33	Cr+6	j	1.18	ug/L	SM 3500-Cr-D
7/11/2007 7:40	Cr+6	j	1.42	ug/L	SM 3500-Cr-D
7/19/2007 9:15	Cr+6	j	1.735	ug/L	SM 3500-Cr-D
7/26/2007 10:39	Cr+6	j	2.21	ug/L	SM 3500-Cr-D
8/8/2007 7:30	Cr+6	j	1.72	ug/L	SM 3500-Cr-D
8/15/2007 13:06	Cr+6	j	1.63	ug/L	SM 3500-Cr-D
8/23/2007 9:08	Cr+6	<	1	ug/L	SM 3500-Cr-D
8/30/2007 11:11	Cr+6	j	1.28	ug/L	SM 3500-Cr-D
9/6/2007 9:17	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/13/2007 9:59	Cr+6	<	1	ug/L	SM 3500-Cr-D
9/19/2007 9:16	Cr+6	j	2.83	ug/L	SM 3500-Cr-D
6/18/2007 9:18	Cu		9.4	ug/L	EPA-200.7
6/26/2007 7:32	Cu		7.6	ug/L	EPA-200.7
7/3/2007 9:33	Cu		11.2	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/11/2007 7:40	Cu		8.4	ug/L	EPA-200.7
7/19/2007 9:15	Cu		6	ug/L	EPA-200.7
7/26/2007 10:39	Cu		4.7	ug/L	EPA-200.7
8/8/2007 7:30	Cu		10.8	ug/L	EPA-200.7
8/15/2007 13:06	Cu		9.2	ug/L	EPA-200.7
8/23/2007 9:08	Cu		16.9	ug/L	EPA-200.7
8/30/2007 11:11	Cu		11.85	ug/L	EPA-200.7
9/6/2007 9:17	Cu		8.6	ug/L	EPA-200.7
9/13/2007 9:59	Cu		10.7	ug/L	EPA-200.7
9/19/2007 9:16	Cu		7.4	ug/L	EPA-200.7
6/18/2007 9:18	Fe		1180	ug/L	EPA-200.7
6/26/2007 7:32	Fe		1320	ug/L	EPA-200.7
7/3/2007 9:33	Fe		2570	ug/L	EPA-200.7
7/11/2007 7:40	Fe		1690	ug/L	EPA-200.7
7/19/2007 9:15	Fe		990	ug/L	EPA-200.7
7/26/2007 10:39	Fe		883	ug/L	EPA-200.7
8/8/2007 7:30	Fe		3010	ug/L	EPA-200.7
8/15/2007 13:06	Fe		1240	ug/L	EPA-200.7
8/23/2007 9:08	Fe		1580	ug/L	EPA-200.7
8/30/2007 11:11	Fe		1175	ug/L	EPA-200.7
9/6/2007 9:17	Fe		941	ug/L	EPA-200.7
9/13/2007 9:59	Fe		1350	ug/L	EPA-200.7
9/19/2007 9:16	Fe		1120	ug/L	EPA-200.7
6/18/2007 9:18	Field Cond		3160	uS/cm	SM 2510A
6/26/2007 7:32	Field Cond		1488	uS/cm	SM 2510A
7/3/2007 9:33	Field Cond		1486	uS/cm	SM 2510A
7/11/2007 7:40	Field Cond		1485	uS/cm	SM 2510A
7/19/2007 9:15	Field Cond		1192	uS/cm	SM 2510A
7/26/2007 10:39	Field Cond		1318	uS/cm	SM 2510A
8/15/2007 13:06	Field Cond		1560	uS/cm	SM 2510A
8/23/2007 9:08	Field Cond		1441	uS/cm	SM 2510A
8/30/2007 11:11	Field Cond		1572	uS/cm	SM 2510A
9/6/2007 9:17	Field Cond		1473	uS/cm	SM 2510A
9/13/2007 9:59	Field Cond		1157	uS/cm	SM 2510A
9/19/2007 9:16	Field Cond		1344	uS/cm	SM 2510A
6/18/2007 9:18	Field DO		8.07	mg/L	SM 4500-O G
6/26/2007 7:32	Field DO		7.4	mg/L	SM 4500-O G
7/3/2007 9:33	Field DO		9.12	mg/L	SM 4500-O G
7/11/2007 7:40	Field DO		6.73	mg/L	SM 4500-O G
7/19/2007 9:15	Field DO		7.51	mg/L	SM 4500-O G
7/26/2007 10:39	Field DO		8.47	mg/L	SM 4500-O G
8/15/2007 13:06	Field DO		7.64	mg/L	SM 4500-O G
8/23/2007 9:08	Field DO		7.78	mg/L	SM 4500-O G

Mill Creek					
River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
9/13/2007 9:59	Field DO		9.31	mg/L	SM 4500-O G
6/18/2007 9:18	Field Temp		21	C	EPA 170.1
6/26/2007 7:32	Field Temp		21.57	C	EPA 170.1
7/3/2007 9:33	Field Temp		18.74	C	EPA 170.1
7/11/2007 7:40	Field Temp		23.1	C	EPA 170.1
7/19/2007 9:15	Field Temp		21.47	C	EPA 170.1
7/26/2007 10:39	Field Temp		19.76	C	EPA 170.1
8/8/2007 7:30	Field Temp		22.8	C	EPA 170.1
8/15/2007 13:06	Field Temp		22.19	C	EPA 170.1
8/23/2007 9:08	Field Temp		21.09	C	EPA 170.1
8/30/2007 11:11	Field Temp		21.53	C	EPA 170.1
9/6/2007 9:17	Field Temp		20.84	C	EPA 170.1
9/13/2007 9:59	Field Temp		15.24	C	EPA 170.1
9/19/2007 9:16	Field Temp		16.5	C	EPA 170.1
6/15/2007 8:45	fld_flow		0.3	fps	
6/18/2007 9:18	fld_flow		0.73	fps	
7/3/2007 9:33	fld_flow		0.45	fps	
7/11/2007 7:40	fld_flow		0.28	fps	
7/19/2007 9:15	fld_flow		0.27	fps	
7/26/2007 10:39	fld_flow		0.29	fps	
8/15/2007 13:06	fld_flow		0.92	fps	
8/23/2007 9:08	fld_flow		2.36	fps	
8/30/2007 11:11	fld_flow		0.79	fps	
9/6/2007 9:17	fld_flow		2.07	fps	
9/19/2007 9:16	fld_flow		1.51	fps	
6/18/2007 9:18	Hg	<	0.05	ug/L	EPA 245.1
6/26/2007 7:32	Hg	<	0.05	ug/L	EPA 245.1
7/3/2007 9:33	Hg	<	0.05	ug/L	EPA 245.1
7/11/2007 7:40	Hg	<	0.05	ug/L	EPA 245.1
7/19/2007 9:15	Hg	<	0.05	ug/L	EPA 245.1
7/26/2007 10:39	Hg	<	0.05	ug/L	EPA 245.1
8/8/2007 7:30	Hg	<	0.05	ug/L	EPA 245.1
8/15/2007 13:06	Hg	<	0.05	ug/L	EPA 245.1
8/23/2007 9:08	Hg	<	0.05	ug/L	EPA 245.1
8/30/2007 11:11	Hg	<	0.05	ug/L	EPA 245.1
9/6/2007 9:17	Hg	<	0.05	ug/L	EPA 245.1
9/13/2007 9:59	Hg	<	0.05	ug/L	EPA 245.1
9/19/2007 9:16	Hg	<	0.05	ug/L	EPA 245.1
6/18/2007 9:18	K		14300	ug/L	EPA-200.7
6/26/2007 7:32	K		14300	ug/L	EPA-200.7
7/3/2007 9:33	K		14400	ug/L	EPA-200.7
7/11/2007 7:40	K		14700	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/19/2007 9:15	K		10300	ug/L	EPA-200.7
7/26/2007 10:39	K		11800	ug/L	EPA-200.7
8/8/2007 7:30	K		6470	ug/L	EPA-200.7
8/15/2007 13:06	K		12500	ug/L	EPA-200.7
8/23/2007 9:08	K		11900	ug/L	EPA-200.7
8/30/2007 11:11	K		13700	ug/L	EPA-200.7
9/6/2007 9:17	K		13700	ug/L	EPA-200.7
9/13/2007 9:59	K		10100	ug/L	EPA-200.7
9/19/2007 9:16	K		13600	ug/L	EPA-200.7
6/18/2007 9:18	Mg		30600	ug/L	EPA-200.7
6/26/2007 7:32	Mg		29900	ug/L	EPA-200.7
7/3/2007 9:33	Mg		32000	ug/L	EPA-200.7
7/11/2007 7:40	Mg		30600	ug/L	EPA-200.7
7/19/2007 9:15	Mg		20550	ug/L	EPA-200.7
7/26/2007 10:39	Mg		25100	ug/L	EPA-200.7
8/8/2007 7:30	Mg		12700	ug/L	EPA-200.7
8/15/2007 13:06	Mg		27400	ug/L	EPA-200.7
8/23/2007 9:08	Mg		23800	ug/L	EPA-200.7
8/30/2007 11:11	Mg		28850	ug/L	EPA-200.7
9/6/2007 9:17	Mg		28300	ug/L	EPA-200.7
9/13/2007 9:59	Mg		20900	ug/L	EPA-200.7
9/19/2007 9:16	Mg		28800	ug/L	EPA-200.7
6/18/2007 9:18	Mn		205	ug/L	EPA-200.7
6/26/2007 7:32	Mn		191	ug/L	EPA-200.7
7/3/2007 9:33	Mn		195	ug/L	EPA-200.7
7/11/2007 7:40	Mn		175	ug/L	EPA-200.7
7/19/2007 9:15	Mn		117	ug/L	EPA-200.7
7/26/2007 10:39	Mn		139	ug/L	EPA-200.7
8/8/2007 7:30	Mn		252	ug/L	EPA-200.7
8/15/2007 13:06	Mn		221	ug/L	EPA-200.7
8/23/2007 9:08	Mn		193	ug/L	EPA-200.7
8/30/2007 11:11	Mn		211.5	ug/L	EPA-200.7
9/6/2007 9:17	Mn		191	ug/L	EPA-200.7
9/13/2007 9:59	Mn		172	ug/L	EPA-200.7
9/19/2007 9:16	Mn		181	ug/L	EPA-200.7
6/18/2007 9:18	Mo		9.1	ug/L	EPA-200.7
6/26/2007 7:32	Mo		7.1	ug/L	EPA-200.7
7/3/2007 9:33	Mo		6.8	ug/L	EPA-200.7
7/11/2007 7:40	Mo		6.3	ug/L	EPA-200.7
7/19/2007 9:15	Mo		6.05	ug/L	EPA-200.7
7/26/2007 10:39	Mo		6.6	ug/L	EPA-200.7
8/8/2007 7:30	Mo		6.3	ug/L	EPA-200.7
8/15/2007 13:06	Mo		6.8	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
8/23/2007 9:08	Mo		8.6	ug/L	EPA-200.7
8/30/2007 11:11	Mo		6.85	ug/L	EPA-200.7
9/6/2007 9:17	Mo		6.1	ug/L	EPA-200.7
9/13/2007 9:59	Mo		6.2	ug/L	EPA-200.7
9/19/2007 9:16	Mo		6.4	ug/L	EPA-200.7
6/18/2007 9:18	Na		164000	ug/L	EPA-200.7
6/26/2007 7:32	Na		161000	ug/L	EPA-200.7
7/3/2007 9:33	Na		154000	ug/L	EPA-200.7
7/11/2007 7:40	Na		146000	ug/L	EPA-200.7
7/19/2007 9:15	Na		119500	ug/L	EPA-200.7
7/26/2007 10:39	Na		132000	ug/L	EPA-200.7
8/8/2007 7:30	Na		82300	ug/L	EPA-200.7
8/15/2007 13:06	Na		149000	ug/L	EPA-200.7
8/23/2007 9:08	Na		155000	ug/L	EPA-200.7
8/30/2007 11:11	Na		170000	ug/L	EPA-200.7
9/6/2007 9:17	Na		153000	ug/L	EPA-200.7
9/13/2007 9:59	Na		118000	ug/L	EPA-200.7
9/19/2007 9:16	Na		146000	ug/L	EPA-200.7
6/18/2007 9:18	NH3		0.35	mg/L	EPA-350.1
6/26/2007 7:32	NH3		0.29	mg/L	EPA-350.1
7/3/2007 9:33	NH3		0.18	mg/L	EPA-350.1
7/11/2007 7:40	NH3		0.28	mg/L	EPA-350.1
7/19/2007 9:15	NH3		0.125	mg/L	EPA-350.1
7/26/2007 10:39	NH3		0.16	mg/L	EPA-350.1
8/8/2007 7:30	NH3		0.46	mg/L	EPA-350.1
8/15/2007 13:06	NH3		0.38	mg/L	EPA-350.1
8/23/2007 9:08	NH3		0.55	mg/L	EPA-350.1
8/30/2007 11:11	NH3		0.34	mg/L	EPA-350.1
9/6/2007 9:17	NH3		0.31	mg/L	EPA-350.1
9/13/2007 9:59	NH3		0.35	mg/L	EPA-350.1
9/19/2007 9:16	NH3		0.33	mg/L	EPA-350.1
6/18/2007 9:18	Ni		4.5	ug/L	EPA-200.7
6/26/2007 7:32	Ni		4.4	ug/L	EPA-200.7
7/3/2007 9:33	Ni		4.7	ug/L	EPA-200.7
7/11/2007 7:40	Ni		4	ug/L	EPA-200.7
7/19/2007 9:15	Ni		2.95	ug/L	EPA-200.7
7/26/2007 10:39	Ni		3.1	ug/L	EPA-200.7
8/8/2007 7:30	Ni		5.7	ug/L	EPA-200.7
8/15/2007 13:06	Ni		4.5	ug/L	EPA-200.7
8/23/2007 9:08	Ni		5.1	ug/L	EPA-200.7
8/30/2007 11:11	Ni		4.5	ug/L	EPA-200.7
9/6/2007 9:17	Ni		4.6	ug/L	EPA-200.7
9/13/2007 9:59	Ni		5.3	ug/L	EPA-200.7

Mill Creek					
River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
9/19/2007 9:16	Ni		5.2	ug/L	EPA-200.7
6/18/2007 9:18	NO2		0.18	mg/L	SM 4500-NO2-B
6/26/2007 7:32	NO2		0.21	mg/L	SM 4500-NO2-B
7/3/2007 9:33	NO2		0.14	mg/L	SM 4500-NO2-B
7/11/2007 7:40	NO2		0.13	mg/L	SM 4500-NO2-B
7/19/2007 9:15	NO2		0.105	mg/L	SM 4500-NO2-B
7/26/2007 10:39	NO2		0.12	mg/L	SM 4500-NO2-B
8/8/2007 7:30	NO2		0.09	mg/L	SM 4500-NO2-B
8/15/2007 13:06	NO2		0.2	mg/L	SM 4500-NO2-B
8/23/2007 9:08	NO2		0.1	mg/L	SM 4500-NO2-B
8/30/2007 11:11	NO2		0.12	mg/L	SM 4500-NO2-B
9/6/2007 9:17	NO2		0.12	mg/L	SM 4500-NO2-B
9/13/2007 9:59	NO2		0.11	mg/L	SM 4500-NO2-B
9/19/2007 9:16	NO2		0.13	mg/L	SM 4500-NO2-B
6/18/2007 9:18	NO3		1.03	mg/L	EPA 353.2
6/26/2007 7:32	NO3		1.14	mg/L	EPA 353.2
7/3/2007 9:33	NO3		1.13	mg/L	EPA 353.2
7/11/2007 7:40	NO3		0.88	mg/L	EPA 353.2
7/19/2007 9:15	NO3		0.805	mg/L	EPA 353.2
7/26/2007 10:39	NO3		0.91	mg/L	EPA 353.2
8/8/2007 7:30	NO3		0.9	mg/L	EPA 353.2
8/15/2007 13:06	NO3		1.02	mg/L	EPA 353.2
8/23/2007 9:08	NO3		1.15	mg/L	EPA 353.2
8/30/2007 11:11	NO3		0.71	mg/L	EPA 353.2
9/6/2007 9:17	NO3		0.71	mg/L	EPA 353.2
9/13/2007 9:59	NO3		0.81	mg/L	EPA 353.2
9/19/2007 9:16	NO3		0.88	mg/L	EPA 353.2
6/18/2007 9:18	NO3+NO2		1.21	mg/L	EPA 353.2
6/26/2007 7:32	NO3+NO2		1.35	mg/L	EPA 353.2
7/3/2007 9:33	NO3+NO2		1.27	mg/L	EPA 353.2
7/11/2007 7:40	NO3+NO2		1.01	mg/L	EPA 353.2
7/19/2007 9:15	NO3+NO2		0.91	mg/L	EPA 353.2
7/26/2007 10:39	NO3+NO2		1.03	mg/L	EPA 353.2
8/8/2007 7:30	NO3+NO2		0.99	mg/L	EPA 353.2
8/15/2007 13:06	NO3+NO2		1.16	mg/L	EPA 353.2
8/23/2007 9:08	NO3+NO2		1.24	mg/L	EPA 353.2
8/30/2007 11:11	NO3+NO2		0.835	mg/L	EPA 353.2
9/6/2007 9:17	NO3+NO2		0.84	mg/L	EPA 353.2
9/13/2007 9:59	NO3+NO2		0.91	mg/L	EPA 353.2
9/19/2007 9:16	NO3+NO2		1.01	mg/L	EPA 353.2
6/18/2007 9:18	Pb	<	0.3	ug/L	EPA-200.7
6/26/2007 7:32	Pb	<	0.3	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/3/2007 9:33	Pb	<	0.3	ug/L	EPA-200.7
7/11/2007 7:40	Pb	<	0.3	ug/L	EPA-200.7
7/19/2007 9:15	Pb	<	0.3	ug/L	EPA-200.7
7/26/2007 10:39	Pb	<	0.3	ug/L	EPA-200.7
8/8/2007 7:30	Pb		3.5	ug/L	EPA-200.7
8/15/2007 13:06	Pb	<	0.3	ug/L	EPA-200.7
8/23/2007 9:08	Pb	<	0.3	ug/L	EPA-200.7
8/30/2007 11:11	Pb	<	0.3	ug/L	EPA-200.7
9/6/2007 9:17	Pb	<	0.3	ug/L	EPA-200.7
9/13/2007 9:59	Pb	<	0.3	ug/L	EPA-200.7
9/19/2007 9:16	Pb	<	0.3	ug/L	EPA-200.7
6/18/2007 9:18	pH		7.52	S.U.	
6/26/2007 7:32	pH		7.78	S.U.	
7/3/2007 9:33	pH		7.94	S.U.	
7/11/2007 7:40	pH		7.71	S.U.	
7/19/2007 9:15	pH		7.58	S.U.	
7/26/2007 10:39	pH		7.84	S.U.	
8/8/2007 7:30	pH		5.85	S.U.	
8/15/2007 13:06	pH		7.62	S.U.	
8/23/2007 9:08	pH		7.76	S.U.	
8/30/2007 11:11	pH		7.38	S.U.	
9/6/2007 9:17	pH		7.27	S.U.	
9/13/2007 9:59	pH		7.38	S.U.	
9/19/2007 9:16	pH		7	S.U.	
6/18/2007 9:18	Sb	j	0.4	ug/L	EPA-200.7
6/26/2007 7:32	Sb	<	0.4	ug/L	EPA-200.7
7/3/2007 9:33	Sb	<	0.4	ug/L	EPA-200.7
7/11/2007 7:40	Sb	j	1.5	ug/L	EPA-200.7
7/19/2007 9:15	Sb	<	0.4	ug/L	EPA-200.7
7/26/2007 10:39	Sb	<	0.4	ug/L	EPA-200.7
8/8/2007 7:30	Sb	<	0.4	ug/L	EPA-200.7
8/15/2007 13:06	Sb	<	0.4	ug/L	EPA-200.7
8/23/2007 9:08	Sb	j	1.4	ug/L	EPA-200.7
9/6/2007 9:17	Sb	<	0.4	ug/L	EPA-200.7
9/13/2007 9:59	Sb	<	0.4	ug/L	EPA-200.7
9/19/2007 9:16	Sb	<	0.4	ug/L	EPA-200.7
6/18/2007 9:18	Se	<	0.9	ug/L	EPA-200.7
6/26/2007 7:32	Se	<	0.9	ug/L	EPA-200.7
7/3/2007 9:33	Se	<	0.9	ug/L	EPA-200.7
7/11/2007 7:40	Se	<	0.9	ug/L	EPA-200.7
7/19/2007 9:15	Se	<	0.9	ug/L	EPA-200.7
7/26/2007 10:39	Se	<	0.9	ug/L	EPA-200.7
8/8/2007 7:30	Se	j	1	ug/L	EPA-200.7

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
8/15/2007 13:06	Se	<	0.9	ug/L	EPA-200.7
8/23/2007 9:08	Se	<	0.9	ug/L	EPA-200.7
8/30/2007 11:11	Se	<	0.9	ug/L	EPA-200.7
9/6/2007 9:17	Se	j	0.9	ug/L	EPA-200.7
9/13/2007 9:59	Se	<	0.9	ug/L	EPA-200.7
9/19/2007 9:16	Se	j	1	ug/L	EPA-200.7
6/18/2007 9:18	Sn	<	4.6	ug/L	EPA-200.7
6/26/2007 7:32	Sn	<	4.6	ug/L	EPA-200.7
7/3/2007 9:33	Sn	<	4.6	ug/L	EPA-200.7
7/11/2007 7:40	Sn	<	4.6	ug/L	EPA-200.7
7/19/2007 9:15	Sn	<	4.6	ug/L	EPA-200.7
7/26/2007 10:39	Sn	<	4.6	ug/L	EPA-200.7
8/8/2007 7:30	Sn	<	4.6	ug/L	EPA-200.7
8/15/2007 13:06	Sn	<	4.6	ug/L	EPA-200.7
8/23/2007 9:08	Sn	<	4.6	ug/L	EPA-200.7
8/30/2007 11:11	Sn	<	4.6	ug/L	EPA-200.7
9/6/2007 9:17	Sn	<	4.6	ug/L	EPA-200.7
9/13/2007 9:59	Sn	<	4.6	ug/L	EPA-200.7
9/19/2007 9:16	Sn	<	4.6	ug/L	EPA-200.7
6/18/2007 9:18	Soluble-P	<	0.01	mg/L	EPA 365.1
6/26/2007 7:32	Soluble-P		0.03	mg/L	EPA 365.1
7/3/2007 9:33	Soluble-P	<	0.01	mg/L	EPA 365.1
7/11/2007 7:40	Soluble-P	<	0.01	mg/L	EPA 365.1
7/19/2007 9:15	Soluble-P	<	0.01	mg/L	EPA 365.1
7/26/2007 10:39	Soluble-P	<	0.01	mg/L	EPA 365.1
8/8/2007 7:30	Soluble-P		0.06	mg/L	EPA 365.1
8/15/2007 13:06	Soluble-P	<	0.01	mg/L	EPA 365.1
8/23/2007 9:08	Soluble-P	<	0.001	mg/L	EPA 365.1
8/30/2007 11:11	Soluble-P	<	0.001	mg/L	EPA 365.1
9/6/2007 9:17	Soluble-P	j	0.01	mg/L	EPA 365.1
9/13/2007 9:59	Soluble-P	<	0.001	mg/L	EPA 365.1
9/19/2007 9:16	Soluble-P	j	0.004	mg/L	EPA 365.1
6/18/2007 9:18	TDS		922	mg/L	SM2540C
6/26/2007 7:32	TDS		938	mg/L	SM2540C
7/3/2007 9:33	TDS		899	mg/L	SM2540C
7/11/2007 7:40	TDS		879	mg/L	SM2540C
7/19/2007 9:15	TDS		672	mg/L	SM2540C
7/26/2007 10:39	TDS		746	mg/L	SM2540C
8/8/2007 7:30	TDS		466	mg/L	SM2540C
8/15/2007 13:06	TDS		934	mg/L	SM2540C
8/23/2007 9:08	TDS		855	mg/L	SM2540C
8/30/2007 11:11	TDS		881.5	mg/L	SM2540C
9/6/2007 9:17	TDS		856	mg/L	SM2540C

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
9/13/2007 9:59	TDS		702	mg/L	SM2540C
9/19/2007 9:16	TDS		902	mg/L	SM2540C
6/18/2007 9:18	Ti	j	0.6	ug/L	EPA-200.7
6/26/2007 7:32	Ti	j	1	ug/L	EPA-200.7
7/3/2007 9:33	Ti		3.3	ug/L	EPA-200.7
7/11/2007 7:40	Ti	j	1.1	ug/L	EPA-200.7
7/19/2007 9:15	Ti	<	0.6	ug/L	EPA-200.7
7/26/2007 10:39	Ti	<	0.6	ug/L	EPA-200.7
8/8/2007 7:30	Ti		22.1	ug/L	EPA-200.7
8/15/2007 13:06	Ti	<	0.6	ug/L	EPA-200.7
8/23/2007 9:08	Ti		2.7	ug/L	EPA-200.7
8/30/2007 11:11	Ti	<	0.6	ug/L	EPA-200.7
9/6/2007 9:17	Ti	<	0.6	ug/L	EPA-200.7
9/13/2007 9:59	Ti	<	0.6	ug/L	EPA-200.7
9/19/2007 9:16	Ti	<	0.6	ug/L	EPA-200.7
6/18/2007 9:18	TI		5.6	ug/L	EPA-200.7
6/26/2007 7:32	TI		6.6	ug/L	EPA-200.7
7/3/2007 9:33	TI		6.7	ug/L	EPA-200.7
7/11/2007 7:40	TI		8.3	ug/L	EPA-200.7
7/19/2007 9:15	TI		5.4	ug/L	EPA-200.7
7/26/2007 10:39	TI		8.4	ug/L	EPA-200.7
8/8/2007 7:30	TI		5.1	ug/L	EPA-200.7
8/15/2007 13:06	TI		7.4	ug/L	EPA-200.7
8/23/2007 9:08	TI		5.7	ug/L	EPA-200.7
8/30/2007 11:11	TI		6.5	ug/L	EPA-200.7
9/6/2007 9:17	TI		6.6	ug/L	EPA-200.7
9/13/2007 9:59	TI		7.5	ug/L	EPA-200.7
9/19/2007 9:16	TI		8	ug/L	EPA-200.7
6/18/2007 9:18	TMET		386	ug/L	EPA-200.7
6/26/2007 7:32	TMET		95.9	ug/L	EPA-200.7
7/3/2007 9:33	TMET		132	ug/L	EPA-200.7
7/11/2007 7:40	TMET		43.7	ug/L	EPA-200.7
7/19/2007 9:15	TMET		28.8	ug/L	EPA-200.7
7/26/2007 10:39	TMET		26.4	ug/L	EPA-200.7
8/8/2007 7:30	TMET		59.4	ug/L	EPA-200.7
8/15/2007 13:06	TMET		52.1	ug/L	EPA-200.7
8/23/2007 9:08	TMET		85.7	ug/L	EPA-200.7
8/30/2007 11:11	TMET		67.55	ug/L	EPA-200.7
9/6/2007 9:17	TMET		55.9	ug/L	EPA-200.7
9/13/2007 9:59	TMET		67.6	ug/L	EPA-200.7
9/19/2007 9:16	TMET		53.5	ug/L	EPA-200.7
6/18/2007 9:18	Total-P		0.02	mg/L	EPA 365.1

Mill Creek					
River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2007 7:32	Total-P		0.06	mg/L	EPA 365.1
7/3/2007 9:33	Total-P		0.04	mg/L	EPA 365.1
7/11/2007 7:40	Total-P		0.04	mg/L	EPA 365.1
7/19/2007 9:15	Total-P		0.035	mg/L	EPA 365.1
7/26/2007 10:39	Total-P		0.03	mg/L	EPA 365.1
8/8/2007 7:30	Total-P		0.17	mg/L	EPA 365.1
8/15/2007 13:06	Total-P		0.02	mg/L	EPA 365.1
8/23/2007 9:08	Total-P		0.04	mg/L	EPA 365.1
8/30/2007 11:11	Total-P		0.02	mg/L	EPA 365.1
9/6/2007 9:17	Total-P		0.03	mg/L	EPA 365.1
9/13/2007 9:59	Total-P		0.03	mg/L	EPA 365.1
9/19/2007 9:16	Total-P		0.02	mg/L	EPA 365.1
6/18/2007 9:18	TS		1035	mg/L	SM2540B
6/26/2007 7:32	TS		983	mg/L	SM2540B
7/3/2007 9:33	TS		1020	mg/L	SM2540B
7/11/2007 7:40	TS		900	mg/L	SM2540B
7/19/2007 9:15	TS		685	mg/L	SM2540B
7/26/2007 10:39	TS		795	mg/L	SM2540B
8/8/2007 7:30	TS		612	mg/L	SM2540B
8/15/2007 13:06	TS		965	mg/L	SM2540B
8/23/2007 9:08	TS		935	mg/L	SM2540B
8/30/2007 11:11	TS		953	mg/L	SM2540B
9/6/2007 9:17	TS		940	mg/L	SM2540B
9/13/2007 9:59	TS		749	mg/L	SM2540B
9/19/2007 9:16	TS		960	mg/L	SM2540B
6/18/2007 9:18	TSS		9	mg/L	SM2540D
6/26/2007 7:32	TSS		10	mg/L	SM2540D
7/3/2007 9:33	TSS		46	mg/L	SM2540D
7/11/2007 7:40	TSS		13	mg/L	SM2540D
7/19/2007 9:15	TSS		7	mg/L	SM2540D
7/26/2007 10:39	TSS		7	mg/L	SM2540D
8/8/2007 7:30	TSS		105	mg/L	SM2540D
8/15/2007 13:06	TSS		10	mg/L	SM2540D
8/23/2007 9:08	TSS		21	mg/L	SM2540D
8/30/2007 11:11	TSS		7	mg/L	SM2540D
9/6/2007 9:17	TSS		5	mg/L	SM2540D
9/13/2007 9:59	TSS		9	mg/L	SM2540D
9/19/2007 9:16	TSS		5	mg/L	SM2540D
6/18/2007 9:18	Turbidity		7.08	NTU	EPA 180.1
6/26/2007 7:32	Turbidity		8.45	NTU	EPA 180.1
7/3/2007 9:33	Turbidity		26.7	NTU	EPA 180.1
7/11/2007 7:40	Turbidity		8.44	NTU	EPA 180.1
7/26/2007 10:39	Turbidity		4.92	NTU	EPA 180.1

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
8/8/2007 7:30	Turbidity		144	NTU	EPA 180.1
8/15/2007 13:06	Turbidity		8.21	NTU	EPA 180.1
8/23/2007 9:08	Turbidity		10.8	NTU	EPA 180.1
8/30/2007 11:11	Turbidity		6.795	NTU	EPA 180.1
9/6/2007 9:17	Turbidity		4.78	NTU	EPA 180.1
9/13/2007 9:59	Turbidity		8.94	NTU	EPA 180.1
9/19/2007 9:16	Turbidity		7.4	NTU	EPA 180.1
6/18/2007 9:18	V	<	0.2	ug/L	EPA-200.7
6/26/2007 7:32	V	j	0.4	ug/L	EPA-200.7
7/3/2007 9:33	V	j	0.9	ug/L	EPA-200.7
7/11/2007 7:40	V	<	0.2	ug/L	EPA-200.7
7/19/2007 9:15	V	<	0.2	ug/L	EPA-200.7
7/26/2007 10:39	V	<	0.2	ug/L	EPA-200.7
8/8/2007 7:30	V		3.9	ug/L	EPA-200.7
8/15/2007 13:06	V	<	0.2	ug/L	EPA-200.7
8/23/2007 9:08	V		1.2	ug/L	EPA-200.7
8/30/2007 11:11	V	<	0.2	ug/L	EPA-200.7
9/6/2007 9:17	V	<	0.2	ug/L	EPA-200.7
9/13/2007 9:59	V	<	0.2	ug/L	EPA-200.7
9/19/2007 9:16	V	<	0.2	ug/L	EPA-200.7
6/18/2007 9:18	Zn		371	ug/L	EPA-200.7
6/26/2007 7:32	Zn		82.8	ug/L	EPA-200.7
7/3/2007 9:33	Zn		115	ug/L	EPA-200.7
7/11/2007 7:40	Zn		30.2	ug/L	EPA-200.7
7/19/2007 9:15	Zn		19.35	ug/L	EPA-200.7
7/26/2007 10:39	Zn		18.1	ug/L	EPA-200.7
8/8/2007 7:30	Zn		40	ug/L	EPA-200.7
8/15/2007 13:06	Zn		37.6	ug/L	EPA-200.7
8/23/2007 9:08	Zn		62.3	ug/L	EPA-200.7
8/30/2007 11:11	Zn		51.2	ug/L	EPA-200.7
9/6/2007 9:17	Zn		42.7	ug/L	EPA-200.7
9/13/2007 9:59	Zn		50.7	ug/L	EPA-200.7
9/19/2007 9:16	Zn		40.9	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)