

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:56	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 11:10	Ag	<	0.052	ug/L	EPA-200.8
7/2/2014 10:35	Ag	<	0.026	ug/L	EPA-200.8
7/9/2014 11:30	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 10:35	Ag	<	0.052	ug/L	EPA-200.8
6/18/2014 9:56	Al		133.9	ug/L	EPA-200.8
6/25/2014 11:10	Al		1735.5	ug/L	EPA-200.8
7/2/2014 10:35	Al		37.35	ug/L	EPA-200.8
7/9/2014 11:30	Al		1122	ug/L	EPA-200.8
7/16/2014 10:35	Al		311.2	ug/L	EPA-200.8
6/18/2014 9:56	Alkalinity		79.5	mg/LCaCO3	EPA-310.2
6/25/2014 11:10	Alkalinity		61.15	mg/LCaCO3	EPA-310.2
7/2/2014 10:35	Alkalinity		134	mg/LCaCO3	EPA-310.2
7/9/2014 11:30	Alkalinity		90.4	mg/LCaCO3	EPA-310.2
7/16/2014 10:35	Alkalinity		84.4	mg/LCaCO3	EPA-310.2
6/18/2014 9:56	As		2.192	ug/L	EPA-200.8
6/25/2014 11:10	As		3.0985	ug/L	EPA-200.8
7/2/2014 10:35	As		2.685	ug/L	EPA-200.8
7/9/2014 11:30	As	j	1.786	ug/L	EPA-200.8
7/16/2014 10:35	As	j	1.289	ug/L	EPA-200.8
6/18/2014 9:56	Ba		30.82	ug/L	EPA-200.8
6/25/2014 11:10	Ba		31.93	ug/L	EPA-200.8
7/2/2014 10:35	Ba		55.86	ug/L	EPA-200.8
7/9/2014 11:30	Ba		32.22	ug/L	EPA-200.8
7/16/2014 10:35	Ba		28.61	ug/L	EPA-200.8
6/18/2014 9:56	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 11:10	Be	j	0.1005	ug/L	EPA-200.8
7/2/2014 10:35	Be	<	0.042	ug/L	EPA-200.8
7/9/2014 11:30	Be	<	0.084	ug/L	EPA-200.8
7/16/2014 10:35	Be	<	0.084	ug/L	EPA-200.8
6/18/2014 9:56	BOD		5.3	mg/L	SM 5210
6/25/2014 11:10	BOD		3.25	mg/L	SM 5210
7/2/2014 10:35	BOD	<	2	mg/L	SM 5210
7/9/2014 11:30	BOD	<	2	mg/L	SM 5210
7/16/2014 10:35	BOD	<	2	mg/L	SM 5210
6/18/2014 9:56	Ca		49730	ug/L	EPA-200.8
6/25/2014 11:10	Ca		31190	ug/L	EPA-200.8
7/2/2014 10:35	Ca		75110	ug/L	EPA-200.8
7/9/2014 11:30	Ca		40140	ug/L	EPA-200.8

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 10:35	Ca		42260	ug/L	EPA-200.8
6/18/2014 9:56	CaCO3		165	mg/LCaCO3	EPA-200.8
6/25/2014 11:10	CaCO3		101.5	mg/LCaCO3	EPA-200.8
7/2/2014 10:35	CaCO3		249	mg/LCaCO3	EPA-200.8
7/9/2014 11:30	CaCO3		128	mg/LCaCO3	EPA-200.8
7/16/2014 10:35	CaCO3		138	mg/LCaCO3	EPA-200.8
6/18/2014 9:56	Cd	<	0.044	ug/L	EPA-200.8
6/25/2014 11:10	Cd	j	0.09	ug/L	EPA-200.8
7/2/2014 10:35	Cd	j	0.035	ug/L	EPA-200.8
7/9/2014 11:30	Cd	j	0.046	ug/L	EPA-200.8
7/16/2014 10:35	Cd	<	0.044	ug/L	EPA-200.8
6/18/2014 9:56	Chloride		329.5	mg/L	EPA 300.0
6/25/2014 11:10	Chloride		133.6	mg/L	EPA 300.0
7/2/2014 10:35	Chloride		602.2	mg/L	EPA 300.0
7/9/2014 11:30	Chloride		189.2	mg/L	EPA 300.0
7/16/2014 10:35	Chloride		302.7	mg/L	EPA 300.0
6/18/2014 9:56	Co	j	0.181	ug/L	EPA-200.8
6/25/2014 11:10	Co		1.25	ug/L	EPA-200.8
7/2/2014 10:35	Co	j	0.225	ug/L	EPA-200.8
7/9/2014 11:30	Co	j	0.41	ug/L	EPA-200.8
7/16/2014 10:35	Co	j	0.334	ug/L	EPA-200.8
6/18/2014 9:56	COD		24.9	mg/L	EPA 410.4
6/25/2014 11:10	COD		44.5	mg/L	EPA 410.4
7/2/2014 10:35	COD		14	mg/L	EPA 410.4
7/9/2014 11:30	COD		23.1	mg/L	EPA 410.4
7/16/2014 10:35	COD		22.4	mg/L	EPA 410.4
6/18/2014 9:56	Cr		1.008	ug/L	EPA-200.8
6/25/2014 11:10	Cr		3.7895	ug/L	EPA-200.8
7/2/2014 10:35	Cr		1.052	ug/L	EPA-200.8
7/9/2014 11:30	Cr		2.402	ug/L	EPA-200.8
7/16/2014 10:35	Cr		1.598	ug/L	EPA-200.8
6/18/2014 9:56	Cu		4.866	ug/L	EPA-200.8
6/25/2014 11:10	Cu		11.53	ug/L	EPA-200.8
7/2/2014 10:35	Cu		9.534	ug/L	EPA-200.8
7/9/2014 11:30	Cu		7.734	ug/L	EPA-200.8
7/16/2014 10:35	Cu		6.103	ug/L	EPA-200.8
6/18/2014 9:56	DRPhos		0.144	mg/L	EPA 365.1
6/25/2014 11:10	DRPhos		0.061	mg/L	EPA 365.1

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 10:35	DRPhos		0.096	mg/L	EPA 365.1
7/9/2014 11:30	DRPhos		0.04	mg/L	EPA 365.1
7/16/2014 10:35	DRPhos		0.033	mg/L	EPA 365.1
6/18/2014 9:56	E. coli		4383	MPN/100 mL	SM 9223 Colilert
6/25/2014 11:10	E. coli		22439	MPN/100 mL	SM 9223 Colilert
7/2/2014 10:35	E. coli		1412	MPN/100 mL	SM 9223 Colilert
7/9/2014 11:30	E. coli		4066	MPN/100 mL	SM 9223 Colilert
7/16/2014 10:35	E. coli		2060	MPN/100 mL	SM 9223 Colilert
6/18/2014 9:56	Fe		361.2	ug/L	EPA-200.8
6/25/2014 11:10	Fe		2911	ug/L	EPA-200.8
7/2/2014 10:35	Fe		399.3	ug/L	EPA-200.8
7/9/2014 11:30	Fe		1078	ug/L	EPA-200.8
7/16/2014 10:35	Fe		636.9	ug/L	EPA-200.8
6/18/2014 9:56	Field Cond		1105	umhos/cm	SM 2510A
6/25/2014 11:10	Field Cond		585.4	umhos/cm	SM 2510A
7/2/2014 10:35	Field Cond		2152	umhos/cm	SM 2510A
7/9/2014 11:30	Field Cond		839.5	umhos/cm	SM 2510A
7/16/2014 10:35	Field Cond		1114	umhos/cm	SM 2510A
6/18/2014 9:56	Field DO		7.03	mg/L	SM 4500-0 G
6/25/2014 11:10	Field DO		8.12	mg/L	SM 4500-0 G
7/2/2014 10:35	Field DO		7.28	mg/L	SM 4500-0 G
7/9/2014 11:30	Field DO		8.02	mg/L	SM 4500-0 G
7/16/2014 10:35	Field DO		8.63	mg/L	SM 4500-0 G
6/18/2014 9:56	Field Temp		20.1	C	EPA 170.1
6/25/2014 11:10	Field Temp		20.3	C	EPA 170.1
7/2/2014 10:35	Field Temp		23.3	C	EPA 170.1
7/9/2014 11:30	Field Temp		19.2	C	EPA 170.1
7/16/2014 10:35	Field Temp		17.4	C	EPA 170.1
6/18/2014 9:56	Hg	<	0.01	ug/L	EPA 245.1
6/25/2014 11:10	Hg	j	0.0375	ug/L	EPA 245.1
7/2/2014 10:35	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 11:30	Hg	j	0.014	ug/L	EPA 245.1
7/16/2014 10:35	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 9:56	K		3642	ug/L	EPA-200.8
6/25/2014 11:10	K		4275	ug/L	EPA-200.8
7/2/2014 10:35	K		5687	ug/L	EPA-200.8
7/9/2014 11:30	K		3944	ug/L	EPA-200.8
7/16/2014 10:35	K		3151	ug/L	EPA-200.8

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:56	Mg		9848	ug/L	EPA-200.8
6/25/2014 11:10	Mg		5685	ug/L	EPA-200.8
7/2/2014 10:35	Mg		14830	ug/L	EPA-200.8
7/9/2014 11:30	Mg		6827	ug/L	EPA-200.8
7/16/2014 10:35	Mg		7824	ug/L	EPA-200.8
6/18/2014 9:56	Mn		37.23	ug/L	EPA-200.8
6/25/2014 11:10	Mn		81.95	ug/L	EPA-200.8
7/2/2014 10:35	Mn		42.06	ug/L	EPA-200.8
7/9/2014 11:30	Mn		36.03	ug/L	EPA-200.8
7/16/2014 10:35	Mn		32.86	ug/L	EPA-200.8
6/18/2014 9:56	Mo		2.854	ug/L	EPA-200.8
6/25/2014 11:10	Mo		2.802	ug/L	EPA-200.8
7/2/2014 10:35	Mo		5.875	ug/L	EPA-200.8
7/9/2014 11:30	Mo		3.33	ug/L	EPA-200.8
7/16/2014 10:35	Mo		3.591	ug/L	EPA-200.8
6/18/2014 9:56	Na		171200	ug/L	EPA-200.8
6/25/2014 11:10	Na		84910	ug/L	EPA-200.8
7/2/2014 10:35	Na		323000	ug/L	EPA-200.8
7/9/2014 11:30	Na		133800	ug/L	EPA-200.8
7/16/2014 10:35	Na		186400	ug/L	EPA-200.8
6/18/2014 9:56	NH3		0.222	mg/L	EPA-350.1
6/25/2014 11:10	NH3		0.099	mg/L	EPA-350.1
7/2/2014 10:35	NH3	j	0.012	mg/L	EPA-350.1
7/9/2014 11:30	NH3		0.097	mg/L	EPA-350.1
7/16/2014 10:35	NH3		0.034	mg/L	EPA-350.1
6/18/2014 9:56	Ni	j	1.888	ug/L	EPA-200.8
6/25/2014 11:10	Ni		4.764	ug/L	EPA-200.8
7/2/2014 10:35	Ni		2.3	ug/L	EPA-200.8
7/9/2014 11:30	Ni	j	2.449	ug/L	EPA-200.8
7/16/2014 10:35	Ni	j	1.925	ug/L	EPA-200.8
6/18/2014 9:56	NO3-NO2		0.701	mg/L	EPA 353.2
6/25/2014 11:10	NO3-NO2		0.499	mg/L	EPA 353.2
7/2/2014 10:35	NO3-NO2		0.479	mg/L	EPA 353.2
7/9/2014 11:30	NO3-NO2		0.597	mg/L	EPA 353.2
7/16/2014 10:35	NO3-NO2		0.56	mg/L	EPA 353.2
6/18/2014 9:56	Pb	j	0.464	ug/L	EPA-200.8
6/25/2014 11:10	Pb		3.444	ug/L	EPA-200.8
7/2/2014 10:35	Pb	j	0.212	ug/L	EPA-200.8
7/9/2014 11:30	Pb		1.02	ug/L	EPA-200.8

Mill Creek					
River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 10:35	Pb	j	0.742	ug/L	EPA-200.8
6/18/2014 9:56	pH		7.65	S.U.	
6/25/2014 11:10	pH		7.72	S.U.	
7/2/2014 10:35	pH		7.94	S.U.	
7/9/2014 11:30	pH		7.81	S.U.	
7/16/2014 10:35	pH		7.98	S.U.	
6/18/2014 9:56	Sb		1.044	ug/L	EPA-200.8
6/25/2014 11:10	Sb	j	0.5255	ug/L	EPA-200.8
7/2/2014 10:35	Sb	j	0.423	ug/L	EPA-200.8
7/9/2014 11:30	Sb	j	0.644	ug/L	EPA-200.8
7/16/2014 10:35	Sb		1.858	ug/L	EPA-200.8
6/18/2014 9:56	Se	j	0.483	ug/L	EPA-200.8
6/25/2014 11:10	Se	<	0.374	ug/L	EPA-200.8
7/2/2014 10:35	Se	<	0.14	ug/L	EPA-200.8
7/9/2014 11:30	Se	<	0.28	ug/L	EPA-200.8
7/16/2014 10:35	Se	j	0.39	ug/L	EPA-200.8
6/18/2014 9:56	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 11:10	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 10:35	Sn	<	0.18	ug/L	EPA-200.8
7/9/2014 11:30	Sn	j	0.403	ug/L	EPA-200.8
7/16/2014 10:35	Sn	<	0.36	ug/L	EPA-200.8
6/18/2014 9:56	SO4		50.78	mg/L	EPA 300.0
6/25/2014 11:10	SO4		31.18	mg/L	EPA 300.0
7/2/2014 10:35	SO4		76.7	mg/L	EPA 300.0
7/9/2014 11:30	SO4		39.65	mg/L	EPA 300.0
7/16/2014 10:35	SO4		42.75	mg/L	EPA 300.0
6/18/2014 9:56	Sr		339.41	ug/L	EPA-200.8
6/25/2014 11:10	Sr		169.05	ug/L	EPA-200.8
7/2/2014 10:35	Sr		535.849	ug/L	EPA-200.8
7/9/2014 11:30	Sr		230.96	ug/L	EPA-200.8
7/16/2014 10:35	Sr		291.297	ug/L	EPA-200.8
6/18/2014 9:56	TDS		662	mg/L	SM2540C
7/2/2014 10:35	TDS		1265	mg/L	SM2540C
7/9/2014 11:30	TDS		502	mg/L	SM2540C
7/16/2014 10:35	TDS		653	mg/L	SM2540C
6/18/2014 9:56	Ti		2.416	ug/L	EPA-200.8
6/25/2014 11:10	Ti		20.22	ug/L	EPA-200.8
7/2/2014 10:35	Ti		1.735	ug/L	EPA-200.8

Mill Creek River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
7/9/2014 11:30	Ti		34.66	ug/L	EPA-200.8
7/16/2014 10:35	Ti		5.602	ug/L	EPA-200.8
6/18/2014 9:56	TKN		0.877	mg/L	EPA-351.1
6/25/2014 11:10	TKN		0.9445	mg/L	EPA-351.1
7/2/2014 10:35	TKN	j	0.457	mg/L	EPA-351.1
7/9/2014 11:30	TKN		0.644	mg/L	EPA-351.1
7/16/2014 10:35	TKN		0.634	mg/L	EPA-351.1
6/18/2014 9:56	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 11:10	TI	<	0.138	ug/L	EPA-200.8
7/2/2014 10:35	TI	<	0.069	ug/L	EPA-200.8
7/9/2014 11:30	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 10:35	TI	<	0.138	ug/L	EPA-200.8
6/18/2014 9:56	TMET		19.3	ug/L	EPA-200.8
6/25/2014 11:10	TMET		44.45	ug/L	EPA-200.8
7/2/2014 10:35	TMET		21.7	ug/L	EPA-200.8
7/9/2014 11:30	TMET		23.2	ug/L	EPA-200.8
7/16/2014 10:35	TMET		18	ug/L	EPA-200.8
6/18/2014 9:56	Total-P		0.22	mg/L	EPA 365.1
6/25/2014 11:10	Total-P		0.176	mg/L	EPA 365.1
7/2/2014 10:35	Total-P		0.153	mg/L	EPA 365.1
7/9/2014 11:30	Total-P		0.086	mg/L	EPA 365.1
7/16/2014 10:35	Total-P		0.062	mg/L	EPA 365.1
6/18/2014 9:56	TS		714	mg/L	SM2540B
6/25/2014 11:10	TS		453	mg/L	SM2540B
7/2/2014 10:35	TS		1277	mg/L	SM2540B
7/9/2014 11:30	TS		508	mg/L	SM2540B
7/16/2014 10:35	TS		685	mg/L	SM2540B
6/18/2014 9:56	TSS		36.6	mg/L	SM2540D
6/25/2014 11:10	TSS		83.5	mg/L	SM2540D
7/2/2014 10:35	TSS		1.3	mg/L	SM2540D
7/9/2014 11:30	TSS		12.1	mg/L	SM2540D
7/16/2014 10:35	TSS		15.2	mg/L	SM2540D
6/18/2014 9:56	Turbidity		6.25	NTU	EPA 180.1
6/25/2014 11:10	Turbidity		84.75	NTU	EPA 180.1
7/2/2014 10:35	Turbidity		2.58	NTU	EPA 180.1
7/9/2014 11:30	Turbidity		28.7	NTU	EPA 180.1
7/16/2014 10:35	Turbidity		15.9	NTU	EPA 180.1
6/18/2014 9:56	V	<	1.22	ug/L	EPA-200.8

Mill Creek					
River Mile 10.13					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2014 11:10	V	j	3.322	ug/L	EPA-200.8
7/2/2014 10:35	V	<	0.61	ug/L	EPA-200.8
7/9/2014 11:30	V	j	2.193	ug/L	EPA-200.8
7/16/2014 10:35	V	j	1.259	ug/L	EPA-200.8
6/18/2014 9:56	Zn		11.14	ug/L	EPA-200.8
6/25/2014 11:10	Zn		24.385	ug/L	EPA-200.8
7/2/2014 10:35	Zn		8.848	ug/L	EPA-200.8
7/9/2014 11:30	Zn		10.64	ug/L	EPA-200.8
7/16/2014 10:35	Zn	j	8.431	ug/L	EPA-200.8

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 10:27	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 10:47	Ag	<	0.052	ug/L	EPA-200.8
7/2/2014 10:15	Ag	<	0.052	ug/L	EPA-200.8
7/9/2014 10:55	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 10:13	Ag	<	0.052	ug/L	EPA-200.8
6/18/2014 10:27	Al		175.3	ug/L	EPA-200.8
6/25/2014 10:47	Al		2834	ug/L	EPA-200.8
7/2/2014 10:15	Al		61.68	ug/L	EPA-200.8
7/9/2014 10:55	Al		805.9	ug/L	EPA-200.8
7/16/2014 10:13	Al		160	ug/L	EPA-200.8
6/18/2014 10:27	Alkalinity		98.5	mg/LCaCO3	EPA-310.2
6/25/2014 10:47	Alkalinity		45.1	mg/LCaCO3	EPA-310.2
7/2/2014 10:15	Alkalinity		158.9	mg/LCaCO3	EPA-310.2
7/9/2014 10:55	Alkalinity		111.4	mg/LCaCO3	EPA-310.2
7/16/2014 10:13	Alkalinity		116.2	mg/LCaCO3	EPA-310.2
6/18/2014 10:27	As		2.604	ug/L	EPA-200.8
6/25/2014 10:47	As		4.163	ug/L	EPA-200.8
7/2/2014 10:15	As	j	1.662	ug/L	EPA-200.8
7/9/2014 10:55	As		2.27	ug/L	EPA-200.8
7/16/2014 10:13	As	j	1.257	ug/L	EPA-200.8
6/18/2014 10:27	Ba		40.14	ug/L	EPA-200.8
6/25/2014 10:47	Ba		38.02	ug/L	EPA-200.8
7/2/2014 10:15	Ba		58.27	ug/L	EPA-200.8
7/9/2014 10:55	Ba		40.31	ug/L	EPA-200.8
7/16/2014 10:13	Ba		32.99	ug/L	EPA-200.8
6/18/2014 10:27	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 10:47	Be	j	0.164	ug/L	EPA-200.8
7/2/2014 10:15	Be	<	0.084	ug/L	EPA-200.8
7/9/2014 10:55	Be	<	0.084	ug/L	EPA-200.8
7/16/2014 10:13	Be	<	0.084	ug/L	EPA-200.8
6/18/2014 10:27	BOD		4.7	mg/L	SM 5210
6/25/2014 10:47	BOD		3.8	mg/L	SM 5210
7/2/2014 10:15	BOD	<	2	mg/L	SM 5210
7/9/2014 10:55	BOD	<	2	mg/L	SM 5210
7/16/2014 10:13	BOD		2.1	mg/L	SM 5210
6/18/2014 10:27	Ca		61420	ug/L	EPA-200.8
6/25/2014 10:47	Ca		31690	ug/L	EPA-200.8
7/2/2014 10:15	Ca		83400	ug/L	EPA-200.8
7/9/2014 10:55	Ca		53690	ug/L	EPA-200.8

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 10:13	Ca		51940	ug/L	EPA-200.8
6/18/2014 10:27	CaCO3		202	mg/LCaCO3	EPA-200.8
6/25/2014 10:47	CaCO3		104	mg/LCaCO3	EPA-200.8
7/2/2014 10:15	CaCO3		274	mg/LCaCO3	EPA-200.8
7/9/2014 10:55	CaCO3		171	mg/LCaCO3	EPA-200.8
7/16/2014 10:13	CaCO3		167	mg/LCaCO3	EPA-200.8
6/18/2014 10:27	Cd	<	0.044	ug/L	EPA-200.8
6/25/2014 10:47	Cd	j	0.134	ug/L	EPA-200.8
7/2/2014 10:15	Cd	<	0.044	ug/L	EPA-200.8
7/9/2014 10:55	Cd	j	0.059	ug/L	EPA-200.8
7/16/2014 10:13	Cd	<	0.044	ug/L	EPA-200.8
6/18/2014 10:27	Chloride		329.5	mg/L	EPA 300.0
6/25/2014 10:47	Chloride		93.67	mg/L	EPA 300.0
7/2/2014 10:15	Chloride		461.1	mg/L	EPA 300.0
7/9/2014 10:55	Chloride		257.6	mg/L	EPA 300.0
7/16/2014 10:13	Chloride		248.4	mg/L	EPA 300.0
6/18/2014 10:27	Co	j	0.268	ug/L	EPA-200.8
6/25/2014 10:47	Co		2.352	ug/L	EPA-200.8
7/2/2014 10:15	Co	j	0.262	ug/L	EPA-200.8
7/9/2014 10:55	Co	j	0.516	ug/L	EPA-200.8
7/16/2014 10:13	Co	j	0.354	ug/L	EPA-200.8
6/18/2014 10:27	COD		32.3	mg/L	EPA 410.4
6/25/2014 10:47	COD		37.4	mg/L	EPA 410.4
7/2/2014 10:15	COD		16.8	mg/L	EPA 410.4
7/9/2014 10:55	COD		25.4	mg/L	EPA 410.4
7/16/2014 10:13	COD		23.4	mg/L	EPA 410.4
6/18/2014 10:27	Cr		1.011	ug/L	EPA-200.8
6/25/2014 10:47	Cr		5.172	ug/L	EPA-200.8
7/2/2014 10:15	Cr		1.188	ug/L	EPA-200.8
7/9/2014 10:55	Cr		2.608	ug/L	EPA-200.8
7/16/2014 10:13	Cr		1.454	ug/L	EPA-200.8
6/18/2014 10:27	Cu		7.256	ug/L	EPA-200.8
6/25/2014 10:47	Cu		12.71	ug/L	EPA-200.8
7/2/2014 10:15	Cu		10.68	ug/L	EPA-200.8
7/9/2014 10:55	Cu		9.122	ug/L	EPA-200.8
7/16/2014 10:13	Cu		8.646	ug/L	EPA-200.8
6/18/2014 10:27	DRPhos		0.084	mg/L	EPA 365.1
6/25/2014 10:47	DRPhos		0.057	mg/L	EPA 365.1

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 10:15	DRPhos		0.057	mg/L	EPA 365.1
7/9/2014 10:55	DRPhos		0.05	mg/L	EPA 365.1
7/16/2014 10:13	DRPhos		0.048	mg/L	EPA 365.1
6/18/2014 10:27	E. coli		27520	MPN/100 mL	SM 9223 Colilert
6/25/2014 10:47	E. coli		24547	MPN/100 mL	SM 9223 Colilert
7/2/2014 10:15	E. coli		2938	MPN/100 mL	SM 9223 Colilert
7/9/2014 10:55	E. coli		8702	MPN/100 mL	SM 9223 Colilert
7/16/2014 10:13	E. coli		5957	MPN/100 mL	SM 9223 Colilert
6/18/2014 10:27	Fe		455	ug/L	EPA-200.8
6/25/2014 10:47	Fe		5301	ug/L	EPA-200.8
7/2/2014 10:15	Fe		334.5	ug/L	EPA-200.8
7/9/2014 10:55	Fe		1071	ug/L	EPA-200.8
7/16/2014 10:13	Fe		379.7	ug/L	EPA-200.8
6/18/2014 10:27	Field Cond		1287	umhos/cm	SM 2510A
6/25/2014 10:47	Field Cond		452.6	umhos/cm	SM 2510A
7/2/2014 10:15	Field Cond		1761	umhos/cm	SM 2510A
7/9/2014 10:55	Field Cond		1045	umhos/cm	SM 2510A
7/16/2014 10:13	Field Cond		1018	umhos/cm	SM 2510A
6/18/2014 10:27	Field DO		8.46	mg/L	SM 4500-0 G
6/25/2014 10:47	Field DO		8.55	mg/L	SM 4500-0 G
7/2/2014 10:15	Field DO		8.29	mg/L	SM 4500-0 G
7/9/2014 10:55	Field DO		8.71	mg/L	SM 4500-0 G
7/16/2014 10:13	Field DO		8.84	mg/L	SM 4500-0 G
6/18/2014 10:27	Field Temp		21.6	C	EPA 170.1
6/25/2014 10:47	Field Temp		20.2	C	EPA 170.1
7/2/2014 10:15	Field Temp		22.1	C	EPA 170.1
7/9/2014 10:55	Field Temp		19.6	C	EPA 170.1
7/16/2014 10:13	Field Temp		18	C	EPA 170.1
6/18/2014 10:27	Hg	<	0.01	ug/L	EPA 245.1
6/25/2014 10:47	Hg	j	0.036	ug/L	EPA 245.1
7/2/2014 10:15	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 10:55	Hg	j	0.015	ug/L	EPA 245.1
7/16/2014 10:13	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 10:27	K		4270	ug/L	EPA-200.8
6/25/2014 10:47	K		3973	ug/L	EPA-200.8
7/2/2014 10:15	K		5066	ug/L	EPA-200.8
7/9/2014 10:55	K		4668	ug/L	EPA-200.8
7/16/2014 10:13	K		3427	ug/L	EPA-200.8

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 10:27	Mg		11810	ug/L	EPA-200.8
6/25/2014 10:47	Mg		6059	ug/L	EPA-200.8
7/2/2014 10:15	Mg		15860	ug/L	EPA-200.8
7/9/2014 10:55	Mg		9043	ug/L	EPA-200.8
7/16/2014 10:13	Mg		9043	ug/L	EPA-200.8
6/18/2014 10:27	Mn		47.2	ug/L	EPA-200.8
6/25/2014 10:47	Mn		142.4	ug/L	EPA-200.8
7/2/2014 10:15	Mn		29.47	ug/L	EPA-200.8
7/9/2014 10:55	Mn		27.8	ug/L	EPA-200.8
7/16/2014 10:13	Mn		25.4	ug/L	EPA-200.8
6/18/2014 10:27	Mo		4.067	ug/L	EPA-200.8
6/25/2014 10:47	Mo		2.424	ug/L	EPA-200.8
7/2/2014 10:15	Mo		8.302	ug/L	EPA-200.8
7/9/2014 10:55	Mo		5.267	ug/L	EPA-200.8
7/16/2014 10:13	Mo		4.792	ug/L	EPA-200.8
6/18/2014 10:27	Na		195500	ug/L	EPA-200.8
6/25/2014 10:47	Na		62910	ug/L	EPA-200.8
7/2/2014 10:15	Na		267500	ug/L	EPA-200.8
7/9/2014 10:55	Na		169500	ug/L	EPA-200.8
7/16/2014 10:13	Na		156100	ug/L	EPA-200.8
6/18/2014 10:27	NH3		0.144	mg/L	EPA-350.1
6/25/2014 10:47	NH3		0.067	mg/L	EPA-350.1
7/2/2014 10:15	NH3	j	0.003	mg/L	EPA-350.1
7/9/2014 10:55	NH3		0.09	mg/L	EPA-350.1
7/16/2014 10:13	NH3		0.037	mg/L	EPA-350.1
6/18/2014 10:27	Ni	j	2.157	ug/L	EPA-200.8
6/25/2014 10:47	Ni		7.209	ug/L	EPA-200.8
7/2/2014 10:15	Ni	j	2.61	ug/L	EPA-200.8
7/9/2014 10:55	Ni	j	2.638	ug/L	EPA-200.8
7/16/2014 10:13	Ni	j	1.844	ug/L	EPA-200.8
6/18/2014 10:27	NO3-NO2		0.719	mg/L	EPA 353.2
6/25/2014 10:47	NO3-NO2		0.409	mg/L	EPA 353.2
7/2/2014 10:15	NO3-NO2		0.498	mg/L	EPA 353.2
7/9/2014 10:55	NO3-NO2		0.82	mg/L	EPA 353.2
7/16/2014 10:13	NO3-NO2		0.408	mg/L	EPA 353.2
6/18/2014 10:27	Pb	j	0.692	ug/L	EPA-200.8
6/25/2014 10:47	Pb		6.192	ug/L	EPA-200.8
7/2/2014 10:15	Pb	j	0.257	ug/L	EPA-200.8
7/9/2014 10:55	Pb		1.191	ug/L	EPA-200.8

Mill Creek					
River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 10:13	Pb	j	0.771	ug/L	EPA-200.8
6/18/2014 10:27	pH		8.01	S.U.	
6/25/2014 10:47	pH		7.94	S.U.	
7/2/2014 10:15	pH		8.27	S.U.	
7/9/2014 10:55	pH		8.29	S.U.	
7/16/2014 10:13	pH		8.41	S.U.	
6/18/2014 10:27	Sb	j	0.824	ug/L	EPA-200.8
6/25/2014 10:47	Sb	j	0.584	ug/L	EPA-200.8
7/2/2014 10:15	Sb	j	0.476	ug/L	EPA-200.8
7/9/2014 10:55	Sb	j	0.619	ug/L	EPA-200.8
7/16/2014 10:13	Sb	j	0.569	ug/L	EPA-200.8
6/18/2014 10:27	Se	j	0.748	ug/L	EPA-200.8
6/25/2014 10:47	Se	j	0.463	ug/L	EPA-200.8
7/2/2014 10:15	Se	<	0.28	ug/L	EPA-200.8
7/9/2014 10:55	Se	j	0.33	ug/L	EPA-200.8
7/16/2014 10:13	Se	<	0.28	ug/L	EPA-200.8
6/18/2014 10:27	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 10:47	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 10:15	Sn	<	0.36	ug/L	EPA-200.8
7/9/2014 10:55	Sn	<	0.36	ug/L	EPA-200.8
7/16/2014 10:13	Sn	<	0.36	ug/L	EPA-200.8
6/18/2014 10:27	SO4		50.78	mg/L	EPA 300.0
6/25/2014 10:47	SO4		26.86	mg/L	EPA 300.0
7/2/2014 10:15	SO4		82.59	mg/L	EPA 300.0
7/9/2014 10:55	SO4		53.3	mg/L	EPA 300.0
7/16/2014 10:13	SO4		45.75	mg/L	EPA 300.0
6/18/2014 10:27	Sr		406.115	ug/L	EPA-200.8
6/25/2014 10:47	Sr		171.044	ug/L	EPA-200.8
7/2/2014 10:15	Sr		543.029	ug/L	EPA-200.8
7/9/2014 10:55	Sr		364.383	ug/L	EPA-200.8
7/16/2014 10:13	Sr		331.19	ug/L	EPA-200.8
6/18/2014 10:27	TDS		740	mg/L	SM2540C
6/25/2014 10:47	TDS		294	mg/L	SM2540C
7/2/2014 10:15	TDS		1071	mg/L	SM2540C
7/9/2014 10:55	TDS		642	mg/L	SM2540C
7/16/2014 10:13	TDS		592	mg/L	SM2540C
6/18/2014 10:27	Ti		10.85	ug/L	EPA-200.8
6/25/2014 10:47	Ti		26.1	ug/L	EPA-200.8

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 10:15	Ti	j	1.673	ug/L	EPA-200.8
7/9/2014 10:55	Ti		37.11	ug/L	EPA-200.8
7/16/2014 10:13	Ti		4.648	ug/L	EPA-200.8
6/18/2014 10:27	TKN		0.85	mg/L	EPA-351.1
6/25/2014 10:47	TKN		1.012	mg/L	EPA-351.1
7/2/2014 10:15	TKN		0.536	mg/L	EPA-351.1
7/9/2014 10:55	TKN		0.676	mg/L	EPA-351.1
7/16/2014 10:13	TKN		0.512	mg/L	EPA-351.1
6/18/2014 10:27	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 10:47	TI	<	0.138	ug/L	EPA-200.8
7/2/2014 10:15	TI	<	0.138	ug/L	EPA-200.8
7/9/2014 10:55	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 10:13	TI	<	0.138	ug/L	EPA-200.8
6/18/2014 10:27	TMET		21.9	ug/L	EPA-200.8
6/25/2014 10:47	TMET		59.7	ug/L	EPA-200.8
7/2/2014 10:15	TMET		23.1	ug/L	EPA-200.8
7/9/2014 10:55	TMET		25.6	ug/L	EPA-200.8
7/16/2014 10:13	TMET		23.5	ug/L	EPA-200.8
6/18/2014 10:27	Total-P		0.16	mg/L	EPA 365.1
6/25/2014 10:47	Total-P		0.216	mg/L	EPA 365.1
7/2/2014 10:15	Total-P		0.082	mg/L	EPA 365.1
7/9/2014 10:55	Total-P		0.094	mg/L	EPA 365.1
7/16/2014 10:13	Total-P		0.075	mg/L	EPA 365.1
6/18/2014 10:27	TS		792	mg/L	SM2540B
6/25/2014 10:47	TS		464	mg/L	SM2540B
7/2/2014 10:15	TS		1078	mg/L	SM2540B
7/9/2014 10:55	TS		664	mg/L	SM2540B
7/16/2014 10:13	TS		628	mg/L	SM2540B
6/18/2014 10:27	TSS		8.4	mg/L	SM2540D
6/25/2014 10:47	TSS		172	mg/L	SM2540D
7/2/2014 10:15	TSS		1.6	mg/L	SM2540D
7/9/2014 10:55	TSS		6.9	mg/L	SM2540D
7/16/2014 10:13	TSS		8.1	mg/L	SM2540D
6/18/2014 10:27	Turbidity		11	NTU	EPA 180.1
6/25/2014 10:47	Turbidity		149	NTU	EPA 180.1
7/2/2014 10:15	Turbidity		2.48	NTU	EPA 180.1
7/9/2014 10:55	Turbidity		27.5	NTU	EPA 180.1
7/16/2014 10:13	Turbidity		11.3	NTU	EPA 180.1

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 10:27	V	j	1.316	ug/L	EPA-200.8
6/25/2014 10:47	V		5.458	ug/L	EPA-200.8
7/2/2014 10:15	V	<	1.22	ug/L	EPA-200.8
7/9/2014 10:55	V	j	2.517	ug/L	EPA-200.8
7/16/2014 10:13	V	<	1.22	ug/L	EPA-200.8
6/18/2014 10:27	Zn		11.99	ug/L	EPA-200.8
6/25/2014 10:47	Zn		34.6	ug/L	EPA-200.8
7/2/2014 10:15	Zn	j	8.606	ug/L	EPA-200.8
7/9/2014 10:55	Zn		11.24	ug/L	EPA-200.8
7/16/2014 10:13	Zn		11.55	ug/L	EPA-200.8

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 10:50	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 10:27	Ag	<	0.052	ug/L	EPA-200.8
7/2/2014 9:49	Ag	<	0.052	ug/L	EPA-200.8
7/9/2014 10:35	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 9:50	Ag	<	0.052	ug/L	EPA-200.8
6/18/2014 10:50	Al		492.3	ug/L	EPA-200.8
6/25/2014 10:27	Al		3901	ug/L	EPA-200.8
7/2/2014 9:49	Al		80.28	ug/L	EPA-200.8
7/9/2014 10:35	Al		2531	ug/L	EPA-200.8
7/16/2014 9:50	Al		203.8	ug/L	EPA-200.8
6/18/2014 10:50	Alkalinity		74.6	mg/LCaCO3	EPA-310.2
6/25/2014 10:27	Alkalinity		36.2	mg/LCaCO3	EPA-310.2
7/2/2014 9:49	Alkalinity		148.4	mg/LCaCO3	EPA-310.2
7/9/2014 10:35	Alkalinity		63.3	mg/LCaCO3	EPA-310.2
7/16/2014 9:50	Alkalinity		92.1	mg/LCaCO3	EPA-310.2
6/18/2014 10:50	As		2.132	ug/L	EPA-200.8
6/25/2014 10:27	As		4.244	ug/L	EPA-200.8
7/2/2014 9:49	As		2.179	ug/L	EPA-200.8
7/9/2014 10:35	As		2.592	ug/L	EPA-200.8
7/16/2014 9:50	As	j	1.717	ug/L	EPA-200.8
6/18/2014 10:50	Ba		36.06	ug/L	EPA-200.8
6/25/2014 10:27	Ba		39.22	ug/L	EPA-200.8
7/2/2014 9:49	Ba		53.79	ug/L	EPA-200.8
7/9/2014 10:35	Ba		36.78	ug/L	EPA-200.8
7/16/2014 9:50	Ba		28.82	ug/L	EPA-200.8
6/18/2014 10:50	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 10:27	Be	j	0.235	ug/L	EPA-200.8
7/2/2014 9:49	Be	<	0.084	ug/L	EPA-200.8
7/9/2014 10:35	Be	j	0.122	ug/L	EPA-200.8
7/16/2014 9:50	Be	<	0.084	ug/L	EPA-200.8
6/18/2014 10:50	BOD		6.9	mg/L	SM 5210
6/25/2014 10:27	BOD		2.6	mg/L	SM 5210
7/2/2014 9:49	BOD	<	2	mg/L	SM 5210
7/9/2014 10:35	BOD	<	2	mg/L	SM 5210
7/16/2014 9:50	BOD		6.8	mg/L	SM 5210
6/18/2014 10:50	Ca		49540	ug/L	EPA-200.8
6/25/2014 10:27	Ca		26120	ug/L	EPA-200.8
7/2/2014 9:49	Ca		74880	ug/L	EPA-200.8
7/9/2014 10:35	Ca		34740	ug/L	EPA-200.8

Mill Creek					
River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 9:50	Ca		42170	ug/L	EPA-200.8
6/18/2014 10:50	CaCO3		160	mg/LCaCO3	EPA-200.8
6/25/2014 10:27	CaCO3		88	mg/LCaCO3	EPA-200.8
7/2/2014 9:49	CaCO3		247	mg/LCaCO3	EPA-200.8
7/9/2014 10:35	CaCO3		111	mg/LCaCO3	EPA-200.8
7/16/2014 9:50	CaCO3		136	mg/LCaCO3	EPA-200.8
6/18/2014 10:50	Cd	j	0.045	ug/L	EPA-200.8
6/25/2014 10:27	Cd	j	0.132	ug/L	EPA-200.8
7/2/2014 9:49	Cd	j	0.092	ug/L	EPA-200.8
7/9/2014 10:35	Cd	j	0.082	ug/L	EPA-200.8
7/16/2014 9:50	Cd	<	0.044	ug/L	EPA-200.8
6/18/2014 10:50	Chloride		237.8	mg/L	EPA 300.0
6/25/2014 10:27	Chloride		69.92	mg/L	EPA 300.0
7/2/2014 9:49	Chloride		407.4	mg/L	EPA 300.0
7/9/2014 10:35	Chloride		115	mg/L	EPA 300.0
7/16/2014 9:50	Chloride		166.9	mg/L	EPA 300.0
6/18/2014 10:50	Co	j	0.436	ug/L	EPA-200.8
6/25/2014 10:27	Co		3.273	ug/L	EPA-200.8
7/2/2014 9:49	Co	j	0.228	ug/L	EPA-200.8
7/9/2014 10:35	Co		1.128	ug/L	EPA-200.8
7/16/2014 9:50	Co	j	0.262	ug/L	EPA-200.8
6/18/2014 10:50	COD		32	mg/L	EPA 410.4
6/25/2014 10:27	COD		32	mg/L	EPA 410.4
7/2/2014 9:49	COD		14	mg/L	EPA 410.4
7/9/2014 10:35	COD		25.2	mg/L	EPA 410.4
7/16/2014 9:50	COD		37.9	mg/L	EPA 410.4
6/18/2014 10:50	Cr		2.16	ug/L	EPA-200.8
6/25/2014 10:27	Cr		6.724	ug/L	EPA-200.8
7/2/2014 9:49	Cr		1.18	ug/L	EPA-200.8
7/9/2014 10:35	Cr		4.654	ug/L	EPA-200.8
7/16/2014 9:50	Cr		2.191	ug/L	EPA-200.8
6/18/2014 10:50	Cu		7.827	ug/L	EPA-200.8
6/25/2014 10:27	Cu		12.97	ug/L	EPA-200.8
7/2/2014 9:49	Cu		8.497	ug/L	EPA-200.8
7/9/2014 10:35	Cu		8.705	ug/L	EPA-200.8
7/16/2014 9:50	Cu		7.89	ug/L	EPA-200.8
6/18/2014 10:50	DRPhos		0.076	mg/L	EPA 365.1
7/2/2014 9:49	DRPhos		0.124	mg/L	EPA 365.1

Mill Creek River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/9/2014 10:35	DRPhos		0.043	mg/L	EPA 365.1
7/16/2014 9:50	DRPhos		0.023	mg/L	EPA 365.1
6/18/2014 10:50	E. coli		58180	MPN/100 mL	SM 9223 Colilert
6/25/2014 10:27	E. coli		23254	MPN/100 mL	SM 9223 Colilert
7/2/2014 9:49	E. coli		340	MPN/100 mL	SM 9223 Colilert
7/9/2014 10:35	E. coli		12346	MPN/100 mL	SM 9223 Colilert
7/16/2014 9:50	E. coli		9460	MPN/100 mL	SM 9223 Colilert
6/18/2014 10:50	Fe		832.2	ug/L	EPA-200.8
6/25/2014 10:27	Fe		7553	ug/L	EPA-200.8
7/2/2014 9:49	Fe		458.8	ug/L	EPA-200.8
7/9/2014 10:35	Fe		2871	ug/L	EPA-200.8
7/16/2014 9:50	Fe		514.5	ug/L	EPA-200.8
6/18/2014 10:50	Field Cond		988.9	umhos/cm	SM 2510A
6/25/2014 10:27	Field Cond		352.4	umhos/cm	SM 2510A
7/2/2014 9:49	Field Cond		1594	umhos/cm	SM 2510A
7/9/2014 10:35	Field Cond		570	umhos/cm	SM 2510A
7/16/2014 9:50	Field Cond		769.2	umhos/cm	SM 2510A
6/18/2014 10:50	Field DO		7.4	mg/L	SM 4500-0 G
6/25/2014 10:27	Field DO		8.73	mg/L	SM 4500-0 G
7/2/2014 9:49	Field DO		7.79	mg/L	SM 4500-0 G
7/9/2014 10:35	Field DO		8.46	mg/L	SM 4500-0 G
7/16/2014 9:50	Field DO		8.03	mg/L	SM 4500-0 G
6/18/2014 10:50	Field Temp		21.4	C	EPA 170.1
6/25/2014 10:27	Field Temp		20.5	C	EPA 170.1
7/2/2014 9:49	Field Temp		21.8	C	EPA 170.1
7/9/2014 10:35	Field Temp		21	C	EPA 170.1
7/16/2014 9:50	Field Temp		18.7	C	EPA 170.1
6/18/2014 10:50	Hg	<	0.01	ug/L	EPA 245.1
6/25/2014 10:27	Hg	j	0.026	ug/L	EPA 245.1
7/2/2014 9:49	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 10:35	Hg	j	0.017	ug/L	EPA 245.1
7/16/2014 9:50	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 10:50	K		3706	ug/L	EPA-200.8
6/25/2014 10:27	K		3164	ug/L	EPA-200.8
7/2/2014 9:49	K		4799	ug/L	EPA-200.8
7/9/2014 10:35	K		3764	ug/L	EPA-200.8
7/16/2014 9:50	K		3063	ug/L	EPA-200.8
6/18/2014 10:50	Mg		8849	ug/L	EPA-200.8

Mill Creek					
River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2014 10:27	Mg		5427	ug/L	EPA-200.8
7/2/2014 9:49	Mg		14650	ug/L	EPA-200.8
7/9/2014 10:35	Mg		5896	ug/L	EPA-200.8
7/16/2014 9:50	Mg		7594	ug/L	EPA-200.8
6/18/2014 10:50	Mn		91.13	ug/L	EPA-200.8
6/25/2014 10:27	Mn		158.3	ug/L	EPA-200.8
7/2/2014 9:49	Mn		69.62	ug/L	EPA-200.8
7/9/2014 10:35	Mn		68.44	ug/L	EPA-200.8
7/16/2014 9:50	Mn		74.13	ug/L	EPA-200.8
6/18/2014 10:50	Mo		5.252	ug/L	EPA-200.8
6/25/2014 10:27	Mo		1.998	ug/L	EPA-200.8
7/2/2014 9:49	Mo		38.7	ug/L	EPA-200.8
7/9/2014 10:35	Mo		3.766	ug/L	EPA-200.8
7/16/2014 9:50	Mo		4.438	ug/L	EPA-200.8
6/18/2014 10:50	Na		145800	ug/L	EPA-200.8
6/25/2014 10:27	Na		47640	ug/L	EPA-200.8
7/2/2014 9:49	Na		228700	ug/L	EPA-200.8
7/9/2014 10:35	Na		76980	ug/L	EPA-200.8
7/16/2014 9:50	Na		109200	ug/L	EPA-200.8
6/18/2014 10:50	NH3		0.266	mg/L	EPA-350.1
6/25/2014 10:27	NH3		0.077	mg/L	EPA-350.1
7/2/2014 9:49	NH3	j	0.012	mg/L	EPA-350.1
7/9/2014 10:35	NH3		0.098	mg/L	EPA-350.1
7/16/2014 9:50	NH3		0.104	mg/L	EPA-350.1
6/18/2014 10:50	Ni	j	2.586	ug/L	EPA-200.8
6/25/2014 10:27	Ni		9.101	ug/L	EPA-200.8
7/2/2014 9:49	Ni	j	2.336	ug/L	EPA-200.8
7/9/2014 10:35	Ni		4.233	ug/L	EPA-200.8
7/16/2014 9:50	Ni	j	1.905	ug/L	EPA-200.8
6/18/2014 10:50	NO3-NO2		0.806	mg/L	EPA 353.2
6/25/2014 10:27	NO3-NO2		0.4	mg/L	EPA 353.2
7/2/2014 9:49	NO3-NO2		0.474	mg/L	EPA 353.2
7/9/2014 10:35	NO3-NO2		0.534	mg/L	EPA 353.2
7/16/2014 9:50	NO3-NO2		0.414	mg/L	EPA 353.2
6/18/2014 10:50	Pb		2.118	ug/L	EPA-200.8
6/25/2014 10:27	Pb		8.101	ug/L	EPA-200.8
7/2/2014 9:49	Pb	j	0.356	ug/L	EPA-200.8
7/9/2014 10:35	Pb		3.064	ug/L	EPA-200.8
7/16/2014 9:50	Pb		1.212	ug/L	EPA-200.8

Mill Creek					
River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 10:50	pH		7.82	S.U.	
6/25/2014 10:27	pH		7.9	S.U.	
7/2/2014 9:49	pH		8.06	S.U.	
7/9/2014 10:35	pH		8.06	S.U.	
7/16/2014 9:50	pH		7.89	S.U.	
6/18/2014 10:50	Sb	j	0.728	ug/L	EPA-200.8
6/25/2014 10:27	Sb	j	0.572	ug/L	EPA-200.8
7/2/2014 9:49	Sb	j	0.431	ug/L	EPA-200.8
7/9/2014 10:35	Sb	j	0.754	ug/L	EPA-200.8
7/16/2014 9:50	Sb	j	0.837	ug/L	EPA-200.8
6/18/2014 10:50	Se	j	0.701	ug/L	EPA-200.8
6/25/2014 10:27	Se	j	0.404	ug/L	EPA-200.8
7/2/2014 9:49	Se	<	0.28	ug/L	EPA-200.8
7/9/2014 10:35	Se	<	0.28	ug/L	EPA-200.8
7/16/2014 9:50	Se	<	0.28	ug/L	EPA-200.8
6/18/2014 10:50	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 10:27	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 9:49	Sn	<	0.36	ug/L	EPA-200.8
7/9/2014 10:35	Sn	<	0.36	ug/L	EPA-200.8
7/16/2014 9:50	Sn	<	0.36	ug/L	EPA-200.8
6/18/2014 10:50	SO4		46.33	mg/L	EPA 300.0
6/25/2014 10:27	SO4		23.08	mg/L	EPA 300.0
7/2/2014 9:49	SO4		83.18	mg/L	EPA 300.0
7/9/2014 10:35	SO4		33.87	mg/L	EPA 300.0
7/16/2014 9:50	SO4		40.07	mg/L	EPA 300.0
6/18/2014 10:50	Sr		313.17	ug/L	EPA-200.8
6/25/2014 10:27	Sr		152.816	ug/L	EPA-200.8
7/2/2014 9:49	Sr		498.261	ug/L	EPA-200.8
7/9/2014 10:35	Sr		227.384	ug/L	EPA-200.8
7/16/2014 9:50	Sr		253.724	ug/L	EPA-200.8
6/18/2014 10:50	TDS		580	mg/L	SM2540C
6/25/2014 10:27	TDS		232	mg/L	SM2540C
7/2/2014 9:49	TDS		980	mg/L	SM2540C
7/9/2014 10:35	TDS		356	mg/L	SM2540C
7/16/2014 9:50	TDS		442	mg/L	SM2540C
6/18/2014 10:50	Ti		7.595	ug/L	EPA-200.8
6/25/2014 10:27	Ti		26.92	ug/L	EPA-200.8
7/2/2014 9:49	Ti		2.267	ug/L	EPA-200.8

Mill Creek					
River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
7/9/2014 10:35	Ti		93.68	ug/L	EPA-200.8
7/16/2014 9:50	Ti		4.464	ug/L	EPA-200.8
6/18/2014 10:50	TKN		1.148	mg/L	EPA-351.1
6/25/2014 10:27	TKN		0.862	mg/L	EPA-351.1
7/2/2014 9:49	TKN	j	0.438	mg/L	EPA-351.1
7/9/2014 10:35	TKN		0.873	mg/L	EPA-351.1
7/16/2014 9:50	TKN		0.95	mg/L	EPA-351.1
6/18/2014 10:50	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 10:27	TI	<	0.138	ug/L	EPA-200.8
7/2/2014 9:49	TI	<	0.138	ug/L	EPA-200.8
7/9/2014 10:35	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 9:50	TI	<	0.138	ug/L	EPA-200.8
6/18/2014 10:50	TMET		31.4	ug/L	EPA-200.8
6/25/2014 10:27	TMET		72.1	ug/L	EPA-200.8
7/2/2014 9:49	TMET		22.6	ug/L	EPA-200.8
7/9/2014 10:35	TMET		40	ug/L	EPA-200.8
7/16/2014 9:50	TMET		30.5	ug/L	EPA-200.8
6/18/2014 10:50	Total-P		0.171	mg/L	EPA 365.1
6/25/2014 10:27	Total-P		0.247	mg/L	EPA 365.1
7/2/2014 9:49	Total-P		0.17	mg/L	EPA 365.1
7/9/2014 10:35	Total-P		0.151	mg/L	EPA 365.1
7/16/2014 9:50	Total-P		0.146	mg/L	EPA 365.1
6/18/2014 10:50	TS		604	mg/L	SM2540B
6/25/2014 10:27	TS		458	mg/L	SM2540B
7/2/2014 9:49	TS		986	mg/L	SM2540B
7/9/2014 10:35	TS		406	mg/L	SM2540B
7/16/2014 9:50	TS		476	mg/L	SM2540B
6/18/2014 10:50	TSS		19.6	mg/L	SM2540D
6/25/2014 10:27	TSS		225	mg/L	SM2540D
7/2/2014 9:49	TSS		3	mg/L	SM2540D
7/9/2014 10:35	TSS		48.7	mg/L	SM2540D
7/16/2014 9:50	TSS		14.8	mg/L	SM2540D
6/18/2014 10:50	Turbidity		28.1	NTU	EPA 180.1
6/25/2014 10:27	Turbidity		228	NTU	EPA 180.1
7/2/2014 9:49	Turbidity		5.34	NTU	EPA 180.1
7/9/2014 10:35	Turbidity		85.5	NTU	EPA 180.1
7/16/2014 9:50	Turbidity		14.45	NTU	EPA 180.1
6/18/2014 10:50	V	j	2.405	ug/L	EPA-200.8

Mill Creek					
River Mile 6.80					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2014 10:27	V		7.104	ug/L	EPA-200.8
7/2/2014 9:49	V	<	1.22	ug/L	EPA-200.8
7/9/2014 10:35	V		4.898	ug/L	EPA-200.8
7/16/2014 9:50	V	<	1.22	ug/L	EPA-200.8
6/18/2014 10:50	Zn		19.4	ug/L	EPA-200.8
6/25/2014 10:27	Zn		43.33	ug/L	EPA-200.8
7/2/2014 9:49	Zn		10.59	ug/L	EPA-200.8
7/9/2014 10:35	Zn		22.45	ug/L	EPA-200.8
7/16/2014 9:50	Zn		18.53	ug/L	EPA-200.8

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 11:15	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 9:53	Ag	<	0.052	ug/L	EPA-200.8
7/2/2014 9:24	Ag	<	0.052	ug/L	EPA-200.8
7/9/2014 10:15	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 9:27	Ag	<	0.052	ug/L	EPA-200.8
6/18/2014 11:15	Al		244.7	ug/L	EPA-200.8
6/25/2014 9:53	Al		2982	ug/L	EPA-200.8
7/2/2014 9:24	Al		33.72	ug/L	EPA-200.8
7/9/2014 10:15	Al		1706	ug/L	EPA-200.8
7/16/2014 9:27	Al		68.02	ug/L	EPA-200.8
6/18/2014 11:15	Alkalinity		79.8	mg/LCaCO3	EPA-310.2
6/25/2014 9:53	Alkalinity		49.1	mg/LCaCO3	EPA-310.2
7/2/2014 9:24	Alkalinity		173	mg/LCaCO3	EPA-310.2
7/9/2014 10:15	Alkalinity		77.2	mg/LCaCO3	EPA-310.2
7/16/2014 9:27	Alkalinity		129.1	mg/LCaCO3	EPA-310.2
6/18/2014 11:15	As	j	1.396	ug/L	EPA-200.8
6/25/2014 9:53	As		4.238	ug/L	EPA-200.8
7/2/2014 9:24	As	j	1.2	ug/L	EPA-200.8
7/9/2014 10:15	As	j	1.945	ug/L	EPA-200.8
7/16/2014 9:27	As	j	1.474	ug/L	EPA-200.8
6/18/2014 11:15	Ba		31.18	ug/L	EPA-200.8
6/25/2014 9:53	Ba		39.07	ug/L	EPA-200.8
7/2/2014 9:24	Ba		62.32	ug/L	EPA-200.8
7/9/2014 10:15	Ba		35.25	ug/L	EPA-200.8
7/16/2014 9:27	Ba		39.79	ug/L	EPA-200.8
6/18/2014 11:15	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 9:53	Be	j	0.206	ug/L	EPA-200.8
7/2/2014 9:24	Be	<	0.084	ug/L	EPA-200.8
7/9/2014 10:15	Be	<	0.084	ug/L	EPA-200.8
7/16/2014 9:27	Be	<	0.084	ug/L	EPA-200.8
6/18/2014 11:15	BOD		8.6	mg/L	SM 5210
6/25/2014 9:53	BOD		3.7	mg/L	SM 5210
7/2/2014 9:24	BOD	<	2	mg/L	SM 5210
7/9/2014 10:15	BOD	<	2	mg/L	SM 5210
7/16/2014 9:27	BOD	<	2	mg/L	SM 5210
6/18/2014 11:15	Ca		43310	ug/L	EPA-200.8
6/25/2014 9:53	Ca		29650	ug/L	EPA-200.8
7/2/2014 9:24	Ca		82560	ug/L	EPA-200.8
7/9/2014 10:15	Ca		37090	ug/L	EPA-200.8

Mill Creek					
River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 9:27	Ca		58840	ug/L	EPA-200.8
6/18/2014 11:15	CaCO3		144	mg/LCaCO3	EPA-200.8
6/25/2014 9:53	CaCO3		99	mg/LCaCO3	EPA-200.8
7/2/2014 9:24	CaCO3		284	mg/LCaCO3	EPA-200.8
7/9/2014 10:15	CaCO3		121	mg/LCaCO3	EPA-200.8
7/16/2014 9:27	CaCO3		198	mg/LCaCO3	EPA-200.8
6/18/2014 11:15	Cd	j	0.067	ug/L	EPA-200.8
6/25/2014 9:53	Cd	j	0.238	ug/L	EPA-200.8
7/2/2014 9:24	Cd	j	0.05	ug/L	EPA-200.8
7/9/2014 10:15	Cd	j	0.076	ug/L	EPA-200.8
7/16/2014 9:27	Cd	j	0.1	ug/L	EPA-200.8
6/18/2014 11:15	Chloride		142.8	mg/L	EPA 300.0
6/25/2014 9:53	Chloride		63.56	mg/L	EPA 300.0
7/2/2014 9:24	Chloride		327.8	mg/L	EPA 300.0
7/9/2014 10:15	Chloride		112.7	mg/L	EPA 300.0
7/16/2014 9:27	Chloride		182.6	mg/L	EPA 300.0
6/18/2014 11:15	Co	j	0.324	ug/L	EPA-200.8
6/25/2014 9:53	Co		3.003	ug/L	EPA-200.8
7/2/2014 9:24	Co	j	0.187	ug/L	EPA-200.8
7/9/2014 10:15	Co	j	0.78	ug/L	EPA-200.8
7/16/2014 9:27	Co	j	0.71	ug/L	EPA-200.8
6/18/2014 11:15	COD		41.7	mg/L	EPA 410.4
6/25/2014 9:53	COD		33.8	mg/L	EPA 410.4
7/2/2014 9:24	COD	j	3.8	mg/L	EPA 410.4
7/9/2014 10:15	COD		20.1	mg/L	EPA 410.4
7/16/2014 9:27	COD		17	mg/L	EPA 410.4
6/18/2014 11:15	Cr		1.787	ug/L	EPA-200.8
6/25/2014 9:53	Cr		6.861	ug/L	EPA-200.8
7/2/2014 9:24	Cr		1.005	ug/L	EPA-200.8
7/9/2014 10:15	Cr		5.81	ug/L	EPA-200.8
7/16/2014 9:27	Cr		1.733	ug/L	EPA-200.8
6/18/2014 11:15	Cu		8.626	ug/L	EPA-200.8
6/25/2014 9:53	Cu		15.8	ug/L	EPA-200.8
7/2/2014 9:24	Cu		7.007	ug/L	EPA-200.8
7/9/2014 10:15	Cu		7.474	ug/L	EPA-200.8
7/16/2014 9:27	Cu		10.64	ug/L	EPA-200.8
6/18/2014 11:15	DRPhos		0.086	mg/L	EPA 365.1
6/25/2014 9:53	DRPhos		0.073	mg/L	EPA 365.1

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 9:24	DRPhos		0.073	mg/L	EPA 365.1
7/9/2014 10:15	DRPhos		0.049	mg/L	EPA 365.1
7/16/2014 9:27	DRPhos		0.096	mg/L	EPA 365.1
6/18/2014 11:15	E. coli		82120	MPN/100 mL	SM 9223 Colilert
6/25/2014 9:53	E. coli		41463	MPN/100 mL	SM 9223 Colilert
7/2/2014 9:24	E. coli		370	MPN/100 mL	SM 9223 Colilert
7/9/2014 10:15	E. coli		12760	MPN/100 mL	SM 9223 Colilert
7/16/2014 9:27	E. coli		1955	MPN/100 mL	SM 9223 Colilert
6/18/2014 11:15	Fe		518.9	ug/L	EPA-200.8
6/25/2014 9:53	Fe		6037	ug/L	EPA-200.8
7/2/2014 9:24	Fe		275.2	ug/L	EPA-200.8
7/9/2014 10:15	Fe		1996	ug/L	EPA-200.8
7/16/2014 9:27	Fe		314.6	ug/L	EPA-200.8
6/18/2014 11:15	Field Cond		706	umhos/cm	SM 2510A
6/25/2014 9:53	Field Cond		376.8	umhos/cm	SM 2510A
7/2/2014 9:24	Field Cond		1333	umhos/cm	SM 2510A
7/9/2014 10:15	Field Cond		573.2	umhos/cm	SM 2510A
7/16/2014 9:27	Field Cond		878.4	umhos/cm	SM 2510A
6/18/2014 11:15	Field DO		7.18	mg/L	SM 4500-0 G
6/25/2014 9:53	Field DO		8.3	mg/L	SM 4500-0 G
7/2/2014 9:24	Field DO		7.8	mg/L	SM 4500-0 G
7/9/2014 10:15	Field DO		8.25	mg/L	SM 4500-0 G
7/16/2014 9:27	Field DO		8.36	mg/L	SM 4500-0 G
6/18/2014 11:15	Field Temp		21.4	C	EPA 170.1
6/25/2014 9:53	Field Temp		20.5	C	EPA 170.1
7/2/2014 9:24	Field Temp		22.2	C	EPA 170.1
7/9/2014 10:15	Field Temp		20.3	C	EPA 170.1
7/16/2014 9:27	Field Temp		18.4	C	EPA 170.1
6/18/2014 11:15	Hg	<	0.01	ug/L	EPA 245.1
6/25/2014 9:53	Hg	j	0.026	ug/L	EPA 245.1
7/2/2014 9:24	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 10:15	Hg	<	0.01	ug/L	EPA 245.1
7/16/2014 9:27	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 11:15	K		4798	ug/L	EPA-200.8
6/25/2014 9:53	K		3354	ug/L	EPA-200.8
7/2/2014 9:24	K		7369	ug/L	EPA-200.8
7/9/2014 10:15	K		3791	ug/L	EPA-200.8
7/16/2014 9:27	K		4895	ug/L	EPA-200.8

Mill Creek					
River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 11:15	Mg		8655	ug/L	EPA-200.8
6/25/2014 9:53	Mg		6098	ug/L	EPA-200.8
7/2/2014 9:24	Mg		18950	ug/L	EPA-200.8
7/9/2014 10:15	Mg		7007	ug/L	EPA-200.8
7/16/2014 9:27	Mg		12420	ug/L	EPA-200.8
6/18/2014 11:15	Mn		71.45	ug/L	EPA-200.8
6/25/2014 9:53	Mn		169.3	ug/L	EPA-200.8
7/2/2014 9:24	Mn		46.46	ug/L	EPA-200.8
7/9/2014 10:15	Mn		48.42	ug/L	EPA-200.8
7/16/2014 9:27	Mn		50.89	ug/L	EPA-200.8
6/18/2014 11:15	Mo		4.429	ug/L	EPA-200.8
6/25/2014 9:53	Mo		2.413	ug/L	EPA-200.8
7/2/2014 9:24	Mo		5.442	ug/L	EPA-200.8
7/9/2014 10:15	Mo		3.591	ug/L	EPA-200.8
7/16/2014 9:27	Mo		4.527	ug/L	EPA-200.8
6/18/2014 11:15	Na		91510	ug/L	EPA-200.8
6/25/2014 9:53	Na		46960	ug/L	EPA-200.8
7/2/2014 9:24	Na		172800	ug/L	EPA-200.8
7/9/2014 10:15	Na		74980	ug/L	EPA-200.8
7/16/2014 9:27	Na		120100	ug/L	EPA-200.8
6/18/2014 11:15	NH3		0.208	mg/L	EPA-350.1
6/25/2014 9:53	NH3		0.104	mg/L	EPA-350.1
7/2/2014 9:24	NH3		0.041	mg/L	EPA-350.1
7/9/2014 10:15	NH3		0.048	mg/L	EPA-350.1
7/16/2014 9:27	NH3		0.05	mg/L	EPA-350.1
6/18/2014 11:15	Ni		5.03	ug/L	EPA-200.8
6/25/2014 9:53	Ni		11.39	ug/L	EPA-200.8
7/2/2014 9:24	Ni	j	2.817	ug/L	EPA-200.8
7/9/2014 10:15	Ni	j	3.854	ug/L	EPA-200.8
7/16/2014 9:27	Ni		14.33	ug/L	EPA-200.8
6/18/2014 11:15	NO3-NO2		0.91	mg/L	EPA 353.2
6/25/2014 9:53	NO3-NO2		0.606	mg/L	EPA 353.2
7/2/2014 9:24	NO3-NO2		0.78	mg/L	EPA 353.2
7/9/2014 10:15	NO3-NO2		0.602	mg/L	EPA 353.2
7/16/2014 9:27	NO3-NO2		0.491	mg/L	EPA 353.2
6/18/2014 11:15	Pb		1.256	ug/L	EPA-200.8
6/25/2014 9:53	Pb		10.32	ug/L	EPA-200.8
7/2/2014 9:24	Pb	<	0.174	ug/L	EPA-200.8
7/9/2014 10:15	Pb		2.253	ug/L	EPA-200.8

Mill Creek					
River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 9:27	Pb	j	0.498	ug/L	EPA-200.8
6/18/2014 11:15	pH		7.63	S.U.	
6/25/2014 9:53	pH		7.75	S.U.	
7/2/2014 9:24	pH		7.97	S.U.	
7/9/2014 10:15	pH		7.87	S.U.	
7/16/2014 9:27	pH		7.81	S.U.	
6/18/2014 11:15	Sb	j	0.599	ug/L	EPA-200.8
6/25/2014 9:53	Sb	j	0.815	ug/L	EPA-200.8
7/2/2014 9:24	Sb	j	0.404	ug/L	EPA-200.8
7/9/2014 10:15	Sb	j	0.581	ug/L	EPA-200.8
7/16/2014 9:27	Sb	j	0.435	ug/L	EPA-200.8
6/18/2014 11:15	Se	j	0.483	ug/L	EPA-200.8
6/25/2014 9:53	Se	<	0.28	ug/L	EPA-200.8
7/2/2014 9:24	Se	<	0.28	ug/L	EPA-200.8
7/9/2014 10:15	Se	<	0.28	ug/L	EPA-200.8
7/16/2014 9:27	Se	<	0.28	ug/L	EPA-200.8
6/18/2014 11:15	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 9:53	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 9:24	Sn	<	0.36	ug/L	EPA-200.8
7/9/2014 10:15	Sn	j	0.401	ug/L	EPA-200.8
7/16/2014 9:27	Sn		2.338	ug/L	EPA-200.8
6/18/2014 11:15	SO4		40.47	mg/L	EPA 300.0
6/25/2014 9:53	SO4		23.28	mg/L	EPA 300.0
7/2/2014 9:24	SO4		88.95	mg/L	EPA 300.0
7/9/2014 10:15	SO4		37.47	mg/L	EPA 300.0
7/16/2014 9:27	SO4		53.96	mg/L	EPA 300.0
6/18/2014 11:15	Sr		227.979	ug/L	EPA-200.8
6/25/2014 9:53	Sr		148.956	ug/L	EPA-200.8
7/2/2014 9:24	Sr		424.347	ug/L	EPA-200.8
7/9/2014 10:15	Sr		215.17	ug/L	EPA-200.8
7/16/2014 9:27	Sr		305.192	ug/L	EPA-200.8
6/18/2014 11:15	TDS		420	mg/L	SM2540C
6/25/2014 9:53	TDS		226	mg/L	SM2540C
7/2/2014 9:24	TDS		828	mg/L	SM2540C
7/9/2014 10:15	TDS		364	mg/L	SM2540C
7/16/2014 9:27	TDS		516	mg/L	SM2540C
6/18/2014 11:15	Ti		5.111	ug/L	EPA-200.8
6/25/2014 9:53	Ti		27.27	ug/L	EPA-200.8

Mill Creek River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 9:24	Ti	j	1.425	ug/L	EPA-200.8
7/9/2014 10:15	Ti		74.38	ug/L	EPA-200.8
7/16/2014 9:27	Ti	j	1.963	ug/L	EPA-200.8
6/18/2014 11:15	TKN		1.153	mg/L	EPA-351.1
6/25/2014 9:53	TKN		0.999	mg/L	EPA-351.1
7/2/2014 9:24	TKN	j	0.305	mg/L	EPA-351.1
7/9/2014 10:15	TKN		0.64	mg/L	EPA-351.1
7/16/2014 9:27	TKN	j	0.224	mg/L	EPA-351.1
6/18/2014 11:15	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 9:53	TI	<	0.138	ug/L	EPA-200.8
7/2/2014 9:24	TI	<	0.138	ug/L	EPA-200.8
7/9/2014 10:15	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 9:27	TI	<	0.138	ug/L	EPA-200.8
6/18/2014 11:15	TMET		34.3	ug/L	EPA-200.8
6/25/2014 9:53	TMET		85.1	ug/L	EPA-200.8
7/2/2014 9:24	TMET		18.3	ug/L	EPA-200.8
7/9/2014 10:15	TMET		35.8	ug/L	EPA-200.8
7/16/2014 9:27	TMET		1530	ug/L	EPA-200.8
6/18/2014 11:15	Total-P		0.19	mg/L	EPA 365.1
6/25/2014 9:53	Total-P		0.265	mg/L	EPA 365.1
7/2/2014 9:24	Total-P		0.108	mg/L	EPA 365.1
7/9/2014 10:15	Total-P		0.132	mg/L	EPA 365.1
7/16/2014 9:27	Total-P		0.121	mg/L	EPA 365.1
6/18/2014 11:15	TS		444	mg/L	SM2540B
6/25/2014 9:53	TS		442	mg/L	SM2540B
7/2/2014 9:24	TS		832	mg/L	SM2540B
7/9/2014 10:15	TS		394	mg/L	SM2540B
7/16/2014 9:27	TS		544	mg/L	SM2540B
6/18/2014 11:15	TSS		9.2	mg/L	SM2540D
6/25/2014 9:53	TSS		203	mg/L	SM2540D
7/2/2014 9:24	TSS		1.3	mg/L	SM2540D
7/9/2014 10:15	TSS		33.2	mg/L	SM2540D
7/16/2014 9:27	TSS		3.9	mg/L	SM2540D
6/18/2014 11:15	Turbidity		16.05	NTU	EPA 180.1
6/25/2014 9:53	Turbidity		160	NTU	EPA 180.1
7/2/2014 9:24	Turbidity		2.14	NTU	EPA 180.1
7/9/2014 10:15	Turbidity		61.7	NTU	EPA 180.1
7/16/2014 9:27	Turbidity		6.07	NTU	EPA 180.1

Mill Creek					
River Mile 3.15					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 11:15	V	j	1.469	ug/L	EPA-200.8
6/25/2014 9:53	V		5.686	ug/L	EPA-200.8
7/2/2014 9:24	V	<	1.22	ug/L	EPA-200.8
7/9/2014 10:15	V	j	3.959	ug/L	EPA-200.8
7/16/2014 9:27	V	<	1.22	ug/L	EPA-200.8
6/18/2014 11:15	Zn		19.16	ug/L	EPA-200.8
6/25/2014 9:53	Zn		51.03	ug/L	EPA-200.8
7/2/2014 9:24	Zn	j	7.454	ug/L	EPA-200.8
7/9/2014 10:15	Zn		18.66	ug/L	EPA-200.8
7/16/2014 9:27	Zn		1503	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:00	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 9:30	Ag	<	0.052	ug/L	EPA-200.8
7/2/2014 9:00	Ag	<	0.052	ug/L	EPA-200.8
7/9/2014 9:43	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 9:05	Ag	<	0.052	ug/L	EPA-200.8
6/18/2014 9:00	Al		413.9	ug/L	EPA-200.8
6/25/2014 9:30	Al		3874	ug/L	EPA-200.8
7/2/2014 9:00	Al		33.63	ug/L	EPA-200.8
7/9/2014 9:43	Al		1854	ug/L	EPA-200.8
7/16/2014 9:05	Al		62.88	ug/L	EPA-200.8
6/18/2014 9:00	Alkalinity		66.6	mg/LCaCO3	EPA-310.2
6/25/2014 9:30	Alkalinity		24.3	mg/LCaCO3	EPA-310.2
7/2/2014 9:00	Alkalinity		175.2	mg/LCaCO3	EPA-310.2
7/9/2014 9:43	Alkalinity		74.4	mg/LCaCO3	EPA-310.2
7/16/2014 9:05	Alkalinity		130.2	mg/LCaCO3	EPA-310.2
6/18/2014 9:00	As	j	1.764	ug/L	EPA-200.8
6/25/2014 9:30	As		4.303	ug/L	EPA-200.8
7/2/2014 9:00	As	j	0.839	ug/L	EPA-200.8
7/9/2014 9:43	As	j	1.855	ug/L	EPA-200.8
7/16/2014 9:05	As	j	1.39	ug/L	EPA-200.8
6/18/2014 9:00	Ba		29.85	ug/L	EPA-200.8
6/25/2014 9:30	Ba		43.44	ug/L	EPA-200.8
7/2/2014 9:00	Ba		63.37	ug/L	EPA-200.8
7/9/2014 9:43	Ba		35.85	ug/L	EPA-200.8
7/16/2014 9:05	Ba		39.37	ug/L	EPA-200.8
6/18/2014 9:00	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 9:30	Be	j	0.23	ug/L	EPA-200.8
7/2/2014 9:00	Be	<	0.084	ug/L	EPA-200.8
7/9/2014 9:43	Be	j	0.095	ug/L	EPA-200.8
7/16/2014 9:05	Be	<	0.084	ug/L	EPA-200.8
6/18/2014 9:00	BOD		10	mg/L	SM 5210
6/25/2014 9:30	BOD		3.2	mg/L	SM 5210
7/2/2014 9:00	BOD	<	2	mg/L	SM 5210
7/9/2014 9:43	BOD	<	2	mg/L	SM 5210
7/16/2014 9:05	BOD	<	2	mg/L	SM 5210
6/18/2014 9:00	Ca		39250	ug/L	EPA-200.8
6/25/2014 9:30	Ca		28690	ug/L	EPA-200.8
7/2/2014 9:00	Ca		80060	ug/L	EPA-200.8
7/9/2014 9:43	Ca		36460	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 9:05	Ca		57710	ug/L	EPA-200.8
6/18/2014 9:00	CaCO3		129	mg/LCaCO3	EPA-200.8
6/25/2014 9:30	CaCO3		98	mg/LCaCO3	EPA-200.8
7/2/2014 9:00	CaCO3		275	mg/LCaCO3	EPA-200.8
7/9/2014 9:43	CaCO3		120	mg/LCaCO3	EPA-200.8
7/16/2014 9:05	CaCO3		195	mg/LCaCO3	EPA-200.8
6/18/2014 9:00	Cd	j	0.075	ug/L	EPA-200.8
6/25/2014 9:30	Cd	j	0.284	ug/L	EPA-200.8
7/2/2014 9:00	Cd	j	0.061	ug/L	EPA-200.8
7/9/2014 9:43	Cd	j	0.08	ug/L	EPA-200.8
7/16/2014 9:05	Cd	j	0.047	ug/L	EPA-200.8
6/18/2014 9:00	Chloride		122.4	mg/L	EPA 300.0
6/25/2014 9:30	Chloride		47.43	mg/L	EPA 300.0
7/2/2014 9:00	Chloride		319.5	mg/L	EPA 300.0
7/9/2014 9:43	Chloride		110.6	mg/L	EPA 300.0
7/16/2014 9:05	Chloride		185.2	mg/L	EPA 300.0
6/18/2014 9:00	Co	j	0.445	ug/L	EPA-200.8
6/25/2014 9:30	Co		3.412	ug/L	EPA-200.8
7/2/2014 9:00	Co	j	0.181	ug/L	EPA-200.8
7/9/2014 9:43	Co	j	0.881	ug/L	EPA-200.8
7/16/2014 9:05	Co	j	0.164	ug/L	EPA-200.8
6/18/2014 9:00	COD		42.2	mg/L	EPA 410.4
6/25/2014 9:30	COD		29	mg/L	EPA 410.4
7/2/2014 9:00	COD		10.3	mg/L	EPA 410.4
7/9/2014 9:43	COD		19.8	mg/L	EPA 410.4
7/16/2014 9:05	COD		15.2	mg/L	EPA 410.4
6/18/2014 9:00	Cr		2.175	ug/L	EPA-200.8
6/25/2014 9:30	Cr		8.229	ug/L	EPA-200.8
7/2/2014 9:00	Cr		1.037	ug/L	EPA-200.8
7/9/2014 9:43	Cr		6.166	ug/L	EPA-200.8
7/16/2014 9:05	Cr		1.819	ug/L	EPA-200.8
6/18/2014 9:00	Cu		10.41	ug/L	EPA-200.8
6/25/2014 9:30	Cu		18.67	ug/L	EPA-200.8
7/2/2014 9:00	Cu		7.057	ug/L	EPA-200.8
7/9/2014 9:43	Cu		7.601	ug/L	EPA-200.8
7/16/2014 9:05	Cu		4.469	ug/L	EPA-200.8
6/18/2014 9:00	DRPhos		0.088	mg/L	EPA 365.1
6/25/2014 9:30	DRPhos		0.068	mg/L	EPA 365.1

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 9:00	DRPhos		0.07	mg/L	EPA 365.1
7/9/2014 9:43	DRPhos		0.049	mg/L	EPA 365.1
7/16/2014 9:05	DRPhos		0.088	mg/L	EPA 365.1
6/18/2014 9:00	E. coli		57020	MPN/100 mL	SM 9223 Colilert
6/25/2014 9:30	E. coli		33586	MPN/100 mL	SM 9223 Colilert
7/2/2014 9:00	E. coli		722	MPN/100 mL	SM 9223 Colilert
7/9/2014 9:43	E. coli		10779	MPN/100 mL	SM 9223 Colilert
7/16/2014 9:05	E. coli		1662	MPN/100 mL	SM 9223 Colilert
6/18/2014 9:00	Fe		754	ug/L	EPA-200.8
6/25/2014 9:30	Fe		6677	ug/L	EPA-200.8
7/2/2014 9:00	Fe		263.2	ug/L	EPA-200.8
7/9/2014 9:43	Fe		2112	ug/L	EPA-200.8
7/16/2014 9:05	Fe		269.2	ug/L	EPA-200.8
6/18/2014 9:00	Field Cond		606	umhos/cm	SM 2510A
6/25/2014 9:30	Field Cond		303.5	umhos/cm	SM 2510A
7/2/2014 9:00	Field Cond		1325	umhos/cm	SM 2510A
7/9/2014 9:43	Field Cond		564.3	umhos/cm	SM 2510A
7/16/2014 9:05	Field Cond		887.7	umhos/cm	SM 2510A
6/18/2014 9:00	Field DO		8.43	mg/L	SM 4500-0 G
6/25/2014 9:30	Field DO		9.01	mg/L	SM 4500-0 G
7/2/2014 9:00	Field DO		8.21	mg/L	SM 4500-0 G
7/9/2014 9:43	Field DO		8.84	mg/L	SM 4500-0 G
7/16/2014 9:05	Field DO		9.17	mg/L	SM 4500-0 G
6/18/2014 9:00	Field Temp		20.8	C	EPA 170.1
6/25/2014 9:30	Field Temp		20.6	C	EPA 170.1
7/2/2014 9:00	Field Temp		22.2	C	EPA 170.1
7/9/2014 9:43	Field Temp		20.2	C	EPA 170.1
7/16/2014 9:05	Field Temp		18.2	C	EPA 170.1
6/18/2014 9:00	Hg	j	0.013	ug/L	EPA 245.1
6/25/2014 9:30	Hg	j	0.031	ug/L	EPA 245.1
7/2/2014 9:00	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 9:43	Hg	<	0.01	ug/L	EPA 245.1
7/16/2014 9:05	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 9:00	K		4617	ug/L	EPA-200.8
6/25/2014 9:30	K		3306	ug/L	EPA-200.8
7/2/2014 9:00	K		7128	ug/L	EPA-200.8
7/9/2014 9:43	K		3780	ug/L	EPA-200.8
7/16/2014 9:05	K		4739	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:00	Mg		7606	ug/L	EPA-200.8
6/25/2014 9:30	Mg		6320	ug/L	EPA-200.8
7/2/2014 9:00	Mg		18300	ug/L	EPA-200.8
7/9/2014 9:43	Mg		6986	ug/L	EPA-200.8
7/16/2014 9:05	Mg		12430	ug/L	EPA-200.8
6/18/2014 9:00	Mn		60.27	ug/L	EPA-200.8
6/25/2014 9:30	Mn		209	ug/L	EPA-200.8
7/2/2014 9:00	Mn		27.17	ug/L	EPA-200.8
7/9/2014 9:43	Mn		48.77	ug/L	EPA-200.8
7/16/2014 9:05	Mn		23.28	ug/L	EPA-200.8
6/18/2014 9:00	Mo		4.094	ug/L	EPA-200.8
6/25/2014 9:30	Mo		2.161	ug/L	EPA-200.8
7/2/2014 9:00	Mo		5.422	ug/L	EPA-200.8
7/9/2014 9:43	Mo		3.823	ug/L	EPA-200.8
7/16/2014 9:05	Mo		4.398	ug/L	EPA-200.8
6/18/2014 9:00	Na		81290	ug/L	EPA-200.8
6/25/2014 9:30	Na		34930	ug/L	EPA-200.8
7/2/2014 9:00	Na		168000	ug/L	EPA-200.8
7/9/2014 9:43	Na		73320	ug/L	EPA-200.8
7/16/2014 9:05	Na		120600	ug/L	EPA-200.8
6/18/2014 9:00	NH3		0.35	mg/L	EPA-350.1
6/25/2014 9:30	NH3		0.095	mg/L	EPA-350.1
7/2/2014 9:00	NH3		0.021	mg/L	EPA-350.1
7/9/2014 9:43	NH3		0.052	mg/L	EPA-350.1
7/16/2014 9:05	NH3		0.041	mg/L	EPA-350.1
6/18/2014 9:00	Ni		5.455	ug/L	EPA-200.8
6/25/2014 9:30	Ni		12.62	ug/L	EPA-200.8
7/2/2014 9:00	Ni	j	2.665	ug/L	EPA-200.8
7/9/2014 9:43	Ni		4.114	ug/L	EPA-200.8
7/16/2014 9:05	Ni	j	2.128	ug/L	EPA-200.8
6/18/2014 9:00	NO3-NO2		0.956	mg/L	EPA 353.2
6/25/2014 9:30	NO3-NO2		0.514	mg/L	EPA 353.2
7/2/2014 9:00	NO3-NO2		0.722	mg/L	EPA 353.2
7/9/2014 9:43	NO3-NO2		0.612	mg/L	EPA 353.2
7/16/2014 9:05	NO3-NO2		0.525	mg/L	EPA 353.2
6/18/2014 9:00	Pb		1.817	ug/L	EPA-200.8
6/25/2014 9:30	Pb		13.46	ug/L	EPA-200.8
7/2/2014 9:00	Pb	<	0.174	ug/L	EPA-200.8
7/9/2014 9:43	Pb		2.392	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 9:05	Pb	j	0.313	ug/L	EPA-200.8
6/18/2014 9:00	pH		7.92	S.U.	
6/25/2014 9:30	pH		7.89	S.U.	
7/2/2014 9:00	pH		8.28	S.U.	
7/9/2014 9:43	pH		8.13	S.U.	
7/16/2014 9:05	pH		8.19	S.U.	
6/18/2014 9:00	Sb	j	0.677	ug/L	EPA-200.8
6/25/2014 9:30	Sb	j	0.702	ug/L	EPA-200.8
7/2/2014 9:00	Sb	j	0.425	ug/L	EPA-200.8
7/9/2014 9:43	Sb	j	0.618	ug/L	EPA-200.8
7/16/2014 9:05	Sb	j	0.536	ug/L	EPA-200.8
6/18/2014 9:00	Se	j	0.723	ug/L	EPA-200.8
6/25/2014 9:30	Se	j	0.443	ug/L	EPA-200.8
7/2/2014 9:00	Se	<	0.28	ug/L	EPA-200.8
7/9/2014 9:43	Se	j	0.324	ug/L	EPA-200.8
7/16/2014 9:05	Se	<	0.28	ug/L	EPA-200.8
6/18/2014 9:00	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 9:30	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 9:00	Sn	<	0.36	ug/L	EPA-200.8
7/9/2014 9:43	Sn	j	0.443	ug/L	EPA-200.8
7/16/2014 9:05	Sn	<	0.36	ug/L	EPA-200.8
6/18/2014 9:00	SO4		37.44	mg/L	EPA 300.0
6/25/2014 9:30	SO4		18.68	mg/L	EPA 300.0
7/2/2014 9:00	SO4		88.78	mg/L	EPA 300.0
7/9/2014 9:43	SO4		37.58	mg/L	EPA 300.0
7/16/2014 9:05	SO4		54.94	mg/L	EPA 300.0
6/18/2014 9:00	Sr		207.02	ug/L	EPA-200.8
6/25/2014 9:30	Sr		133.938	ug/L	EPA-200.8
7/2/2014 9:00	Sr		417.751	ug/L	EPA-200.8
7/9/2014 9:43	Sr		213.521	ug/L	EPA-200.8
7/16/2014 9:05	Sr		298.306	ug/L	EPA-200.8
6/18/2014 9:00	TDS		376	mg/L	SM2540C
6/25/2014 9:30	TDS		198	mg/L	SM2540C
7/2/2014 9:00	TDS		828	mg/L	SM2540C
7/9/2014 9:43	TDS		354	mg/L	SM2540C
7/16/2014 9:05	TDS		524	mg/L	SM2540C
6/18/2014 9:00	Ti		10.32	ug/L	EPA-200.8
6/25/2014 9:30	Ti		64.87	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 9:00	Ti	j	1.392	ug/L	EPA-200.8
7/9/2014 9:43	Ti		80.02	ug/L	EPA-200.8
7/16/2014 9:05	Ti	j	1.662	ug/L	EPA-200.8
6/18/2014 9:00	TKN		1.186	mg/L	EPA-351.1
6/25/2014 9:30	TKN		0.896	mg/L	EPA-351.1
7/2/2014 9:00	TKN	j	0.241	mg/L	EPA-351.1
7/9/2014 9:43	TKN		0.569	mg/L	EPA-351.1
7/16/2014 9:05	TKN	j	0.42	mg/L	EPA-351.1
6/18/2014 9:00	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 9:30	TI	<	0.138	ug/L	EPA-200.8
7/2/2014 9:00	TI	<	0.138	ug/L	EPA-200.8
7/9/2014 9:43	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 9:05	TI	<	0.138	ug/L	EPA-200.8
6/18/2014 9:00	TMET		41.8	ug/L	EPA-200.8
6/25/2014 9:30	TMET		152.4	ug/L	EPA-200.8
7/2/2014 9:00	TMET		18.5	ug/L	EPA-200.8
7/9/2014 9:43	TMET		37.9	ug/L	EPA-200.8
7/16/2014 9:05	TMET		13.5	ug/L	EPA-200.8
6/18/2014 9:00	Total-P		0.205	mg/L	EPA 365.1
6/25/2014 9:30	Total-P		0.294	mg/L	EPA 365.1
7/2/2014 9:00	Total-P		0.096	mg/L	EPA 365.1
7/9/2014 9:43	Total-P		0.134	mg/L	EPA 365.1
7/16/2014 9:05	Total-P		0.11	mg/L	EPA 365.1
6/18/2014 9:00	TS		398	mg/L	SM2540B
6/25/2014 9:30	TS		444	mg/L	SM2540B
7/2/2014 9:00	TS		770	mg/L	SM2540B
7/9/2014 9:43	TS		396	mg/L	SM2540B
7/16/2014 9:05	TS		552	mg/L	SM2540B
6/18/2014 9:00	TSS		22.8	mg/L	SM2540D
6/25/2014 9:30	TSS		266	mg/L	SM2540D
7/2/2014 9:00	TSS		1.2	mg/L	SM2540D
7/9/2014 9:43	TSS		20.6	mg/L	SM2540D
7/16/2014 9:05	TSS		2.9	mg/L	SM2540D
6/18/2014 9:00	Turbidity		21.9	NTU	EPA 180.1
6/25/2014 9:30	Turbidity		194	NTU	EPA 180.1
7/2/2014 9:00	Turbidity		1.64	NTU	EPA 180.1
7/9/2014 9:43	Turbidity		66.4	NTU	EPA 180.1
7/16/2014 9:05	Turbidity		3.99	NTU	EPA 180.1

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:00	V	j	2.016	ug/L	EPA-200.8
6/25/2014 9:30	V		7.697	ug/L	EPA-200.8
7/2/2014 9:00	V	<	1.22	ug/L	EPA-200.8
7/9/2014 9:43	V	j	3.53	ug/L	EPA-200.8
7/16/2014 9:05	V	<	1.22	ug/L	EPA-200.8
6/18/2014 9:00	Zn		24.71	ug/L	EPA-200.8
6/25/2014 9:30	Zn		112.9	ug/L	EPA-200.8
7/2/2014 9:00	Zn	j	7.734	ug/L	EPA-200.8
7/9/2014 9:43	Zn		20.04	ug/L	EPA-200.8
7/16/2014 9:05	Zn	j	5.109	ug/L	EPA-200.8

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:22	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 9:18	Ag	j	0.08	ug/L	EPA-200.8
7/2/2014 10:12	Ag	<	0.052	ug/L	EPA-200.8
7/9/2014 9:12	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 10:10	Ag	<	0.052	ug/L	EPA-200.8
6/18/2014 9:22	Al		329.3	ug/L	EPA-200.8
6/25/2014 9:18	Al		5428	ug/L	EPA-200.8
7/2/2014 10:12	Al		80.26	ug/L	EPA-200.8
7/16/2014 10:10	Al		104.3	ug/L	EPA-200.8
6/18/2014 9:22	Alkalinity		106	mg/LCaCO3	EPA-310.2
6/25/2014 9:18	Alkalinity		26.3	mg/LCaCO3	EPA-310.2
7/2/2014 10:12	Alkalinity		212.8	mg/LCaCO3	EPA-310.2
7/9/2014 9:12	Alkalinity		83.25	mg/LCaCO3	EPA-310.2
7/16/2014 10:10	Alkalinity		154.8	mg/LCaCO3	EPA-310.2
6/18/2014 9:22	As	j	1.528	ug/L	EPA-200.8
6/25/2014 9:18	As		5.876	ug/L	EPA-200.8
7/2/2014 10:12	As	j	1.374	ug/L	EPA-200.8
7/9/2014 9:12	As	j	1.655	ug/L	EPA-200.8
7/16/2014 10:10	As	j	1.473	ug/L	EPA-200.8
6/18/2014 9:22	Ba		42.87	ug/L	EPA-200.8
6/25/2014 9:18	Ba		57.46	ug/L	EPA-200.8
7/2/2014 10:12	Ba		82.16	ug/L	EPA-200.8
7/9/2014 9:12	Ba		37.155	ug/L	EPA-200.8
7/16/2014 10:10	Ba		51.91	ug/L	EPA-200.8
6/18/2014 9:22	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 9:18	Be	j	0.383	ug/L	EPA-200.8
7/2/2014 10:12	Be	<	0.084	ug/L	EPA-200.8
7/9/2014 9:12	Be	j	0.0865	ug/L	EPA-200.8
7/16/2014 10:10	Be	<	0.084	ug/L	EPA-200.8
6/18/2014 9:22	BOD		10.6	mg/L	SM 5210
6/25/2014 9:18	BOD		5.1	mg/L	SM 5210
7/2/2014 10:12	BOD		4.2	mg/L	SM 5210
7/9/2014 9:12	BOD		2.15	mg/L	SM 5210
7/16/2014 10:10	BOD	<	2	mg/L	SM 5210
6/18/2014 9:22	Ca		48480	ug/L	EPA-200.8
6/25/2014 9:18	Ca		31230	ug/L	EPA-200.8
7/2/2014 10:12	Ca		89190	ug/L	EPA-200.8
7/9/2014 9:12	Ca		38360	ug/L	EPA-200.8
7/16/2014 10:10	Ca		65820	ug/L	EPA-200.8

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:22	CaCO3		171	mg/LCaCO3	EPA-200.8
6/25/2014 9:18	CaCO3		109	mg/LCaCO3	EPA-200.8
7/2/2014 10:12	CaCO3		322	mg/LCaCO3	EPA-200.8
7/9/2014 9:12	CaCO3		129.5	mg/LCaCO3	EPA-200.8
7/16/2014 10:10	CaCO3		232	mg/LCaCO3	EPA-200.8
6/18/2014 9:22	Cd	j	0.081	ug/L	EPA-200.8
6/25/2014 9:18	Cd	j	0.586	ug/L	EPA-200.8
7/2/2014 10:12	Cd	j	0.142	ug/L	EPA-200.8
7/9/2014 9:12	Cd	j	0.127	ug/L	EPA-200.8
7/16/2014 10:10	Cd	j	0.076	ug/L	EPA-200.8
6/18/2014 9:22	Chloride		157.5	mg/L	EPA 300.0
6/25/2014 9:18	Chloride		43.9	mg/L	EPA 300.0
7/2/2014 10:12	Chloride		327.2	mg/L	EPA 300.0
7/9/2014 9:12	Chloride		113.65	mg/L	EPA 300.0
7/16/2014 10:10	Chloride		202.9	mg/L	EPA 300.0
6/18/2014 9:22	Co	j	0.466	ug/L	EPA-200.8
6/25/2014 9:18	Co		5.964	ug/L	EPA-200.8
7/2/2014 10:12	Co	j	0.516	ug/L	EPA-200.8
7/9/2014 9:12	Co	j	0.8095	ug/L	EPA-200.8
7/16/2014 10:10	Co	j	0.324	ug/L	EPA-200.8
6/18/2014 9:22	COD		34.6	mg/L	EPA 410.4
6/25/2014 9:18	COD		38.6	mg/L	EPA 410.4
7/2/2014 10:12	COD		12.2	mg/L	EPA 410.4
7/16/2014 10:10	COD		19.6	mg/L	EPA 410.4
6/18/2014 9:22	Cr		1.525	ug/L	EPA-200.8
6/25/2014 9:18	Cr		11.38	ug/L	EPA-200.8
7/2/2014 10:12	Cr		1.341	ug/L	EPA-200.8
7/9/2014 9:12	Cr		4.0545	ug/L	EPA-200.8
7/16/2014 10:10	Cr		1.399	ug/L	EPA-200.8
6/18/2014 9:22	Cu		9.847	ug/L	EPA-200.8
6/25/2014 9:18	Cu		28.07	ug/L	EPA-200.8
7/2/2014 10:12	Cu		15.77	ug/L	EPA-200.8
7/9/2014 9:12	Cu		8.8135	ug/L	EPA-200.8
7/16/2014 10:10	Cu		8.73	ug/L	EPA-200.8
6/18/2014 9:22	DRPhos		0.072	mg/L	EPA 365.1
6/25/2014 9:18	DRPhos		0.072	mg/L	EPA 365.1
7/2/2014 10:12	DRPhos		0.019	mg/L	EPA 365.1
7/9/2014 9:12	DRPhos		0.0435	mg/L	EPA 365.1

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 10:10	DRPhos		0.044	mg/L	EPA 365.1
6/18/2014 9:22	E. coli		40280	MPN/100 mL	SM 9223 Colilert
6/25/2014 9:18	E. coli		77100	MPN/100 mL	SM 9223 Colilert
7/2/2014 10:12	E. coli		213	MPN/100 mL	SM 9223 Colilert
7/9/2014 9:12	E. coli		12380	MPN/100 mL	SM 9223 Colilert
7/16/2014 10:10	E. coli		924	MPN/100 mL	SM 9223 Colilert
6/18/2014 9:22	Fe		865	ug/L	EPA-200.8
6/25/2014 9:18	Fe		11910	ug/L	EPA-200.8
7/2/2014 10:12	Fe		626.6	ug/L	EPA-200.8
7/16/2014 10:10	Fe		488.8	ug/L	EPA-200.8
6/18/2014 9:22	Field Cond		793.8	umhos/cm	SM 2510A
6/25/2014 9:18	Field Cond		279.8	umhos/cm	SM 2510A
7/2/2014 10:12	Field Cond		1490	umhos/cm	SM 2510A
7/9/2014 9:12	Field Cond		599.6	umhos/cm	SM 2510A
7/16/2014 10:10	Field Cond		973	umhos/cm	SM 2510A
6/18/2014 9:22	Field DO		7.64	mg/L	SM 4500-0 G
6/25/2014 9:18	Field DO		8.74	mg/L	SM 4500-0 G
7/2/2014 10:12	Field DO		8.67	mg/L	SM 4500-0 G
7/9/2014 9:12	Field DO		8.41	mg/L	SM 4500-0 G
7/16/2014 10:10	Field DO		9.49	mg/L	SM 4500-0 G
6/18/2014 9:22	Field Temp		21.2	C	EPA 170.1
6/25/2014 9:18	Field Temp		20.6	C	EPA 170.1
7/2/2014 10:12	Field Temp		22.9	C	EPA 170.1
7/9/2014 9:12	Field Temp		20.2	C	EPA 170.1
7/16/2014 10:10	Field Temp		18.3	C	EPA 170.1
6/18/2014 9:22	Hg	<	0.01	ug/L	EPA 245.1
6/25/2014 9:18	Hg	j	0.038	ug/L	EPA 245.1
7/2/2014 10:12	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 9:12	Hg	j	0.0105	ug/L	EPA 245.1
7/16/2014 10:10	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 9:22	K		6691	ug/L	EPA-200.8
6/25/2014 9:18	K		3508	ug/L	EPA-200.8
7/2/2014 10:12	K		11180	ug/L	EPA-200.8
7/9/2014 9:12	K		4595.5	ug/L	EPA-200.8
7/16/2014 10:10	K		7273	ug/L	EPA-200.8
6/18/2014 9:22	Mg		12130	ug/L	EPA-200.8
6/25/2014 9:18	Mg		7617	ug/L	EPA-200.8
7/2/2014 10:12	Mg		23970	ug/L	EPA-200.8

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/9/2014 9:12	Mg		8156	ug/L	EPA-200.8
7/16/2014 10:10	Mg		16310	ug/L	EPA-200.8
6/18/2014 9:22	Mn		67.45	ug/L	EPA-200.8
6/25/2014 9:18	Mn		357.2	ug/L	EPA-200.8
7/2/2014 10:12	Mn		65.01	ug/L	EPA-200.8
7/9/2014 9:12	Mn		46.81	ug/L	EPA-200.8
7/16/2014 10:10	Mn		36.05	ug/L	EPA-200.8
6/18/2014 9:22	Mo		3.601	ug/L	EPA-200.8
6/25/2014 9:18	Mo		2.031	ug/L	EPA-200.8
7/2/2014 10:12	Mo		6.228	ug/L	EPA-200.8
7/9/2014 9:12	Mo		3.5945	ug/L	EPA-200.8
7/16/2014 10:10	Mo		4.871	ug/L	EPA-200.8
6/18/2014 9:22	Na		97770	ug/L	EPA-200.8
6/25/2014 9:18	Na		33830	ug/L	EPA-200.8
7/2/2014 10:12	Na		175000	ug/L	EPA-200.8
7/9/2014 9:12	Na		73915	ug/L	EPA-200.8
7/16/2014 10:10	Na		128100	ug/L	EPA-200.8
6/18/2014 9:22	NH3		0.654	mg/L	EPA-350.1
6/25/2014 9:18	NH3		0.192	mg/L	EPA-350.1
7/2/2014 10:12	NH3		0.56	mg/L	EPA-350.1
7/9/2014 9:12	NH3		0.304	mg/L	EPA-350.1
7/16/2014 10:10	NH3		0.429	mg/L	EPA-350.1
6/18/2014 9:22	Ni	j	3.719	ug/L	EPA-200.8
6/25/2014 9:18	Ni		19.14	ug/L	EPA-200.8
7/2/2014 10:12	Ni		4.248	ug/L	EPA-200.8
7/9/2014 9:12	Ni	j	3.8865	ug/L	EPA-200.8
7/16/2014 10:10	Ni	j	2.768	ug/L	EPA-200.8
6/18/2014 9:22	NO3-NO2		1.22	mg/L	EPA 353.2
6/25/2014 9:18	NO3-NO2		0.599	mg/L	EPA 353.2
7/2/2014 10:12	NO3-NO2		1.315	mg/L	EPA 353.2
7/9/2014 9:12	NO3-NO2		0.7275	mg/L	EPA 353.2
7/16/2014 10:10	NO3-NO2		0.785	mg/L	EPA 353.2
6/18/2014 9:22	Pb		1.284	ug/L	EPA-200.8
6/25/2014 9:18	Pb		23.76	ug/L	EPA-200.8
7/2/2014 10:12	Pb	j	0.24	ug/L	EPA-200.8
7/9/2014 9:12	Pb		2.177	ug/L	EPA-200.8
7/16/2014 10:10	Pb	j	0.405	ug/L	EPA-200.8
6/18/2014 9:22	pH		7.65	S.U.	

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2014 9:18	pH		7.84	S.U.	
7/2/2014 10:12	pH		7.99	S.U.	
7/9/2014 9:12	pH		7.96	S.U.	
7/16/2014 10:10	pH		7.99	S.U.	
6/18/2014 9:22	Sb	j	0.378	ug/L	EPA-200.8
6/25/2014 9:18	Sb	j	0.738	ug/L	EPA-200.8
7/2/2014 10:12	Sb	j	0.464	ug/L	EPA-200.8
7/9/2014 9:12	Sb	j	0.591	ug/L	EPA-200.8
7/16/2014 10:10	Sb	j	0.404	ug/L	EPA-200.8
6/18/2014 9:22	Se	j	0.636	ug/L	EPA-200.8
6/25/2014 9:18	Se	j	0.339	ug/L	EPA-200.8
7/2/2014 10:12	Se	<	0.28	ug/L	EPA-200.8
7/9/2014 9:12	Se	j	0.329	ug/L	EPA-200.8
7/16/2014 10:10	Se	<	0.28	ug/L	EPA-200.8
6/18/2014 9:22	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 9:18	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 10:12	Sn	<	0.36	ug/L	EPA-200.8
7/16/2014 10:10	Sn	<	0.36	ug/L	EPA-200.8
6/18/2014 9:22	SO4		52.93	mg/L	EPA 300.0
6/25/2014 9:18	SO4		18.47	mg/L	EPA 300.0
7/2/2014 10:12	SO4		110.5	mg/L	EPA 300.0
7/9/2014 9:12	SO4		42.215	mg/L	EPA 300.0
7/16/2014 10:10	SO4		67.85	mg/L	EPA 300.0
6/18/2014 9:22	Sr		273.548	ug/L	EPA-200.8
6/25/2014 9:18	Sr		140.405	ug/L	EPA-200.8
7/2/2014 10:12	Sr		476.496	ug/L	EPA-200.8
7/9/2014 9:12	Sr		214.8925	ug/L	EPA-200.8
7/16/2014 10:10	Sr		335.977	ug/L	EPA-200.8
6/18/2014 9:22	TDS		472	mg/L	SM2540C
6/25/2014 9:18	TDS		196	mg/L	SM2540C
7/2/2014 10:12	TDS		936	mg/L	SM2540C
7/9/2014 9:12	TDS		376.5	mg/L	SM2540C
7/16/2014 10:10	TDS		590	mg/L	SM2540C
6/18/2014 9:22	Ti		8.724	ug/L	EPA-200.8
6/25/2014 9:18	Ti		32.84	ug/L	EPA-200.8
7/2/2014 10:12	Ti	j	1.616	ug/L	EPA-200.8
7/16/2014 10:10	Ti	j	1.753	ug/L	EPA-200.8
6/18/2014 9:22	TKN		1.601	mg/L	EPA-351.1

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2014 9:18	TKN		1.336	mg/L	EPA-351.1
7/2/2014 10:12	TKN		1.198	mg/L	EPA-351.1
7/9/2014 9:12	TKN		0.9635	mg/L	EPA-351.1
7/16/2014 10:10	TKN		0.819	mg/L	EPA-351.1
6/18/2014 9:22	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 9:18	TI	j	0.216	ug/L	EPA-200.8
7/2/2014 10:12	TI	j	0.162	ug/L	EPA-200.8
7/9/2014 9:12	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 10:10	TI	<	0.138	ug/L	EPA-200.8
6/18/2014 9:22	TMET		38.9	ug/L	EPA-200.8
6/25/2014 9:18	TMET		171.2	ug/L	EPA-200.8
7/2/2014 10:12	TMET		43.4	ug/L	EPA-200.8
7/9/2014 9:12	TMET		45.9	ug/L	EPA-200.8
7/16/2014 10:10	TMET		23.5	ug/L	EPA-200.8
6/18/2014 9:22	Total-P		0.169	mg/L	EPA 365.1
6/25/2014 9:18	Total-P		0.406	mg/L	EPA 365.1
7/2/2014 10:12	Total-P		0.051	mg/L	EPA 365.1
7/9/2014 9:12	Total-P		0.1265	mg/L	EPA 365.1
7/16/2014 10:10	Total-P		0.071	mg/L	EPA 365.1
6/18/2014 9:22	TS		520	mg/L	SM2540B
6/25/2014 9:18	TS		650	mg/L	SM2540B
7/2/2014 10:12	TS		924	mg/L	SM2540B
7/9/2014 9:12	TS		416	mg/L	SM2540B
7/16/2014 10:10	TS		640	mg/L	SM2540B
6/18/2014 9:22	TSS		14	mg/L	SM2540D
6/25/2014 9:18	TSS		490	mg/L	SM2540D
7/2/2014 10:12	TSS		1.7	mg/L	SM2540D
7/9/2014 9:12	TSS		29.8	mg/L	SM2540D
7/16/2014 10:10	TSS		2.5	mg/L	SM2540D
6/18/2014 9:22	Turbidity		17.6	NTU	EPA 180.1
6/25/2014 9:18	Turbidity		351	NTU	EPA 180.1
7/2/2014 10:12	Turbidity		3.45	NTU	EPA 180.1
7/9/2014 9:12	Turbidity		61.9	NTU	EPA 180.1
7/16/2014 10:10	Turbidity		5.36	NTU	EPA 180.1
6/18/2014 9:22	V	j	1.441	ug/L	EPA-200.8
6/25/2014 9:18	V		10.46	ug/L	EPA-200.8
7/2/2014 10:12	V	<	1.22	ug/L	EPA-200.8
7/9/2014 9:12	V	j	2.8235	ug/L	EPA-200.8
7/16/2014 10:10	V	<	1.22	ug/L	EPA-200.8

Mill Creek
River Mile 0.70

Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 9:22	Zn		23.68	ug/L	EPA-200.8
6/25/2014 9:18	Zn		112.6	ug/L	EPA-200.8
7/2/2014 10:12	Zn		21.98	ug/L	EPA-200.8
7/16/2014 10:10	Zn		10.63	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 8:55	Ag	<	0.052	ug/L	EPA-200.8
6/25/2014 9:00	Ag	j	0.148	ug/L	EPA-200.8
7/2/2014 9:55	Ag	<	0.052	ug/L	EPA-200.8
7/9/2014 8:47	Ag	<	0.052	ug/L	EPA-200.8
7/16/2014 9:50	Ag	<	0.052	ug/L	EPA-200.8
7/22/2014 10:25	Ag	<	0.026	ug/L	EPA-200.8
6/18/2014 8:55	Al		381.3	ug/L	EPA-200.8
6/25/2014 9:00	Al		7360	ug/L	EPA-200.8
7/2/2014 9:55	Al		242.2	ug/L	EPA-200.8
7/9/2014 8:47	Al		1688	ug/L	EPA-200.8
7/16/2014 9:50	Al		152.5	ug/L	EPA-200.8
7/22/2014 10:25	Al		180.1	ug/L	EPA-200.8
6/18/2014 8:55	Alkalinity		114.6	mg/LCaCO3	EPA-310.2
6/25/2014 9:00	Alkalinity		25.7	mg/LCaCO3	EPA-310.2
7/2/2014 9:55	Alkalinity		201.4	mg/LCaCO3	EPA-310.2
7/9/2014 8:47	Alkalinity		83.4	mg/LCaCO3	EPA-310.2
7/16/2014 9:50	Alkalinity		160.9	mg/LCaCO3	EPA-310.2
7/22/2014 10:25	Alkalinity		179.4	mg/LCaCO3	EPA-310.2
6/18/2014 8:55	As	j	1.759	ug/L	EPA-200.8
6/25/2014 9:00	As		6.928	ug/L	EPA-200.8
7/2/2014 9:55	As	j	1.137	ug/L	EPA-200.8
7/9/2014 8:47	As		2.306	ug/L	EPA-200.8
7/16/2014 9:50	As	j	1.284	ug/L	EPA-200.8
7/22/2014 10:25	As	j	1.216	ug/L	EPA-200.8
6/18/2014 8:55	Ba		47.5	ug/L	EPA-200.8
6/25/2014 9:00	Ba		76.08	ug/L	EPA-200.8
7/2/2014 9:55	Ba		77.87	ug/L	EPA-200.8
7/9/2014 8:47	Ba		39.56	ug/L	EPA-200.8
7/16/2014 9:50	Ba		53.72	ug/L	EPA-200.8
7/22/2014 10:25	Ba		64.69	ug/L	EPA-200.8
6/18/2014 8:55	Be	<	0.084	ug/L	EPA-200.8
6/25/2014 9:00	Be	j	0.478	ug/L	EPA-200.8
7/2/2014 9:55	Be	<	0.084	ug/L	EPA-200.8
7/9/2014 8:47	Be	<	0.084	ug/L	EPA-200.8
7/16/2014 9:50	Be	<	0.084	ug/L	EPA-200.8
7/22/2014 10:25	Be	<	0.11	ug/L	EPA-200.8
6/18/2014 8:55	BOD		7.5	mg/L	SM 5210
6/25/2014 9:00	BOD		5.3	mg/L	SM 5210
7/2/2014 9:55	BOD		2.7	mg/L	SM 5210
7/9/2014 8:47	BOD	<	2	mg/L	SM 5210

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/16/2014 9:50	BOD		2.5	mg/L	SM 5210
7/22/2014 10:25	BOD		2	mg/L	SM 5210
6/18/2014 8:55	Ca		58620	ug/L	EPA-200.8
6/25/2014 9:00	Ca		31860	ug/L	EPA-200.8
7/2/2014 9:55	Ca		93690	ug/L	EPA-200.8
7/9/2014 8:47	Ca		41190	ug/L	EPA-200.8
7/16/2014 9:50	Ca		70040	ug/L	EPA-200.8
7/22/2014 10:25	Ca		86150	ug/L	EPA-200.8
6/18/2014 8:55	CaCO3		203	mg/LCaCO3	EPA-200.8
6/25/2014 9:00	CaCO3		114	mg/LCaCO3	EPA-200.8
7/2/2014 9:55	CaCO3		329	mg/LCaCO3	EPA-200.8
7/9/2014 8:47	CaCO3		138	mg/LCaCO3	EPA-200.8
7/16/2014 9:50	CaCO3		244	mg/LCaCO3	EPA-200.8
7/22/2014 10:25	CaCO3		299	mg/LCaCO3	EPA-200.8
6/18/2014 8:55	Cd	j	0.098	ug/L	EPA-200.8
6/25/2014 9:00	Cd	j	0.982	ug/L	EPA-200.8
7/2/2014 9:55	Cd	j	0.14	ug/L	EPA-200.8
7/9/2014 8:47	Cd	j	0.124	ug/L	EPA-200.8
7/16/2014 9:50	Cd	j	0.092	ug/L	EPA-200.8
7/22/2014 10:25	Cd	j	0.108	ug/L	EPA-200.8
6/18/2014 8:55	Chloride		199.8	mg/L	EPA 300.0
6/25/2014 9:00	Chloride		48.16	mg/L	EPA 300.0
7/2/2014 9:55	Chloride		308.3	mg/L	EPA 300.0
7/9/2014 8:47	Chloride		108.7	mg/L	EPA 300.0
7/16/2014 9:50	Chloride		203	mg/L	EPA 300.0
7/22/2014 10:25	Chloride		250.1	mg/L	EPA 300.0
6/18/2014 8:55	Co	j	0.548	ug/L	EPA-200.8
6/25/2014 9:00	Co		7.43	ug/L	EPA-200.8
7/2/2014 9:55	Co	j	0.708	ug/L	EPA-200.8
7/9/2014 8:47	Co		1.017	ug/L	EPA-200.8
7/16/2014 9:50	Co	j	0.401	ug/L	EPA-200.8
7/22/2014 10:25	Co	j	0.487	ug/L	EPA-200.8
6/18/2014 8:55	COD		27.7	mg/L	EPA 410.4
6/25/2014 9:00	COD		47.8	mg/L	EPA 410.4
7/2/2014 9:55	COD		19	mg/L	EPA 410.4
7/9/2014 8:47	COD		13.4	mg/L	EPA 410.4
7/16/2014 9:50	COD		18	mg/L	EPA 410.4
7/22/2014 10:25	COD		19.3	mg/L	EPA 410.4
6/18/2014 8:55	Cr		1.544	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/25/2014 9:00	Cr		15.58	ug/L	EPA-200.8
7/2/2014 9:55	Cr		1.201	ug/L	EPA-200.8
7/9/2014 8:47	Cr		3.967	ug/L	EPA-200.8
7/16/2014 9:50	Cr		1.355	ug/L	EPA-200.8
7/22/2014 10:25	Cr		1.204	ug/L	EPA-200.8
6/18/2014 8:55	Cu		9.904	ug/L	EPA-200.8
6/25/2014 9:00	Cu		46.34	ug/L	EPA-200.8
7/2/2014 9:55	Cu		13.5	ug/L	EPA-200.8
7/9/2014 8:47	Cu		9.818	ug/L	EPA-200.8
7/16/2014 9:50	Cu		9.086	ug/L	EPA-200.8
7/22/2014 10:25	Cu		9.174	ug/L	EPA-200.8
6/18/2014 8:55	DRPhos		0.044	mg/L	EPA 365.1
6/25/2014 9:00	DRPhos		0.064	mg/L	EPA 365.1
7/2/2014 9:55	DRPhos	j	0.004	mg/L	EPA 365.1
7/9/2014 8:47	DRPhos		0.028	mg/L	EPA 365.1
7/16/2014 9:50	DRPhos		0.02	mg/L	EPA 365.1
7/22/2014 10:25	DRPhos	<	0.003	mg/L	EPA 365.1
6/18/2014 8:55	E. coli		11846	MPN/100 mL	SM 9223 Colilert
6/25/2014 9:00	E. coli		63100	MPN/100 mL	SM 9223 Colilert
7/2/2014 9:55	E. coli		255	MPN/100 mL	SM 9223 Colilert
7/9/2014 8:47	E. coli		11281	MPN/100 mL	SM 9223 Colilert
7/16/2014 9:50	E. coli		1492	MPN/100 mL	SM 9223 Colilert
7/22/2014 10:25	E. coli		108	MPN/100 mL	SM 9223 Colilert
6/18/2014 8:55	Fe		990.8	ug/L	EPA-200.8
6/25/2014 9:00	Fe		14980	ug/L	EPA-200.8
7/2/2014 9:55	Fe		944.2	ug/L	EPA-200.8
7/9/2014 8:47	Fe		2258	ug/L	EPA-200.8
7/16/2014 9:50	Fe		687.4	ug/L	EPA-200.8
7/22/2014 10:25	Fe		887.6	ug/L	EPA-200.8
6/18/2014 8:55	Field Cond		949.4	umhos/cm	SM 2510A
6/25/2014 9:00	Field Cond		298.7	umhos/cm	SM 2510A
7/2/2014 9:55	Field Cond		1486	umhos/cm	SM 2510A
7/9/2014 8:47	Field Cond		587.9	umhos/cm	SM 2510A
7/16/2014 9:50	Field Cond		1016	umhos/cm	SM 2510A
7/22/2014 10:25	Field Cond		1307	umhos/cm	SM 2510A
6/18/2014 8:55	Field DO		6.33	mg/L	SM 4500-0 G
6/25/2014 9:00	Field DO		8.53	mg/L	SM 4500-0 G
7/2/2014 9:55	Field DO		7	mg/L	SM 4500-0 G
7/9/2014 8:47	Field DO		7.86	mg/L	SM 4500-0 G
7/16/2014 9:50	Field DO		8.12	mg/L	SM 4500-0 G

Mill Creek					
River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 10:25	Field DO		10.2	mg/L	SM 4500-0 G
6/18/2014 8:55	Field Temp		21.3	C	EPA 170.1
6/25/2014 9:00	Field Temp		20.7	C	EPA 170.1
7/2/2014 9:55	Field Temp		23.9	C	EPA 170.1
7/9/2014 8:47	Field Temp		20.2	C	EPA 170.1
7/16/2014 9:50	Field Temp		18.4	C	EPA 170.1
7/22/2014 10:25	Field Temp		21.3	C	EPA 170.1
6/18/2014 8:55	Hg	<	0.01	ug/L	EPA 245.1
6/25/2014 9:00	Hg		0.064	ug/L	EPA 245.1
7/2/2014 9:55	Hg	<	0.01	ug/L	EPA 245.1
7/9/2014 8:47	Hg	<	0.01	ug/L	EPA 245.1
7/16/2014 9:50	Hg	<	0.01	ug/L	EPA 245.1
7/22/2014 10:25	Hg	<	0.01	ug/L	EPA 245.1
6/18/2014 8:55	K		6772	ug/L	EPA-200.8
6/25/2014 9:00	K		3734	ug/L	EPA-200.8
7/2/2014 9:55	K		10350	ug/L	EPA-200.8
7/9/2014 8:47	K		4785	ug/L	EPA-200.8
7/16/2014 9:50	K		7391	ug/L	EPA-200.8
7/22/2014 10:25	K		8918	ug/L	EPA-200.8
6/18/2014 8:55	Mg		14020	ug/L	EPA-200.8
6/25/2014 9:00	Mg		8488	ug/L	EPA-200.8
7/2/2014 9:55	Mg		23190	ug/L	EPA-200.8
7/9/2014 8:47	Mg		8534	ug/L	EPA-200.8
7/16/2014 9:50	Mg		16880	ug/L	EPA-200.8
7/22/2014 10:25	Mg		20400	ug/L	EPA-200.8
6/18/2014 8:55	Mn		89	ug/L	EPA-200.8
6/25/2014 9:00	Mn		397.8	ug/L	EPA-200.8
7/2/2014 9:55	Mn		140.2	ug/L	EPA-200.8
7/9/2014 8:47	Mn		66.65	ug/L	EPA-200.8
7/16/2014 9:50	Mn		61.27	ug/L	EPA-200.8
7/22/2014 10:25	Mn		84.3	ug/L	EPA-200.8
6/18/2014 8:55	Mo		4.579	ug/L	EPA-200.8
6/25/2014 9:00	Mo		1.799	ug/L	EPA-200.8
7/2/2014 9:55	Mo		6.317	ug/L	EPA-200.8
7/9/2014 8:47	Mo		4.057	ug/L	EPA-200.8
7/16/2014 9:50	Mo		5.687	ug/L	EPA-200.8
7/22/2014 10:25	Mo		5.58	ug/L	EPA-200.8
6/18/2014 8:55	Na		123200	ug/L	EPA-200.8
6/25/2014 9:00	Na		34440	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/2/2014 9:55	Na		165600	ug/L	EPA-200.8
7/9/2014 8:47	Na		75640	ug/L	EPA-200.8
7/16/2014 9:50	Na		127600	ug/L	EPA-200.8
7/22/2014 10:25	Na		148900	ug/L	EPA-200.8
6/18/2014 8:55	NH3		0.331	mg/L	EPA-350.1
6/25/2014 9:00	NH3		0.225	mg/L	EPA-350.1
7/2/2014 9:55	NH3		0.234	mg/L	EPA-350.1
7/9/2014 8:47	NH3		0.183	mg/L	EPA-350.1
7/16/2014 9:50	NH3		0.226	mg/L	EPA-350.1
7/22/2014 10:25	NH3		0.188	mg/L	EPA-350.1
6/18/2014 8:55	Ni		4.279	ug/L	EPA-200.8
6/25/2014 9:00	Ni		23.3	ug/L	EPA-200.8
7/2/2014 9:55	Ni		4.504	ug/L	EPA-200.8
7/9/2014 8:47	Ni		4.503	ug/L	EPA-200.8
7/16/2014 9:50	Ni	j	3.261	ug/L	EPA-200.8
7/22/2014 10:25	Ni	j	3.665	ug/L	EPA-200.8
6/18/2014 8:55	NO3-NO2		1.214	mg/L	EPA 353.2
6/25/2014 9:00	NO3-NO2		0.632	mg/L	EPA 353.2
7/2/2014 9:55	NO3-NO2		1.321	mg/L	EPA 353.2
7/9/2014 8:47	NO3-NO2		0.716	mg/L	EPA 353.2
7/16/2014 9:50	NO3-NO2		0.92	mg/L	EPA 353.2
7/22/2014 10:25	NO3-NO2		0.828	mg/L	EPA 353.2
6/18/2014 8:55	Pb		1.435	ug/L	EPA-200.8
6/25/2014 9:00	Pb		43.5	ug/L	EPA-200.8
7/2/2014 9:55	Pb	j	0.511	ug/L	EPA-200.8
7/9/2014 8:47	Pb		2.751	ug/L	EPA-200.8
7/16/2014 9:50	Pb	j	0.373	ug/L	EPA-200.8
7/22/2014 10:25	Pb	j	0.37	ug/L	EPA-200.8
6/18/2014 8:55	pH		7.41	S.U.	
6/25/2014 9:00	pH		7.79	S.U.	
7/2/2014 9:55	pH		7.7	S.U.	
7/9/2014 8:47	pH		7.6	S.U.	
7/16/2014 9:50	pH		7.73	S.U.	
7/22/2014 10:25	pH		7.84	S.U.	
6/18/2014 8:55	Sb	j	0.501	ug/L	EPA-200.8
6/25/2014 9:00	Sb	j	0.881	ug/L	EPA-200.8
7/2/2014 9:55	Sb	j	0.517	ug/L	EPA-200.8
7/9/2014 8:47	Sb	j	0.645	ug/L	EPA-200.8
7/16/2014 9:50	Sb	j	0.398	ug/L	EPA-200.8
7/22/2014 10:25	Sb	j	0.54	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/18/2014 8:55	Se	j	0.82	ug/L	EPA-200.8
6/25/2014 9:00	Se	j	0.484	ug/L	EPA-200.8
7/2/2014 9:55	Se	<	0.28	ug/L	EPA-200.8
7/9/2014 8:47	Se	j	0.46	ug/L	EPA-200.8
7/16/2014 9:50	Se	<	0.28	ug/L	EPA-200.8
7/22/2014 10:25	Se	<	1.26	ug/L	EPA-200.8
6/18/2014 8:55	Sn	<	0.36	ug/L	EPA-200.8
6/25/2014 9:00	Sn	<	0.36	ug/L	EPA-200.8
7/2/2014 9:55	Sn	<	0.36	ug/L	EPA-200.8
7/9/2014 8:47	Sn	<	0.36	ug/L	EPA-200.8
7/16/2014 9:50	Sn		2.466	ug/L	EPA-200.8
7/22/2014 10:25	Sn	<	0.34	ug/L	EPA-200.8
6/18/2014 8:55	SO4		66.41	mg/L	EPA 300.0
6/25/2014 9:00	SO4		20.86	mg/L	EPA 300.0
7/2/2014 9:55	SO4		136.6	mg/L	EPA 300.0
7/9/2014 8:47	SO4		44.79	mg/L	EPA 300.0
7/16/2014 9:50	SO4		86.11	mg/L	EPA 300.0
7/22/2014 10:25	SO4		103.6	mg/L	EPA 300.0
6/18/2014 8:55	Sr		343.318	ug/L	EPA-200.8
6/25/2014 9:00	Sr		144.802	ug/L	EPA-200.8
7/2/2014 9:55	Sr		567.983	ug/L	EPA-200.8
7/9/2014 8:47	Sr		243.843	ug/L	EPA-200.8
7/16/2014 9:50	Sr		393.012	ug/L	EPA-200.8
7/22/2014 10:25	Sr		484.231	ug/L	EPA-200.8
6/18/2014 8:55	TDS		578	mg/L	SM2540C
6/25/2014 9:00	TDS		210	mg/L	SM2540C
7/2/2014 9:55	TDS		948	mg/L	SM2540C
7/9/2014 8:47	TDS		368	mg/L	SM2540C
7/16/2014 9:50	TDS		636	mg/L	SM2540C
7/22/2014 10:25	TDS		742	mg/L	SM2540C
6/18/2014 8:55	Ti		6.564	ug/L	EPA-200.8
6/25/2014 9:00	Ti		34.66	ug/L	EPA-200.8
7/2/2014 9:55	Ti	j	1.456	ug/L	EPA-200.8
7/9/2014 8:47	Ti		51.07	ug/L	EPA-200.8
7/16/2014 9:50	Ti	j	1.948	ug/L	EPA-200.8
7/22/2014 10:25	Ti	j	0.952	ug/L	EPA-200.8
6/18/2014 8:55	TKN		1.114	mg/L	EPA-351.1
6/25/2014 9:00	TKN		1.682	mg/L	EPA-351.1
7/2/2014 9:55	TKN	j	0.442	mg/L	EPA-351.1

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/9/2014 8:47	TKN		0.621	mg/L	EPA-351.1
7/16/2014 9:50	TKN		0.667	mg/L	EPA-351.1
7/22/2014 10:25	TKN		1.056	mg/L	EPA-351.1
6/18/2014 8:55	TI	<	0.138	ug/L	EPA-200.8
6/25/2014 9:00	TI	j	0.25	ug/L	EPA-200.8
7/2/2014 9:55	TI	<	0.138	ug/L	EPA-200.8
7/9/2014 8:47	TI	<	0.138	ug/L	EPA-200.8
7/16/2014 9:50	TI	<	0.138	ug/L	EPA-200.8
7/22/2014 10:25	TI	j	0.031	ug/L	EPA-200.8
6/18/2014 8:55	TMET		37.3	ug/L	EPA-200.8
6/25/2014 9:00	TMET		246.7	ug/L	EPA-200.8
7/2/2014 9:55	TMET		53.6	ug/L	EPA-200.8
7/9/2014 8:47	TMET		42.9	ug/L	EPA-200.8
7/16/2014 9:50	TMET		32.5	ug/L	EPA-200.8
7/22/2014 10:25	TMET		40.6	ug/L	EPA-200.8
6/18/2014 8:55	Total-P		0.149	mg/L	EPA 365.1
6/25/2014 9:00	Total-P		0.482	mg/L	EPA 365.1
7/2/2014 9:55	Total-P		0.033	mg/L	EPA 365.1
7/9/2014 8:47	Total-P		0.117	mg/L	EPA 365.1
7/16/2014 9:50	Total-P		0.049	mg/L	EPA 365.1
7/22/2014 10:25	Total-P		0.033	mg/L	EPA 365.1
6/18/2014 8:55	TS		628	mg/L	SM2540B
6/25/2014 9:00	TS		828	mg/L	SM2540B
7/2/2014 9:55	TS		922	mg/L	SM2540B
7/9/2014 8:47	TS		414	mg/L	SM2540B
7/16/2014 9:50	TS		664	mg/L	SM2540B
7/22/2014 10:25	TS		817	mg/L	SM2540B
6/18/2014 8:55	TSS		15.2	mg/L	SM2540D
6/25/2014 9:00	TSS		556	mg/L	SM2540D
7/2/2014 9:55	TSS		4.5	mg/L	SM2540D
7/9/2014 8:47	TSS		38.6	mg/L	SM2540D
7/16/2014 9:50	TSS		3.5	mg/L	SM2540D
7/22/2014 10:25	TSS		5.7	mg/L	SM2540D
6/18/2014 8:55	Turbidity		18.1	NTU	EPA 180.1
6/25/2014 9:00	Turbidity		403	NTU	EPA 180.1
7/2/2014 9:55	Turbidity		5.05	NTU	EPA 180.1
7/9/2014 8:47	Turbidity		67.9	NTU	EPA 180.1
7/16/2014 9:50	Turbidity		5.03	NTU	EPA 180.1
7/22/2014 10:25	Turbidity		4.86	NTU	EPA 180.1

Mill Creek River Mile 0.12						
Sample Date	Parameter	Code	Result	Units	Method	
6/18/2014 8:55	V	j	1.48	ug/L	EPA-200.8	
6/25/2014 9:00	V		14.44	ug/L	EPA-200.8	
7/2/2014 9:55	V	<	1.22	ug/L	EPA-200.8	
7/9/2014 8:47	V		4.146	ug/L	EPA-200.8	
7/16/2014 9:50	V	<	1.22	ug/L	EPA-200.8	
7/22/2014 10:25	V	<	0.38	ug/L	EPA-200.8	
6/18/2014 8:55	Zn		22.6	ug/L	EPA-200.8	
6/25/2014 9:00	Zn		161.5	ug/L	EPA-200.8	
7/2/2014 9:55	Zn		34.36	ug/L	EPA-200.8	
7/9/2014 8:47	Zn		24.62	ug/L	EPA-200.8	
7/16/2014 9:50	Zn		18.78	ug/L	EPA-200.8	
7/22/2014 10:25	Zn		26.61	ug/L	EPA-200.8	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)