

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 10:50	*CaCO3		115	mg/LCaCO3	EPA-200.8
6/23/2015 10:44	*CaCO3		110	mg/LCaCO3	EPA-200.8
6/30/2015 10:21	*CaCO3		276	mg/LCaCO3	EPA-200.8
7/7/2015 10:32	*CaCO3		295	mg/LCaCO3	EPA-200.8
7/14/2015 10:34	*CaCO3		217	mg/LCaCO3	EPA-200.8
6/16/2015 10:50	Ag	j	0.034	ug/L	EPA-200.8
6/23/2015 10:44	Ag	j	0.038	ug/L	EPA-200.8
6/30/2015 10:21	Ag	<	0.018	ug/L	EPA-200.8
7/7/2015 10:32	Ag	<	0.018	ug/L	EPA-200.8
7/14/2015 10:34	Ag	<	0.018	ug/L	EPA-200.8
6/16/2015 10:50	Al		1607	ug/L	EPA-200.8
6/23/2015 10:44	Al		2430	ug/L	EPA-200.8
6/30/2015 10:21	Al		150	ug/L	EPA-200.8
7/7/2015 10:32	Al		23.32	ug/L	EPA-200.8
7/14/2015 10:34	Al		85.9	ug/L	EPA-200.8
6/16/2015 10:50	Alkalinity		91.4	mg/LCaCO3	EPA-310.2
6/23/2015 10:44	Alkalinity		61.6	mg/LCaCO3	EPA-310.2
6/30/2015 10:21	Alkalinity		209.7	mg/LCaCO3	EPA-310.2
7/7/2015 10:32	Alkalinity		201.1	mg/LCaCO3	EPA-310.2
7/14/2015 10:34	Alkalinity		162.9	mg/LCaCO3	EPA-310.2
6/16/2015 10:50	As		3.31	ug/L	EPA-200.8
6/23/2015 10:44	As		4.189	ug/L	EPA-200.8
6/30/2015 10:21	As	j	1.745	ug/L	EPA-200.8
7/7/2015 10:32	As	j	1.578	ug/L	EPA-200.8
7/14/2015 10:34	As	j	1.99	ug/L	EPA-200.8
6/16/2015 10:50	Ba		33.08	ug/L	EPA-200.8
6/23/2015 10:44	Ba		37.85	ug/L	EPA-200.8
6/30/2015 10:21	Ba		49.17	ug/L	EPA-200.8
7/7/2015 10:32	Ba		55.4	ug/L	EPA-200.8
7/14/2015 10:34	Ba		39.71	ug/L	EPA-200.8
6/16/2015 10:50	Be	<	0.108	ug/L	EPA-200.8
6/23/2015 10:44	Be	j	0.125	ug/L	EPA-200.8
6/30/2015 10:21	Be	<	0.108	ug/L	EPA-200.8
7/7/2015 10:32	Be	<	0.108	ug/L	EPA-200.8
7/14/2015 10:34	Be	<	0.108	ug/L	EPA-200.8
6/16/2015 10:50	BOD		3.1	mg/L	SM 5210
6/23/2015 10:44	BOD		5.6	mg/L	SM 5210
6/30/2015 10:21	BOD	<	2	mg/L	SM 5210
7/7/2015 10:32	BOD	<	2	mg/L	SM 5210

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 10:34	BOD	<	2	mg/L	SM 5210
6/16/2015 10:50	Ca		35580	ug/L	EPA-200.8
6/23/2015 10:44	Ca		34190	ug/L	EPA-200.8
6/30/2015 10:21	Ca		85330	ug/L	EPA-200.8
7/7/2015 10:32	Ca		89430	ug/L	EPA-200.8
7/14/2015 10:34	Ca		66140	ug/L	EPA-200.8
6/16/2015 10:50	Cd	j	0.13	ug/L	EPA-200.8
6/23/2015 10:44	Cd	j	0.107	ug/L	EPA-200.8
6/30/2015 10:21	Cd	<	0.068	ug/L	EPA-200.8
7/7/2015 10:32	Cd	<	0.068	ug/L	EPA-200.8
7/14/2015 10:34	Cd	<	0.068	ug/L	EPA-200.8
6/16/2015 10:50	Chloride		76.45	mg/L	EPA 300.0
6/23/2015 10:44	Chloride		72.86	mg/L	EPA 300.0
6/30/2015 10:21	Chloride		262.4	mg/L	EPA 300.0
7/7/2015 10:32	Chloride		383.6	mg/L	EPA 300.0
7/14/2015 10:34	Chloride		247.6	mg/L	EPA 300.0
6/16/2015 10:50	Co		1.634	ug/L	EPA-200.8
6/23/2015 10:44	Co		2.122	ug/L	EPA-200.8
6/30/2015 10:21	Co	j	0.333	ug/L	EPA-200.8
7/7/2015 10:32	Co	j	0.212	ug/L	EPA-200.8
7/14/2015 10:34	Co	j	0.316	ug/L	EPA-200.8
6/16/2015 10:50	COD		43.5	mg/L	EPA 410.4
6/23/2015 10:44	COD		39.4	mg/L	EPA 410.4
6/30/2015 10:21	COD		25.6	mg/L	EPA 410.4
7/7/2015 10:32	COD		17.5	mg/L	EPA 410.4
7/14/2015 10:34	COD		22.6	mg/L	EPA 410.4
6/16/2015 10:50	Conduct	HT	523	uS/cm	SM 2510B
6/23/2015 10:44	Conduct	HT	498	uS/cm	SM 2510B
6/30/2015 10:21	Conduct		1410	uS/cm	SM 2510B
7/7/2015 10:32	Conduct		1790	uS/cm	SM 2510B
7/14/2015 10:34	Conduct		1270	uS/cm	SM 2510B
6/16/2015 10:50	Cr		4.232	ug/L	EPA-200.8
6/23/2015 10:44	Cr		4.535	ug/L	EPA-200.8
6/30/2015 10:21	Cr		1.35	ug/L	EPA-200.8
7/7/2015 10:32	Cr	j	0.941	ug/L	EPA-200.8
7/14/2015 10:34	Cr	j	0.958	ug/L	EPA-200.8
6/16/2015 10:50	Cu		9.702	ug/L	EPA-200.8
6/23/2015 10:44	Cu		10.99	ug/L	EPA-200.8

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 10:21	Cu		4.652	ug/L	EPA-200.8
7/7/2015 10:32	Cu		4.186	ug/L	EPA-200.8
7/14/2015 10:34	Cu		4.738	ug/L	EPA-200.8
6/16/2015 10:50	DRPhos		0.038	mg/L	EPA 365.1
6/23/2015 10:44	DRPhos		0.044	mg/L	EPA 365.1
6/30/2015 10:21	DRPhos		0.032	mg/L	EPA 365.1
7/7/2015 10:32	DRPhos		0.022	mg/L	EPA 365.1
7/14/2015 10:34	DRPhos		0.031	mg/L	EPA 365.1
6/16/2015 10:50	E. coli		38350	MPN/100 mL	SM 9223 Colilert
6/23/2015 10:44	E. coli		51200	MPN/100 mL	SM 9223 Colilert
6/30/2015 10:21	E. coli		1012	MPN/100 mL	SM 9223 Colilert
7/7/2015 10:32	E. coli		567	MPN/100 mL	SM 9223 Colilert
7/14/2015 10:34	E. coli		2388	MPN/100 mL	SM 9223 Colilert
6/16/2015 10:50	Fe		3231	ug/L	EPA-200.8
6/23/2015 10:44	Fe		5134	ug/L	EPA-200.8
6/30/2015 10:21	Fe		590.2	ug/L	EPA-200.8
7/7/2015 10:32	Fe		283	ug/L	EPA-200.8
7/14/2015 10:34	Fe		368.4	ug/L	EPA-200.8
6/16/2015 10:50	Field Cond		477.1	umhos/cm	SM 2510A
6/23/2015 10:44	Field Cond		440.7	umhos/cm	SM 2510A
6/30/2015 10:21	Field Cond		1179	umhos/cm	SM 2510A
7/7/2015 10:32	Field Cond		1608	umhos/cm	SM 2510A
7/14/2015 10:34	Field Cond		1153	umhos/cm	SM 2510A
6/16/2015 10:50	Field Spec Cond		520.5	umhos/cm	SM 2510B
6/23/2015 10:44	Field Spec Cond		477.6	umhos/cm	SM 2510B
6/30/2015 10:21	Field Spec Cond		1370	umhos/cm	SM 2510B
7/7/2015 10:32	Field Spec Cond		1747	umhos/cm	SM 2510B
7/14/2015 10:34	Field Spec Cond		1271	umhos/cm	SM 2510B
6/16/2015 10:50	Field DO		8	mg/L	SM 4500-0 G
6/23/2015 10:44	Field DO		8.29	mg/L	SM 4500-0 G
6/30/2015 10:21	Field DO		8.86	mg/L	SM 4500-0 G
7/7/2015 10:32	Field DO		9.16	mg/L	SM 4500-0 G
7/14/2015 10:34	Field DO		8.65	mg/L	SM 4500-0 G
6/16/2015 10:50	Field DO		93	%	
6/23/2015 10:44	Field DO		93.1	%	
6/30/2015 10:21	Field DO		93.4	%	
7/7/2015 10:32	Field DO		103	%	
7/14/2015 10:34	Field DO		95.8	%	

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 10:50	Field Temp		20.7	C	EPA 170.1
6/23/2015 10:44	Field Temp		21	C	EPA 170.1
6/30/2015 10:21	Field Temp		17.7	C	EPA 170.1
7/7/2015 10:32	Field Temp		20.8	C	EPA 170.1
7/14/2015 10:34	Field Temp		20.2	C	EPA 170.1
6/16/2015 10:50	Hg	j	0.028	ug/L	EPA 245.1
6/23/2015 10:44	Hg	<	0.006	ug/L	EPA 245.1
6/30/2015 10:21	Hg	<	0.006	ug/L	EPA 245.1
7/7/2015 10:32	Hg	<	0.006	ug/L	EPA 245.1
7/14/2015 10:34	Hg	<	0.006	ug/L	EPA 245.1
6/16/2015 10:50	K		3558	ug/L	EPA-200.8
6/23/2015 10:44	K		4007	ug/L	EPA-200.8
6/30/2015 10:21	K		4975	ug/L	EPA-200.8
7/7/2015 10:32	K		4771	ug/L	EPA-200.8
7/14/2015 10:34	K		4503	ug/L	EPA-200.8
6/16/2015 10:50	Mg		6426	ug/L	EPA-200.8
6/23/2015 10:44	Mg		5899	ug/L	EPA-200.8
6/30/2015 10:21	Mg		15300	ug/L	EPA-200.8
7/7/2015 10:32	Mg		17400	ug/L	EPA-200.8
7/14/2015 10:34	Mg		12700	ug/L	EPA-200.8
6/16/2015 10:50	Mn		98.81	ug/L	EPA-200.8
6/23/2015 10:44	Mn		136.4	ug/L	EPA-200.8
6/30/2015 10:21	Mn		35.62	ug/L	EPA-200.8
7/7/2015 10:32	Mn		26.28	ug/L	EPA-200.8
7/14/2015 10:34	Mn		25.1	ug/L	EPA-200.8
6/16/2015 10:50	Mo		2.652	ug/L	EPA-200.8
6/23/2015 10:44	Mo		2.485	ug/L	EPA-200.8
6/30/2015 10:21	Mo		6.055	ug/L	EPA-200.8
7/7/2015 10:32	Mo		6.893	ug/L	EPA-200.8
7/14/2015 10:34	Mo		5.577	ug/L	EPA-200.8
6/16/2015 10:50	Na		55280	ug/L	EPA-200.8
6/23/2015 10:44	Na		49680	ug/L	EPA-200.8
6/30/2015 10:21	Na		188900	ug/L	EPA-200.8
7/7/2015 10:32	Na		234600	ug/L	EPA-200.8
7/14/2015 10:34	Na		173100	ug/L	EPA-200.8
6/16/2015 10:50	NH3		0.073	mg/L	EPA-350.1
6/23/2015 10:44	NH3		0.101	mg/L	EPA-350.1
6/30/2015 10:21	NH3		0.03	mg/L	EPA-350.1
7/7/2015 10:32	NH3		0.147	mg/L	EPA-350.1

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 10:34	NH3		0.021	mg/L	EPA-350.1
6/16/2015 10:50	Ni		5.621	ug/L	EPA-200.8
6/23/2015 10:44	Ni		7.226	ug/L	EPA-200.8
6/30/2015 10:21	Ni	j	2.946	ug/L	EPA-200.8
7/7/2015 10:32	Ni	j	2.757	ug/L	EPA-200.8
7/14/2015 10:34	Ni	j	2.383	ug/L	EPA-200.8
6/16/2015 10:50	NO2		0.041	mg/L	SM 4500-NO2-B
6/23/2015 10:44	NO2		0.063	mg/L	SM 4500-NO2-B
6/30/2015 10:21	NO2		0.02	mg/L	SM 4500-NO2-B
7/7/2015 10:32	NO2	j	0.013	mg/L	SM 4500-NO2-B
7/14/2015 10:34	NO2	j	0.018	mg/L	SM 4500-NO2-B
6/16/2015 10:50	NO3		0.183	mg/L	EPA 353.2
6/23/2015 10:44	NO3		0.209	mg/L	EPA 353.2
6/30/2015 10:21	NO3		0.437	mg/L	EPA 353.2
7/7/2015 10:32	NO3		0.157	mg/L	EPA 353.2
7/14/2015 10:34	NO3		0.302	mg/L	EPA 353.2
6/16/2015 10:50	NO3+NO2		0.224	mg/L	EPA 353.2
6/23/2015 10:44	NO3+NO2		0.272	mg/L	EPA 353.2
6/30/2015 10:21	NO3+NO2		0.458	mg/L	EPA 353.2
7/7/2015 10:32	NO3+NO2		0.17	mg/L	EPA 353.2
7/14/2015 10:34	NO3+NO2		0.32	mg/L	EPA 353.2
6/16/2015 10:50	Pb		4.436	ug/L	EPA-200.8
6/23/2015 10:44	Pb		5.476	ug/L	EPA-200.8
6/30/2015 10:21	Pb	j	0.552	ug/L	EPA-200.8
7/7/2015 10:32	Pb	j	0.688	ug/L	EPA-200.8
7/14/2015 10:34	Pb	j	0.297	ug/L	EPA-200.8
6/16/2015 10:50	pH		8.01	S.U.	
6/23/2015 10:44	pH		7.97	S.U.	
6/30/2015 10:21	pH		8.15	S.U.	
7/7/2015 10:32	pH		8.26	S.U.	
7/14/2015 10:34	pH		8.28	S.U.	
6/16/2015 10:50	Sb	j	0.515	ug/L	EPA-200.8
6/23/2015 10:44	Sb	j	0.515	ug/L	EPA-200.8
6/30/2015 10:21	Sb	j	0.615	ug/L	EPA-200.8
7/7/2015 10:32	Sb	j	0.384	ug/L	EPA-200.8
7/14/2015 10:34	Sb	j	0.48	ug/L	EPA-200.8
6/16/2015 10:50	Se	<	0.76	ug/L	EPA-200.8
6/23/2015 10:44	Se	<	0.76	ug/L	EPA-200.8

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 10:21	Se	j	0.823	ug/L	EPA-200.8
7/7/2015 10:32	Se	<	0.76	ug/L	EPA-200.8
7/14/2015 10:34	Se	<	0.76	ug/L	EPA-200.8
6/16/2015 10:50	Sn	<	0.162	ug/L	EPA-200.8
6/30/2015 10:21	Sn	<	0.162	ug/L	EPA-200.8
7/7/2015 10:32	Sn	<	0.162	ug/L	EPA-200.8
7/14/2015 10:34	Sn	<	0.162	ug/L	EPA-200.8
6/16/2015 10:50	SO4		22.66	mg/L	EPA 300.0
6/23/2015 10:44	SO4		24.36	mg/L	EPA 300.0
6/30/2015 10:21	SO4		67.06	mg/L	EPA 300.0
7/7/2015 10:32	SO4		77.03	mg/L	EPA 300.0
7/14/2015 10:34	SO4		58.01	mg/L	EPA 300.0
6/16/2015 10:50	Sr		197.145	ug/L	EPA-200.8
6/23/2015 10:44	Sr		188.572	ug/L	EPA-200.8
6/30/2015 10:21	Sr		464.495	ug/L	EPA-200.8
7/7/2015 10:32	Sr		520.48	ug/L	EPA-200.8
7/14/2015 10:34	Sr		398.356	ug/L	EPA-200.8
6/16/2015 10:50	TDS		290	mg/L	SM2540C
6/23/2015 10:44	TDS		272	mg/L	SM2540C
6/30/2015 10:21	TDS		820	mg/L	SM2540C
7/7/2015 10:32	TDS		1002	mg/L	SM2540C
7/14/2015 10:34	TDS		703	mg/L	SM2540C
6/16/2015 10:50	Ti		20.41	ug/L	EPA-200.8
6/23/2015 10:44	Ti		29.93	ug/L	EPA-200.8
6/30/2015 10:21	Ti		3.544	ug/L	EPA-200.8
7/7/2015 10:32	Ti	j	1.032	ug/L	EPA-200.8
7/14/2015 10:34	Ti		2.026	ug/L	EPA-200.8
6/16/2015 10:50	TKN		1.21	mg/L	EPA-351.1
6/23/2015 10:44	TKN		1.455	mg/L	EPA-351.1
6/30/2015 10:21	TKN		0.545	mg/L	EPA-351.1
7/7/2015 10:32	TKN	j	0.413	mg/L	EPA-351.1
7/14/2015 10:34	TKN		0.559	mg/L	EPA-351.1
6/16/2015 10:50	TI	j	0.072	ug/L	EPA-200.8
6/23/2015 10:44	TI	j	0.081	ug/L	EPA-200.8
6/30/2015 10:21	TI	j	0.031	ug/L	EPA-200.8
7/7/2015 10:32	TI	j	0.023	ug/L	EPA-200.8
7/14/2015 10:34	TI	j	0.026	ug/L	EPA-200.8
6/16/2015 10:50	TMET		43.5	ug/L	EPA-200.8

Mill Creek River Mile 8.30					
Sample Date	Parameter	Code	Result	Units	Method
6/23/2015 10:44	TMET		53.8	ug/L	EPA-200.8
6/30/2015 10:21	TMET		13.9	ug/L	EPA-200.8
7/7/2015 10:32	TMET		10.4	ug/L	EPA-200.8
7/14/2015 10:34	TMET		11	ug/L	EPA-200.8
6/16/2015 10:50	Total-P		0.108	mg/L	EPA 365.1
6/23/2015 10:44	Total-P		0.224	mg/L	EPA 365.1
6/30/2015 10:21	Total-P		0.06	mg/L	EPA 365.1
7/7/2015 10:32	Total-P		0.044	mg/L	EPA 365.1
7/14/2015 10:34	Total-P		0.056	mg/L	EPA 365.1
6/16/2015 10:50	TS		404	mg/L	SM2540B
6/23/2015 10:44	TS		435	mg/L	SM2540B
6/30/2015 10:21	TS		836	mg/L	SM2540B
7/7/2015 10:32	TS		1116	mg/L	SM2540B
7/14/2015 10:34	TS		725	mg/L	SM2540B
6/16/2015 10:50	TSS		99.3	mg/L	SM2540D
6/23/2015 10:44	TSS		139.2	mg/L	SM2540D
6/30/2015 10:21	TSS		8.3	mg/L	SM2540D
7/7/2015 10:32	TSS		1.4	mg/L	SM2540D
7/14/2015 10:34	TSS		4	mg/L	SM2540D
6/16/2015 10:50	Turbidity		89	NTU	EPA 180.1
6/23/2015 10:44	Turbidity		158	NTU	EPA 180.1
6/30/2015 10:21	Turbidity		12.5	NTU	EPA 180.1
7/7/2015 10:32	Turbidity		1.53	NTU	EPA 180.1
7/14/2015 10:34	Turbidity		7.79	NTU	EPA 180.1
6/16/2015 10:50	V	j	3.366	ug/L	EPA-200.8
6/23/2015 10:44	V	j	4.415	ug/L	EPA-200.8
6/30/2015 10:21	V	j	1.332	ug/L	EPA-200.8
7/7/2015 10:32	V	<	0.48	ug/L	EPA-200.8
7/14/2015 10:34	V	j	1.656	ug/L	EPA-200.8
6/16/2015 10:50	Zn		23.96	ug/L	EPA-200.8
6/23/2015 10:44	Zn		31.01	ug/L	EPA-200.8
6/30/2015 10:21	Zn	j	4.992	ug/L	EPA-200.8
7/7/2015 10:32	Zn	j	2.57	ug/L	EPA-200.8
7/14/2015 10:34	Zn	j	2.938	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:06	*CaCO3		122	mg/LCaCO3	EPA-200.8
6/23/2015 10:04	*CaCO3		127	mg/LCaCO3	EPA-200.8
6/30/2015 9:42	*CaCO3		266	mg/LCaCO3	EPA-200.8
7/7/2015 10:05	*CaCO3		297	mg/LCaCO3	EPA-200.8
7/14/2015 9:57	*CaCO3		197	mg/LCaCO3	EPA-200.8
6/16/2015 9:06	Ag	j	0.028	ug/L	EPA-200.8
6/23/2015 10:04	Ag	j	0.19	ug/L	EPA-200.8
6/30/2015 9:42	Ag	j	0.018	ug/L	EPA-200.8
7/7/2015 10:05	Ag	<	0.018	ug/L	EPA-200.8
7/14/2015 9:57	Ag	<	0.018	ug/L	EPA-200.8
6/16/2015 9:06	Al		1926	ug/L	EPA-200.8
6/23/2015 10:04	Al		7276	ug/L	EPA-200.8
6/30/2015 9:42	Al		207.4	ug/L	EPA-200.8
7/7/2015 10:05	Al		26.415	ug/L	EPA-200.8
7/14/2015 9:57	Al		120.2	ug/L	EPA-200.8
6/16/2015 9:06	Alkalinity		88.9	mg/LCaCO3	EPA-310.2
6/30/2015 9:42	Alkalinity		195.8	mg/LCaCO3	EPA-310.2
7/7/2015 10:05	Alkalinity		219.85	mg/LCaCO3	EPA-310.2
7/14/2015 9:57	Alkalinity		148.2	mg/LCaCO3	EPA-310.2
6/23/2015 10:04	Alkalinity		80	mg/LCaCO3	SM-2320B
6/16/2015 9:06	As		3.413	ug/L	EPA-200.8
6/23/2015 10:04	As		6.793	ug/L	EPA-200.8
6/30/2015 9:42	As	j	1.634	ug/L	EPA-200.8
7/7/2015 10:05	As	j	1.169	ug/L	EPA-200.8
7/14/2015 9:57	As	j	1.194	ug/L	EPA-200.8
6/16/2015 9:06	Ba		37.47	ug/L	EPA-200.8
6/23/2015 10:04	Ba		85.3	ug/L	EPA-200.8
6/30/2015 9:42	Ba		55.87	ug/L	EPA-200.8
7/7/2015 10:05	Ba		62.58	ug/L	EPA-200.8
7/14/2015 9:57	Ba		39.8	ug/L	EPA-200.8
6/16/2015 9:06	Be	<	0.108	ug/L	EPA-200.8
6/23/2015 10:04	Be	j	0.5	ug/L	EPA-200.8
6/30/2015 9:42	Be	<	0.108	ug/L	EPA-200.8
7/7/2015 10:05	Be	<	0.108	ug/L	EPA-200.8
7/14/2015 9:57	Be	<	0.108	ug/L	EPA-200.8
6/16/2015 9:06	BOD		3	mg/L	SM 5210
6/23/2015 10:04	BOD		5.7	mg/L	SM 5210
6/30/2015 9:42	BOD	<	2	mg/L	SM 5210

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/7/2015 10:05	BOD	<	2	mg/L	SM 5210
7/14/2015 9:57	BOD	<	2	mg/L	SM 5210
6/16/2015 9:06	Ca		37300	ug/L	EPA-200.8
6/23/2015 10:04	Ca		36630	ug/L	EPA-200.8
6/30/2015 9:42	Ca		78930	ug/L	EPA-200.8
7/7/2015 10:05	Ca		86915	ug/L	EPA-200.8
7/14/2015 9:57	Ca		58060	ug/L	EPA-200.8
6/16/2015 9:06	Cd	j	0.151	ug/L	EPA-200.8
6/23/2015 10:04	Cd	j	0.681	ug/L	EPA-200.8
6/30/2015 9:42	Cd	j	0.083	ug/L	EPA-200.8
7/7/2015 10:05	Cd	<	0.068	ug/L	EPA-200.8
7/14/2015 9:57	Cd	<	0.068	ug/L	EPA-200.8
6/16/2015 9:06	Chloride		81.48	mg/L	EPA 300.0
6/23/2015 10:04	Chloride		33.8	mg/L	EPA 300.0
6/30/2015 9:42	Chloride		191	mg/L	EPA 300.0
7/7/2015 10:05	Chloride		243.9	mg/L	EPA 300.0
7/14/2015 9:57	Chloride		154.6	mg/L	EPA 300.0
6/16/2015 9:06	Co		1.886	ug/L	EPA-200.8
6/23/2015 10:04	Co		9.343	ug/L	EPA-200.8
6/30/2015 9:42	Co	j	0.373	ug/L	EPA-200.8
7/7/2015 10:05	Co	j	0.1745	ug/L	EPA-200.8
7/14/2015 9:57	Co	j	0.22	ug/L	EPA-200.8
6/16/2015 9:06	COD		34	mg/L	EPA 410.4
6/23/2015 10:04	COD		23.2	mg/L	EPA 410.4
6/30/2015 9:42	COD		23.4	mg/L	EPA 410.4
7/7/2015 10:05	COD		14.25	mg/L	EPA 410.4
7/14/2015 9:57	COD		18	mg/L	EPA 410.4
6/16/2015 9:06	Cr		4.807	ug/L	EPA-200.8
6/23/2015 10:04	Cr		20.34	ug/L	EPA-200.8
6/30/2015 9:42	Cr		1.835	ug/L	EPA-200.8
7/7/2015 10:05	Cr	j	0.6375	ug/L	EPA-200.8
7/14/2015 9:57	Cr		1.098	ug/L	EPA-200.8
6/16/2015 9:06	Cu		10.76	ug/L	EPA-200.8
6/23/2015 10:04	Cu		44.48	ug/L	EPA-200.8
6/30/2015 9:42	Cu		4.695	ug/L	EPA-200.8
7/7/2015 10:05	Cu		2.8415	ug/L	EPA-200.8
7/14/2015 9:57	Cu		3.808	ug/L	EPA-200.8
6/16/2015 9:06	DRPhos		0.048	mg/L	EPA 365.1

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/23/2015 10:04	DRPhos		0.06	mg/L	EPA 365.1
6/30/2015 9:42	DRPhos		0.043	mg/L	EPA 365.1
7/7/2015 10:05	DRPhos		0.04	mg/L	EPA 365.1
7/14/2015 9:57	DRPhos		0.046	mg/L	EPA 365.1
6/16/2015 9:06	E. coli		10150	MPN/100 mL	SM 9223 Colilert
6/23/2015 10:04	E. coli		86000	MPN/100 mL	SM 9223 Colilert
6/30/2015 9:42	E. coli		1590	MPN/100 mL	SM 9223 Colilert
7/7/2015 10:05	E. coli		663.5	MPN/100 mL	SM 9223 Colilert
7/14/2015 9:57	E. coli		698	MPN/100 mL	SM 9223 Colilert
6/16/2015 9:06	Fe		3909	ug/L	EPA-200.8
6/23/2015 10:04	Fe		16220	ug/L	EPA-200.8
6/30/2015 9:42	Fe		663.2	ug/L	EPA-200.8
7/7/2015 10:05	Fe		284.2	ug/L	EPA-200.8
7/14/2015 9:57	Fe		403.2	ug/L	EPA-200.8
6/16/2015 9:06	Field Cond		509.4	umhos/cm	SM 2510A
6/23/2015 10:04	Field Cond		249.9	umhos/cm	SM 2510A
6/30/2015 9:42	Field Cond		958.2	umhos/cm	SM 2510A
7/7/2015 10:05	Field Cond		1236	umhos/cm	SM 2510A
7/14/2015 9:57	Field Cond		843.6	umhos/cm	SM 2510A
6/16/2015 9:06	Field Spec Cond		552.1	umhos/cm	SM 2510B
6/23/2015 10:04	Field Spec Cond		269.1	umhos/cm	SM 2510B
6/30/2015 9:42	Field Spec Cond		1121	umhos/cm	SM 2510B
7/7/2015 10:05	Field Spec Cond		1347	umhos/cm	SM 2510B
7/14/2015 9:57	Field Spec Cond		932.1	umhos/cm	SM 2510B
6/16/2015 9:06	Field DO		8.87	mg/L	SM 4500-0 G
6/23/2015 10:04	Field DO		8.84	mg/L	SM 4500-0 G
6/30/2015 9:42	Field DO		9.22	mg/L	SM 4500-0 G
7/7/2015 10:05	Field DO		8.92	mg/L	SM 4500-0 G
7/14/2015 9:57	Field DO		8.71	mg/L	SM 4500-0 G
6/16/2015 9:06	Field DO		99	%	
6/23/2015 10:04	Field DO		99.9	%	
6/30/2015 9:42	Field DO		96.5	%	
7/7/2015 10:05	Field DO		99.8	%	
7/14/2015 9:57	Field DO		96.1	%	
6/16/2015 9:06	Field Temp		20.9	C	EPA 170.1
6/23/2015 10:04	Field Temp		21.4	C	EPA 170.1
6/30/2015 9:42	Field Temp		17.4	C	EPA 170.1
7/7/2015 10:05	Field Temp		20.7	C	EPA 170.1
7/14/2015 9:57	Field Temp		20	C	EPA 170.1

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:06	Hg	j	0.014	ug/L	EPA 245.1
6/23/2015 10:04	Hg	j	0.02	ug/L	EPA 245.1
6/30/2015 9:42	Hg	<	0.006	ug/L	EPA 245.1
7/7/2015 10:05	Hg	<	0.006	ug/L	EPA 245.1
7/14/2015 9:57	Hg	<	0.006	ug/L	EPA 245.1
6/16/2015 9:06	K		3697	ug/L	EPA-200.8
6/23/2015 10:04	K		3170	ug/L	EPA-200.8
6/30/2015 9:42	K		6102	ug/L	EPA-200.8
7/7/2015 10:05	K		6694.5	ug/L	EPA-200.8
7/14/2015 9:57	K		4633	ug/L	EPA-200.8
6/16/2015 9:06	Mg		7004	ug/L	EPA-200.8
6/23/2015 10:04	Mg		8711	ug/L	EPA-200.8
6/30/2015 9:42	Mg		16680	ug/L	EPA-200.8
7/7/2015 10:05	Mg		19510	ug/L	EPA-200.8
7/14/2015 9:57	Mg		12660	ug/L	EPA-200.8
6/16/2015 9:06	Mn		109.2	ug/L	EPA-200.8
6/23/2015 10:04	Mn		442.1	ug/L	EPA-200.8
6/30/2015 9:42	Mn		59.96	ug/L	EPA-200.8
7/7/2015 10:05	Mn		40.89	ug/L	EPA-200.8
7/14/2015 9:57	Mn		31.34	ug/L	EPA-200.8
6/16/2015 9:06	Mo		2.999	ug/L	EPA-200.8
6/23/2015 10:04	Mo		1.998	ug/L	EPA-200.8
6/30/2015 9:42	Mo		5.593	ug/L	EPA-200.8
7/7/2015 10:05	Mo		4.997	ug/L	EPA-200.8
7/14/2015 9:57	Mo		4.615	ug/L	EPA-200.8
6/16/2015 9:06	Na		57260	ug/L	EPA-200.8
6/23/2015 10:04	Na		20670	ug/L	EPA-200.8
6/30/2015 9:42	Na		142500	ug/L	EPA-200.8
7/7/2015 10:05	Na		149700	ug/L	EPA-200.8
7/14/2015 9:57	Na		110500	ug/L	EPA-200.8
6/16/2015 9:06	NH3		0.081	mg/L	EPA-350.1
6/23/2015 10:04	NH3		0.13	mg/L	EPA-350.1
6/30/2015 9:42	NH3		0.053	mg/L	EPA-350.1
7/7/2015 10:05	NH3		0.1825	mg/L	EPA-350.1
7/14/2015 9:57	NH3	j	0.016	mg/L	EPA-350.1
6/16/2015 9:06	Ni		7.071	ug/L	EPA-200.8
6/23/2015 10:04	Ni		53.16	ug/L	EPA-200.8
6/30/2015 9:42	Ni	j	3.433	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
7/7/2015 10:05	Ni	j	2.2915	ug/L	EPA-200.8
7/14/2015 9:57	Ni	j	2.665	ug/L	EPA-200.8
6/16/2015 9:06	NO3-NO2		0.376	mg/L	EPA 353.2
6/23/2015 10:04	NO3-NO2		0.365	mg/L	EPA 353.2
6/30/2015 9:42	NO3-NO2		0.486	mg/L	EPA 353.2
7/7/2015 10:05	NO3-NO2		0.5045	mg/L	EPA 353.2
7/14/2015 9:57	NO3-NO2		0.438	mg/L	EPA 353.2
6/16/2015 9:06	Pb		6.045	ug/L	EPA-200.8
6/23/2015 10:04	Pb		40.07	ug/L	EPA-200.8
6/30/2015 9:42	Pb	j	0.844	ug/L	EPA-200.8
7/7/2015 10:05	Pb	j	0.161	ug/L	EPA-200.8
7/14/2015 9:57	Pb	j	0.432	ug/L	EPA-200.8
6/16/2015 9:06	pH		8.03	S.U.	
6/23/2015 10:04	pH		8.06	S.U.	
6/30/2015 9:42	pH		8.19	S.U.	
7/7/2015 10:05	pH		8.31	S.U.	
7/14/2015 9:57	pH		8.24	S.U.	
6/16/2015 9:06	Sb	j	0.602	ug/L	EPA-200.8
6/23/2015 10:04	Sb	j	0.956	ug/L	EPA-200.8
6/30/2015 9:42	Sb	j	0.737	ug/L	EPA-200.8
7/7/2015 10:05	Sb	j	0.415	ug/L	EPA-200.8
7/14/2015 9:57	Sb	j	0.534	ug/L	EPA-200.8
6/16/2015 9:06	Se	<	0.76	ug/L	EPA-200.8
6/23/2015 10:04	Se	<	0.76	ug/L	EPA-200.8
6/30/2015 9:42	Se	<	0.76	ug/L	EPA-200.8
7/7/2015 10:05	Se	<	0.76	ug/L	EPA-200.8
7/14/2015 9:57	Se	<	0.76	ug/L	EPA-200.8
6/16/2015 9:06	Sn	j	0.22	ug/L	EPA-200.8
6/23/2015 10:04	Sn		1.315	ug/L	EPA-200.8
6/30/2015 9:42	Sn	<	0.162	ug/L	EPA-200.8
7/7/2015 10:05	Sn	<	0.162	ug/L	EPA-200.8
7/14/2015 9:57	Sn	<	0.162	ug/L	EPA-200.8
6/16/2015 9:06	SO4		27.19	mg/L	EPA 300.0
6/23/2015 10:04	SO4		13.93	mg/L	EPA 300.0
6/30/2015 9:42	SO4		67.41	mg/L	EPA 300.0
7/7/2015 10:05	SO4		85.06	mg/L	EPA 300.0
7/14/2015 9:57	SO4		54.79	mg/L	EPA 300.0
6/16/2015 9:06	Sr		200.5	ug/L	EPA-200.8

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/23/2015 10:04	Sr		160.882	ug/L	EPA-200.8
6/30/2015 9:42	Sr		374.865	ug/L	EPA-200.8
7/7/2015 10:05	Sr		409.9595	ug/L	EPA-200.8
7/14/2015 9:57	Sr		295.152	ug/L	EPA-200.8
6/16/2015 9:06	TDS		320	mg/L	SM2540C
6/23/2015 10:04	TDS		170	mg/L	SM2540C
6/30/2015 9:42	TDS		680	mg/L	SM2540C
7/7/2015 10:05	TDS		820	mg/L	SM2540C
7/14/2015 9:57	TDS		516	mg/L	SM2540C
6/16/2015 9:06	Ti		22.2	ug/L	EPA-200.8
6/23/2015 10:04	Ti		72.1	ug/L	EPA-200.8
6/30/2015 9:42	Ti		4.963	ug/L	EPA-200.8
7/14/2015 9:57	Ti		2.797	ug/L	EPA-200.8
6/16/2015 9:06	TKN		1.109	mg/L	EPA-351.1
6/23/2015 10:04	TKN		2.119	mg/L	EPA-351.1
6/30/2015 9:42	TKN		0.544	mg/L	EPA-351.1
7/7/2015 10:05	TKN	j	0.3745	mg/L	EPA-351.1
7/14/2015 9:57	TKN	j	0.434	mg/L	EPA-351.1
6/16/2015 9:06	TI	j	0.07	ug/L	EPA-200.8
6/23/2015 10:04	TI	j	0.253	ug/L	EPA-200.8
6/30/2015 9:42	TI	j	0.028	ug/L	EPA-200.8
7/7/2015 10:05	TI	j	0.0165	ug/L	EPA-200.8
7/14/2015 9:57	TI	j	0.019	ug/L	EPA-200.8
6/16/2015 9:06	TMET		52.2	ug/L	EPA-200.8
6/23/2015 10:04	TMET		270.1	ug/L	EPA-200.8
6/30/2015 9:42	TMET		16	ug/L	EPA-200.8
7/7/2015 10:05	TMET	<	10	ug/L	EPA-200.8
7/14/2015 9:57	TMET		11.7	ug/L	EPA-200.8
6/16/2015 9:06	Total-P		0.167	mg/L	EPA 365.1
6/23/2015 10:04	Total-P		0.526	mg/L	EPA 365.1
6/30/2015 9:42	Total-P		0.084	mg/L	EPA 365.1
7/7/2015 10:05	Total-P		0.067	mg/L	EPA 365.1
7/14/2015 9:57	Total-P		0.081	mg/L	EPA 365.1
6/16/2015 9:06	TS		454	mg/L	SM2540B
6/23/2015 10:04	TS		824	mg/L	SM2540B
6/30/2015 9:42	TS		698	mg/L	SM2540B
7/7/2015 10:05	TS		890	mg/L	SM2540B
7/14/2015 9:57	TS		550	mg/L	SM2540B

Mill Creek River Mile 2.75					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:06	TSS		112.7	mg/L	SM2540D
6/23/2015 10:04	TSS		641	mg/L	SM2540D
6/30/2015 9:42	TSS		5.7	mg/L	SM2540D
7/7/2015 10:05	TSS		1.6	mg/L	SM2540D
7/14/2015 9:57	TSS		3.6	mg/L	SM2540D
6/16/2015 9:06	Turbidity		128.3	NTU	EPA 180.1
6/23/2015 10:04	Turbidity		575	NTU	EPA 180.1
6/30/2015 9:42	Turbidity		12.3	NTU	EPA 180.1
7/7/2015 10:05	Turbidity		2.21	NTU	EPA 180.1
7/14/2015 9:57	Turbidity		7	NTU	EPA 180.1
6/16/2015 9:06	V	j	3.756	ug/L	EPA-200.8
6/23/2015 10:04	V		12.59	ug/L	EPA-200.8
6/30/2015 9:42	V	j	0.925	ug/L	EPA-200.8
7/7/2015 10:05	V	<	0.48	ug/L	EPA-200.8
7/14/2015 9:57	V	j	0.626	ug/L	EPA-200.8
6/16/2015 9:06	Zn		29.58	ug/L	EPA-200.8
6/23/2015 10:04	Zn		152.2	ug/L	EPA-200.8
6/30/2015 9:42	Zn	j	5.996	ug/L	EPA-200.8
7/7/2015 10:05	Zn	j	2.677	ug/L	EPA-200.8
7/14/2015 9:57	Zn	j	4.165	ug/L	EPA-200.8

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:41	*CaCO3		125	mg/LCaCO3	EPA-200.8
6/23/2015 8:57	*CaCO3		111	mg/LCaCO3	EPA-200.8
6/30/2015 9:14	*CaCO3		276	mg/LCaCO3	EPA-200.8
7/7/2015 9:25	*CaCO3		367	mg/LCaCO3	EPA-200.8
7/14/2015 9:15	*CaCO3		228	mg/LCaCO3	EPA-200.8
6/16/2015 9:41	Ag	j	0.032	ug/L	EPA-200.8
6/23/2015 8:57	Ag	j	0.141	ug/L	EPA-200.8
6/30/2015 9:14	Ag	<	0.018	ug/L	EPA-200.8
7/7/2015 9:25	Ag	<	0.018	ug/L	EPA-200.8
7/14/2015 9:15	Ag	<	0.018	ug/L	EPA-200.8
6/16/2015 9:41	Al		2077	ug/L	EPA-200.8
6/23/2015 8:57	Al		6166	ug/L	EPA-200.8
6/30/2015 9:14	Al		268.2	ug/L	EPA-200.8
7/7/2015 9:25	Al		104.4	ug/L	EPA-200.8
7/14/2015 9:15	Al		113	ug/L	EPA-200.8
6/16/2015 9:41	Alkalinity		94.8	mg/LCaCO3	EPA-310.2
6/23/2015 8:57	Alkalinity		28.5	mg/LCaCO3	EPA-310.2
6/30/2015 9:14	Alkalinity		218.6	mg/LCaCO3	EPA-310.2
7/7/2015 9:25	Alkalinity		264.9	mg/LCaCO3	EPA-310.2
7/14/2015 9:15	Alkalinity		174.5	mg/LCaCO3	EPA-310.2
6/16/2015 9:41	As		3.734	ug/L	EPA-200.8
6/23/2015 8:57	As		6.771	ug/L	EPA-200.8
6/30/2015 9:14	As	j	1.733	ug/L	EPA-200.8
7/7/2015 9:25	As	j	1.443	ug/L	EPA-200.8
7/14/2015 9:15	As	j	1.664	ug/L	EPA-200.8
6/16/2015 9:41	Ba		39.96	ug/L	EPA-200.8
6/23/2015 8:57	Ba		72.87	ug/L	EPA-200.8
6/30/2015 9:14	Ba		65.24	ug/L	EPA-200.8
7/7/2015 9:25	Ba		88.21	ug/L	EPA-200.8
7/14/2015 9:15	Ba		53.24	ug/L	EPA-200.8
6/16/2015 9:41	Be	j	0.119	ug/L	EPA-200.8
6/23/2015 8:57	Be	j	0.403	ug/L	EPA-200.8
6/30/2015 9:14	Be	<	0.108	ug/L	EPA-200.8
7/7/2015 9:25	Be	<	0.108	ug/L	EPA-200.8
7/14/2015 9:15	Be	<	0.108	ug/L	EPA-200.8
6/16/2015 9:41	BOD		3.1	mg/L	SM 5210
6/23/2015 8:57	BOD		6.1	mg/L	SM 5210
6/30/2015 9:14	BOD	<	2	mg/L	SM 5210
7/7/2015 9:25	BOD		4.3	mg/L	SM 5210

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 9:15	BOD	<	2	mg/L	SM 5210
6/16/2015 9:41	Ca		37850	ug/L	EPA-200.8
6/23/2015 8:57	Ca		31800	ug/L	EPA-200.8
6/30/2015 9:14	Ca		79780	ug/L	EPA-200.8
7/7/2015 9:25	Ca		101700	ug/L	EPA-200.8
7/14/2015 9:15	Ca		64430	ug/L	EPA-200.8
6/16/2015 9:41	Cd	j	0.182	ug/L	EPA-200.8
6/23/2015 8:57	Cd	j	0.666	ug/L	EPA-200.8
6/30/2015 9:14	Cd	j	0.142	ug/L	EPA-200.8
7/7/2015 9:25	Cd	j	0.128	ug/L	EPA-200.8
7/14/2015 9:15	Cd	j	0.078	ug/L	EPA-200.8
6/16/2015 9:41	Chloride		78.88	mg/L	EPA 300.0
6/23/2015 8:57	Chloride		45.56	mg/L	EPA 300.0
6/30/2015 9:14	Chloride		190.4	mg/L	EPA 300.0
7/7/2015 9:25	Chloride		252.8	mg/L	EPA 300.0
7/14/2015 9:15	Chloride		162.6	mg/L	EPA 300.0
6/16/2015 9:41	Co		2.086	ug/L	EPA-200.8
6/23/2015 8:57	Co		6.915	ug/L	EPA-200.8
6/30/2015 9:14	Co	j	0.677	ug/L	EPA-200.8
7/7/2015 9:25	Co	j	0.597	ug/L	EPA-200.8
7/14/2015 9:15	Co	j	0.373	ug/L	EPA-200.8
6/16/2015 9:41	COD		35.1	mg/L	EPA 410.4
6/23/2015 8:57	COD		43	mg/L	EPA 410.4
6/30/2015 9:14	COD		25.1	mg/L	EPA 410.4
7/7/2015 9:25	COD		23.7	mg/L	EPA 410.4
7/14/2015 9:15	COD		22.6	mg/L	EPA 410.4
6/16/2015 9:41	Cr		5.186	ug/L	EPA-200.8
6/23/2015 8:57	Cr		15.76	ug/L	EPA-200.8
6/30/2015 9:14	Cr		2.069	ug/L	EPA-200.8
7/7/2015 9:25	Cr		1.031	ug/L	EPA-200.8
7/14/2015 9:15	Cr		1.214	ug/L	EPA-200.8
6/16/2015 9:41	Cu		17.76	ug/L	EPA-200.8
6/23/2015 8:57	Cu		35.15	ug/L	EPA-200.8
6/30/2015 9:14	Cu		10.84	ug/L	EPA-200.8
7/7/2015 9:25	Cu		16.22	ug/L	EPA-200.8
7/14/2015 9:15	Cu		8.288	ug/L	EPA-200.8
6/16/2015 9:41	DRPhos		0.048	mg/L	EPA 365.1
6/23/2015 8:57	DRPhos		0.063	mg/L	EPA 365.1

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 9:14	DRPhos	j	0.032	mg/L	EPA 365.1
7/7/2015 9:25	DRPhos		0.005	mg/L	EPA 365.1
7/14/2015 9:15	DRPhos		0.024	mg/L	EPA 365.1
6/16/2015 9:41	E. coli		11164	MPN/100 mL	SM 9223 Colilert
6/23/2015 8:57	E. coli		93400	MPN/100 mL	SM 9223 Colilert
6/30/2015 9:14	E. coli		760	MPN/100 mL	SM 9223 Colilert
7/7/2015 9:25	E. coli		383	MPN/100 mL	SM 9223 Colilert
7/14/2015 9:15	E. coli		538	MPN/100 mL	SM 9223 Colilert
6/16/2015 9:41	Fe		4442	ug/L	EPA-200.8
6/23/2015 8:57	Fe		13840	ug/L	EPA-200.8
6/30/2015 9:14	Fe		1152	ug/L	EPA-200.8
7/7/2015 9:25	Fe		887.2	ug/L	EPA-200.8
7/14/2015 9:15	Fe		597	ug/L	EPA-200.8
6/16/2015 9:41	Field Cond		515.5	umhos/cm	SM 2510A
6/23/2015 8:57	Field Cond		303.2	umhos/cm	SM 2510A
6/30/2015 9:14	Field Cond		1013	umhos/cm	SM 2510A
7/7/2015 9:25	Field Cond		1356	umhos/cm	SM 2510A
7/14/2015 9:15	Field Cond		933.7	umhos/cm	SM 2510A
6/16/2015 9:41	Field Spec Cond		557.1	umhos/cm	SM 2510B
6/23/2015 8:57	Field Spec Cond		328.6	umhos/cm	SM 2510B
6/30/2015 9:14	Field Spec Cond		1184	umhos/cm	SM 2510B
7/7/2015 9:25	Field Spec Cond		1498	umhos/cm	SM 2510B
7/14/2015 9:15	Field Spec Cond		1028	umhos/cm	SM 2510B
6/16/2015 9:41	Field DO		8.51	mg/L	SM 4500-0 G
6/23/2015 8:57	Field DO		8.5	mg/L	SM 4500-0 G
6/30/2015 9:14	Field DO		8.61	mg/L	SM 4500-0 G
7/7/2015 9:25	Field DO		9.11	mg/L	SM 4500-0 G
7/14/2015 9:15	Field DO		8.48	mg/L	SM 4500-0 G
6/16/2015 9:41	Field DO		95.9	%	
6/23/2015 8:57	Field DO		95.5	%	
6/30/2015 9:14	Field DO		90.3	%	
7/7/2015 9:25	Field DO		100.6	%	
7/14/2015 9:15	Field DO		93.8	%	
6/16/2015 9:41	Field Temp		21.1	C	EPA 170.1
6/23/2015 8:57	Field Temp		21	C	EPA 170.1
6/30/2015 9:14	Field Temp		17.5	C	EPA 170.1
7/7/2015 9:25	Field Temp		20	C	EPA 170.1
7/14/2015 9:15	Field Temp		20.2	C	EPA 170.1

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:41	Hg	j	0.015	ug/L	EPA 245.1
6/23/2015 8:57	Hg	j	0.02	ug/L	EPA 245.1
6/30/2015 9:14	Hg	<	0.006	ug/L	EPA 245.1
7/7/2015 9:25	Hg	<	0.006	ug/L	EPA 245.1
7/14/2015 9:15	Hg	<	0.006	ug/L	EPA 245.1
6/16/2015 9:41	K		3983	ug/L	EPA-200.8
6/23/2015 8:57	K		3636	ug/L	EPA-200.8
6/30/2015 9:14	K		7791	ug/L	EPA-200.8
7/7/2015 9:25	K		11680	ug/L	EPA-200.8
7/14/2015 9:15	K		7144	ug/L	EPA-200.8
6/16/2015 9:41	Mg		7487	ug/L	EPA-200.8
6/23/2015 8:57	Mg		7600	ug/L	EPA-200.8
6/30/2015 9:14	Mg		18560	ug/L	EPA-200.8
7/7/2015 9:25	Mg		27580	ug/L	EPA-200.8
7/14/2015 9:15	Mg		16210	ug/L	EPA-200.8
6/16/2015 9:41	Mn		115.9	ug/L	EPA-200.8
6/23/2015 8:57	Mn		420.5	ug/L	EPA-200.8
6/30/2015 9:14	Mn		95.57	ug/L	EPA-200.8
7/7/2015 9:25	Mn		103.3	ug/L	EPA-200.8
7/14/2015 9:15	Mn		53.77	ug/L	EPA-200.8
6/16/2015 9:41	Mo		3.253	ug/L	EPA-200.8
6/23/2015 8:57	Mo		2.378	ug/L	EPA-200.8
6/30/2015 9:14	Mo		5.659	ug/L	EPA-200.8
7/7/2015 9:25	Mo		5.616	ug/L	EPA-200.8
7/14/2015 9:15	Mo		4.873	ug/L	EPA-200.8
6/16/2015 9:41	Na		54560	ug/L	EPA-200.8
6/23/2015 8:57	Na		28280	ug/L	EPA-200.8
6/30/2015 9:14	Na		127300	ug/L	EPA-200.8
7/7/2015 9:25	Na		167900	ug/L	EPA-200.8
7/14/2015 9:15	Na		116000	ug/L	EPA-200.8
6/16/2015 9:41	NH3		0.142	mg/L	EPA-350.1
6/23/2015 8:57	NH3		0.161	mg/L	EPA-350.1
6/30/2015 9:14	NH3		0.468	mg/L	EPA-350.1
7/7/2015 9:25	NH3		0.787	mg/L	EPA-350.1
7/14/2015 9:15	NH3		0.42	mg/L	EPA-350.1
6/16/2015 9:41	Ni		8.085	ug/L	EPA-200.8
6/23/2015 8:57	Ni		27.5	ug/L	EPA-200.8
6/30/2015 9:14	Ni		4.29	ug/L	EPA-200.8
7/7/2015 9:25	Ni	j	3.825	ug/L	EPA-200.8

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 9:15	Ni	j	3.178	ug/L	EPA-200.8
6/16/2015 9:41	NO3-NO2		0.404	mg/L	EPA 353.2
6/23/2015 8:57	NO3-NO2		0.375	mg/L	EPA 353.2
6/30/2015 9:14	NO3-NO2		0.632	mg/L	EPA 353.2
7/7/2015 9:25	NO3-NO2		1.089	mg/L	EPA 353.2
7/14/2015 9:15	NO3-NO2		0.652	mg/L	EPA 353.2
6/16/2015 9:41	Pb		8.748	ug/L	EPA-200.8
6/23/2015 8:57	Pb		30.41	ug/L	EPA-200.8
6/30/2015 9:14	Pb		1.292	ug/L	EPA-200.8
7/7/2015 9:25	Pb	j	0.34	ug/L	EPA-200.8
7/14/2015 9:15	Pb	j	0.388	ug/L	EPA-200.8
6/16/2015 9:41	pH		8	S.U.	
6/23/2015 8:57	pH		7.88	S.U.	
6/30/2015 9:14	pH		7.98	S.U.	
7/7/2015 9:25	pH		7.93	S.U.	
7/14/2015 9:15	pH		7.98	S.U.	
6/16/2015 9:41	Sb	j	0.708	ug/L	EPA-200.8
6/23/2015 8:57	Sb	j	0.82	ug/L	EPA-200.8
6/30/2015 9:14	Sb	j	0.634	ug/L	EPA-200.8
7/7/2015 9:25	Sb	j	0.476	ug/L	EPA-200.8
7/14/2015 9:15	Sb	j	0.576	ug/L	EPA-200.8
6/16/2015 9:41	Se	<	0.76	ug/L	EPA-200.8
6/23/2015 8:57	Se	<	0.76	ug/L	EPA-200.8
6/30/2015 9:14	Se	j	0.852	ug/L	EPA-200.8
7/7/2015 9:25	Se	<	0.76	ug/L	EPA-200.8
7/14/2015 9:15	Se	<	0.76	ug/L	EPA-200.8
6/16/2015 9:41	Sn	j	0.254	ug/L	EPA-200.8
6/30/2015 9:14	Sn	j	0.213	ug/L	EPA-200.8
7/7/2015 9:25	Sn	<	0.162	ug/L	EPA-200.8
7/14/2015 9:15	Sn	<	0.162	ug/L	EPA-200.8
6/16/2015 9:41	SO4		29.48	mg/L	EPA 300.0
6/23/2015 8:57	SO4		16.39	mg/L	EPA 300.0
6/30/2015 9:14	SO4		80.02	mg/L	EPA 300.0
7/7/2015 9:25	SO4		110.6	mg/L	EPA 300.0
7/14/2015 9:15	SO4		64.85	mg/L	EPA 300.0
6/16/2015 9:41	Sr		204.914	ug/L	EPA-200.8
6/23/2015 8:57	Sr		145.794	ug/L	EPA-200.8
6/30/2015 9:14	Sr		405.064	ug/L	EPA-200.8

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
7/7/2015 9:25	Sr		518.923	ug/L	EPA-200.8
7/14/2015 9:15	Sr		343.512	ug/L	EPA-200.8
6/16/2015 9:41	TDS		326	mg/L	SM2540C
6/23/2015 8:57	TDS		178	mg/L	SM2540C
6/30/2015 9:14	TDS		734	mg/L	SM2540C
7/7/2015 9:25	TDS		930	mg/L	SM2540C
7/14/2015 9:15	TDS		576	mg/L	SM2540C
6/16/2015 9:41	Ti		23.51	ug/L	EPA-200.8
6/23/2015 8:57	Ti		52.8	ug/L	EPA-200.8
6/30/2015 9:14	Ti		5.116	ug/L	EPA-200.8
7/7/2015 9:25	Ti	j	1.436	ug/L	EPA-200.8
7/14/2015 9:15	Ti		2.412	ug/L	EPA-200.8
6/16/2015 9:41	TKN		1.178	mg/L	EPA-351.1
6/23/2015 8:57	TKN		1.415	mg/L	EPA-351.1
6/30/2015 9:14	TKN		1.317	mg/L	EPA-351.1
7/7/2015 9:25	TKN		1.348	mg/L	EPA-351.1
7/14/2015 9:15	TKN		1.08	mg/L	EPA-351.1
6/16/2015 9:41	TI	j	0.08	ug/L	EPA-200.8
6/23/2015 8:57	TI	j	0.236	ug/L	EPA-200.8
6/30/2015 9:14	TI	j	0.04	ug/L	EPA-200.8
7/7/2015 9:25	TI	j	0.056	ug/L	EPA-200.8
7/14/2015 9:15	TI	j	0.028	ug/L	EPA-200.8
6/16/2015 9:41	TMET		68.7	ug/L	EPA-200.8
6/23/2015 8:57	TMET		199.6	ug/L	EPA-200.8
6/30/2015 9:14	TMET		34.8	ug/L	EPA-200.8
7/7/2015 9:25	TMET		42.9	ug/L	EPA-200.8
7/14/2015 9:15	TMET		24	ug/L	EPA-200.8
6/16/2015 9:41	Total-P		0.17	mg/L	EPA 365.1
6/23/2015 8:57	Total-P		0.489	mg/L	EPA 365.1
6/30/2015 9:14	Total-P		0.076	mg/L	EPA 365.1
7/7/2015 9:25	Total-P		0.042	mg/L	EPA 365.1
7/14/2015 9:15	Total-P		0.06	mg/L	EPA 365.1
6/16/2015 9:41	TS		472	mg/L	SM2540B
6/23/2015 8:57	TS		780	mg/L	SM2540B
6/30/2015 9:14	TS		734	mg/L	SM2540B
7/7/2015 9:25	TS		1004	mg/L	SM2540B
7/14/2015 9:15	TS		612	mg/L	SM2540B
6/16/2015 9:41	TSS		124	mg/L	SM2540D

Mill Creek River Mile 0.70					
Sample Date	Parameter	Code	Result	Units	Method
6/23/2015 8:57	TSS		552	mg/L	SM2540D
6/30/2015 9:14	TSS		8.9	mg/L	SM2540D
7/7/2015 9:25	TSS		5.5	mg/L	SM2540D
7/14/2015 9:15	TSS		3.1	mg/L	SM2540D
6/16/2015 9:41	Turbidity		131	NTU	EPA 180.1
6/23/2015 8:57	Turbidity		404	NTU	EPA 180.1
6/30/2015 9:14	Turbidity		14.6	NTU	EPA 180.1
7/7/2015 9:25	Turbidity		2.55	NTU	EPA 180.1
7/14/2015 9:15	Turbidity		6.04	NTU	EPA 180.1
6/16/2015 9:41	V	j	4.168	ug/L	EPA-200.8
6/23/2015 8:57	V		11.43	ug/L	EPA-200.8
6/30/2015 9:14	V	j	0.819	ug/L	EPA-200.8
7/7/2015 9:25	V	<	0.48	ug/L	EPA-200.8
7/14/2015 9:15	V	<	0.48	ug/L	EPA-200.8
6/16/2015 9:41	Zn		37.67	ug/L	EPA-200.8
6/23/2015 8:57	Zn		121.2	ug/L	EPA-200.8
6/30/2015 9:14	Zn		17.6	ug/L	EPA-200.8
7/7/2015 9:25	Zn		21.82	ug/L	EPA-200.8
7/14/2015 9:15	Zn		11.33	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:50	*CaCO3		132	mg/LCaCO3	EPA-200.8
6/23/2015 9:30	*CaCO3		105	mg/LCaCO3	EPA-200.8
6/30/2015 8:50	*CaCO3		306	mg/LCaCO3	EPA-200.8
7/7/2015 9:15	*CaCO3		383	mg/LCaCO3	EPA-200.8
7/14/2015 9:00	*CaCO3		238	mg/LCaCO3	EPA-200.8
6/16/2015 9:50	Ag	j	0.029	ug/L	EPA-200.8
6/23/2015 9:30	Ag	j	0.12	ug/L	EPA-200.8
6/30/2015 8:50	Ag	<	0.018	ug/L	EPA-200.8
7/7/2015 9:15	Ag	<	0.018	ug/L	EPA-200.8
7/14/2015 9:00	Ag	<	0.018	ug/L	EPA-200.8
6/16/2015 9:50	Al		1917	ug/L	EPA-200.8
6/23/2015 9:30	Al		5830	ug/L	EPA-200.8
6/30/2015 8:50	Al		363.45	ug/L	EPA-200.8
7/7/2015 9:15	Al		180.2	ug/L	EPA-200.8
7/14/2015 9:00	Al		164.6	ug/L	EPA-200.8
6/16/2015 9:50	Alkalinity		97.2	mg/LCaCO3	EPA-310.2
6/23/2015 9:30	Alkalinity		30.4	mg/LCaCO3	EPA-310.2
6/30/2015 8:50	Alkalinity		216.3	mg/LCaCO3	EPA-310.2
7/7/2015 9:15	Alkalinity		251.6	mg/LCaCO3	EPA-310.2
7/14/2015 9:00	Alkalinity		170.9	mg/LCaCO3	EPA-310.2
6/16/2015 9:50	As		3.719	ug/L	EPA-200.8
6/23/2015 9:30	As		6.092	ug/L	EPA-200.8
6/30/2015 8:50	As		1.9925	ug/L	EPA-200.8
7/7/2015 9:15	As	j	1.066	ug/L	EPA-200.8
7/14/2015 9:00	As	j	1.32	ug/L	EPA-200.8
6/16/2015 9:50	Ba		39.43	ug/L	EPA-200.8
6/23/2015 9:30	Ba		67.38	ug/L	EPA-200.8
6/30/2015 8:50	Ba		66.485	ug/L	EPA-200.8
7/7/2015 9:15	Ba		85.83	ug/L	EPA-200.8
7/14/2015 9:00	Ba		52.36	ug/L	EPA-200.8
6/16/2015 9:50	Be	j	0.128	ug/L	EPA-200.8
6/23/2015 9:30	Be	j	0.42	ug/L	EPA-200.8
6/30/2015 8:50	Be	<	0.108	ug/L	EPA-200.8
7/7/2015 9:15	Be	<	0.108	ug/L	EPA-200.8
7/14/2015 9:00	Be	<	0.108	ug/L	EPA-200.8
6/16/2015 9:50	BOD		3.1	mg/L	SM 5210
6/23/2015 9:30	BOD		4.4	mg/L	SM 5210
6/30/2015 8:50	BOD	<	2	mg/L	SM 5210
7/7/2015 9:15	BOD		4	mg/L	SM 5210

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 9:00	BOD	<	2	mg/L	SM 5210
6/16/2015 9:50	Ca		39950	ug/L	EPA-200.8
6/23/2015 9:30	Ca		30280	ug/L	EPA-200.8
6/30/2015 8:50	Ca		89345	ug/L	EPA-200.8
7/7/2015 9:15	Ca		108900	ug/L	EPA-200.8
7/14/2015 9:00	Ca		68150	ug/L	EPA-200.8
6/16/2015 9:50	Cd	j	0.178	ug/L	EPA-200.8
6/23/2015 9:30	Cd	j	0.663	ug/L	EPA-200.8
6/30/2015 8:50	Cd	j	0.201	ug/L	EPA-200.8
7/7/2015 9:15	Cd	j	0.188	ug/L	EPA-200.8
7/14/2015 9:00	Cd	j	0.121	ug/L	EPA-200.8
6/16/2015 9:50	Chloride		77.84	mg/L	EPA 300.0
6/23/2015 9:30	Chloride		50.55	mg/L	EPA 300.0
6/30/2015 8:50	Chloride		180.3	mg/L	EPA 300.0
7/7/2015 9:15	Chloride		239.2	mg/L	EPA 300.0
7/14/2015 9:00	Chloride		159	mg/L	EPA 300.0
6/16/2015 9:50	Co		2.112	ug/L	EPA-200.8
6/23/2015 9:30	Co		6.342	ug/L	EPA-200.8
6/30/2015 8:50	Co	j	0.964	ug/L	EPA-200.8
7/7/2015 9:15	Co	j	0.872	ug/L	EPA-200.8
7/14/2015 9:00	Co	j	0.502	ug/L	EPA-200.8
6/16/2015 9:50	COD		35.9	mg/L	EPA 410.4
6/23/2015 9:30	COD		50.8	mg/L	EPA 410.4
6/30/2015 8:50	COD		24.4	mg/L	EPA 410.4
7/7/2015 9:15	COD		21.6	mg/L	EPA 410.4
7/14/2015 9:00	COD		21.3	mg/L	EPA 410.4
6/16/2015 9:50	Conduct	HT	566	uS/cm	SM 2510B
6/23/2015 9:30	Conduct	HT	373	uS/cm	SM 2510B
6/30/2015 8:50	Conduct		1190	uS/cm	SM 2510B
7/7/2015 9:15	Conduct		1510	uS/cm	SM 2510B
7/14/2015 9:00	Conduct		1030	uS/cm	SM 2510B
6/16/2015 9:50	Cr		4.78	ug/L	EPA-200.8
6/23/2015 9:30	Cr		14.24	ug/L	EPA-200.8
6/30/2015 8:50	Cr		2.0305	ug/L	EPA-200.8
7/7/2015 9:15	Cr	j	0.998	ug/L	EPA-200.8
7/14/2015 9:00	Cr		1.238	ug/L	EPA-200.8
6/16/2015 9:50	Cu		12.11	ug/L	EPA-200.8
6/23/2015 9:30	Cu		32.58	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 8:50	Cu		13.055	ug/L	EPA-200.8
7/7/2015 9:15	Cu		14.94	ug/L	EPA-200.8
7/14/2015 9:00	Cu		9.33	ug/L	EPA-200.8
6/16/2015 9:50	DRPhos		0.045	mg/L	EPA 365.1
6/23/2015 9:30	DRPhos		0.058	mg/L	EPA 365.1
6/30/2015 8:50	DRPhos		0.014	mg/L	EPA 365.1
7/7/2015 9:15	DRPhos	<	0.003	mg/L	EPA 365.1
7/14/2015 9:00	DRPhos		0.011	mg/L	EPA 365.1
6/16/2015 9:50	E. coli		10864	MPN/100 mL	SM 9223 Colilert
6/23/2015 9:30	E. coli		88200	MPN/100 mL	SM 9223 Colilert
6/30/2015 8:50	E. coli		971	MPN/100 mL	SM 9223 Colilert
7/7/2015 9:15	E. coli		250	MPN/100 mL	SM 9223 Colilert
7/14/2015 9:00	E. coli		882	MPN/100 mL	SM 9223 Colilert
6/16/2015 9:50	Fe		4184	ug/L	EPA-200.8
6/23/2015 9:30	Fe		12860	ug/L	EPA-200.8
6/30/2015 8:50	Fe		1510.5	ug/L	EPA-200.8
7/7/2015 9:15	Fe		1330	ug/L	EPA-200.8
7/14/2015 9:00	Fe		930.8	ug/L	EPA-200.8
6/16/2015 9:50	Field Cond		521.8	umhos/cm	SM 2510A
6/23/2015 9:30	Field Cond		308.9	umhos/cm	SM 2510A
6/30/2015 8:50	Field Cond		1142	umhos/cm	SM 2510A
7/7/2015 9:15	Field Cond		1347	umhos/cm	SM 2510A
7/14/2015 9:00	Field Cond		950	umhos/cm	SM 2510A
6/16/2015 9:50	Field Spec Cond		563.9	umhos/cm	SM 2510B
6/23/2015 9:30	Field Spec Cond		333.9	umhos/cm	SM 2510B
6/30/2015 8:50	Field Spec Cond		1362	umhos/cm	SM 2510B
7/7/2015 9:15	Field Spec Cond		1480	umhos/cm	SM 2510B
7/14/2015 9:00	Field Spec Cond		1045	umhos/cm	SM 2510B
6/16/2015 9:50	Field DO		8.06	mg/L	SM 4500-0 G
6/23/2015 9:30	Field DO		8.27	mg/L	SM 4500-0 G
6/30/2015 8:50	Field DO		7.11	mg/L	SM 4500-0 G
7/7/2015 9:15	Field DO		7.67	mg/L	SM 4500-0 G
7/14/2015 9:00	Field DO		7.82	mg/L	SM 4500-0 G
6/16/2015 9:50	Field DO		90.9	%	
6/23/2015 9:30	Field DO		93	%	
6/30/2015 8:50	Field DO		73.8	%	
7/7/2015 9:15	Field DO		85.3	%	
7/14/2015 9:00	Field DO		86.6	%	

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/16/2015 9:50	Field Temp		21	C	EPA 170.1
6/23/2015 9:30	Field Temp		21.1	C	EPA 170.1
6/30/2015 8:50	Field Temp		16.9	C	EPA 170.1
7/7/2015 9:15	Field Temp		20.3	C	EPA 170.1
7/14/2015 9:00	Field Temp		20.2	C	EPA 170.1
6/16/2015 9:50	Hg	j	0.017	ug/L	EPA 245.1
6/23/2015 9:30	Hg	j	0.025	ug/L	EPA 245.1
6/30/2015 8:50	Hg	<	0.006	ug/L	EPA 245.1
7/7/2015 9:15	Hg	<	0.006	ug/L	EPA 245.1
7/14/2015 9:00	Hg	<	0.006	ug/L	EPA 245.1
6/16/2015 9:50	K		4156	ug/L	EPA-200.8
6/23/2015 9:30	K		3706	ug/L	EPA-200.8
6/30/2015 8:50	K		7917	ug/L	EPA-200.8
7/7/2015 9:15	K		11030	ug/L	EPA-200.8
7/14/2015 9:00	K		6951	ug/L	EPA-200.8
6/16/2015 9:50	Mg		7757	ug/L	EPA-200.8
6/23/2015 9:30	Mg		7248	ug/L	EPA-200.8
6/30/2015 8:50	Mg		20195	ug/L	EPA-200.8
7/7/2015 9:15	Mg		27060	ug/L	EPA-200.8
7/14/2015 9:00	Mg		16350	ug/L	EPA-200.8
6/16/2015 9:50	Mn		127.6	ug/L	EPA-200.8
6/23/2015 9:30	Mn		359.6	ug/L	EPA-200.8
6/30/2015 8:50	Mn		158.9	ug/L	EPA-200.8
7/7/2015 9:15	Mn		191.9	ug/L	EPA-200.8
7/14/2015 9:00	Mn		88.24	ug/L	EPA-200.8
6/16/2015 9:50	Mo		3.276	ug/L	EPA-200.8
6/23/2015 9:30	Mo		2.19	ug/L	EPA-200.8
6/30/2015 8:50	Mo		5.919	ug/L	EPA-200.8
7/7/2015 9:15	Mo		5.807	ug/L	EPA-200.8
7/14/2015 9:00	Mo		4.979	ug/L	EPA-200.8
6/16/2015 9:50	Na		53910	ug/L	EPA-200.8
6/23/2015 9:30	Na		30960	ug/L	EPA-200.8
6/30/2015 8:50	Na		132200	ug/L	EPA-200.8
7/7/2015 9:15	Na		156800	ug/L	EPA-200.8
7/14/2015 9:00	Na		113300	ug/L	EPA-200.8
6/16/2015 9:50	NH3		0.121	mg/L	EPA-350.1
6/23/2015 9:30	NH3		0.164	mg/L	EPA-350.1
6/30/2015 8:50	NH3		0.374	mg/L	EPA-350.1
7/7/2015 9:15	NH3		0.529	mg/L	EPA-350.1

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
7/14/2015 9:00	NH3		0.242	mg/L	EPA-350.1
6/16/2015 9:50	Ni		8.148	ug/L	EPA-200.8
6/23/2015 9:30	Ni		25.14	ug/L	EPA-200.8
6/30/2015 8:50	Ni		5.066	ug/L	EPA-200.8
7/7/2015 9:15	Ni		4.849	ug/L	EPA-200.8
7/14/2015 9:00	Ni	j	3.782	ug/L	EPA-200.8
6/16/2015 9:50	NO2		0.062	mg/L	SM 4500-NO2-B
6/23/2015 9:30	NO2		0.09	mg/L	SM 4500-NO2-B
6/30/2015 8:50	NO2		0.052	mg/L	SM 4500-NO2-B
7/7/2015 9:15	NO2		0.258	mg/L	SM 4500-NO2-B
7/14/2015 9:00	NO2		0.11	mg/L	SM 4500-NO2-B
6/16/2015 9:50	NO3		0.324	mg/L	EPA 353.2
6/23/2015 9:30	NO3		0.302	mg/L	EPA 353.2
6/30/2015 8:50	NO3		0.591	mg/L	EPA 353.2
7/7/2015 9:15	NO3		0.887	mg/L	EPA 353.2
7/14/2015 9:00	NO3		0.607	mg/L	EPA 353.2
6/16/2015 9:50	NO3+NO2		0.386	mg/L	EPA 353.2
6/23/2015 9:30	NO3+NO2		0.392	mg/L	EPA 353.2
6/30/2015 8:50	NO3+NO2		0.643	mg/L	EPA 353.2
7/7/2015 9:15	NO3+NO2		1.145	mg/L	EPA 353.2
7/14/2015 9:00	NO3+NO2		0.717	mg/L	EPA 353.2
6/16/2015 9:50	Pb		6.968	ug/L	EPA-200.8
6/23/2015 9:30	Pb		28.92	ug/L	EPA-200.8
6/30/2015 8:50	Pb		1.8835	ug/L	EPA-200.8
7/7/2015 9:15	Pb	j	0.688	ug/L	EPA-200.8
7/14/2015 9:00	Pb	j	0.641	ug/L	EPA-200.8
6/16/2015 9:50	pH		7.88	S.U.	
6/23/2015 9:30	pH		7.92	S.U.	
6/30/2015 8:50	pH		7.07	S.U.	
7/7/2015 9:15	pH		7.65	S.U.	
7/14/2015 9:00	pH		7.73	S.U.	
6/16/2015 9:50	Sb	j	0.655	ug/L	EPA-200.8
6/23/2015 9:30	Sb	j	0.83	ug/L	EPA-200.8
6/30/2015 8:50	Sb	j	0.7295	ug/L	EPA-200.8
7/7/2015 9:15	Sb	j	0.522	ug/L	EPA-200.8
7/14/2015 9:00	Sb	j	0.63	ug/L	EPA-200.8
6/16/2015 9:50	Se	<	0.76	ug/L	EPA-200.8
6/23/2015 9:30	Se	<	0.76	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/30/2015 8:50	Se	j	0.809	ug/L	EPA-200.8
7/7/2015 9:15	Se	<	0.76	ug/L	EPA-200.8
7/14/2015 9:00	Se	<	0.76	ug/L	EPA-200.8
6/16/2015 9:50	Sn	j	0.435	ug/L	EPA-200.8
6/30/2015 8:50	Sn	<	0.162	ug/L	EPA-200.8
7/7/2015 9:15	Sn	<	0.162	ug/L	EPA-200.8
7/14/2015 9:00	Sn	<	0.162	ug/L	EPA-200.8
6/16/2015 9:50	SO4		32.59	mg/L	EPA 300.0
6/23/2015 9:30	SO4		18.53	mg/L	EPA 300.0
6/30/2015 8:50	SO4		97.15	mg/L	EPA 300.0
7/7/2015 9:15	SO4		135.8	mg/L	EPA 300.0
7/14/2015 9:00	SO4		77.12	mg/L	EPA 300.0
6/16/2015 9:50	Sr		212.448	ug/L	EPA-200.8
6/23/2015 9:30	Sr		143.556	ug/L	EPA-200.8
6/30/2015 8:50	Sr		481.7505	ug/L	EPA-200.8
7/7/2015 9:15	Sr		639.519	ug/L	EPA-200.8
7/14/2015 9:00	Sr		393.446	ug/L	EPA-200.8
6/16/2015 9:50	TDS		326	mg/L	SM2540C
6/23/2015 9:30	TDS		200	mg/L	SM2540C
6/30/2015 8:50	TDS		746	mg/L	SM2540C
7/7/2015 9:15	TDS		932	mg/L	SM2540C
7/14/2015 9:00	TDS		592	mg/L	SM2540C
6/16/2015 9:50	Ti		23.55	ug/L	EPA-200.8
6/23/2015 9:30	Ti		51.68	ug/L	EPA-200.8
6/30/2015 8:50	Ti		5.4745	ug/L	EPA-200.8
7/7/2015 9:15	Ti	j	1.811	ug/L	EPA-200.8
7/14/2015 9:00	Ti		2.427	ug/L	EPA-200.8
6/16/2015 9:50	TKN		1.184	mg/L	EPA-351.1
6/23/2015 9:30	TKN		1.984	mg/L	EPA-351.1
6/30/2015 8:50	TKN		1.051	mg/L	EPA-351.1
7/7/2015 9:15	TKN		1.009	mg/L	EPA-351.1
7/14/2015 9:00	TKN		0.843	mg/L	EPA-351.1
6/16/2015 9:50	TI	j	0.083	ug/L	EPA-200.8
6/23/2015 9:30	TI	j	0.22	ug/L	EPA-200.8
6/30/2015 8:50	TI	j	0.0475	ug/L	EPA-200.8
7/7/2015 9:15	TI	j	0.039	ug/L	EPA-200.8
7/14/2015 9:00	TI	j	0.035	ug/L	EPA-200.8
6/16/2015 9:50	TMET		61	ug/L	EPA-200.8

Mill Creek River Mile 0.12					
Sample Date	Parameter	Code	Result	Units	Method
6/23/2015 9:30	TMET		192.4	ug/L	EPA-200.8
6/30/2015 8:50	TMET		61.55	ug/L	EPA-200.8
7/7/2015 9:15	TMET		66	ug/L	EPA-200.8
7/14/2015 9:00	TMET		37.6	ug/L	EPA-200.8
6/16/2015 9:50	Total-P		0.172	mg/L	EPA 365.1
6/23/2015 9:30	Total-P		0.481	mg/L	EPA 365.1
6/30/2015 8:50	Total-P		0.074	mg/L	EPA 365.1
7/7/2015 9:15	Total-P		0.034	mg/L	EPA 365.1
7/14/2015 9:00	Total-P		0.054	mg/L	EPA 365.1
6/16/2015 9:50	TS		476	mg/L	SM2540B
6/23/2015 9:30	TS		744	mg/L	SM2540B
6/30/2015 8:50	TS		764	mg/L	SM2540B
7/7/2015 9:15	TS		1012	mg/L	SM2540B
7/14/2015 9:00	TS		632	mg/L	SM2540B
6/16/2015 9:50	TSS		128	mg/L	SM2540D
6/23/2015 9:30	TSS		515	mg/L	SM2540D
6/30/2015 8:50	TSS		16.25	mg/L	SM2540D
7/7/2015 9:15	TSS		6.6	mg/L	SM2540D
7/14/2015 9:00	TSS		5.3	mg/L	SM2540D
6/16/2015 9:50	Turbidity		138.3	NTU	EPA 180.1
6/23/2015 9:30	Turbidity		438	NTU	EPA 180.1
6/30/2015 8:50	Turbidity		15.6	NTU	EPA 180.1
7/7/2015 9:15	Turbidity		10.6	NTU	EPA 180.1
7/14/2015 9:00	Turbidity		7.63	NTU	EPA 180.1
6/16/2015 9:50	V	j	3.93	ug/L	EPA-200.8
6/23/2015 9:30	V		11.31	ug/L	EPA-200.8
6/30/2015 8:50	V	j	1.0355	ug/L	EPA-200.8
7/7/2015 9:15	V	<	0.48	ug/L	EPA-200.8
7/14/2015 9:00	V	<	0.48	ug/L	EPA-200.8
6/16/2015 9:50	Zn		35.96	ug/L	EPA-200.8
6/23/2015 9:30	Zn		120.4	ug/L	EPA-200.8
6/30/2015 8:50	Zn		41.4	ug/L	EPA-200.8
7/7/2015 9:15	Zn		45.26	ug/L	EPA-200.8
7/14/2015 9:00	Zn		23.3	ug/L	EPA-200.8