

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 11:30	Ag	<	0.038	ug/L	EPA-200.8
7/30/2013 11:30	Ag	<	0.038	ug/L	EPA-200.8
8/6/2013 11:00	Ag	<	0.038	ug/L	EPA-200.8
8/13/2013 9:50	Ag	<	0.038	ug/L	EPA-200.8
8/20/2013 10:40	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 11:30	Al		61.55	ug/L	EPA-200.8
7/30/2013 11:30	Al		88.22	ug/L	EPA-200.8
8/6/2013 11:00	Al		56.26	ug/L	EPA-200.8
8/13/2013 9:50	Al		31.15	ug/L	EPA-200.8
8/20/2013 10:40	Al		29.12	ug/L	EPA-200.8
7/23/2013 11:30	Alkalinity		97.9	mg/LCaCO3	EPA-310.2
7/30/2013 11:30	Alkalinity		80	mg/LCaCO3	EPA-310.2
8/6/2013 11:00	Alkalinity		80.4	mg/LCaCO3	EPA-310.2
8/13/2013 9:50	Alkalinity		79.9	mg/LCaCO3	EPA-310.2
8/20/2013 10:40	Alkalinity		76.3	mg/LCaCO3	EPA-310.2
7/23/2013 11:30	As	j	1.628	ug/L	EPA-200.8
7/30/2013 11:30	As	j	1.574	ug/L	EPA-200.8
8/6/2013 11:00	As	j	1.751	ug/L	EPA-200.8
8/13/2013 9:50	As	j	1.415	ug/L	EPA-200.8
8/20/2013 10:40	As	j	1.08	ug/L	EPA-200.8
7/23/2013 11:30	Ba		23.13	ug/L	EPA-200.8
7/30/2013 11:30	Ba		16.4	ug/L	EPA-200.8
8/6/2013 11:00	Ba		16.84	ug/L	EPA-200.8
8/13/2013 9:50	Ba		16.56	ug/L	EPA-200.8
8/20/2013 10:40	Ba		15.67	ug/L	EPA-200.8
7/23/2013 11:30	Be	<	0.2	ug/L	EPA-200.8
7/30/2013 11:30	Be	<	0.2	ug/L	EPA-200.8
8/6/2013 11:00	Be	<	0.2	ug/L	EPA-200.8
8/13/2013 9:50	Be	<	0.2	ug/L	EPA-200.8
8/20/2013 10:40	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 11:30	BOD		4.7	mg/L	SM 5210
7/30/2013 11:30	BOD	<	2	mg/L	SM 5210
8/6/2013 11:00	BOD		4.5	mg/L	SM 5210
8/13/2013 9:50	BOD		2.6	mg/L	SM 5210
8/20/2013 10:40	BOD	<	2	mg/L	SM 5210
7/23/2013 11:30	Ca		44620	ug/L	EPA-200.8
7/30/2013 11:30	Ca		35760	ug/L	EPA-200.8
8/6/2013 11:00	Ca		38400	ug/L	EPA-200.8
8/13/2013 9:50	Ca		35780	ug/L	EPA-200.8

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2013 10:40	Ca		34920	ug/L	EPA-200.8
7/23/2013 11:30	CaCO3		162	mg/LCaCO3	EPA-200.8
7/30/2013 11:30	CaCO3		130	mg/LCaCO3	EPA-200.8
8/6/2013 11:00	CaCO3		142	mg/LCaCO3	EPA-200.8
8/13/2013 9:50	CaCO3		130	mg/LCaCO3	EPA-200.8
8/20/2013 10:40	CaCO3		127	mg/LCaCO3	EPA-200.8
7/23/2013 11:30	Cd		27.67	ug/L	EPA-200.8
7/30/2013 11:30	Cd		6.371	ug/L	EPA-200.8
8/6/2013 11:00	Cd		8.106	ug/L	EPA-200.8
8/13/2013 9:50	Cd		5.495	ug/L	EPA-200.8
8/20/2013 10:40	Cd		2.814	ug/L	EPA-200.8
7/23/2013 11:30	Chloride		78.87	mg/L	EPA 300.0
7/30/2013 11:30	Chloride		49.67	mg/L	EPA 300.0
8/6/2013 11:00	Chloride		38.97	mg/L	EPA 300.0
8/13/2013 9:50	Chloride		43.11	mg/L	EPA 300.0
8/20/2013 10:40	Chloride		25	mg/L	SM 4500-Cl C
7/23/2013 11:30	Co	j	0.844	ug/L	EPA-200.8
7/30/2013 11:30	Co	j	0.622	ug/L	EPA-200.8
8/6/2013 11:00	Co	j	0.408	ug/L	EPA-200.8
8/13/2013 9:50	Co	j	0.402	ug/L	EPA-200.8
8/20/2013 10:40	Co	j	0.289	ug/L	EPA-200.8
7/23/2013 11:30	COD		15.9	mg/L	EPA 410.4
7/30/2013 11:30	COD	j	5.8	mg/L	EPA 410.4
8/6/2013 11:00	COD		10.3	mg/L	EPA 410.4
8/13/2013 9:50	COD	<	3.9	mg/L	EPA 410.4
8/20/2013 10:40	COD	j	9.8	mg/L	EPA 410.4
7/23/2013 11:30	Cr	j	0.56	ug/L	EPA-200.8
7/30/2013 11:30	Cr	j	0.578	ug/L	EPA-200.8
8/6/2013 11:00	Cr	j	0.666	ug/L	EPA-200.8
8/20/2013 10:40	Cr	j	0.56	ug/L	EPA-200.8
7/23/2013 11:30	Cu		20.82	ug/L	EPA-200.8
7/30/2013 11:30	Cu		6.548	ug/L	EPA-200.8
8/6/2013 11:00	Cu		8.158	ug/L	EPA-200.8
8/13/2013 9:50	Cu		5.245	ug/L	EPA-200.8
8/20/2013 10:40	Cu		3.374	ug/L	EPA-200.8
7/23/2013 11:30	DRPhos		0.253	mg/L	EPA 365.1
7/30/2013 11:30	DRPhos		0.316	mg/L	EPA 365.1
8/6/2013 11:00	DRPhos		0.352	mg/L	EPA 365.1

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
8/13/2013 9:50	DRPhos		0.308	mg/L	EPA 365.1
8/20/2013 10:40	DRPhos		0.389	mg/L	EPA 365.1
7/23/2013 11:30	E. coli	EC	8500	cfu/100mL	EPA 1603
7/30/2013 11:30	E. coli		3700	cfu/100mL	EPA 1603
8/6/2013 11:00	E. coli	EC	20700	cfu/100mL	EPA 1603
8/13/2013 9:50	E. coli	EC	8500	cfu/100mL	EPA 1603
8/20/2013 10:40	E. coli		6500	cfu/100mL	EPA 1603
7/23/2013 11:30	Fe		179.6	ug/L	EPA-200.8
7/30/2013 11:30	Fe		277.1	ug/L	EPA-200.8
8/6/2013 11:00	Fe		161	ug/L	EPA-200.8
8/13/2013 9:50	Fe		140.8	ug/L	EPA-200.8
8/20/2013 10:40	Fe		138.5	ug/L	EPA-200.8
7/23/2013 11:30	Field Cond		557	umhos/cm	SM 2510A
7/30/2013 11:30	Field Cond		377	umhos/cm	SM 2510A
8/6/2013 11:00	Field Cond		344	umhos/cm	SM 2510A
8/13/2013 9:50	Field Cond		362	umhos/cm	SM 2510A
8/20/2013 10:40	Field Cond		340	umhos/cm	SM 2510A
7/23/2013 11:30	Field DO		7.41	mg/L	SM 4500-0 G
7/30/2013 11:30	Field DO		7.12	mg/L	SM 4500-0 G
8/6/2013 11:00	Field DO		6.23	mg/L	SM 4500-0 G
8/13/2013 9:50	Field DO		7.09	mg/L	SM 4500-0 G
8/20/2013 10:40	Field DO		6.3	mg/L	SM 4500-0 G
7/23/2013 11:30	Field Temp		19.8	C	EPA 170.1
7/30/2013 11:30	Field Temp		18.5	C	EPA 170.1
8/6/2013 11:00	Field Temp		18.9	C	EPA 170.1
8/13/2013 9:50	Field Temp		19.8	C	EPA 170.1
8/20/2013 10:40	Field Temp		19.8	C	EPA 170.1
7/23/2013 11:30	Hg		0.058	ug/L	EPA 245.1
7/30/2013 11:30	Hg	<	0.008	ug/L	EPA 245.1
8/6/2013 11:00	Hg	j	0.013	ug/L	EPA 245.1
8/13/2013 9:50	Hg	j	0.013	ug/L	EPA 245.1
8/20/2013 10:40	Hg	<	0.008	ug/L	EPA 245.1
7/23/2013 11:30	K		3778	ug/L	EPA-200.8
7/30/2013 11:30	K		2388	ug/L	EPA-200.8
8/6/2013 11:00	K		2648	ug/L	EPA-200.8
8/13/2013 9:50	K		2509	ug/L	EPA-200.8
8/20/2013 10:40	K		2194	ug/L	EPA-200.8
7/23/2013 11:30	Mg		12370	ug/L	EPA-200.8

Nine-Mile Creek Site 9					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 11:30	Mg		9884	ug/L	EPA-200.8
8/6/2013 11:00	Mg		11160	ug/L	EPA-200.8
8/13/2013 9:50	Mg		9840	ug/L	EPA-200.8
8/20/2013 10:40	Mg		9674	ug/L	EPA-200.8
7/23/2013 11:30	Mn		41.99	ug/L	EPA-200.8
7/30/2013 11:30	Mn		37.3	ug/L	EPA-200.8
8/6/2013 11:00	Mn		28.42	ug/L	EPA-200.8
8/13/2013 9:50	Mn		28.76	ug/L	EPA-200.8
8/20/2013 10:40	Mn		21.07	ug/L	EPA-200.8
7/23/2013 11:30	Mo		8.408	ug/L	EPA-200.8
7/30/2013 11:30	Mo		2.577	ug/L	EPA-200.8
8/6/2013 11:00	Mo		2.597	ug/L	EPA-200.8
8/13/2013 9:50	Mo		2.455	ug/L	EPA-200.8
8/20/2013 10:40	Mo		2.104	ug/L	EPA-200.8
7/23/2013 11:30	Na		52240	ug/L	EPA-200.8
7/30/2013 11:30	Na		27110	ug/L	EPA-200.8
8/6/2013 11:00	Na		30880	ug/L	EPA-200.8
8/13/2013 9:50	Na		29550	ug/L	EPA-200.8
8/20/2013 10:40	Na		21460	ug/L	EPA-200.8
7/23/2013 11:30	NH3		0.665	mg/L	EPA-350.1
7/30/2013 11:30	NH3		0.306	mg/L	EPA-350.1
8/6/2013 11:00	NH3		0.413	mg/L	EPA-350.1
8/13/2013 9:50	NH3		0.312	mg/L	EPA-350.1
8/20/2013 10:40	NH3		0.409	mg/L	EPA-350.1
7/23/2013 11:30	Ni		34.16	ug/L	EPA-200.8
7/30/2013 11:30	Ni		10.52	ug/L	EPA-200.8
8/6/2013 11:00	Ni		11.45	ug/L	EPA-200.8
8/13/2013 9:50	Ni		8.944	ug/L	EPA-200.8
8/20/2013 10:40	Ni		5.258	ug/L	EPA-200.8
7/23/2013 11:30	NO3-NO2		1.51	mg/L	EPA 353.2
7/30/2013 11:30	NO3-NO2		1.135	mg/L	EPA 353.2
8/6/2013 11:00	NO3-NO2		1.088	mg/L	EPA 353.2
8/13/2013 9:50	NO3-NO2		0.938	mg/L	EPA 353.2
8/20/2013 10:40	NO3-NO2		0.96	mg/L	EPA 353.2
7/23/2013 11:30	Pb		1.189	ug/L	EPA-200.8
7/30/2013 11:30	Pb	j	0.688	ug/L	EPA-200.8
8/6/2013 11:00	Pb	j	0.333	ug/L	EPA-200.8
8/13/2013 9:50	Pb	j	0.226	ug/L	EPA-200.8
8/20/2013 10:40	Pb	j	0.202	ug/L	EPA-200.8

## Nine-Mile Creek

## Site 9

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 11:30	pH		7.58	S.U.	
7/30/2013 11:30	pH		7.59	S.U.	
8/6/2013 11:00	pH		7.61	S.U.	
8/13/2013 9:50	pH		7.76	S.U.	
8/20/2013 10:40	pH		7.67	S.U.	
7/23/2013 11:30	Sb		1.98	ug/L	EPA-200.8
7/30/2013 11:30	Sb	j	0.578	ug/L	EPA-200.8
8/6/2013 11:00	Sb	j	0.385	ug/L	EPA-200.8
8/13/2013 9:50	Sb	j	0.564	ug/L	EPA-200.8
8/20/2013 10:40	Sb	j	0.405	ug/L	EPA-200.8
7/23/2013 11:30	Se		6.128	ug/L	EPA-200.8
7/30/2013 11:30	Se	j	1.412	ug/L	EPA-200.8
8/6/2013 11:00	Se	j	1.453	ug/L	EPA-200.8
8/13/2013 9:50	Se	j	0.88	ug/L	EPA-200.8
8/20/2013 10:40	Se	<	0.66	ug/L	EPA-200.8
7/23/2013 11:30	Sn	<	0.178	ug/L	EPA-200.8
7/30/2013 11:30	Sn	<	0.178	ug/L	EPA-200.8
8/6/2013 11:00	Sn	<	0.178	ug/L	EPA-200.8
8/20/2013 10:40	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 11:30	SO4		65.13	mg/L	EPA 300.0
7/30/2013 11:30	SO4		47.78	mg/L	EPA 300.0
8/6/2013 11:00	SO4		43.81	mg/L	EPA 300.0
8/13/2013 9:50	SO4		43.02	mg/L	EPA 300.0
7/23/2013 11:30	Sr		255.142	ug/L	EPA-200.8
7/30/2013 11:30	Sr		188.604	ug/L	EPA-200.8
8/6/2013 11:00	Sr		199.668	ug/L	EPA-200.8
8/13/2013 9:50	Sr		187.373	ug/L	EPA-200.8
8/20/2013 10:40	Sr		180.504	ug/L	EPA-200.8
7/23/2013 11:30	TDS		350	mg/L	SM2540C
7/30/2013 11:30	TDS		248	mg/L	SM2540C
8/6/2013 11:00	TDS		238	mg/L	SM2540C
8/13/2013 9:50	TDS		234	mg/L	SM2540C
8/20/2013 10:40	TDS		244	mg/L	SM2540C
7/23/2013 11:30	Ti	j	1.588	ug/L	EPA-200.8
7/30/2013 11:30	Ti		2.08	ug/L	EPA-200.8
8/6/2013 11:00	Ti	j	1.491	ug/L	EPA-200.8
8/13/2013 9:50	Ti	j	1.641	ug/L	EPA-200.8
8/20/2013 10:40	Ti	j	1.688	ug/L	EPA-200.8

## Nine-Mile Creek

## Site 9

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 11:30	TKN		1.192	mg/L	EPA-351.1
7/30/2013 11:30	TKN		0.667	mg/L	EPA-351.1
8/6/2013 11:00	TKN		1.221	mg/L	EPA-351.1
8/13/2013 9:50	TKN		0.808	mg/L	EPA-351.1
8/20/2013 10:40	TKN		0.851	mg/L	EPA-351.1
7/23/2013 11:30	TI	<	0.6	ug/L	EPA-200.8
7/30/2013 11:30	TI	<	0.6	ug/L	EPA-200.8
8/6/2013 11:00	TI	<	0.6	ug/L	EPA-200.8
8/13/2013 9:50	TI	<	0.6	ug/L	EPA-200.8
8/20/2013 10:40	TI	<	0.6	ug/L	EPA-200.8
7/23/2013 11:30	TMET		229.7	ug/L	EPA-200.8
7/30/2013 11:30	TMET		57.8	ug/L	EPA-200.8
8/6/2013 11:00	TMET		69.6	ug/L	EPA-200.8
8/13/2013 9:50	TMET		45.5	ug/L	EPA-200.8
8/20/2013 10:40	TMET		24.9	ug/L	EPA-200.8
7/23/2013 11:30	Total-P		0.31	mg/L	EPA 365.1
7/30/2013 11:30	Total-P		0.345	mg/L	EPA 365.1
8/6/2013 11:00	Total-P		0.404	mg/L	EPA 365.1
8/13/2013 9:50	Total-P		0.34	mg/L	EPA 365.1
8/20/2013 10:40	Total-P		0.418	mg/L	EPA 365.1
7/23/2013 11:30	TS		368	mg/L	SM2540B
7/30/2013 11:30	TS		258	mg/L	SM2540B
8/6/2013 11:00	TS		268	mg/L	SM2540B
8/13/2013 9:50	TS		266	mg/L	SM2540B
8/20/2013 10:40	TS		232	mg/L	SM2540B
7/23/2013 11:30	TSS		2.6	mg/L	SM2540D
7/30/2013 11:30	TSS		1.1	mg/L	SM2540D
8/6/2013 11:00	TSS		3.1	mg/L	SM2540D
8/13/2013 9:50	TSS		1.1	mg/L	SM2540D
8/20/2013 10:40	TSS		1.3	mg/L	SM2540D
7/23/2013 11:30	Turbidity		3.32	NTU	EPA 180.1
7/30/2013 11:30	Turbidity		1.31	NTU	EPA 180.1
8/6/2013 11:00	Turbidity		3.66	NTU	EPA 180.1
8/13/2013 9:50	Turbidity		1.98	NTU	EPA 180.1
8/20/2013 10:40	Turbidity		1.05	NTU	EPA 180.1
7/23/2013 11:30	V	<	1.04	ug/L	EPA-200.8
7/30/2013 11:30	V	<	1.04	ug/L	EPA-200.8
8/6/2013 11:00	V	<	1.04	ug/L	EPA-200.8

Nine-Mile Creek

Site 9

Sample Date	Parameter	Code	Result	Units	Method
8/13/2013 9:50	V	<	1.04	ug/L	EPA-200.8
8/20/2013 10:40	V	<	1.04	ug/L	EPA-200.8
7/23/2013 11:30	Zn		174.2	ug/L	EPA-200.8
7/30/2013 11:30	Zn		40.15	ug/L	EPA-200.8
8/6/2013 11:00	Zn		49.31	ug/L	EPA-200.8
8/13/2013 9:50	Zn		30.86	ug/L	EPA-200.8
8/20/2013 10:40	Zn		15.71	ug/L	EPA-200.8

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 11:45	Ag	<	0.038	ug/L	EPA-200.8
7/30/2013 11:47	Ag	<	0.038	ug/L	EPA-200.8
8/6/2013 11:15	Ag	<	0.038	ug/L	EPA-200.8
8/13/2013 10:06	Ag	<	0.038	ug/L	EPA-200.8
8/20/2013 10:55	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 11:45	Al		38.88	ug/L	EPA-200.8
7/30/2013 11:47	Al		67.3	ug/L	EPA-200.8
8/6/2013 11:15	Al		22.3	ug/L	EPA-200.8
8/13/2013 10:06	Al		48.88	ug/L	EPA-200.8
8/20/2013 10:55	Al		17.64	ug/L	EPA-200.8
7/23/2013 11:45	Alkalinity		96.8	mg/LCaCO3	EPA-310.2
7/30/2013 11:47	Alkalinity		114.2	mg/LCaCO3	EPA-310.2
8/6/2013 11:15	Alkalinity		103.6	mg/LCaCO3	EPA-310.2
8/13/2013 10:06	Alkalinity		72.1	mg/LCaCO3	EPA-310.2
8/20/2013 10:55	Alkalinity		104.8	mg/LCaCO3	EPA-310.2
7/23/2013 11:45	As	j	1.294	ug/L	EPA-200.8
7/30/2013 11:47	As	j	1.212	ug/L	EPA-200.8
8/6/2013 11:15	As	j	1.258	ug/L	EPA-200.8
8/13/2013 10:06	As	j	1.083	ug/L	EPA-200.8
8/20/2013 10:55	As	j	1.196	ug/L	EPA-200.8
7/23/2013 11:45	Ba		24.43	ug/L	EPA-200.8
7/30/2013 11:47	Ba		24.73	ug/L	EPA-200.8
8/6/2013 11:15	Ba		22.89	ug/L	EPA-200.8
8/13/2013 10:06	Ba		16.24	ug/L	EPA-200.8
8/20/2013 10:55	Ba		23.95	ug/L	EPA-200.8
7/23/2013 11:45	Be	<	0.2	ug/L	EPA-200.8
7/30/2013 11:47	Be	<	0.2	ug/L	EPA-200.8
8/6/2013 11:15	Be	<	0.2	ug/L	EPA-200.8
8/13/2013 10:06	Be	<	0.2	ug/L	EPA-200.8
8/20/2013 10:55	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 11:45	BOD		2.2	mg/L	SM 5210
7/30/2013 11:47	BOD	<	2	mg/L	SM 5210
8/6/2013 11:15	BOD	<	2	mg/L	SM 5210
8/13/2013 10:06	BOD	<	2	mg/L	SM 5210
8/20/2013 10:55	BOD	<	2	mg/L	SM 5210
7/23/2013 11:45	Ca		47300	ug/L	EPA-200.8
7/30/2013 11:47	Ca		49570	ug/L	EPA-200.8
8/6/2013 11:15	Ca		49840	ug/L	EPA-200.8
8/13/2013 10:06	Ca		31640	ug/L	EPA-200.8



Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2013 10:55	Ca		49440	ug/L	EPA-200.8
7/23/2013 11:45	CaCO3		168	mg/LCaCO3	EPA-200.8
7/30/2013 11:47	CaCO3		173	mg/LCaCO3	EPA-200.8
8/6/2013 11:15	CaCO3		178	mg/LCaCO3	EPA-200.8
8/13/2013 10:06	CaCO3		110	mg/LCaCO3	EPA-200.8
8/20/2013 10:55	CaCO3		174	mg/LCaCO3	EPA-200.8
7/23/2013 11:45	Cd	<	0.076	ug/L	EPA-200.8
7/30/2013 11:47	Cd	j	0.082	ug/L	EPA-200.8
8/6/2013 11:15	Cd	<	0.076	ug/L	EPA-200.8
8/13/2013 10:06	Cd	<	0.076	ug/L	EPA-200.8
8/20/2013 10:55	Cd	j	0.088	ug/L	EPA-200.8
7/23/2013 11:45	Chloride		136.4	mg/L	EPA 300.0
7/30/2013 11:47	Chloride		123.5	mg/L	EPA 300.0
8/6/2013 11:15	Chloride		99.46	mg/L	EPA 300.0
8/13/2013 10:06	Chloride		67.22	mg/L	EPA 300.0
8/20/2013 10:55	Chloride		115	mg/L	SM 4500-Cl C
7/23/2013 11:45	Co	j	0.249	ug/L	EPA-200.8
7/30/2013 11:47	Co	j	0.291	ug/L	EPA-200.8
8/6/2013 11:15	Co	<	0.138	ug/L	EPA-200.8
8/13/2013 10:06	Co	<	0.138	ug/L	EPA-200.8
8/20/2013 10:55	Co	<	0.138	ug/L	EPA-200.8
7/23/2013 11:45	COD		13.2	mg/L	EPA 410.4
7/30/2013 11:47	COD	j	5.1	mg/L	EPA 410.4
8/6/2013 11:15	COD	j	6.9	mg/L	EPA 410.4
8/13/2013 10:06	COD	j	9.5	mg/L	EPA 410.4
8/20/2013 10:55	COD	<	3.9	mg/L	EPA 410.4
7/23/2013 11:45	Cr	j	0.73	ug/L	EPA-200.8
7/30/2013 11:47	Cr	j	0.542	ug/L	EPA-200.8
8/6/2013 11:15	Cr	j	0.523	ug/L	EPA-200.8
8/20/2013 10:55	Cr	j	0.57	ug/L	EPA-200.8
7/23/2013 11:45	Cu		3.215	ug/L	EPA-200.8
7/30/2013 11:47	Cu		2.738	ug/L	EPA-200.8
8/6/2013 11:15	Cu		2.328	ug/L	EPA-200.8
8/13/2013 10:06	Cu		3.203	ug/L	EPA-200.8
8/20/2013 10:55	Cu		2.249	ug/L	EPA-200.8
7/23/2013 11:45	DRPhos		0.087	mg/L	EPA 365.1
7/30/2013 11:47	DRPhos		0.11	mg/L	EPA 365.1
8/6/2013 11:15	DRPhos		0.112	mg/L	EPA 365.1

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
8/13/2013 10:06	DRPhos		0.08	mg/L	EPA 365.1
8/20/2013 10:55	DRPhos		0.119	mg/L	EPA 365.1
7/23/2013 11:45	E. coli		460	cfu/100mL	EPA 1603
7/30/2013 11:47	E. coli		275	cfu/100mL	EPA 1603
8/6/2013 11:15	E. coli		225	cfu/100mL	EPA 1603
8/13/2013 10:06	E. coli	EC	10500	cfu/100mL	EPA 1603
8/20/2013 10:55	E. coli		105	cfu/100mL	EPA 1603
7/23/2013 11:45	Fe		138.4	ug/L	EPA-200.8
7/30/2013 11:47	Fe		224.8	ug/L	EPA-200.8
8/6/2013 11:15	Fe		97.55	ug/L	EPA-200.8
8/13/2013 10:06	Fe		154.1	ug/L	EPA-200.8
8/20/2013 10:55	Fe		109.8	ug/L	EPA-200.8
7/23/2013 11:45	Field Cond		735	umhos/cm	SM 2510A
7/30/2013 11:47	Field Cond		672	umhos/cm	SM 2510A
8/6/2013 11:15	Field Cond		514	umhos/cm	SM 2510A
8/13/2013 10:06	Field Cond		396	umhos/cm	SM 2510A
8/20/2013 10:55	Field Cond		619	umhos/cm	SM 2510A
7/23/2013 11:45	Field DO		8.68	mg/L	SM 4500-0 G
7/30/2013 11:47	Field DO		8.78	mg/L	SM 4500-0 G
8/6/2013 11:15	Field DO		8.91	mg/L	SM 4500-0 G
8/13/2013 10:06	Field DO		7.84	mg/L	SM 4500-0 G
8/20/2013 10:55	Field DO		9.02	mg/L	SM 4500-0 G
7/23/2013 11:45	Field Temp		20.4	C	EPA 170.1
7/30/2013 11:47	Field Temp		16.9	C	EPA 170.1
8/6/2013 11:15	Field Temp		17.7	C	EPA 170.1
8/13/2013 10:06	Field Temp		19.5	C	EPA 170.1
8/20/2013 10:55	Field Temp		18.7	C	EPA 170.1
7/23/2013 11:45	Hg	<	0.008	ug/L	EPA 245.1
7/30/2013 11:47	Hg	<	0.008	ug/L	EPA 245.1
8/6/2013 11:15	Hg	<	0.008	ug/L	EPA 245.1
8/13/2013 10:06	Hg	<	0.008	ug/L	EPA 245.1
8/20/2013 10:55	Hg	<	0.008	ug/L	EPA 245.1
7/23/2013 11:45	K		4259	ug/L	EPA-200.8
7/30/2013 11:47	K		4047	ug/L	EPA-200.8
8/6/2013 11:15	K		4383	ug/L	EPA-200.8
8/13/2013 10:06	K		3576	ug/L	EPA-200.8
8/20/2013 10:55	K		4110	ug/L	EPA-200.8
7/23/2013 11:45	Mg		11320	ug/L	EPA-200.8

Nine-Mile Creek Site 10					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 11:47	Mg		11940	ug/L	EPA-200.8
8/6/2013 11:15	Mg		12930	ug/L	EPA-200.8
8/13/2013 10:06	Mg		7509	ug/L	EPA-200.8
8/20/2013 10:55	Mg		12330	ug/L	EPA-200.8
7/23/2013 11:45	Mn		4.769	ug/L	EPA-200.8
7/30/2013 11:47	Mn		6.944	ug/L	EPA-200.8
8/6/2013 11:15	Mn		2.478	ug/L	EPA-200.8
8/13/2013 10:06	Mn		2.733	ug/L	EPA-200.8
8/20/2013 10:55	Mn	j	1.489	ug/L	EPA-200.8
7/23/2013 11:45	Mo		2.704	ug/L	EPA-200.8
7/30/2013 11:47	Mo		2.776	ug/L	EPA-200.8
8/6/2013 11:15	Mo		3.067	ug/L	EPA-200.8
8/13/2013 10:06	Mo		2.154	ug/L	EPA-200.8
8/20/2013 10:55	Mo		2.318	ug/L	EPA-200.8
7/23/2013 11:45	Na		80380	ug/L	EPA-200.8
7/30/2013 11:47	Na		73620	ug/L	EPA-200.8
8/6/2013 11:15	Na		64150	ug/L	EPA-200.8
8/13/2013 10:06	Na		45660	ug/L	EPA-200.8
8/20/2013 10:55	Na		66190	ug/L	EPA-200.8
7/23/2013 11:45	NH3		0.308	mg/L	EPA-350.1
7/30/2013 11:47	NH3	j	0.01	mg/L	EPA-350.1
8/6/2013 11:15	NH3	j	0.016	mg/L	EPA-350.1
8/13/2013 10:06	NH3		0.022	mg/L	EPA-350.1
8/20/2013 10:55	NH3		0.027	mg/L	EPA-350.1
7/23/2013 11:45	Ni	j	2.88	ug/L	EPA-200.8
7/30/2013 11:47	Ni	j	2.623	ug/L	EPA-200.8
8/6/2013 11:15	Ni	j	2.103	ug/L	EPA-200.8
8/13/2013 10:06	Ni	j	1.745	ug/L	EPA-200.8
8/20/2013 10:55	Ni	j	1.964	ug/L	EPA-200.8
7/23/2013 11:45	NO3-NO2		1.196	mg/L	EPA 353.2
7/30/2013 11:47	NO3-NO2		1.581	mg/L	EPA 353.2
8/6/2013 11:15	NO3-NO2		0.847	mg/L	EPA 353.2
8/13/2013 10:06	NO3-NO2		1.1	mg/L	EPA 353.2
8/20/2013 10:55	NO3-NO2		1.968	mg/L	EPA 353.2
7/23/2013 11:45	Pb	j	0.232	ug/L	EPA-200.8
7/30/2013 11:47	Pb	j	0.374	ug/L	EPA-200.8
8/6/2013 11:15	Pb	<	0.062	ug/L	EPA-200.8
8/13/2013 10:06	Pb	j	0.264	ug/L	EPA-200.8
8/20/2013 10:55	Pb	j	0.082	ug/L	EPA-200.8

## Nine-Mile Creek

## Site 10

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 11:45	pH		7.81	S.U.	
7/30/2013 11:47	pH		7.83	S.U.	
8/6/2013 11:15	pH		7.92	S.U.	
8/13/2013 10:06	pH		7.77	S.U.	
8/20/2013 10:55	pH		7.9	S.U.	
7/23/2013 11:45	Sb	j	0.33	ug/L	EPA-200.8
7/30/2013 11:47	Sb	j	0.316	ug/L	EPA-200.8
8/6/2013 11:15	Sb	<	0.09	ug/L	EPA-200.8
8/13/2013 10:06	Sb	j	0.343	ug/L	EPA-200.8
8/20/2013 10:55	Sb	j	0.339	ug/L	EPA-200.8
7/23/2013 11:45	Se	<	0.66	ug/L	EPA-200.8
7/30/2013 11:47	Se	<	0.66	ug/L	EPA-200.8
8/6/2013 11:15	Se	<	0.66	ug/L	EPA-200.8
8/13/2013 10:06	Se	<	0.66	ug/L	EPA-200.8
8/20/2013 10:55	Se	<	0.66	ug/L	EPA-200.8
7/23/2013 11:45	Sn		4.533	ug/L	EPA-200.8
7/30/2013 11:47	Sn	<	0.178	ug/L	EPA-200.8
8/6/2013 11:15	Sn	<	0.178	ug/L	EPA-200.8
8/20/2013 10:55	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 11:45	SO4		62.66	mg/L	EPA 300.0
7/30/2013 11:47	SO4		55.75	mg/L	EPA 300.0
8/6/2013 11:15	SO4		52.59	mg/L	EPA 300.0
8/13/2013 10:06	SO4		34.5	mg/L	EPA 300.0
7/23/2013 11:45	Sr		241.71	ug/L	EPA-200.8
7/30/2013 11:47	Sr		256.742	ug/L	EPA-200.8
8/6/2013 11:15	Sr		245.981	ug/L	EPA-200.8
8/13/2013 10:06	Sr		162.669	ug/L	EPA-200.8
8/20/2013 10:55	Sr		258.967	ug/L	EPA-200.8
7/23/2013 11:45	TDS		434	mg/L	SM2540C
7/30/2013 11:47	TDS		458	mg/L	SM2540C
8/6/2013 11:15	TDS		300	mg/L	SM2540C
8/13/2013 10:06	TDS		262	mg/L	SM2540C
8/20/2013 10:55	TDS		426	mg/L	SM2540C
7/23/2013 11:45	Ti	j	1.029	ug/L	EPA-200.8
7/30/2013 11:47	Ti	j	1.543	ug/L	EPA-200.8
8/6/2013 11:15	Ti	j	0.752	ug/L	EPA-200.8
8/13/2013 10:06	Ti	j	1.097	ug/L	EPA-200.8
8/20/2013 10:55	Ti	j	0.853	ug/L	EPA-200.8

## Nine-Mile Creek

## Site 10

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 11:45	TKN	j	0.322	mg/L	EPA-351.1
7/30/2013 11:47	TKN	j	0.286	mg/L	EPA-351.1
8/6/2013 11:15	TKN	j	0.424	mg/L	EPA-351.1
8/13/2013 10:06	TKN		0.59	mg/L	EPA-351.1
8/20/2013 10:55	TKN	<	0.2	mg/L	EPA-351.1
7/23/2013 11:45	TI	<	0.6	ug/L	EPA-200.8
7/30/2013 11:47	TI	<	0.6	ug/L	EPA-200.8
8/6/2013 11:15	TI	<	0.6	ug/L	EPA-200.8
8/13/2013 10:06	TI	<	0.6	ug/L	EPA-200.8
8/20/2013 10:55	TI	<	0.6	ug/L	EPA-200.8
7/23/2013 11:45	TMET		10.8	ug/L	EPA-200.8
7/30/2013 11:47	TMET	<	10	ug/L	EPA-200.8
8/6/2013 11:15	TMET	<	10	ug/L	EPA-200.8
8/13/2013 10:06	TMET	<	10	ug/L	EPA-200.8
8/20/2013 10:55	TMET	<	10	ug/L	EPA-200.8
7/23/2013 11:45	Total-P		0.092	mg/L	EPA 365.1
7/30/2013 11:47	Total-P		0.119	mg/L	EPA 365.1
8/6/2013 11:15	Total-P		0.109	mg/L	EPA 365.1
8/13/2013 10:06	Total-P		0.1	mg/L	EPA 365.1
8/20/2013 10:55	Total-P		0.125	mg/L	EPA 365.1
7/23/2013 11:45	TS		478	mg/L	SM2540B
7/30/2013 11:47	TS		466	mg/L	SM2540B
8/6/2013 11:15	TS		414	mg/L	SM2540B
8/13/2013 10:06	TS		286	mg/L	SM2540B
8/20/2013 10:55	TS		432	mg/L	SM2540B
7/23/2013 11:45	TSS	j	0.9	mg/L	SM2540D
7/30/2013 11:47	TSS		3.8	mg/L	SM2540D
8/6/2013 11:15	TSS	j	0.7	mg/L	SM2540D
8/13/2013 10:06	TSS		1.3	mg/L	SM2540D
8/20/2013 10:55	TSS		1	mg/L	SM2540D
7/23/2013 11:45	Turbidity		1.75	NTU	EPA 180.1
7/30/2013 11:47	Turbidity		1.82	NTU	EPA 180.1
8/6/2013 11:15	Turbidity		0.69	NTU	EPA 180.1
8/13/2013 10:06	Turbidity		2.81	NTU	EPA 180.1
8/20/2013 10:55	Turbidity		0.86	NTU	EPA 180.1
7/23/2013 11:45	V	<	1.04	ug/L	EPA-200.8
7/30/2013 11:47	V	<	1.04	ug/L	EPA-200.8
8/6/2013 11:15	V	<	1.04	ug/L	EPA-200.8

Nine-Mile Creek

Site 10

Sample Date	Parameter	Code	Result	Units	Method
8/13/2013 10:06	V	<	1.04	ug/L	EPA-200.8
8/20/2013 10:55	V	<	1.04	ug/L	EPA-200.8
7/23/2013 11:45	Zn	j	3.435	ug/L	EPA-200.8
7/30/2013 11:47	Zn	<	1.58	ug/L	EPA-200.8
8/6/2013 11:15	Zn	j	2.176	ug/L	EPA-200.8
8/13/2013 10:06	Zn	<	1.58	ug/L	EPA-200.8
8/20/2013 10:55	Zn	j	2.952	ug/L	EPA-200.8

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:52	Ag	<	0.038	ug/L	EPA-200.8
7/30/2013 10:05	Ag	<	0.038	ug/L	EPA-200.8
8/6/2013 9:50	Ag	<	0.038	ug/L	EPA-200.8
8/13/2013 8:50	Ag	<	0.038	ug/L	EPA-200.8
8/20/2013 9:40	Ag	<	0.038	ug/L	EPA-200.8
7/23/2013 9:52	Al		191.8	ug/L	EPA-200.8
7/30/2013 10:05	Al		445.6	ug/L	EPA-200.8
8/13/2013 8:50	Al		348.4	ug/L	EPA-200.8
8/20/2013 9:40	Al		36.36	ug/L	EPA-200.8
7/23/2013 9:52	Alkalinity		108.6	mg/LCaCO3	EPA-310.2
7/30/2013 10:05	Alkalinity		121.8	mg/LCaCO3	EPA-310.2
8/6/2013 9:50	Alkalinity		112.6	mg/LCaCO3	EPA-310.2
8/13/2013 8:50	Alkalinity		65	mg/LCaCO3	EPA-310.2
8/20/2013 9:40	Alkalinity		342.7	mg/LCaCO3	EPA-310.2
7/23/2013 9:52	As	j	1.817	ug/L	EPA-200.8
7/30/2013 10:05	As		2.022	ug/L	EPA-200.8
8/6/2013 9:50	As	j	1.8445	ug/L	EPA-200.8
8/13/2013 8:50	As	j	1.492	ug/L	EPA-200.8
8/20/2013 9:40	As		2.118	ug/L	EPA-200.8
7/23/2013 9:52	Ba		26.21	ug/L	EPA-200.8
7/30/2013 10:05	Ba		29.93	ug/L	EPA-200.8
8/6/2013 9:50	Ba		24.385	ug/L	EPA-200.8
8/13/2013 8:50	Ba		19.43	ug/L	EPA-200.8
8/20/2013 9:40	Ba		98.46	ug/L	EPA-200.8
7/23/2013 9:52	Be	<	0.2	ug/L	EPA-200.8
7/30/2013 10:05	Be	<	0.2	ug/L	EPA-200.8
8/6/2013 9:50	Be	<	0.2	ug/L	EPA-200.8
8/13/2013 8:50	Be	<	0.2	ug/L	EPA-200.8
8/20/2013 9:40	Be	<	0.2	ug/L	EPA-200.8
7/23/2013 9:52	BOD	<	2	mg/L	SM 5210
7/30/2013 10:05	BOD	<	2	mg/L	SM 5210
8/6/2013 9:50	BOD	<	2	mg/L	SM 5210
8/13/2013 8:50	BOD		4.2	mg/L	SM 5210
8/20/2013 9:40	BOD	<	2	mg/L	SM 5210
7/23/2013 9:52	Ca		50940	ug/L	EPA-200.8
7/30/2013 10:05	Ca		58200	ug/L	EPA-200.8
8/6/2013 9:50	Ca		53350	ug/L	EPA-200.8
8/13/2013 8:50	Ca		32350	ug/L	EPA-200.8
8/20/2013 9:40	Ca		221300	ug/L	EPA-200.8

Nine-Mile Creek

River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:52	CaCO3		176	mg/LCaCO3	EPA-200.8
7/30/2013 10:05	CaCO3		207	mg/LCaCO3	EPA-200.8
8/6/2013 9:50	CaCO3		188	mg/LCaCO3	EPA-200.8
8/13/2013 8:50	CaCO3		112	mg/LCaCO3	EPA-200.8
8/20/2013 9:40	CaCO3		760	mg/LCaCO3	EPA-200.8
7/23/2013 9:52	Cd		1.639	ug/L	EPA-200.8
7/30/2013 10:05	Cd		1.321	ug/L	EPA-200.8
8/6/2013 9:50	Cd	j	0.9055	ug/L	EPA-200.8
8/13/2013 8:50	Cd	j	0.527	ug/L	EPA-200.8
8/20/2013 9:40	Cd	<	0.076	ug/L	EPA-200.8
7/23/2013 9:52	Chloride		96.04	mg/L	EPA 300.0
7/30/2013 10:05	Chloride		99.9	mg/L	EPA 300.0
8/6/2013 9:50	Chloride		87.865	mg/L	EPA 300.0
8/13/2013 8:50	Chloride		72.65	mg/L	EPA 300.0
8/20/2013 9:40	Chloride		1090	mg/L	SM 4500-Cl C
7/23/2013 9:52	Co	j	0.378	ug/L	EPA-200.8
7/30/2013 10:05	Co	j	0.632	ug/L	EPA-200.8
8/6/2013 9:50	Co	j	0.2165	ug/L	EPA-200.8
8/13/2013 8:50	Co	j	0.422	ug/L	EPA-200.8
8/20/2013 9:40	Co	j	0.403	ug/L	EPA-200.8
7/23/2013 9:52	COD	<	3.9	mg/L	EPA 410.4
7/30/2013 10:05	COD		12.7	mg/L	EPA 410.4
8/6/2013 9:50	COD	j	7.4	mg/L	EPA 410.4
8/13/2013 8:50	COD		23	mg/L	EPA 410.4
8/20/2013 9:40	COD		33.8	mg/L	EPA 410.4
7/23/2013 9:52	Cr		1.525	ug/L	EPA-200.8
7/30/2013 10:05	Cr		1.631	ug/L	EPA-200.8
8/6/2013 9:50	Cr	j	0.6365	ug/L	EPA-200.8
8/13/2013 8:50	Cr		1.408	ug/L	EPA-200.8
8/20/2013 9:40	Cr	j	0.522	ug/L	EPA-200.8
7/23/2013 9:52	Cu		4.876	ug/L	EPA-200.8
7/30/2013 10:05	Cu		4.998	ug/L	EPA-200.8
8/6/2013 9:50	Cu		2.686	ug/L	EPA-200.8
8/13/2013 8:50	Cu		5.346	ug/L	EPA-200.8
8/20/2013 9:40	Cu		2.981	ug/L	EPA-200.8
7/23/2013 9:52	DRPhos		0.094	mg/L	EPA 365.1
7/30/2013 10:05	DRPhos		0.149	mg/L	EPA 365.1
8/6/2013 9:50	DRPhos		0.153	mg/L	EPA 365.1



Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
8/13/2013 8:50	DRPhos		0.094	mg/L	EPA 365.1
8/20/2013 9:40	DRPhos		0.16	mg/L	EPA 365.1
7/23/2013 9:52	E. coli		7000	cfu/100mL	EPA 1603
7/30/2013 10:05	E. coli		1500	cfu/100mL	EPA 1603
8/6/2013 9:50	E. coli		1090	cfu/100mL	EPA 1603
8/13/2013 8:50	E. coli	EC	17200	cfu/100mL	EPA 1603
8/20/2013 9:40	E. coli		540	cfu/100mL	EPA 1603
7/23/2013 9:52	Fe		516.8	ug/L	EPA-200.8
7/30/2013 10:05	Fe		1092	ug/L	EPA-200.8
8/6/2013 9:50	Fe		341.25	ug/L	EPA-200.8
8/13/2013 8:50	Fe		821.6	ug/L	EPA-200.8
8/20/2013 9:40	Fe		698.1	ug/L	EPA-200.8
7/23/2013 9:52	Field Cond		664	umhos/cm	SM 2510A
7/30/2013 10:05	Field Cond		657	umhos/cm	SM 2510A
8/6/2013 9:50	Field Cond		526	umhos/cm	SM 2510A
8/13/2013 8:50	Field Cond		415	umhos/cm	SM 2510A
8/20/2013 9:40	Field Cond		564	umhos/cm	SM 2510A
7/23/2013 9:52	Field DO		7.28	mg/L	SM 4500-0 G
7/30/2013 10:05	Field DO		7.3	mg/L	SM 4500-0 G
8/6/2013 9:50	Field DO		7.13	mg/L	SM 4500-0 G
8/13/2013 8:50	Field DO		6.72	mg/L	SM 4500-0 G
8/20/2013 9:40	Field DO		7.56	mg/L	SM 4500-0 G
7/23/2013 9:52	Field Temp		19.9	C	EPA 170.1
7/30/2013 10:05	Field Temp		17.6	C	EPA 170.1
8/6/2013 9:50	Field Temp		18.1	C	EPA 170.1
8/13/2013 8:50	Field Temp		19.6	C	EPA 170.1
8/20/2013 9:40	Field Temp		18.7	C	EPA 170.1
7/23/2013 9:52	Hg	<	0.008	ug/L	EPA 245.1
7/30/2013 10:05	Hg	<	0.008	ug/L	EPA 245.1
8/6/2013 9:50	Hg	<	0.008	ug/L	EPA 245.1
8/13/2013 8:50	Hg	j	0.012	ug/L	EPA 245.1
8/20/2013 9:40	Hg	<	0.008	ug/L	EPA 245.1
7/23/2013 9:52	K		4672	ug/L	EPA-200.8
7/30/2013 10:05	K		4574	ug/L	EPA-200.8
8/6/2013 9:50	K		4441.5	ug/L	EPA-200.8
8/13/2013 8:50	K		3523	ug/L	EPA-200.8
8/20/2013 9:40	K		6834	ug/L	EPA-200.8
7/23/2013 9:52	Mg		11980	ug/L	EPA-200.8

Nine-Mile Creek River Mile 0.40					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2013 10:05	Mg		14960	ug/L	EPA-200.8
8/6/2013 9:50	Mg		13380	ug/L	EPA-200.8
8/13/2013 8:50	Mg		7661	ug/L	EPA-200.8
8/20/2013 9:40	Mg		47200	ug/L	EPA-200.8
7/23/2013 9:52	Mn		56.66	ug/L	EPA-200.8
7/30/2013 10:05	Mn		77.73	ug/L	EPA-200.8
8/6/2013 9:50	Mn		43.82	ug/L	EPA-200.8
8/13/2013 8:50	Mn		42.52	ug/L	EPA-200.8
8/20/2013 9:40	Mn		244.4	ug/L	EPA-200.8
7/23/2013 9:52	Mo		5.38	ug/L	EPA-200.8
7/30/2013 10:05	Mo		2.948	ug/L	EPA-200.8
8/6/2013 9:50	Mo		3.4995	ug/L	EPA-200.8
8/13/2013 8:50	Mo		2.181	ug/L	EPA-200.8
8/20/2013 9:40	Mo		5.784	ug/L	EPA-200.8
7/23/2013 9:52	Na		63780	ug/L	EPA-200.8
7/30/2013 10:05	Na		70430	ug/L	EPA-200.8
8/6/2013 9:50	Na		56295	ug/L	EPA-200.8
8/13/2013 8:50	Na		45450	ug/L	EPA-200.8
8/20/2013 9:40	Na		559500	ug/L	EPA-200.8
7/23/2013 9:52	NH3		0.338	mg/L	EPA-350.1
7/30/2013 10:05	NH3		0.149	mg/L	EPA-350.1
8/6/2013 9:50	NH3		0.079	mg/L	EPA-350.1
8/13/2013 8:50	NH3		0.053	mg/L	EPA-350.1
8/20/2013 9:40	NH3		0.84	mg/L	EPA-350.1
7/23/2013 9:52	Ni		6.67	ug/L	EPA-200.8
7/30/2013 10:05	Ni		6.481	ug/L	EPA-200.8
8/6/2013 9:50	Ni		4.4925	ug/L	EPA-200.8
8/13/2013 8:50	Ni	j	3.621	ug/L	EPA-200.8
8/20/2013 9:40	Ni	j	3.683	ug/L	EPA-200.8
7/23/2013 9:52	NO3-NO2		1.189	mg/L	EPA 353.2
7/30/2013 10:05	NO3-NO2		1.36	mg/L	EPA 353.2
8/6/2013 9:50	NO3-NO2		1.0185	mg/L	EPA 353.2
8/13/2013 8:50	NO3-NO2		1.239	mg/L	EPA 353.2
8/20/2013 9:40	NO3-NO2		0.033	mg/L	EPA 353.2
7/23/2013 9:52	Pb		1.528	ug/L	EPA-200.8
7/30/2013 10:05	Pb		4.16	ug/L	EPA-200.8
8/6/2013 9:50	Pb	j	0.6085	ug/L	EPA-200.8
8/13/2013 8:50	Pb		2.128	ug/L	EPA-200.8
8/20/2013 9:40	Pb	j	0.915	ug/L	EPA-200.8

## Nine-Mile Creek

River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:52	pH		7.61	S.U.	
7/30/2013 10:05	pH		7.69	S.U.	
8/6/2013 9:50	pH		7.68	S.U.	
8/13/2013 8:50	pH		7.67	S.U.	
8/20/2013 9:40	pH		7.92	S.U.	
7/23/2013 9:52	Sb	j	0.829	ug/L	EPA-200.8
7/30/2013 10:05	Sb	j	0.441	ug/L	EPA-200.8
8/13/2013 8:50	Sb	j	0.384	ug/L	EPA-200.8
8/20/2013 9:40	Sb	j	0.718	ug/L	EPA-200.8
7/23/2013 9:52	Se	j	1.804	ug/L	EPA-200.8
7/30/2013 10:05	Se	<	0.66	ug/L	EPA-200.8
8/6/2013 9:50	Se	j	0.783	ug/L	EPA-200.8
8/13/2013 8:50	Se	<	0.66	ug/L	EPA-200.8
8/20/2013 9:40	Se	j	0.829	ug/L	EPA-200.8
7/23/2013 9:52	Sn	j	0.959	ug/L	EPA-200.8
7/30/2013 10:05	Sn	j	0.214	ug/L	EPA-200.8
8/6/2013 9:50	Sn	<	0.178	ug/L	EPA-200.8
8/13/2013 8:50	Sn		8.196	ug/L	EPA-200.8
8/20/2013 9:40	Sn	<	0.178	ug/L	EPA-200.8
7/23/2013 9:52	SO4		76.66	mg/L	EPA 300.0
7/30/2013 10:05	SO4		70.83	mg/L	EPA 300.0
8/6/2013 9:50	SO4		66.895	mg/L	EPA 300.0
8/13/2013 8:50	SO4		37.1	mg/L	EPA 300.0
7/23/2013 9:52	Sr		269.9	ug/L	EPA-200.8
7/30/2013 10:05	Sr		309.008	ug/L	EPA-200.8
8/6/2013 9:50	Sr		273.581	ug/L	EPA-200.8
8/13/2013 8:50	Sr		170.53	ug/L	EPA-200.8
8/20/2013 9:40	Sr		1109.092	ug/L	EPA-200.8
7/23/2013 9:52	TDS		400	mg/L	SM2540C
7/30/2013 10:05	TDS		462	mg/L	SM2540C
8/6/2013 9:50	TDS		372.5	mg/L	SM2540C
8/13/2013 8:50	TDS		296	mg/L	SM2540C
8/20/2013 9:40	TDS		2750	mg/L	SM2540C
7/23/2013 9:52	Ti		2.872	ug/L	EPA-200.8
7/30/2013 10:05	Ti		5.746	ug/L	EPA-200.8
8/6/2013 9:50	Ti	j	1.7805	ug/L	EPA-200.8
8/13/2013 8:50	Ti		4.238	ug/L	EPA-200.8
8/20/2013 9:40	Ti		2.272	ug/L	EPA-200.8

Nine-Mile Creek

River Mile 0.40

Sample Date	Parameter	Code	Result	Units	Method
7/23/2013 9:52	TKN	j	0.35	mg/L	EPA-351.1
7/30/2013 10:05	TKN		0.728	mg/L	EPA-351.1
8/6/2013 9:50	TKN	<	0.317	mg/L	EPA-351.1
8/13/2013 8:50	TKN		0.827	mg/L	EPA-351.1
8/20/2013 9:40	TKN		1.469	mg/L	EPA-351.1
7/23/2013 9:52	TI	<	0.6	ug/L	EPA-200.8
7/30/2013 10:05	TI	<	0.6	ug/L	EPA-200.8
8/6/2013 9:50	TI	<	0.6	ug/L	EPA-200.8
8/13/2013 8:50	TI	<	0.6	ug/L	EPA-200.8
8/20/2013 9:40	TI	<	0.6	ug/L	EPA-200.8
7/23/2013 9:52	TMET		29.6	ug/L	EPA-200.8
7/30/2013 10:05	TMET		32.5	ug/L	EPA-200.8
8/6/2013 9:50	TMET		14.15	ug/L	EPA-200.8
8/13/2013 8:50	TMET		21.3	ug/L	EPA-200.8
8/20/2013 9:40	TMET		10.5	ug/L	EPA-200.8
7/23/2013 9:52	Total-P		0.131	mg/L	EPA 365.1
7/30/2013 10:05	Total-P		0.208	mg/L	EPA 365.1
8/6/2013 9:50	Total-P		0.188	mg/L	EPA 365.1
8/13/2013 8:50	Total-P		0.164	mg/L	EPA 365.1
8/20/2013 9:40	Total-P		0.251	mg/L	EPA 365.1
7/23/2013 9:52	TS		436	mg/L	SM2540B
7/30/2013 10:05	TS		520	mg/L	SM2540B
8/6/2013 9:50	TS		430	mg/L	SM2540B
8/13/2013 8:50	TS		312	mg/L	SM2540B
8/20/2013 9:40	TS		2880	mg/L	SM2540B
7/23/2013 9:52	TSS		12.2	mg/L	SM2540D
7/30/2013 10:05	TSS		10.6	mg/L	SM2540D
8/6/2013 9:50	TSS		5.5	mg/L	SM2540D
8/13/2013 8:50	TSS		23.7	mg/L	SM2540D
8/20/2013 9:40	TSS		6.8	mg/L	SM2540D
7/23/2013 9:52	Turbidity		9.11	NTU	EPA 180.1
7/30/2013 10:05	Turbidity		8.56	NTU	EPA 180.1
8/6/2013 9:50	Turbidity		4.4	NTU	EPA 180.1
8/13/2013 8:50	Turbidity		20.35	NTU	EPA 180.1
8/20/2013 9:40	Turbidity		3.045	NTU	EPA 180.1
7/23/2013 9:52	V	<	1.04	ug/L	EPA-200.8
7/30/2013 10:05	V	<	1.04	ug/L	EPA-200.8
8/6/2013 9:50	V	<	1.04	ug/L	EPA-200.8

Nine-Mile Creek River Mile 0.40						
Sample Date	Parameter	Code	Result	Units	Method	
8/13/2013 8:50	V	<	1.04	ug/L	EPA-200.8	
8/20/2013 9:40	V	<	1.04	ug/L	EPA-200.8	
7/23/2013 9:52	Zn		16.52	ug/L	EPA-200.8	
7/30/2013 10:05	Zn		19.4	ug/L	EPA-200.8	
8/6/2013 9:50	Zn	j	6.3245	ug/L	EPA-200.8	
8/13/2013 8:50	Zn		10.94	ug/L	EPA-200.8	
8/20/2013 9:40	Zn	j	3.836	ug/L	EPA-200.8	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count