

Rocky River River Mile 10.50					
Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 10:23	Ag	<	0.12	ug/L	EPA-200.7
8/1/2012 10:25	Ag	<	0.12	ug/L	EPA-200.7
8/8/2012 10:50	Ag	<	0.12	ug/L	EPA-200.7
8/15/2012 10:15	Ag	<	0.12	ug/L	EPA-200.7
8/22/2012 10:22	Ag	<	0.12	ug/L	EPA-200.7
7/25/2012 10:23	Al		73.05	ug/L	EPA-200.7
8/1/2012 10:25	Al		100.1	ug/L	EPA-200.7
8/8/2012 10:50	Al		113.1	ug/L	EPA-200.7
8/22/2012 10:22	Al		67.18	ug/L	EPA-200.7
7/25/2012 10:23	Alkalinity		119.8	mg/LCaCO3	EPA-310.2
8/1/2012 10:25	Alkalinity		110.5	mg/LCaCO3	EPA-310.2
8/8/2012 10:50	Alkalinity		117.3	mg/LCaCO3	EPA-310.2
8/15/2012 10:15	Alkalinity		100.55	mg/LCaCO3	EPA-310.2
8/22/2012 10:22	Alkalinity		113.4	mg/LCaCO3	EPA-310.2
7/25/2012 10:23	As	<	0.31	ug/L	EPA-200.7
8/1/2012 10:25	As	<	0.31	ug/L	EPA-200.7
8/8/2012 10:50	As	<	0.31	ug/L	EPA-200.7
8/15/2012 10:15	As	<	0.31	ug/L	EPA-200.7
8/22/2012 10:22	As	<	0.31	ug/L	EPA-200.7
7/25/2012 10:23	Ba		30.41	ug/L	EPA-200.7
8/1/2012 10:25	Ba		29.67	ug/L	EPA-200.7
8/8/2012 10:50	Ba		35.03	ug/L	EPA-200.7
8/15/2012 10:15	Ba		26.785	ug/L	EPA-200.7
8/22/2012 10:22	Ba		30.47	ug/L	EPA-200.7
7/25/2012 10:23	Be	<	0.12	ug/L	EPA-200.7
8/1/2012 10:25	Be	<	0.12	ug/L	EPA-200.7
8/8/2012 10:50	Be	<	0.12	ug/L	EPA-200.7
8/15/2012 10:15	Be	<	0.12	ug/L	EPA-200.7
8/22/2012 10:22	Be	<	0.12	ug/L	EPA-200.7
7/25/2012 10:23	BOD		3.9	mg/L	SM 5210
8/1/2012 10:25	BOD	<	2	mg/L	SM 5210
8/8/2012 10:50	BOD		2	mg/L	SM 5210
8/15/2012 10:15	BOD	<	2	mg/L	SM 5210
8/22/2012 10:22	BOD	<	2	mg/L	SM 5210
7/25/2012 10:23	Ca		53670	ug/L	EPA-200.7
8/1/2012 10:25	Ca		55190	ug/L	EPA-200.7
8/8/2012 10:50	Ca		56550	ug/L	EPA-200.7
8/15/2012 10:15	Ca		44855	ug/L	EPA-200.7
8/22/2012 10:22	Ca		50820	ug/L	EPA-200.7

Rocky River
River Mile 10.50

Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 10:23	CaCO3		206	mg/LCaCO3	EPA-200.7
8/1/2012 10:25	CaCO3		198	mg/LCaCO3	EPA-200.7
8/8/2012 10:50	CaCO3		217	mg/LCaCO3	EPA-200.7
8/15/2012 10:15	CaCO3		167.5	mg/LCaCO3	EPA-200.7
8/22/2012 10:22	CaCO3		198	mg/LCaCO3	EPA-200.7
7/25/2012 10:23	Cd	j	0.04	ug/L	EPA-200.7
8/1/2012 10:25	Cd	j	0.08	ug/L	EPA-200.7
8/8/2012 10:50	Cd	j	0.1	ug/L	EPA-200.7
8/15/2012 10:15	Cd	<	0.02	ug/L	EPA-200.7
8/22/2012 10:22	Cd	j	0.06	ug/L	EPA-200.7
7/25/2012 10:23	Chloride		129	mg/L	EPA 300.0
8/1/2012 10:25	Chloride		106.3	mg/L	EPA 300.0
8/8/2012 10:50	Chloride		142.1	mg/L	EPA 300.0
8/15/2012 10:15	Chloride		107.9	mg/L	EPA 300.0
8/22/2012 10:22	Chloride		133.1	mg/L	EPA 300.0
7/25/2012 10:23	Co	j	0.72	ug/L	EPA-200.7
8/1/2012 10:25	Co	j	0.7	ug/L	EPA-200.7
8/8/2012 10:50	Co	j	0.96	ug/L	EPA-200.7
8/15/2012 10:15	Co	j	0.545	ug/L	EPA-200.7
8/22/2012 10:22	Co	j	0.74	ug/L	EPA-200.7
7/25/2012 10:23	COD		22.4	mg/L	EPA 410.4
8/1/2012 10:25	COD		18.1	mg/L	EPA 410.4
8/8/2012 10:50	COD		22.5	mg/L	EPA 410.4
8/15/2012 10:15	COD		16.4	mg/L	EPA 410.4
8/22/2012 10:22	COD		26.2	mg/L	EPA 410.4
7/25/2012 10:23	Cu		4.72	ug/L	EPA-200.7
8/1/2012 10:25	Cu		4.6	ug/L	EPA-200.7
8/8/2012 10:50	Cu		5.57	ug/L	EPA-200.7
8/15/2012 10:15	Cu		3.43	ug/L	EPA-200.7
8/22/2012 10:22	Cu		5.07	ug/L	EPA-200.7
7/25/2012 10:23	DRPhos		0.069	mg/L	EPA 365.1
8/1/2012 10:25	DRPhos		0.062	mg/L	EPA 365.1
8/8/2012 10:50	DRPhos		0.204	mg/L	EPA 365.1
8/15/2012 10:15	DRPhos		0.05	mg/L	EPA 365.1
8/22/2012 10:22	DRPhos		0.15	mg/L	EPA 365.1
7/25/2012 10:23	E. coli		105	cfu/100mL	EPA 1603
8/1/2012 10:25	E. coli		290	cfu/100mL	EPA 1603
8/8/2012 10:50	E. coli		145	cfu/100mL	EPA 1603

Rocky River					
River Mile 10.50					
Sample Date	Parameter	Code	Result	Units	Method
8/15/2012 10:15	E. coli		783	cfu/100mL	EPA 1603
8/22/2012 10:22	E. coli		195	cfu/100mL	EPA 1603
7/25/2012 10:23	Fe		199.1	ug/L	EPA-200.7
8/1/2012 10:25	Fe		252	ug/L	EPA-200.7
8/8/2012 10:50	Fe		316	ug/L	EPA-200.7
8/15/2012 10:15	Fe		455.8	ug/L	EPA-200.7
8/22/2012 10:22	Fe		172.5	ug/L	EPA-200.7
7/25/2012 10:23	Field Cond		862	uS/cm	SM 2510A
8/1/2012 10:25	Field Cond		771	uS/cm	SM 2510A
8/8/2012 10:50	Field Cond		908	uS/cm	SM 2510A
8/15/2012 10:15	Field Cond		683	uS/cm	SM 2510A
8/22/2012 10:22	Field Cond		746	uS/cm	SM 2510A
7/25/2012 10:23	Field DO		9.4	mg/L	SM 4500-0 G
8/1/2012 10:25	Field DO		10.22	mg/L	SM 4500-0 G
8/8/2012 10:50	Field DO		10.5	mg/L	SM 4500-0 G
8/15/2012 10:15	Field DO		10.43	mg/L	SM 4500-0 G
8/22/2012 10:22	Field DO		9.33	mg/L	SM 4500-0 G
7/25/2012 10:23	Field Temp		21.5	C	EPA 170.1
8/1/2012 10:25	Field Temp		23	C	EPA 170.1
8/8/2012 10:50	Field Temp		22.8	C	EPA 170.1
8/15/2012 10:15	Field Temp		18.8	C	EPA 170.1
8/22/2012 10:22	Field Temp		17.7	C	EPA 170.1
7/25/2012 10:23	Hg	<	0.005	ug/L	EPA 245.1
8/1/2012 10:25	Hg	<	0.005	ug/L	EPA 245.1
8/8/2012 10:50	Hg	j	0.008	ug/L	EPA 245.1
8/15/2012 10:15	Hg	<	0.005	ug/L	EPA 245.1
8/22/2012 10:22	Hg	<	0.005	ug/L	EPA 245.1
7/25/2012 10:23	K		8541	ug/L	EPA-200.7
8/1/2012 10:25	K		7289	ug/L	EPA-200.7
8/8/2012 10:50	K		10910	ug/L	EPA-200.7
8/15/2012 10:15	K		5744	ug/L	EPA-200.7
8/22/2012 10:22	K		8792	ug/L	EPA-200.7
7/25/2012 10:23	Mg		17630	ug/L	EPA-200.7
8/1/2012 10:25	Mg		14500	ug/L	EPA-200.7
8/8/2012 10:50	Mg		18390	ug/L	EPA-200.7
8/15/2012 10:15	Mg		13395	ug/L	EPA-200.7
8/22/2012 10:22	Mg		17250	ug/L	EPA-200.7
7/25/2012 10:23	Mn		28.57	ug/L	EPA-200.7

Rocky River					
River Mile 10.50					
Sample Date	Parameter	Code	Result	Units	Method
8/1/2012 10:25	Mn		34.8	ug/L	EPA-200.7
8/8/2012 10:50	Mn		28.69	ug/L	EPA-200.7
8/15/2012 10:15	Mn		36.785	ug/L	EPA-200.7
8/22/2012 10:22	Mn		18.34	ug/L	EPA-200.7
7/25/2012 10:23	Mo		6.15	ug/L	EPA-200.7
8/1/2012 10:25	Mo		5.75	ug/L	EPA-200.7
8/8/2012 10:50	Mo		7.17	ug/L	EPA-200.7
8/15/2012 10:15	Mo		4.275	ug/L	EPA-200.7
8/22/2012 10:22	Mo		5.18	ug/L	EPA-200.7
7/25/2012 10:23	Na		78150	ug/L	EPA-200.7
8/1/2012 10:25	Na		71610	ug/L	EPA-200.7
8/8/2012 10:50	Na		81600	ug/L	EPA-200.7
8/15/2012 10:15	Na		68280	ug/L	EPA-200.7
8/22/2012 10:22	Na		80570	ug/L	EPA-200.7
7/25/2012 10:23	NH3		0.148	mg/L	EPA-350.1
8/1/2012 10:25	NH3		0.06	mg/L	EPA-350.1
8/8/2012 10:50	NH3		0.074	mg/L	EPA-350.1
8/15/2012 10:15	NH3		0.028	mg/L	EPA-350.1
8/22/2012 10:22	NH3		0.044	mg/L	EPA-350.1
7/25/2012 10:23	Ni		3.33	ug/L	EPA-200.7
8/1/2012 10:25	Ni		2.62	ug/L	EPA-200.7
8/8/2012 10:50	Ni		4.18	ug/L	EPA-200.7
8/15/2012 10:15	Ni		2.705	ug/L	EPA-200.7
8/22/2012 10:22	Ni		3.55	ug/L	EPA-200.7
7/25/2012 10:23	NO2		0.03	mg/L	SM 4500-NO2-B
8/1/2012 10:25	NO2	j	0.017	mg/L	SM 4500-NO2-B
8/8/2012 10:50	NO2		0.054	mg/L	SM 4500-NO2-B
8/15/2012 10:15	NO2		0.0215	mg/L	SM 4500-NO2-B
8/22/2012 10:22	NO2		0.038	mg/L	SM 4500-NO2-B
7/25/2012 10:23	NO3		3.207	mg/L	EPA 353.2
8/1/2012 10:25	NO3		2.316	mg/L	EPA 353.2
8/8/2012 10:50	NO3		6.812	mg/L	EPA 353.2
8/15/2012 10:15	NO3		2.9305	mg/L	EPA 353.2
8/22/2012 10:22	NO3		6.551	mg/L	EPA 353.2
7/25/2012 10:23	NO3+NO2		3.237	mg/L	EPA 353.2
8/1/2012 10:25	NO3+NO2		2.333	mg/L	EPA 353.2
8/8/2012 10:50	NO3+NO2		6.866	mg/L	EPA 353.2
8/15/2012 10:15	NO3+NO2		2.952	mg/L	EPA 353.2
8/22/2012 10:22	NO3+NO2		6.589	mg/L	EPA 353.2

Rocky River
River Mile 10.50

Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 10:23	Pb	<	0.39	ug/L	EPA-200.7
8/1/2012 10:25	Pb	<	0.39	ug/L	EPA-200.7
8/8/2012 10:50	Pb	<	0.39	ug/L	EPA-200.7
8/15/2012 10:15	Pb	<	0.39	ug/L	EPA-200.7
8/22/2012 10:22	Pb	<	0.39	ug/L	EPA-200.7
7/25/2012 10:23	pH		8.04	S.U.	
8/1/2012 10:25	pH		8	S.U.	
8/8/2012 10:50	pH		8.05	S.U.	
8/15/2012 10:15	pH		7.97	S.U.	
8/22/2012 10:22	pH		8.07	S.U.	
7/25/2012 10:23	Sb	<	0.61	ug/L	EPA-200.7
8/1/2012 10:25	Sb	<	0.61	ug/L	EPA-200.7
8/8/2012 10:50	Sb	<	0.61	ug/L	EPA-200.7
8/15/2012 10:15	Sb	<	0.625	ug/L	EPA-200.7
8/22/2012 10:22	Sb	<	0.61	ug/L	EPA-200.7
7/25/2012 10:23	Se	<	0.63	ug/L	EPA-200.7
8/1/2012 10:25	Se	<	0.63	ug/L	EPA-200.7
8/8/2012 10:50	Se	<	0.63	ug/L	EPA-200.7
8/15/2012 10:15	Se	j	0.675	ug/L	EPA-200.7
8/22/2012 10:22	Se	<	0.63	ug/L	EPA-200.7
7/25/2012 10:23	Sn	<	18.4	ug/L	EPA-200.7
8/1/2012 10:25	Sn	j	13.99	ug/L	EPA-200.7
8/8/2012 10:50	Sn	<	3	ug/L	EPA-200.7
8/15/2012 10:15	Sn	<	18.4	ug/L	EPA-200.7
8/22/2012 10:22	Sn	j	21.96	ug/L	EPA-200.7
7/25/2012 10:23	SO4		91.94	mg/L	EPA 300.0
8/1/2012 10:25	SO4		65.49	mg/L	EPA 300.0
8/8/2012 10:50	SO4		89	mg/L	EPA 300.0
8/15/2012 10:15	SO4		68.595	mg/L	EPA 300.0
8/22/2012 10:22	SO4		80.74	mg/L	EPA 300.0
7/25/2012 10:23	TDS		518	mg/L	SM2540C
8/1/2012 10:25	TDS		458	mg/L	SM2540C
8/8/2012 10:50	TDS		516	mg/L	SM2540C
8/15/2012 10:15	TDS		423	mg/L	SM2540C
8/22/2012 10:22	TDS		498	mg/L	SM2540C
7/25/2012 10:23	Ti	j	0.83	ug/L	EPA-200.7
8/1/2012 10:25	Ti	j	1.26	ug/L	EPA-200.7
8/8/2012 10:50	Ti	j	1.48	ug/L	EPA-200.7

Rocky River River Mile 10.50					
Sample Date	Parameter	Code	Result	Units	Method
8/15/2012 10:15	Ti		2.125	ug/L	EPA-200.7
8/22/2012 10:22	Ti	j	0.88	ug/L	EPA-200.7
7/25/2012 10:23	TI	<	1.11	ug/L	EPA-200.7
8/1/2012 10:25	TI	j	1.43	ug/L	EPA-200.7
8/8/2012 10:50	TI	j	2.23	ug/L	EPA-200.7
8/15/2012 10:15	TI	j	1.12	ug/L	EPA-200.7
8/22/2012 10:22	TI	j	1.16	ug/L	EPA-200.7
7/25/2012 10:23	TMET		16.4	ug/L	EPA-200.7
8/1/2012 10:25	TMET		15.4	ug/L	EPA-200.7
8/8/2012 10:50	TMET		22.1	ug/L	EPA-200.7
8/15/2012 10:15	TMET		15.95	ug/L	EPA-200.7
8/22/2012 10:22	TMET		18.1	ug/L	EPA-200.7
7/25/2012 10:23	Total-P		0.118	mg/L	EPA 365.1
8/1/2012 10:25	Total-P		0.124	mg/L	EPA 365.1
8/8/2012 10:50	Total-P		0.247	mg/L	EPA 365.1
8/15/2012 10:15	Total-P		0.1045	mg/L	EPA 365.1
8/22/2012 10:22	Total-P		0.188	mg/L	EPA 365.1
7/25/2012 10:23	TS		580	mg/L	SM2540B
8/1/2012 10:25	TS		486	mg/L	SM2540B
8/8/2012 10:50	TS		610	mg/L	SM2540B
8/15/2012 10:15	TS		460	mg/L	SM2540B
8/22/2012 10:22	TS		554	mg/L	SM2540B
7/25/2012 10:23	TSS		4.8	mg/L	SM2540D
8/1/2012 10:25	TSS		7.3	mg/L	SM2540D
8/8/2012 10:50	TSS		5.2	mg/L	SM2540D
8/15/2012 10:15	TSS		11.1	mg/L	SM2540D
8/22/2012 10:22	TSS		2.5	mg/L	SM2540D
7/25/2012 10:23	Turbidity		4.72	NTU	EPA 180.1
8/1/2012 10:25	Turbidity		7.01	NTU	EPA 180.1
8/8/2012 10:50	Turbidity		4.65	NTU	EPA 180.1
8/15/2012 10:15	Turbidity		11.9	NTU	EPA 180.1
8/22/2012 10:22	Turbidity		3.99	NTU	EPA 180.1
7/25/2012 10:23	V	j	0.16	ug/L	EPA-200.7
8/1/2012 10:25	V	j	0.17	ug/L	EPA-200.7
8/8/2012 10:50	V	<	0.15	ug/L	EPA-200.7
8/15/2012 10:15	V	j	0.515	ug/L	EPA-200.7
8/22/2012 10:22	V	<	0.15	ug/L	EPA-200.7
7/25/2012 10:23	Zn	j	8.33	ug/L	EPA-200.7

Rocky River					
River Mile 10.50					
Sample Date	Parameter	Code	Result	Units	Method
8/1/2012 10:25	Zn	j	7.79	ug/L	EPA-200.7
8/8/2012 10:50	Zn		12.36	ug/L	EPA-200.7
8/22/2012 10:22	Zn	j	9.48	ug/L	EPA-200.7

Rocky River
River Mile 10.20

Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 10:16	Ag	<	0.12	ug/L	EPA-200.7
8/1/2012 10:55	Ag	<	0.12	ug/L	EPA-200.7
8/8/2012 11:15	Ag	<	0.12	ug/L	EPA-200.7
8/15/2012 10:30	Ag	<	0.12	ug/L	EPA-200.7
8/22/2012 10:55	Ag	<	0.12	ug/L	EPA-200.7
7/25/2012 10:16	Al		126.2	ug/L	EPA-200.7
8/1/2012 10:55	Al		204.1	ug/L	EPA-200.7
8/8/2012 11:15	Al		145	ug/L	EPA-200.7
8/15/2012 10:30	Al		167.9	ug/L	EPA-200.7
8/22/2012 10:55	Al		59.08	ug/L	EPA-200.7
7/25/2012 10:16	Alkalinity		118.7	mg/LCaCO3	EPA-310.2
8/1/2012 10:55	Alkalinity		108.6	mg/LCaCO3	EPA-310.2
8/8/2012 11:15	Alkalinity		111.3	mg/LCaCO3	EPA-310.2
8/15/2012 10:30	Alkalinity		100.2	mg/LCaCO3	EPA-310.2
8/22/2012 10:55	Alkalinity		115.9	mg/LCaCO3	EPA-310.2
7/25/2012 10:16	As	<	0.31	ug/L	EPA-200.7
8/1/2012 10:55	As	<	0.31	ug/L	EPA-200.7
8/8/2012 11:15	As	<	0.31	ug/L	EPA-200.7
8/15/2012 10:30	As	<	0.31	ug/L	EPA-200.7
8/22/2012 10:55	As	<	0.31	ug/L	EPA-200.7
7/25/2012 10:16	Ba		31.21	ug/L	EPA-200.7
8/1/2012 10:55	Ba		28.46	ug/L	EPA-200.7
8/8/2012 11:15	Ba		33.9	ug/L	EPA-200.7
8/15/2012 10:30	Ba		25.82	ug/L	EPA-200.7
8/22/2012 10:55	Ba		27.26	ug/L	EPA-200.7
7/25/2012 10:16	Be	<	0.12	ug/L	EPA-200.7
8/1/2012 10:55	Be	<	0.12	ug/L	EPA-200.7
8/8/2012 11:15	Be	<	0.12	ug/L	EPA-200.7
8/15/2012 10:30	Be	<	0.12	ug/L	EPA-200.7
8/22/2012 10:55	Be	<	0.12	ug/L	EPA-200.7
7/25/2012 10:16	BOD		3.9	mg/L	SM 5210
8/1/2012 10:55	BOD	<	2	mg/L	SM 5210
8/8/2012 11:15	BOD		3	mg/L	SM 5210
8/15/2012 10:30	BOD	<	2	mg/L	SM 5210
8/22/2012 10:55	BOD	<	2	mg/L	SM 5210
7/25/2012 10:16	Ca		56480	ug/L	EPA-200.7
8/1/2012 10:55	Ca		53800	ug/L	EPA-200.7
8/8/2012 11:15	Ca		55620	ug/L	EPA-200.7

Rocky River River Mile 10.20					
Sample Date	Parameter	Code	Result	Units	Method
8/15/2012 10:30	Ca		44750	ug/L	EPA-200.7
8/22/2012 10:55	Ca		50040	ug/L	EPA-200.7
7/25/2012 10:16	CaCO3		216	mg/LCaCO3	EPA-200.7
8/1/2012 10:55	CaCO3		194	mg/LCaCO3	EPA-200.7
8/8/2012 11:15	CaCO3		214	mg/LCaCO3	EPA-200.7
8/15/2012 10:30	CaCO3		166	mg/LCaCO3	EPA-200.7
8/22/2012 10:55	CaCO3		196	mg/LCaCO3	EPA-200.7
7/25/2012 10:16	Cd	j	0.05	ug/L	EPA-200.7
8/1/2012 10:55	Cd	j	0.06	ug/L	EPA-200.7
8/8/2012 11:15	Cd	j	0.11	ug/L	EPA-200.7
8/15/2012 10:30	Cd	<	0.02	ug/L	EPA-200.7
8/22/2012 10:55	Cd	j	0.07	ug/L	EPA-200.7
7/25/2012 10:16	Chloride		133	mg/L	EPA 300.0
8/1/2012 10:55	Chloride		111.7	mg/L	EPA 300.0
8/8/2012 11:15	Chloride		146.3	mg/L	EPA 300.0
8/15/2012 10:30	Chloride		111.3	mg/L	EPA 300.0
8/22/2012 10:55	Chloride		140.2	mg/L	EPA 300.0
7/25/2012 10:16	Co	j	0.84	ug/L	EPA-200.7
8/1/2012 10:55	Co	j	0.815	ug/L	EPA-200.7
8/8/2012 11:15	Co	j	0.97	ug/L	EPA-200.7
8/15/2012 10:30	Co	j	0.53	ug/L	EPA-200.7
8/22/2012 10:55	Co	j	0.68	ug/L	EPA-200.7
7/25/2012 10:16	COD		19.2	mg/L	EPA 410.4
8/1/2012 10:55	COD		16.1	mg/L	EPA 410.4
8/8/2012 11:15	COD		20.1	mg/L	EPA 410.4
8/15/2012 10:30	COD		11.6	mg/L	EPA 410.4
8/22/2012 10:55	COD		26.5	mg/L	EPA 410.4
7/25/2012 10:16	Cu		5.48	ug/L	EPA-200.7
8/1/2012 10:55	Cu		5.38	ug/L	EPA-200.7
8/8/2012 11:15	Cu		6.13	ug/L	EPA-200.7
8/15/2012 10:30	Cu		3.68	ug/L	EPA-200.7
8/22/2012 10:55	Cu		5.87	ug/L	EPA-200.7
7/25/2012 10:16	DRPhos		0.107	mg/L	EPA 365.1
8/1/2012 10:55	DRPhos		0.1	mg/L	EPA 365.1
8/8/2012 11:15	DRPhos		0.203	mg/L	EPA 365.1
8/15/2012 10:30	DRPhos		0.05	mg/L	EPA 365.1
8/22/2012 10:55	DRPhos		0.3	mg/L	EPA 365.1
7/25/2012 10:16	E. coli		135	cfu/100mL	EPA 1603

Rocky River River Mile 10.20					
Sample Date	Parameter	Code	Result	Units	Method
8/1/2012 10:55	E. coli	EC	391	cfu/100mL	EPA 1603
8/8/2012 11:15	E. coli		170	cfu/100mL	EPA 1603
8/15/2012 10:30	E. coli		733	cfu/100mL	EPA 1603
8/22/2012 10:55	E. coli		255	cfu/100mL	EPA 1603
7/25/2012 10:16	Fe		312.6	ug/L	EPA-200.7
8/1/2012 10:55	Fe		483.9	ug/L	EPA-200.7
8/8/2012 11:15	Fe		347.9	ug/L	EPA-200.7
8/15/2012 10:30	Fe		420.8	ug/L	EPA-200.7
8/22/2012 10:55	Fe		140.9	ug/L	EPA-200.7
7/25/2012 10:16	Field Cond		881	uS/cm	SM 2510A
8/1/2012 10:55	Field Cond		769	uS/cm	SM 2510A
8/8/2012 11:15	Field Cond		979	uS/cm	SM 2510A
8/15/2012 10:30	Field Cond		704	uS/cm	SM 2510A
8/22/2012 10:55	Field Cond		799	uS/cm	SM 2510A
7/25/2012 10:16	Field DO		10.23	mg/L	SM 4500-0 G
8/1/2012 10:55	Field DO		10.76	mg/L	SM 4500-0 G
8/8/2012 11:15	Field DO		12.36	mg/L	SM 4500-0 G
8/15/2012 10:30	Field DO		10.92	mg/L	SM 4500-0 G
8/22/2012 10:55	Field DO		11.71	mg/L	SM 4500-0 G
7/25/2012 10:16	Field Temp		22.1	C	EPA 170.1
8/1/2012 10:55	Field Temp		23.9	C	EPA 170.1
8/8/2012 11:15	Field Temp		23.2	C	EPA 170.1
8/15/2012 10:30	Field Temp		19.5	C	EPA 170.1
8/22/2012 10:55	Field Temp		19.5	C	EPA 170.1
7/25/2012 10:16	Hg	<	0.005	ug/L	EPA 245.1
8/1/2012 10:55	Hg	<	0.005	ug/L	EPA 245.1
8/8/2012 11:15	Hg	j	0.009	ug/L	EPA 245.1
8/15/2012 10:30	Hg	<	0.005	ug/L	EPA 245.1
8/22/2012 10:55	Hg	<	0.005	ug/L	EPA 245.1
7/25/2012 10:16	K		8912	ug/L	EPA-200.7
8/1/2012 10:55	K		7389	ug/L	EPA-200.7
8/8/2012 11:15	K		11020	ug/L	EPA-200.7
8/15/2012 10:30	K		5836	ug/L	EPA-200.7
8/22/2012 10:55	K		9173	ug/L	EPA-200.7
7/25/2012 10:16	Mg		18240	ug/L	EPA-200.7
8/1/2012 10:55	Mg		14450	ug/L	EPA-200.7
8/8/2012 11:15	Mg		18240	ug/L	EPA-200.7
8/15/2012 10:30	Mg		13170	ug/L	EPA-200.7
8/22/2012 10:55	Mg		17220	ug/L	EPA-200.7

Rocky River					
River Mile 10.20					
Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 10:16	Mn		50.37	ug/L	EPA-200.7
8/1/2012 10:55	Mn		46.08	ug/L	EPA-200.7
8/8/2012 11:15	Mn		33.97	ug/L	EPA-200.7
8/15/2012 10:30	Mn		33.28	ug/L	EPA-200.7
8/22/2012 10:55	Mn		15.06	ug/L	EPA-200.7
7/25/2012 10:16	Mo		6.1	ug/L	EPA-200.7
8/1/2012 10:55	Mo		5.41	ug/L	EPA-200.7
8/8/2012 11:15	Mo		6.88	ug/L	EPA-200.7
8/15/2012 10:30	Mo		4.21	ug/L	EPA-200.7
8/22/2012 10:55	Mo		4.86	ug/L	EPA-200.7
7/25/2012 10:16	Na		83100	ug/L	EPA-200.7
8/1/2012 10:55	Na		74850	ug/L	EPA-200.7
8/8/2012 11:15	Na		83800	ug/L	EPA-200.7
8/15/2012 10:30	Na		69810	ug/L	EPA-200.7
8/22/2012 10:55	Na		81870	ug/L	EPA-200.7
7/25/2012 10:16	NH3		0.146	mg/L	EPA-350.1
8/1/2012 10:55	NH3		0.051	mg/L	EPA-350.1
8/8/2012 11:15	NH3		0.058	mg/L	EPA-350.1
8/15/2012 10:30	NH3		0.022	mg/L	EPA-350.1
8/22/2012 10:55	NH3		0.064	mg/L	EPA-350.1
7/25/2012 10:16	Ni		3.58	ug/L	EPA-200.7
8/1/2012 10:55	Ni		2.85	ug/L	EPA-200.7
8/8/2012 11:15	Ni		4.1	ug/L	EPA-200.7
8/15/2012 10:30	Ni		2.56	ug/L	EPA-200.7
8/22/2012 10:55	Ni		3.32	ug/L	EPA-200.7
7/25/2012 10:16	NO2		0.04	mg/L	SM 4500-NO2-B
8/1/2012 10:55	NO2		0.022	mg/L	SM 4500-NO2-B
8/8/2012 11:15	NO2		0.055	mg/L	SM 4500-NO2-B
8/15/2012 10:30	NO2	j	0.018	mg/L	SM 4500-NO2-B
8/22/2012 10:55	NO2		0.046	mg/L	SM 4500-NO2-B
7/25/2012 10:16	NO3		3.38	mg/L	EPA 353.2
8/1/2012 10:55	NO3		3.242	mg/L	EPA 353.2
8/8/2012 11:15	NO3		6.89	mg/L	EPA 353.2
8/15/2012 10:30	NO3		3.01	mg/L	EPA 353.2
8/22/2012 10:55	NO3		6.879	mg/L	EPA 353.2
7/25/2012 10:16	NO3+NO2		3.42	mg/L	EPA 353.2
8/1/2012 10:55	NO3+NO2		3.264	mg/L	EPA 353.2
8/8/2012 11:15	NO3+NO2		6.945	mg/L	EPA 353.2

Rocky River River Mile 10.20					
Sample Date	Parameter	Code	Result	Units	Method
8/15/2012 10:30	NO3+NO2		3.029	mg/L	EPA 353.2
8/22/2012 10:55	NO3+NO2		6.925	mg/L	EPA 353.2
7/25/2012 10:16	Pb	<	0.39	ug/L	EPA-200.7
8/1/2012 10:55	Pb	<	0.39	ug/L	EPA-200.7
8/8/2012 11:15	Pb	<	0.39	ug/L	EPA-200.7
8/15/2012 10:30	Pb	<	0.39	ug/L	EPA-200.7
8/22/2012 10:55	Pb	<	0.39	ug/L	EPA-200.7
7/25/2012 10:16	pH		8.13	S.U.	
8/1/2012 10:55	pH		8.22	S.U.	
8/8/2012 11:15	pH		8.35	S.U.	
8/15/2012 10:30	pH		8.11	S.U.	
8/22/2012 10:55	pH		8.39	S.U.	
7/25/2012 10:16	Sb	<	0.61	ug/L	EPA-200.7
8/1/2012 10:55	Sb	<	0.61	ug/L	EPA-200.7
8/8/2012 11:15	Sb	<	0.61	ug/L	EPA-200.7
8/15/2012 10:30	Sb	<	0.61	ug/L	EPA-200.7
8/22/2012 10:55	Sb	<	0.61	ug/L	EPA-200.7
7/25/2012 10:16	Se	<	0.63	ug/L	EPA-200.7
8/1/2012 10:55	Se	<	0.63	ug/L	EPA-200.7
8/8/2012 11:15	Se	<	0.63	ug/L	EPA-200.7
8/15/2012 10:30	Se	<	0.63	ug/L	EPA-200.7
8/22/2012 10:55	Se	<	0.63	ug/L	EPA-200.7
7/25/2012 10:16	Sn	<	18.4	ug/L	EPA-200.7
8/1/2012 10:55	Sn	<	18.4	ug/L	EPA-200.7
8/8/2012 11:15	Sn	<	18.4	ug/L	EPA-200.7
8/15/2012 10:30	Sn	<	18.4	ug/L	EPA-200.7
8/22/2012 10:55	Sn	<	18.4	ug/L	EPA-200.7
7/25/2012 10:16	SO4		91.4	mg/L	EPA 300.0
8/1/2012 10:55	SO4		65.45	mg/L	EPA 300.0
8/8/2012 11:15	SO4		88.67	mg/L	EPA 300.0
8/15/2012 10:30	SO4		68.9	mg/L	EPA 300.0
8/22/2012 10:55	SO4		79.15	mg/L	EPA 300.0
7/25/2012 10:16	TDS		524	mg/L	SM2540C
8/1/2012 10:55	TDS		474	mg/L	SM2540C
8/8/2012 11:15	TDS		524	mg/L	SM2540C
8/15/2012 10:30	TDS		430	mg/L	SM2540C
8/22/2012 10:55	TDS		514	mg/L	SM2540C
7/25/2012 10:16	Ti	j	1.39	ug/L	EPA-200.7

Rocky River River Mile 10.20					
Sample Date	Parameter	Code	Result	Units	Method
8/1/2012 10:55	Ti		2.79	ug/L	EPA-200.7
8/8/2012 11:15	Ti	j	1.84	ug/L	EPA-200.7
8/15/2012 10:30	Ti	j	1.97	ug/L	EPA-200.7
8/22/2012 10:55	Ti	j	0.79	ug/L	EPA-200.7
7/25/2012 10:16	TI	<	1.11	ug/L	EPA-200.7
8/1/2012 10:55	TI	<	1.11	ug/L	EPA-200.7
8/8/2012 11:15	TI	j	1.4	ug/L	EPA-200.7
8/15/2012 10:30	TI	<	1.11	ug/L	EPA-200.7
8/22/2012 10:55	TI	j	1.48	ug/L	EPA-200.7
7/25/2012 10:16	TMET		21.2	ug/L	EPA-200.7
8/1/2012 10:55	TMET		19.6	ug/L	EPA-200.7
8/8/2012 11:15	TMET		25	ug/L	EPA-200.7
8/15/2012 10:30	TMET		14.9	ug/L	EPA-200.7
8/22/2012 10:55	TMET		20.6	ug/L	EPA-200.7
7/25/2012 10:16	Total-P		0.18	mg/L	EPA 365.1
8/1/2012 10:55	Total-P		0.166	mg/L	EPA 365.1
8/8/2012 11:15	Total-P		0.305	mg/L	EPA 365.1
8/15/2012 10:30	Total-P		0.134	mg/L	EPA 365.1
8/22/2012 10:55	Total-P		0.348	mg/L	EPA 365.1
7/25/2012 10:16	TS		593	mg/L	SM2540B
8/1/2012 10:55	TS		526	mg/L	SM2540B
8/8/2012 11:15	TS		631	mg/L	SM2540B
8/15/2012 10:30	TS		468	mg/L	SM2540B
8/22/2012 10:55	TS		572	mg/L	SM2540B
7/25/2012 10:16	TSS		23.6	mg/L	SM2540D
8/1/2012 10:55	TSS		13.4	mg/L	SM2540D
8/8/2012 11:15	TSS		6.8	mg/L	SM2540D
8/15/2012 10:30	TSS		11	mg/L	SM2540D
8/22/2012 10:55	TSS		4.2	mg/L	SM2540D
7/25/2012 10:16	Turbidity		4.32	NTU	EPA 180.1
8/1/2012 10:55	Turbidity		8.72	NTU	EPA 180.1
8/8/2012 11:15	Turbidity		3.61	NTU	EPA 180.1
8/15/2012 10:30	Turbidity		10.9	NTU	EPA 180.1
8/22/2012 10:55	Turbidity		4.17	NTU	EPA 180.1
7/25/2012 10:16	V	j	0.18	ug/L	EPA-200.7
8/1/2012 10:55	V	j	0.395	ug/L	EPA-200.7
8/8/2012 11:15	V	<	0.15	ug/L	EPA-200.7
8/15/2012 10:30	V	j	0.59	ug/L	EPA-200.7
8/22/2012 10:55	V	<	0.15	ug/L	EPA-200.7

Rocky River River Mile 10.20					
Sample Date	Parameter	Code	Result	Units	Method
7/25/2012 10:16	Zn		12.14	ug/L	EPA-200.7
8/1/2012 10:55	Zn		10.92	ug/L	EPA-200.7
8/8/2012 11:15	Zn		14.47	ug/L	EPA-200.7
8/15/2012 10:30	Zn	j	8.22	ug/L	EPA-200.7
8/22/2012 10:55	Zn		11.38	ug/L	EPA-200.7

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)

EC = Estimated count