

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 12:04	*CaCO3		144	mg/LCaCO3	EPA200.8
6/26/2019 11:25	*CaCO3		140	mg/LCaCO3	EPA200.8
7/2/2019 9:25	*CaCO3		163	mg/LCaCO3	EPA200.8
7/10/2019 11:20	*CaCO3		159	mg/LCaCO3	EPA200.8
7/17/2019 10:41	*CaCO3		129	mg/LCaCO3	EPA200.8
6/19/2019 12:04	Ag	<	0.142	ug/L	EPA200.8
6/26/2019 11:25	Ag	<	0.142	ug/L	EPA200.8
7/2/2019 9:25	Ag	<	0.142	ug/L	EPA200.8
7/10/2019 11:20	Ag	<	0.142	ug/L	EPA200.8
7/17/2019 10:41	Ag	<	0.059	ug/L	EPA200.8
7/17/2019 10:41	Al		3243	ug/L	EPA200.7
6/19/2019 12:04	Al		912.7	ug/L	EPA200.8
6/26/2019 11:25	Al		896.8	ug/L	EPA200.8
7/2/2019 9:25	Al		448.85	ug/L	EPA200.8
7/10/2019 11:20	Al		977.4	ug/L	EPA200.8
6/19/2019 12:04	Alkalinity		118	mg/LCaCO3	EPA310.2
6/26/2019 11:25	Alkalinity		118.8	mg/LCaCO3	EPA310.2
7/2/2019 9:25	Alkalinity		149.15	mg/LCaCO3	EPA310.2
7/10/2019 11:20	Alkalinity		128.1	mg/LCaCO3	EPA310.2
7/17/2019 10:41	Alkalinity		100.5	mg/LCaCO3	EPA310.2
6/19/2019 12:04	As	j	1.608	ug/L	EPA200.8
6/26/2019 11:25	As	j	1.612	ug/L	EPA200.8
7/2/2019 9:25	As	j	1.6885	ug/L	EPA200.8
7/10/2019 11:20	As	j	2.177	ug/L	EPA200.8
7/17/2019 10:41	As	j	3.892	ug/L	EPA200.8
6/19/2019 12:04	Ba		38.28	ug/L	EPA200.8
6/26/2019 11:25	Ba		39.32	ug/L	EPA200.8
7/2/2019 9:25	Ba		41.045	ug/L	EPA200.8
7/10/2019 11:20	Ba		43.84	ug/L	EPA200.8
7/17/2019 10:41	Ba		46.96	ug/L	EPA200.8
6/19/2019 12:04	Be	<	0.094	ug/L	EPA200.8
6/26/2019 11:25	Be	<	0.094	ug/L	EPA200.8
7/2/2019 9:25	Be	<	0.094	ug/L	EPA200.8
7/10/2019 11:20	Be	<	0.094	ug/L	EPA200.8
7/17/2019 10:41	Be	j	0.165	ug/L	EPA200.8
6/19/2019 12:04	BOD	<	2	mg/L	SM5210 B
6/26/2019 11:25	BOD	<	2	mg/L	SM5210 B
7/2/2019 9:25	BOD	<	2.05	mg/L	SM5210 B

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 11:20	BOD	<	2	mg/L	SM5210 B
7/17/2019 10:41	BOD		4.8	mg/L	SM5210 B
6/19/2019 12:04	Ca		42340	ug/L	EPA200.8
6/26/2019 11:25	Ca		41540	ug/L	EPA200.8
7/10/2019 11:20	Ca		46190	ug/L	EPA200.8
7/17/2019 10:41	Ca		37360	ug/L	EPA200.8
6/19/2019 12:04	Cd	<	0.086	ug/L	EPA200.8
6/26/2019 11:25	Cd	<	0.086	ug/L	EPA200.8
7/2/2019 9:25	Cd	<	0.086	ug/L	EPA200.8
7/10/2019 11:20	Cd	<	0.086	ug/L	EPA200.8
7/17/2019 10:41	Cd	<	0.079	ug/L	EPA200.8
6/19/2019 12:04	Co	j	0.929	ug/L	EPA200.8
6/26/2019 11:25	Co	j	0.993	ug/L	EPA200.8
7/2/2019 9:25	Co	j	0.667	ug/L	EPA200.8
7/10/2019 11:20	Co		1.03	ug/L	EPA200.8
7/17/2019 10:41	Co		2.226	ug/L	EPA200.8
6/19/2019 12:04	COD		22.1	mg/L	EPA410.4
7/2/2019 9:25	COD		27.25	mg/L	EPA410.4
7/10/2019 11:20	COD		33.6	mg/L	EPA410.4
7/17/2019 10:41	COD		30.7	mg/L	EPA410.4
6/19/2019 12:04	Cr	j	1.194	ug/L	EPA200.8
6/26/2019 11:25	Cr	j	1.206	ug/L	EPA200.8
7/2/2019 9:25	Cr	j	0.7845	ug/L	EPA200.8
7/10/2019 11:20	Cr	j	1.515	ug/L	EPA200.8
7/17/2019 10:41	Cr	j	3.888	ug/L	EPA200.8
6/19/2019 12:04	Cu		4.381	ug/L	EPA200.8
6/26/2019 11:25	Cu		4.047	ug/L	EPA200.8
7/2/2019 9:25	Cu		2.989	ug/L	EPA200.8
7/10/2019 11:20	Cu		4.01	ug/L	EPA200.8
7/17/2019 10:41	Cu		7.356	ug/L	EPA200.8
6/19/2019 12:04	DRPhos		0.037	mg/L	EPA365.1
6/26/2019 11:25	DRPhos		0.032	mg/L	EPA365.1
7/2/2019 9:25	DRPhos		0.0245	mg/L	EPA365.1
7/10/2019 11:20	DRPhos		0.061	mg/L	EPA365.1
7/17/2019 10:41	DRPhos		0.033	mg/L	EPA365.1
6/19/2019 12:04	E. coli		139	MPN/100 mL	SM9223 Colilert
6/26/2019 11:25	E. coli		458	MPN/100 mL	SM9223 Colilert
7/2/2019 9:25	E. coli		286	MPN/100 mL	SM9223 Colilert

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 11:20	E. coli		464	MPN/100 mL	SM9223 Colilert
7/17/2019 10:41	E. coli		8880	MPN/100 mL	SM9223 Colilert
6/19/2019 12:04	Fe		1744	ug/L	EPA200.8
6/26/2019 11:25	Fe		1750	ug/L	EPA200.8
7/2/2019 9:25	Fe		1144	ug/L	EPA200.8
7/10/2019 11:20	Fe		2080	ug/L	EPA200.8
7/17/2019 10:41	Fe		4186	ug/L	EPA200.8
6/19/2019 12:04	Field Cond		378	umhos/cm	SM 2510A
6/26/2019 11:25	Field Cond		415	umhos/cm	SM 2510A
7/2/2019 9:25	Field Cond		530	umhos/cm	SM 2510A
7/10/2019 11:20	Field Cond		520	umhos/cm	SM 2510A
7/17/2019 10:41	Field Cond		451	umhos/cm	SM 2510A
6/19/2019 12:04	Field Spec Cond		431	umhos/cm	SM 2510B
6/26/2019 11:25	Field Spec Cond		448	umhos/cm	SM 2510B
7/2/2019 9:25	Field Spec Cond		691	umhos/cm	SM 2510B
7/10/2019 11:20	Field Spec Cond		538	umhos/cm	SM 2510B
7/17/2019 10:41	Field Spec Cond		465	umhos/cm	SM 2510B
6/19/2019 12:04	Field DO		8.3	mg/L	SM 4500-0 G
6/26/2019 11:25	Field DO		7.8	mg/L	SM 4500-0 G
7/2/2019 9:25	Field DO		7	mg/L	SM 4500-0 G
7/10/2019 11:20	Field DO		7.5	mg/L	SM 4500-0 G
7/17/2019 10:41	Field DO		7.5	mg/L	SM 4500-0 G
6/19/2019 12:04	Field DO		89	%	
6/26/2019 11:25	Field DO		88	%	
7/2/2019 9:25	Field DO		84	%	
7/10/2019 11:20	Field DO		88	%	
7/17/2019 10:41	Field DO		88	%	
6/19/2019 12:04	Field Temp		18.6	C	EPA 170.1
6/26/2019 11:25	Field Temp		21.2	C	EPA 170.1
7/2/2019 9:25	Field Temp		23.7	C	EPA 170.1
7/10/2019 11:20	Field Temp		23.2	C	EPA 170.1
7/17/2019 10:41	Field Temp		23.4	C	EPA 170.1
6/19/2019 12:04	Hg	<	0.019	ug/L	EPA245.1
6/26/2019 11:25	Hg	<	0.019	ug/L	EPA245.1
7/2/2019 9:25	Hg	<	0.022	ug/L	EPA245.1
7/10/2019 11:20	Hg	<	0.022	ug/L	EPA245.1
7/17/2019 10:41	Hg	<	0.022	ug/L	EPA245.1
6/19/2019 12:04	K		3201	ug/L	EPA200.8

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 11:25	K		3110	ug/L	EPA200.8
7/2/2019 9:25	K		3558	ug/L	EPA200.8
7/10/2019 11:20	K		3734	ug/L	EPA200.8
7/17/2019 10:41	K		4046	ug/L	EPA200.8
6/19/2019 12:04	Mg		9418	ug/L	EPA200.8
6/26/2019 11:25	Mg		8743	ug/L	EPA200.8
7/2/2019 9:25	Mg		10805	ug/L	EPA200.8
7/10/2019 11:20	Mg		10720	ug/L	EPA200.8
7/17/2019 10:41	Mg		8730	ug/L	EPA200.8
6/19/2019 12:04	Mn		85.69	ug/L	EPA200.8
6/26/2019 11:25	Mn		83.21	ug/L	EPA200.8
7/2/2019 9:25	Mn		70.715	ug/L	EPA200.8
7/10/2019 11:20	Mn		91.28	ug/L	EPA200.8
7/17/2019 10:41	Mn		149.8	ug/L	EPA200.8
6/19/2019 12:04	Mo		1.756	ug/L	EPA200.8
6/26/2019 11:25	Mo		2.041	ug/L	EPA200.8
7/2/2019 9:25	Mo		3.255	ug/L	EPA200.8
7/10/2019 11:20	Mo		3.369	ug/L	EPA200.8
7/17/2019 10:41	Mo		3.179	ug/L	EPA200.8
6/19/2019 12:04	Na		30000	ug/L	EPA200.8
6/26/2019 11:25	Na		25760	ug/L	EPA200.8
7/2/2019 9:25	Na		32810	ug/L	EPA200.8
7/10/2019 11:20	Na		32250	ug/L	EPA200.8
7/17/2019 10:41	Na		30320	ug/L	EPA200.8
6/19/2019 12:04	NH3		0.046	mg/L	EPA350.1
6/26/2019 11:25	NH3		0.039	mg/L	EPA350.1
7/2/2019 9:25	NH3	j	0.0135	mg/L	EPA350.1
7/10/2019 11:20	NH3	<	0.01	mg/L	EPA350.1
7/17/2019 10:41	NH3	j	0.028	mg/L	EPA350.1
6/19/2019 12:04	Ni	j	3.908	ug/L	EPA200.8
6/26/2019 11:25	Ni	j	3.93	ug/L	EPA200.8
7/2/2019 9:25	Ni	j	3.205	ug/L	EPA200.8
7/10/2019 11:20	Ni		4.138	ug/L	EPA200.8
7/17/2019 10:41	Ni		6.927	ug/L	EPA200.8
6/19/2019 12:04	NO3-NO2		1.141	mg/L	EPA353.2
6/26/2019 11:25	NO3-NO2		1.046	mg/L	EPA353.2
7/2/2019 9:25	NO3-NO2		1.927	mg/L	EPA353.2
7/10/2019 11:20	NO3-NO2		2.888	mg/L	EPA353.2
7/17/2019 10:41	NO3-NO2		1.718	mg/L	EPA353.2

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 12:04	Pb		1.388	ug/L	EPA200.8
6/26/2019 11:25	Pb		1.465	ug/L	EPA200.8
7/2/2019 9:25	Pb	j	0.8515	ug/L	EPA200.8
7/10/2019 11:20	Pb		1.422	ug/L	EPA200.8
7/17/2019 10:41	Pb		5.089	ug/L	EPA200.8
6/19/2019 12:04	pH		7.6	S.U.	
6/26/2019 11:25	pH		7.8	S.U.	
7/2/2019 9:25	pH		7.7	S.U.	
7/10/2019 11:20	pH		7.6	S.U.	
7/17/2019 10:41	pH		7.7	S.U.	
6/19/2019 12:04	Sb	<	0.944	ug/L	EPA200.8
6/26/2019 11:25	Sb	<	0.944	ug/L	EPA200.8
7/2/2019 9:25	Sb	<	0.944	ug/L	EPA200.8
7/10/2019 11:20	Sb	<	0.944	ug/L	EPA200.8
7/17/2019 10:41	Sb	<	0.377	ug/L	EPA200.8
6/19/2019 12:04	Se	<	0.808	ug/L	EPA200.8
6/26/2019 11:25	Se	<	0.808	ug/L	EPA200.8
7/2/2019 9:25	Se	<	0.808	ug/L	EPA200.8
7/10/2019 11:20	Se	<	0.808	ug/L	EPA200.8
7/17/2019 10:41	Se	<	0.571	ug/L	EPA200.8
6/19/2019 12:04	Sn	<	11.92	ug/L	EPA200.8
6/26/2019 11:25	Sn	<	11.92	ug/L	EPA200.8
7/2/2019 9:25	Sn	<	11.92	ug/L	EPA200.8
7/10/2019 11:20	Sn	<	11.92	ug/L	EPA200.8
7/17/2019 10:41	Sn		12.64	ug/L	EPA200.8
6/19/2019 12:04	Sr		204.819	ug/L	EPA200.8
6/26/2019 11:25	Sr		204.521	ug/L	EPA200.8
7/2/2019 9:25	Sr		256.956	ug/L	EPA200.8
7/10/2019 11:20	Sr		247.68	ug/L	EPA200.8
7/17/2019 10:41	Sr		214.3	ug/L	EPA200.8
6/19/2019 12:04	TDS		268	mg/L	SM2540 C
6/26/2019 11:25	TDS		292	mg/L	SM2540 C
7/2/2019 9:25	TDS		337	mg/L	SM2540 C
7/10/2019 11:20	TDS		342	mg/L	SM2540 C
7/17/2019 10:41	TDS		300	mg/L	SM2540 C
6/19/2019 12:04	Ti		11.74	ug/L	EPA200.8
6/26/2019 11:25	Ti		12.11	ug/L	EPA200.8
7/2/2019 9:25	Ti		7.142	ug/L	EPA200.8

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 11:20	Ti		13.76	ug/L	EPA200.8
7/17/2019 10:41	Ti		28.86	ug/L	EPA200.8
6/19/2019 12:04	TKN		0.731	mg/L	EPA351.2
6/26/2019 11:25	TKN		0.678	mg/L	EPA351.2
7/2/2019 9:25	TKN		0.5865	mg/L	EPA351.2
7/10/2019 11:20	TKN		0.83	mg/L	EPA351.2
7/17/2019 10:41	TKN		1.142	mg/L	EPA351.2
6/19/2019 12:04	TI	<	0.18	ug/L	EPA200.8
6/26/2019 11:25	TI	<	0.18	ug/L	EPA200.8
7/2/2019 9:25	TI	<	0.18	ug/L	EPA200.8
7/10/2019 11:20	TI	<	0.18	ug/L	EPA200.8
7/17/2019 10:41	TI	j	0.37	ug/L	EPA200.8
6/19/2019 12:04	TMET		17.7	ug/L	EPA200.8
6/26/2019 11:25	TMET		16.8	ug/L	EPA200.8
7/2/2019 9:25	TMET		12.95	ug/L	EPA200.8
7/10/2019 11:20	TMET		19	ug/L	EPA200.8
7/17/2019 10:41	TMET		42.6	ug/L	EPA200.8
6/19/2019 12:04	Total-P		0.097	mg/L	EPA365.1
6/26/2019 11:25	Total-P		0.101	mg/L	EPA365.1
7/2/2019 9:25	Total-P		0.076	mg/L	EPA365.1
7/10/2019 11:20	Total-P		0.124	mg/L	EPA365.1
7/17/2019 10:41	Total-P		0.166	mg/L	EPA365.1
6/19/2019 12:04	TS		354	mg/L	SM2540 B
6/26/2019 11:25	TS		324	mg/L	SM2540 B
7/10/2019 11:20	TS		428	mg/L	SM2540 B
7/17/2019 10:41	TS		518	mg/L	SM2540 B
6/19/2019 12:04	TSS		42.8	mg/L	SM2540 D
6/26/2019 11:25	TSS		51.2	mg/L	SM2540 D
7/10/2019 11:20	TSS		44.4	mg/L	SM2540 D
7/17/2019 10:41	TSS		131.5	mg/L	SM2540 D
6/19/2019 12:04	Turbidity		57.6	NTU	EPA180.1
6/26/2019 11:25	Turbidity		62.7	NTU	EPA180.1
7/2/2019 9:25	Turbidity		25.9	NTU	EPA180.1
7/10/2019 11:20	Turbidity		61.2	NTU	EPA180.1
7/17/2019 10:41	Turbidity		162.5	NTU	EPA180.1
6/19/2019 12:04	V	j	1.764	ug/L	EPA200.8
6/26/2019 11:25	V	j	1.833	ug/L	EPA200.8
7/2/2019 9:25	V	j	0.786	ug/L	EPA200.8

Rocky River East Branch

River Mile 17.50

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 11:20	V	j	1.607	ug/L	EPA200.8
7/17/2019 10:41	V	j	4.497	ug/L	EPA200.8
6/19/2019 12:04	Zn	j	8.236	ug/L	EPA200.8
6/26/2019 11:25	Zn	j	7.67	ug/L	EPA200.8
7/2/2019 9:25	Zn	j	5.937	ug/L	EPA200.8
7/10/2019 11:20	Zn	j	9.394	ug/L	EPA200.8
7/17/2019 10:41	Zn		24.41	ug/L	EPA200.8

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 11:12	*CaCO3		150	mg/LCaCO3	EPA200.8
6/26/2019 10:35	*CaCO3		138	mg/LCaCO3	EPA200.8
7/2/2019 10:30	*CaCO3		184	mg/LCaCO3	EPA200.8
7/10/2019 10:35	*CaCO3		174	mg/LCaCO3	EPA200.8
7/17/2019 10:10	*CaCO3		115	mg/LCaCO3	EPA200.8
6/19/2019 11:12	Ag	<	0.142	ug/L	EPA200.8
6/26/2019 10:35	Ag	<	0.142	ug/L	EPA200.8
7/2/2019 10:30	Ag	<	0.142	ug/L	EPA200.8
7/10/2019 10:35	Ag	<	0.142	ug/L	EPA200.8
7/17/2019 10:10	Ag	<	0.059	ug/L	EPA200.8
7/17/2019 10:10	Al		7035	ug/L	EPA200.7
6/19/2019 11:12	Al		753.4	ug/L	EPA200.8
6/26/2019 10:35	Al		787	ug/L	EPA200.8
7/2/2019 10:30	Al		712.4	ug/L	EPA200.8
7/10/2019 10:35	Al		498.9	ug/L	EPA200.8
6/19/2019 11:12	Alkalinity		129.4	mg/LCaCO3	EPA310.2
6/26/2019 10:35	Alkalinity		122.1	mg/LCaCO3	EPA310.2
7/2/2019 10:30	Alkalinity		145.2	mg/LCaCO3	EPA310.2
7/10/2019 10:35	Alkalinity		133.9	mg/LCaCO3	EPA310.2
7/17/2019 10:10	Alkalinity		80.8	mg/LCaCO3	EPA310.2
6/19/2019 11:12	As	j	1.587	ug/L	EPA200.8
6/26/2019 10:35	As	j	1.81	ug/L	EPA200.8
7/2/2019 10:30	As	j	2.015	ug/L	EPA200.8
7/10/2019 10:35	As	j	1.694	ug/L	EPA200.8
7/17/2019 10:10	As		5.746	ug/L	EPA200.8
6/19/2019 11:12	Ba		36.11	ug/L	EPA200.8
6/26/2019 10:35	Ba		35.61	ug/L	EPA200.8
7/2/2019 10:30	Ba		40.08	ug/L	EPA200.8
7/10/2019 10:35	Ba		37.34	ug/L	EPA200.8
7/17/2019 10:10	Ba		65.25	ug/L	EPA200.8
6/19/2019 11:12	Be	<	0.094	ug/L	EPA200.8
6/26/2019 10:35	Be	<	0.094	ug/L	EPA200.8
7/2/2019 10:30	Be	<	0.094	ug/L	EPA200.8
7/10/2019 10:35	Be	<	0.094	ug/L	EPA200.8
7/17/2019 10:10	Be	j	0.311	ug/L	EPA200.8
6/19/2019 11:12	BOD	<	2	mg/L	SM5210 B
6/26/2019 10:35	BOD	<	2	mg/L	SM5210 B
7/2/2019 10:30	BOD		2.2	mg/L	SM5210 B

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 10:35	BOD	<	2	mg/L	SM5210 B
7/17/2019 10:10	BOD		5	mg/L	SM5210 B
6/19/2019 11:12	Ca		43510	ug/L	EPA200.8
6/26/2019 10:35	Ca		39510	ug/L	EPA200.8
7/2/2019 10:30	Ca		56510	ug/L	EPA200.8
7/10/2019 10:35	Ca		49110	ug/L	EPA200.8
7/17/2019 10:10	Ca		32380	ug/L	EPA200.8
6/19/2019 11:12	Cd	<	0.086	ug/L	EPA200.8
6/26/2019 10:35	Cd	<	0.086	ug/L	EPA200.8
7/2/2019 10:30	Cd	<	0.086	ug/L	EPA200.8
7/10/2019 10:35	Cd	<	0.086	ug/L	EPA200.8
7/17/2019 10:10	Cd	j	0.154	ug/L	EPA200.8
6/19/2019 11:12	Co	j	0.903	ug/L	EPA200.8
6/26/2019 10:35	Co		1.045	ug/L	EPA200.8
7/2/2019 10:30	Co		1.119	ug/L	EPA200.8
7/10/2019 10:35	Co	j	0.724	ug/L	EPA200.8
7/17/2019 10:10	Co		5.482	ug/L	EPA200.8
6/19/2019 11:12	COD		28.2	mg/L	EPA410.4
7/2/2019 10:30	COD		32.7	mg/L	EPA410.4
7/10/2019 10:35	COD		21.3	mg/L	EPA410.4
7/17/2019 10:10	COD		46.2	mg/L	EPA410.4
6/19/2019 11:12	Cr	j	0.978	ug/L	EPA200.8
6/26/2019 10:35	Cr	j	1.287	ug/L	EPA200.8
7/2/2019 10:30	Cr	j	1.125	ug/L	EPA200.8
7/10/2019 10:35	Cr	j	0.888	ug/L	EPA200.8
7/17/2019 10:10	Cr		7.53	ug/L	EPA200.8
6/19/2019 11:12	Cu		4.67	ug/L	EPA200.8
6/26/2019 10:35	Cu		4.337	ug/L	EPA200.8
7/2/2019 10:30	Cu		4.644	ug/L	EPA200.8
7/10/2019 10:35	Cu		4.332	ug/L	EPA200.8
7/17/2019 10:10	Cu		14	ug/L	EPA200.8
6/19/2019 11:12	DRPhos		0.033	mg/L	EPA365.1
6/26/2019 10:35	DRPhos		0.031	mg/L	EPA365.1
7/2/2019 10:30	DRPhos		0.049	mg/L	EPA365.1
7/10/2019 10:35	DRPhos		0.054	mg/L	EPA365.1
7/17/2019 10:10	DRPhos		0.035	mg/L	EPA365.1
6/19/2019 11:12	E. coli		470	MPN/100 mL	SM9223 Colilert
6/26/2019 10:35	E. coli		794	MPN/100 mL	SM9223 Colilert

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
7/2/2019 10:30	E. coli		1130	MPN/100 mL	SM9223 Colilert
7/10/2019 10:35	E. coli		449	MPN/100 mL	SM9223 Colilert
7/17/2019 10:10	E. coli		19180	MPN/100 mL	SM9223 Colilert
6/19/2019 11:12	Fe		1567	ug/L	EPA200.8
6/26/2019 10:35	Fe		1854	ug/L	EPA200.8
7/2/2019 10:30	Fe		1807	ug/L	EPA200.8
7/10/2019 10:35	Fe		1197	ug/L	EPA200.8
7/17/2019 10:10	Fe		9017	ug/L	EPA200.8
6/19/2019 11:12	Field Cond		474	umhos/cm	SM 2510A
6/26/2019 10:35	Field Cond		454	umhos/cm	SM 2510A
7/2/2019 10:30	Field Cond		674	umhos/cm	SM 2510A
7/10/2019 10:35	Field Cond		638	umhos/cm	SM 2510A
7/17/2019 10:10	Field Cond		448	umhos/cm	SM 2510A
6/19/2019 11:12	Field Spec Cond		534	umhos/cm	SM 2510B
6/26/2019 10:35	Field Spec Cond		488	umhos/cm	SM 2510B
7/2/2019 10:30	Field Spec Cond		691	umhos/cm	SM 2510B
7/10/2019 10:35	Field Spec Cond		653	umhos/cm	SM 2510B
7/17/2019 10:10	Field Spec Cond		464	umhos/cm	SM 2510B
6/19/2019 11:12	Field DO		8.1	mg/L	SM 4500-0 G
6/26/2019 10:35	Field DO		7.9	mg/L	SM 4500-0 G
7/2/2019 10:30	Field DO		7	mg/L	SM 4500-0 G
7/10/2019 10:35	Field DO		6.8	mg/L	SM 4500-0 G
7/17/2019 10:10	Field DO		7.6	mg/L	SM 4500-0 G
6/19/2019 11:12	Field DO		87	%	
6/26/2019 10:35	Field DO		90	%	
7/2/2019 10:30	Field DO		84	%	
7/10/2019 10:35	Field DO		80	%	
7/17/2019 10:10	Field DO		89	%	
6/19/2019 11:12	Field Temp		18.8	C	EPA 170.1
6/26/2019 10:35	Field Temp		21.4	C	EPA 170.1
7/2/2019 10:30	Field Temp		23.7	C	EPA 170.1
7/10/2019 10:35	Field Temp		23.6	C	EPA 170.1
7/17/2019 10:10	Field Temp		23.2	C	EPA 170.1
6/19/2019 11:12	Hg	<	0.019	ug/L	EPA245.1
6/26/2019 10:35	Hg	<	0.019	ug/L	EPA245.1
7/2/2019 10:30	Hg	<	0.022	ug/L	EPA245.1
7/10/2019 10:35	Hg	<	0.022	ug/L	EPA245.1
7/17/2019 10:10	Hg	<	0.022	ug/L	EPA245.1

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 11:12	K		3336	ug/L	EPA200.8
6/26/2019 10:35	K		3264	ug/L	EPA200.8
7/2/2019 10:30	K		4964	ug/L	EPA200.8
7/10/2019 10:35	K		4532	ug/L	EPA200.8
7/17/2019 10:10	K		3833	ug/L	EPA200.8
6/19/2019 11:12	Mg		10090	ug/L	EPA200.8
6/26/2019 10:35	Mg		8517	ug/L	EPA200.8
7/2/2019 10:30	Mg		13130	ug/L	EPA200.8
7/10/2019 10:35	Mg		12320	ug/L	EPA200.8
7/17/2019 10:10	Mg		8271	ug/L	EPA200.8
6/19/2019 11:12	Mn		78.27	ug/L	EPA200.8
6/26/2019 10:35	Mn		86.3	ug/L	EPA200.8
7/2/2019 10:30	Mn		76.74	ug/L	EPA200.8
7/10/2019 10:35	Mn		53.02	ug/L	EPA200.8
7/17/2019 10:10	Mn		356.8	ug/L	EPA200.8
6/19/2019 11:12	Mo		1.949	ug/L	EPA200.8
6/26/2019 10:35	Mo		2.331	ug/L	EPA200.8
7/2/2019 10:30	Mo		3.507	ug/L	EPA200.8
7/10/2019 10:35	Mo		3.566	ug/L	EPA200.8
7/17/2019 10:10	Mo		2.808	ug/L	EPA200.8
6/19/2019 11:12	Na		35440	ug/L	EPA200.8
6/26/2019 10:35	Na		29470	ug/L	EPA200.8
7/2/2019 10:30	Na		50010	ug/L	EPA200.8
7/10/2019 10:35	Na		45280	ug/L	EPA200.8
7/17/2019 10:10	Na		32250	ug/L	EPA200.8
6/19/2019 11:12	NH3		0.031	mg/L	EPA350.1
6/26/2019 10:35	NH3		0.037	mg/L	EPA350.1
7/2/2019 10:30	NH3	j	0.01	mg/L	EPA350.1
7/10/2019 10:35	NH3	<	0.01	mg/L	EPA350.1
7/17/2019 10:10	NH3		0.058	mg/L	EPA350.1
6/19/2019 11:12	Ni	j	3.727	ug/L	EPA200.8
6/26/2019 10:35	Ni		4.12	ug/L	EPA200.8
7/2/2019 10:30	Ni		4.541	ug/L	EPA200.8
7/10/2019 10:35	Ni	j	3.704	ug/L	EPA200.8
7/17/2019 10:10	Ni		13.72	ug/L	EPA200.8
6/19/2019 11:12	NO3-NO2		1.352	mg/L	EPA353.2
6/26/2019 10:35	NO3-NO2		1.005	mg/L	EPA353.2
7/2/2019 10:30	NO3-NO2		4.242	mg/L	EPA353.2
7/10/2019 10:35	NO3-NO2		4.467	mg/L	EPA353.2

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
7/17/2019 10:10	NO3-NO2		1.781	mg/L	EPA353.2
6/19/2019 11:12	Pb		1.329	ug/L	EPA200.8
6/26/2019 10:35	Pb		1.524	ug/L	EPA200.8
7/2/2019 10:30	Pb		1.316	ug/L	EPA200.8
7/10/2019 10:35	Pb	j	0.816	ug/L	EPA200.8
7/17/2019 10:10	Pb		11.26	ug/L	EPA200.8
6/19/2019 11:12	pH		7.6	S.U.	
6/26/2019 10:35	pH		7.6	S.U.	
7/2/2019 10:30	pH		7.7	S.U.	
7/10/2019 10:35	pH		7.6	S.U.	
7/17/2019 10:10	pH		7.6	S.U.	
6/19/2019 11:12	Sb	<	0.944	ug/L	EPA200.8
6/26/2019 10:35	Sb	<	0.944	ug/L	EPA200.8
7/2/2019 10:30	Sb	<	0.944	ug/L	EPA200.8
7/10/2019 10:35	Sb	<	0.944	ug/L	EPA200.8
7/17/2019 10:10	Sb	<	0.377	ug/L	EPA200.8
6/19/2019 11:12	Se	<	0.808	ug/L	EPA200.8
6/26/2019 10:35	Se	<	0.808	ug/L	EPA200.8
7/2/2019 10:30	Se	<	0.808	ug/L	EPA200.8
7/10/2019 10:35	Se	<	0.808	ug/L	EPA200.8
7/17/2019 10:10	Se	<	0.571	ug/L	EPA200.8
6/19/2019 11:12	Sn	<	11.92	ug/L	EPA200.8
6/26/2019 10:35	Sn	<	11.92	ug/L	EPA200.8
7/2/2019 10:30	Sn	<	11.92	ug/L	EPA200.8
7/10/2019 10:35	Sn	<	11.92	ug/L	EPA200.8
7/17/2019 10:10	Sn	<	2.444	ug/L	EPA200.8
6/19/2019 11:12	Sr		215.991	ug/L	EPA200.8
6/26/2019 10:35	Sr		218.362	ug/L	EPA200.8
7/2/2019 10:30	Sr		301.911	ug/L	EPA200.8
7/10/2019 10:35	Sr		270.545	ug/L	EPA200.8
7/17/2019 10:10	Sr		225.204	ug/L	EPA200.8
6/19/2019 11:12	TDS		324	mg/L	SM2540 C
6/26/2019 10:35	TDS		298	mg/L	SM2540 C
7/2/2019 10:30	TDS		444	mg/L	SM2540 C
7/10/2019 10:35	TDS		392	mg/L	SM2540 C
7/17/2019 10:10	TDS		290	mg/L	SM2540 C
6/19/2019 11:12	Ti		10.08	ug/L	EPA200.8
6/26/2019 10:35	Ti		10.02	ug/L	EPA200.8

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
7/2/2019 10:30	Ti		10.56	ug/L	EPA200.8
7/10/2019 10:35	Ti		8.158	ug/L	EPA200.8
7/17/2019 10:10	Ti		40.7	ug/L	EPA200.8
6/19/2019 11:12	TKN		0.603	mg/L	EPA351.2
6/26/2019 10:35	TKN		0.71	mg/L	EPA351.2
7/2/2019 10:30	TKN		0.62	mg/L	EPA351.2
7/10/2019 10:35	TKN		0.783	mg/L	EPA351.2
7/17/2019 10:10	TKN		1.578	mg/L	EPA351.2
6/19/2019 11:12	TI	<	0.18	ug/L	EPA200.8
6/26/2019 10:35	TI	<	0.18	ug/L	EPA200.8
7/2/2019 10:30	TI	<	0.18	ug/L	EPA200.8
7/10/2019 10:35	TI	<	0.18	ug/L	EPA200.8
7/17/2019 10:10	TI	j	0.263	ug/L	EPA200.8
6/19/2019 11:12	TMET		16.1	ug/L	EPA200.8
6/26/2019 10:35	TMET		16.8	ug/L	EPA200.8
7/2/2019 10:30	TMET		20.7	ug/L	EPA200.8
7/10/2019 10:35	TMET		16.1	ug/L	EPA200.8
7/17/2019 10:10	TMET		82.1	ug/L	EPA200.8
6/19/2019 11:12	Total-P		0.093	mg/L	EPA365.1
6/26/2019 10:35	Total-P		0.097	mg/L	EPA365.1
7/2/2019 10:30	Total-P		0.111	mg/L	EPA365.1
7/10/2019 10:35	Total-P		0.106	mg/L	EPA365.1
7/17/2019 10:10	Total-P		0.334	mg/L	EPA365.1
6/19/2019 11:12	TS		368	mg/L	SM2540 B
6/26/2019 10:35	TS		390	mg/L	SM2540 B
7/2/2019 10:30	TS		600	mg/L	SM2540 B
7/10/2019 10:35	TS		482	mg/L	SM2540 B
7/17/2019 10:10	TS		598	mg/L	SM2540 B
6/19/2019 11:12	TSS		32.6	mg/L	SM2540 D
6/26/2019 10:35	TSS		43.1	mg/L	SM2540 D
7/2/2019 10:30	TSS		134.4	mg/L	SM2540 D
7/10/2019 10:35	TSS		22.5	mg/L	SM2540 D
7/17/2019 10:10	TSS		330	mg/L	SM2540 D
6/19/2019 11:12	Turbidity		51.5	NTU	EPA180.1
6/26/2019 10:35	Turbidity		51.5	NTU	EPA180.1
7/2/2019 10:30	Turbidity		25	NTU	EPA180.1
7/10/2019 10:35	Turbidity		29.4	NTU	EPA180.1
7/17/2019 10:10	Turbidity		511	NTU	EPA180.1

Rocky River East Branch

River Mile 9.00

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 11:12	V	j	1.565	ug/L	EPA200.8
6/26/2019 10:35	V	j	1.485	ug/L	EPA200.8
7/2/2019 10:30	V	j	1.208	ug/L	EPA200.8
7/10/2019 10:35	V	j	0.704	ug/L	EPA200.8
7/17/2019 10:10	V		9.496	ug/L	EPA200.8
6/19/2019 11:12	Zn	j	6.715	ug/L	EPA200.8
6/26/2019 10:35	Zn	j	7.025	ug/L	EPA200.8
7/2/2019 10:30	Zn		10.41	ug/L	EPA200.8
7/10/2019 10:35	Zn	j	7.19	ug/L	EPA200.8
7/17/2019 10:10	Zn		46.88	ug/L	EPA200.8

Rocky River East Branch

River Mile 6.25

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 9:55	*CaCO3		157	mg/LCaCO3	EPA200.8
6/26/2019 9:50	*CaCO3		135	mg/LCaCO3	EPA200.8
7/2/2019 11:10	*CaCO3		188	mg/LCaCO3	EPA200.8
7/10/2019 10:00	*CaCO3		174	mg/LCaCO3	EPA200.8
7/17/2019 9:50	*CaCO3		106	mg/LCaCO3	EPA200.8
6/19/2019 9:55	Ag	<	0.142	ug/L	EPA200.8
6/26/2019 9:50	Ag	<	0.142	ug/L	EPA200.8
7/2/2019 11:10	Ag	<	0.142	ug/L	EPA200.8
7/10/2019 10:00	Ag	<	0.142	ug/L	EPA200.8
7/17/2019 9:50	Ag	<	0.059	ug/L	EPA200.8
7/17/2019 9:50	Al		12940	ug/L	EPA200.7
6/19/2019 9:55	Al		799.4	ug/L	EPA200.8
6/26/2019 9:50	Al		1078	ug/L	EPA200.8
7/2/2019 11:10	Al		491	ug/L	EPA200.8
7/10/2019 10:00	Al		270	ug/L	EPA200.8
6/19/2019 9:55	Alkalinity		126.5	mg/LCaCO3	EPA310.2
6/26/2019 9:50	Alkalinity		117	mg/LCaCO3	EPA310.2
7/2/2019 11:10	Alkalinity		143.1	mg/LCaCO3	EPA310.2
7/10/2019 10:00	Alkalinity		135.5	mg/LCaCO3	EPA310.2
7/17/2019 9:50	Alkalinity		59.6	mg/LCaCO3	EPA310.2
6/19/2019 9:55	As	j	1.663	ug/L	EPA200.8
6/26/2019 9:50	As	j	2.122	ug/L	EPA200.8
7/2/2019 11:10	As	j	1.779	ug/L	EPA200.8
7/10/2019 10:00	As	j	1.4775	ug/L	EPA200.8
7/17/2019 9:50	As		9.083	ug/L	EPA200.8
6/19/2019 9:55	Ba		36.71	ug/L	EPA200.8
6/26/2019 9:50	Ba		36.8	ug/L	EPA200.8
7/2/2019 11:10	Ba		37.15	ug/L	EPA200.8
7/10/2019 10:00	Ba		34.94	ug/L	EPA200.8
7/17/2019 9:50	Ba		90.95	ug/L	EPA200.8
6/19/2019 9:55	Be	<	0.094	ug/L	EPA200.8
6/26/2019 9:50	Be	<	0.094	ug/L	EPA200.8
7/2/2019 11:10	Be	<	0.094	ug/L	EPA200.8
7/10/2019 10:00	Be	<	0.094	ug/L	EPA200.8
7/17/2019 9:50	Be	j	0.438	ug/L	EPA200.8
6/19/2019 9:55	BOD	<	2	mg/L	SM5210 B
6/26/2019 9:50	BOD	<	2	mg/L	SM5210 B
7/2/2019 11:10	BOD	<	2	mg/L	SM5210 B

Rocky River East Branch

River Mile 6.25

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 10:00	BOD	<	2	mg/L	SM5210 B
7/17/2019 9:50	BOD		6.9	mg/L	SM5210 B
6/19/2019 9:55	Ca		45280	ug/L	EPA200.8
6/26/2019 9:50	Ca		40440	ug/L	EPA200.8
7/2/2019 11:10	Ca		54380	ug/L	EPA200.8
7/10/2019 10:00	Ca		49615	ug/L	EPA200.8
7/17/2019 9:50	Ca		29100	ug/L	EPA200.8
6/19/2019 9:55	Cd	<	0.086	ug/L	EPA200.8
6/26/2019 9:50	Cd	<	0.086	ug/L	EPA200.8
7/2/2019 11:10	Cd	<	0.086	ug/L	EPA200.8
7/10/2019 10:00	Cd	<	0.086	ug/L	EPA200.8
7/17/2019 9:50	Cd	j	0.257	ug/L	EPA200.8
6/19/2019 9:55	Co		1.049	ug/L	EPA200.8
6/26/2019 9:50	Co		1.417	ug/L	EPA200.8
7/2/2019 11:10	Co		1.039	ug/L	EPA200.8
7/10/2019 10:00	Co	j	0.6115	ug/L	EPA200.8
7/17/2019 9:50	Co		8.608	ug/L	EPA200.8
6/19/2019 9:55	COD		25	mg/L	EPA410.4
7/2/2019 11:10	COD		28.4	mg/L	EPA410.4
7/10/2019 10:00	COD		27.85	mg/L	EPA410.4
7/17/2019 9:50	COD		45.4	mg/L	EPA410.4
6/19/2019 9:55	Cr	j	1.041	ug/L	EPA200.8
6/26/2019 9:50	Cr	j	1.492	ug/L	EPA200.8
7/2/2019 11:10	Cr	j	0.8	ug/L	EPA200.8
7/10/2019 10:00	Cr	<	0.616	ug/L	EPA200.8
7/17/2019 9:50	Cr		12.31	ug/L	EPA200.8
6/19/2019 9:55	Cu		4.509	ug/L	EPA200.8
6/26/2019 9:50	Cu		4.715	ug/L	EPA200.8
7/2/2019 11:10	Cu		4.187	ug/L	EPA200.8
7/10/2019 10:00	Cu		3.786	ug/L	EPA200.8
7/17/2019 9:50	Cu		20.41	ug/L	EPA200.8
6/19/2019 9:55	DRPhos		0.032	mg/L	EPA365.1
6/26/2019 9:50	DRPhos		0.028	mg/L	EPA365.1
7/2/2019 11:10	DRPhos		0.027	mg/L	EPA365.1
7/10/2019 10:00	DRPhos		0.027	mg/L	EPA365.1
7/17/2019 9:50	DRPhos		0.026	mg/L	EPA365.1
6/19/2019 9:55	E. coli		213	MPN/100 mL	SM9223 Colilert
6/26/2019 9:50	E. coli		720	MPN/100 mL	SM9223 Colilert

Rocky River East Branch

River Mile 6.25

Sample Date	Parameter	Code	Result	Units	Method
7/2/2019 11:10	E. coli		388	MPN/100 mL	SM9223 Colilert
7/10/2019 10:00	E. coli		225	MPN/100 mL	SM9223 Colilert
7/17/2019 9:50	E. coli		18180	MPN/100 mL	SM9223 Colilert
6/19/2019 9:55	Fe		1700	ug/L	EPA200.8
6/26/2019 9:50	Fe		2264	ug/L	EPA200.8
7/2/2019 11:10	Fe		1409	ug/L	EPA200.8
7/10/2019 10:00	Fe		802.25	ug/L	EPA200.8
7/17/2019 9:50	Fe		14670	ug/L	EPA200.8
6/19/2019 9:55	Field Cond		479	umhos/cm	SM 2510A
6/26/2019 9:50	Field Cond		445	umhos/cm	SM 2510A
7/2/2019 11:10	Field Cond		690	umhos/cm	SM 2510A
7/10/2019 10:00	Field Cond		628	umhos/cm	SM 2510A
7/17/2019 9:50	Field Cond		422	umhos/cm	SM 2510A
6/19/2019 9:55	Field Spec Cond		543	umhos/cm	SM 2510B
6/26/2019 9:50	Field Spec Cond		476	umhos/cm	SM 2510B
7/2/2019 11:10	Field Spec Cond		687	umhos/cm	SM 2510B
7/17/2019 9:50	Field Spec Cond		439	umhos/cm	SM 2510B
6/19/2019 9:55	Field DO		9.1	mg/L	SM 4500-0 G
6/26/2019 9:50	Field DO		8.6	mg/L	SM 4500-0 G
7/2/2019 11:10	Field DO		10.1	mg/L	SM 4500-0 G
7/10/2019 10:00	Field DO		7.3	mg/L	SM 4500-0 G
7/17/2019 9:50	Field DO		8.1	mg/L	SM 4500-0 G
6/19/2019 9:55	Field DO		98	%	
6/26/2019 9:50	Field DO		97	%	
7/2/2019 11:10	Field DO		123	%	
7/10/2019 10:00	Field DO		111	%	
7/17/2019 9:50	Field DO		439	%	
6/19/2019 9:55	Field Temp		18.8	C	EPA 170.1
6/26/2019 9:50	Field Temp		21.6	C	EPA 170.1
7/2/2019 11:10	Field Temp		25.2	C	EPA 170.1
7/10/2019 10:00	Field Temp		23.8	C	EPA 170.1
7/17/2019 9:50	Field Temp		23	C	EPA 170.1
6/19/2019 9:55	Hg	<	0.019	ug/L	EPA245.1
6/26/2019 9:50	Hg	<	0.019	ug/L	EPA245.1
7/2/2019 11:10	Hg	<	0.022	ug/L	EPA245.1
7/10/2019 10:00	Hg	<	0.022	ug/L	EPA245.1
7/17/2019 9:50	Hg	j	0.028	ug/L	EPA245.1
6/19/2019 9:55	K		3428	ug/L	EPA200.8

Rocky River East Branch

River Mile 6.25

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 9:50	K		3313	ug/L	EPA200.8
7/2/2019 11:10	K		4718	ug/L	EPA200.8
7/10/2019 10:00	K		4202	ug/L	EPA200.8
7/17/2019 9:50	K		3612	ug/L	EPA200.8
6/19/2019 9:55	Mg		10770	ug/L	EPA200.8
6/26/2019 9:50	Mg		8149	ug/L	EPA200.8
7/2/2019 11:10	Mg		12610	ug/L	EPA200.8
7/10/2019 10:00	Mg		12180	ug/L	EPA200.8
7/17/2019 9:50	Mg		8133	ug/L	EPA200.8
6/19/2019 9:55	Mn		82.19	ug/L	EPA200.8
6/26/2019 9:50	Mn		100.2	ug/L	EPA200.8
7/2/2019 11:10	Mn		69.28	ug/L	EPA200.8
7/10/2019 10:00	Mn		33.845	ug/L	EPA200.8
7/17/2019 9:50	Mn		436.1	ug/L	EPA200.8
6/19/2019 9:55	Mo		1.84	ug/L	EPA200.8
6/26/2019 9:50	Mo		2.023	ug/L	EPA200.8
7/2/2019 11:10	Mo		3.213	ug/L	EPA200.8
7/10/2019 10:00	Mo		3.3055	ug/L	EPA200.8
7/17/2019 9:50	Mo		3.455	ug/L	EPA200.8
6/19/2019 9:55	Na		39660	ug/L	EPA200.8
6/26/2019 9:50	Na		32010	ug/L	EPA200.8
7/2/2019 11:10	Na		52070	ug/L	EPA200.8
7/10/2019 10:00	Na		46500	ug/L	EPA200.8
7/17/2019 9:50	Na		29360	ug/L	EPA200.8
6/19/2019 9:55	NH3		0.031	mg/L	EPA350.1
6/26/2019 9:50	NH3		0.035	mg/L	EPA350.1
7/2/2019 11:10	NH3	<	0.01	mg/L	EPA350.1
7/10/2019 10:00	NH3	<	0.015	mg/L	EPA350.1
7/17/2019 9:50	NH3		0.045	mg/L	EPA350.1
6/19/2019 9:55	Ni		4.305	ug/L	EPA200.8
6/26/2019 9:50	Ni		4.827	ug/L	EPA200.8
7/2/2019 11:10	Ni		4.318	ug/L	EPA200.8
7/10/2019 10:00	Ni	j	3.532	ug/L	EPA200.8
7/17/2019 9:50	Ni		21.38	ug/L	EPA200.8
6/19/2019 9:55	NO3-NO2		1.494	mg/L	EPA353.2
6/26/2019 9:50	NO3-NO2		0.946	mg/L	EPA353.2
7/2/2019 11:10	NO3-NO2		3.145	mg/L	EPA353.2
7/10/2019 10:00	NO3-NO2		3.0775	mg/L	EPA353.2
7/17/2019 9:50	NO3-NO2		1.303	mg/L	EPA353.2

Rocky River East Branch

River Mile 6.25

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 9:55	Pb		1.335	ug/L	EPA200.8
6/26/2019 9:50	Pb		2.187	ug/L	EPA200.8
7/2/2019 11:10	Pb		1.051	ug/L	EPA200.8
7/10/2019 10:00	Pb	j	0.56	ug/L	EPA200.8
7/17/2019 9:50	Pb		21.82	ug/L	EPA200.8
6/19/2019 9:55	pH		7.7	S.U.	
6/26/2019 9:50	pH		7.8	S.U.	
7/2/2019 11:10	pH		8.1	S.U.	
7/10/2019 10:00	pH		8	S.U.	
7/17/2019 9:50	pH		7.5	S.U.	
6/19/2019 9:55	Sb	<	0.944	ug/L	EPA200.8
6/26/2019 9:50	Sb	<	0.944	ug/L	EPA200.8
7/2/2019 11:10	Sb	<	0.944	ug/L	EPA200.8
7/10/2019 10:00	Sb	<	0.944	ug/L	EPA200.8
7/17/2019 9:50	Sb	<	0.377	ug/L	EPA200.8
6/19/2019 9:55	Se	<	0.808	ug/L	EPA200.8
6/26/2019 9:50	Se	<	0.808	ug/L	EPA200.8
7/2/2019 11:10	Se	<	0.808	ug/L	EPA200.8
7/10/2019 10:00	Se	<	0.808	ug/L	EPA200.8
7/17/2019 9:50	Se	<	0.571	ug/L	EPA200.8
6/19/2019 9:55	Sn	<	11.92	ug/L	EPA200.8
6/26/2019 9:50	Sn	<	11.92	ug/L	EPA200.8
7/2/2019 11:10	Sn	<	11.92	ug/L	EPA200.8
7/10/2019 10:00	Sn	<	11.92	ug/L	EPA200.8
7/17/2019 9:50	Sn	<	2.444	ug/L	EPA200.8
6/19/2019 9:55	Sr		221.601	ug/L	EPA200.8
6/26/2019 9:50	Sr		209.544	ug/L	EPA200.8
7/2/2019 11:10	Sr		283.476	ug/L	EPA200.8
7/10/2019 10:00	Sr		260.7535	ug/L	EPA200.8
7/17/2019 9:50	Sr		233.961	ug/L	EPA200.8
6/19/2019 9:55	TDS		340	mg/L	SM2540 C
6/26/2019 9:50	TDS		300	mg/L	SM2540 C
7/2/2019 11:10	TDS		418	mg/L	SM2540 C
7/10/2019 10:00	TDS		390	mg/L	SM2540 C
7/17/2019 9:50	TDS		258	mg/L	SM2540 C
6/19/2019 9:55	Ti		10.67	ug/L	EPA200.8
6/26/2019 9:50	Ti		11.84	ug/L	EPA200.8
7/2/2019 11:10	Ti		7.148	ug/L	EPA200.8

Rocky River East Branch

River Mile 6.25

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 10:00	Ti		4.7895	ug/L	EPA200.8
7/17/2019 9:50	Ti		52.05	ug/L	EPA200.8
6/19/2019 9:55	TKN		0.691	mg/L	EPA351.2
6/26/2019 9:50	TKN		0.678	mg/L	EPA351.2
7/2/2019 11:10	TKN		0.578	mg/L	EPA351.2
7/10/2019 10:00	TKN		0.6635	mg/L	EPA351.2
7/17/2019 9:50	TKN		2.028	mg/L	EPA351.2
6/19/2019 9:55	TI	<	0.18	ug/L	EPA200.8
6/26/2019 9:50	TI	<	0.18	ug/L	EPA200.8
7/2/2019 11:10	TI	<	0.18	ug/L	EPA200.8
7/10/2019 10:00	TI	<	0.18	ug/L	EPA200.8
7/17/2019 9:50	TI	j	0.354	ug/L	EPA200.8
6/19/2019 9:55	TMET		17.3	ug/L	EPA200.8
6/26/2019 9:50	TMET		20.5	ug/L	EPA200.8
7/2/2019 11:10	TMET		17.2	ug/L	EPA200.8
7/10/2019 10:00	TMET		12.2	ug/L	EPA200.8
7/17/2019 9:50	TMET		131.3	ug/L	EPA200.8
6/19/2019 9:55	Total-P		0.096	mg/L	EPA365.1
6/26/2019 9:50	Total-P		0.115	mg/L	EPA365.1
7/2/2019 11:10	Total-P		0.068	mg/L	EPA365.1
7/10/2019 10:00	Total-P		0.0685	mg/L	EPA365.1
7/17/2019 9:50	Total-P		0.363	mg/L	EPA365.1
6/19/2019 9:55	TS		402	mg/L	SM2540 B
6/26/2019 9:50	TS		370	mg/L	SM2540 B
7/2/2019 11:10	TS		462	mg/L	SM2540 B
7/10/2019 10:00	TS		448	mg/L	SM2540 B
7/17/2019 9:50	TS		994	mg/L	SM2540 B
6/19/2019 9:55	TSS		36.7	mg/L	SM2540 D
6/26/2019 9:50	TSS		36.3	mg/L	SM2540 D
7/2/2019 11:10	TSS		8.3	mg/L	SM2540 D
7/10/2019 10:00	TSS		12.7	mg/L	SM2540 D
7/17/2019 9:50	TSS		690	mg/L	SM2540 D
6/19/2019 9:55	Turbidity		52.2	NTU	EPA180.1
6/26/2019 9:50	Turbidity		70	NTU	EPA180.1
7/2/2019 11:10	Turbidity		8.32	NTU	EPA180.1
7/10/2019 10:00	Turbidity		17.8	NTU	EPA180.1
7/17/2019 9:50	Turbidity		854	NTU	EPA180.1
6/19/2019 9:55	V	j	1.582	ug/L	EPA200.8

Rocky River East Branch					
River Mile 6.25					
Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 9:50	V	j	1.85	ug/L	EPA200.8
7/2/2019 11:10	V	j	0.831	ug/L	EPA200.8
7/10/2019 10:00	V	<	0.47	ug/L	EPA200.8
7/17/2019 9:50	V		15.31	ug/L	EPA200.8
6/19/2019 9:55	Zn	j	7.436	ug/L	EPA200.8
6/26/2019 9:50	Zn	j	9.436	ug/L	EPA200.8
7/2/2019 11:10	Zn	j	7.859	ug/L	EPA200.8
7/10/2019 10:00	Zn	j	4.6145	ug/L	EPA200.8
7/17/2019 9:50	Zn		77.19	ug/L	EPA200.8

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 9:03	*CaCO3		156	mg/LCaCO3	EPA200.8
6/26/2019 9:00	*CaCO3		124	mg/LCaCO3	EPA200.8
7/2/2019 12:20	*CaCO3		168	mg/LCaCO3	EPA200.8
7/10/2019 9:20	*CaCO3		182	mg/LCaCO3	EPA200.8
7/17/2019 9:10	*CaCO3		104	mg/LCaCO3	EPA200.8
6/19/2019 9:03	Ag	<	0.142	ug/L	EPA200.8
6/26/2019 9:00	Ag	<	0.142	ug/L	EPA200.8
7/2/2019 12:20	Ag	<	0.142	ug/L	EPA200.8
7/10/2019 9:20	Ag	<	0.142	ug/L	EPA200.8
7/17/2019 9:10	Ag	<	0.142	ug/L	EPA200.8
6/19/2019 9:03	Al		704	ug/L	EPA200.8
6/26/2019 9:00	Al		1144	ug/L	EPA200.8
7/2/2019 12:20	Al		137.1	ug/L	EPA200.8
7/10/2019 9:20	Al		149.8	ug/L	EPA200.8
7/17/2019 9:10	Al		4307	ug/L	EPA200.8
6/19/2019 9:03	Alkalinity		137	mg/LCaCO3	EPA310.2
6/26/2019 9:00	Alkalinity		110	mg/LCaCO3	EPA310.2
7/2/2019 12:20	Alkalinity		134.9	mg/LCaCO3	EPA310.2
7/10/2019 9:20	Alkalinity		138	mg/LCaCO3	EPA310.2
7/17/2019 9:10	Alkalinity		57	mg/LCaCO3	EPA310.2
6/19/2019 9:03	As	j	2.087	ug/L	EPA200.8
6/26/2019 9:00	As	j	2.338	ug/L	EPA200.8
7/2/2019 12:20	As	j	1.449	ug/L	EPA200.8
7/10/2019 9:20	As	j	1.184	ug/L	EPA200.8
7/17/2019 9:10	As		4.846	ug/L	EPA200.8
6/19/2019 9:03	Ba		31.89	ug/L	EPA200.8
6/26/2019 9:00	Ba		32.38	ug/L	EPA200.8
7/2/2019 12:20	Ba		32.82	ug/L	EPA200.8
7/10/2019 9:20	Ba		35.18	ug/L	EPA200.8
7/17/2019 9:10	Ba		46.96	ug/L	EPA200.8
6/19/2019 9:03	Be	<	0.094	ug/L	EPA200.8
6/26/2019 9:00	Be	<	0.094	ug/L	EPA200.8
7/2/2019 12:20	Be	<	0.094	ug/L	EPA200.8
7/10/2019 9:20	Be	<	0.094	ug/L	EPA200.8
7/17/2019 9:10	Be	j	0.266	ug/L	EPA200.8
6/19/2019 9:03	BOD	<	2	mg/L	SM5210 B
6/26/2019 9:00	BOD	<	2	mg/L	SM5210 B
7/2/2019 12:20	BOD	<	2	mg/L	SM5210 B
7/10/2019 9:20	BOD	<	2	mg/L	SM5210 B

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
7/17/2019 9:10	BOD		7	mg/L	SM5210 B
6/19/2019 9:03	Ca		44620	ug/L	EPA200.8
6/26/2019 9:00	Ca		35910	ug/L	EPA200.8
7/2/2019 12:20	Ca		47140	ug/L	EPA200.8
7/10/2019 9:20	Ca		51610	ug/L	EPA200.8
7/17/2019 9:10	Ca		28130	ug/L	EPA200.8
6/19/2019 9:03	Cd	j	0.089	ug/L	EPA200.8
6/26/2019 9:00	Cd	<	0.086	ug/L	EPA200.8
7/2/2019 12:20	Cd	<	0.086	ug/L	EPA200.8
7/10/2019 9:20	Cd	<	0.086	ug/L	EPA200.8
7/17/2019 9:10	Cd	j	0.179	ug/L	EPA200.8
6/19/2019 9:03	Co	j	0.882	ug/L	EPA200.8
6/26/2019 9:00	Co		1.33	ug/L	EPA200.8
7/2/2019 12:20	Co	j	0.706	ug/L	EPA200.8
7/10/2019 9:20	Co	j	0.554	ug/L	EPA200.8
7/17/2019 9:10	Co		5.422	ug/L	EPA200.8
6/19/2019 9:03	COD		29	mg/L	EPA410.4
7/2/2019 12:20	COD		28.8	mg/L	EPA410.4
7/10/2019 9:20	COD		23.7	mg/L	EPA410.4
7/17/2019 9:10	COD		35.5	mg/L	EPA410.4
6/19/2019 9:03	Cr	j	0.916	ug/L	EPA200.8
6/26/2019 9:00	Cr	j	1.56	ug/L	EPA200.8
7/2/2019 12:20	Cr	<	0.616	ug/L	EPA200.8
7/10/2019 9:20	Cr	<	0.616	ug/L	EPA200.8
7/17/2019 9:10	Cr		7.391	ug/L	EPA200.8
6/19/2019 9:03	Cu		4.689	ug/L	EPA200.8
6/26/2019 9:00	Cu		4.951	ug/L	EPA200.8
7/2/2019 12:20	Cu		3.533	ug/L	EPA200.8
7/10/2019 9:20	Cu		2.998	ug/L	EPA200.8
7/17/2019 9:10	Cu		13.47	ug/L	EPA200.8
6/19/2019 9:03	DRPhos		0.04	mg/L	EPA365.1
6/26/2019 9:00	DRPhos		0.025	mg/L	EPA365.1
7/2/2019 12:20	DRPhos	<	0.012	mg/L	EPA365.1
7/10/2019 9:20	DRPhos	<	0.012	mg/L	EPA365.1
7/17/2019 9:10	DRPhos	j	0.024	mg/L	EPA365.1
6/19/2019 9:03	E. coli		634	MPN/100 mL	SM9223 Colilert
6/26/2019 9:00	E. coli		1266	MPN/100 mL	SM9223 Colilert
7/2/2019 12:20	E. coli		219	MPN/100 mL	SM9223 Colilert

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 9:20	E. coli		559	MPN/100 mL	SM9223 Colilert
7/17/2019 9:10	E. coli		20140	MPN/100 mL	SM9223 Colilert
6/19/2019 9:03	Fe		1636	ug/L	EPA200.8
6/26/2019 9:00	Fe		2337	ug/L	EPA200.8
7/2/2019 12:20	Fe		683.7	ug/L	EPA200.8
7/10/2019 9:20	Fe		635.6	ug/L	EPA200.8
7/17/2019 9:10	Fe		8237	ug/L	EPA200.8
6/19/2019 9:03	Field Cond		423	umhos/cm	SM 2510A
6/26/2019 9:00	Field Cond		433	umhos/cm	SM 2510A
7/2/2019 12:20	Field Cond		762	umhos/cm	SM 2510A
7/10/2019 9:20	Field Cond		698	umhos/cm	SM 2510A
7/17/2019 9:10	Field Cond		449	umhos/cm	SM 2510A
6/19/2019 9:03	Field Spec Cond		474	umhos/cm	SM 2510B
6/26/2019 9:00	Field Spec Cond		464	umhos/cm	SM 2510B
7/2/2019 12:20	Field Spec Cond		732	umhos/cm	SM 2510B
7/10/2019 9:20	Field Spec Cond		728	umhos/cm	SM 2510B
7/17/2019 9:10	Field Spec Cond		458	umhos/cm	SM 2510B
6/19/2019 9:03	Field DO		8.9	mg/L	SM 4500-0 G
6/26/2019 9:00	Field DO		8.6	mg/L	SM 4500-0 G
7/2/2019 12:20	Field DO		10.5	mg/L	SM 4500-0 G
7/10/2019 9:20	Field DO		9.1	mg/L	SM 4500-0 G
7/17/2019 9:10	Field DO		8.3	mg/L	SM 4500-0 G
6/19/2019 9:03	Field DO		97	%	
6/26/2019 9:00	Field DO		97	%	
7/2/2019 12:20	Field DO		132	%	
7/10/2019 9:20	Field DO		106	%	
7/17/2019 9:10	Field DO		98	%	
6/19/2019 9:03	Field Temp		19.3	C	EPA 170.1
6/26/2019 9:00	Field Temp		21.5	C	EPA 170.1
7/2/2019 12:20	Field Temp		27.1	C	EPA 170.1
7/10/2019 9:20	Field Temp		22.8	C	EPA 170.1
7/17/2019 9:10	Field Temp		23.5	C	EPA 170.1
6/19/2019 9:03	Hg	<	0.019	ug/L	EPA245.1
6/26/2019 9:00	Hg	<	0.019	ug/L	EPA245.1
7/2/2019 12:20	Hg	<	0.022	ug/L	EPA245.1
7/10/2019 9:20	Hg	<	0.022	ug/L	EPA245.1
7/17/2019 9:10	Hg	<	0.022	ug/L	EPA245.1
6/19/2019 9:03	K		3709	ug/L	EPA200.8

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 9:00	K		3371	ug/L	EPA200.8
7/2/2019 12:20	K		4389	ug/L	EPA200.8
7/10/2019 9:20	K		4212	ug/L	EPA200.8
7/17/2019 9:10	K		3824	ug/L	EPA200.8
6/19/2019 9:03	Mg		10870	ug/L	EPA200.8
6/26/2019 9:00	Mg		7919	ug/L	EPA200.8
7/2/2019 12:20	Mg		12340	ug/L	EPA200.8
7/10/2019 9:20	Mg		12880	ug/L	EPA200.8
7/17/2019 9:10	Mg		8098	ug/L	EPA200.8
6/19/2019 9:03	Mn		67.32	ug/L	EPA200.8
6/26/2019 9:00	Mn		91.06	ug/L	EPA200.8
7/2/2019 12:20	Mn		53.17	ug/L	EPA200.8
7/10/2019 9:20	Mn		30.76	ug/L	EPA200.8
7/17/2019 9:10	Mn		266.3	ug/L	EPA200.8
6/19/2019 9:03	Mo		2.056	ug/L	EPA200.8
6/26/2019 9:00	Mo		2.731	ug/L	EPA200.8
7/2/2019 12:20	Mo		3.556	ug/L	EPA200.8
7/10/2019 9:20	Mo		3.235	ug/L	EPA200.8
7/17/2019 9:10	Mo		2.101	ug/L	EPA200.8
6/19/2019 9:03	Na		26970	ug/L	EPA200.8
6/26/2019 9:00	Na		30960	ug/L	EPA200.8
7/2/2019 12:20	Na		56220	ug/L	EPA200.8
7/10/2019 9:20	Na		55390	ug/L	EPA200.8
7/17/2019 9:10	Na		37330	ug/L	EPA200.8
6/19/2019 9:03	NH3		0.036	mg/L	EPA350.1
6/26/2019 9:00	NH3		0.034	mg/L	EPA350.1
7/2/2019 12:20	NH3	<	0.01	mg/L	EPA350.1
7/10/2019 9:20	NH3	<	0.01	mg/L	EPA350.1
7/17/2019 9:10	NH3		0.04	mg/L	EPA350.1
6/19/2019 9:03	Ni		5.056	ug/L	EPA200.8
6/26/2019 9:00	Ni		5.312	ug/L	EPA200.8
7/2/2019 12:20	Ni		4.725	ug/L	EPA200.8
7/10/2019 9:20	Ni		4.196	ug/L	EPA200.8
7/17/2019 9:10	Ni		13.4	ug/L	EPA200.8
6/19/2019 9:03	NO3-NO2		0.726	mg/L	EPA353.2
6/26/2019 9:00	NO3-NO2		0.721	mg/L	EPA353.2
7/2/2019 12:20	NO3-NO2		2.829	mg/L	EPA353.2
7/10/2019 9:20	NO3-NO2		2.259	mg/L	EPA353.2
7/17/2019 9:10	NO3-NO2		2.263	mg/L	EPA353.2

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
6/19/2019 9:03	Pb		1.361	ug/L	EPA200.8
6/26/2019 9:00	Pb		2.033	ug/L	EPA200.8
7/2/2019 12:20	Pb	j	0.382	ug/L	EPA200.8
7/10/2019 9:20	Pb	j	0.415	ug/L	EPA200.8
7/17/2019 9:10	Pb		9.939	ug/L	EPA200.8
6/19/2019 9:03	pH		7.9	S.U.	
6/26/2019 9:00	pH		7.9	S.U.	
7/2/2019 12:20	pH		8.3	S.U.	
7/10/2019 9:20	pH		7.9	S.U.	
7/17/2019 9:10	pH		7.4	S.U.	
6/19/2019 9:03	Sb	<	0.944	ug/L	EPA200.8
6/26/2019 9:00	Sb	<	0.944	ug/L	EPA200.8
7/2/2019 12:20	Sb	<	0.944	ug/L	EPA200.8
7/10/2019 9:20	Sb	<	0.944	ug/L	EPA200.8
7/17/2019 9:10	Sb	<	0.944	ug/L	EPA200.8
6/19/2019 9:03	Se	<	0.808	ug/L	EPA200.8
6/26/2019 9:00	Se	<	0.808	ug/L	EPA200.8
7/2/2019 12:20	Se	<	0.808	ug/L	EPA200.8
7/10/2019 9:20	Se	<	0.808	ug/L	EPA200.8
7/17/2019 9:10	Se	<	0.808	ug/L	EPA200.8
6/19/2019 9:03	Sn	<	11.92	ug/L	EPA200.8
6/26/2019 9:00	Sn	<	11.92	ug/L	EPA200.8
7/2/2019 12:20	Sn	<	11.92	ug/L	EPA200.8
7/10/2019 9:20	Sn	<	11.92	ug/L	EPA200.8
7/17/2019 9:10	Sn	j	18.19	ug/L	EPA200.8
6/19/2019 9:03	Sr		239.963	ug/L	EPA200.8
6/26/2019 9:00	Sr		198.848	ug/L	EPA200.8
7/2/2019 12:20	Sr		286.537	ug/L	EPA200.8
7/10/2019 9:20	Sr		268.131	ug/L	EPA200.8
7/17/2019 9:10	Sr		187.592	ug/L	EPA200.8
6/19/2019 9:03	TDS		290	mg/L	SM2540 C
6/26/2019 9:00	TDS		294	mg/L	SM2540 C
7/2/2019 12:20	TDS		432	mg/L	SM2540 C
7/10/2019 9:20	TDS		467	mg/L	SM2540 C
7/17/2019 9:10	TDS		264	mg/L	SM2540 C
6/19/2019 9:03	Ti		9.496	ug/L	EPA200.8
6/26/2019 9:00	Ti		13.44	ug/L	EPA200.8
7/2/2019 12:20	Ti		2.512	ug/L	EPA200.8

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
7/10/2019 9:20	Ti		2.437	ug/L	EPA200.8
7/17/2019 9:10	Ti		22.58	ug/L	EPA200.8
6/19/2019 9:03	TKN		0.808	mg/L	EPA351.2
6/26/2019 9:00	TKN		0.896	mg/L	EPA351.2
7/2/2019 12:20	TKN		0.515	mg/L	EPA351.2
7/10/2019 9:20	TKN		0.961	mg/L	EPA351.2
7/17/2019 9:10	TKN		1.582	mg/L	EPA351.2
6/19/2019 9:03	TI	<	0.18	ug/L	EPA200.8
6/26/2019 9:00	TI	<	0.18	ug/L	EPA200.8
7/2/2019 12:20	TI	j	0.224	ug/L	EPA200.8
7/10/2019 9:20	TI	<	0.18	ug/L	EPA200.8
7/17/2019 9:10	TI	j	0.247	ug/L	EPA200.8
6/19/2019 9:03	TMET		18.8	ug/L	EPA200.8
6/26/2019 9:00	TMET		21.8	ug/L	EPA200.8
7/2/2019 12:20	TMET		14.5	ug/L	EPA200.8
7/10/2019 9:20	TMET		10.7	ug/L	EPA200.8
7/17/2019 9:10	TMET		83.9	ug/L	EPA200.8
6/19/2019 9:03	Total-P		0.108	mg/L	EPA365.1
6/26/2019 9:00	Total-P		0.117	mg/L	EPA365.1
7/2/2019 12:20	Total-P		0.045	mg/L	EPA365.1
7/10/2019 9:20	Total-P		0.045	mg/L	EPA365.1
7/17/2019 9:10	Total-P		0.27	mg/L	EPA365.1
6/19/2019 9:03	TS		368	mg/L	SM2540 B
6/26/2019 9:00	TS		368	mg/L	SM2540 B
7/2/2019 12:20	TS		496	mg/L	SM2540 B
7/10/2019 9:20	TS		502	mg/L	SM2540 B
7/17/2019 9:10	TS		684	mg/L	SM2540 B
6/19/2019 9:03	TSS		41.7	mg/L	SM2540 D
6/26/2019 9:00	TSS		55	mg/L	SM2540 D
7/2/2019 12:20	TSS		8.1	mg/L	SM2540 D
7/10/2019 9:20	TSS		7.6	mg/L	SM2540 D
7/17/2019 9:10	TSS		336.9	mg/L	SM2540 D
6/19/2019 9:03	Turbidity		35.7	NTU	EPA180.1
6/26/2019 9:00	Turbidity		67.8	NTU	EPA180.1
7/2/2019 12:20	Turbidity		5.1	NTU	EPA180.1
7/10/2019 9:20	Turbidity		13	NTU	EPA180.1
7/17/2019 9:10	Turbidity		302	NTU	EPA180.1
6/19/2019 9:03	V	j	1.525	ug/L	EPA200.8

Rocky River East Branch

River Mile 0.15

Sample Date	Parameter	Code	Result	Units	Method
6/26/2019 9:00	V	j	1.999	ug/L	EPA200.8
7/2/2019 12:20	V	<	0.47	ug/L	EPA200.8
7/10/2019 9:20	V	<	0.47	ug/L	EPA200.8
7/17/2019 9:10	V	j	8.313	ug/L	EPA200.8
6/19/2019 9:03	Zn	j	8.106	ug/L	EPA200.8
6/26/2019 9:00	Zn		10.14	ug/L	EPA200.8
7/2/2019 12:20	Zn	j	6.282	ug/L	EPA200.8
7/10/2019 9:20	Zn	j	3.519	ug/L	EPA200.8
7/17/2019 9:10	Zn		49.61	ug/L	EPA200.8