

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 10:00	Ag	<	0.052	ug/L	EPA-200.8
7/30/2014 10:05	Ag	<	0.026	ug/L	EPA-200.8
8/6/2014 9:13	Ag	<	0.026	ug/L	EPA-200.8
8/13/2014 8:57	Ag	<	0.026	ug/L	EPA-200.8
8/20/2014 9:50	Ag	<	0.026	ug/L	EPA-200.8
7/22/2014 10:00	Al		29.22	ug/L	EPA-200.8
7/30/2014 10:05	Al		45.08	ug/L	EPA-200.8
8/6/2014 9:13	Al		152	ug/L	EPA-200.8
8/13/2014 8:57	Al		1253	ug/L	EPA-200.8
8/20/2014 9:50	Al		1077	ug/L	EPA-200.8
7/22/2014 10:00	Alkalinity		99.9	mg/LCaCO3	EPA-310.2
7/30/2014 10:05	Alkalinity		90	mg/LCaCO3	EPA-310.2
8/6/2014 9:13	Alkalinity		78.9	mg/LCaCO3	EPA-310.2
8/13/2014 8:57	Alkalinity		52.1	mg/LCaCO3	EPA-310.2
8/20/2014 9:50	Alkalinity		50.2	mg/LCaCO3	EPA-310.2
7/22/2014 10:00	As	j	0.518	ug/L	EPA-200.8
7/30/2014 10:05	As	j	0.544	ug/L	EPA-200.8
8/6/2014 9:13	As	j	0.766	ug/L	EPA-200.8
8/13/2014 8:57	As	j	1.522	ug/L	EPA-200.8
8/20/2014 9:50	As	j	1.504	ug/L	EPA-200.8
7/22/2014 10:00	Ba		26.25	ug/L	EPA-200.8
7/30/2014 10:05	Ba		20.7	ug/L	EPA-200.8
8/6/2014 9:13	Ba		18.78	ug/L	EPA-200.8
8/13/2014 8:57	Ba		18.99	ug/L	EPA-200.8
8/20/2014 9:50	Ba		16.31	ug/L	EPA-200.8
7/22/2014 10:00	Be	<	0.084	ug/L	EPA-200.8
7/30/2014 10:05	Be	<	0.11	ug/L	EPA-200.8
8/6/2014 9:13	Be	<	0.11	ug/L	EPA-200.8
8/13/2014 8:57	Be	<	0.11	ug/L	EPA-200.8
8/20/2014 9:50	Be	<	0.11	ug/L	EPA-200.8
7/22/2014 10:00	BOD	<	2	mg/L	SM 5210
7/30/2014 10:05	BOD	<	2	mg/L	SM 5210
8/6/2014 9:13	BOD	<	2	mg/L	SM 5210
8/13/2014 8:57	BOD	<	2	mg/L	SM 5210
8/20/2014 9:50	BOD		2	mg/L	SM 5210
7/22/2014 10:00	Ca		52970	ug/L	EPA-200.8
7/30/2014 10:05	Ca		41240	ug/L	EPA-200.8
8/6/2014 9:13	Ca		34860	ug/L	EPA-200.8
8/13/2014 8:57	Ca		25010	ug/L	EPA-200.8

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:50	Ca		22100	ug/L	EPA-200.8
7/22/2014 10:00	CaCO3		200	mg/LCaCO3	EPA-200.8
7/30/2014 10:05	CaCO3		166	mg/LCaCO3	EPA-200.8
8/6/2014 9:13	CaCO3		133	mg/LCaCO3	EPA-200.8
8/13/2014 8:57	CaCO3		96	mg/LCaCO3	EPA-200.8
8/20/2014 9:50	CaCO3		84	mg/LCaCO3	EPA-200.8
7/22/2014 10:00	Cd	<	0.044	ug/L	EPA-200.8
7/30/2014 10:05	Cd	<	0.054	ug/L	EPA-200.8
8/6/2014 9:13	Cd	<	0.054	ug/L	EPA-200.8
8/13/2014 8:57	Cd	<	0.054	ug/L	EPA-200.8
8/20/2014 9:50	Cd	<	0.054	ug/L	EPA-200.8
7/22/2014 10:00	Chloride		144.2	mg/L	EPA 300.0
7/30/2014 10:05	Chloride		121.1	mg/L	EPA 300.0
8/6/2014 9:13	Chloride		96.87	mg/L	EPA 300.0
8/13/2014 8:57	Chloride		57.36	mg/L	EPA 300.0
8/20/2014 9:50	Chloride		54.51	mg/L	EPA 300.0
7/22/2014 10:00	Co	j	0.134	ug/L	EPA-200.8
7/30/2014 10:05	Co	j	0.131	ug/L	EPA-200.8
8/6/2014 9:13	Co	j	0.22	ug/L	EPA-200.8
8/13/2014 8:57	Co		1.052	ug/L	EPA-200.8
8/20/2014 9:50	Co	j	0.858	ug/L	EPA-200.8
7/22/2014 10:00	COD		14.7	mg/L	EPA 410.4
7/30/2014 10:05	COD	<	3.7	mg/L	EPA 410.4
8/13/2014 8:57	COD		25.6	mg/L	EPA 410.4
7/22/2014 10:00	Cr	j	0.724	ug/L	EPA-200.8
7/30/2014 10:05	Cr	j	0.486	ug/L	EPA-200.8
8/6/2014 9:13	Cr	j	0.855	ug/L	EPA-200.8
8/13/2014 8:57	Cr		2.222	ug/L	EPA-200.8
8/20/2014 9:50	Cr		2.34	ug/L	EPA-200.8
7/22/2014 10:00	Cu		3.477	ug/L	EPA-200.8
7/30/2014 10:05	Cu		3.684	ug/L	EPA-200.8
8/6/2014 9:13	Cu		4.511	ug/L	EPA-200.8
8/13/2014 8:57	Cu		7.97	ug/L	EPA-200.8
8/20/2014 9:50	Cu		6.351	ug/L	EPA-200.8
7/22/2014 10:00	DRPhos		0.049	mg/L	EPA 365.1
7/30/2014 10:05	DRPhos		0.038	mg/L	EPA 365.1
8/6/2014 9:13	DRPhos		0.034	mg/L	EPA 365.1
8/13/2014 8:57	DRPhos		0.027	mg/L	EPA 365.1

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:50	DRPhos		0.023	mg/L	EPA 365.1
7/22/2014 10:00	E. coli		250	MPN/100 mL	SM 9223 Colilert
7/30/2014 10:05	E. coli		598	MPN/100 mL	SM 9223 Colilert
8/6/2014 9:13	E. coli		3542	MPN/100 mL	SM 9223 Colilert
8/13/2014 8:57	E. coli		24720	MPN/100 mL	SM 9223 Colilert
8/20/2014 9:50	E. coli		7292	MPN/100 mL	SM 9223 Colilert
7/22/2014 10:00	Fe		142.4	ug/L	EPA-200.8
7/30/2014 10:05	Fe		153.6	ug/L	EPA-200.8
8/6/2014 9:13	Fe		412.8	ug/L	EPA-200.8
8/13/2014 8:57	Fe		2144	ug/L	EPA-200.8
8/20/2014 9:50	Fe		1374	ug/L	EPA-200.8
7/22/2014 10:00	Field Cond		787	umhos/cm	SM 2510A
7/30/2014 10:05	Field Cond		589.7	umhos/cm	SM 2510A
8/6/2014 9:13	Field Cond		560	umhos/cm	SM 2510A
8/13/2014 8:57	Field Cond		358.3	umhos/cm	SM 2510A
8/20/2014 9:50	Field Cond		357.3	umhos/cm	SM 2510A
7/22/2014 10:00	Field DO		10.24	mg/L	SM 4500-0 G
7/30/2014 10:05	Field DO		9.29	mg/L	SM 4500-0 G
8/6/2014 9:13	Field DO		8.99	mg/L	SM 4500-0 G
8/13/2014 8:57	Field DO		8.86	mg/L	SM 4500-0 G
8/20/2014 9:50	Field DO		8.62	mg/L	SM 4500-0 G
7/22/2014 10:00	Field Temp		20.5	C	EPA 170.1
7/30/2014 10:05	Field Temp		17.9	C	EPA 170.1
8/6/2014 9:13	Field Temp		20	C	EPA 170.1
8/13/2014 8:57	Field Temp		18.8	C	EPA 170.1
8/20/2014 9:50	Field Temp		20	C	EPA 170.1
7/22/2014 10:00	Hg	<	0.01	ug/L	EPA 245.1
7/30/2014 10:05	Hg	<	0.01	ug/L	EPA 245.1
8/6/2014 9:13	Hg	<	0.01	ug/L	EPA 245.1
8/13/2014 8:57	Hg	<	0.01	ug/L	EPA 245.1
8/20/2014 9:50	Hg	<	0.01	ug/L	EPA 245.1
7/22/2014 10:00	K		4008	ug/L	EPA-200.8
7/30/2014 10:05	K		3283	ug/L	EPA-200.8
8/6/2014 9:13	K		3282	ug/L	EPA-200.8
8/13/2014 8:57	K		3385	ug/L	EPA-200.8
8/20/2014 9:50	K		2914	ug/L	EPA-200.8
7/22/2014 10:00	Mg		16560	ug/L	EPA-200.8
7/30/2014 10:05	Mg		15390	ug/L	EPA-200.8

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2014 9:13	Mg		11260	ug/L	EPA-200.8
8/13/2014 8:57	Mg		8117	ug/L	EPA-200.8
8/20/2014 9:50	Mg		7032	ug/L	EPA-200.8
7/22/2014 10:00	Mn		7.619	ug/L	EPA-200.8
7/30/2014 10:05	Mn		6.865	ug/L	EPA-200.8
8/6/2014 9:13	Mn		8.114	ug/L	EPA-200.8
8/13/2014 8:57	Mn		34.47	ug/L	EPA-200.8
8/20/2014 9:50	Mn		29	ug/L	EPA-200.8
7/22/2014 10:00	Mo		3.174	ug/L	EPA-200.8
7/30/2014 10:05	Mo		2.573	ug/L	EPA-200.8
8/6/2014 9:13	Mo		2.56	ug/L	EPA-200.8
8/13/2014 8:57	Mo		2.037	ug/L	EPA-200.8
8/20/2014 9:50	Mo		1.806	ug/L	EPA-200.8
7/22/2014 10:00	Na		96050	ug/L	EPA-200.8
7/30/2014 10:05	Na		76050	ug/L	EPA-200.8
8/6/2014 9:13	Na		61710	ug/L	EPA-200.8
8/13/2014 8:57	Na		43770	ug/L	EPA-200.8
8/20/2014 9:50	Na		43180	ug/L	EPA-200.8
7/22/2014 10:00	NH3	j	0.007	mg/L	EPA-350.1
7/30/2014 10:05	NH3	j	0.003	mg/L	EPA-350.1
8/13/2014 8:57	NH3		0.05	mg/L	EPA-350.1
8/20/2014 9:50	NH3		0.054	mg/L	EPA-350.1
7/22/2014 10:00	Ni	j	2.126	ug/L	EPA-200.8
7/30/2014 10:05	Ni	j	1.833	ug/L	EPA-200.8
8/6/2014 9:13	Ni	j	2.705	ug/L	EPA-200.8
8/13/2014 8:57	Ni		5.212	ug/L	EPA-200.8
8/20/2014 9:50	Ni		4.007	ug/L	EPA-200.8
7/22/2014 10:00	NO3-NO2		0.331	mg/L	EPA 353.2
7/30/2014 10:05	NO3-NO2		0.654	mg/L	EPA 353.2
8/6/2014 9:13	NO3-NO2		1.006	mg/L	EPA 353.2
8/13/2014 8:57	NO3-NO2		0.991	mg/L	EPA 353.2
8/20/2014 9:50	NO3-NO2		0.606	mg/L	EPA 353.2
7/22/2014 10:00	Pb	<	0.174	ug/L	EPA-200.8
7/30/2014 10:05	Pb	j	0.143	ug/L	EPA-200.8
8/6/2014 9:13	Pb	j	0.509	ug/L	EPA-200.8
8/13/2014 8:57	Pb		2.911	ug/L	EPA-200.8
8/20/2014 9:50	Pb		2.183	ug/L	EPA-200.8
7/22/2014 10:00	pH		8.09	S.U.	

West Creek River Mile 3.65					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2014 10:05	pH		8.05	S.U.	
8/6/2014 9:13	pH		7.61	S.U.	
8/13/2014 8:57	pH		7.7	S.U.	
8/20/2014 9:50	pH		7.83	S.U.	
7/22/2014 10:00	Sb	j	0.302	ug/L	EPA-200.8
7/30/2014 10:05	Sb	j	0.329	ug/L	EPA-200.8
8/6/2014 9:13	Sb	j	0.378	ug/L	EPA-200.8
8/13/2014 8:57	Sb	j	0.437	ug/L	EPA-200.8
8/20/2014 9:50	Sb	j	0.527	ug/L	EPA-200.8
7/22/2014 10:00	Se	<	0.28	ug/L	EPA-200.8
7/30/2014 10:05	Se	<	1.26	ug/L	EPA-200.8
8/6/2014 9:13	Se	<	1.26	ug/L	EPA-200.8
8/13/2014 8:57	Se	<	1.26	ug/L	EPA-200.8
8/20/2014 9:50	Se	<	1.26	ug/L	EPA-200.8
7/22/2014 10:00	Sn	<	0.36	ug/L	EPA-200.8
7/30/2014 10:05	Sn	<	0.34	ug/L	EPA-200.8
8/6/2014 9:13	Sn	<	0.34	ug/L	EPA-200.8
8/13/2014 8:57	Sn		1.376	ug/L	EPA-200.8
8/20/2014 9:50	Sn	<	0.34	ug/L	EPA-200.8
7/22/2014 10:00	SO4		85.85	mg/L	EPA 300.0
7/30/2014 10:05	SO4		73.3	mg/L	EPA 300.0
8/6/2014 9:13	SO4		65.1	mg/L	EPA 300.0
8/13/2014 8:57	SO4		40.59	mg/L	EPA 300.0
8/20/2014 9:50	SO4		33.85	mg/L	EPA 300.0
7/22/2014 10:00	Sr		271.198	ug/L	EPA-200.8
7/30/2014 10:05	Sr		215.074	ug/L	EPA-200.8
8/6/2014 9:13	Sr		180.973	ug/L	EPA-200.8
8/13/2014 8:57	Sr		136.574	ug/L	EPA-200.8
8/20/2014 9:50	Sr		121.189	ug/L	EPA-200.8
7/22/2014 10:00	TDS		472	mg/L	SM2540C
7/30/2014 10:05	TDS		408	mg/L	SM2540C
8/6/2014 9:13	TDS		352	mg/L	SM2540C
8/13/2014 8:57	TDS		234	mg/L	SM2540C
8/20/2014 9:50	TDS		204	mg/L	SM2540C
7/22/2014 10:00	Ti	j	1.014	ug/L	EPA-200.8
7/30/2014 10:05	Ti	j	0.765	ug/L	EPA-200.8
8/6/2014 9:13	Ti	j	1.968	ug/L	EPA-200.8
8/13/2014 8:57	Ti		11.83	ug/L	EPA-200.8
8/20/2014 9:50	Ti		13.98	ug/L	EPA-200.8

West Creek
River Mile 3.65

Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 10:00	TKN	j	0.405	mg/L	EPA-351.1
7/30/2014 10:05	TKN	j	0.334	mg/L	EPA-351.1
8/6/2014 9:13	TKN	j	0.247	mg/L	EPA-351.1
8/13/2014 8:57	TKN		0.986	mg/L	EPA-351.1
8/20/2014 9:50	TKN	j	0.41	mg/L	EPA-351.1
7/22/2014 10:00	TI	<	0.138	ug/L	EPA-200.8
7/30/2014 10:05	TI	j	0.038	ug/L	EPA-200.8
8/6/2014 9:13	TI	j	0.045	ug/L	EPA-200.8
8/13/2014 8:57	TI	j	0.087	ug/L	EPA-200.8
8/20/2014 9:50	TI	j	0.078	ug/L	EPA-200.8
7/22/2014 10:00	TMET		12.7	ug/L	EPA-200.8
7/30/2014 10:05	TMET		10.1	ug/L	EPA-200.8
8/6/2014 9:13	TMET		30.3	ug/L	EPA-200.8
8/13/2014 8:57	TMET		33.6	ug/L	EPA-200.8
8/20/2014 9:50	TMET		27.1	ug/L	EPA-200.8
7/22/2014 10:00	Total-P		0.064	mg/L	EPA 365.1
7/30/2014 10:05	Total-P		0.055	mg/L	EPA 365.1
8/6/2014 9:13	Total-P		0.058	mg/L	EPA 365.1
8/13/2014 8:57	Total-P		0.087	mg/L	EPA 365.1
8/20/2014 9:50	Total-P		0.072	mg/L	EPA 365.1
7/22/2014 10:00	TS		524	mg/L	SM2540B
7/30/2014 10:05	TS		416	mg/L	SM2540B
8/6/2014 9:13	TS		364	mg/L	SM2540B
8/13/2014 8:57	TS		312	mg/L	SM2540B
8/20/2014 9:50	TS		259	mg/L	SM2540B
7/22/2014 10:00	TSS		4	mg/L	SM2540D
7/30/2014 10:05	TSS		1.3	mg/L	SM2540D
8/6/2014 9:13	TSS		4.7	mg/L	SM2540D
8/13/2014 8:57	TSS		41.6	mg/L	SM2540D
8/20/2014 9:50	TSS		29.2	mg/L	SM2540D
7/22/2014 10:00	Turbidity		1.29	NTU	EPA 180.1
7/30/2014 10:05	Turbidity		2.13	NTU	EPA 180.1
8/6/2014 9:13	Turbidity		8.54	NTU	EPA 180.1
8/13/2014 8:57	Turbidity		78.5	NTU	EPA 180.1
8/20/2014 9:50	Turbidity		44.8	NTU	EPA 180.1
7/22/2014 10:00	V	<	1.22	ug/L	EPA-200.8
7/30/2014 10:05	V	<	0.38	ug/L	EPA-200.8
8/6/2014 9:13	V	<	0.38	ug/L	EPA-200.8

West Creek
River Mile 3.65

Sample Date	Parameter	Code	Result	Units	Method
8/13/2014 8:57	V	j	2.061	ug/L	EPA-200.8
8/20/2014 9:50	V	j	1.785	ug/L	EPA-200.8
7/22/2014 10:00	Zn	j	6.384	ug/L	EPA-200.8
7/30/2014 10:05	Zn	j	4.129	ug/L	EPA-200.8
8/6/2014 9:13	Zn		22.25	ug/L	EPA-200.8
8/13/2014 8:57	Zn		18.24	ug/L	EPA-200.8
8/20/2014 9:50	Zn		14.42	ug/L	EPA-200.8

West Creek River Mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 9:37	Ag	<	0.026	ug/L	EPA-200.8
7/30/2014 9:40	Ag	<	0.026	ug/L	EPA-200.8
8/6/2014 9:45	Ag	<	0.026	ug/L	EPA-200.8
8/13/2014 9:20	Ag	<	0.026	ug/L	EPA-200.8
8/20/2014 9:34	Ag	j	0.027	ug/L	EPA-200.8
7/22/2014 9:37	Al		26.82	ug/L	EPA-200.8
7/30/2014 9:40	Al		45.985	ug/L	EPA-200.8
8/6/2014 9:45	Al		140.1	ug/L	EPA-200.8
8/13/2014 9:20	Al		1705	ug/L	EPA-200.8
8/20/2014 9:34	Al		2374	ug/L	EPA-200.8
7/22/2014 9:37	Alkalinity		105.2	mg/LCaCO3	EPA-310.2
7/30/2014 9:40	Alkalinity		94.75	mg/LCaCO3	EPA-310.2
8/6/2014 9:45	Alkalinity		75.1	mg/LCaCO3	EPA-310.2
8/13/2014 9:20	Alkalinity		32.4	mg/LCaCO3	EPA-310.2
8/20/2014 9:34	Alkalinity		51.5	mg/LCaCO3	EPA-310.2
7/22/2014 9:37	As	j	0.745	ug/L	EPA-200.8
7/30/2014 9:40	As	j	0.587	ug/L	EPA-200.8
8/6/2014 9:45	As	j	0.917	ug/L	EPA-200.8
8/13/2014 9:20	As	j	1.863	ug/L	EPA-200.8
8/20/2014 9:34	As		2.174	ug/L	EPA-200.8
7/22/2014 9:37	Ba		27.27	ug/L	EPA-200.8
7/30/2014 9:40	Ba		21.945	ug/L	EPA-200.8
8/6/2014 9:45	Ba		18.34	ug/L	EPA-200.8
8/13/2014 9:20	Ba		20.95	ug/L	EPA-200.8
8/20/2014 9:34	Ba		23.97	ug/L	EPA-200.8
7/22/2014 9:37	Be	<	0.11	ug/L	EPA-200.8
7/30/2014 9:40	Be	<	0.11	ug/L	EPA-200.8
8/6/2014 9:45	Be	<	0.11	ug/L	EPA-200.8
8/13/2014 9:20	Be	<	0.11	ug/L	EPA-200.8
8/20/2014 9:34	Be	j	0.134	ug/L	EPA-200.8
7/22/2014 9:37	BOD	<	2	mg/L	SM 5210
7/30/2014 9:40	BOD	<	2	mg/L	SM 5210
8/6/2014 9:45	BOD	<	2	mg/L	SM 5210
8/13/2014 9:20	BOD		2	mg/L	SM 5210
8/20/2014 9:34	BOD	<	2	mg/L	SM 5210
7/22/2014 9:37	Ca		58050	ug/L	EPA-200.8
7/30/2014 9:40	Ca		44140	ug/L	EPA-200.8
8/6/2014 9:45	Ca		34440	ug/L	EPA-200.8
8/13/2014 9:20	Ca		24320	ug/L	EPA-200.8

West Creek River Mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:34	Ca		24250	ug/L	EPA-200.8
7/22/2014 9:37	CaCO3		211	mg/LCaCO3	EPA-200.8
7/30/2014 9:40	CaCO3		165.5	mg/LCaCO3	EPA-200.8
8/6/2014 9:45	CaCO3		132	mg/LCaCO3	EPA-200.8
8/13/2014 9:20	CaCO3		92	mg/LCaCO3	EPA-200.8
8/20/2014 9:34	CaCO3		92	mg/LCaCO3	EPA-200.8
7/22/2014 9:37	Cd	<	0.054	ug/L	EPA-200.8
7/30/2014 9:40	Cd	<	0.054	ug/L	EPA-200.8
8/6/2014 9:45	Cd	<	0.054	ug/L	EPA-200.8
8/13/2014 9:20	Cd	j	0.075	ug/L	EPA-200.8
8/20/2014 9:34	Cd	j	0.088	ug/L	EPA-200.8
7/22/2014 9:37	Chloride		180.1	mg/L	EPA 300.0
7/30/2014 9:40	Chloride		136.8	mg/L	EPA 300.0
8/6/2014 9:45	Chloride		101.4	mg/L	EPA 300.0
8/13/2014 9:20	Chloride		57.22	mg/L	EPA 300.0
8/20/2014 9:34	Chloride		63.96	mg/L	EPA 300.0
7/22/2014 9:37	Co	j	0.177	ug/L	EPA-200.8
8/6/2014 9:45	Co	j	0.2	ug/L	EPA-200.8
8/13/2014 9:20	Co		1.355	ug/L	EPA-200.8
8/20/2014 9:34	Co		1.702	ug/L	EPA-200.8
7/22/2014 9:37	COD		14	mg/L	EPA 410.4
7/30/2014 9:40	COD	<	3.7	mg/L	EPA 410.4
8/13/2014 9:20	COD		22.8	mg/L	EPA 410.4
8/20/2014 9:34	COD		18.3	mg/L	EPA 410.4
7/22/2014 9:37	Cr	j	0.893	ug/L	EPA-200.8
7/30/2014 9:40	Cr	j	0.522	ug/L	EPA-200.8
8/6/2014 9:45	Cr	j	0.866	ug/L	EPA-200.8
8/13/2014 9:20	Cr		2.83	ug/L	EPA-200.8
8/20/2014 9:34	Cr		3.884	ug/L	EPA-200.8
7/22/2014 9:37	Cu		3.267	ug/L	EPA-200.8
7/30/2014 9:40	Cu		3.354	ug/L	EPA-200.8
8/6/2014 9:45	Cu		4.06	ug/L	EPA-200.8
8/13/2014 9:20	Cu		8.189	ug/L	EPA-200.8
8/20/2014 9:34	Cu		8.268	ug/L	EPA-200.8
7/22/2014 9:37	DRPhos		0.022	mg/L	EPA 365.1
7/30/2014 9:40	DRPhos		0.0335	mg/L	EPA 365.1
8/6/2014 9:45	DRPhos		0.036	mg/L	EPA 365.1
8/13/2014 9:20	DRPhos		0.03	mg/L	EPA 365.1

West Creek River Mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:34	DRPhos		0.03	mg/L	EPA 365.1
7/22/2014 9:37	E. coli		303	MPN/100 mL	SM 9223 Colilert
7/30/2014 9:40	E. coli		7757.5	MPN/100 mL	SM 9223 Colilert
8/6/2014 9:45	E. coli		3475	MPN/100 mL	SM 9223 Colilert
8/13/2014 9:20	E. coli		31940	MPN/100 mL	SM 9223 Colilert
8/20/2014 9:34	E. coli		11460	MPN/100 mL	SM 9223 Colilert
7/22/2014 9:37	Fe		166.7	ug/L	EPA-200.8
7/30/2014 9:40	Fe		178.05	ug/L	EPA-200.8
8/6/2014 9:45	Fe		330.2	ug/L	EPA-200.8
8/13/2014 9:20	Fe		2938	ug/L	EPA-200.8
8/20/2014 9:34	Fe		2952	ug/L	EPA-200.8
7/22/2014 9:37	Field Cond		911	umhos/cm	SM 2510A
7/30/2014 9:40	Field Cond		672.3	umhos/cm	SM 2510A
8/6/2014 9:45	Field Cond		560	umhos/cm	SM 2510A
8/13/2014 9:20	Field Cond		350	umhos/cm	SM 2510A
8/20/2014 9:34	Field Cond		409.3	umhos/cm	SM 2510A
7/22/2014 9:37	Field DO		11.1	mg/L	SM 4500-0 G
7/30/2014 9:40	Field DO		9.95	mg/L	SM 4500-0 G
8/6/2014 9:45	Field DO		9.1	mg/L	SM 4500-0 G
8/13/2014 9:20	Field DO		8.87	mg/L	SM 4500-0 G
8/20/2014 9:34	Field DO		8.65	mg/L	SM 4500-0 G
7/22/2014 9:37	Field Temp		20.6	C	EPA 170.1
7/30/2014 9:40	Field Temp		17.4	C	EPA 170.1
8/6/2014 9:45	Field Temp		20.1	C	EPA 170.1
8/13/2014 9:20	Field Temp		18.8	C	EPA 170.1
8/20/2014 9:34	Field Temp		20.1	C	EPA 170.1
7/22/2014 9:37	Hg	<	0.01	ug/L	EPA 245.1
7/30/2014 9:40	Hg	<	0.01	ug/L	EPA 245.1
8/6/2014 9:45	Hg	<	0.01	ug/L	EPA 245.1
8/13/2014 9:20	Hg	<	0.01	ug/L	EPA 245.1
8/20/2014 9:34	Hg	<	0.01	ug/L	EPA 245.1
7/22/2014 9:37	K		3922	ug/L	EPA-200.8
7/30/2014 9:40	K		3580	ug/L	EPA-200.8
8/6/2014 9:45	K		3241	ug/L	EPA-200.8
8/13/2014 9:20	K		3350	ug/L	EPA-200.8
8/20/2014 9:34	K		3370	ug/L	EPA-200.8
7/22/2014 9:37	Mg		16020	ug/L	EPA-200.8
7/30/2014 9:40	Mg		13500	ug/L	EPA-200.8

West Creek River Mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2014 9:45	Mg		11120	ug/L	EPA-200.8
8/13/2014 9:20	Mg		7572	ug/L	EPA-200.8
8/20/2014 9:34	Mg		7766	ug/L	EPA-200.8
7/22/2014 9:37	Mn		5.99	ug/L	EPA-200.8
7/30/2014 9:40	Mn		5.3375	ug/L	EPA-200.8
8/6/2014 9:45	Mn		6.066	ug/L	EPA-200.8
8/13/2014 9:20	Mn		42.86	ug/L	EPA-200.8
8/20/2014 9:34	Mn		49.61	ug/L	EPA-200.8
7/22/2014 9:37	Mo		5.105	ug/L	EPA-200.8
7/30/2014 9:40	Mo		3.6645	ug/L	EPA-200.8
8/6/2014 9:45	Mo		3.282	ug/L	EPA-200.8
8/13/2014 9:20	Mo		2.432	ug/L	EPA-200.8
8/20/2014 9:34	Mo		2.398	ug/L	EPA-200.8
7/22/2014 9:37	Na		104600	ug/L	EPA-200.8
7/30/2014 9:40	Na		85930	ug/L	EPA-200.8
8/6/2014 9:45	Na		65050	ug/L	EPA-200.8
8/13/2014 9:20	Na		41800	ug/L	EPA-200.8
8/20/2014 9:34	Na		46320	ug/L	EPA-200.8
7/22/2014 9:37	NH3	j	0.008	mg/L	EPA-350.1
7/30/2014 9:40	NH3	j	0.0055	mg/L	EPA-350.1
8/13/2014 9:20	NH3		0.06	mg/L	EPA-350.1
8/20/2014 9:34	NH3		0.05	mg/L	EPA-350.1
7/22/2014 9:37	Ni	j	2.636	ug/L	EPA-200.8
7/30/2014 9:40	Ni	j	2.59	ug/L	EPA-200.8
8/6/2014 9:45	Ni	j	2.485	ug/L	EPA-200.8
8/13/2014 9:20	Ni		6.128	ug/L	EPA-200.8
8/20/2014 9:34	Ni		6.04	ug/L	EPA-200.8
7/22/2014 9:37	NO3-NO2		0.2	mg/L	EPA 353.2
7/30/2014 9:40	NO3-NO2		0.8455	mg/L	EPA 353.2
8/6/2014 9:45	NO3-NO2		1.009	mg/L	EPA 353.2
8/13/2014 9:20	NO3-NO2		0.999	mg/L	EPA 353.2
8/20/2014 9:34	NO3-NO2		0.745	mg/L	EPA 353.2
7/22/2014 9:37	Pb	j	0.116	ug/L	EPA-200.8
7/30/2014 9:40	Pb	j	0.157	ug/L	EPA-200.8
8/6/2014 9:45	Pb	j	0.42	ug/L	EPA-200.8
8/13/2014 9:20	Pb		3.513	ug/L	EPA-200.8
8/20/2014 9:34	Pb		4.498	ug/L	EPA-200.8
7/22/2014 9:37	pH		8.37	S.U.	

West Creek River Mile 2.10					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2014 9:40	pH		8.25	S.U.	
8/6/2014 9:45	pH		7.99	S.U.	
8/13/2014 9:20	pH		7.7	S.U.	
8/20/2014 9:34	pH		7.92	S.U.	
7/22/2014 9:37	Sb	j	0.358	ug/L	EPA-200.8
8/6/2014 9:45	Sb	j	0.432	ug/L	EPA-200.8
8/13/2014 9:20	Sb	j	0.53	ug/L	EPA-200.8
8/20/2014 9:34	Sb	j	0.486	ug/L	EPA-200.8
7/22/2014 9:37	Se	<	1.26	ug/L	EPA-200.8
7/30/2014 9:40	Se	<	1.26	ug/L	EPA-200.8
8/6/2014 9:45	Se	<	1.26	ug/L	EPA-200.8
8/13/2014 9:20	Se	<	1.26	ug/L	EPA-200.8
8/20/2014 9:34	Se	<	1.26	ug/L	EPA-200.8
7/22/2014 9:37	Sn	<	0.34	ug/L	EPA-200.8
7/30/2014 9:40	Sn	<	0.34	ug/L	EPA-200.8
8/6/2014 9:45	Sn	<	0.34	ug/L	EPA-200.8
8/13/2014 9:20	Sn	j	0.406	ug/L	EPA-200.8
8/20/2014 9:34	Sn	<	0.34	ug/L	EPA-200.8
7/22/2014 9:37	SO4		90.09	mg/L	EPA 300.0
7/30/2014 9:40	SO4		72.48	mg/L	EPA 300.0
8/6/2014 9:45	SO4		61.93	mg/L	EPA 300.0
8/13/2014 9:20	SO4		40.68	mg/L	EPA 300.0
8/20/2014 9:34	SO4		40.51	mg/L	EPA 300.0
7/22/2014 9:37	Sr		280.551	ug/L	EPA-200.8
7/30/2014 9:40	Sr		218.8185	ug/L	EPA-200.8
8/6/2014 9:45	Sr		177.701	ug/L	EPA-200.8
8/13/2014 9:20	Sr		134.343	ug/L	EPA-200.8
8/20/2014 9:34	Sr		142.411	ug/L	EPA-200.8
7/22/2014 9:37	TDS		542	mg/L	SM2540C
7/30/2014 9:40	TDS		423	mg/L	SM2540C
8/6/2014 9:45	TDS		348	mg/L	SM2540C
8/13/2014 9:20	TDS		250	mg/L	SM2540C
8/20/2014 9:34	TDS		240	mg/L	SM2540C
7/22/2014 9:37	Ti	j	0.632	ug/L	EPA-200.8
7/30/2014 9:40	Ti	j	0.888	ug/L	EPA-200.8
8/6/2014 9:45	Ti	j	1.701	ug/L	EPA-200.8
8/13/2014 9:20	Ti		11.44	ug/L	EPA-200.8
8/20/2014 9:34	Ti		19.3	ug/L	EPA-200.8

West Creek River Mile 2.10						
Sample Date	Parameter	Code	Result	Units	Method	
7/22/2014 9:37	TKN	j	0.45	mg/L	EPA-351.1	
7/30/2014 9:40	TKN	j	0.4295	mg/L	EPA-351.1	
8/6/2014 9:45	TKN	j	0.432	mg/L	EPA-351.1	
8/13/2014 9:20	TKN		1.007	mg/L	EPA-351.1	
8/20/2014 9:34	TKN		0.702	mg/L	EPA-351.1	
7/22/2014 9:37	TI	j	0.098	ug/L	EPA-200.8	
7/30/2014 9:40	TI	j	0.073	ug/L	EPA-200.8	
8/6/2014 9:45	TI	j	0.068	ug/L	EPA-200.8	
8/13/2014 9:20	TI	j	0.128	ug/L	EPA-200.8	
8/20/2014 9:34	TI	j	0.197	ug/L	EPA-200.8	
7/22/2014 9:37	TMET		17	ug/L	EPA-200.8	
7/30/2014 9:40	TMET		12.75	ug/L	EPA-200.8	
8/6/2014 9:45	TMET		12.8	ug/L	EPA-200.8	
8/13/2014 9:20	TMET		36.8	ug/L	EPA-200.8	
8/20/2014 9:34	TMET		40.6	ug/L	EPA-200.8	
7/22/2014 9:37	Total-P		0.042	mg/L	EPA 365.1	
7/30/2014 9:40	Total-P		0.05	mg/L	EPA 365.1	
8/6/2014 9:45	Total-P		0.057	mg/L	EPA 365.1	
8/13/2014 9:20	Total-P		0.1	mg/L	EPA 365.1	
8/20/2014 9:34	Total-P		0.104	mg/L	EPA 365.1	
7/22/2014 9:37	TS		606	mg/L	SM2540B	
7/30/2014 9:40	TS		454	mg/L	SM2540B	
8/6/2014 9:45	TS		352	mg/L	SM2540B	
8/13/2014 9:20	TS		332	mg/L	SM2540B	
8/20/2014 9:34	TS		344	mg/L	SM2540B	
7/22/2014 9:37	TSS		5.4	mg/L	SM2540D	
7/30/2014 9:40	TSS		2.35	mg/L	SM2540D	
8/6/2014 9:45	TSS		2.7	mg/L	SM2540D	
8/13/2014 9:20	TSS		44	mg/L	SM2540D	
8/20/2014 9:34	TSS		73.2	mg/L	SM2540D	
7/22/2014 9:37	Turbidity		0.94	NTU	EPA 180.1	
7/30/2014 9:40	Turbidity		1.68	NTU	EPA 180.1	
8/6/2014 9:45	Turbidity		7.33	NTU	EPA 180.1	
8/13/2014 9:20	Turbidity		90.5	NTU	EPA 180.1	
8/20/2014 9:34	Turbidity		92	NTU	EPA 180.1	
7/22/2014 9:37	V	<	0.38	ug/L	EPA-200.8	
7/30/2014 9:40	V	<	0.38	ug/L	EPA-200.8	
8/6/2014 9:45	V	<	0.38	ug/L	EPA-200.8	
8/13/2014 9:20	V	j	2.978	ug/L	EPA-200.8	

West Creek
River Mile 2.10

Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:34	V		5.076	ug/L	EPA-200.8
7/22/2014 9:37	Zn		10.16	ug/L	EPA-200.8
8/13/2014 9:20	Zn		19.69	ug/L	EPA-200.8
8/20/2014 9:34	Zn		23.38	ug/L	EPA-200.8

West Creek River Mile 1.60					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 9:17	Ag	<	0.052	ug/L	EPA-200.8
7/30/2014 9:25	Ag	<	0.026	ug/L	EPA-200.8
8/6/2014 10:05	Ag	<	0.026	ug/L	EPA-200.8
8/13/2014 9:36	Ag	<	0.026	ug/L	EPA-200.8
8/20/2014 9:10	Ag	<	0.026	ug/L	EPA-200.8
7/22/2014 9:17	Al		46.69	ug/L	EPA-200.8
7/30/2014 9:25	Al		46.48	ug/L	EPA-200.8
8/6/2014 10:05	Al		152.5	ug/L	EPA-200.8
8/13/2014 9:36	Al		1636	ug/L	EPA-200.8
8/20/2014 9:10	Al		2082	ug/L	EPA-200.8
7/22/2014 9:17	Alkalinity		106.2	mg/LCaCO3	EPA-310.2
7/30/2014 9:25	Alkalinity		103.9	mg/LCaCO3	EPA-310.2
8/6/2014 10:05	Alkalinity		78.2	mg/LCaCO3	EPA-310.2
8/13/2014 9:36	Alkalinity		37	mg/LCaCO3	EPA-310.2
8/20/2014 9:10	Alkalinity		49.8	mg/LCaCO3	EPA-310.2
7/22/2014 9:17	As	j	0.835	ug/L	EPA-200.8
7/30/2014 9:25	As	j	0.795	ug/L	EPA-200.8
8/6/2014 10:05	As	j	0.972	ug/L	EPA-200.8
8/13/2014 9:36	As		2.021	ug/L	EPA-200.8
8/20/2014 9:10	As		2.101	ug/L	EPA-200.8
7/22/2014 9:17	Ba		29.55	ug/L	EPA-200.8
7/30/2014 9:25	Ba		23.78	ug/L	EPA-200.8
8/6/2014 10:05	Ba		19.41	ug/L	EPA-200.8
8/13/2014 9:36	Ba		21.63	ug/L	EPA-200.8
8/20/2014 9:10	Ba		22.44	ug/L	EPA-200.8
7/22/2014 9:17	Be	<	0.084	ug/L	EPA-200.8
7/30/2014 9:25	Be	<	0.11	ug/L	EPA-200.8
8/6/2014 10:05	Be	<	0.11	ug/L	EPA-200.8
8/13/2014 9:36	Be	<	0.11	ug/L	EPA-200.8
8/20/2014 9:10	Be	j	0.132	ug/L	EPA-200.8
7/22/2014 9:17	BOD	<	2	mg/L	SM 5210
7/30/2014 9:25	BOD	<	2	mg/L	SM 5210
8/6/2014 10:05	BOD	<	2	mg/L	SM 5210
8/13/2014 9:36	BOD	<	2	mg/L	SM 5210
8/20/2014 9:10	BOD		2.7	mg/L	SM 5210
7/22/2014 9:17	Ca		61050	ug/L	EPA-200.8
7/30/2014 9:25	Ca		48650	ug/L	EPA-200.8
8/6/2014 10:05	Ca		37130	ug/L	EPA-200.8
8/13/2014 9:36	Ca		26280	ug/L	EPA-200.8

West Creek					
River Mile 1.60					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:10	Ca		24290	ug/L	EPA-200.8
7/22/2014 9:17	CaCO3		222	mg/LCaCO3	EPA-200.8
7/30/2014 9:25	CaCO3		177	mg/LCaCO3	EPA-200.8
8/6/2014 10:05	CaCO3		140	mg/LCaCO3	EPA-200.8
8/13/2014 9:36	CaCO3		98	mg/LCaCO3	EPA-200.8
8/20/2014 9:10	CaCO3		93	mg/LCaCO3	EPA-200.8
7/22/2014 9:17	Cd	j	0.044	ug/L	EPA-200.8
7/30/2014 9:25	Cd	<	0.054	ug/L	EPA-200.8
8/6/2014 10:05	Cd	<	0.054	ug/L	EPA-200.8
8/13/2014 9:36	Cd	j	0.07	ug/L	EPA-200.8
8/20/2014 9:10	Cd	j	0.082	ug/L	EPA-200.8
7/22/2014 9:17	Chloride		230.3	mg/L	EPA 300.0
7/30/2014 9:25	Chloride		183.8	mg/L	EPA 300.0
8/6/2014 10:05	Chloride		125.6	mg/L	EPA 300.0
8/13/2014 9:36	Chloride		64.99	mg/L	EPA 300.0
8/20/2014 9:10	Chloride		69.17	mg/L	EPA 300.0
7/22/2014 9:17	Co	j	0.173	ug/L	EPA-200.8
7/30/2014 9:25	Co	j	0.075	ug/L	EPA-200.8
8/6/2014 10:05	Co	j	0.23	ug/L	EPA-200.8
8/13/2014 9:36	Co		1.423	ug/L	EPA-200.8
8/20/2014 9:10	Co		1.897	ug/L	EPA-200.8
7/22/2014 9:17	COD		16.2	mg/L	EPA 410.4
7/30/2014 9:25	COD	j	5.2	mg/L	EPA 410.4
8/13/2014 9:36	COD		17.8	mg/L	EPA 410.4
8/20/2014 9:10	COD		13.1	mg/L	EPA 410.4
7/22/2014 9:17	Cr	j	0.761	ug/L	EPA-200.8
7/30/2014 9:25	Cr	j	0.554	ug/L	EPA-200.8
8/6/2014 10:05	Cr	j	0.849	ug/L	EPA-200.8
8/13/2014 9:36	Cr		2.732	ug/L	EPA-200.8
8/20/2014 9:10	Cr		3.554	ug/L	EPA-200.8
7/22/2014 9:17	Cu		3.606	ug/L	EPA-200.8
7/30/2014 9:25	Cu		3.603	ug/L	EPA-200.8
8/6/2014 10:05	Cu		3.861	ug/L	EPA-200.8
8/13/2014 9:36	Cu		8.479	ug/L	EPA-200.8
8/20/2014 9:10	Cu		9.245	ug/L	EPA-200.8
7/22/2014 9:17	DRPhos		0.034	mg/L	EPA 365.1
7/30/2014 9:25	DRPhos		0.043	mg/L	EPA 365.1
8/6/2014 10:05	DRPhos		0.049	mg/L	EPA 365.1

West Creek					
River Mile 1.60					
Sample Date	Parameter	Code	Result	Units	Method
8/13/2014 9:36	DRPhos		0.031	mg/L	EPA 365.1
8/20/2014 9:10	DRPhos		0.03	mg/L	EPA 365.1
7/22/2014 9:17	E. coli		91	MPN/100 mL	SM 9223 Colilert
7/30/2014 9:25	E. coli		4080	MPN/100 mL	SM 9223 Colilert
8/6/2014 10:05	E. coli		3315	MPN/100 mL	SM 9223 Colilert
8/13/2014 9:36	E. coli		28020	MPN/100 mL	SM 9223 Colilert
8/20/2014 9:10	E. coli		10920	MPN/100 mL	SM 9223 Colilert
7/22/2014 9:17	Fe		188.1	ug/L	EPA-200.8
7/30/2014 9:25	Fe		178.6	ug/L	EPA-200.8
8/6/2014 10:05	Fe		354.8	ug/L	EPA-200.8
8/13/2014 9:36	Fe		2878	ug/L	EPA-200.8
8/20/2014 9:10	Fe		3499	ug/L	EPA-200.8
7/22/2014 9:17	Field Cond		1067	umhos/cm	SM 2510A
7/30/2014 9:25	Field Cond		839.3	umhos/cm	SM 2510A
8/6/2014 10:05	Field Cond		640	umhos/cm	SM 2510A
8/13/2014 9:36	Field Cond		431	umhos/cm	SM 2510A
8/20/2014 9:10	Field Cond		438.4	umhos/cm	SM 2510A
7/22/2014 9:17	Field DO		14.49	mg/L	SM 4500-0 G
7/30/2014 9:25	Field DO		12.16	mg/L	SM 4500-0 G
8/6/2014 10:05	Field DO		10.07	mg/L	SM 4500-0 G
8/13/2014 9:36	Field DO		8.98	mg/L	SM 4500-0 G
8/20/2014 9:10	Field DO		8.66	mg/L	SM 4500-0 G
7/22/2014 9:17	Field Temp		21.3	C	EPA 170.1
7/30/2014 9:25	Field Temp		18.6	C	EPA 170.1
8/6/2014 10:05	Field Temp		21.1	C	EPA 170.1
8/13/2014 9:36	Field Temp		18.9	C	EPA 170.1
8/20/2014 9:10	Field Temp		20.1	C	EPA 170.1
7/22/2014 9:17	Hg	<	0.01	ug/L	EPA 245.1
7/30/2014 9:25	Hg	<	0.01	ug/L	EPA 245.1
8/6/2014 10:05	Hg	<	0.01	ug/L	EPA 245.1
8/13/2014 9:36	Hg	<	0.01	ug/L	EPA 245.1
8/20/2014 9:10	Hg	<	0.01	ug/L	EPA 245.1
7/22/2014 9:17	K		4294	ug/L	EPA-200.8
7/30/2014 9:25	K		3735	ug/L	EPA-200.8
8/6/2014 10:05	K		3292	ug/L	EPA-200.8
8/13/2014 9:36	K		3441	ug/L	EPA-200.8
8/20/2014 9:10	K		3133	ug/L	EPA-200.8
7/22/2014 9:17	Mg		16910	ug/L	EPA-200.8

West Creek					
River Mile 1.60					
Sample Date	Parameter	Code	Result	Units	Method
7/30/2014 9:25	Mg		13430	ug/L	EPA-200.8
8/6/2014 10:05	Mg		11510	ug/L	EPA-200.8
8/13/2014 9:36	Mg		7901	ug/L	EPA-200.8
8/20/2014 9:10	Mg		7962	ug/L	EPA-200.8
7/22/2014 9:17	Mn		7.707	ug/L	EPA-200.8
7/30/2014 9:25	Mn		9.71	ug/L	EPA-200.8
8/6/2014 10:05	Mn		8.574	ug/L	EPA-200.8
8/13/2014 9:36	Mn		43.5	ug/L	EPA-200.8
8/20/2014 9:10	Mn		57.99	ug/L	EPA-200.8
7/22/2014 9:17	Mo		6.058	ug/L	EPA-200.8
7/30/2014 9:25	Mo		4.6	ug/L	EPA-200.8
8/6/2014 10:05	Mo		3.66	ug/L	EPA-200.8
8/13/2014 9:36	Mo		2.845	ug/L	EPA-200.8
8/20/2014 9:10	Mo		2.542	ug/L	EPA-200.8
7/22/2014 9:17	Na		142300	ug/L	EPA-200.8
7/30/2014 9:25	Na		113700	ug/L	EPA-200.8
8/6/2014 10:05	Na		77580	ug/L	EPA-200.8
8/13/2014 9:36	Na		47420	ug/L	EPA-200.8
8/20/2014 9:10	Na		49610	ug/L	EPA-200.8
7/22/2014 9:17	NH3		0.041	mg/L	EPA-350.1
7/30/2014 9:25	NH3	j	0.008	mg/L	EPA-350.1
8/13/2014 9:36	NH3		0.058	mg/L	EPA-350.1
8/20/2014 9:10	NH3		0.082	mg/L	EPA-350.1
7/22/2014 9:17	Ni	j	2.476	ug/L	EPA-200.8
7/30/2014 9:25	Ni	j	2.476	ug/L	EPA-200.8
8/6/2014 10:05	Ni	j	2.404	ug/L	EPA-200.8
8/13/2014 9:36	Ni		6.091	ug/L	EPA-200.8
8/20/2014 9:10	Ni		6.402	ug/L	EPA-200.8
7/22/2014 9:17	NO3-NO2		0.051	mg/L	EPA 353.2
7/30/2014 9:25	NO3-NO2		0.694	mg/L	EPA 353.2
8/6/2014 10:05	NO3-NO2		0.89	mg/L	EPA 353.2
8/13/2014 9:36	NO3-NO2		1.001	mg/L	EPA 353.2
8/20/2014 9:10	NO3-NO2		0.724	mg/L	EPA 353.2
7/22/2014 9:17	Pb	<	0.174	ug/L	EPA-200.8
7/30/2014 9:25	Pb	j	0.202	ug/L	EPA-200.8
8/6/2014 10:05	Pb	j	0.463	ug/L	EPA-200.8
8/13/2014 9:36	Pb		3.501	ug/L	EPA-200.8
8/20/2014 9:10	Pb		5.079	ug/L	EPA-200.8

West Creek					
River Mile 1.60					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 9:17	pH		8.8	S.U.	
7/30/2014 9:25	pH		8.67	S.U.	
8/6/2014 10:05	pH		8.49	S.U.	
8/13/2014 9:36	pH		7.89	S.U.	
8/20/2014 9:10	pH		7.95	S.U.	
7/22/2014 9:17	Sb	j	0.371	ug/L	EPA-200.8
7/30/2014 9:25	Sb	j	0.185	ug/L	EPA-200.8
8/6/2014 10:05	Sb	j	0.42	ug/L	EPA-200.8
8/13/2014 9:36	Sb	j	0.407	ug/L	EPA-200.8
8/20/2014 9:10	Sb	j	0.436	ug/L	EPA-200.8
7/22/2014 9:17	Se	j	0.355	ug/L	EPA-200.8
7/30/2014 9:25	Se	<	1.26	ug/L	EPA-200.8
8/6/2014 10:05	Se	<	1.26	ug/L	EPA-200.8
8/13/2014 9:36	Se	<	1.26	ug/L	EPA-200.8
8/20/2014 9:10	Se	<	1.26	ug/L	EPA-200.8
7/22/2014 9:17	Sn	<	0.36	ug/L	EPA-200.8
7/30/2014 9:25	Sn	<	0.34	ug/L	EPA-200.8
8/6/2014 10:05	Sn	<	0.34	ug/L	EPA-200.8
8/13/2014 9:36	Sn	<	0.34	ug/L	EPA-200.8
8/20/2014 9:10	Sn	<	0.34	ug/L	EPA-200.8
7/22/2014 9:17	SO4		92.14	mg/L	EPA 300.0
7/30/2014 9:25	SO4		78.41	mg/L	EPA 300.0
8/6/2014 10:05	SO4		64.72	mg/L	EPA 300.0
8/13/2014 9:36	SO4		43.03	mg/L	EPA 300.0
8/20/2014 9:10	SO4		43.36	mg/L	EPA 300.0
7/22/2014 9:17	Sr		331.053	ug/L	EPA-200.8
7/30/2014 9:25	Sr		250.151	ug/L	EPA-200.8
8/6/2014 10:05	Sr		200.547	ug/L	EPA-200.8
8/13/2014 9:36	Sr		149.607	ug/L	EPA-200.8
8/20/2014 9:10	Sr		145.796	ug/L	EPA-200.8
7/22/2014 9:17	TDS		620	mg/L	SM2540C
7/30/2014 9:25	TDS		506	mg/L	SM2540C
8/6/2014 10:05	TDS		402	mg/L	SM2540C
8/13/2014 9:36	TDS		268	mg/L	SM2540C
8/20/2014 9:10	TDS		252	mg/L	SM2540C
7/22/2014 9:17	Ti	j	0.707	ug/L	EPA-200.8
7/30/2014 9:25	Ti	j	1.004	ug/L	EPA-200.8
8/6/2014 10:05	Ti	j	1.974	ug/L	EPA-200.8
8/13/2014 9:36	Ti		11.32	ug/L	EPA-200.8

West Creek					
River Mile 1.60					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 9:10	Ti		13.36	ug/L	EPA-200.8
7/22/2014 9:17	TKN	j	0.407	mg/L	EPA-351.1
7/30/2014 9:25	TKN	j	0.476	mg/L	EPA-351.1
8/6/2014 10:05	TKN	j	0.469	mg/L	EPA-351.1
8/13/2014 9:36	TKN		0.904	mg/L	EPA-351.1
8/20/2014 9:10	TKN		0.761	mg/L	EPA-351.1
7/22/2014 9:17	TI	<	0.138	ug/L	EPA-200.8
7/30/2014 9:25	TI	j	0.052	ug/L	EPA-200.8
8/6/2014 10:05	TI	j	0.065	ug/L	EPA-200.8
8/13/2014 9:36	TI	j	0.133	ug/L	EPA-200.8
8/20/2014 9:10	TI	j	0.124	ug/L	EPA-200.8
7/22/2014 9:17	TMET		12.6	ug/L	EPA-200.8
7/30/2014 9:25	TMET		13.4	ug/L	EPA-200.8
8/6/2014 10:05	TMET		12.5	ug/L	EPA-200.8
8/13/2014 9:36	TMET		36.3	ug/L	EPA-200.8
8/20/2014 9:10	TMET		49	ug/L	EPA-200.8
7/22/2014 9:17	Total-P		0.063	mg/L	EPA 365.1
7/30/2014 9:25	Total-P		0.057	mg/L	EPA 365.1
8/6/2014 10:05	Total-P		0.068	mg/L	EPA 365.1
8/13/2014 9:36	Total-P		0.102	mg/L	EPA 365.1
8/20/2014 9:10	Total-P		0.122	mg/L	EPA 365.1
7/22/2014 9:17	TS		692	mg/L	SM2540B
7/30/2014 9:25	TS		536	mg/L	SM2540B
8/6/2014 10:05	TS		392	mg/L	SM2540B
8/13/2014 9:36	TS		352	mg/L	SM2540B
8/20/2014 9:10	TS		394	mg/L	SM2540B
7/22/2014 9:17	TSS		2.3	mg/L	SM2540D
7/30/2014 9:25	TSS		1.9	mg/L	SM2540D
8/6/2014 10:05	TSS		4.8	mg/L	SM2540D
8/13/2014 9:36	TSS		60.8	mg/L	SM2540D
8/20/2014 9:10	TSS		116.4	mg/L	SM2540D
7/22/2014 9:17	Turbidity		1.36	NTU	EPA 180.1
7/30/2014 9:25	Turbidity		2.03	NTU	EPA 180.1
8/6/2014 10:05	Turbidity		7.62	NTU	EPA 180.1
8/13/2014 9:36	Turbidity		102.5	NTU	EPA 180.1
8/20/2014 9:10	Turbidity		123	NTU	EPA 180.1
7/22/2014 9:17	V	<	1.22	ug/L	EPA-200.8
7/30/2014 9:25	V	<	0.38	ug/L	EPA-200.8

West Creek
River Mile 1.60

Sample Date	Parameter	Code	Result	Units	Method
8/6/2014 10:05	V	<	0.38	ug/L	EPA-200.8
8/13/2014 9:36	V	j	3.143	ug/L	EPA-200.8
8/20/2014 9:10	V	j	3.564	ug/L	EPA-200.8
7/22/2014 9:17	Zn	j	5.766	ug/L	EPA-200.8
7/30/2014 9:25	Zn	j	6.756	ug/L	EPA-200.8
8/13/2014 9:36	Zn		18.97	ug/L	EPA-200.8
8/20/2014 9:10	Zn		29.85	ug/L	EPA-200.8

West Creek River Mile 0.20					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 8:45	Ag	<	0.052	ug/L	EPA-200.8
7/30/2014 9:08	Ag	j	0.03	ug/L	EPA-200.8
8/6/2014 10:37	Ag	<	0.026	ug/L	EPA-200.8
8/13/2014 9:52	Ag	<	0.026	ug/L	EPA-200.8
8/20/2014 8:53	Ag	j	0.031	ug/L	EPA-200.8
7/22/2014 8:45	Al		22.31	ug/L	EPA-200.8
7/30/2014 9:08	Al		65.68	ug/L	EPA-200.8
8/6/2014 10:37	Al		133.1	ug/L	EPA-200.8
8/13/2014 9:52	Al		1615	ug/L	EPA-200.8
8/20/2014 8:53	Al		1718	ug/L	EPA-200.8
7/22/2014 8:45	Alkalinity		114.4	mg/LCaCO3	EPA-310.2
7/30/2014 9:08	Alkalinity		117.3	mg/LCaCO3	EPA-310.2
8/6/2014 10:37	Alkalinity		88.9	mg/LCaCO3	EPA-310.2
8/13/2014 9:52	Alkalinity		49.55	mg/LCaCO3	EPA-310.2
8/20/2014 8:53	Alkalinity		49.6	mg/LCaCO3	EPA-310.2
7/22/2014 8:45	As	j	1	ug/L	EPA-200.8
7/30/2014 9:08	As	j	0.891	ug/L	EPA-200.8
8/6/2014 10:37	As	j	1.064	ug/L	EPA-200.8
8/13/2014 9:52	As	j	1.8235	ug/L	EPA-200.8
8/20/2014 8:53	As	j	1.878	ug/L	EPA-200.8
7/22/2014 8:45	Ba		35.24	ug/L	EPA-200.8
7/30/2014 9:08	Ba		31.83	ug/L	EPA-200.8
8/6/2014 10:37	Ba		23.48	ug/L	EPA-200.8
8/13/2014 9:52	Ba		22.3	ug/L	EPA-200.8
8/20/2014 8:53	Ba		21.87	ug/L	EPA-200.8
7/22/2014 8:45	Be	<	0.084	ug/L	EPA-200.8
7/30/2014 9:08	Be	<	0.11	ug/L	EPA-200.8
8/6/2014 10:37	Be	<	0.11	ug/L	EPA-200.8
8/13/2014 9:52	Be	j	0.1115	ug/L	EPA-200.8
8/20/2014 8:53	Be	j	0.134	ug/L	EPA-200.8
7/22/2014 8:45	BOD	<	2	mg/L	SM 5210
7/30/2014 9:08	BOD	<	2	mg/L	SM 5210
8/6/2014 10:37	BOD		2.2	mg/L	SM 5210
8/13/2014 9:52	BOD		2.05	mg/L	SM 5210
8/20/2014 8:53	BOD		2.6	mg/L	SM 5210
7/22/2014 8:45	Ca		64740	ug/L	EPA-200.8
7/30/2014 9:08	Ca		58220	ug/L	EPA-200.8
8/6/2014 10:37	Ca		44010	ug/L	EPA-200.8
8/13/2014 9:52	Ca		28045	ug/L	EPA-200.8

West Creek River Mile 0.20					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 8:53	Ca		24400	ug/L	EPA-200.8
7/22/2014 8:45	CaCO3		237	mg/LCaCO3	EPA-200.8
7/30/2014 9:08	CaCO3		211	mg/LCaCO3	EPA-200.8
8/6/2014 10:37	CaCO3		162	mg/LCaCO3	EPA-200.8
8/13/2014 9:52	CaCO3		103.5	mg/LCaCO3	EPA-200.8
8/20/2014 8:53	CaCO3		90	mg/LCaCO3	EPA-200.8
7/22/2014 8:45	Cd	<	0.044	ug/L	EPA-200.8
7/30/2014 9:08	Cd	<	0.054	ug/L	EPA-200.8
8/6/2014 10:37	Cd	<	0.054	ug/L	EPA-200.8
8/13/2014 9:52	Cd	j	0.079	ug/L	EPA-200.8
8/20/2014 8:53	Cd	j	0.103	ug/L	EPA-200.8
7/22/2014 8:45	Chloride		289.5	mg/L	EPA 300.0
7/30/2014 9:08	Chloride		263.3	mg/L	EPA 300.0
8/6/2014 10:37	Chloride		167.9	mg/L	EPA 300.0
8/13/2014 9:52	Chloride		82.145	mg/L	EPA 300.0
8/20/2014 8:53	Chloride		70.33	mg/L	EPA 300.0
7/22/2014 8:45	Co	j	0.147	ug/L	EPA-200.8
7/30/2014 9:08	Co	j	0.086	ug/L	EPA-200.8
8/6/2014 10:37	Co	j	0.2	ug/L	EPA-200.8
8/13/2014 9:52	Co		1.372	ug/L	EPA-200.8
8/20/2014 8:53	Co		1.637	ug/L	EPA-200.8
7/22/2014 8:45	COD		19	mg/L	EPA 410.4
7/30/2014 9:08	COD	j	9.8	mg/L	EPA 410.4
8/13/2014 9:52	COD		21.45	mg/L	EPA 410.4
8/20/2014 8:53	COD		20.9	mg/L	EPA 410.4
7/22/2014 8:45	Cr	j	0.726	ug/L	EPA-200.8
7/30/2014 9:08	Cr	j	0.618	ug/L	EPA-200.8
8/6/2014 10:37	Cr	j	0.874	ug/L	EPA-200.8
8/13/2014 9:52	Cr		2.818	ug/L	EPA-200.8
8/20/2014 8:53	Cr		3.397	ug/L	EPA-200.8
7/22/2014 8:45	Cu		3.311	ug/L	EPA-200.8
7/30/2014 9:08	Cu		3.59	ug/L	EPA-200.8
8/6/2014 10:37	Cu		3.52	ug/L	EPA-200.8
8/13/2014 9:52	Cu		7.842	ug/L	EPA-200.8
8/20/2014 8:53	Cu		8.275	ug/L	EPA-200.8
7/22/2014 8:45	DRPhos		0.028	mg/L	EPA 365.1
7/30/2014 9:08	DRPhos		0.039	mg/L	EPA 365.1
8/6/2014 10:37	DRPhos		0.038	mg/L	EPA 365.1

West Creek River Mile 0.20					
Sample Date	Parameter	Code	Result	Units	Method
8/13/2014 9:52	DRPhos		0.037	mg/L	EPA 365.1
8/20/2014 8:53	DRPhos		0.039	mg/L	EPA 365.1
7/22/2014 8:45	E. coli		120	MPN/100 mL	SM 9223 Colilert
7/30/2014 9:08	E. coli		1966	MPN/100 mL	SM 9223 Colilert
8/6/2014 10:37	E. coli		2758	MPN/100 mL	SM 9223 Colilert
8/13/2014 9:52	E. coli		19710	MPN/100 mL	SM 9223 Colilert
8/20/2014 8:53	E. coli		18160	MPN/100 mL	SM 9223 Colilert
7/22/2014 8:45	Fe		168.9	ug/L	EPA-200.8
7/30/2014 9:08	Fe		241.5	ug/L	EPA-200.8
8/6/2014 10:37	Fe		339	ug/L	EPA-200.8
8/20/2014 8:53	Fe		3188	ug/L	EPA-200.8
7/22/2014 8:45	Field Cond		1241	umhos/cm	SM 2510A
7/30/2014 9:08	Field Cond		1068	umhos/cm	SM 2510A
8/6/2014 10:37	Field Cond		775	umhos/cm	SM 2510A
8/13/2014 9:52	Field Cond		437.5	umhos/cm	SM 2510A
8/20/2014 8:53	Field Cond		420.7	umhos/cm	SM 2510A
7/22/2014 8:45	Field DO		9.39	mg/L	SM 4500-0 G
7/30/2014 9:08	Field DO		8.92	mg/L	SM 4500-0 G
8/6/2014 10:37	Field DO		8.93	mg/L	SM 4500-0 G
8/13/2014 9:52	Field DO		8.44	mg/L	SM 4500-0 G
8/20/2014 8:53	Field DO		8.33	mg/L	SM 4500-0 G
7/22/2014 8:45	Field Temp		20.6	C	EPA 170.1
7/30/2014 9:08	Field Temp		17.9	C	EPA 170.1
8/6/2014 10:37	Field Temp		21	C	EPA 170.1
8/13/2014 9:52	Field Temp		19	C	EPA 170.1
8/20/2014 8:53	Field Temp		20.1	C	EPA 170.1
7/22/2014 8:45	Hg	<	0.01	ug/L	EPA 245.1
7/30/2014 9:08	Hg	<	0.01	ug/L	EPA 245.1
8/6/2014 10:37	Hg	<	0.01	ug/L	EPA 245.1
8/13/2014 9:52	Hg	<	0.01	ug/L	EPA 245.1
8/20/2014 8:53	Hg	j	0.01	ug/L	EPA 245.1
7/22/2014 8:45	K		5256	ug/L	EPA-200.8
7/30/2014 9:08	K		4880	ug/L	EPA-200.8
8/6/2014 10:37	K		3891	ug/L	EPA-200.8
8/13/2014 9:52	K		3513.5	ug/L	EPA-200.8
8/20/2014 8:53	K		2996	ug/L	EPA-200.8
7/22/2014 8:45	Mg		18280	ug/L	EPA-200.8
7/30/2014 9:08	Mg		15880	ug/L	EPA-200.8

West Creek River Mile 0.20					
Sample Date	Parameter	Code	Result	Units	Method
8/6/2014 10:37	Mg		12610	ug/L	EPA-200.8
8/13/2014 9:52	Mg		8210	ug/L	EPA-200.8
8/20/2014 8:53	Mg		7186	ug/L	EPA-200.8
7/22/2014 8:45	Mn		13.49	ug/L	EPA-200.8
7/30/2014 9:08	Mn		14.13	ug/L	EPA-200.8
8/6/2014 10:37	Mn		12.6	ug/L	EPA-200.8
8/13/2014 9:52	Mn		47.24	ug/L	EPA-200.8
8/20/2014 8:53	Mn		66.94	ug/L	EPA-200.8
7/22/2014 8:45	Mo		7.342	ug/L	EPA-200.8
7/30/2014 9:08	Mo		6.271	ug/L	EPA-200.8
8/6/2014 10:37	Mo		4.992	ug/L	EPA-200.8
8/13/2014 9:52	Mo		3.143	ug/L	EPA-200.8
8/20/2014 8:53	Mo		2.723	ug/L	EPA-200.8
7/22/2014 8:45	Na		173100	ug/L	EPA-200.8
7/30/2014 9:08	Na		152800	ug/L	EPA-200.8
8/6/2014 10:37	Na		101000	ug/L	EPA-200.8
8/13/2014 9:52	Na		56355	ug/L	EPA-200.8
8/20/2014 8:53	Na		52410	ug/L	EPA-200.8
7/22/2014 8:45	NH3	j	0.007	mg/L	EPA-350.1
7/30/2014 9:08	NH3	j	0.007	mg/L	EPA-350.1
8/6/2014 10:37	NH3		0.034	mg/L	EPA-350.1
8/13/2014 9:52	NH3		0.0425	mg/L	EPA-350.1
8/20/2014 8:53	NH3		0.105	mg/L	EPA-350.1
7/22/2014 8:45	Ni	j	2.484	ug/L	EPA-200.8
7/30/2014 9:08	Ni	j	2.676	ug/L	EPA-200.8
8/6/2014 10:37	Ni	j	2.274	ug/L	EPA-200.8
8/13/2014 9:52	Ni		5.7485	ug/L	EPA-200.8
8/20/2014 8:53	Ni		5.488	ug/L	EPA-200.8
7/22/2014 8:45	NO3-NO2		0.079	mg/L	EPA 353.2
7/30/2014 9:08	NO3-NO2		0.608	mg/L	EPA 353.2
8/6/2014 10:37	NO3-NO2		0.79	mg/L	EPA 353.2
8/13/2014 9:52	NO3-NO2		0.9215	mg/L	EPA 353.2
8/20/2014 8:53	NO3-NO2		0.631	mg/L	EPA 353.2
7/22/2014 8:45	Pb	<	0.174	ug/L	EPA-200.8
7/30/2014 9:08	Pb	j	0.276	ug/L	EPA-200.8
8/6/2014 10:37	Pb	j	0.391	ug/L	EPA-200.8
8/13/2014 9:52	Pb		3.497	ug/L	EPA-200.8
8/20/2014 8:53	Pb		4.264	ug/L	EPA-200.8

West Creek River Mile 0.20					
Sample Date	Parameter	Code	Result	Units	Method
7/22/2014 8:45	pH		8.18	S.U.	
7/30/2014 9:08	pH		8.22	S.U.	
8/6/2014 10:37	pH		8.18	S.U.	
8/13/2014 9:52	pH		7.87	S.U.	
8/20/2014 8:53	pH		7.8	S.U.	
7/22/2014 8:45	Sb	j	0.368	ug/L	EPA-200.8
7/30/2014 9:08	Sb	j	0.309	ug/L	EPA-200.8
8/6/2014 10:37	Sb	j	0.432	ug/L	EPA-200.8
8/13/2014 9:52	Sb	j	0.408	ug/L	EPA-200.8
8/20/2014 8:53	Sb	j	0.51	ug/L	EPA-200.8
7/22/2014 8:45	Se	j	0.467	ug/L	EPA-200.8
7/30/2014 9:08	Se	<	1.26	ug/L	EPA-200.8
8/6/2014 10:37	Se	<	1.26	ug/L	EPA-200.8
8/13/2014 9:52	Se	<	1.26	ug/L	EPA-200.8
8/20/2014 8:53	Se	<	1.26	ug/L	EPA-200.8
7/22/2014 8:45	Sn	<	0.36	ug/L	EPA-200.8
7/30/2014 9:08	Sn	<	0.34	ug/L	EPA-200.8
8/6/2014 10:37	Sn	<	0.34	ug/L	EPA-200.8
8/13/2014 9:52	Sn	j	0.585	ug/L	EPA-200.8
8/20/2014 8:53	Sn	<	0.34	ug/L	EPA-200.8
7/22/2014 8:45	SO4		88.48	mg/L	EPA 300.0
7/30/2014 9:08	SO4		83.2	mg/L	EPA 300.0
8/6/2014 10:37	SO4		64.67	mg/L	EPA 300.0
8/13/2014 9:52	SO4		43.995	mg/L	EPA 300.0
8/20/2014 8:53	SO4		37.45	mg/L	EPA 300.0
7/22/2014 8:45	Sr		353.009	ug/L	EPA-200.8
7/30/2014 9:08	Sr		309.45	ug/L	EPA-200.8
8/6/2014 10:37	Sr		233.045	ug/L	EPA-200.8
8/13/2014 9:52	Sr		154.833	ug/L	EPA-200.8
8/20/2014 8:53	Sr		134.695	ug/L	EPA-200.8
7/22/2014 8:45	TDS		716	mg/L	SM2540C
7/30/2014 9:08	TDS		654	mg/L	SM2540C
8/6/2014 10:37	TDS		492	mg/L	SM2540C
8/13/2014 9:52	TDS		299	mg/L	SM2540C
8/20/2014 8:53	TDS		244	mg/L	SM2540C
7/22/2014 8:45	Ti	j	0.577	ug/L	EPA-200.8
7/30/2014 9:08	Ti	j	1.659	ug/L	EPA-200.8
8/6/2014 10:37	Ti	j	1.875	ug/L	EPA-200.8
8/13/2014 9:52	Ti		11.44	ug/L	EPA-200.8

West Creek River Mile 0.20					
Sample Date	Parameter	Code	Result	Units	Method
8/20/2014 8:53	Ti		14.79	ug/L	EPA-200.8
7/22/2014 8:45	TKN	j	0.482	mg/L	EPA-351.1
7/30/2014 9:08	TKN	j	0.421	mg/L	EPA-351.1
8/6/2014 10:37	TKN	j	0.381	mg/L	EPA-351.1
8/13/2014 9:52	TKN		0.886	mg/L	EPA-351.1
8/20/2014 8:53	TKN		0.736	mg/L	EPA-351.1
7/22/2014 8:45	TI	<	0.138	ug/L	EPA-200.8
7/30/2014 9:08	TI	j	0.05	ug/L	EPA-200.8
8/6/2014 10:37	TI	j	0.063	ug/L	EPA-200.8
8/20/2014 8:53	TI	j	0.115	ug/L	EPA-200.8
7/22/2014 8:45	TMET		11.7	ug/L	EPA-200.8
7/30/2014 9:08	TMET		12.6	ug/L	EPA-200.8
8/6/2014 10:37	TMET		11.9	ug/L	EPA-200.8
8/13/2014 9:52	TMET		36.2	ug/L	EPA-200.8
8/20/2014 8:53	TMET		42.6	ug/L	EPA-200.8
7/22/2014 8:45	Total-P		0.046	mg/L	EPA 365.1
7/30/2014 9:08	Total-P		0.057	mg/L	EPA 365.1
8/6/2014 10:37	Total-P		0.066	mg/L	EPA 365.1
8/13/2014 9:52	Total-P		0.1105	mg/L	EPA 365.1
8/20/2014 8:53	Total-P		0.123	mg/L	EPA 365.1
7/22/2014 8:45	TS		802	mg/L	SM2540B
7/30/2014 9:08	TS		692	mg/L	SM2540B
8/6/2014 10:37	TS		512	mg/L	SM2540B
8/13/2014 9:52	TS		381	mg/L	SM2540B
8/20/2014 8:53	TS		368	mg/L	SM2540B
7/22/2014 8:45	TSS		1	mg/L	SM2540D
7/30/2014 9:08	TSS		2.2	mg/L	SM2540D
8/6/2014 10:37	TSS		2.9	mg/L	SM2540D
8/13/2014 9:52	TSS		68.25	mg/L	SM2540D
8/20/2014 8:53	TSS		98.8	mg/L	SM2540D
7/22/2014 8:45	Turbidity		0.77	NTU	EPA 180.1
7/30/2014 9:08	Turbidity		3.57	NTU	EPA 180.1
8/6/2014 10:37	Turbidity		6.5	NTU	EPA 180.1
8/13/2014 9:52	Turbidity		103.525	NTU	EPA 180.1
8/20/2014 8:53	Turbidity		111	NTU	EPA 180.1
7/22/2014 8:45	V	<	1.22	ug/L	EPA-200.8
7/30/2014 9:08	V	<	0.38	ug/L	EPA-200.8
8/6/2014 10:37	V	<	0.38	ug/L	EPA-200.8

West Creek River Mile 0.20						
Sample Date	Parameter	Code	Result	Units	Method	
8/13/2014 9:52	V	j	3.0505	ug/L	EPA-200.8	
8/20/2014 8:53	V	j	3.46	ug/L	EPA-200.8	
7/22/2014 8:45	Zn	j	5.206	ug/L	EPA-200.8	
7/30/2014 9:08	Zn	j	5.738	ug/L	EPA-200.8	
8/13/2014 9:52	Zn		19.81	ug/L	EPA-200.8	
8/20/2014 8:53	Zn		25.47	ug/L	EPA-200.8	

Codes

j = Result is greater than the method detection limit (MDL), but less than the practical quantitation limit (PQL)

< = Result is less than the method detection limit (MDL)